



US00RE47442E

(19) **United States**
(12) **Reissued Patent**
Kang et al.

(10) **Patent Number:** **US RE47,442 E**
(45) **Date of Reissued Patent:** ***Jun. 18, 2019**

(54) **METHOD AND APPARATUS FOR ASSISTING DATA INPUT TO A PORTABLE INFORMATION TERMINAL**

(52) **U.S. CI.**
CPC **G06F 3/0238** (2013.01); **G06F 3/0488** (2013.01)

(71) Applicant: **LG ELECTRONICS INC.**, Seoul (KR)

(58) **Field of Classification Search**
CPC G06F 3/00
(Continued)

(72) Inventors: **Yun Gyu Kang**, Koompo-si (KR); **Byung Hak Jung**, Seoul (KR); **Yong Soo Shin**, Anyang-si (KR); **Su Young Pan**, Seoul (KR); **Sang Bum Kim**, Goyang-si (KR); **Seung Ho Lee**, Koonpo-si (KR)

(56) **References Cited**

U.S. PATENT DOCUMENTS

4,763,356 A * 8/1988 Day, Jr. G06F 3/0488 178/18.01
5,230,062 A 7/1993 Inaki et al.
(Continued)

(73) Assignee: **LG ELECTRONICS INC.**, Seoul (KR)

FOREIGN PATENT DOCUMENTS

(*) Notice: This patent is subject to a terminal disclaimer.

KR 2000-0024489 5/2000
KR 2000-0026146 5/2000
KR 2000-0060799 10/2000

(21) Appl. No.: **14/815,476**

OTHER PUBLICATIONS

(22) Filed: **Jul. 31, 2015**

Korean Office Action for KR 10-2001-0022694 dated Sep. 26, 2006.
(Continued)

Related U.S. Patent Documents

Reissue of:

(64) Patent No.: **7,168,046**
Issued: **Jan. 23, 2007**
Appl. No.: **10/131,044**
Filed: **Apr. 25, 2002**

Primary Examiner — Peng Ke

(74) *Attorney, Agent, or Firm* — KED & Associates LLP

U.S. Applications:

(63) Continuation of application No. 12/320,373, filed on Jan. 23, 2009, which is an application for the reissue of Pat. No. 7,168,046.

(57) **ABSTRACT**

A method and apparatus for providing a suitable soft keyboard for end users to conveniently enter data to a portable information terminal that can not provide concurrently multiple character set keyboards, such as Korean, English, and Numeric keyboards. A data input assisting method displays an input window including a plurality of input fields when data input is requested. The input window identifies an input data set among English, Numeric, and non-English character sets suitable to an input field, which is selected for information input on the displayed input window, and provides a soft keyboard of touch screen or the like including the identified character set. Therefore, data input is ensured when a user must select and enter non-English (e.g., Korean), English, or Numeric data to match information


(Continued)

(30) **Foreign Application Priority Data**

Apr. 26, 2001 (KR) 2001-22694
May 15, 2001 (KR) 2001-26562

(51) **Int. Cl.**

G06F 3/00 (2006.01)
G06F 3/023 (2006.01)
G06F 3/0488 (2013.01)



special keys assigned to switchover among soft keyboards

US RE47,442 E

Page 2

type of each data field to be stored in a portable information terminal, such as a Personal Digital Assistant (PDA).

17 Claims, 6 Drawing Sheets

(58) Field of Classification Search

USPC 715/773, 771, 764
See application file for complete search history.

(56) References Cited

U.S. PATENT DOCUMENTS

5,276,794	A	1/1994	Lamb, Jr.	
5,579,416	A	11/1996	Shibuya et al.	
5,687,386	A	11/1997	Niimura	
5,745,712	A	4/1998	Turpin	
5,777,605	A	7/1998	Yoshinobu et al.	
5,805,157	A *	9/1998	Bertram et al.	715/773
5,839,112	A *	11/1998	Schreitmueller et al.	705/4
6,004,049	A	12/1999	Knox	
6,014,616	A	1/2000	Kim	
6,204,848	B1	3/2001	Nowlan et al.	
6,552,717	B2 *	4/2003	Mailman	G06F 3/018 200/5 R
6,562,078	B1	5/2003	Yang	

6,661,920	B1 *	12/2003	Skinner	G06F 3/04886 345/169
6,677,933	B1 *	1/2004	Yogarathnam	345/174
6,687,386	B1	2/2004	Ito et al.	
6,714,220	B2 *	3/2004	Sigl	715/780
7,168,046	B2	1/2007	Kang et al.	
2002/0030854	A1 *	3/2002	Schutz	B29B 17/0036 358/1.18
2002/0082892	A1 *	6/2002	Raffel	G06Q 10/063 705/7.26
2002/0107885	A1 *	8/2002	Brooks	G06F 3/04883 715/224
2003/0071850	A1	4/2003	Geidl	
2003/0074647	A1	4/2003	Andrew	

OTHER PUBLICATIONS

Korean Office Action for KR 10-2001-0026562 dated Sep. 26, 2006.
U.S. Office Action for U.S. Appl. No. 10/131,044 dated Feb. 2, 2005.
U.S. Office Action for U.S. Appl. No. 12/320,373 dated Nov. 16, 2012.
U.S. Office Action for U.S. Appl. No. 12/320,373 dated Oct. 18, 2013.
U.S. Office Action for parent U.S. Appl. No. 12/320,373 dated Jul. 13, 2017.

* cited by examiner

FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5

Soft Keyboard including Korean Character Set



both selecting concurrently or at a short interval functions switchover among several soft keyboards

FIG. 6





FIG. 7

Soft Keyboard including Numeric Character Set



both selecting concurrently or at a short interval functions switchover among several soft keyboards

FIG. 8






FIG. 9

Soft Keyboard including English Character Set




both selecting concurrently or at a short interval functions switchover among several soft keyboards

FIG. 10



special keys assigned to switchover among soft keyboards

FIG. 11



**METHOD AND APPARATUS FOR ASSISTING
DATA INPUT TO A PORTABLE
INFORMATION TERMINAL**

Matter enclosed in heavy brackets [] appears in the original patent but forms no part of this reissue specification; matter printed in italics indicates the additions made by reissue; a claim printed with strikethrough indicates that the claim was canceled, disclaimed, or held invalid by a prior post-patent action or proceeding.

This application is a Continuation Reissue of U.S. application Ser. No. 12/320,373, filed Jan. 23, 2009, which is a Reissue Application of U.S. Pat. No. 7,168,046, which claims priority under 35 U.S.C. § 119 to Korean Application No. 10-2001-022694 filed Apr. 26, 2001, and Korean Application No. 10-2001-026562 filed May 15, 2001, whose entire disclosures are hereby incorporated by reference. More than one reissue application has been filed for the reissue of U.S. Pat. No. 7,168,046. The Reissue Application numbers are Ser. Nos. 12/320,373 and 14/815,476 (the present application), which is a Continuation Application of Ser. No. 12/320,373.

BACKGROUND OF THE INVENTION

1. Field of the Invention

The present invention relates to a data input assisting method and apparatus of a portable information terminal, more particularly, to a method and apparatus for providing a suitable soft keyboard of character type data which can be conveniently entered by a user to a portable information terminal, such as a Personal Digital Assistant (PDA).

2. Background of the Related Art

Modern technology development has made a cellular phone and a PCS phone (called 'mobile' phone, hereinafter) much smaller, lighter and cheaper. Thus, a mobile phone is very popular and widely utilized.

In these days, various mobile information terminals other than the popular mobile phone are being introduced to the market. Among those mobile information terminals, a PDA stands in the spotlight for consumers.

The PDA, in general, consists of a CPU, which is a core device of a computer, memories, I/O devices, Operating System (O/S), and a variety of application programs running based on the O/S. The I/O devices include a touch pad and a wide Liquid Crystal Display (LCD), which has a touch screen installed as another input device. Major functions of the PDA are personal information recording, storing, searching, and communication.

The PDA provides an embedded-in application program capable of storing personal contact information entered by a user through the input device and capable of searching all entries of personal contact information for a particular contact information. A contact entry is generally including several fields, such as name, address, position in company, telephone number, e-mail, etc.

A related art user's information input for a contact entry will now be described. When a user requests input of a contact entry, the PDA executes a suitable application program that manages the user's contact information. The application program outputs an input window in which all necessary fields are prepared. Then, the user will sequentially enter the proper information in each field.

If a user, who is a Korean, wants to enter in the name field a Korean name, he or she first needs to activate 'Korean' soft keyboard on the touch screen by pressing a special key on the touch pad or on a previous soft keyboard. As a result, the 'Korean' soft keyboard is displayed on the touch screen. Then, a user touches proper keys on the 'Korean' soft keyboard sequentially with a pen. The characters assigned to the touched keys are entered in the name field. After data are entered completely in the name field, the user wants to enter information in the telephone field, he or she then needs to activate 'Numeric' soft keyboard on the touch screen. If a user needs to enter information in the e-mail field, he or she has to activate 'English' soft keyboard. After a soft keyboard has changed into a suitable one at the user's request, the user can then enter desired information in the corresponding field.

However, the related art data inputting method must select and display a soft keyboard suitable for character type data entering on the touch screen through user manual selection before the user can enter desired data in the corresponding field as described above. Namely, the 'Korean' soft keyboard must be displayed for the fields of name and address, the 'Numeric' soft keyboard for the fields of mobile phone, telephone, facsimile, etc., and the 'English' soft keyboard for the fields of e-mail. Needless to say that data entering operations for all fields are somewhat tedious and time consuming.

SUMMARY OF THE INVENTION

An object of the invention is to solve at least the above problems and/or disadvantages and to provide at least the advantages described hereinafter.

It is an object of the present invention to provide a data input assisting method and apparatus of a portable information terminal that determines which character set is to be used for a particular field and activates a data entry device such as a soft keyboard of the determined character set to be displayed as an input device. When a user selects the particular field, the input data from the character set will be easily or directly completed.

In order to achieve at least the above objects in whole or in part, and in accordance with the purpose of the present invention, as embodied and broadly described, there is provided a method for data input to a portable information terminal, including displaying an input window including a plurality of input fields when data input is requested, identifying which character set of a plurality of character sets is suitable to a selected input field on the displayed input window, and providing a data input screen including the identified character set in response to designation of the selected input field.

To further achieve at least the above objects in whole or in part, and in accordance with the purpose of the present invention, as embodied and broadly described, there is provided a method for data input to a portable information terminal, including displaying an input window including a plurality of input fields when data input is requested, identifying which character set among a plurality of character sets is suitable to a selected input field on the displayed input window, and limiting a search target to the identified character set among all possible character sets.

To further achieve at least the above objects in whole or in part, and in accordance with the purpose of the present invention, as embodied and broadly described, there is provided an apparatus of data input to a portable information terminal, including a display device for displaying an input

window including a plurality of selectable input fields when data input is requested, a storing unit for storing information on which character set among a plurality of character sets is suitable to each of the input fields, and a controller device for identifying a suitable character set for a selected input field on the displayed input window based on the information stored in the storing unit, and displaying a data input screen including the identified character set in the display device.

To further achieve at least the above objects in whole or in part, and in accordance with the purpose of the present invention, as embodied and broadly described, there is provided an apparatus of data input to a portable information terminal, including a display that displays an input window including a plurality of input fields when data input is requested, a storing device that stores information on which character set among a plurality of character sets is suitable to each of the input fields, and a controller that identifies which character is entered in a selected input field through searching and comparing an entered character with characters stored in the storing device, and stores the identified character as a piece of information of an input field selected in the input window.

Additional advantages, objects, and features of the invention will be set forth in part in the description which follows and in part will become apparent to those having ordinary skill in the art upon examination of the following or may be learned from practice of the invention. The objects and advantages of the invention may be realized and attained as particularly pointed out in the appended claims.

BRIEF DESCRIPTION OF THE DRAWINGS

The invention will be described in detail with reference to the following drawings in which like reference numerals refer to like elements wherein:

FIG. 1 is a block diagram showing a portable information terminal in which a preferred embodiment of a data input assisting apparatus in accordance with the present invention is embedded;

FIG. 2 shows a written-style character memory having separate areas for each character set;

FIG. 3 is a flow chart showing a preferred embodiment of data input assisting method of a portable information terminal in accordance with the present invention;

FIG. 4 shows an exemplary memory of which storage space is divided into two areas, one for programs and the other for data;

FIG. 5 illustrates an example of a soft keyboard composed of a Korean character set;

FIG. 6 shows an example of a full display on which a soft keyboard of Korean character set is outputted;

FIG. 7 illustrates a soft keyboard composed of a numeric character set;

FIG. 8 shows an example of a full display on which a soft keyboard of numeric character set is outputted;

FIG. 9 illustrates a soft keyboard composed of an English character set;

FIG. 10 shows an example of a full display on which a soft keyboard of English character set is outputted; and

FIG. 11 shows a display output in which information for an entry is complete.

DETAILED DESCRIPTION OF PREFERRED EMBODIMENTS

In order that the invention may be fully understood, preferred embodiments thereof will now be described with

reference to the accompanying drawings. FIG. 1 shows a portable information terminal in which a preferred embodiment of a data input assisting apparatus in accordance with the present invention is embedded.

The portable information terminal shown in FIG. 1 includes a touch screen 10 having a touch pad 11 for data entry and a display unit 12 for displaying information, a touch detecting unit 20 receiving signals produced when the touch screen 10 is pressed and calculating an xy coordinate value(s) of the pressed point and a memory 31 storing a variety of application programs and information in which a character set (soft keyboard) is preferably associated with each field of all information items. A written-style character database (DB) 41 stores an information pattern of written-style characters in connection with the codes associated with respective written-style characters. A written-pattern identifying unit 40 is for identifying a written-style character by comparing a pattern formed by xy coordinate value(s) collected while a user writes a character on the touch screen 10 with a pattern information in the written-style character DB 41. Three character set DBs 50, 51, and 52 preferably store respective Korean, Numeric, and English soft keyboards, character codes and the xy coordinate values of all characters of each character set, and a user data DB 60 for storing data information of each field of various user contact information items, such as name, address, e-mail, etc., entered by a user. However, the present invention is not intended to be so limited. Further, a controlling unit 30 conducts overall control of operations of user's field data storing operations, user data DB search operations, information display operations, and so on.

The pattern information about each character stored in the written-style character DB 41 are preferably acquired from recognizing trial-and-errors of many person's writings to make a reduced or the least pattern matching error.

The touch screen 10 including the touch pad 11 and the displaying unit 12 uses a resistance plate where a pressed point has different resistance or a capacitance plate where an electric charge at a pressed point becomes different. The touch detecting unit 20 calculates xy coordinate values corresponding to user's pressing point on the touch screen 10 based on the change of current or voltage in the thin plate covered on the displaying unit 12. The touch detecting unit also detects the number of strokes in a character by counting how many times a press is applied to the touch screen 10. The xy coordinate values collected while a character is being written and the detected number of strokes is used for identifying which character is handwritten or entered on the touch screen 10 by a user.

The written-style character DB 41 preferably has separate areas for each character set. As shown in FIG. 2, a Korean character set is stored in the first area, a numeric set in the second, and an English set in the third. Information of each character in the DB 41 further includes pattern information of the character, the number of strokes in the character, and binary code of the character.

FIG. 3 is a flow chart showing a preferred embodiment of data input assisting method of a portable information terminal in accordance with the present invention. The procedure depicted in the flow chart of FIG. 3 can be conducted by the portable information terminal shown in FIG. 1 explained below in detail. However, the present invention is not intended to be so limited.

The memory 31 is preferably divided into two areas or zones, one for programs and the other for data as shown in FIG. 4. Character set indicating information for each field of all user data DBs is stored in the data zone, and various

field, as a search target. For example, if a current field is 'name', the written-pattern identifying unit 40 selects the first separated area as a search target because character type of the name field is assigned to Korean. The identifying unit 40 preferably searches only the first area or a smaller user defined area of the written-style character DB 41 to find stored pattern data with the same number of strokes in a character and most similar to configuration formed by the collection of xy values. Since searching information is relatively small, the time required for identifying a written character and the chance of mismatching the pattern data are extremely low.

As described above preferred embodiments according to the present invention have various advantages. Preferred embodiments of data input assisting method and apparatus in accordance with the present invention ensure fast and convenient data input work with a portable information terminal not capable of providing Korean, English, and Numeric keyboard concurrently in a case that Korean, English, or Numeric data must be selected to match character type of each data field before entering data in that data field.

The foregoing embodiments and advantages are merely exemplary and are not to be construed as limiting the present invention. The present teaching can be readily applied to other types of apparatuses. The description of the present invention is intended to be illustrative, and not to limit the scope of the claims. Many alternatives, modifications, and variations will be apparent to those skilled in the art. In the claims, means-plus-function clauses are intended to cover the structures described herein as performing the recited function and not only structural equivalents but also equivalent structures.

What is claimed is:

[1. A method for data input to a portable information terminal, comprising:

displaying an input window including a plurality of input fields when data input is requested;

identifying which character set of a plurality of different character sets is suitable to a selected input field on the displayed input window; and

providing a data input screen including the identified character set in response to designation of the selected input field, wherein each of the plurality of character sets has a plurality of mutually exclusive characters, wherein more than two different character sets are directly provided to the user individually corresponding to each one of more than two input fields in the displayed input window, wherein a determination of said individually corresponding character sets to said each one of the more than two input fields in the displayed input window is modified by said user, and wherein upon each subsequent selection of each input field said user modified individually corresponding character set is provided.]

[2. The method of claim 1, further comprising storing data entered through the provided data input screen as information of the selected input field.]

[3. The method of claim 1, wherein the data input screen is a soft keyboard displayed on a displaying unit of the portable information terminal.]

[4. The method of claim 3, wherein the soft keyboard has at least one key defined to change among more than two character sets, and a next character set is sequentially provided as the soft keyboard according to a predefined switchover order whenever said at least one key is selected.]

[5. The method of claim 1, wherein the plurality of character sets include English, Numeric, and non-English character set, and wherein the input fields require data from the plurality of character sets.]

[6. The method of claim 1, wherein said data input is conducted when a user performs information entry of personal contact information for said user.]

[7. The method of claim 1, comprising:

separately storing a plurality of different written-style language character sets, wherein the plurality of different character sets include the plurality of different written-style language character sets;

entering data in the selected input field on the displayed input window, the data including a plurality of written-style strokes forming each character;

limiting a character recognition search to only one of the separately stored written-style language character sets corresponding to the suitable character set when the suitable character set is a written-style language character set; and

displaying an identified character corresponding the written-style character on the input display window as a result of the search.]

[8. A method for data input to a portable information terminal, comprising:

separately storing a plurality of different written-style language character sets;

displaying an input window including a plurality of input fields when data input is requested;

identifying which character set among a plurality of different character sets is suitable to a selected input field on the displayed input window

wherein the plurality of different character sets include the plurality of different written-style language character sets;

wherein each of the plurality of written-style language character sets has a plurality of mutually exclusive characters;

entering data in the selected input field on the displayed input window, the data including a plurality of written-style strokes forming each character;

limiting a character recognition search to only one of the separately stored written-style language character sets corresponding to the suitable character set when the suitable character set is a written-style language character set;

displaying an identified character corresponding to the written-style character on the input display window as a result of the search; and

wherein corresponding selected input fields are configured to be selectively assigned each of two or more of the different character sets, wherein a current one of the selectively assigned plurality of different character sets is directly displayed for the selected input field, wherein said current assigned character set for said selected input field is modified by a user, and wherein said user modified current character set is displayed and used for data entry upon each subsequent selection of the selected input field.]

[9. The method of claim 8, further comprising: identifying which character is entered through comparing said entered character with all characters included in the limited search target; and storing the identified character as information of the selected input field.]

9

[10. The method of claim 8, further comprising:
selecting the input field among the plurality of input
fields; and

providing a data input screen including the identified
character set to a user directly in response to selection
of the selected input field.] 5

[11. The method of claim 8, comprising:

storing the written-style strokes each with a prescribed
code, wherein said each written-style stroke is deter-
mined by a comparison made to a written-style char-
acter database being the identified handwriting charac-
ter set.] 10

[12. The method of claim 8, wherein each of the plurality
of character sets has a plurality of mutually exclusive
characters, and wherein said identifying and limiting sets are
directly performed without additional user action upon
selection of a next input field on the displayed input win-
dow.] 15

[13. An apparatus of data input to a portable information
terminal, comprising: 20

display means for displaying an input window including
a plurality of selectable input fields when data input is
requested;

storing means for storing information on which character
set among a plurality of character sets is suitable to
each of the input fields; 25

wherein each of the plurality of character sets has a
plurality of mutually exclusive characters; and

controller means for identifying a suitable character set
for a selected input field on the displayed input window
based on the information stored in said storing means,
and displaying a data input screen including the identi-
fied character set in said display means, wherein said
data input screen has a single key defined to sequence
among more than two character sets, wherein said
controller means sequentially provides a next character
set as a current character set in the data input screen
according to a predefined sequence whenever said
single key is selected to implement a user changed
correspondence between said selected input field and
said suitable character set, and wherein said user
changed correspondence is reflected in later entries in
said selected input field.] 30

[14. The apparatus of claim 13, wherein said controller
means further stores data entered through the displayed data
input screen for the selected input field as information of the
selected input field, and wherein said single key is followed
or operated in combination with a second key or a prescribed
key sequence, wherein corresponding selected input fields
are configured to be selectively assigned each of two or more
of the different character sets, and wherein a current one of
the selectively assigned plurality of different character sets
is directly displayed for the selected input field.] 50

[15. The apparatus of claim 13, wherein the data input
screen is a soft keyboard, and wherein the data input screen
is directly displayed by the controller means according to
selection of the selected input field.] 55

[16. The apparatus of claim 13, wherein the character sets
include a plurality of language character sets and a Numeric
character set.] 60

[17. An apparatus of data input to a portable information
terminal, comprising:

a display that displays an input window including a
plurality of input fields when data input is requested;

a storing device that stores information on which charac-
ter set among a plurality of different character sets is
suitable to each of the input fields; and 65

10

a controller that identifies which character is entered in a
selected input field through searching and comparing
an entered character with characters stored in said
storing device, and stores the identified character as a
piece of information of an input field selected in the
input window, wherein each of the plurality of charac-
ter sets has a plurality of mutually exclusive characters,
wherein corresponding selected input fields are config-
ured to be selectively assigned each of two or more of
the different character sets, wherein a current one of the
selectively assigned plurality of different character sets
is directly displayed for the selected input field,
wherein said current assigned character set for said
selected input field is modified by a user, and wherein
upon each subsequent selection of the selected input
field said user modified current character set is dis-
played and used for data entry.]

[18. The apparatus of claim 17, wherein said storing
device has respective separate areas for English, Numeric,
and each non-English character set, and wherein said con-
troller identifies the entered character by searching one
corresponding character set suitable for the selected input
field in one separate area of the storing device, and wherein
the input fields require data from the plurality of character
sets.]

[19. The apparatus of claim 17, wherein the input fields
require data from more than two of the plurality of character
sets.]

[20. The apparatus of claim 17, wherein each character set
has a single key defined to sequence among more than two
character sets, and wherein said controller means sequen-
tially provides a next character set as a current character set
in the input window according to a predefined sequence
whenever said single key is selected.] 35

[21. The apparatus of claim 20, wherein the character sets
include a plurality of written-style character sets.]

22. *A portable information terminal, comprising:*

a touch screen;

*a memory configured to store information from a data
input window; and*

a controller configured to:

*display, on the touch screen, the data input window
including a first input field, a second input field, and
a third input field, when a specific data input is
requested,*

*display, on the touch screen, a data input region,
wherein a first soft keyboard of a first language
character set is displayed on the data input region
when the first input field is selected, a second soft
keyboard of a second language character set is
displayed on the data input region when the second
input field is selected, and a third soft keyboard of a
numeric character set is displayed on the data input
region when the third input field is selected,*

*in response to selection of a soft key while the first soft
keyboard is displayed in the data input region and
while a specific switching order of the keyboards is
assigned to the soft key, change a soft keyboard
included in the data input region from the first soft
keyboard to the second soft keyboard; and*

*in response to selection of the soft key while the second
soft keyboard is displayed in the data input region
and while the specific switching order of the key-
boards is assigned to the soft key, change a soft
keyboard included in the data input region from the
second keyboard to the first soft keyboard,*

11

wherein the first and second language character sets are different from each other according to attributes of the first and second input field, and wherein the first and second language character sets are mutually exclusive sets,

wherein the controller is configured to automatically select an input field having first priority among the first, second, and third input fields and automatically display the data input region including a soft keyboard of a character set corresponding to the selected input field.

23. The portable information terminal of claim 22, wherein each of the first language character set, the second language character set and the numeric character set has a plurality of mutually exclusive characters.

24. The portable information terminal of claim 22, wherein the specific data is contact information, the first input field is a name field, the second input field is an e-mail field, and the third input field is a telephone number field.

25. The portable information terminal of claim 24, wherein the controller is further configured to:

execute a contact database management application;
receive search request for contact information based on input data from a user;

search a contact database for contact information having data that exactly matches the input data from the user;
and

display, on the touch screen, a result of the search.

26. The portable information terminal of claim 24, wherein the controller is further configured to:

execute a contact database management application;
receive search request for contact information based on input data from a user;

search a contact database for contact information having data that partially matches the input data from the user; and

display, on the touch screen, a result of the search.

27. The portable information terminal of claim 22, wherein the data input region includes a first switchover soft key, a second switchover soft key, and a third switchover soft key,

wherein in response to selection of the first switchover soft key, the first soft keyboard is displayed on the data input region,

in response to selection of the second switchover soft key, the second soft keyboard is displayed on the data input region,

in response to selection of the third switchover soft key, the third soft keyboard is displayed on the data input region.

28. A portable information terminal, comprising:

a touch screen;

a memory configured to store information from a data input window; and

a controller configured to:

display, on the touch screen, the data input window including a first input field, a second input field, and a third input field, when a specific data input is requested,

wherein in response to selection of the first input field, display a data input region including a first handwriting input region, matched to a first language character set, on the touch screen, and

in response to selection of the second input field, display the data input region including a second handwriting input region, matched to a second language character set, on the touch screen,

12

receive a handwriting input at the first handwriting input region or the second handwriting input region; perform character recognition regarding the handwriting input, wherein a range of the character recognition is variable according to attributes of the first or second input fields;

in response to selection of a single key while the first language character set is matched to the first handwriting input region and while a specific switching order is associated with a plurality of language sets, change a language character set matched to the first handwriting input region from the first language character set to the second language character set and change the range of the character recognition according to the change of the language character set matched to the first handwriting input region; and in response to selection of the single key while the second language character set is matched to the second handwriting input region and while the specific switching order is associated with a plurality of language sets, change a language character set matched to the second handwriting input region from the second language character set to the first language character set and change the range of the character recognition according to the change of the language character set matched to the second handwriting input region,

wherein the first and second language character sets are different from each other according to attributes of the first and second input fields, and wherein the first and second language character sets are mutually exclusive character sets,

wherein the controller is configured to automatically select an input field having first priority between the first and second input fields and automatically display the data input region corresponding to the selected input field.

29. The portable information terminal of claim 28, wherein each of the first language character set and the second language character set has a plurality of mutually exclusive characters.

30. The portable information terminal of claim 28, wherein the controller is further configured to display the data input region including a handwriting input region matched to a numeric character set, when a touch input is received at the third input field.

31. The portable information terminal of claim 28, wherein the specific data is contact information, the first input field is a name field and the second input field is an e-mail field.

32. The portable information terminal of claim 31, wherein the controller is further configured to:

execute a contact database management application;
receive search request for contact information based on input data from a user;

search a contact database for contact information having data that exactly matches the input data from the user;
and

display, on the touch screen, a result of the search.

33. The portable information terminal of claim 31, wherein the controller is further configured to:

execute a contact database management application;
receive search request for contact information based on input data from a user;

search a contact database for contact information having data that partially matches the input data from the user; and

display, on the touch screen, a result of the search.

13

34. A portable information terminal, comprising:
 a touch screen;
 a memory configured to store information from a data
 input window; and
 a controller configured to:
 display the data input window including a plurality of
 input fields, and automatically select a specific input
 field having first priority among the plurality of input
 fields, and
 automatically display a data input region including a
 specific soft keyboard of a specific character set
 corresponding to the specific input field, when a
 specific data input is requested;
 when an input field, from among the plurality of input
 fields, is selected by touch input of a user, display a
 data input region including a specific soft keyboard
 of a specific character set corresponding to the
 selected input field, wherein the specific character
 set is determined to be one of a first language
 character set, a second language character set, and
 a numeric character set based on an attribute of the
 input field; and
 in response to selection of a soft key while a first soft
 keyboard is displayed in the data input region and
 while a predetermined switching order is assigned to
 the selected input field, change a soft keyboard
 corresponding to the selected input field from the
 first soft keyboard to a second soft keyboard accord-
 ing to the predetermined switching order corre-
 sponding to the selected input field,

14

wherein the first language character set, the second
 language character set and the numeric character
 set are different from each other.
 35. The portable information terminal of claim 34,
 wherein the first language character set, the second lan-
 guage character set and the numeric character set are
 mutually exclusive from each other.
 36. The portable information terminal of claim 34,
 wherein the specific data is contact information, the first
 input field is a name field, the second input field is an e-mail
 field, and the third input field is a telephone number field.
 37. The portable information terminal of claim 36,
 wherein the controller is further configured to:
 execute a contact database management application;
 receive search request for contact information based on
 input data from a user;
 search a contact database for contact information having
 data that exactly matches the input data from the user;
 and
 display, on the touch screen, a result of the search.
 38. The portable information terminal of claim 36,
 wherein the controller is further configured to:
 execute a contact database management application;
 receive search request for contact information based on
 input data from a user;
 search a contact database for contact information having
 data that partially matches the input data from the
 user; and
 display, on the touch screen, a result of the search.

* * * * *