



Office de la Propriété  
Intellectuelle  
du Canada

Un organisme  
d'Industrie Canada

Canadian  
Intellectual Property  
Office

An agency of  
Industry Canada

CA 2367419 C 2004/04/20

(11)(21) **2 367 419**

(12) **BREVET CANADIEN  
CANADIAN PATENT**

(13) **C**

(86) Date de dépôt PCT/PCT Filing Date: 1999/07/05  
(87) Date publication PCT/PCT Publication Date: 2000/09/21  
(45) Date de délivrance/Issue Date: 2004/04/20  
(85) Entrée phase nationale/National Entry: 2001/09/12  
(86) N° demande PCT/PCT Application No.: KR 1999/000357  
(87) N° publication PCT/PCT Publication No.: 2000/054740  
(30) Priorité/Priority: 1999/03/12 (1999/8435) KR

(51) Cl.Int.<sup>6</sup>/Int.Cl.<sup>6</sup> A61K 7/26  
(72) Inventeur/Inventor:  
JUNG, MYUNG WOO, KR  
(73) Propriétaire/Owner:  
JUNG, MYUNG WOO, KR  
(74) Agent: SHAPIRO COHEN

(54) Titre : COMPOSITION DE PATE DENTIFRICE CONTENANT DE L'HUILE DE GRAINES DE ROSIERS  
(54) Title: TOOTH PASTE COMPOSITION CONTAINING ROSE-SEED OIL

(57) **Abrégé/Abstract:**

Provided with a tooth paste composition which contains an abrasive cleaning agent, a humectant, a binder or thickener and a flavouring agent, the tooth paste, and includes a rose-seed oil, wherein the rose-seed oil is contained in an amount of 1-6 % by weight based on the total weight of the tooth paste composition.



**PCT**WORLD INTELLECTUAL PROPERTY ORGANIZATION  
International Bureau

## INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

|                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>(51) International Patent Classification <sup>6</sup> :</b><br><b>A61K 7/26</b>                                                                                                                                                                                                                                                                                                                                                                                  | <b>A1</b> | <b>(11) International Publication Number:</b> <b>WO 00/54740</b><br><b>(43) International Publication Date:</b> 21 September 2000 (21.09.00)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| <b>(21) International Application Number:</b> PCT/KR99/00357<br><b>(22) International Filing Date:</b> 5 July 1999 (05.07.99)<br><b>(30) Priority Data:</b><br>1999/8435 12 March 1999 (12.03.99) KR<br><b>(71)(72) Applicant and Inventor:</b> JUNG, Myung, Woo [KR/KR];<br>943-1, Sihung 3-dong, Gumchun-ku, Seoul 153-033 (KR).<br><b>(74) Agents:</b> SHIN, Young, Moo et al.; Samdo Building, 4th floor,<br>1-170, Soonhwa-dong, Chung-ku, Seoul 100-130 (KR). |           | <b>(81) Designated States:</b> AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SL, SZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).<br><br><b>Published</b><br><i>With international search report.</i> |
| <b>(54) Title:</b> TOOTH PASTE COMPOSITION CONTAINING ROSE-SEED OIL<br><br><b>(57) Abstract</b><br><br>Provided with a tooth paste composition which contains an abrasive cleaning agent, a humectant, a binder or thickener and a flavouring agent, the tooth paste, and includes a rose-seed oil, wherein the rose-seed oil is contained in an amount of 1-6 % by weight based on the total weight of the tooth paste composition.                                |           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |

**TOOTH PASTE COMPOSITION CONTAINING ROSE-SEED OIL**BACKGROUND OF THE INVENTIONField of the Invention

The present invention relates to a tooth paste composition efficacious for a preventive and remedy against a parodontal disease and a preventive against caries and, more particularly, to a composition for dental hygiene in which use is made of a rose-seed oil to prevent and treat a parodontal disease or prevent caries.

Description of the Related Art

Brushing the teeth with a toothbrush and a tooth paste is the most general measure to maintain dental hygiene. The reason why the tooth paste is used lies in that the tooth paste contains an abrasive and a cleaner which help mechanical removal of plaque, smooth the surface of teeth, rinse the mouth with a refreshed feeling, making it pleasant to clean the mouth. However, this simple method for removing the plaque is not so effective to maintain dental hygiene and prevent parodontal diseases, as a result of which more people suffer from parodontal diseases with an increase of their age.

It is well known that sodium chloride, anti-plasmin

agent, allantoin derivatives, vitamins and amino acids are widely used in a composition for dental hygiene in a sole form or in combination thereof for the purpose of a preventive and cure against parodontal diseases and a preventive against a caries. However, these substances are not effective and there is a demand for a new tooth paste composition that takes an effect against the parodontal diseases in three ways: eliminating causal bacteria, reducing inflammation of the teethridge, etc., and restoring a tissue such as teethridge.

#### SUMMARY OF THE INVENTION

Accordingly, an object of the present invention is to provide a tooth paste composition efficacious against parodontitis, gingivitis, caries, stomatitis, etc.

That is, the object of the present invention is to provide a tooth paste composition containing a rose-seed oil efficacious against parodontal diseases, in which the rose-seed oil which has been reported to be effective in regeneration of skin, reduction and restoration of wound and treatment of inflammation is added to a tooth paste base.

To achieve the object of the present invention, there is provided a tooth paste composition which contains an abrasive cleaning agent, a humectant, a binder and an flavouring agent, the tooth paste, the tooth paste comprises a rose-seed oil. More preferably, the rose-seed oil is contained in an amount of 1-6% by weight based on the total weight of the tooth paste composition.

The toothpaste composition is most preferably to be stored in a light-impeding container. The toothpaste composition may be stored indefinitely without significant loss of therapeutic potency at room temperature in a light impeding or other type of container.

#### DETAILED DESCRIPTION OF PREFERRED EMBODIMENT

Now, the present invention will be described in detail.

It is reported that a rose-seed oil is effective for nourishment and regeneration of the skin (See. British Journal of Dermatology, April 1987), reduction and treatment of the wound and treatment of the burned skin (See.

Cancer Chemotherapy and Pharmacology, March 1979), inflammation of the skin (See. American Journal of Obstetrics and Gynecology) and pimple (See. Journal of American Academy of Dermatology).

According to a toxicological experiment in which the rose-seed oil is administered to a rat, it is demonstrated that the rose-seed oil has no harm to the human body with LD 50, that is, 5g/kg(weight). The rose-seed oil is also turned out to be nonpoisonous to the skin, in another experiment.

The rose-seed oil used herein is derived from a rose whose botanical name is *Rosa aff. Rubignosa* L that is grown naturally or artificially in a wet climate. The rose has thorny stem and branches and the flowers are white and pink, or in some times, yellow. The flower is 3-6 cm in size and has 5 flower cups per 7-15 buds. The floral stalk is 2 mts long and about 3 mts in radius, and the leaves are oval and green-colored. The rose has about 15-20 fruits containing an ordinary oil. The fruits are reddish and egg-shaped with a diameter of 1.5-2.5 mm. The outer skin of the fruit is 1-3 mm thick and contains a large content of ascorbic acid and pectin and a small content of sugar. The seeds consist of

unsaturated fatty acid, tretinoin, gums, margarine, cartenoides, cetonic, etc. Gums, margarine and cartenoides are removed in the course of extraction of the oil.

The extraction of the rose-seed oil includes the two steps of dissolving the rose seeds in a solvent, and distilling the oil-containing extracted solvent i.e., micella to recover the solvent and then separating the oil. The solvent used herein is petroleum benzene, benzol, hexane, or the like. To extract the rose-seed oil, the rose seeds carefully selected are pressed into flakes in order for the solvent to be penetrated into the seeds. The flakes are strengthened under conditions of 3-11% water content and a temperature of 50-60 degrees. These flakes are then added to an extractor to extract the solvent. The solvent is separated from the micella obtained through the extraction in two steps of volatilization and stripping. The micella generated from the extractor contains a 25-30% oil content. The oil content is increased to 90-95% by volatilizing the solvent. The concentrated micella is transferred to an apparatus called a stripper in which the micella is brought in direct contact with water vapors in a vacuum of about 50-200 mmHg to perfectly remove the residual solvent and

obtain the rose-seed oil.

It is preferable that the present tooth paste composition contains 1-6% by weight of the rose-seed oil based on the total weight of the composition. The other components may be a mixture of the gradients of an ordinary tooth paste composition.

For example, a humectant used herein is at least one or two substances selected from the group consisting of glycerine, sorbitol solution and amorphous sorbitol solution. An abrasive cleaning agent used herein is calcium hydrogen phosphate, calcium carbonate, aluminum oxide, etc. Additives used in a small content are ordinary components used in the tooth paste and include sweetening agents, pH controlling agents, antiseptic substances, coloring agents and binders.

The sweetening agents are sodium saccharide, aspartame, etc., the pH controlling agents are sodium phosphate, disodium phosphate, citric acid, etc., and the antiseptic substances are paraoxy benzoin methyl, sodium benzoin, etc.

The binders or thickeners are sodium carboxymethyl

cellulose, carrageenan, xantan gum, etc. A foaming agent used herein may be anionic and non-ionic surfactants of sodium lauryl sulfate, saccharose carboxylic ester and sorbitan carboxylic ester in a sole form or in a combination of at least two thereof.

An flavouring agent used herein is a mixture of peppermint oil, spearmint oil, menthol, etc., and other additives are enzymes such as dextranase, etc.

The preparation of the tooth paste composition in the present invention comprises: dispersing a small powder content of sodium carboxymethyl cellulose, saccharine and the like in a humectant e.g., amorphous sorbitol solution, diluting the solution with a purified water, first mixing the solution and the purified water in a mixer, adding an abrasive cleaning agent such as calcium hydrogen phosphate, etc. and then 1-6% by weight of a rose-seed oil, and adding a foaming agent, a stabilizer, an flavouring agent, etc.

Reference will be made to embodiments and comparative examples for the detail description of the present invention.

Embodiments 1-5 and Comparative Example 1

A tooth paste is prepared with the components listed in Table 1 in order to implement experimental examples of the present invention.

Table 1

| Components                 | C1   | E1   | E2   | E3   | E4   | E5   |
|----------------------------|------|------|------|------|------|------|
| Calcium Hydrogen Phosphate | 40%  | 40%  | 40%  | 40%  | 40%  | 40%  |
| Amorphous Sorbitol         | 25%  | 25%  | 25%  | 25%  | 25%  | 25%  |
| Rose-Seed Oil              | 0%   | 1%   | 3%   | 5%   | 6%   | 10%  |
| Sodium Alkyl Sulfate       | 2%   | 2%   | 2%   | 2%   | 2%   | 2%   |
| Sodium Saccharide          | 0.1% | 0.1% | 0.1% | 0.1% | 0.1% | 0.1% |
| Carboxyl Methyl Cellulose  | 1%   | 1%   | 1%   | 1%   | 1%   | 1%   |
| Peppermint Oil             | 0.8% | 0.8% | 0.8% | 0.8% | 0.8% | 0.8% |
| Plus Purified Water        | 100% | 100% | 100% | 100% | 100% | 100% |

Note: C1 : Comparative Example 1; and

E1-E5 : Embodiments 1-5.

Experimental Example 1: Preventive Efficacy of Tooth Pastes (Embodiments 1-5 and Comparative Example 1) against Paradental Diseases.

1) Efficacy against Gingivitis.

For the experiment, 50 persons who suffer from gingivitis rinse the mouth with the tooth pastes of the present invention and Comparative Example 1 two or three times a day for 30 days. The tooth paste of Comparative Example 1 takes no effect on the patients. The tooth pastes of Embodiments 1-4 are efficacious for 42 persons out of 50. The tooth paste of Embodiment 5 is also effective, but causes an unpleasant feeling with a bad smell of oil and less foams with an increase in the oil content.

2) Efficacy against Paradentitis.

For the experiment, 30 persons who suffer from paradentitis rinse the mouth with the tooth pastes of the present invention and Comparative Example 1 two or three times a day for 30 days. The tooth pastes of Embodiments 2-4 are efficacious for 23 persons out of 30, but those of Comparative Example 1 and Embodiment 5 have the same effect as for the gingivitis.

3) Efficacy against Caries and Stomatitis.

For the experiment, 36 persons who suffer from caries and stomatitis rinse the mouse with the tooth paste of the present invention and Comparative Example 1 two or three times a day for 20 days. As a result, the tooth pastes take an effect on 30 persons.

4) The tooth pastes provide an abrasion resistance of teeth and are effective against inflammation in the mouth.

As described above, the tooth paste composition containing a rose-seed oil according to the present invention takes an effect against gingivitis, paradentitis, caries and stomatitis and has an abrasion resistance for the teeth.

It will be apparent to those skilled in the art that various modifications and variations can be made in the present invention without departing from the spirit or scope of the invention. Thus, it is intended that the present invention covers the modifications and variations of this invention provided they come within the scope of the appended claims and their equivalents.

What is claimed is:

1. A tooth paste composition, which contains an abrasive, a moistener, a binder and an aromatic agent, the tooth paste composition comprising a rose-seed oil.

2. The tooth paste composition as claimed in claim 1, wherein the rose-seed oil is contained in an amount of 1-6% by weight based on the total weight of the tooth paste composition.