



US00D877673S

(12) **United States Design Patent**
Oku et al.

(10) **Patent No.:** **US D877,673 S**

(45) **Date of Patent:** **** Mar. 10, 2020**

(54) **CALIPER BODY OF DISK BRAKE FOR VEHICLE**

FOREIGN PATENT DOCUMENTS

(71) Applicant: **NISSIN KOGYO CO., LTD.**, Tomi,
Nagano (JP)

JP	1025305 S	11/1998
JP	1102391 S	3/2001
JP	1102977 S	3/2001

(72) Inventors: **Kouichirou Oku**, Tomi (JP); **Satoshi Ogitani**, Tama (JP); **Hiroaki Tanaka**, Tama (JP)

OTHER PUBLICATIONS

Decision to Grant Design Registration and Report dated Jul. 21, 2017, issued in counterpart Japanese Design Application No. 2017-006177, w/English brief translation (5 pages).

(73) Assignee: **NISSIN KOGYO CO., LTD.**, Tomi (JP)

Primary Examiner — Susan E Krakower

Assistant Examiner — Jerry Shiuuan-Hua Hsu

(**) Term: **15 Years**

(74) *Attorney, Agent, or Firm* — Westerman, Hattori, Daniels & Adrian, LLP

(21) Appl. No.: **29/618,306**

(22) Filed: **Sep. 20, 2017**

(57) **CLAIM**

The ornamental design for a caliper body of disk brake for vehicle, as shown and described.

(30) **Foreign Application Priority Data**

Mar. 27, 2017 (JP) 2017-006177

DESCRIPTION

(51) **LOC (12) Cl.** **12-16**

(52) **U.S. Cl.** **D12/180**
USPC

(58) **Field of Classification Search**
USPC D12/179, 180, 188, 123
CPC F16D 65/092; F16D 65/0068; F16D
55/2265; F16D 55/22655
See application file for complete search history.

FIG. 1 is a front view of a caliper body of disk brake for vehicle, showing our new design;
FIG. 2 is a rear view thereof;
FIG. 3 is a top view thereof;
FIG. 4 is a bottom view thereof;
FIG. 5 is a right side view thereof;
FIG. 6 is a left side view thereof;
FIG. 7 is a cross-sectional view, taken along lines 7-7, shown in FIG. 1;
FIG. 8 is a cross-sectional view, taken along lines 8-8, shown in FIG. 1;
FIG. 9 is a cross-sectional view, taken along lines 9-9, shown in FIG. 1; and,
FIG. 10 is a perspective view of the caliper body of disk brake for vehicle.

The broken lines in the drawings illustrate portions of the caliper body of disk brake for vehicle that form no part of the claimed design.


(56) **References Cited**

U.S. PATENT DOCUMENTS

D351,365 S *	10/1994	Powers		D12/180
D373,340 S *	9/1996	Sands		D12/180
D378,363 S *	3/1997	Sin		D12/180
6,047,795 A *	4/2000	Kobayashi		F16D 55/22655 188/73.43
D491,500 S *	6/2004	Fujiwara		D12/180
D506,714 S *	6/2005	Ono		D12/180
D508,001 S *	8/2005	Matsumoto		D12/180
D512,667 S *	12/2005	Iwasaki		D12/180

(Continued)

1 Claim, 5 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D512,946	S	*	12/2005	Hatakoshi		D12/180
D522,420	S	*	6/2006	Crippa		D12/180
D560,579	S	*	1/2008	Sasaki		D12/180
D560,580	S	*	1/2008	Sasaki		D12/180
D686,955	S	*	7/2013	Asakura		D12/180
D700,551	S	*	3/2014	Davenport, III		D12/180
9,353,809	B2	*	5/2016	Atsuta		F16D 55/2265
D812,534	S	*	3/2018	Scheibe		D12/180
D842,782	S	*	3/2019	Verdelli		D12/180
2015/0233438	A1	*	8/2015	Atsuta		F16D 65/0068 188/73.31
2017/0074338	A1	*	3/2017	Fischl		F16D 65/092

* cited by examiner

Figure 1




Figure 2




Figure 3




Figure 4




Figure 5




Figure 6




Figure 7




Figure 8




Figure 9




Figure 10

