

[19] Patents Registry
The Hong Kong Special Administrative Region
香港特別行政區
專利註冊處

[11] 1002995 A
EP 0393660 B1

[12]

STANDARD PATENT SPECIFICATION
標準專利說明書

[21] Application No. 申請編號
98102045.4

[51] Int.Cl.⁵ B60R E05B

[22] Date of filing 提交日期
12.03.1998

[30] Priority 優先權

20.04.1989 JP 100530/89

20.04.1989 JP 100531/89

[45] Publication of the grant of the patent 批予專利的發表日期
30.09.1998

EP Application No. & Date 歐洲專利申請編號及日期

EP 90107421.1 19.04.1990

EP Publication No. 歐洲專利發表編號

EP 0393660

Publication date of EP grant of the patent 批予歐洲專利的發表日期
09.02.1994

[73] Proprietor 專利所有人

KABUSHIKI KAISHA TOSHIBA, 72 Horikawa-cho, Saiwai-
ku, Kawasaki-shi, Kanagawa-ken, Tokyo, Japan 日本

[72] Inventor 發明人

TAMADA, MASUO

KAJITANI, SEINOSUKE

[74] Agent and / or address for service 代理人及/或送達地址

Deacons Graham & James, 3/F., Alexandra House, Central,
Hong Kong

的近律師行，香港中環歷山大廈3樓

[54] DRIVER RESTRICTION APPARATUS FOR RESTRICTING A VEHICLE DRIVER 限制車輛駕駛者之限制裝置



Europäisches Patentamt
European Patent Office
Office européen des brevets



Publication number : 0 393 660 B1

(12)

EUROPEAN PATENT SPECIFICATION

(45) Date of publication of patent specification :
09.02.94 Bulletin 94/06

(51) Int. Cl.⁵ : B60R 25/00, E05B 49/00

(21) Application number : 90107421.1

(22) Date of filing : 19.04.90

(54) Driver restriction apparatus for restricting a vehicle driver.

(30) Priority : 20.04.89 JP 100530/89
20.04.89 JP 100531/89

(43) Date of publication of application :
24.10.90 Bulletin 90/43

(45) Publication of the grant of the patent :
09.02.94 Bulletin 94/06

(84) Designated Contracting States :
DE FR GB

(56) References cited :
EP-A- 0 152 678
EP-A- 0 162 171
WO-A-80/01477
WO-A-84/03785
WO-A-88/07796
FR-A- 2 403 914
FR-A- 2 451 848
FR-A- 2 568 834
GB-A- 2 051 442
GB-A- 2 136 053
US-A- 4 558 175
US-A- 4 673 914

(73) Proprietor : KABUSHIKI KAISHA TOSHIBA
72, Horikawa-cho Saiwai-ku
Kawasaki-shi Kanagawa-ken 210 (JP)

(72) Inventor : Tamada, Masuo, c/o Intellectual
Property Div.
Kabushiki Kaisha Toshiba, 1-1 Shibaura
1-chome
Minato-ku, Tokyo 105 (JP)
Inventor : Kajitani, Seinosuke, Intellectual
Property Div.
Kabushiki Kaisha Toshiba, 1-1 Shibaura
1-chome
Minato-ku, Tokyo 105 (JP)

(74) Representative : Henkel, Feiler, Hänzel &
Partner
Möhlstrasse 37
D-81675 München (DE)

EP 0 393 660 B1

Note : Within nine months from the publication of the mention of the grant of the European patent, any person may give notice to the European Patent Office of opposition to the European patent granted. Notice of opposition shall be filed in a written reasoned statement. It shall not be deemed to have been filed until the opposition fee has been paid (Art. 99(1) European patent convention).

Description

The present invention relates to a driver restriction apparatus for restricting the driver to a legitimate one or ones who can drive an owner's vehicle with the use of an electronic driver license having an integrated circuit for storing, for example, vehicle license information.

As well known, a vehicle such as an automobile can be driven by anyone, including the automobile owner, with the use of an automobile's key.

There is a recent large increase in the robbery of vehicles and in the crimes against various types of vehicles.

WO 84/03785 discloses a start, operation and control device for motor vehicles, comprising an identity card (1) provided with a programmable information device (3), for example a coded magnetic type. If the identity card (1) is inserted in the device (2), a certain quality of running and operating states of the vehicle may be servo-controlled and set. For example, this may be applied to the setting on of electric devices, the starting of the engine, the engagement and the release of the parking brake and of the steering.

In order to prevent the robbery of the vehicles, all that is required in this connection is to prevent anyone, other than a true car's owner, from driving that can readily. If, on the other hand, anyone able to drive the owner's car is restricted only to the owner, then the car cannot be utilized to the fullest extent. It is desired, therefore, that anyone, other than the true owner, should drive the car under a given allowed condition.

It is accordingly the object of the present invention to provide a driver restriction apparatus which can restrict a car driver only to a car owner or an authorized person or persons.

To solve this object the present invention provides a driver restriction apparatus as specified in claim 1.

According to the present invention, information for granting the use of a vehicle to a person with a car owner's permission is input to the device after the car owner has been identified and stored in a memory. The person can drive the owner's vehicle when the grant information stored in the memory coincides with the corresponding grant information which is input by the person. In this way, not only the car owner but also the authorized person or persons only can drive the vehicle and anyone, other than the aforementioned legitimate persons, cannot drive the car of interest. It is thus possible to grant the use of a car to a number of authorized persons, while preventing a possible car robbery beforehand.

Further, the memory stores the information of the authorized persons, as history information, who have actually driven the car of interest. It is possible to readily know the state in which the car of interest

has so far been used for driving.

This invention can be more fully understood from the following detailed description when taken in conjunction with the accompanying drawings, in which:

Figs. 1A and 1B are a top plan view and a bottom view, respectively, showing an electronic driver license according to an embodiment of the present invention;

Fig. 2 is a schematic view showing the electronic license of the present invention;

Fig. 3 illustrates an inner arrangement of a vehicle;

Fig. 4 illustrates stored information in a memory; and

Figs. 5A and 5B show a flowchart for explaining the operation of Fig. 2.

An apparatus according to one embodiment of the present invention will be explained below with reference to the accompanying drawings.

Figs. 1A and 1B show an electronic license 10 for a car driver which is used in the form of the so-called IC card. The electronic license 10 displays license information 11 and an "imaged" face of a driver on the major surface, as shown in Fig. 1A, in the same way as the ordinary driver's license and a connector 13 composed of a plurality of contacts on the rear surface as shown in Fig. 1B. The electronic license contains, for example, a memory for storing the same information as that of the license information.

Fig. 2 shows a driver restriction apparatus 20 which is placed in proper place in the interior of an automobile.

In the driver restriction apparatus 20, a readout section 22, keyboard 23, memory 24, key-lock section 25, engine control section 26, alarm output section 27 and display unit 28 are connected to a control unit 21 which is as a CPU of a microcomputer.

As shown in Fig. 3, for example, the readout section 22 is provided on a location in a vehicle 40, such as a front panel 41 or an outer surface of a door. The readout section 22 is composed of a known IC card readout device and reads stored information out of the electronic license 10. The readout section 22 includes a load/unload mechanism for loading and unloading an IC card, not shown. The electronic license 10, upon being inserted into the readout section, is automatically loaded into a proper location and, upon the completion of an information read-out operation and so on, automatically unloaded out of the readout section 22.

The electronic license 10 includes a control unit 14 as a CPU of a microcomputer which is connected to a connector 13 and to a memory 15. The memory 15 includes a ROM 15A and E²PROM 15B. The ROM 15A stores, for example, a program for controlling an operation of the control unit 14 and the E²PROM 15B initially stores, for example, the address, name, birth date and license number of an owner, the types of li-

censes such as one for an ordinary-sized car or one for a large-sized vehicle and the code number of the owner.

The keyboard 23 can enter the code number and various instructions and is located, for example, in the neighborhood of the readout section 22.

The memory 24 includes, for example, a ROM 24A and RAM 24B. ROM 24A stores, for example, a program for controlling the operation of the control unit 21. RAM 24B stores, as shown in Fig. 4, information LI for a car owner's license, authorized person information EPI, PI and history information EHI, HI representing the state of a vehicle's run.

The license information LI is composed of the address, name, birth date and license number of the owner, the code number of the owner, and so on as in the case of those stored in E²PROM of the electronic license 10.

Person information EPI is composed of, as will be set out below, a license number, code number, and so on, of a person authorized to run the vehicle using the person's electronic license. Person information PI is composed of a license number, code number, and so on, of a person authorized to run the vehicle without utilizing the electronic license.

History information EHI is composed of a license number, a drive start time and drive end time of a person who ran the vehicle using the person's electronic license. History information HI is composed of a license number, drive start time and drive end time of a person who ran the vehicle without utilizing the electronic license number.

The key-lock section 25 locks or unlocks, for example, a steering wheel 29 of the vehicle under the control of the control unit 25.

The engine control unit 26 starts or stops, for example, the engine 30 of the vehicle under the control of the control unit 21.

The alarm output section 27 is composed of, for example, a buzzer and, when the control unit 21 compares the information stored in the electronic license with the information stored in RAM 24B, a result of comparison is sent to the alarm output section. The alarm output section 27 produces an alarm sound when a noncoincidence occurs between both the information.

The display section 28 is located in the neighborhood of the keyboard 23 to display information entered from the keyboard 23, various messages delivered from the control unit 21, drive history stored in RAM 24B, and so on.

Operation of the apparatus thus constructed will be explained below.

First, let it be assumed that the vehicle's owner runs his or her vehicle with the use of the electronic license 10.

The control unit 21 normally reads out the information of the electronic license 10 which has been in-

serted into the readout section 22 and is set to a determination mode for determining whether or not the owner is a legitimate one.

When, in this state, the electronic license 10 is inserted into the readout section 22 (step ST1) and the code number of the owner is entered as input data from the keyboard 23, the entered code number data is supplied via control circuit 21, readout section 22 to the control unit 14 of the electronic license 10 where it is compared with the code number stored in the memory 15 (steps ST2, ST3). If both the code numbers coincide with each other upon comparison, it is determined whether or not the vehicle of interest is lent (step ST4).

If, at this time, an instruction not to grant the use of the vehicle is entered from the keyboard 23, then the readout section 22 reads out the license data stored in the memory 15 in the electronic license 10 and a comparison is made between the information of the read-out license and the information LI of the license stored in RAM 24B (steps ST5 and ST6). If both the information coincide with each other upon comparison, it is determined whether or not the history information HI is read out (step ST7). If the read-out instruction is not entered, the electronic license 10 is discharged out of the readout section 22 (step ST8). Thereafter, the steering wheel 29 is unlocked by the key-lock section 25 and, at the same time, the engine 30 is started by the engine control section 26 so that the vehicle can be run (step ST9).

Let it be assumed that the owner of the vehicle grants the use of it to other persons. In this case, two cases may be considered: a case where the authorized person's electronic license is employed and a case where the electronic license is not employed.

First, let it be assumed that the use of the vehicle of interest is granted to a person with the use of his or her electronic license. In this case, the information stored in the person's electronic license is set, as person's information EPI, in RAM 24B. This setting process is the same as those set forth above until steps ST1 to ST3.

In step ST4, control unit 21 discriminates whether or not the vehicle is lent using person's license, when it receives an instruction for granting the use of a vehicle of interest from the keyboard 23 (step ST10).

Upon the entering into the readout section 22 of an instruction for granting the use of the vehicle through the keyboard 23, a mode thus involved is a lend mode using the electronic license. If, in this state, the person's name 01, license number MI, and so on, are entered into the readout section 22 via the keyboard 23 of the device, then the corresponding information are stored as the information EPI of the person 01 into RAM 24B (step ST11) and the owner's electronic license is ejected out of the readout section 22 (step ST12).

When the electronic license of the person 01 is

inserted into the readout section 22 with the information EPI of the person 01 set (step ST13) and the person 01 enters his or her code number in the memory 15 of the electronic license via the keyboard 23, then the code number is compared with the code number stored in the memory 15 of the electronic license (steps ST14, ST15). That is, it is determined whether or not the bearer of the electronic license is a legitimate owner. In the event of a coincidence occurring upon comparison, the license information is read out of the electronic license of the person 01 by the readout section 22 and compared with the license information stored in RAM 24B (step ST16, ST17). That is, it is determined whether or not the bearer of the electronic license is a legitimate person, authorized by the owner. If yes, the electronic license of the person 01 is ejected out of the readout section 22 (step ST18). At the subsequent steps, as has already been set forth above, the steering wheel 29 is unlocked and the engine 30 is started so that the person 01 can run the vehicle (step ST9). When the result of comparison reveals a noncoincidence, the steering wheel is held locked.

In this way, the vehicle can be run with the use of the person's electronic license. EPI in Fig. 4 shows that persons 01 to 0n using the electronic license have been registered.

When the end-of-run information of the vehicle is entered by the keyboard or the engine is stopped, the steering wheel 29 is locked and the end-of-run information is stored as history information in the RAM 24B.

Let it be assumed that the use of the vehicle of interest is granted without the use of the electronic license. In this case, the same process as set forth above is performed until the steps ST1 to 4 and step 10.

If, at step ST10, an instruction for granting the use of the vehicle of interest is given without the use of the person's electronic license, another lend mode is given to the user via the keyboard 23. Upon the entry of, for example, the name, company name, grant period, and so on, of the person into the device by the operation of the keyboard 23 in this state, these information items are stored as grant information items in RAM 24B (step ST19) and the electronic license of the owner is ejected out of the readout section 22 (step ST20).

If the lend information (person information) PI granting the use of the vehicle of interest not in the form of the electronic license is thus set in RAM 24B and, in this state, the lend information is entered by the person by the operation of the keyboard 13 (step ST21), then the entered lend information is compared with the lend information PI stored in RAM 24B (steps ST22, ST23). In the event of a coincidence occurring upon comparison, the steering wheel 29 is unlocked as set out above and the engine 30 is started so that

the vehicle can be run (step ST9).

By so doing, the use of the vehicle of interest can be granted to a plurality of persons without the use of the electronic license. PI in Fig. 4 shows the state in which authorized persons 11 to 1n, not using the electronic license, are registered in RAM 24B.

In the case where one of these persons thus registered in the state shown drives the vehicle of interest, the license number, drive start time and drive end time of the real driver are stored as history information EHI and HI in RAM 24B.

If the history information EHI and HI which are stored in RAM 24B are to be known, it is only necessary to set a history information display mode. That is, if an instruction representing the history information display mode is entered at step ST7, history information EHI and HI stored are read out of RAM 24B at step ST24 and displayed on a display unit 28. It is thus possible to recognize, from the history information, the state in which the vehicle of interest has thus far been used for driving.

In the case where a noncoincidence occurs upon comparison between the code numbers or between the license numbers, the alarm output section 27 delivers an alarm output.

Further, if the electronic license is ejected by the alarm output section 27 out of the readout section, the alarm output section 27 delivers an alarm sound, prompting a person to withdraw the "ejected" electronic license away from the readout section.

In order for a started engine to be stopped, for example, an extra switch may be provided so that the engine of the vehicle may be stopped.

According to the aforementioned embodiment, if a coincidence occurs upon comparison between the code numbers or between the license information items, the steering wheel 29 is unlocked so that the engine 30 can be run. It is thus possible to prevent a robbery of the vehicle, because upon a noncoincidence between the code numbers or between the license information items the vehicle of interest cannot be run by an unauthorized person.

The vehicle of interest can be run by an authorized person by setting the person's information items in the present device under a permission of the owner to grant the use of the vehicle of interest and entering the lend information items in that vehicle. Thus the vehicle can be fully utilized by a number of persons.

In the case where the vehicle is lent to the authorized person, he or she can select either one of a lend mode for granting the use of the vehicle authorized by the electronic license information and a lend mode for granting the use of the vehicle not in the form of the electronic license information. It is, therefore, possible to gain an advantage of using the vehicle in accordance with the situation under which it is placed.

The license information, company information

and so on which are read out by the readout section 22 are stored in RAM 24B and held as history information there. It is, therefore, possible to readily know the state in which the vehicle has so far been used for driving.

Further, upon the start of the engine the electronic license 10 is ejected out of the readout section 22 and the driver never fails to forget the withdrawal of the electronic license 10 away from there.

Claims

1. A driver restriction apparatus for restricting a vehicle driver, including storing means (24) for storing identifying information, first input means (23) for inputting identifying information, granting means (21) for granting use of a vehicle when the identifying information input by the first input means (23) coincides with the identifying information stored in the storing means, means (21) for identifying an owner of the vehicle, said driver restriction apparatus being characterized by comprising:
 - means (23), provided on the vehicle, for determining lending of the vehicle to a person in accordance with an instruction from the identified owner;
 - second input means (23), provided on the vehicle, for inputting renter identifying information and causing the input renter identifying information to be stored in the storing means when lending of the vehicle is determined by the determining means (23); wherein
 - said granting means (21) provided on the vehicle, for granting use of a vehicle when renter information inputted by the second input means coincides with the renter identifying information stored in said storing means (24).
2. An apparatus according to claim 1, characterized in that said identifying means (21) comprises:
 - means (24) for storing owner's license information;
 - means for reading information stored in an electronic license (10) which contains information of the license; and
 - means (21) for comparing the information read out by the reading means (22) with the information stored in storing means (24).
3. An apparatus according to claim 1, characterized in that
 - said determining means (23) further includes mode designating means for designating a first mode for granting the use of a vehicle by said electronic license (10) and a second mode for granting the use of a vehicle without utilizing

said electronic license.

4. An apparatus according to claim 3, characterized in that said second input means (23) has means for inputting the person's electronic license information when said first mode is set by said mode designating means.
5. An apparatus according to claim 3, characterized in that said second input means (23) has means for inputting the person's characteristic information when said second mode is set by said mode designating means.
6. An apparatus according to claim 3, characterized in that said first input means (23) has means for inputting person's information by said person when said first and second modes are set by said mode designating means.
7. An apparatus according to claim 1, characterized in that said granting means (21) comprises:
 - means (21) for comparing the information input by the first input means (23) with the information stored in said storing means (23).
8. An apparatus according to claim 7, characterized by further comprising:
 - means (25) for unlocking a steering wheel (29) in accordance with a noncoincidence output from the comparing means.
9. An apparatus according to claim 7, characterized by further comprising:
 - means for driving an engine in accordance with said coincidence output delivered from said comparing means (21).
10. An apparatus according to claim 4, characterized in that said electronic license (10) comprises:
 - means (13) for electrically connected to said reading means (22);
 - means, connected to said connecting means (13), for processing information input via the connecting means and output information to the reading means (22) via the connecting means; and
 - means, connected to the processing means (14), for storing the information output from the processing means.

Patentansprüche

1. Fahrerbeschränkungsvorrichtung zur Beschränkung eines Fahrzeugfahrers, welche eine Speichereinrichtung (24) zur Speicherung von Identifizierungsinformationen, eine erste Eingabeein-

- richtung (23) zur Eingabe von Identifizierungsinformationen, eine Gewährungseinrichtung (21) zur Gewährung der Nutzung eines Fahrzeugs, wenn die durch die erste Eingabeeinrichtung (23) eingegebenen Identifizierungsinformationen mit den in der Speichereinrichtung gespeicherten Identifizierungsinformationen übereinstimmen, und eine Einrichtung (21) zum Identifizieren eines Besitzers des Fahrzeugs enthält, wobei die Fahrerbeschränkungsvorrichtung dadurch gekennzeichnet ist, daß sie folgendes umfaßt:
- eine am Fahrzeug vorgesehene Einrichtung (23) zur Bestimmung des Verleihs des Fahrzeugs an eine Person gemäß einem Befehl seitens des identifizierten Besitzers;
 - eine zweite am Fahrzeug vorgesehene Eingabeeinrichtung (23) zur Eingabe von Identifizierungsinformationen des Leihers, welche in der Speichereinrichtung zu speichern sind, wenn das Ausleihen des Fahrzeugs von der Bestimmungseinrichtung (23) bestimmt wird; wobei die am Fahrzeug vorgesehene Gewährungseinrichtung (21) die Nutzung eines Fahrzeugs gewährt, wenn die von der zweiten Eingabeeinrichtung eingegebenen Leihereinrichtungen mit den in der Speichereinrichtung (24) gespeicherten Leihidentifizierungsinformationen übereinstimmen.
2. Vorrichtung gemäß Anspruch 1, dadurch gekennzeichnet, daß die Identifizierungseinrichtung (21) folgendes umfaßt:
 - eine Einrichtung (24) zur Speicherung der Führerscheininformationen des Besitzers;
 - eine Einrichtung zum Lesen der in einem elektronischen Führerschein (10) gespeicherten Informationen, welche Zulassungsinformationen enthalten; und
 - eine Einrichtung (21) zum Vergleich der von der Ausleseeinrichtung (22) ausgelesenen Informationen mit den in der Speichereinrichtung (24) gespeicherten Informationen.
 3. Vorrichtung gemäß Anspruch 1, dadurch gekennzeichnet, daß die Bestimmungseinrichtung (23) des weiteren eine Modusvorgabeeinrichtung zur Vorgabe eines ersten Modus zur Gewährung der Nutzung eines Fahrzeugs mittels des elektronischen Führerscheins (10) und eines zweiten Modus zur Gewährung der Nutzung eines Fahrzeugs ohne Verwendung des elektronischen Führerscheins enthält.
 4. Vorrichtung gemäß Anspruch 3, dadurch gekennzeichnet, daß die zweite Eingabeeinrichtung (23) eine Einrichtung zur Eingabe der Informationen des elektronischen Führerscheins der Person hat, wenn der erste Modus durch die Modus-
- vorgabeeinrichtung eingestellt ist.
5. Vorrichtung gemäß Anspruch 3, dadurch gekennzeichnet, daß die zweite Eingabeeinrichtung (23) eine Einrichtung zur Eingabe der charakteristischen Informationen der Person hat, wenn der zweite Modus durch die Modusvorgabeeinrichtung eingestellt ist.
 6. Vorrichtung gemäß Anspruch 3, dadurch gekennzeichnet, daß die erste Eingabeeinrichtung (23) eine Einrichtung zur Eingabe der personenbezogenen Informationen der Person hat, wenn der erste und zweite Modus durch die Modusvorgabeeinrichtung eingestellt sind.
 7. Vorrichtung gemäß Anspruch 1, dadurch gekennzeichnet, daß die Gewährungseinrichtung (21) eine Einrichtung (21) zum Vergleich der von der ersten Eingabeeinrichtung (23) eingegebenen Informationen mit den in der Speichereinrichtung (23) gespeicherten Informationen umfaßt.
 8. Vorrichtung gemäß Anspruch 7, dadurch gekennzeichnet, daß sie des weiteren eine Einrichtung (25) zur Freigabe eines Lenkrades (29) gemäß eines Nichtübereinstimmungsausgangs der Vergleichseinrichtung umfaßt.
 9. Vorrichtung gemäß Anspruch 7, dadurch gekennzeichnet, daß sie des weiteren eine Einrichtung zum Betrieb eines Motors gemäß einem von der Vergleichseinrichtung (21) abgesetzten übereinstimmungsausgangs umfaßt.
 10. Vorrichtung gemäß Anspruch 4, dadurch gekennzeichnet, daß der elektronische Führerschein (10) folgendes umfaßt:
 - eine Einrichtung (13) zum elektrischen Anschluß an die Leseeinrichtung (22);
 - eine mit der Anschlußeinrichtung (13) gekoppelte Einrichtung zur Verarbeitung der über die Anschlußeinrichtung eingegebenen Informationen und zur Ausgabe von Informationen über die Anschlußeinrichtung an die Leseeinrichtung (22); und
 - eine mit der Verarbeitungseinrichtung (14) verbundene Einrichtung zur Speicherung der von der Verarbeitungseinrichtung ausgegebenen Informationen.

Revendications

1. Dispositif de sélection de conducteur pour interdire de conduire un véhicule, incluant un moyen de mémorisation (24) pour mémoriser une information d'identification, un premier moyen d'en-

- trée (23) pour entrer une information d'identification, un moyen d'autorisation (21) pour autoriser l'utilisation d'un véhicule lorsque l'information d'identification entrée par le premier moyen d'entrée (23) coïncide avec l'information d'identification mémorisée dans le moyen de mémorisation, un moyen (21) pour identifier le propriétaire du véhicule, ledit dispositif de sélection de conducteur étant caractérisé en ce qu'il comprend :
- un moyen (23), prévu sur le véhicule, pour déterminer le prêt du véhicule à une personne en fonction d'une instruction provenant du propriétaire identifié ;
- un second moyen d'entrée (23), prévu sur le véhicule, pour entrer une information d'identification d'emprunteur et pour faire en sorte que l'information d'identification d'emprunteur entrée soit mémorisée dans le moyen de mémorisation lorsque le prêt du véhicule est déterminé par le moyen de détermination (23) ; dans lequel :
- ledit moyen d'autorisation (21), prévu sur le véhicule, autorise l'utilisation du véhicule lorsque l'information d'emprunteur entrée par le second moyen d'entrée coïncide avec l'information d'identification d'emprunteur mémorisée dans ledit moyen de mémorisation (24).
2. Dispositif selon la revendication 1, caractérisé en ce que ledit moyen d'identification (21) comprend :
- un moyen (24) pour mémoriser l'information de permis de conduire du propriétaire ;
- un moyen pour lire l'information mémorisée dans un permis de conduire électronique (10) qui contient l'information du permis de conduire ; et,
- un moyen (21) pour comparer l'information lue par le moyen de lecture (22) avec l'information mémorisée dans le moyen de mémorisation (24).
3. Dispositif selon la revendication 1, caractérisé en ce que :
- le moyen de détermination (23) comprend en outre un moyen de désignation de mode pour désigner un premier mode pour autoriser l'utilisation d'un véhicule par ledit permis de conduire électronique (10) et un second mode pour autoriser l'utilisation d'un véhicule sans utilisation dudit permis de conduire électronique.
4. Dispositif selon la revendication 3, caractérisé en ce que ledit second moyen d'entrée (23) possède un moyen pour entrer l'information de permis de conduire électronique d'une personne lorsque ledit premier mode est établi par ledit moyen de désignation de mode.
5. Dispositif selon la revendication 3, caractérisé en ce que ledit second moyen d'entrée (23) possède un moyen pour entrer l'information caractéristique d'une personne lorsque ledit second mode est établi par ledit moyen de désignation de mode.
6. Dispositif selon la revendication 3, caractérisé en ce que ledit premier moyen d'entrée (23) possède un moyen pour entrer l'information d'une personne par ladite personne lorsque lesdits premier et second modes sont établis par ledit moyen de désignation de mode.
7. Dispositif selon la revendication 1, caractérisé en ce que ledit moyen d'autorisation (21) comprend :
- un moyen (21) pour comparer l'information entrée par le premier moyen d'entrée (23) avec l'information mémorisée dans ledit moyen de mémorisation (23).
8. Dispositif selon la revendication 7, caractérisé en ce qu'il comprend en outre :
- un moyen (25) pour déverrouiller un volant de direction (29) en fonction d'une sortie de coïncidence du moyen de comparaison.
9. Dispositif selon la revendication 7, caractérisé en ce qu'il comprend en outre :
- un moyen pour démarrer un moteur en fonction de ladite sortie de coïncidence délivrée par ledit moyen de comparaison (21).
10. Dispositif selon la revendication 4, caractérisé en ce que ledit permis de conduire électronique (10) comprend :
- un moyen (13) pour se connecter de manière électrique audit moyen de lecture (22) ;
- un moyen, relié audit moyen de connexion (13), pour traiter l'information entrée par l'intermédiaire du moyen de connexion et pour sortir l'information vers le moyen de lecture (22) par l'intermédiaire du moyen de connexion ; et,
- un moyen, connecté au moyen de traitement (14), pour mémoriser la sortie d'information issue du moyen de traitement.




FIG. 1A




FIG. 1B




FIG. 2




FIG. 3

LI	OWNER	LICENSE NUMBER M0	CODE NUMBER C0	24B
	ADDRESS			
	NAME	BIRTH DATE		
	DOMICILE			
EPI	AUTHORIZED PERSON 01	LICENSE NUMBER M1		
	AUTHORIZED PERSON 02	LICENSE NUMBER M2		
PI	AUTHORIZED PERSON 0n	LICENSE NUMBER Mn		
	AUTHORIZED PERSON 11	COMPANY NAME	LENT PERIOD	
	AUTHORIZED PERSON 12	COMPANY NAME	LENT PERIOD	
EHI	AUTHORIZED PERSON 1n	COMPANY NAME	LENT PERIOD	
	LICENSE NUMBER M1	START TIME TS1	END TIME TE1	
	LICENSE NUMBER M2	START TIME TS2	END TIME TE2	
HI	LICENSE NUMBER Mn	START TIME TSn	END TIME TEN	
	COMPANY NAME	START TIME TS11	END TIME TE11	
	COMPANY NAME	START TIME TS 12	END TIME TE 12	
	COMPANY NAME	START TIME TS1n	END TIME TE1n	

FIG. 4




FIG. 5A




FIG. 5B