




(86) Date de dépôt PCT/PCT Filing Date: 2010/08/03
(87) Date publication PCT/PCT Publication Date: 2011/02/17
(85) Entrée phase nationale/National Entry: 2012/02/10
(86) N° demande PCT/PCT Application No.: EP 2010/004739
(87) N° publication PCT/PCT Publication No.: 2011/018170
(30) Priorités/Priorities: 2009/08/14 (JP2009-188049);
2010/03/12 (JP2010-055470)

(51) Cl.Int./Int.Cl. *C07C 233/66* (2006.01),
C07C 235/84 (2006.01), *C07C 237/40* (2006.01),
C07C 237/42 (2006.01), *C07C 237/48* (2006.01),
C07C 251/44 (2006.01), *C07C 251/48* (2006.01),
C07C 255/57 (2006.01), *C07C 271/22* (2006.01),
C07C 275/24 (2006.01), *C07D 209/48* (2006.01),
C07D 213/61 (2006.01), *C07D 213/81* (2006.01),
C07D 213/82 (2006.01)

(71) Demandeur/Applicant:
BAYER CROPS SCIENCE AG, DE

(72) Inventeurs/Inventors:
MIHARA, JUN, JP;
ARAKI, KOICHI, JP; ...

(54) Titre : CARBOXAMIDES PESTICIDES
(54) Title: PESTICIDAL CARBOXAMIDES



(57) Abrégé/Abstract:

The object of the present invention is to provide novel carboxamides which exhibit an excellent pesticidal activity as pesticides. Disclosed are the carboxamides represented by the following Formula (I) wherein each substituent is as defined in the specification, and use thereof as pesticides and animal parasite controlling agents.

(72) **Inventeurs(suite)/Inventors(continued):** MORI, TAKUMA, JP; MURATA, TETSUYA, JP; YONETA, YASUSHI, JP; WATANABE, YUKIYOSHI, DE; SHIMOJO, EIICHI, JP; ICHIHARA, TERUYUKI, JP; ATAKA, MASASHI, JP; SHIBUYA, KATSUHIKO, JP; GOERGENS, ULRICH, DE

(74) **Agent:** FETHERSTONHAUGH & CO.

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization
International Bureau



PCT



(10) International Publication Number

WO 2011/018170 A3

(43) International Publication Date
17 February 2011 (17.02.2011)

(51) International Patent Classification:

C07C 233/66 (2006.01) C07C 255/57 (2006.01)
C07C 235/84 (2006.01) C07C 271/22 (2006.01)
C07C 237/40 (2006.01) C07C 275/24 (2006.01)
C07C 237/42 (2006.01) C07D 209/48 (2006.01)
C07C 237/48 (2006.01) C07D 213/61 (2006.01)
C07C 251/44 (2006.01) C07D 213/81 (2006.01)
C07C 251/48 (2006.01) C07D 213/82 (2006.01)

(21) International Application Number:

PCT/EP2010/004739

(22) International Filing Date:

3 August 2010 (03.08.2010)

(25) Filing Language:

English

(26) Publication Language:

English

(30) Priority Data:

2009-188049 14 August 2009 (14.08.2009) JP
2010-055470 12 March 2010 (12.03.2010) JP

(71) Applicant (for all designated States except US): **BAYER CROPSCIENCE AG** [DE/DE]; Alfred-Nobel-Strasse 50, 40789 Monheim (DE).

(72) Inventors; and

(75) Inventors/Applicants (for US only): **MIHARA, Jun** [JP/JP]; 2-11-1-603, Ekihigashidouri, Oyama-shi, Tochigi, 323-0022 (JP). **ARAKI, Koichi** [JP/JP]; 2-4-39 Kamiya Ushiku, Ibaraki, 300-1216 (JP). **MORI, Takuma** [JP/JP]; 1-21-1-107, Ekiminami-cho, Oyama-city, Tochigi, 323-0822 (JP). **MURATA, Tetsuya** [JP/JP]; 7-16-24 -202, Joto, Oyama-shi, Tochigi, 323-0807 (JP). **YONE-TA, Yasushi** [JP/JP]; 166-3, Kabagasaki, Hanyu-shi, Saitama, 348 -0031 (JP). **WATANABE, Yukiyo** [JP/DE]; Am Weiherfeld 4A, 51381 Leverkusen (DE). **SHIMOJO, Eiichi** [JP/JP]; 4 -16-1-F202 Nishijonan, Oyama-shi, Tochigi, 323-0820 (JP). **ICHIHARA, Teruyuki** [JP/JP]; 1-15-14-201 Ekiminami-cho, Oyama-shi, Tochigi, 323-0822 (JP). **ATAKA, Masashi** [JP/JP]; 2-5-14

Nishijonan, Oyama-shi, Tochigi, 323-0820 (JP). **SHIBUYA, Katsuhiko** [JP/JP]; 6-14-4 Midori, Shimotsuke-shi, Tochigi, 329-0433 (JP). **GÖRGENS, Ulrich** [DE/DE]; Fester Str. 37, 40882 Ratingen (DE).

(74) Agent: **BAYER CROPSCIENCE AG**; Business Planning and Administration, Law and Patents, Patents and Licensing, Building 6100, Alfred-Nobel-Str. 50, 40789 Monheim (DE).

(81) Designated States (unless otherwise indicated, for every kind of national protection available): AE, AG, AL, AM, AO, AT, AU, AZ, BA, BB, BG, BH, BR, BW, BY, BZ, CA, CH, CL, CN, CO, CR, CU, CZ, DE, DK, DM, DO, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, GT, HN, HR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KN, KP, KR, KZ, LA, LC, LK, LR, LS, LT, LU, LY, MA, MD, ME, MG, MK, MN, MW, MX, MY, MZ, NA, NG, NI, NO, NZ, OM, PE, PG, PH, PL, PT, RO, RS, RU, SC, SD, SE, SG, SK, SL, SM, ST, SV, SY, TH, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, ZA, ZM, ZW.

(84) Designated States (unless otherwise indicated, for every kind of regional protection available): ARIPO (BW, GH, GM, KE, LR, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European (AL, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HR, HU, IE, IS, IT, LT, LU, LV, MC, MK, MT, NL, NO, PL, PT, RO, SE, SI, SK, SM, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).


Published:

- with international search report (Art. 21(3))
- before the expiration of the time limit for amending the claims and to be republished in the event of receipt of amendments (Rule 48.2(h))

(88) Date of publication of the international search report:

11 August 2011

(54) Title: PESTICIDAL CARBOXAMIDES



(I)

(57) Abstract: The object of the present invention is to provide novel carboxamides which exhibit an excellent pesticidal activity as pesticides. Disclosed are the carboxamides represented by the following Formula (I) wherein each substituent is as defined in the specification, and use thereof as pesticides and animal parasite controlling agents.

PESTICIDAL CARBOXAMIDES

TECHNICAL FIELD

[0001] The present invention relates to pesticidal carboxamides and their use as pesticides.

5

BACKGROUND ART


[0002] Pesticidal carboxamide compounds are useful as agents for controlling harmful organisms.

[0003] EP 1 661 886 A1 (WO 2005/021488), EP 1 714 958 A1 (WO 2005/073165), EP 1 916 236 A1 (WO 2006/137395), EP 1 911 7510 A1 (WO 2006/137376), WO 2008/000438, WO 2008/012027, 10 WO 2008/031534, WO 2008/074427, WO 2008/107091, WO 2009/049844, WO 2009/049845, WO 2007/017075, JP 2006/306771, JP2007/302617 and JP 2007/099761 A refer to insecticidal compounds. WO 2007/128410, WO 2007/051560 discloses insecticidal compounds having a 5 membered ring-system in the core structure.

15

SUMMARY OF THE INVENTION

[0004] Inventors of the present invention extensively studied to develop novel compounds which are highly active as pesticides and have a broad spectrum use. As a result, the inventors found that the novel carboxamides represented by the following Formula (I) have a high activity, a broad spectrum use and safety, and also are effective against harmful pests that are resistant to organic phosphorous agents or 20 carbamate agents.



wherein






A¹, A², A³, A⁴ and A⁵ each independently represent nitrogen, C-X¹ or C-T, provided that at least one of A¹, A², A³, A⁴ and A⁵ is C-T;

25 B¹, B², B³, B⁴ and B⁵ each independently represent nitrogen, C-X² or C-J, provided that at least one of B¹, B², B³, B⁴ and B⁵ is C-J;

G represents oxygen or sulfur;

Q represents hydrogen, C₁₋₁₂ alkyl, C₁₋₁₂ haloalkyl, (C₁₋₁₂ alkyl)carbonyl, (C₁₋₁₂ haloalkyl)carbonyl, (C₁₋₁₂ alkoxy)carbonyl or (C₁₋₁₂ haloalkoxy)carbonyl;

X¹ and X² each independently represent hydrogen, cyano, halogen, nitro, hydroxy, mercapto, amino, formyl, oxide, C₁₋₁₂ alkyl, C₁₋₁₂ haloalkyl, aryl-(C₁₋₁₂)alkyl, heterocyclyl-(C₁₋₁₂)alkyl, C₁₋₁₂ alkyl-O-, C₁₋₁₂ alkyl-NH-, C₁₋₁₂ alkyl-S-, C₁₋₁₂ alkyl-S(O)-, C₁₋₁₂ alkyl-S(O)₂-, C₁₋₁₂ alkyl-S(O)₂O-, C₁₋₁₂ haloalkyl-O-, C₁₋₁₂ haloalkyl-NH-, C₁₋₁₂ haloalkyl-S-, C₁₋₁₂ haloalkyl-S(O)-, C₁₋₁₂ haloalkyl-S(O)₂-, C₁₋₁₂ haloalkyl-S(=O)₂O-, aryl-O-, aryl-NH-, aryl-S-, aryl-S(O)-, aryl-S(O)₂-, aryl-S(O)₂O-, heterocyclyl-O-, heterocyclyl-NH-, heterocyclyl-S-, heterocyclyl-S(O)-, heterocyclyl-S(O)₂-, heterocyclyl-S(O)₂O-, C₁₋₁₂ alkyl-O-(C₁₋₁₂)alkyl, C₁₋₁₂ alkyl-NH-(C₁₋₁₂)alkyl, C₁₋₁₂ alkyl-S-(C₁₋₁₂)alkyl, C₁₋₁₂ alkyl-S(O)-(C₁₋₁₂)alkyl, C₁₋₁₂ alkyl-S(O)₂-(C₁₋₁₂)alkyl, C₁₋₁₂ alkyl-S(O)₂O-(C₁₋₁₂)alkyl, C₁₋₁₂ haloalkyl-O-(C₁₋₁₂)alkyl, C₁₋₁₂ haloalkyl-NH-(C₁₋₁₂)alkyl, C₁₋₁₂ haloalkyl-S-(C₁₋₁₂)alkyl, C₁₋₁₂ haloalkyl-S(O)-(C₁₋₁₂)alkyl, C₁₋₁₂ haloalkyl-S(O)₂-(C₁₋₁₂)alkyl, C₁₋₁₂ haloalkyl-S(O)₂O-(C₁₋₁₂)alkyl, aryl-O-(C₁₋₁₂)alkyl, aryl-NH-(C₁₋₁₂)alkyl, aryl-S-(C₁₋₁₂)alkyl, aryl-S(O)-(C₁₋₁₂)alkyl, aryl-S(O)₂-(C₁₋₁₂)alkyl, aryl-S(O)₂O-(C₁₋₁₂)alkyl, heterocyclyl-O-(C₁₋₁₂)alkyl, heterocyclyl-NH-(C₁₋₁₂)alkyl, heterocyclyl-S-(C₁₋₁₂)alkyl, heterocyclyl-S(O)-(C₁₋₁₂)alkyl, heterocyclyl-S(O)₂-(C₁₋₁₂)alkyl, heterocyclyl-S(O)₂O-(C₁₋₁₂)alkyl, C₃₋₈ cycloalkyl, C₃₋₈ cycloalkyl-(C₁₋₁₂)alkyl-, C₃₋₈ halocycloalkyl, C₃₋₈ halocycloalkyl-(C₁₋₁₂)alkyl-, C₂₋₁₂ alkenyl, C₂₋₁₂ haloalkenyl, C₂₋₁₂ alkynyl, C₂₋₁₂ haloalkynyl, di(C₁₋₁₂ alkyl)amino, di(C₁₋₁₂ haloalkyl)amino, C₃₋₃₆ trialkylsilyl, hydroxyimino(C₁₋₁₂)alkyl, C₁₋₁₂ alkyl-O-N=(C₁₋₁₂)alkyl, C₁₋₁₂ alkyl-NH-N=(C₁₋₁₂)alkyl, C₁₋₁₂ alkyl-S-N=(C₁₋₁₂)alkyl, C₁₋₁₂ alkyl-S(O)-N=(C₁₋₁₂)alkyl, C₁₋₁₂ alkyl-S(O)₂-N=(C₁₋₁₂)alkyl, C₁₋₁₂ alkyl-S(O)₂O-N=(C₁₋₁₂)alkyl, C₁₋₁₂ haloalkyl-O-N=(C₁₋₁₂)alkyl, C₁₋₁₂ haloalkyl-NH-N=(C₁₋₁₂)alkyl, C₁₋₁₂ haloalkyl-S-N=(C₁₋₁₂)alkyl, C₁₋₁₂ haloalkyl-S(O)-N=(C₁₋₁₂)alkyl, C₁₋₁₂ haloalkyl-S(O)₂-N=(C₁₋₁₂)alkyl, C₁₋₁₂ haloalkyl-S(O)₂O-N=(C₁₋₁₂)alkyl, (C₁₋₁₂ alkoxy)carbonyl, (C₁₋₁₂ haloalkoxy)carbonyl, (C₃₋₈ cycloalkoxy)carbonyl, (C₃₋₈ halocycloalkoxy)carbonyl, C₃₋₈ cycloalkyl-(C₁₋₁₂ alkoxy)carbonyl, C₃₋₈ halocycloalkyl-(C₁₋₁₂ alkoxy)carbonyl, (C₁₋₁₂ alkyl)carbonyl, (C₁₋₁₂ haloalkyl)carbonyl, (C₃₋₈ cycloalkyl)carbonyl, (C₃₋₈ halocycloalkyl)carbonyl, C₃₋₈ cycloalkyl-(C₁₋₁₂)alkyl-carbonyl, (C₃₋₈ halocycloalkyl)-(C₁₋₁₂)alkyl-carbonyl, an aryl group, a heterocyclic group, sulfur pentafluoride, or one of the substituents represented by the following Formulae (X1-1) to (X1-5):



wherein G independently has the same meaning as G described above;

X^3 , X^4 and X^5 each independently represent hydrogen, cyano, halogen, nitro, hydroxy, mercapto, amino, formyl, C_{1-12} alkyl, C_{1-12} haloalkyl, aryl- (C_{1-12}) alkyl, heterocyclyl- (C_{1-12}) alkyl, C_{1-12} alkyl-O-, C_{1-12} alkyl-NH-, C_{1-12} alkyl-S-, C_{1-12} alkyl-S(O)-, C_{1-12} alkyl-S(O)₂-, C_{1-12} alkyl-S(O)₂O-, C_{1-12} haloalkyl-O-, C_{1-12} haloalkyl-NH-, C_{1-12} haloalkyl-S-, C_{1-12} haloalkyl-S(O)-, C_{1-12} haloalkyl-S(O)₂-, C_{1-12} haloalkyl-S(O)₂O-, aryl-O-, aryl-NH-, aryl-S-, aryl-S(O)-, aryl-S(O)₂-, aryl-S(O)₂O-, heterocyclyl-O-, heterocyclyl-NH-, heterocyclyl-S-, heterocyclyl-S(O)-, heterocyclyl-S(O)₂-, heterocyclyl-S(O)₂O-, C_{1-12} alkyl-O- (C_{1-12}) alkyl, C_{1-12} alkyl-NH- (C_{1-12}) alkyl, C_{1-12} alkyl-S- (C_{1-12}) alkyl, C_{1-12} alkyl-S(O)- (C_{1-12}) alkyl, C_{1-12} alkyl-S(O)₂- (C_{1-12}) alkyl, C_{1-12} alkyl-S(O)₂O- (C_{1-12}) alkyl, C_{1-12} haloalkyl-O- (C_{1-12}) alkyl, C_{1-12} haloalkyl-NH- (C_{1-12}) alkyl, C_{1-12} haloalkyl-S- (C_{1-12}) alkyl, C_{1-12} haloalkyl-S(O)- (C_{1-12}) alkyl, C_{1-12} haloalkyl-S(O)₂- (C_{1-12}) alkyl, C_{1-12} haloalkyl-S(O)₂O- (C_{1-12}) alkyl, aryl-O- (C_{1-12}) alkyl, aryl-NH- (C_{1-12}) alkyl, aryl-S- (C_{1-12}) alkyl, aryl-S(O)- (C_{1-12}) alkyl, aryl-S(O)₂- (C_{1-12}) alkyl, aryl-S(O)₂O- (C_{1-12}) alkyl, heterocyclyl-O- (C_{1-12}) alkyl, heterocyclyl-NH- (C_{1-12}) alkyl, heterocyclyl-S- (C_{1-12}) alkyl, heterocyclyl-S(O)- (C_{1-12}) alkyl, heterocyclyl-S(O)₂- (C_{1-12}) alkyl, heterocyclyl-S(O)₂O- (C_{1-12}) alkyl, C_{3-8} cycloalkyl, C_{3-8} cycloalkyl- (C_{1-12}) alkyl-, C_{3-8} halocycloalkyl, C_{3-8} halocycloalkyl- (C_{1-12}) alkyl-, C_{2-12} alkenyl, C_{2-12} haloalkenyl, C_{2-12} alkynyl, C_{2-12} haloalkynyl, di(C_{1-12} alkyl)amino, di(C_{1-12} haloalkyl)amino, C_{3-36} trialkylsilyl, hydroxyimino($C_{1-12})$ alkyl, C_{1-12} alkyl-O-N= (C_{1-12}) alkyl, C_{1-12} alkyl-NH-N= (C_{1-12}) alkyl, C_{1-12} alkyl-S-N= (C_{1-12}) alkyl, C_{1-12} alkyl-S(O)-N= (C_{1-12}) alkyl, C_{1-12} alkyl-S(O)₂-N= (C_{1-12}) alkyl, C_{1-12} alkyl-S(O)₂O-N= (C_{1-12}) alkyl, C_{1-12} haloalkyl-O-N= (C_{1-12}) alkyl, C_{1-12} haloalkyl-NH-N= (C_{1-12}) alkyl, C_{1-12} haloalkyl-S-N= (C_{1-12}) alkyl, C_{1-12} haloalkyl-S(O)-N= (C_{1-12}) alkyl, C_{1-12} haloalkyl-S(O)₂-N= (C_{1-12}) alkyl, C_{1-12} haloalkyl-S(O)₂O-N= (C_{1-12}) alkyl, (C_{1-12} alkoxy)carbonyl, (C_{1-12} haloalkoxy)carbonyl, (C_{3-8} cycloalkoxy)carbonyl, (C_{3-8} halocycloalkoxy)carbonyl, C_{3-8} cycloalkyl- $(C_{1-12}$ alkoxy)carbonyl, C_{3-8} halocycloalkyl- $(C_{1-12}$ alkoxy)carbonyl, (C_{1-12} alkyl)carbonyl, (C_{1-12} haloalkyl)carbonyl, (C_{3-8} cycloalkyl)carbonyl, (C_{3-8} halocycloalkyl)carbonyl, C_{3-8} cycloalkyl- (C_{1-12}) alkyl-carbonyl, C_{3-8} halocycloalkyl- (C_{1-12}) alkyl-carbonyl, aryl-carbonyl, heterocyclyl-carbonyl, aryl- (C_{1-12}) alkyl-carbonyl, heterocyclyl- (C_{1-12}) alkyl-carbonyl, sulfur pentafluoride, an aryl group or a heterocyclic group,

X^3 and X^4 may form a heterocycle together with the nitrogen atom, carbon atom, oxygen atom or sulfur atom to which they are bonded,

X^3 and X^5 may form a heterocycle together with the nitrogen atom, carbon atom, oxygen atom or sulfur atom to which they are bonded;

X^6 each independently represents hydrogen, C_{1-12} alkyl, C_{1-12} haloalkyl, C_{3-8} cycloalkyl, C_{2-12} alkenyl, C_{2-12} haloalkenyl, an aryl group, a heterocyclic group, aryl- (C_{1-12}) alkyl or heterocyclyl- (C_{1-12}) alkyl;

X^7 each independently represents hydrogen, nitro, cyano, formyl, X^8 -carbonyl or X^8 -oxycarbonyl,

- 4 -

wherein X^8 independently has the same meaning as X^6 described above;


J each independently represents C_{1-12} haloalkyl, C_{1-12} haloalkyl-O-, C_{1-12} haloalkyl-S-, C_{1-12} haloalkyl-S(=O)-, C_{1-12} haloalkyl-S(=O)₂-, C_{3-8} halocycloalkyl, -C(J¹)(J²)(J³) or -C(J¹)(J²)(OJ⁴),

wherein J¹ and J² each independently represent C_{1-12} haloalkyl,


5 J³ represents a heterocyclic group,

J⁴ represents hydrogen, C_{1-12} alkyl, C_{1-12} haloalkyl, C_{1-12} alkylsulfonyl, C_{1-12} haloalkylsulfonyl, arylsulfonyl, an aryl group or a heterocyclic group;


T represents a 5- to 6-membered heterocycle or any one of the substituents represented by the following Formulae (X2-1) to (X2-4):




X2-1



X2-2




X2-3



X2-4

or



X2-5

wherein

X^3 , X^5 and G independently have the same meaning as X^3 , X^5 and G defined above, respectively;

15 X^9 , X^{10} and X^{11} each independently have the same meaning as X^3 , X^4 and X^5 defined above, respectively,

X^9 and X^{10} may form a 3- to 8-membered carbon ring or heterocycle, together with the carbon atom to which they are bonded,

X^9 and X^5 , X^{10} and X^5 , or X^{11} and X^5 may together form C_{1-4} alkylene;

20 R12 and R13 have the same meaning as X^9 and X^{10} , respectively,

R14 has the same meaning as X^3 described above, and

R15 represents hydrogen;

- 5 -

when A^1, A^2, A^3, A^4 or A^5 is C-T and T represents any one of the substituents represented by Formulae (X2-1) to (X2-4), then X^9, X^{10}, X^{11} or X^3 in T may form C_{1-4} alkylene together with X^1 if A^1, A^2, A^3, A^4 or A^5 that is adjacent to the carbon atom to which T in C-T is bonded is C- X^1 , and one $-CH_2-$ at any position in the alkylene may be replaced by $-O-$, $-S-$ or $-NH-$;

- 5 when both A^1 and A^2 represent C- X^1 then X^1 's in the C- X^1 's may form a 5- to 6-membered saturated or unsaturated carbon ring or heterocycle, together with the carbon atoms to which X^1 's in C- X^1 's are bonded, and when both A^3 and A^4 represent C- X^1 , then X^1 's in the C- X^1 's may form a 5- to 6-membered saturated or unsaturated carbon ring or heterocycle, together with the carbon atoms to which X^1 's in C- X^1 's are bonded;


- 10 m each independently represents an integer of 1 to 4; and

each substituent defined above may be further substituted with any substituent.

[0005] The compounds of Formula (I) of the present invention can be obtained according to the following Preparation method (a) to (g), for example.

Preparation method (a)


- 15 [0006] A method comprising reacting the compounds represented by Formula (II):



(wherein A^1, A^2, A^3, A^4, A^5 and G are as defined above, and L^1 represents hydroxy or an appropriate leaving group, for example chlorine, bromine, a C_{1-4} alkyl-carboxyloxy group, a C_{1-4} alkoxy-carboxyloxy group, an azoyl group, a C_{1-4} alkylsulfonyloxy group, a C_{1-4} haloalkylsulfonyloxy group, or an

20 arylsulfonyloxy group)


with the compounds represented by Formula (III):



(wherein B^1 to B^5 and Q are as defined above) in the presence of a condensing agent, a base or an appropriate diluent, if necessary.

Preparation method (b) (when at least one of A¹, A², A³, A⁴ and A⁵ in Formula (I) is any one of C-W1 to C-W9 as defined herein (see, paragraph [0035])

[0007] A method comprising reacting the compounds represented by Formula (IV):




- 5 (wherein B¹ to B⁵, G and Q are as defined above, and A¹⁻¹, A¹⁻², A¹⁻³, A¹⁻⁴ and A¹⁻⁵ independently have the same meaning as A¹ to A⁵ defined above, respectively, with the proviso that at least one of A¹⁻², A¹⁻³, A¹⁻⁴ and A¹⁻⁵ is C-halogen)


with the compounds represented by W1-H, W2-H, W3-H, W4-H, W5-H, W6-H, W7-H, W8-H or W9-H (wherein W1 to W9 are as defined below) in the presence of an appropriate base, a catalyst or a diluent, if
10 necessary.

Preparation method (c) [when at least one of A¹, A², A³, A⁴ and A⁵ in Formula (I) is C-(X2-1) or C-(X2-2) having the same meaning as defined above]

[0008] A method comprising reacting the compounds represented by Formula (I-c1):




- 15 [wherein B¹ to B⁵, G and Q are as defined above, and A²⁻¹, A²⁻², A²⁻³, A²⁻⁴ and A²⁻⁵ independently have the same meaning as A¹ to A⁵ defined above, respectively, with the proviso that at least one of A²⁻¹, A²⁻², A²⁻³, A²⁻⁴ and A²⁻⁵ is Formula (X3-1):



and X⁹, X¹⁰ and m are as defined above]


- 20 with the compounds represented by Formula (r-1-1):

- 7 -



(wherein X^5 and L^1 are as defined above), or

with the compounds represented by Formula (r-1-2):



5 (wherein X^5 and L^1 are as defined above) or

with acid anhydrides of the respective compounds in the presence of an appropriate base, a condensing agent or a diluent, if necessary, and

further, with the compounds represented by Formula (r-2):




10 (wherein X^3 and L^1 are as defined above) or

with their acid anhydrides when the compounds represented by Formula (r-2) are carboxylic acids or sulfonic acids, in the presence of an appropriate base, a condensing agent or a diluent, if necessary.

Preparation method (d) [when A^5 in Formula (I) is C-(X2-1) or (X2-2), X^{10} in Formula (X2-1) or (X2-2) is a hydrogen, m is 1, A^4 is C- X^1 , X^1 and X^{10} together form C_3 alkylene]

15 [0009] A method comprising reacting the compounds represented by Formula (I-d1):



(wherein A^1 to A^3 each independently represent nitrogen, C- X^1 or C-T, B^1 to B^5 , G, Q and X^3 are as defined above, X^{12} independently has the same meaning as X^1 defined above, and n' represent an integer from 1 to 4)

20 with the compounds represented by Formula (r-1-1) mentioned above or the compounds represented by Formula (r-1-2) mentioned above, or

with acid anhydrides of the respective compounds, in the presence of an appropriate base, a condensing


agent or a diluent, if necessary, and

further, with the compounds represented by Formula (r-2) mentioned above, or

with their acid anhydrides when the compounds represented by Formula (r-2) are carboxylic acids or sulfonic acids in the presence of an appropriate base, a condensing agent or a diluent, if necessary.

- 5 **Preparation method (e) [when A5 in Formula (I) is C-(X2-1) or (X2-2), X10 in Formula (X2-1) or (X2-2) is hydrogen, m is 1, A4 is C-X1, X1 and X10 together form C2 alkylene]**

[0010] A method comprising reacting the compounds represented by Formula (I-e1):



- 10 (wherein A¹ to A³, B¹ to B⁵, G, Q, X³ and (X¹²)_n are as defined above)


with the compounds represented by Formula (r-1-1) mentioned above or the compounds represented by Formula (r-1-2) mentioned above, or

with acid anhydrides of the respective compounds, in the presence of an appropriate base, a condensing agent or a diluent, if necessary, and

- 15 further, with the compounds represented by Formula (r-2) mentioned above, or with their acid anhydrides when the compounds represented by Formula (r-2) are carboxylic acids or sulfonic acids in the presence of an appropriate base, a condensing agent or a diluent, if necessary.

Preparation method (f)

[0011] A method comprising reacting the compounds represented by Formula (I-f1):



- 20 (wherein A¹ to A⁵, B¹ to B⁵ and G are as defined above)


with the compounds represented by Formula (r-3):



(wherein Q is as defined above and L^2 represents fluorine, chlorine, bromine, a C_{1-4} alkyl-carbonyloxy group, a C_{1-4} alkoxy-carbonyloxy group, an azolyl group, a C_{1-4} alkylsulfonyloxy group, a C_{1-4} haloalkylsulfonyloxy group, or an arylsulfonyloxy group) in the presence of a base or an appropriate
 5 diluent, if necessary.

Preparation method (g) [when G in Formula (1) represents sulfur]

[0012] A method comprising reacting the compounds represented by Formula (I-g1):



(wherein A^1 to A^5 , B^1 to B^5 and Q are as defined above)

10 with appropriate sulfurizing reagents in the presence of an appropriate diluent.

[0013] The compounds of Formulas (I-c1), (I-d1), (I-e1), (I-f1) and (I-g1) are encompassed by the compounds of Formula (I) of the present invention.

[0014] According to the present invention, carboxamides of Formula (I) of the present invention have a potent pesticidal activity.

15 [0015] In the present specification, "alkyl" represents linear or branched C_{1-12} alkyl such as methyl, ethyl, n- or iso-propyl, n-, iso-, sec- or tert-butyl, n-pentyl, n-hexyl, n-heptyl, n-octyl, n-nonyl, n-decyl, n-undecyl and n-dodecyl, preferably C_{1-6} alkyl, and more preferably C_{1-4} alkyl.

[0016] Further, for each alkyl moiety included in a group which includes the alkyl as a part of its constitution, those that are the same as "alkyl" described above can be exemplified.

20 [0017] "Haloalkyl" represents carbon chains in which at least one hydrogen of linear or branched C_{1-12} alkyl, preferably C_{1-6} alkyl, more preferably C_{1-4} alkyl is substituted with halogen, for example, CH_2F , CHF_2 , CF_3 , CF_2Cl , $CFCl_2$, CF_2Br , CF_2CF_3 , $CFHCF_3$, CH_2CF_3 , $CFCF_3$, CCl_2CF_3 , CF_2CH_3 , CF_2CH_2F , CF_2CHF_2 , CF_2CF_2Cl , CF_2CF_2Br , $CFHCH_3$, $CFHCHF_2$, $CFHCHF_2$, $CHFCF_3$, $CHFCF_2Cl$, $CHFCF_2Br$, $CFCF_3$, CCl_2CF_3 , $CF_2CF_2CF_3$, $CH_2CF_2CF_3$, $CF_2CH_2CF_3$, $CF_2CF_2CH_3$, $CHFCF_2CF_3$, CF_2CHFCF_3 , $CF_2CF_2CHF_2$, $CF_2CF_2CH_2F$, $CF_2CF_2CF_2Cl$, $CF_2CF_2CF_2Br$, $CH(CHF_2)CF_3$, $CH(CF_3)CF_3$, $CF(CF_3)CF_3$, $CF(CF_3)CF_2Br$, $CF_2CF_2CF_2CF_3$, $CH(CF_3)CF_2F_3$ or $CF(CF_3)CF_2CF_3$. The haloalkyl also includes perfluoroalkyl in which every substitutable hydrogen on the alkyl is substituted with fluorine. Further,

25

monobromoperfluoroalkyl, which represents an alkyl in which one substitutable hydrogen on the alkyl is substituted with bromo and the rest of every substitutable hydrogen is substituted with fluorine, is also encompassed by "haloalkyl." The haloalkyl may be further substituted with any substituent.

[0018] "Alkoxy" represents alkoxy of linear or branched C₁₋₁₂, preferably C₁₋₆, more preferably C₁₋₄, for example, methoxy, ethoxy, n-propoxy, i-propoxy, n-, iso-, sec- or tert-butoxy, pentyloxy or hexyloxy. The alkoxy may be further substituted with any substituent.

[0019] "Halogen" and each halogen moiety included in a group substituted with halogen represent fluorine, chlorine, bromine or iodine, preferably fluorine, chlorine or bromine.

[0020] "Cycloalkyl" represents C₃₋₈ cycloalkyl including cyclopropyl, cyclobutyl, cyclopentyl, cyclohexyl, cycloheptyl, cyclooctyl, preferably C₃₋₇ cycloalkyl, and more preferably C₃₋₆ cycloalkyl.

[0021] Further, for each cycloalkyl moiety included in a group which has cycloalkyl as a part of its constitution, those that are the same as "cycloalkyl" described above can be exemplified.

[0022] "Halocycloalkyl" represents a cycloalkyl at least one hydrogen on which is substituted by halogen, and examples thereof include fluorocyclopropyl, chlorocyclopropyl, difluorocyclopropyl, dichlorocyclopropyl and undecafluorocyclohexyl.

[0023] "Alkenyl" represents C₂₋₁₂ alkenyl, preferably C₂₋₅ alkenyl, such as vinyl, allyl, 1-propenyl, 1-(or 2-, or 3-)butenyl, 1-pentenyl and the like, and more preferably C₂₋₄ alkenyl.

[0024] "Alkynyl" represents C₂₋₁₂ alkynyl, preferably C₂₋₅ alkynyl, such as ethynyl, propargyl, 1-propynyl, butan-3-ynyl, pentan-4-ynyl and the like, and more preferably C₂₋₄ alkynyl.

[0025] "Aryl" represents a C₆₋₁₂ aromatic hydrocarbon group, and examples thereof include phenyl, naphthyl, biphenyl, preferably a C₆₋₁₀ aromatic hydrocarbon group, and more preferably a C₆ aromatic hydrocarbon group, i.e., phenyl.

[0026] "Heterocycle" represents a 3 to 6-membered heterocyclic group having, as a hetero atom, at least one of N, O and S. In preferred embodiments, a heterocycle refers to a 3, a 5 or a 6 membered heterocyclic group. "Heterocycle" also represents a fused heterocyclic group which may be a benzo-fused heterocycle. Further, the carbon atom in the heterocycle may be substituted with oxo or thioxo.


[0027] Specific examples of the heterocycle include pyrrolidinyl, piperidinyl, morpholinyl, thiomorpholinyl, aziridinyl, oxiranyl, thiranyl, azetidiny, oxetanyl, thietanyl, pyrrolidinyl, tetrahydrofuranyl, tetrahydrothiophenyl, tetrahydropyranyl, tetrahydrothiopyranyl (as examples of a saturated heterocycle), dihydropyrrolyl, dihydroisoxazolyl, dihydropyrazolyl, dihydrooxazolyl, dihydrothiazolyl (as examples of a partially saturated heterocycle), furyl, thienyl, pyrrolyl, isoxazolyl,

pyrazolyl, oxazolyl, isothiazolyl, thiazolyl, imidazolyl, triazolyl, oxadiazolyl, thiadiazolyl, tetrazolyl, pyridyl, pyrimidinyl, pyridazinyl, pyrazinyl, triazinyl, indolyl, benzoxazolyl, benzothiazolyl, quinolyl and the like. Furthermore, the heterocycle may be substituted with any substituent.

[0028] Examples of the substituent described in the expression "may be substituted with any substituent" include amino, hydroxy, oxo, thioxo, halogen, nitro, cyano, isocyano, mercapto, isothiocyanate, carboxy, carboamide, SF₅, aminosulfonyl, alkyl, cycloalkyl, alkenyl, cycloalkenyl, alkynyl, monoalkylamino, dialkylamino, N-alkylcarbonyl-amino, alkoxy, alkenyloxy, alkynyloxy, cycloalkyloxy, cycloalkenyloxy, alkoxycarbonyl, alkenyloxycarbonyl, alkynyloxycarbonyl, aryloxycarbonyl, alkylcarbonyl, alkenylcarbonyl, alkynylcarbonyl, arylcarbonyl, alkylthio, cycloalkylthio, alkenylthio, cycloalkenylthio, alkynylthio, alkylsulfinyl, alkylsulfinyl including isomers, alkylsulfonyl, monoalkylaminosulfonyl, dialkylaminosulfonyl, alkylphosphinyl, alkylphosphonyl, alkylphosphinyl including isomers, alkylphosphonyl including isomers, N-alkyl-aminocarbonyl, N,N-dialkyl-aminocarbonyl, N-alkylcarbonyl-aminocarbonyl, N-alkylcarbonyl-N-alkylaminocarbonyl, aryl, aryloxy, benzyl, benzyloxy, benzylthio, arylthio, arylamino, benzylamino, heterocycle, trialkylsilyl, alkoxyalkyl, alkylthioalkyl, alkylthioalkoxy, alkoxyalkoxy, phenethyl, benzyloxy, haloalkyl, haloalkoxy, haloalkylthio, haloalkylcarbonyl, haloalkoxycarbonyl, haloalkoxyalkoxy, haloalkoxyalkylthio, haloalkoxyalkylcarbonyl and haloalkoxyalkyl, and preferably chloro, fluoro, bromo, iodo, amino, nitro, cyano, hydroxy, thio and carboxy.

[0029] In a preferred embodiment of the present invention, at least one of X¹, X², T or J³ represents a nitrogen-containing heterocycle, i.e., the core of the heterocycle contains only C and N. More preferably, the nitrogen-containing heterocycle is a 5 membered heterocycle.

[0030] In an even more preferred embodiment of the present invention, at least one of X¹, X², T or J³ is selected from one of the following substituents W1-W9:




wherein Z each independently represents hydrogen, halogen, nitro, cyano, hydroxy, thio, C₁₋₆ haloalkyl, C₁₋₆ haloalkoxy, C₁₋₆ alkylthio, C₁₋₆ alkylsulfinyl, C₁₋₆ alkylsulfonyl, C₁₋₆ haloalkylthio, C₁₋₆ haloalkylsulfinyl or C₁₋₆ haloalkylsulfonyl, and k represents an integer from 1 to 4. In a preferred embodiment Z is hydrogen.


[0031] In another preferred embodiment of the present invention, all alkyl or alkyl-containing

substituents (e.g. haloalkyl, alkyl-O- etc.) of compounds of the present invention are C₁₋₆ alkyl or C₁₋₆ alkyl-containing substituents, respectively, more preferably said alkyl or alkyl-containing substituents are C₁₋₄ alkyl or C₁₋₄ alkyl-containing-substituents, respectively.

In yet another preferred embodiment, T represents any one of the substituents represented by the following Formulae (X2-1) to (X2-4):



or



wherein

X³, X⁵ and G independently have the same meaning as X³, X⁵ and G defined above, respectively;

X⁹, X¹⁰ and X¹¹ each independently have the same meaning as X³, X⁴ and X⁵ defined above, respectively,

X⁹ and X¹⁰ may form a 3- to 8-membered carbon ring or heterocycle, together with the carbon atom to which they are bonded,

X⁹ and X⁵, X¹⁰ and X⁵, or X¹¹ and X⁵ may together form C₁₋₄ alkylene;

R12 and R13 have the same meaning as X⁹ and X¹⁰, respectively,

R14 has the same meaning as X³ described above, and

R15 represents hydrogen;

[0032] Among the compounds represented by Formula (I) of the present invention, the following compounds may be referred to as preferred compounds.

[0033] The compounds represented by formula (I) wherein






A¹, A², A³, A⁴ and A⁵ each independently represent nitrogen, C-X¹ or C-T, provided that at least one of A¹, A², A³, A⁴ and A⁵ is C-T;

B¹, B², B³, B⁴ and B⁵ each independently represent nitrogen, C-X² or C-J, provided that at least one of B¹, B², B³, B⁴ and B⁵ is C-J;

G represents oxygen or sulfur;

Q represents hydrogen, C₁₋₆ alkyl, C₁₋₆ haloalkyl, (C₁₋₆ alkyl)carbonyl, (C₁₋₆ haloalkyl)carbonyl, (C₁₋₆ alkoxy)carbonyl or (C₁₋₆ haloalkoxy)carbonyl;

X¹ and X² each independently represent hydrogen, cyano, halogen, nitro, hydroxy, mercapto, amino, formyl, oxide, C₁₋₆ alkyl, C₁₋₆ haloalkyl, aryl-(C₁₋₆)alkyl, heterocyclyl-(C₁₋₆)alkyl, C₁₋₆ alkyl-O-, C₁₋₆ alkyl-NH-, C₁₋₆ alkyl-S-, C₁₋₆ alkyl-S(O)-, C₁₋₆ alkyl-S(O)₂-, C₁₋₆ alkyl-S(O)₂O-, C₁₋₆ haloalkyl-O-, C₁₋₆ haloalkyl-NH-, C₁₋₆ haloalkyl-S-, C₁₋₆ haloalkyl-S(O)-, C₁₋₆ haloalkyl-S(O)₂-, C₁₋₆ haloalkyl-S(=O)₂O-, aryl-O-, aryl-NH-, aryl-S-, aryl-S(O)-, aryl-S(O)₂-, aryl-S(O)₂O-, heterocyclyl-O-, heterocyclyl-NH-, heterocyclyl-S-, heterocyclyl-S(O)-, heterocyclyl-S(O)₂-, heterocyclyl-S(O)₂O-, C₁₋₆ alkyl-O-(C₁₋₆)alkyl, C₁₋₆ alkyl-NH-(C₁₋₆)alkyl, C₁₋₆ alkyl-S-(C₁₋₆)alkyl, C₁₋₆ alkyl-S(O)-(C₁₋₆)alkyl, C₁₋₆ alkyl-S(O)₂-(C₁₋₆)alkyl, C₁₋₆ alkyl-S(O)₂O-(C₁₋₆)alkyl, C₁₋₆ haloalkyl-O-(C₁₋₆)alkyl, C₁₋₆ haloalkyl-NH-(C₁₋₆)alkyl, C₁₋₆ haloalkyl-S-(C₁₋₆)alkyl, C₁₋₆ haloalkyl-S(O)-(C₁₋₆)alkyl, C₁₋₆ haloalkyl-S(O)₂-(C₁₋₆)alkyl, C₁₋₆ haloalkyl-S(O)₂O-(C₁₋₆)alkyl, aryl-O-(C₁₋₆)alkyl, aryl-NH-(C₁₋₆)alkyl, aryl-S-(C₁₋₆)alkyl, aryl-S(O)-(C₁₋₆)alkyl, aryl-S(O)₂-(C₁₋₆)alkyl, aryl-S(O)₂O-(C₁₋₆)alkyl, heterocyclyl-O-(C₁₋₆)alkyl, heterocyclyl-NH-(C₁₋₆)alkyl, heterocyclyl-S-(C₁₋₆)alkyl, heterocyclyl-S(O)-(C₁₋₆)alkyl, heterocyclyl-S(O)₂-(C₁₋₆)alkyl, heterocyclyl-S(O)₂O-(C₁₋₆)alkyl, C₃₋₇ cycloalkyl, C₃₋₇ cycloalkyl-(C₁₋₆)alkyl-, C₃₋₇ halocycloalkyl, C₃₋₇ halocycloalkyl-(C₁₋₆)alkyl-, C₂₋₆ alkenyl, C₂₋₆ haloalkenyl, C₂₋₆ alkynyl, C₂₋₆ haloalkynyl, di(C₁₋₆ alkyl)amino, di(C₁₋₆ haloalkyl)amino, C₃₋₁₈ trialkylsilyl, hydroxyimino(C₁₋₆)alkyl, C₁₋₆ alkyl-O-N=(C₁₋₆)alkyl, C₁₋₆ alkyl-NH-N=(C₁₋₆)alkyl, C₁₋₆ alkyl-S-N=(C₁₋₆)alkyl, C₁₋₆ alkyl-S(O)-N=(C₁₋₆)alkyl, C₁₋₆ alkyl-S(O)₂-N=(C₁₋₆)alkyl, C₁₋₆ alkyl-S(O)₂O-N=(C₁₋₆)alkyl, C₁₋₆ haloalkyl-O-N=(C₁₋₆)alkyl, C₁₋₆ haloalkyl-NH-N=(C₁₋₆)alkyl, C₁₋₆ haloalkyl-S-N=(C₁₋₆)alkyl, C₁₋₆ haloalkyl-S(O)-N=(C₁₋₆)alkyl, C₁₋₆ haloalkyl-S(O)₂-N=(C₁₋₆)alkyl, C₁₋₆ haloalkyl-S(O)₂O-N=(C₁₋₆)alkyl, (C₁₋₆ alkoxy)carbonyl, (C₁₋₆ haloalkoxy)carbonyl, (C₃₋₇ cycloalkoxy)carbonyl, (C₃₋₇ halocycloalkoxy)carbonyl, C₃₋₇ cycloalkyl-(C₁₋₆ alkoxy)carbonyl, C₃₋₇ halocycloalkyl-(C₁₋₆ alkoxy)carbonyl, (C₁₋₆ alkyl)carbonyl, (C₁₋₆ haloalkyl)carbonyl, (C₃₋₇ cycloalkyl)carbonyl, (C₃₋₇ halocycloalkyl)carbonyl, C₃₋₇ cycloalkyl-(C₁₋₆)alkyl-carbonyl, (C₃₋₇ halocycloalkyl)-(C₁₋₆)alkyl-carbonyl, an aryl group, sulfur pentafluoride, one of the substituents represented by the following Formulae (X1-1) to (X1-5):



wherein G independently has the same meaning as G described above;

or

X¹ and X² each independently represent a heterocyclic group represented by any one of W1 to W9 as described above;

- 5 X³, X⁴ and X⁵ each independently represent hydrogen, cyano, halogen, nitro, hydroxy, mercapto, amino, formyl, C₁₋₆ alkyl, C₁₋₆ haloalkyl, aryl-(C₁₋₆)alkyl, heterocyclyl-(C₁₋₆)alkyl, C₁₋₆ alkyl-O-, C₁₋₆ alkyl-NH-, C₁₋₆ alkyl-S-, C₁₋₆ alkyl-S(O)-, C₁₋₆ alkyl-S(O)₂-, C₁₋₆ alkyl-S(O)₂O-, C₁₋₆ haloalkyl-O-, C₁₋₆ haloalkyl-NH-, C₁₋₆ haloalkyl-S-, C₁₋₆ haloalkyl-S(O)-, C₁₋₆ haloalkyl-S(O)₂-, C₁₋₆ haloalkyl-S(O)₂O-, aryl-O-, aryl-NH-, aryl-S-, aryl-S(O)-, aryl-S(O)₂-, aryl-S(O)₂O-, heterocyclyl-O-, heterocyclyl-NH-, heterocyclyl-S-,
- 10 heterocyclyl-S(O)-, heterocyclyl-S(O)₂-, heterocyclyl-S(O)₂O-, C₁₋₆ alkyl-O-(C₁₋₆)alkyl, C₁₋₆ alkyl-NH-(C₁₋₆)alkyl, C₁₋₆ alkyl-S-(C₁₋₆)alkyl, C₁₋₆ alkyl-S(O)-(C₁₋₆)alkyl, C₁₋₆ alkyl-S(O)₂-(C₁₋₆)alkyl, C₁₋₆ alkyl-S(O)₂O-(C₁₋₆)alkyl, C₁₋₆ haloalkyl-O-(C₁₋₆)alkyl, C₁₋₆ haloalkyl-NH-(C₁₋₆)alkyl, C₁₋₆ haloalkyl-S-(C₁₋₆)alkyl, C₁₋₆ haloalkyl-S(O)-(C₁₋₆)alkyl, C₁₋₆ haloalkyl-S(O)₂-(C₁₋₆)alkyl, C₁₋₆ haloalkyl-S(O)₂O-(C₁₋₆)alkyl, aryl-O-(C₁₋₆)alkyl, aryl-NH-(C₁₋₆)alkyl, aryl-S-(C₁₋₆)alkyl,
- 15 aryl-S(O)-(C₁₋₆)alkyl, aryl-S(O)₂-(C₁₋₆)alkyl, aryl-S(O)₂O-(C₁₋₆)alkyl, heterocyclyl-O-(C₁₋₆)alkyl, heterocyclyl-NH-(C₁₋₆)alkyl, heterocyclyl-S-(C₁₋₆)alkyl, heterocyclyl-S(O)-(C₁₋₆)alkyl, heterocyclyl-S(O)₂-(C₁₋₆)alkyl, heterocyclyl-S(O)₂O-(C₁₋₆)alkyl, C₃₋₇ cycloalkyl, C₃₋₇ cycloalkyl-(C₁₋₆)alkyl-, C₃₋₇ halocycloalkyl, C₃₋₇ halocycloalkyl-(C₁₋₆)alkyl-, C₂₋₆ alkenyl, C₂₋₆ haloalkenyl, C₂₋₆ alkynyl, C₂₋₆ haloalkynyl, di(C₁₋₆ alkyl)amino, di(C₁₋₆ haloalkyl)amino, C₃₋₁₈ trialkylsilyl,
- 20 hydroxyimino(C₁₋₆)alkyl, C₁₋₆ alkyl-O-N=(C₁₋₆)alkyl, C₁₋₆ alkyl-NH-N=(C₁₋₆)alkyl, C₁₋₆ alkyl-S-N=(C₁₋₆)alkyl, C₁₋₆ alkyl-S(O)-N=(C₁₋₆)alkyl, C₁₋₆ alkyl-S(O)₂-N=(C₁₋₆)alkyl, C₁₋₆ alkyl-S(O)₂O-N=(C₁₋₆)alkyl, C₁₋₆ haloalkyl-O-N=(C₁₋₆)alkyl, C₁₋₆ haloalkyl-NH-N=(C₁₋₆)alkyl, C₁₋₆ haloalkyl-S-N=(C₁₋₆)alkyl, C₁₋₆ haloalkyl-S(O)-N=(C₁₋₆)alkyl, C₁₋₆ haloalkyl-S(O)₂-N=(C₁₋₆)alkyl, C₁₋₆ haloalkyl-S(O)₂O-N=(C₁₋₆)alkyl, (C₁₋₆ alkoxy)carbonyl, (C₁₋₆ haloalkoxy)carbonyl, (C₃₋₇ cycloalkoxy)carbonyl, (C₃₋₇ halocycloalkoxy)carbonyl, C₃₋₇ cycloalkyl-(C₁₋₆ alkoxy)carbonyl, C₃₋₇ halocycloalkyl-(C₁₋₆ alkoxy)carbonyl, (C₁₋₆ alkyl)carbonyl, (C₁₋₆ haloalkyl)carbonyl, (C₃₋₇ cycloalkyl)carbonyl, (C₃₋₇ halocycloalkyl)carbonyl, C₃₋₇ cycloalkyl-(C₁₋₆)alkyl-carbonyl, C₃₋₇ halocycloalkyl-(C₁₋₆)alkyl-carbonyl, aryl-carbonyl, heterocyclyl-carbonyl, aryl-(C₁₋₆)alkyl-carbonyl, heterocyclyl-(C₁₋₆)alkyl-carbonyl, sulfur pentafluoride, an aryl group or a heterocyclic group,
- 30 X³ and X⁴ may form a heterocycle together with the nitrogen atom, carbon atom, oxygen atom or sulfur atom to which they are bonded,

X³ and X⁵ may form a heterocycle together with the nitrogen atom, carbon atom, oxygen atom or sulfur atom to which they are bonded;

- 15 -

X^6 each independently represents hydrogen, C_{1-6} alkyl, C_{1-6} haloalkyl, C_{3-7} cycloalkyl, C_{2-6} alkenyl, C_{2-6} haloalkenyl, an aryl group, a heterocyclic group, aryl- (C_{1-6}) alkyl or heterocyclyl- (C_{1-6}) alkyl;

X^7 each independently represents hydrogen, nitro, cyano, formyl, X^8 -carbonyl or X^8 -oxycarbonyl,

wherein X^8 independently has the same meaning as X^6 described above;


5 J each independently represents C_{1-6} haloalkyl, C_{1-6} haloalkyl-O-, C_{1-6} haloalkyl-S-, C_{1-6} haloalkyl-S(=O)-, C_{1-6} haloalkyl-S(=O)₂-, C_{3-7} halocycloalkyl, -C(J^1) (J^2) (J^3) or -C (J^1) (J^2) (O J^4),

wherein J^1 and J^2 each independently represent C_{1-6} haloalkyl,


J^3 independently represents any one of the above W1 to W9;

10 J^4 represents hydrogen, C_{1-6} alkyl, C_{1-6} haloalkyl, C_{1-6} alkylsulfonyl, C_{1-6} haloalkylsulfonyl, arylsulfonyl, an aryl group or a heterocyclic group;


T represents any one of the substituents represented by W1 to W9 mentioned above or any one of the substituents represented by the following Formulae (X2-1) to (X2-4):




X2-1



X2-2




X2-3



X2-4

or



(X2-5)

15

wherein

m each independently represents an integer of 1 to 4;

X^3 , X^5 and G independently have the same meaning as X^3 , X^5 and G defined above, respectively;

20 X^9 , X^{10} and X^{11} each independently have the same meaning as X^3 , X^4 and X^5 defined above, respectively,

X^9 and X^{10} may form a 3- to 8-membered carbon ring or heterocycle, together with the carbon

atom to which they are bonded,

X^9 and X^5 , X^{10} and X^5 , or X^{11} and X^5 may together form C_{1-4} alkylene

R12 and R13 have the same meaning as X^9 and X^{10} , respectively,

R14 has the same meaning as X^3 described above, and

5 R15 represents hydrogen;

when A^1 , A^2 , A^3 , A^4 or A^5 is C-T and T represents any one of the substituents represented by Formulae (X2-1) to (X2-4), then X^9 , X^{10} , X^{11} or X^3 in T may form C_{1-4} alkylene together with X^1 if A^1 , A^2 , A^3 , A^4 or A^5 that is adjacent to the carbon atom to which T in C-T is bonded is C- X^1 , and one $-CH_2-$ at any position in the alkylene may be replaced by $-O-$, $-S-$ or $-NH-$;

10 when both A^1 and A^2 represent C- X^1 then X^1 's in the C- X^1 's may form a 5- to 6-membered saturated or unsaturated carbon ring or heterocycle, together with the carbon atoms to which X^1 's in C- X^1 's are bonded, and when both A^3 and A^4 represent C- X^1 , then X^1 's in the C- X^1 's may form a 5- to 6-membered saturated or unsaturated carbon ring or heterocycle, together with the carbon atoms to which X^1 's in C- X^1 's are bonded; and

15 each substituent defined above may be further substituted with any substituent.

[0034] Among the compounds represented by formula (I) the following compounds are especially suitable.

[0035] The compounds of formula (I) wherein

20 A^1 , A^2 , A^3 , A^4 and A^5 each independently represent nitrogen, C- X^1 or C-T, provided that at least one of A^1 , A^2 , A^3 , A^4 and A^5 is C-T;






B^1 , B^2 , B^3 , B^4 and B^5 each independently represent nitrogen, C- X^2 or C-J, provided that at least one of B^1 , B^2 , B^3 , B^4 and B^5 is C-J;

G represents oxygen or sulfur;

25 Q represents hydrogen, C_{1-4} alkyl, C_{1-4} haloalkyl, (C_{1-4} alkyl)carbonyl, (C_{1-4} haloalkyl)carbonyl, (C_{1-4} alkoxy)carbonyl or (C_{1-4} haloalkoxy)carbonyl;

X^1 and X^2 each independently represent hydrogen, cyano, halogen, nitro, hydroxy, mercapto, amino, formyl, oxide, C_{1-4} alkyl, C_{1-4} haloalkyl, aryl- (C_{1-4}) alkyl, heterocycl- (C_{1-4}) alkyl, C_{1-4} alkyl-O-, C_{1-4} alkyl-NH-, C_{1-4} alkyl-S-, C_{1-4} alkyl-S(O)-, C_{1-4} alkyl-S(O)₂-, C_{1-4} alkyl-S(O)₂O-, C_{1-4} haloalkyl-O-, C_{1-4}

haloalkyl-NH-, C₁₋₄ haloalkyl-S-, C₁₋₄ haloalkyl-S(O)-, C₁₋₄ haloalkyl-S(O)₂-, C₁₋₄ haloalkyl-S(=O)₂O-,
 aryl-O-, aryl-NH-, aryl-S-, aryl-S(O)-, aryl-S(O)₂-, aryl-S(O)₂O-, heterocyclyl-O-, heterocyclyl-NH-,
 heterocyclyl-S-, heterocyclyl-S(O)-, heterocyclyl-S(O)₂-, heterocyclyl-S(O)₂O-, C₁₋₄ alkyl-O-(C₁₋₄)alkyl,
 C₁₋₄ alkyl-NH-(C₁₋₄)alkyl, C₁₋₄ alkyl-S-(C₁₋₄)alkyl, C₁₋₄ alkyl-S(O)-(C₁₋₄)alkyl, C₁₋₄ alkyl-S(O)₂-(C₁₋₄)alkyl,
 5 C₁₋₄ alkyl-S(O)₂O-(C₁₋₄)alkyl, C₁₋₄ haloalkyl-O-(C₁₋₄)alkyl, C₁₋₄ haloalkyl-NH-(C₁₋₄)alkyl, C₁₋₄
 haloalkyl-S-(C₁₋₄)alkyl, C₁₋₄ haloalkyl-S(O)-(C₁₋₄)alkyl, C₁₋₄ haloalkyl-S(O)₂-(C₁₋₄)alkyl, C₁₋₄
 haloalkyl-S(O)₂O-(C₁₋₄)alkyl, aryl-O-(C₁₋₄)alkyl, aryl-NH-(C₁₋₄)alkyl, aryl-S-(C₁₋₄)alkyl,
 aryl-S(O)-(C₁₋₄)alkyl, aryl-S(O)₂-(C₁₋₄)alkyl, aryl-S(O)₂O-(C₁₋₄)alkyl, heterocyclyl-O-(C₁₋₄)alkyl,
 heterocyclyl-NH-(C₁₋₄)alkyl, heterocyclyl-S-(C₁₋₄)alkyl, heterocyclyl-S(O)-(C₁₋₄)alkyl,
 10 heterocyclyl-S(O)₂-(C₁₋₄)alkyl, heterocyclyl-S(O)₂O-(C₁₋₄)alkyl, C₃₋₆ cycloalkyl, C₃₋₆
 cycloalkyl-(C₁₋₄)alkyl-, C₃₋₆ halocycloalkyl, C₃₋₆ halocycloalkyl-(C₁₋₄)alkyl-, C₂₋₄ alkenyl, C₂₋₄ haloalkenyl,
 C₂₋₄ alkynyl, C₂₋₄ haloalkynyl, di(C₁₋₄ alkyl)amino, di(C₁₋₄ haloalkyl)amino, C₃₋₁₂ trialkylsilyl,
 hydroxyimino(C₁₋₄)alkyl, C₁₋₄ alkyl-O-N=(C₁₋₄)alkyl, C₁₋₄ alkyl-NH-N=(C₁₋₄)alkyl, C₁₋₄
 alkyl-S-N=(C₁₋₄)alkyl, C₁₋₄ alkyl-S(O)-N=(C₁₋₄)alkyl, C₁₋₄ alkyl-S(O)₂-N=(C₁₋₄)alkyl, C₁₋₄
 15 alkyl-S(O)₂O-N=(C₁₋₄)alkyl, C₁₋₄ haloalkyl-O-N=(C₁₋₄)alkyl, C₁₋₄ haloalkyl-NH-N=(C₁₋₄)alkyl, C₁₋₄
 haloalkyl-S-N=(C₁₋₄)alkyl, C₁₋₄ haloalkyl-S(O)-N=(C₁₋₄)alkyl, C₁₋₄ haloalkyl-S(O)₂-N=(C₁₋₄)alkyl, C₁₋₄
 haloalkyl-S(O)₂O-N=(C₁₋₄)alkyl, (C₁₋₄ alkoxy)carbonyl, (C₁₋₄ haloalkoxy)carbonyl, (C₃₋₆
 cycloalkoxy)carbonyl, (C₃₋₆ halocycloalkoxy)carbonyl, C₃₋₆ cycloalkyl-(C₁₋₄ alkoxy)carbonyl, C₃₋₆
 halocycloalkyl-(C₁₋₄ alkoxy)carbonyl, (C₁₋₄ alkyl)carbonyl, (C₁₋₄ haloalkyl)carbonyl, (C₃₋₆
 20 cycloalkyl)carbonyl, (C₃₋₆ halocycloalkyl)carbonyl, C₃₋₆ cycloalkyl-(C₁₋₄)alkyl-carbonyl, (C₃₋₆
 halocycloalkyl)-(C₁₋₄)alkyl-carbonyl, an aryl group, sulfur pentafluoride, one of the substituents
 represented by the following Formulae (X1-1) to (X1-5):



wherein G independently has the same meaning as G described above; or

25 X¹ and X² each independently represent a heterocyclic group represented by any one of W1 to W9;

X³, X⁴ and X⁵ each independently represent hydrogen, cyano, halogen, nitro, hydroxy, mercapto, amino,
 formyl, C₁₋₄ alkyl, C₁₋₄ haloalkyl, aryl-(C₁₋₄)alkyl, heterocyclyl-(C₁₋₄)alkyl, C₁₋₄ alkyl-O-, C₁₋₄ alkyl-NH-,
 C₁₋₄ alkyl-S-, C₁₋₄ alkyl-S(O)-, C₁₋₄ alkyl-S(O)₂-, C₁₋₄ alkyl-S(O)₂O-, C₁₋₄ haloalkyl-O-, C₁₋₄ haloalkyl-NH-,
 C₁₋₄ haloalkyl-S-, C₁₋₄ haloalkyl-S(O)-, C₁₋₄ haloalkyl-S(O)₂-, C₁₋₄ haloalkyl-S(O)₂O-, aryl-O-, aryl-NH-,
 30 aryl-S-, aryl-S(O)-, aryl-S(O)₂-, aryl-S(O)₂O-, heterocyclyl-O-, heterocyclyl-NH-, heterocyclyl-S-,
 heterocyclyl-S(O)-, heterocyclyl-S(O)₂-, heterocyclyl-S(O)₂O-, C₁₋₄ alkyl-O-(C₁₋₄)alkyl, C₁₋₄

- alkyl-NH-(C₁₋₄)alkyl, C₁₋₄ alkyl-S-(C₁₋₄)alkyl, C₁₋₄ alkyl-S(O)-(C₁₋₄)alkyl, C₁₋₄ alkyl-S(O)₂-(C₁₋₄)alkyl, C₁₋₄ alkyl-S(O)₂O-(C₁₋₄)alkyl, C₁₋₄ haloalkyl-O-(C₁₋₄)alkyl, C₁₋₄ haloalkyl-NH-(C₁₋₄)alkyl, C₁₋₄ haloalkyl-S-(C₁₋₄)alkyl, C₁₋₄ haloalkyl-S(O)-(C₁₋₄)alkyl, C₁₋₄ haloalkyl-S(O)₂-(C₁₋₄)alkyl, C₁₋₄ haloalkyl-S(O)₂O-(C₁₋₄)alkyl, aryl-O-(C₁₋₄)alkyl, aryl-NH-(C₁₋₄)alkyl, aryl-S-(C₁₋₄)alkyl, aryl-S(O)-(C₁₋₄)alkyl, aryl-S(O)₂-(C₁₋₄)alkyl, aryl-S(O)₂O-(C₁₋₄)alkyl, heterocyclyl-O-(C₁₋₄)alkyl, heterocyclyl-NH-(C₁₋₄)alkyl, heterocyclyl-S-(C₁₋₄)alkyl, heterocyclyl-S(O)-(C₁₋₄)alkyl, heterocyclyl-S(O)₂-(C₁₋₄)alkyl, heterocyclyl-S(O)₂O-(C₁₋₄)alkyl, C₃₋₆ cycloalkyl, C₃₋₆ cycloalkyl-(C₁₋₄)alkyl-, C₃₋₆ halocycloalkyl, C₃₋₆ halocycloalkyl-(C₁₋₄)alkyl-, C₂₋₄ alkenyl, C₂₋₄ haloalkenyl, C₂₋₄ alkynyl, C₂₋₄ haloalkynyl, di(C₁₋₄ alkyl)amino, di(C₁₋₄ haloalkyl)amino, C₃₋₁₂ trialkylsilyl, hydroxyimino(C₁₋₄)alkyl, C₁₋₄ alkyl-O-N=(C₁₋₄)alkyl, C₁₋₄ alkyl-NH-N=(C₁₋₄)alkyl, C₁₋₄ alkyl-S-N=(C₁₋₄)alkyl, C₁₋₄ alkyl-S(O)-N=(C₁₋₄)alkyl, C₁₋₄ alkyl-S(O)₂-N=(C₁₋₄)alkyl, C₁₋₄ alkyl-S(O)₂O-N=(C₁₋₄)alkyl, C₁₋₄ haloalkyl-O-N=(C₁₋₄)alkyl, C₁₋₄ haloalkyl-NH-N=(C₁₋₄)alkyl, C₁₋₄ haloalkyl-S-N=(C₁₋₄)alkyl, C₁₋₄ haloalkyl-S(O)-N=(C₁₋₄)alkyl, C₁₋₄ haloalkyl-S(O)₂-N=(C₁₋₄)alkyl, C₁₋₄ haloalkyl-S(O)₂O-N=(C₁₋₄)alkyl, (C₁₋₄ alkoxy)carbonyl, (C₁₋₄ haloalkoxy)carbonyl, (C₃₋₆ cycloalkoxy)carbonyl, (C₃₋₆ halocycloalkoxy)carbonyl, C₃₋₆ cycloalkyl-(C₁₋₄ alkoxy)carbonyl, C₃₋₆ halocycloalkyl-(C₁₋₄ alkoxy)carbonyl, (C₁₋₄ alkyl)carbonyl, (C₁₋₄ haloalkyl)carbonyl, (C₃₋₆ cycloalkyl)carbonyl, (C₃₋₆ halocycloalkyl)carbonyl, C₃₋₆ cycloalkyl-(C₁₋₄)alkyl-carbonyl, C₃₋₆ halocycloalkyl-(C₁₋₄)alkyl-carbonyl, aryl-carbonyl, heterocyclyl-carbonyl, aryl-(C₁₋₄)alkyl-carbonyl, heterocyclyl-(C₁₋₄)alkyl-carbonyl, sulfur pentafluoride, an aryl group or a heterocyclic group,
- X³ and X⁴ may form a heterocycle together with the nitrogen atom, carbon atom, oxygen atom or sulfur atom to which they are bonded,
- X³ and X⁵ may form a heterocycle together with the nitrogen atom, carbon atom, oxygen atom or sulfur atom to which they are bonded;
- X⁶ each independently represents hydrogen, C₁₋₄ alkyl, C₁₋₄ haloalkyl, C₃₋₆ cycloalkyl, C₂₋₄ alkenyl, C₂₋₄ haloalkenyl, an aryl group, a heterocyclic group, aryl-(C₁₋₄)alkyl or heterocyclyl-(C₁₋₄)alkyl;
- X⁷ each independently represents hydrogen, nitro, cyano, formyl, X⁸-carbonyl or X⁸-oxycarbonyl,

wherein X⁸ independently has the same meaning as X⁶ described above;

J each independently represents C₁₋₄ haloalkyl, C₁₋₄ haloalkyl-O-, C₁₋₄ haloalkyl-S-, C₁₋₄ haloalkyl-S(=O)-, C₁₋₄ haloalkyl-S(=O)₂-, C₃₋₆ halocycloalkyl, -C(J¹)(J²)(J³) or -C(J¹)(J²)(OJ⁴),


wherein J¹ and J² each independently represent C₁₋₄ haloalkyl,

J³ independently represents any one of the above W1 to W9;


J⁴ represents hydrogen, C₁₋₄ alkyl, C₁₋₄ haloalkyl, C₁₋₄ alkylsulfonyl, C₁₋₄ haloalkylsulfonyl,

arylsulfonyl, an aryl group or a heterocyclic group;


T represents any one of the substituents represented by W1 to W9 mentioned above or any one of the substituents represented by the following Formulae (X2-1) to (X2-4):




X2-1



X2-2




X2-3



X2-4

or



5 (X2-5)

wherein

m each independently represents an integer of 1 to 4;

X³, X⁵ and G independently have the same meaning as X³, X⁵ and G defined above, respectively;

X⁹, X¹⁰ and X¹¹ each independently have the same meaning as X³, X⁴ and X⁵ defined above, respectively,

10 X⁹ and X¹⁰ may form a 3- to 8-membered carbon ring or heterocycle, together with the carbon atom to which they are bonded,

X⁹ and X⁵, X¹⁰ and X⁵, or X¹¹ and X⁵ may together form C₁₋₄ alkylene

R12 and R13 have the same meaning as X⁹ and X¹⁰, respectively,

R14 has the same meaning as X³ described above, and

15 R15 represents hydrogen;


when A¹, A², A³, A⁴ or A⁵ is C-T and T represents any one of the substituents represented by Formulae (X2-1) to (X2-4), then X⁹, X¹⁰, X¹¹ or X³ in T may form C₁₋₄ alkylene together with X¹ if A¹, A², A³, A⁴ or A⁵ that is adjacent to the carbon atom to which T in C-T is bonded is C-X¹, and one -CH₂- at any position in the alkylene may be replaced by -O-, -S- or -NH-;

20 when both A¹ and A² represent C-X¹ then X¹'s in the C-X¹'s may form a 5- to 6-membered saturated or unsaturated carbon ring or heterocycle, together with the carbon atoms to which X¹'s in C-X¹'s are bonded, and when both A³ and A⁴ represent C-X¹, then X¹'s in the C-X¹'s may form a 5- to 6-membered saturated or unsaturated carbon ring or heterocycle, together with the carbon atoms to which X¹'s in C-X¹'s are


bonded; and

each substituent defined above may be further substituted with any substituent.


[0036] In another preferred embodiment of the present invention, the compounds are preferred wherein in formula (I) the grouping



(Wherein the bond marked by (*) bonds to the carbon atom marked by (#) of the grouping




stands for a grouping selected among LH-1 to LH-13




wherein W represents any one of W1 to W9 described above, R7, R8, R9, R10, R11 and X¹² each independently has the same meaning as X¹ defined above, R12 and R13 have the same meaning as X⁹ and X¹⁰ described above respectively, R14 has the same meaning as X³ described above, R15 represents hydrogen or has the same meaning as -C(=G)-X⁵; G and X⁵ are as defined above, and n' represent an integer from 1 to 4.


[0037] Among the compounds of the Formula (I) of the present invention, the compounds are preferred wherein in formula (I) the grouping



(Wherein the bond marked by (*) bonds to the nitrogen atom marked by (#) of the grouping



stands for a grouping :




wherein,

R1, R2, R4 and R5 each independently has the same meaning as X² defined above, more preferably each independently represent hydrogen, cyano, halogen, oxygen, C₁₋₄ alkyl, C₁₋₄ haloalkyl, C₁₋₄ haloalkyl-O-, or haloalkyl-S(O)₂-,

J each independently represents C₁₋₄ perfluoroalkyl, C₁₋₄ perfluoroalkyl-O-, C₁₋₄ monobromoperfluoroalkyl, C₁₋₄ perfluoroalkyl-S(O)₂-, C₃₋₆ perfluorocycloalkyl, -C(J¹)(J²)(J³) or -C(J¹)(J²)(OJ⁴),

J¹ and J² each independently represent C₁₋₄ perfluoroalkyl,

J³ represents W2:



Z each independently represents hydrogen or halogen,


k is 3,

J⁴ represents C₁₋₄ alkyl, or phenyl; and

5 each group defined above may be further substituted with any substituent.


[0038] The following groups of the novel carboxamides are also preferred, and in any case they are understood as subgroups of the compounds of the Formula (I) described above.

[0039] Group 1: Carboxamides represented by Formula (I-I):



10 wherein G, Q and J are as defined above, W represents any one of W1 to W9 described above, R1, R2, R4 and R5 each independently has the same meaning as X² defined above, and R7, R8, R9 and R10 each independently has the same meaning as X¹ defined above.


[0040] Group 2: Carboxamides represented by Formula (I-II):



15 wherein W, G, Q, J, R1, R2, R4, R5, R9, R10 and (X¹²)_{n'} are as defined above.


[0041] Group 3: Carboxamides represented by Formula (I-III):

- 23 -




wherein W, G, Q, J, R1, R2, R4, R5, R8, R9 and R10 are as defined above.

[0042] Group 4: Carboxamides represented by Formula (I-IV)




5 wherein W, G, Q, J, R1, R2, R4, R5, R7, R9 and R10 are as defined above.

[0043] Group 5: Carboxamides represented by Formula (I-V):




10 wherein G, Q, J, R1, R2, R4, R5, R7, R8, R9, R10 and m are as defined above, R12 and R13 have the same meaning as X^9 and X^{10} described above, respectively, R14 has the same meaning as X^3 described above, R15 represents hydrogen or has the same meaning as $-C(=G)-X^5$, and G and X^5 are as defined above.

[0044] Group 6: Carboxamides represented by Formula (I-VI):




wherein G, Q, J, R1, R2, R4, R5, R9, R10, R12, R13, R14, R15, $(X^{12})_n$, and m are as defined above.

15 [0045] Group 7: Carboxamides represented by Formula (I-VII):




wherein G, Q, J, R1, R2, R4, R5, R8, R9, R10, R12, R13, R14, R15 and m are as defined above.

[0046] Group 8: Carboxamides represented by Formula (I-VIII):




5 wherein G, Q, J, R1, R2, R4, R5, R7, R9, R10, R12, R13, R14, R15 and m are as defined above.

[0047] Group 9: Carboxamides represented by Formula (I-IX):




wherein G, Q, J, R1, R2, R4, R5, R7, R9, R10, R12, R13, R14, R15 and $(X^{12})_n$ are as defined above, and n represents 0, 1 or 2.

10 [0048] Group 10: Carboxamides represented by Formula (I-X):




wherein G, Q, J, R1, R2, R4, R5, R7, R9, R10, R12, R13, R14, R15 and X^{12} are as defined above, and n represents 0, 1 or 2.

[0049] Group 11: Carboxamides represented by Formula (I-XI):




wherein W, G, Q, J, R1, R2, R4, R5, R7, R9, R10, R12, R13, R14, R15 and m are as defined above.

[0050] Group 12: Carboxamides represented by Formula (I-XII):



5 .wherein W, G, Q, J, R1, R2, R4, R5, R7, R9, R10, R12, R13, R14, R15 and m are as defined above.

[0051] Group 13: Carboxamides represented by Formula (I-XIII):



10 wherein G, Q and J are as defined above; W represents any one of the above W1 to W9; R1, R2, R4 and R5 independently have the same meaning as X² above; and R7, R9, R10 and R11 independently have the same meaning as X¹ above.

[0052] Herein, the carboxamides of Formula (I) and the carboxamides of Groups 1 to 13 satisfying the followings are preferable:

J each independently represents C₁₋₄ perfluoroalkyl, C₁₋₄ monobromoperfluoroalkyl, C₃₋₆ perfluorocycloalkyl, -C (J¹) (J²) (J³) or -C (J¹) (J²) (OJ⁴),

15 J¹ and J² each independently represent C₁₋₄ perfluoroalkyl,


J³ represents any one of the substituents represented by Formulae W1 to W9 as described above,

J⁴ represents C₁₋₄ alkyl, C₁₋₄ haloalkyl or a phenyl group, and


each group defined above may be substituted with any substituent.

[0053] The compounds of Formula (I) of the present invention may have an asymmetric carbon, and therefore optical isomers are included in such compounds.


- 5 [0054] Preparation method (a) can be represented by the following reaction formula when 4-(1H-1,2,4-triazolo-1-yl)benzoyl chloride and 2,6-dibromo-4-(1,1,1,2,3,3,3-heptafluoropropan-2-yl)aniline are used as starting materials, for example.



- [0055] Preparation method (b) can be represented by the following reaction formula when
10 N-[2-ethyl-4-(1,1,1,2,3,3,3-heptafluoropropan-2-yl)-6-methylphenyl]-4-fluoro-3-nitrobenzamide and 1H-1,2,4-triazole are used as starting materials, for example.




- [0056] Preparation method (c) can be represented by the following reaction formula when
15 4-(aminomethyl)-N-[2-ethyl-4-(1,1,1,2,3,3,3-heptafluoropropan-2-yl)-6-methylphenyl]benzamide and acetic anhydride are used as starting materials, for example.




- [0057] Preparation method (d) can be represented by the following reaction formula when 5-amino-N-[2-ethyl-4-(1,1,1,2,3,3,3-heptafluoropropan-2-yl)-6-methylphenyl]-


[0058] 5,6,7,8-tetrahydronaphthalene-2-carboxamide and acetic acid are used as starting materials, for example.




[0059] Preparation method (e) can be represented by the following reaction formula when
5 1-amino-N-[2-ethyl-4-(1,1,1,2,3,3,3-heptafluoropropan-2-yl)-6-methylphenyl]-indane-5-carboxamide and acetic acid are used as starting materials, for example.



[0060] Preparation method (f) can be represented by the following reaction formula when
N-[4-(1,1,1,2,3,3,3-heptafluoropropan-2-yl)-2,6-dimethylphenyl]-4-(1H-1,2,4-triazol-1-yl)benzamide and
10 methyl iodide are used as starting materials, for example.



[0061] Preparation method (g) can be represented by the following reaction formula when
N-[4-(1,1,1,2,3,3,3-heptafluoropropan-2-yl)-2,6-dimethylphenyl]-4-(1H-1,2,4-triazol-1-yl)benzamide and Lawesson reagent are used as starting materials, for example.



[0062] Explanation on the respective Preparation methods and intermediates will be provided below.

[0063] The compounds of Formula (II) which are starting materials in Preparation method (a) are publicly known and their representative examples are as follows:

4-(1H-pyrrol-1-yl)benzoyl chloride,
 4-(1H-pyrazol-1-yl)benzoyl chloride,
 3-chloro-4-(1H-pyrazol-1-yl)benzoyl chloride,
 4-(1H-imidazol-1-yl)benzoyl chloride,
 4-(1H-1,2,4-triazol-1-yl)benzoyl chloride,
 4-(1H-tetrazol-1-yl)benzoyl chloride,
 4-cyano-3-fluorobenzoyl chloride and the like.

[0064] When L¹ of Formula (II) represents hydroxy in the starting materials for Preparation method (a), they can be reacted with the compounds of Formula (III) in the presence of a condensing agent.

[0065] As the condensing agent, 1,3-dicyclohexylcarbodiimide (DCC), 1-ethyl-3-(3'-dimethylaminopropyl)-carbodiimide hydrochloride (WSCl), carbonyldiimidazole (CDI), diethyl phosphocyanate (DEPC), 2-chloro-1-methylpyridinium iodide (Mukaiyama reagent), etc. can be used for the reaction.

[0066] When L¹ of Formula (II) represents hydroxy in the starting materials for Preparation method (a), L¹ can be easily converted to an appropriate substituent by several methods including, pre-reacting with a chlorination agent, such as thionyl chloride, oxalyl chloride or phosphorous pentachloride, reacting with an organic acid halide, such as pyvaloyl chloride, or reacting with carbonyldiimidazole or sulfonylimidazole and the like.

[0067] Some of the compounds of Formula (III) as starting materials for Preparation method (a) are known and they can be synthesized according to the methods described in US 2002/0198399A1, WO 2005/021488A1, WO 2005/073165A1, WO 2006/024412A2 or Japanese Patent Application No. 2009-172800. Their representative examples are as follows:

4-(1,1,1,2,3,3,3-heptafluoropropan-2-yl)-2,6-dimethylaniline,

- 2-ethyl-4-(1,1,1,2,3,3,3-heptafluoropropan-2-yl)-6-methylaniline,
2,6-diethyl-4-(1,1,1,2,3,3,3-heptafluoropropan-2-yl)aniline,
2-bromo-4-(1,1,1,2,3,3,3-heptafluoropropan-2-yl)-6-methylaniline,
2-bromo-4-(1,1,1,2,3,3,3-heptafluoropropan-2-yl)-6-ethylaniline,
5 2,6-dichloro-4-(1,1,1,2,3,3,3-heptafluoropropan-2-yl)aniline,
2,6-dibromo-4-(1,1,1,2,3,3,3-heptafluoropropan-2-yl)aniline,
4-(1,1,1,2,3,3,3-heptafluoropropan-2-yl)-2,6-diiodoaniline,
4-(1,1,1,2,3,3,3-heptafluoropropan-2-yl)-2-(trifluoromethyl)aniline,
2-chloro-4-(1,1,1,2,3,3,3-heptafluoropropan-2-yl)-6-(trifluoromethyl)aniline,
10 2-bromo-4-(1,1,1,2,3,3,3-heptafluoropropan-2-yl)-6-(trifluoromethyl)aniline,
4-(1,1,1,2,3,3,3-heptafluoropropan-2-yl)-2-iodo-6-(trifluoromethyl)aniline,
4-(1,1,1,2,3,3,3-heptafluoropropan-2-yl)-2-(trifluoromethoxy)aniline,
2-chloro-4-(1,1,1,2,3,3,3-heptafluoropropan-2-yl)-6-(trifluoromethoxy)aniline,
2-bromo-4-(1,1,1,2,3,3,3-heptafluoropropan-2-yl)-6-(trifluoromethoxy)aniline,
15 4-(1,1,1,2,3,3,3-heptafluoropropan-2-yl)-2-iodo-6-(trifluoromethoxy)aniline,
4-(1,1,1,2,3,3,3-heptafluoropropan-2-yl)-2-[(trifluoromethyl)sulfanyl]aniline,
4-(1,1,1,2,3,3,3-heptafluoropropan-2-yl)-2-[(trifluoromethyl)sulfinyl]aniline,
4-(1,1,1,2,3,3,3-heptafluoropropan-2-yl)-2-[(trifluoromethyl)sulfonyl]aniline,
2-chloro-4-(1,1,1,2,3,3,3-heptafluoropropan-2-yl)-6-[(trifluoromethyl)-sulfanyl]aniline,
20 2-chloro-4-(1,1,1,2,3,3,3-heptafluoropropan-2-yl)-6-[(trifluoromethyl)-sulfinyl]aniline,
2-chloro-4-(1,1,1,2,3,3,3-heptafluoropropan-2-yl)-6-[(trifluoromethyl)-sulfonyl]aniline,
2-bromo-4-(1,1,1,2,3,3,3-heptafluoropropan-2-yl)-6-[(trifluoromethyl)-sulfanyl]aniline,
2-bromo-4-(1,1,1,2,3,3,3-heptafluoropropan-2-yl)-6-[(trifluoromethyl)-sulfinyl]aniline,
2-bromo-4-(1,1,1,2,3,3,3-heptafluoropropan-2-yl)-6-[(trifluoromethyl)-sulfonyl]aniline,
25 4-(1,1,1,2,3,3,3-heptafluoropropan-2-yl)-2-iodo-6-[(trifluoromethyl)-sulfanyl]aniline,
4-(1,1,1,2,3,3,3-heptafluoropropan-2-yl)-2-iodo-6-[(trifluoromethyl)-sulfinyl]aniline,
4-(1,1,1,2,3,3,3-heptafluoropropan-2-yl)-6-iodo-4-[(trifluoromethyl)-sulfonyl]aniline,
2-ethyl-4-(2-ethoxy-1,1,1,3,3,3-hexafluoropropan-2-yl)-6-methylaniline,
4-[2-(4-chlorophenoxy)-1,1,1,3,3,3-hexafluoropropan-2-yl]-2-ethyl-6-methylaniline,
30 4-[2-(4-chloro-1H-pyrazol-1-yl)-1,1,1,3,3,3-hexafluoropropan-2-yl]-2-ethyl-6-methylaniline,
4-(1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl)-2,6-dimethylaniline,
2-ethyl-4-(1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl)-6-methylaniline,
2,6-dichloro-4-(1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl)aniline,
2,6-dibromo-4-(1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl)aniline,
35 4-(1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl)-2,6-diiodoaniline,
2-ethyl-4-[2-ethoxy-1,1,1,3,3,4,4,4-octafluorobutan-2-yl]-6-methylaniline,
4-[2-(4-chlorophenoxy)-1,1,1,3,3,4,4,4-octafluorobutan-2-yl]-2-ethyl-6-methylaniline,

4-[2-(4-chloro-1H-pyrazol-1-yl)-1,1,1,3,3,4,4,4-octafluorobutan-2-yl]-2-ethyl-6-methylaniline,
 2,6-dibromo-4-(trifluoromethoxy)aniline,
 2,6-dibromo-4-[(trifluoromethyl)sulfanyl]aniline,
 2,6-dibromo-4-[(trifluoromethyl)sulfinyl]aniline,
 5 2,6-dibromo-4-[(trifluoromethyl)sulfonyl]aniline,
 2,6-dibromo-4-[(pentafluoroethyl)sulfanyl]aniline,
 2,6-dibromo-4-[(heptafluoropropyl)sulfanyl]aniline,
 2,6-dibromo-4-[(nonafluorobutyl)sulfanyl]aniline,
 2,6-dimethyl-4-(undecafluorocyclohexyl)aniline
 10 2-ethyl-6-methyl-4-(undecafluorocyclohexyl)aniline
 2,6-dichloro-4-(undecafluorocyclohexyl)aniline
 2,6-dibromo-4-(undecafluorocyclohexyl)aniline
 2,6-diiodo-4-(undecafluorocyclohexyl)aniline, and the like.

[0068] The reaction of Preparation method (a) can be carried out in the presence of an appropriate
 15 diluent, and examples thereof to be used include aliphatic hydrocarbons (hexane, cyclohexane, heptane,
 etc.), halogenated aliphatic hydrocarbons (dichloromethane, chloroform, carbon tetrachloride,
 dichloroethane, etc.), aromatic hydrocarbons (benzene, toluene, xylene, chlorobenzene, etc.), ethers
 (diethyl ether, dibutyl ether, dimethoxyethane (DME), tetrahydrofuran, dioxane, etc.), esters (ethyl acetate,
 ethyl propionate, etc.), acid amides (dimethyl formamide (DMF), dimethyl acetamide (DMA),
 20 N-methylpyrrolidone, etc.), nitriles (acetonitrile, propionitrile, etc.), dimethyl sulfoxide (DMSO), water, a
 mixture thereof, and etc.

[0069] The reaction of Preparation method (a) can be carried out in the presence of an appropriate
 base, and examples thereof to be used include alkali metal bases, such as lithium hydride, sodium hydride,
 potassium hydride, butyllithium, tert-butyllithium, trimethylsilyllithium, lithium hexamethyldisilazide,
 25 sodium hydroxide, potassium hydroxide, sodium carbonate, potassium carbonate, cesium carbonate,
 tripotassium phosphate, sodium acetate, potassium acetate, sodium methoxide, sodium ethoxide, sodium
 tert-butoxide, and potassium tert-butoxide and organic bases, such as triethylamine,
 diisopropylethylamine, tributylamine, N-methylmorpholine, N,N-dimethylaniline, N,N-diethylaniline,
 4-tert-butyl-N,N-dimethylaniline, pyridine, picoline, lutidine, diazabicycloundecene,
 30 (1,8-diazabicyclo[5.4.0]undec-7-ene), diazabicyclooctane, imidazole and etc.

[0070] Preparation method (a) can be carried out within a substantially wide temperature range. It
 may be generally carried out at the temperature between about -78°C and about 200°C, preferably
 between -10°C and about 150°C. Said reaction is preferably carried out at normal pressure although it
 may be carried out under elevated or reduced pressure. The reaction time is 0.1 to 72 hours, preferably
 35 0.1 to 24 hours.

[0071] For carrying out Preparation method (a), for example, 1 mole of the compound of formula (II) can be reacted with 1 to 3 moles of the compound of formula (III) using, when L¹ in Formula (II) represents hydroxy, 1 to 3 mole of a condensing agent in a diluent, e.g., DMF, or, when L¹ in Formula (II) represents an appropriate leaving group, in the presence of an appropriate base, e.g., pyridine, thereby to
5 obtain the corresponding compound of Formula (I).

[0072] Some of the compounds of Formula (IV) as starting materials for Preparation method (b) include the publicly known compounds disclosed in WO 2005/021488 and WO 2005/073165 and their representative examples are as follows:

N-[2,6-dimethyl-4-(1,1,1,2,3,3,3-heptafluoropropan-2-yl)phenyl]-4-fluoro-3-nitrobenzamide,

10 N-[2-ethyl-4-(1,1,1,2,3,3,3-heptafluoropropan-2-yl)-6-methylphenyl]-4-fluoro-3-nitrobenzamide, and the like.

[0073] On the other hand, representative examples of the novel compounds encompassed by the compounds of Formula (IV) are as follows:

2-chloro-4-fluoro-N-[4-(1,1,1,2,3,3,3-heptafluoropropan-2-yl)-2,6-dimethylphenyl]benzamide,

15 4-fluoro-N-[4-(1,1,1,2,3,3,3-heptafluoropropan-2-yl)-2,6-dimethylphenyl]-2-(trifluoromethyl)benzamide,

4-fluoro-N-[4-(1,1,1,2,3,3,3-heptafluoropropan-2-yl)-2,6-dimethylphenyl]-2-nitrobenzamide,

N-[2-ethyl-4-(1,1,1,2,3,3,3-heptafluoropropan-2-yl)-6-methylphenyl]-3,4-difluorobenzamide,

3-chloro-N-[2-ethyl-4-(1,1,1,2,3,3,3-heptafluoropropan-2-yl)-6-methylphenyl]-4-fluorobenzamide,

3-bromo-N-[2-ethyl-4-(1,1,1,2,3,3,3-heptafluoropropan-2-yl)-6-methylphenyl]-4-fluorobenzamide,

20 N-[2-ethyl-4-(1,1,1,2,3,3,3-heptafluoropropan-2-yl)-6-methylphenyl]-4-fluoro-3-(trifluoromethyl) benzamide,


N-[2-ethyl-4-(1,1,1,2,3,3,3-heptafluoropropan-2-yl)-6-methylphenyl]-4-fluoro-1-naphthamide,

5-bromo-N-[2-ethyl-4-(1,1,1,2,3,3,3-heptafluoropropan-2-yl)-6-methylphenyl]pyridine-2-carbox- amide,

6-chloro-N-[4-(1,1,1,2,3,3,3-heptafluoropropan-2-yl)-2,6-dimethylphenyl]-nicotinic acid amide,


25 6-chloro-N-[2-ethyl-4-(1,1,1,2,3,3,3-heptafluoropropan-2-yl)-6-methylphenyl]-nicotinic acid amide, and the like.

[0074] Novel intermediates among the compounds of Formula (IV) are shown in the following Formulae (V-1) to (V-5):




30 (wherein X¹³ represents halogen, X¹⁴ represents halogen or C₁₋₄ haloalkyl, X¹⁶ and X¹⁷ each independently


represent halogen, C₁₋₄ alkyl, C₁₋₄ haloalkyl, C₁₋₄ haloalkoxy, C₁₋₄ haloalkyl-S-, C₁₋₄ haloalkyl-S(O)- or C₁₋₄ haloalkyl-S(O)₂- and J is as defined above);




(wherein X¹⁵ represents halogen, C₁₋₄ haloalkyl or a nitro group and X¹³, X¹⁶, X¹⁷ and J are as defined above);



(wherein X¹³, X¹⁶, X¹⁷ and J are as defined above);



(wherein X¹³, X¹⁶, X¹⁷ and J are as defined above); and



(wherein X¹³, X¹⁶, X¹⁷ and J are as defined above).


[0075] Some of the compounds of Formula (IV) as starting materials for Preparation method (b) can be synthesized according to the methods disclosed in WO 2005/021488 and WO 2005/073165.

Specifically, they can be synthesized by reacting the compounds of Formula (VI):



(wherein A¹⁻¹, A¹⁻², A¹⁻³, A¹⁻⁴, A¹⁻⁵, G and L¹ each independently have the same meaning as defined above) with the compounds of Formula (III) described above according to Preparation method (a).

[0076] Specific preparation method of compound of Formula (IV) is shown in below:



(wherein, Step 1 is done by following the method described in Preparation method (a), Step 2 is done by following the method described in Scheme 1, step 1-1, Step 3 is chlorination by using N-chlorosuccinimide (NCS) and Step 4 is done by following the method described in JP2008-505120A)

[0077] The reaction of Preparation method (b) can be carried out in the presence of an appropriate diluent, and examples thereof to be used are the same as the diluents described for Preparation method (a), and preferably dimethylformamide (DMF), dimethylacetamide (DMA), N-methylpyrrolidone or dimethyl sulfoxide (DMSO).

10 [0078] The reaction of Preparation method (b) can be carried out in the presence of an appropriate base, and examples thereof to be used are the same as the bases described for Preparation method (a), and preferably potassium carbonate.

15 [0079] The reaction of Preparation method (b) can be carried out by using a catalyst such as $\text{Pd}_2(\text{dba})_3$, $\text{Pd}_2(\text{dba})_3\text{CHCl}_3$, (dba = dibenzylideneacetone), $\text{Pd}(\text{OAc})_2$, CuI , and Cu_2O in the presence of an appropriate base, if necessary. Further, if necessary, phosphine type ligands such as 2,2'-bis(diphenylphosphino)-1,1'-binaphthalene (BINAP), 4,5-bis(diphenylphosphino)-9,9-dimethylxanthene (Xantphos) and tributylphosphine or amine type ligands such as 8-quinolinol, proline and N,N-dimethylglycine can be used.


20 [0080] Preparation method (b) can be carried out within a substantially wide temperature range. It may be generally carried out at a temperature between about -78°C and about 200°C , preferably between

about -10°C and about 180°C. Said reaction is preferably carried out at normal pressure, although it may be carried out under elevated or reduced pressure. The reaction time is 0.1 to 72 hours, preferably 0.1 to 24 hours.

[0081] For carrying out Preparation method (b), for example, 1 mole of the compound of Formula (IV) can be reacted with 1 to 2 moles of the compound represented by W1-H, W2-H, W3-H, W4-H, W5-H, W6-H, W7-H, W8-H or W9-H in the presence of 1 to 3 moles of a base, for example potassium carbonate, in a diluent, for example dimethylformamide, thereby to obtain the compound of Formula (I) of the present invention. In addition, when the catalyst described above is used, for example, 1 mole of the compound of Formula (IV) can be reacted with 1 to 3 moles of the compound represented by W1-H, W2-H, W3-H, W4-H, W5-H, W6-H, W7-H, W8-H or W9-H in the presence of 1 to 3 moles of a base and a catalytic amount of CuI and proline in a diluent, for example dimethylsulfoxide, thereby to obtain the compound of Formula (I) of the present invention.

[0082] When A¹⁻¹, A¹⁻², A¹⁻³, A¹⁻⁴ or A¹⁻⁵, encompassed by the compounds of Formula (I) of the present invention obtained according to Preparation method (b), is C-NO₂, the nitro group can be easily converted to other substituents. Specific examples thereof are described in the following Scheme 1.

Scheme 1:




(In Scheme 1, conc. HCl aq indicates a concentrated hydrochloride acid aqueous solution, Py indicates pyridine, THF indicates tetrahydrofuran, t-Bu indicates tertiary butyl, and DMF indicates N,N-dimethylformamide. According to step 1-1, the nitro group is reduced to give the amino group. According to step 1-2, the acyl group is introduced to the amino group. According to step 1-3, the

amino group can be converted to a diazonium salt through Sandmeyer reaction and then to hydrogen after removal of the diazonium salt.)


[0083] The compounds of Formula (I-c1) as starting materials for Preparation method (c), can be synthesized according to various methods. Representative examples thereof are shown in Schemes 2, 3, 3-1 and 4.

Scheme 2:




(In Scheme 2, hydrazine-H₂O indicates a hydrazine hydrate, EtOH indicates ethanol and Py, THF and DMF are as defined above.)

[0084] According to Scheme 2, the benzyl halide derivative is obtained through an acid condensation reaction at step 2-1, which is then reacted with phthalimide potassium salt at step 2-2, and subsequently at step 2-3 the phthalimide residue is removed by hydrazine to give the benzylamino derivative. All the reactions defined above can be carried out according to general methods for synthesizing organic compounds.

Scheme 3:

(In Scheme 3, DMAP indicates 4-dimethylaminopyridine, (Boc)₂O indicates di(t-butyl) bicarbonate, MeOH indicates methanol and conc. HCl aq and EtOH are as defined above.)

5

Scheme 3-1:

(In Scheme 3-1, PPh indicates triphenylphosphine, (Boc)₂O indicates di(t-butyl) bicarbonate, MeOH indicates methanol and conc. HCl aq and EtOH are as defined above.)


[0085] The reaction of step 3-2 in Scheme 3 and 3-1 can be carried out according to the method described in the literature (Tetrahedron Letters, 2000, 41, 3513-3516 or Tetrahedron, 2003, 59, 5417-5423).

[0086] The reaction of step 3-4 in Scheme 3-1 can be carried out according to the method described in the literature (Synthetic Communications, 1994, 887-890). Other methods can be carried out according to general methods for synthesizing organic compounds.

[0087] In accordance with the methods of step 3-2 and step 3-3 in Scheme 3 and 3-1, 4-(aminomethyl)-N-[2-ethyl-4-(1,1,1,2,3,3,3-heptafluoropropan-2-yl)-6-methylphenyl]-3-(1H-pyrazol-1-yl)benzamide or 4-(aminomethyl)-N-[2-ethyl-4-(1,1,1,2,3,3,3-heptafluoropropan-2-yl)-6-methylphenyl]-3-(1H-1,2,4-triazol-1-yl)benzamide may be obtained by using 4-cyano-N-

5 [2-ethyl-4-(1,1,1,2,3,3,3-heptafluoropropan-2-yl)-6-methylphenyl]-3-(1H-pyrazol-1-yl)benzamide or 4-cyano-N-[2-ethyl-4-(1,1,1,2,3,3,3-heptafluoropropan-2-yl)-6-methylphenyl]-3-(1H-1,2,4-triazol-1-yl)benzamide, respectively, as a raw material. Further, 3-(aminomethyl)-N-[2-ethyl-4-(1,1,1,2,3,3,3-heptafluoropropan-2-yl)-6-methylphenyl]-4-(1H-1,2,4-triazol-1-yl)benzamide may be similarly obtained from 3-cyano-N-[2-ethyl-4-(1,1,1,2,3,3,3-heptafluoropropan-2-yl)-6-methyl-

10 phenyl]-4-(1H-1,2,4-triazol-1-yl)benzamide.

Scheme 4:

(In Scheme 4, $(\text{Boc})_2\text{O}$ and MeOH are as defined above.)

15 [0088] The reaction of step 4-2 in Scheme 4 can be carried out in the same manner as step 3-2 in Scheme 3. Other methods can be carried out according to general methods for synthesizing organic compounds.

[0089] There are additional methods for synthesizing the compounds of Formula (I-c1) as starting materials for Preparation method (c), and examples include a method in which hexamethylenetetramine is reacted with the benzyl halide derivative of Scheme 2 followed by hydrolysis under an acidic condition to give the benzylamino derivative (Delepine amine synthesis, reference literatures: Bull. Soc. Chim. Fr. 1895, 13, S 352, J. Org. Chem. 1993, 58, 270, J. Org. Chem. 1990, 55, 1796, Org. React. 1954, 8, 197.), a

20

method in which a benzyl alcohol derivative or the benzyl halide derivative is converted into a benzyl azide derivative followed by its reduction to give the benzylamino derivative (reference literatures: Chemical Review, 1988, 88, 297, J. Org. Chem., 1993, 58, 5886) or a method in which the benzyl halide derivative is converted to a benzylnitro derivative via Kornblum nitration followed by reduction to give the benzylamino derivative (reference literatures: Organic Synthesis Collective Volume, 1963, 4, 724, Organic Reactions, 1962, 12, 101), etc.

[0090] Representative examples of the compounds of Formula (I-c1) as starting materials for Preparation method (c) are as follows:

- 4-(aminomethyl)-N-[4-(1,1,1,2,3,3,3-heptafluoropropan-2-yl)-2,6-dimethyl-phenyl]benzamide,
 10 4-(aminomethyl)-2-fluoro-N-[4-(1,1,1,2,3,3,3-heptafluoropropan-2-yl)-2,6-dimethylphenyl]benzamide,
 4-(aminomethyl)-N-[2-ethyl-4-(1,1,1,2,3,3,3-heptafluoropropan-2-yl)-6-methylphenyl]benzamide,
 4-(aminomethyl)-N-[2-ethyl-4-(1,1,1,2,3,3,3-heptafluoropropan-2-yl)-6-methylphenyl]-2-fluoro-
 benzamide,
 4-(aminomethyl)-N-[2-ethyl-4-(1,1,1,2,3,3,3-heptafluoropropan-2-yl)-6-methylphenyl]-2,3-difluorobenz-
 15 amide,
 4-(aminomethyl)-N-[2-ethyl-4-(1,1,1,2,3,3,3-heptafluoropropan-2-yl)-6-methylphenyl]-2,5-difluorobenz-
 amide,
 4-(aminomethyl)-2-chloro-N-[2-ethyl-4-(1,1,1,2,3,3,3-heptafluoropropan-2-yl)-6-methylphenyl]
 benzamide,
 20 4-(aminomethyl)-N-[2-ethyl-4-(1,1,1,2,3,3,3-heptafluoropropan-2-yl)-6-methylphenyl]-3-fluoro-
 benzamide,
 4-(aminomethyl)-3-chloro-N-[2-ethyl-4-(1,1,1,2,3,3,3-heptafluoropropan-2-yl)-6-methylphenyl]
 benzamide,
 4-(aminomethyl)-3-bromo-N-[2-ethyl-4-(1,1,1,2,3,3,3-heptafluoropropan-2-yl)-6-methylphenyl]
 25 benzamide,
 4-(aminomethyl)-N-[2-ethyl-4-(1,1,1,2,3,3,3-heptafluoropropan-2-yl)-6-methylphenyl]-3-methyl
 benzamide,
 4-(aminomethyl)-N-[2-ethyl-4-(1,1,1,2,3,3,3-heptafluoropropan-2-yl)-6-methylphenyl]-3-(trifluoro-
 methyl)benzamide,
 30 4-(aminomethyl)-N-[2-ethyl-4-(1,1,1,2,3,3,3-heptafluoropropan-2-yl)-6-methylphenyl]-3-nitro-
 benzamide,
 4-(aminomethyl)-N-[2,6-dibromo-4-(1,1,1,2,3,3,3-heptafluoropropan-2-yl)-phenyl]benzamide,
 4-(aminomethyl)-N-[2,6-dimethyl-4-(1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl)-phenyl]benzamide,
 4-(aminomethyl)-3-chloro-N-[2,6-dimethyl-4-(1,1,1,2,3,3,4,4,4-nonafluoro-butan-2-yl)phenyl]-
 35 benzamide,
 4-(aminomethyl)-N-[2-ethyl-6-methyl-4-(1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl)phenyl]benzamide,


- 4-(aminomethyl)-N-[2-ethyl-6-methyl-4-(1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl)phenyl]-3-fluorobenzamide,
 4-(aminomethyl)-3-bromo-N-[2-ethyl-6-methyl-4-(1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl)phenyl]benzamide,
 5 4-(aminomethyl)-N-[2,6-dibromo-4-(1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl)-phenyl]benzamide,
 4-(aminomethyl)-3-chloro-N-[2-ethyl-6-methyl-4-(undecafluorocyclohexyl)-phenyl]benzamide,
 4-(aminomethyl)-N-[2-ethyl-4-(1,1,1,2,3,3,3-heptafluoropropan-2-yl)-6-methylphenyl]-1-naphthamide,
 4-(aminomethyl)-N-[2-ethyl-6-methyl-4-(1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl)phenyl]-1-naphthamide,
 4-(aminomethyl)-N-[2-ethyl-6-methyl-4-(undecafluorocyclohexyl)phenyl]-1-naphthamide,
 10 5-(aminomethyl)-N-[2-ethyl-4-(1,1,1,2,3,3,3-heptafluoropropan-2-yl)-6-methylphenyl]pyridine-2-carboxamide,
 5-(aminomethyl)-N-[2-ethyl-6-methyl-4-(1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl)phenyl]pyridine-2-carboxamide,
 5-(aminomethyl)-N-[2-ethyl-6-methyl-4-(undecafluorocyclohexyl)phenyl]-pyridine-2-carboxamide,
 15 6-(aminomethyl)-N-[2-ethyl-4-(1,1,1,2,3,3,3-heptafluoropropan-2-yl)-6-methylphenyl]nicotinamide,
 6-(aminomethyl)-N-[2-ethyl-6-methyl-4-(1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl)phenyl]nicotinamide,
 6-(aminomethyl)-N-[2-ethyl-6-methyl-4-(undecafluorocyclohexyl)phenyl]-nicotinamide,
 4-(1-aminoethyl)-N-[2-ethyl-4-(1,1,1,2,3,3,3-heptafluoropropan-2-yl)-6-methylphenyl]benzamide,
 4-(1-aminoethyl)-N-[2-ethyl-6-methyl-4-(1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl)phenyl]benzamide,
 20 4-(1-aminoethyl)-N-[2-ethyl-6-methyl-4-(undecafluorocyclohexyl)phenyl]-benzamide, and the like.

[0091] Specific examples of novel intermediates shown in Schemes 2 to 3 are as follows:

- 4-(chloromethyl)-N-[4-(1,1,1,2,3,3,3-heptafluoropropan-2-yl)-2,6-dimethyl-phenyl]benzamide,
 4-(chloromethyl)-N-[2-ethyl-4-(1,1,1,2,3,3,3-heptafluoropropan-2-yl)-6-methylphenyl]benzamide,
 3-chloro-4-(chloromethyl)-N-[2-ethyl-4-(1,1,1,2,3,3,3-heptafluoropropan-2-yl)-6-methylphenyl]-
 25 benzamide,
 3-bromo-4-(chloromethyl)-N-[2-ethyl-4-(1,1,1,2,3,3,3-heptafluoropropan-2-yl)-6-methylphenyl]-benzamide,
 4-(chloromethyl)-N-[2-ethyl-6-methyl-4-(1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl)phenyl]benzamide,
 4-(chloromethyl)-N-[2-ethyl-6-methyl-4-(1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl)phenyl]-3-fluorobenzamide,
 30 3-chloro-4-(chloromethyl)-N-[2-ethyl-6-methyl-4-(1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl)phenyl]benzamide,
 4-(chloromethyl)-N-[2-ethyl-4-(1,1,1,2,3,3,3-heptafluoropropan-2-yl)-6-methylphenyl]-1-naphthamide,
 4-[(1,3-dioxo-1,3-dihydro-2H-isoindol-2-yl)methyl]-N-[4-(1,1,1,2,3,3,3-heptafluoropropan-2-yl)-
 35 2,6-dimethyl phenyl]benzamide,
 4-[(1,3-dioxo-1,3-dihydro-2H-isoindol-2-yl)methyl]-N-[2-ethyl-4-(1,1,1,2,3,3,3-heptafluoropropan-2-yl)-


- 6-methylphenyl]benzamide,
 3-chloro-4-[(1,3-dioxo-1,3-dihydro-2H-isoindol-2-yl)methyl]-N-[2-ethyl-4-(1,1,1,2,3,3,3-hepta-
 fluoropropan-2-yl)-6-methylphenyl]benzamide,
 3-bromo-4-[(1,3-dioxo-1,3-dihydro-2H-isoindol-2-yl)methyl]-N-[2-ethyl-4-(1,1,1,2,3,3,3-hepta-
 5 fluoropropan-2-yl)-6-methylphenyl]benzamide,
 4-[(1,3-dioxo-1,3-dihydro-2H-isoindol-2-yl)methyl]-N-[2-ethyl-4-(1,1,1,2,3,3,3-heptafluoropropan-2-yl)-
 6-methylphenyl]-3-nitrobenzamide,
 4-[(1,3-dioxo-1,3-dihydro-2H-isoindol-2-yl)methyl]-N-[2-ethyl-6-methyl-4-(1,1,1,2,3,3,4,4,4-nona-
 fluorobutan-2-yl)phenyl]benzamide,
 10 4-[(1,3-dioxo-1,3-dihydro-2H-isoindol-2-yl)methyl]-N-[2-ethyl-6-methyl-4-(1,1,1,2,3,3,4,4,4-nona-
 fluorobutan-2-yl)phenyl]-3-fluorobenzamide,
 3-chloro-4-[(1,3-dioxo-1,3-dihydro-2H-isoindol-2-yl)methyl]-N-[2-ethyl-6-methyl-4-(1,1,1,2,3,3,4,
 4,4-nona fluorobutan-2-yl)phenyl]benzamide,
 4-[(1,3-dioxo-1,3-dihydro-2H-isoindol-2-yl)methyl]-N-[2-ethyl-4-(1,1,1,2,3,3,3-heptafluoropropan-2-yl)-
 15 6-methylphenyl]-1-naphthamide,
 4-cyano-2-fluoro-N-[4-(1,1,1,2,3,3,3-heptafluoropropan-2-yl)-2,6-dimethyl-phenyl]benzamide,
 4-cyano-N-[2-ethyl-4-(1,1,1,2,3,3,3-heptafluoropropan-2-yl)-6-methylphenyl]-benzamide,
 4-cyano-N-[2-ethyl-4-(1,1,1,2,3,3,3-heptafluoropropan-2-yl)-6-methylphenyl]-2-fluorobenzamide,
 2-chloro-4-cyano-N-[2-ethyl-4-(1,1,1,2,3,3,3-heptafluoropropan-2-yl)-6-methylphenyl]benzamide,
 20 4-cyano-N-[2-ethyl-4-(1,1,1,2,3,3,3-heptafluoropropan-2-yl)-6-methylphenyl]-3-methylbenzamide,
 4-cyano-N-[2-ethyl-4-(1,1,1,3,3,3-hexafluoro-2-hydroxypropan-2-yl)-6-methylphenyl]benzamide,
 2-{4-[(4-cyanobenzoyl)amino]-3-ethyl-5-methylphenyl}-1,1,1,3,3,3-hexa-fluoropropan-2-yl-
 methanesulfonate,
 5-cyano-N-[2-ethyl-4-(1,1,1,2,3,3,3-heptafluoropropan-2-yl)-6-methyl-phenyl]pyridine-2- carboxamide,
 25 6-cyano-N-[2-ethyl-4-(1,1,1,2,3,3,3-heptafluoropropan-2-yl)-6-methylphenyl]-nicotinamide,
 and the like.

[0092] The novel intermediates are shown with Formulae (VII-1) to (VII-6):




- wherein X^{18} represents halogen, hydroxy, azide or 1,3-dioxo-1,3-dihydro-2H-isoindol-2-yl, X^{19}
 30 represents hydrogen, halogen or C_{1-4} alkyl; and X^9 , X^{10} , X^{16} , X^{17} , J and m are as defined above;


- 41 -




wherein X^{18} , X^9 , X^{10} , X^{16} , X^{17} , J and m are as defined above;




wherein X^{20} represents hydrogen or C_{1-4} alkyl, X^{21} represents an oxygen or $N-X^{22}$, X^{22} represents hydroxy, C_{1-4} alkyl or C_{1-4} alkoxy, and X^{16} , X^{17} and J are as defined above;



wherein X^{23} represents hydrogen or C_{1-4} alkyl, X^{24} represents hydrogen or halogen and X^{16} , X^{17} and J are as defined above;



wherein X^{16} , X^{17} and J are as defined above; and



wherein X^{16} , X^{17} and J are as defined above.


[0093] Preparation method (c) can be carried out according to general methods for synthesizing organic compounds. In addition, a diluent, a base and the like are the same as those described for

Preparation method (a).

[0094] With respect to Preparation method (d), an exemplary synthetic method including its starting

materials is shown in Scheme 5.


Scheme 5



In Scheme 5, corresponding acid chloride and aniline are condensed during step 5-1 to give the anilide, which is subsequently reacted with hydroxylamine during step 5-2 to give the hydroxyimino compound, and although the subsequent step 5-3 is a reductive amination, it can be carried out in the same manner as in step 4-2 described above, and after deprotection during step 5-4, step 5-5 which corresponds to Preparation method (d) is carried out. Preparation method (d) can be carried out in the same manner as in Preparation method (c).]

- 10 [0095] Representative examples of novel intermediates in Scheme 5 are as follows: N-[2-ethyl-4-(1,1,1,2,3,3,3-heptafluoropropan-2-yl)-6-methylphenyl]-5-oxo-5,6,7,8-tetrahydronaphthalene-2-carboxamide, N-[2-ethyl-4-(1,1,1,2,3,3,3-heptafluoropropan-2-yl)-6-methylphenyl]-5-(hydroxyimino)-5,6,7,8-tetrahydronaphthalene-2-carboxamide, and the like.


[0096] The novel intermediates described above are summarized in Formula (VIII):



wherein A¹ to A³, B¹ to B⁵, G, Q, X¹⁶ and X²¹ are as defined above.

[0097] With respect to Preparation method (e), an exemplary synthetic method including its starting materials is shown in Scheme 6.

Scheme 6:




Each step in Scheme 6 can be carried out in the same manner as each step in Scheme 5.

[0098] Representative examples of novel intermediates in Scheme 6 are as follows:

N-[2-ethyl-4-(1,1,1,2,3,3,3-heptafluoropropan-2-yl)-6-methylphenyl]-1-oxoindane-5-carboxamide,

N-[2-ethyl-4-(1,1,1,2,3,3,3-heptafluoropropan-2-yl)-6-methylphenyl]-1-(hydroxyimino)indane-5-carboxamide, and the like.

[0099] The novel intermediates defined above are summarized in Formula (IX):



5 wherein A¹ to A³, B¹ to B⁵, G, Q, X¹⁶ and X²¹ are as defined above.

[0100] The compounds of Formula (r-3) as starting materials for Preparation method (f) are publicly known and representative examples thereof include methyl iodide, ethyl iodide, benzyl bromide, dimethyl sulfate, diethyl sulfate, and the like.

10 [0101] The reaction of Preparation method (f) can be carried out in the presence of an appropriate diluent, and examples thereof to be used are the same as the diluents described for Preparation method (a), and preferably DMF.

[0102] The reaction of Preparation method (f) can be carried out in the presence of an appropriate base, and examples thereof to be used are the same as the bases described for Preparation method (a), and preferably sodium hydride.

15 [0103] The temperature range, pressure and time for the reaction of Preparation method (f) are the same as those described for Preparation method (a).

[0104] For carrying out Preparation method (f), for example, 1 mole of the compound of Formula (I-f1) can be reacted with 1 to 3 moles of the compound of Formula (r-3), for example methyl iodide, in the presence of an appropriate base, for example sodium hydride, in an appropriate diluent, for example
20 DMF, thereby to obtain the compound of Formula (I) of the present invention.

[0105] The compounds of Formula (I-g1) as starting materials for Preparation method (g), are encompassed by the compounds of Formula (I) of the present invention and their representative examples are as follows:

25 N-[4-(1,1,1,2,3,3,3-heptafluoropropan-2-yl)-2,6-dimethylphenyl]-4-(1H-1,2,4-triazol-1-yl)benzamide,
N-[2-ethyl-4-(1,1,1,2,3,3,3-heptafluoropropan-2-yl)-6-methylphenyl]-4-(1H-1,2,4-triazol-1-yl)-benzamide, and the like.

[0106] Examples of the sulfurizing agents to be used in Preparation method (g) are phosphorous

pentasulfide, Lawesson reagent and the like.

[0107] The reaction of Preparation method (g) can be carried out in the presence of an appropriate diluent, and examples thereof to be used are the same as the diluents described for Preparation method (a), and preferably toluene.

5 [0108] The reaction of Preparation method (g) can be carried out with the reaction temperature, pressure and time that are the same as those for Preparation method (a).

[0109] For carrying out Preparation method (g), for example, 1 mole of the compound of Formula (I-g1) can be reacted with 0.5 mole to 3 moles of Lawesson reagent in an appropriate diluent, for example toluene, thereby to obtain the compound of Formula (I).

10 [0110] The compounds of Formula (I) of the present invention exhibit a potent pesticidal effect. Therefore, the compounds of Formula (I) of the present invention can be used as pesticides. The active compounds of Formula (I) of the present invention also exhibit suitable controlling effect against noxious
15 insects and other plant parasitic pests, stored grain pests, hygienic pests etc., and can be applied for the disinfection and destruction of them.

[0111] Such harmful insects may be illustrated by examples as follows:

[0112] As an insect,

20 beetles (Coleopteran), such as adzuki bean beetle (*Callosobruchus Chinensis*), maize weevil (*Sitophilus zeamais*), red flour beetle (*Tribolium Castaneum*), large twenty-eight-spotted lady bird (*Epilachna vigintioctomaculata*), barley wireworm (*Agriotes ogurae fuscicollis*), soy bean beetle (*Anomala rufocuprea*), Colorado potato beetle (*Leptinotarsa decemlineata*), corn root worm (*Diabrotica* spp.), Japanese pine sawyer beetle (*Monochamus alternatus endai*), rice water weevil (*Lissorhoptrus oryzophilus*), powder-post beetle (*Lyctus bruneus*);

25 lepidopteran pests, such as gypsy moth (*Lymantria dispar*), Lackey moth (*Malacosoma neustria*), small white (*Pieris rapae crucivora*), cotton leafworm (*Spodoptera litura*), cabbage moth (*Mamestra brassicae*), rice stem borer (*Chilo suppressalis*), European corn borer (*Ostrinia nubilalis*), dried currant moth (*Cadra cautella*), chyanokokakumonhamaki (*Adoxophyes honmai*), codling moth (*Cydia pomonella*), Turnip Moth (*Agrotis segetum*), Wax Moth (*Galleria mellonella*), Diamondback moth
30 (*Plutella xylostella*), tobacco budworm moth (*Heliothis virescens*), citrus leaf miner (*Phyllocnistis citrella*);

hemipterous pests, such as green rice leafhopper (*Nephotettix cincticeps*), brown planthopper

(*Nilaparvata lugens*), comstock mealybug (*Pseudococcus comstocki*), arrowheat scale (*Unaspis yanonensis*), Momoaka-aburamusi (*Myzus persicas*), green apple aphid (*Aphis pomi*), cotton aphid (*Aphis gossypii*), turnip aphid (*Lipaphis erysimi*), Nashi-gunbai (*Stephanitis nashi*), Nezara (*Nezara* spp.), greenhouse whitefly (*Trialeurodes vaporariorum*), Pshylla (*Pshylla* spp.);

5 thysanoptera pests, such as palm thrips (*Thrips palmi*), western flower thrips (*Franklinella occidentalis*);

 orthopteran pests, such as mole cricket (*Gryllotalpa Africana*), migratory locust (*Locusta migratoria*);

 blattarian pests, such as German cockroach (*Blatella germanica*), American cockroach
10 (*Periplaneta americana*), yamato white ant (*Reticulitermes speratus*), Formosan subterranean termite (*Coptotermes formosanus*);

 dipterous pests, such as housefly (*Musca domestica*), yellow fever mosquito (*Aedes aegypti*),
Seedcorn maggot (*Delia platura*), Aka-ie-ka (*Culex pipiens pallens*), Sina-hamadara-ka (*Anopheles sinensis*), kodaka-aka-ie-ka (*Culex tritaeniorhynchus*), serpentine leafminer (*Liriomyza trifolii*) and the
15 like.

[0113] Further, as mites, Carmine spider mite (*Tetranychus cinnabarinus*), two-spotted spider mite (*Tetranychus urticae*), Citrus red mite (*Panonychus citri*), Pink citrus rust mite (*Aculops pelekassi*), Tarsonemus (*Tarsonemus* spp.) and the like can be mentioned.

[0114] In addition, as nematodes, sweet potato root-knot nematode (*Meloidogyne incognita*), pine
20 wood nematode (*Bursaphelenchus xylophilus*), rice white-tip nematode (*Aphelenchoides besseyi*), soybean cyst nematode (*Heterodera glycines*), meadow nematode (*Pratylenchus* spp.) and the like can be mentioned.

[0115] In veterinary medicine field, i.e., veterinary science, the active compounds of the present invention can be effectively used against various harmful animal parasites, particularly, endoparasites and
25 ectoparasites. The term “endoparasites” include in particular worms (tapeworm, eelworm, trematode and the like) and plasmodium (coccidium and the like). The term “ectoparasites” include in general and preferably an arthropod, in particular insects (fly (a fly which can sting and suck), larva of parasitic fly, sucking lice, crab lice, bird lice, flea and the like) or acaroid mites (ticks and the like, for example, hard tick and soft tick) or mites (itch mite, chigger mite, bird mite and the like).

30 [0116] These parasites are as follows:

 from Anoplurida, for example, *Haematopinus* spp., *Linognathus* spp., *Pediculus* spp., *Phtirus* spp., *Solenopotes* spp.; particularly, for representative examples, *Linognathus setosus*, *Linognathus vituli*,

Linognathus ovillus, Linognathus oviformis, Linognathus pedalis, Linognathus stenopsis, Haematopinus asini macrocephalus, Haematopinus euryternus, Haematopinus suis, Pediculus humanus capitis, Pediculus humanus corporis, Phylloera vastatrix, Phthirus pubis, Solenopotes capillatus;

from Mallophagida, Amblycerina, and Ischnocerina, for example, Trimenopon spp., Menopon spp., Trinoton spp., Bovicola spp., Werneckiella spp., Lepikentron spp., Damalina spp., Trichodectes spp., Felicola spp.; particularly, for representative examples, Bovicola bovis, Bovicola ovis, Bovicola limbata, Damalina bovis, Trichodectes canis, Felicola subrostratus, Bovicola caprae, Lepikentron ovis, Werneckiella equi;

from Diptera, Nematocerina, and Brachycerina, for example, Aedes spp., Anopheles spp., Culex spp., Simulium spp., Eusimulium spp., Phlebotomus spp., Lutzomyia spp., Culicoides spp., Chrysops spp., Odagmia spp., Wilhelmia spp., Hybomitra spp., Atylotus spp., Tabanus spp., Haematopota spp., Philipomyia spp., Braula spp., Musca spp., Hydrotaea spp., Stomoxys spp., Haematobia spp., Morellia spp., Fannia spp., Glossina spp., Calliphora spp., Lucilia spp., Chrysomyia spp., Wohlfahrtia spp., Sarcophaga spp., Oestrus spp., Hypoderma spp., Gasterophilus spp., Hippobosca spp., Lipoptena spp., Melophagus spp., Rhinosternus spp., Tipula spp.; particularly, for representative examples, Aedes aegypti, Aedes albopictus, Aedes taeniorhynchus, Anopheles gambiae, Anopheles maculipennis, Calliphora erythrocephala, Chrysozona pluvialis, Culex quinquefasciatus, Culex pipiens, Culex tarsalis, Fannia canicularis, Sarcophaga carnaria, Stomoxys calcitrans, Tipula paludosa, Lucilia cuprina, Lucilia sericata, Simulium reptans, Phlebotomus papatasi, Phlebotomus longipalpis, Odagmia ornata, Wilhelmia equina, Boophthora erythrocephala, Tabanus bromius, Tabanus spodopterus, Tabanus atratus, Tabanus sudeticus, Hybomitra ciurea, Chrysops caecutiens, Chrysops relictus, Haematopota pluvialis, Haematopota italica, Musca autumnalis, Musca domestica, Haematobia irritans irritans, Haematobia irritans exigua, Haematobia stimulans, Hydrotaea irritans, Hydrotaea albipuncta, Chrysomya chloropyga, Chrysomya bezziana, Oestrus ovis, Hypoderma bovis, Hypoderma lineatum, Przhewalskiana silenus, Dermatobia hominis, Melophagus ovinus, Lipoptena capreoli, Lipoptena cervi, Hippobosca variegata, Hippobosca equina, Gasterophilus intestinalis, Gasterophilus haemorroidalis, Gasterophilus internis, Gasterophilus nasalis, Gasterophilus nigricornis, Gasterophilus pecorum, Braula coeca;

from Siphonaptera, for example, Pulex spp., Ctenocephalides spp., Tunga spp., Xenopsylla spp., Ceratophyllus spp.; particularly, for representative examples, Ctenocephalides canis, Ctenocephalides felis, Pulex irritans, Tunga penetrans, Xenopsylla cheopis;

from Heteroptera, for example, Cimex spp., Triatoma spp., Rhodnius spp., Panstrongylus spp.;

from Blattellidae, for example, Blatta orientalis, Periplaneta americana, Blattella germanica, Supella spp. (for example, Supella longipalpa);

from Acari(Acarina), Metastigmata, and Mesostigmata, for example, Argas spp., Ornithodoros spp., Otobius spp., Ixodes spp., Amblyomma spp., Rhipicephalus(Boophilus) spp., Dermacentor spp., Haemophysalis spp., Hyalomma spp., Dermanyssus spp., Rhipicephalus spp. (original genus of heteroxenous mites), Ornithonyssus spp., Pneumonyssus spp., Raillietia spp., Pneumonyssus spp., Sternostoma spp., Varroa spp., Acarapis spp.); particularly, for representative examples, Argas persicus, Argas reflexus, Ornithodoros moubata, Otobius megnini, Rhipicephalus(Boophilus) microplus, Rhipicephalus(Boophilus) decoloratus, Rhipicephalus(Boophilus) annulatus, Rhipicephalus(Boophilus) calceratus, Hyalomma anatolicum, Hyalomma aegypticum, Hyalomma marginatum, Hyalomma transiens, Rhipicephalus evertsi, Ixodes ricinus, Ixodes hexagonus, Ixodes canisuga, Ixodes pilosus, Ixodes rubicundus, Ixodes scapularis, Ixodes holocyclus, Haemaphysalis concinna, Haemaphysalis punctata, Haemaphysalis cinnabarina, Haemaphysalis otophila, Haemaphysalis leachi, Haemaphysalis longicornis, Dermacentor marginatus, Dermacentor reticulatus, Dermacentor pictus, Dermacentor albipictus, Dermacentor andersoni, Dermacentor variabilis, Hyalomma mauritanicum, Rhipicephalus sanguineus, Rhipicephalus bursa, Rhipicephalus appendiculatus, Rhipicephalus capensis, Rhipicephalus turanicus, Rhipicephalus zambeziensis, Amblyomma americanum, Amblyomma variegatum, Amblyomma maculatum, Amblyomma hebraeum, Amblyomma cajennense, Dermanyssus gallinae, Ornithonyssus bursa, Ornithonyssus sylviarum, Varroa jacobsoni;

from Actinedida(Prostigmata), and Acaridida(Astigmata), for example, Acarapis spp., Cheyletiella spp., Ornithocheyletia spp., Myobia spp., Psorergates spp., Demodex spp., Trombicula spp., Listrophorus spp., Acarus spp., Tyrophagus spp., Caloglyphus spp., Hypodectes spp., Pterolichus spp., Psoroptes spp., Chorioptes spp., Otodectes spp., Sarcoptes spp., Notoedres spp., Knemidocoptes spp., Cytodites spp., Laminosioptes spp.; particularly, Cheyletiella yasguri, Cheyletiella blakei, Demodex canis, Demodex bovis, Demodex ovis, Demodex caprae, Demodex equi, Demodex caballi, Demodex suis, Neotrombicula autumnalis, Neotrombicula desaleli, Neoschonegastia xerothermobia, Trombicula akamushi, Otodectes cynotis, Notoedres cati, Sarcoptes canis, Sarcoptes bovis, Sarcoptes ovis, Sarcoptes rupicaprae(=S.caprae), Sarcoptes equi, Sarcoptes suis, Psoroptes ovis, Psoroptes cuniculi, Psoroptes equi, Chorioptes bovis, Psorergates ovis, Pneumonyssoides mange, Pneumonyssoides caninum, Acarapis woodi.

[0117] The active compounds of the present invention are also useful for controlling an arthropod, a worm and a plasmodium which attacks an animal. Examples of the animal include an agricultural animals such as a cow, a sheep, a goat, a horse, a pig, a donkey, a camel, a buffalo, a rabbit, a chicken, a turkey, a duck, a goose, a nursery fish, a honey bee, etc. In addition, a pet which is also called as a companion animal, for example, a dog, a cat, a caged bird, an aquarium fish, and an animal for experimental testing (e.g., a hamster, a guinea pig, a rat, a mouse and the like) is also included.

[0118] With control of the arthropod, worm and/or plasmodium by using the active compounds of the present invention, death ratio of a host animal can be reduced and productivity (for meat, milk, wool,

leather, egg, and honey) and health of the animal can be improved. As a result, it is intended to achieve economically more favorable and simple animal breeding.

[0119] For example, it is preferable that introduction of blood from a parasite to a host is either prevented or inhibited (if possible). Parasite control can be useful for preventing infection which is caused by inflammatory pathogens.

[0120] The term "control" that is used in the present specification regarding a veterinary medicine field means that the active compounds are effective for reducing the occurrence ratio of each parasite in an animal infected with it to an innoxious level. More specifically, the term "to control" means that the active compounds of the present invention are effective for destroying parasites, inhibiting growth or propagation thereof.

[0121] In the present invention, substances having pesticidal effects against harmful pests including all of such pests are referred to as pesticides.

[0122] When used as pesticides, the active compounds of the present invention can be prepared in a form of a common preparation. Such preparation form may includes, for example, liquids, emulsions, wettable powders, granulated wettable powders, suspensions, powders, foams, pastes, tablets, granules, aerosols, natural or synthetic agents impregnated with the active compounds, microcapsules, coating agents for seeds, formulations equipped with a combustion device (the combustion device can be a smoke or fog cartridge, a can or a coil, etc.) and ULV (cold mist, warm mist), and the like.

[0123] These formulations can be produced by known methods per se. For example, they can be prepared by mixing the active compounds with extenders, namely, liquid diluents or carriers; liquefied gas diluents or carriers; solid diluents or carriers and, optionally, with surfactants, namely, emulsifiers and/or dispersants and/or foam formers and the like.

[0124] In case of using water as an extender, for example, organic solvents can be used as auxiliary solvents.

[0125] The liquid diluents or carriers may include, for example, aromatic hydrocarbons (e.g. xylene, toluene, alkylnaphthalene etc.), chlorinated aromatic or chlorinated aliphatic hydrocarbons (e.g. chlorobenzenes, ethylene chlorides, methylene chlorides etc.), aliphatic hydrocarbons (e.g. cyclohexanes or paraffins (e.g. mineral oil fractions)), alcohols (e.g. butanol, glycol and ethers or esters thereof, etc.), ketones (e.g. acetone, methylethylketone, methylisobutylketone, cyclohexanone etc.), strong polar solvents (e.g. dimethylformamide, dimethylsulfoxide etc.), water and the like.

[0126] The liquefied gas diluent or carrier may include those present as gas at atmospheric pressure and temperature, for example, butane, propane, nitrogen gas, carbon dioxide, and aerosol propellant such

as halogenated hydrocarbons.

[0127] Examples of the solid diluents may include ground natural minerals (for example, kaolins, clay, talc, chalk, quartz, attapulgite, montmorillonite or diatomaceous earth, etc.) and ground synthetic minerals (for example, highly dispersed silicic acid, alumina and silicate, etc.) and the like.

5 [0128] Examples of the solid carriers for granules may include crushed and fractionated rocks (for example, calcite, marble, pumice, sepiolite and dolomite, etc.), synthetic granules of inorganic or organic powders, and fine granules of organic materials (for example, sawdust, coconut shells, maize cobs and tobacco stalks, etc.) and the like.

10 [0129] Examples of the emulsifiers and/or foam formers may include nonionic and anionic emulsifiers [for example, polyoxyethylene fatty acid esters, polyoxyethylene fatty acid alcohol ethers (for example, alkylaryl polyglycol ether), alkyl sulfonates, alkyl sulfates and aryl sulfonates] and albumin hydrolysates and the like.

[0130] The dispersants include lignin sulfite waste liquor and methylcellulose.

15 [0131] Binders may also be used in formulations (powders, granules and emulsion). Examples of the binders may include carboxymethyl cellulose, natural or synthetic polymers (for example, gum arabic, polyvinyl alcohol and polyvinyl acetate, etc.).

20 [0132] Colorants may also be used. Examples of the colorants may include inorganic pigments (for example, iron oxide, titanium oxide and Prussian blue, etc.), organic dyes such as Alizarin dyes, azo dyes or metal phthalocyanine dyes, and further, trace elements such as salts of iron, manganese, boron, copper, cobalt, molybdenum or zinc.

[0133] The formulation may include the above active component in an amount of 0.1 to 95 wt%, preferably 0.5 to 90 wt%.

25 [0134] The active compounds of Formula (I) of the present invention can be provided as a mixture with other active compounds such as a pesticide, a poison bait, a sterilizing agent, an acaricidal agent, a nematocide, a fungicide, a growth regulating agent, a herbicide, and the like in a form of commercially useful formulation or an application form prepared from formulation thereof. The pesticide may include, for example, an organic phosphorous agent, carbamate agent, carboxylate agent, chlorinated hydrocarbon agent, and pesticidal substance produced by microorganisms, etc.

30 [0135] Further, the active compounds of Formula (I) of the present invention can be provided as a mixture with a synergist. Such formulation and application form may include those that are commercially useful. The synergist is not necessarily active by itself. Rather, it is the compound which enhances the activity of the active compounds.

[0136] The amount of the active compounds of Formula (I) of the present invention that is included in a commercially useful form may vary over a broad range.

[0137] The concentration of the active compounds of Formula (I) of the present invention for actual use can be, for example, between 0.0000001 and 100% by weight, preferably between 0.00001 and 1% by weight.

[0138] The compounds of Formula (I) of the present invention can be used according to any common method that is appropriate for an application form.

[0139] The active compounds of the present invention have stability that is effective for alkaline substances present in lime materials when the compounds are used against hygienic pests and storage pests. In addition, it exhibits excellent residual effectiveness in woods and soils.

[0140] Generally, when the active compounds of the present invention are used for the treatment of animals, they can be directly applied to the animal. Preferably, the compounds are applied in a form of pharmaceutical composition which may include a vehicle, an auxiliary agent, or both, that are known in the field and pharmaceutically acceptable.

[0141] For a veterinary medicine field and animal breeding, the active compounds can be applied (administered) according to various known ways, for example; intrainestinal administration with a tablet, a capsule, a drink, a drinkable medicine, granules, paste, and bolus administration, feed-through method, suppository; non-intrainestinal administration based on skin application such as injection (intramuscular, subcutaneous, intravenous, intraperitoneal, etc.), embedding, intranasal application including bathing or immersion, spray, pouring, dropping, washing and scattering, and by using a molding article containing the active compounds such as a necklace, an earmark, a tag, a leg brace, a net, a marking device and the like. The active compounds of the present invention can be formulated into an appropriate formulation form that can be applied with a shampoo, aerosol, a non-pressurized spray, for example a pump spray and a vaporizer spray, etc.

[0142] When used for livestock, fowls, pets and the like, the active compounds of the present invention can be used as a formulation which includes them in an amount of 1 to 80 wt% (for example, powders, wettable powders (WP), emulsion, emulsifiable concentrate (EC), fluid, homogeneous solution and suspension concentrate (SC)), and Formulation can be applied as it is or after dilution (for example, dilution of 100 to 10,000 times), or as a chemical shower as an alternative method.

[0143] When used in a veterinary medicine field, the active compounds of the present invention can be used in combination with other appropriate synergistic agent or other active compounds, for example an acaricide, an insecticide, a parasticide, an anti-plasmodium agent, etc.

[0144] The active compounds of the present invention have low toxicity and can be safely used for warm-blooded animals.


[0145] Herein below, the present invention is described in greater detail with reference to the following examples. However, it is evident that the present invention is not limited thereto alone.

5

EXAMPLES


Synthetic example 1

[0146] Synthesis of N-[2,6-dibromo-4-(1,1,1,2,3,3,3-heptafluoropropan-2-yl)phenyl]-4-(1H-1,2,4-triazol-1-yl)benzamide (Compound No. 1-78).



10

[0147] Step 1-1: Synthesis of 4-(1H-1,2,4-triazol-1-yl)benzoyl chloride




[0148] 4-(1H-1,2,4-triazol-1-yl)benzoic acid (0.90 g) was suspended in toluene. To the suspension, thionyl chloride (5.7 g) and an catalytic amount of N,N-dimethylformamide (2 to 3 drops) were added and the mixture was refluxed under heating for 4 hours. After adjusting the reaction solution to room temperature, the solvent was distilled off under reduced pressure to obtain 4-(1H-1,2,4-triazol-1-yl)-benzoyl chloride as a crude product (0.95 g). Without further purification, the crude product was used for the next reaction.

[0149] Step 1-2: Synthesis of N-[2,6-dibromo-4-(1,1,1,2,3,3,3-heptafluoropropan-2-yl)-phenyl]-4-(1H-1,2,4-triazol-1-yl)benzamide (Compound No. 1-78)

20

- 53 -




[0150] 2,6-Dibromo-4-(1,1,1,2,3,3,3-heptafluoropropan-2-yl)aniline (0.45 g) was dissolved in pyridine (5 ml). To the solution, the crude product of 4-(1H-1,2,4-triazol-1-yl)benzoyl chloride (0.45 g) was added and the mixture was refluxed under heating for 1.5 hours. After cooling to room temperature, the reaction solution was diluted with water and extracted twice with ethyl acetate. The organic phases were combined, washed with 2N hydrochloric acid and dried over magnesium sulfate. After filtering off the drying agent, the solvent was distilled off under reduced pressure to obtain a residue, which were then dissolved in tetrahydrofuran (20 ml), added with a 2N sodium hydroxide solution (5 ml) and stirred under heating at 50°C for 2 hours. After cooling to room temperature, the reaction solution was diluted with water and extracted twice with ethyl acetate. The organic phases were combined, washed with water and dried over magnesium sulfate. After filtering off the drying agent, the solvent was distilled off under reduced pressure to obtain a crude product. The crude product was purified by column chromatography to obtain N-[2,6-dibromo-4-(1,1,1,2,3,3,3-heptafluoropropan-2-yl)phenyl]-4-(1H-1,2,4-triazol-1-yl) benzamide (0.18 g, yield 28%).

[0151] ¹H-NMR (CDCl₃): see the Table below.

Synthetic example 2

[0152] Synthesis of N-[2-ethyl-4-(1,1,1,2,3,3,3-heptafluoropropan-2-yl)-6-methyl-phenyl]-3-nitro-4-(1H-1,2,4-triazol-1-yl)benzamide (Compound No. 1-39).



[0153] N-[2-Ethyl-4-(1,1,1,2,3,3,3-heptafluoropropan-2-yl)-6-methylphenyl]-4-fluoro-3-nitrobenzamide (1.5 g, see WO 2005/073165) and 1H-1,2,4-triazole (0.24 g) were dissolved in N,N-dimethylformamide (15 ml). To the solution, potassium carbonate (0.88 g) was added and the mixture was stirred under heating at 70°C for 3 hours. After cooling to room temperature, the reaction solution was diluted with water and extracted twice with ethyl acetate. The organic phases were


combined, washed with water and dried over magnesium sulfate. After filtering off the drying agent, the solvent was distilled off under reduced pressure to obtain a crude product. The resulting crude product was purified by column chromatography to obtain

N-[2-ethyl-4-(1,1,1,2,3,3,3-heptafluoropropan-2-yl)-6-methylphenyl]-3-nitro-4-(1H-1,2,4-triazol-1-yl)benzamide (1.4 g, yield 80%).

[0154] $^1\text{H-NMR}$ (CDCl_3): see the Table below.

Synthetic example 3

[0155] Synthesis of 3-amino-N-[2-ethyl-4-(1,1,1,2,3,3,3-heptafluoropropan-2-yl)-6-methylphenyl]-4-(1H-1,2,4-triazol-1-yl)benzamide (Compound No. 1-38).




[0156] N-[2-Ethyl-4-(1,1,1,2,3,3,3-heptafluoropropan-2-yl)-6-methylphenyl]-3-nitro-4-(1H-1,2,4-triazol-1-yl)benzamide (1.3 g) was dissolved in ethanol (20 ml). To the solution, tin (II) chloride dihydrate (1.4 g) and conc. hydrochloric acid (1 ml) were added and the mixture was stirred under heating at 60°C for 4 hours. The reaction solution was neutralized with potassium carbonate while it is vigorously stirred with addition of ethyl acetate and water. The resulting precipitates were filtered using Celite, the aqueous phase was separated from the organic phase and the aqueous phase was extracted with ethyl acetate. The organic phases were combined, washed with brine and dried over magnesium sulfate. After filtering off the drying agent, the solvent was distilled off under reduced pressure to obtain a crude product. The crude product was purified by column chromatography to obtain 3-amino-N-[2-ethyl-4-(1,1,1,2,3,3,3-heptafluoropropan-2-yl)-6-methylphenyl]-4-(1H-1,2,4-triazol-1-yl)benzamide (1.0 g, yield 97%).

[0157] $^1\text{H-NMR}$ (CDCl_3): see the Table below.

Synthetic example 4

[0158] Synthesis of methyl [5-{[2-ethyl-4-(1,1,1,2,3,3,3-heptafluoropropan-2-yl)-6-methylphenyl]carbamoyl}-2-(1H-1,2,4-triazol-1-yl)phenyl]carbamate (Compound No. 1-47).

- 55 -



[0159] 3-Amino-N-[2-ethyl-4-(1,1,1,2,3,3,3-heptafluoropropan-2-yl)-6-methylphenyl]-4-(1H-1,2,4-triazol-1-yl)benzamide (0.2 g) and pyridine (0.05 g) were dissolved in tetrahydrofuran (5 ml). To the solution, ethyl chlorocarbonate (0.04 g) was added under ice cooling. After adjusting to room temperature, the mixture was stirred for 1 hr. The reaction mixture was diluted with water and extracted twice with ethyl acetate. The organic phases were combined, washed with water and dried over magnesium sulfate. After filtering off the drying agent, the solvent was distilled off under reduced pressure to obtain a crude product. The crude product was purified by column chromatography to obtain methyl

5


[5-{[2-ethyl-4-(1,1,1,2,3,3,3-heptafluoro-propan-2-yl)-6-methylphenyl]carbamoyl}-2-(1H-1,2,4-triazol-1-yl)phenyl]carbamate (0.14 g, yield 58%).

10

[0160] $^1\text{H-NMR}$ (CDCl_3): see the Table below.

Synthetic example 5

[0161] Synthesis of N-[2-ethyl-4-(1,1,1,2,3,3,3-heptafluoropropan-2-yl)-6-methylphenyl]-4-(1H-1,2,4-triazol-1-yl)benzamide (Compound No. 1-31).



[0162] N,N-dimethylformamide (3 ml) was heated to 65°C and added with tert-butyl nitrite (0.15 g). To the solution, an N,N-dimethylformamide solution (2 ml) in which 3-amino-N-[2-ethyl-4-(1,1,1,2,3,3,3-heptafluoropropan-2-yl)-6-methylphenyl]-4-(1H-1,2,4-triazol-1-yl)-benzamide (0.5 g) has been dissolved was slowly added dropwise, while maintaining the temperature of 65°C. After confirming that no more gas is generated, the mixture was adjusted to room temperature and added with a mixture including 2N hydrochloric acid and a small amount of ice. The mixture was diluted with water and extracted twice with ethyl acetate. The organic phases were combined, washed with 2N hydrochloric acid, and dried over magnesium sulfate. After filtering off the drying agent, the solvent was distilled off under reduced pressure to obtain a crude product. The crude product was purified by column chromatography to

15


20

obtain N-[2-ethyl-4-(1,1,1,2,3,3,3-heptafluoropropan-2-yl)-6-methylphenyl]-4-(1H-1,2,4-triazol-1-yl)benzamide (0.31 g, yield 61%).


[0163] $^1\text{H-NMR}$ (CDCl_3): see the Table below.

Synthetic example 6

- 5 [0164] Synthesis of 4-(acetamidomethyl)-N-[2-ethyl-4-(1,1,1,2,3,3,3-heptafluoro-propan-2-yl)-6-methylphenyl]benzamide (Compound No. 5-28).



[0165] Step 6-1: Synthesis of 4-(chloromethyl)-N-[2-ethyl-4-(1,1,1,2,3,3,3-heptafluoropropan-2-yl)-6-methylphenyl]benzamide (Compound No. F-3)



10


- [0166] 2-Ethyl-4-(1,1,1,2,3,3,3-heptafluoropropan-2-yl)-6-methylaniline (0.50 g) and pyridine (0.20 g) were dissolved in tetrahydrofuran (10 ml). To the solution, 4-(chloromethyl) benzoyl chloride (0.33 g) and 4-dimethylaminopyridine (0.02 g) were added and the mixture was refluxed under heating for 3 hours. After adjusting to room temperature, the reaction solution was diluted with water and extracted twice with ethyl acetate. The organic phases were combined, washed with 2N hydrochloric acid and dried over $\text{Mg}(\text{SO}_4)$. After filtering off the drying agent, the solvent was distilled off under reduced pressure to obtain a crude product. The crude product was washed with hexane to obtain 4-(chloromethyl)-N-[2-ethyl-4-(1,1,1,2,3,3,3-heptafluoro-propan-2-yl)-6-methylphenyl]-benzamide (0.62 g, yield 74%).

15

[0167] $^1\text{H-NMR}$ (CDCl_3): see the Table below.

- 20 [0168] Step 6-2: Synthesis of 4-[(1,3-dioxo-1,3-dihydro-2H-isoindol-2-yl)methyl]-N-[2-ethyl-4-(1,1,1,2,3,3,3-hepta-fluoropropan-2-yl)-6-methylphenyl]benzamide (Compound No. F-4)


- 57 -



[0169] 4-(Chloromethyl)-N-[2-ethyl-4-(1,1,1,2,3,3,3-heptafluoropropan-2-yl)-6-methylphenyl]benzamide (1.2 g) was dissolved in N,N-dimethylformamide (15 ml). To the solution, potassium phthalimide (0.95 g) and potassium iodide (0.09 g) were added and the mixture was stirred under heating at 60°C for 2 hours. After adjusting to room temperature, the reaction solution was diluted with water and extracted twice with ethyl acetate. The organic phases were combined, washed with water and dried over magnesium sulfate. After filtering off the drying agent, the solvent was distilled off under reduced pressure to obtain a crude product. The crude product was washed with tert-butyl methyl ether to obtain 4-[(1,3-dioxo-1,3-dihydro-2H-isoindol-2-yl)methyl]-N-[2-ethyl-4-(1,1,1,2,3,3,3-heptafluoropropan-2-yl)-6-methylphenyl]benzamide (0.85 g, yield 56%).

[0170] ¹H-NMR (CDCl₃): see the Table below.


[0171] Step 6-3: Synthesis of 4-(aminomethyl)-N-[2-ethyl-4-(1,1,1,2,3,3,3-heptafluoropropan-2-yl)-6-methylphenyl]benzamide (Compound No. 5-27)



[0172] 4-[(1,3-Dioxo-1,3-dihydro-2H-isoindol-2-yl)methyl]-N-[2-ethyl-4-(1,1,1,2,3,3,3-heptafluoropropan-2-yl)-6-methylphenyl]benzamide (0.80 g) was dissolved in ethanol (20 ml). To the solution, hydrazine monohydrate (0.28 g) was added and the mixture was stirred under heating at 60°C for 4 hours. After adjusting to room temperature, the reaction solution was diluted with water and extracted twice with ethyl acetate. The organic phases were combined, washed with a saturated sodium bicarbonate solution and dried over magnesium sulfate. After filtering off the drying agent, the solvent was distilled off under reduced pressure to obtain 4-(aminomethyl)-N-[2-ethyl-4-(1,1,1,2,3,3,3-heptafluoropropan-2-yl)-6-methylphenyl] benzamide as a crude product (0.63 g). Without further purification, the crude product was used for the next reaction.

[0173] ¹H-NMR (CDCl₃): see the Table below.

[0174] Step 6-4: Synthesis of 4-(acetamidomethyl)-N-[2-ethyl-4-(1,1,1,2,3,3,3-heptafluoropropan-2-yl)-6-methylphenyl]benzamide (Compound No. 5-28)




[0175] The crude product of 4-(aminomethyl)-N-[2-ethyl-4-(1,1,1,2,3,3,3-heptafluoropropan-2-yl)-6-methylphenyl]benzamide (0.30 g) was dissolved in tetrahydrofuran (5 ml). To the solution, acetic anhydride (0.07 g) was added and the mixture was stirred at room temperature for 2 hours. The reaction solution was diluted with water and extracted twice with ethyl acetate. The organic phases were combined, washed with 2N hydrochloric acid and dried over magnesium sulfate. After filtering off the drying agent, the solvent was distilled off under reduced pressure to obtain a crude product. The crude product was separated and purified by column chromatography to obtain 4-(acetamidomethyl)-N-[2-ethyl-4-(1,1,1,2,3,3,3-heptafluoropropan-2-yl)-6-methylphenyl]benzamide (0.27 g, yield 77%).


[0176] $^1\text{H-NMR}$ (CDCl_3): see the Table below.

Synthetic example 7

[0177] Synthesis of N-[2-ethyl-4-(1,1,1,2,3,3,3-heptafluoropropan-2-yl)-6-methylphenyl]-3-[[3,3,3-trifluoropropanoyl]amino]methyl]benzamide (Compound No. 5-102).




[0178] Step 7-1: Synthesis of 4-cyano-3-methylbenzoic acid



[0179] 4-Bromo-3-methylbenzoic acid (3.0 g) was dissolved in N,N-dimethylformamide (20 ml).


The resulting solution was subjected to deaeration three times under argon atmosphere (i.e., the reaction solution was de-pressurized to 20 mmHg, and then brought back to atmospheric pressure under argon atmosphere). To the solution, zinc cyanide (1.6 g) and tetrakis(triphenylphosphine) palladium (0) (1.6 g) were added and the mixture was stirred under heating at 90°C for 6 hours under argon atmosphere. After adjusting to room temperature, precipitates were filtered off. The filtrate was diluted with water, added with lithium hydroxide monohydrate (2.9 g) and washed twice with tert-butyl methyl ether. The aqueous phase was acidified with 2N hydrochloric acid and extracted twice with ethyl acetate. The organic phases were combined, washed with brine and dried over magnesium sulfate. After filtering off the drying agent, the solvent was distilled off under reduced pressure to obtain 4-cyano-3-methylbenzoic acid as a crude product (1.9 g). Without further purification, the crude product was used for the next reaction.

[0180] Step 7-2: Synthesis of 4-cyano-3-methylbenzoyl chloride



[0181] The crude product of 4-cyano-3-methylbenzoic acid (1.0 g) was suspended in dichloromethane. To the mixture, oxalyl chloride (1.2 g) and an catalytic amount of N,N-dimethylformamide (2 to 3 drops) were added under ice cooling. After adjusting to room temperature, the reaction solution was stirred for three hours. The solvent was distilled off under reduced pressure to obtain 4-cyano-3-methylbenzoyl chloride as a crude product (1.0 g).

[0182] Step 7-3: Synthesis of 4-cyano-N-[2-ethyl-4-(1,1,1,2,3,3,3-heptafluoropropan-2-yl)-6-methylphenyl]-3-methylbenzamide (Compound No. I-5)




[0183] 2-Ethyl-4-(1,1,1,2,3,3,3-heptafluoropropan-2-yl)-6-methylaniline (1.7 g) and pyridine (0.88 g) were dissolved in tetrahydrofuran (30 ml). To the solution, the crude product of 4-cyano-3-methylbenzoyl chloride (1.0 g) and 4-dimethylaminopyridine (0.03 g) were added and the mixture was stirred under heating at 50°C for 2 hours. After adjusting to room temperature, the reaction solution was diluted with water and extracted twice with ethyl acetate. The organic phases were combined, washed with 2N hydrochloric acid and dried over magnesium sulfate. After filtering off the drying

agent, the solvent was distilled off under reduced pressure to obtain a crude product. The crude product was washed with a mixed solvent of hexane and ethyl acetate (ethyl acetate 10%) to obtain 4-cyano-N-[2-ethyl-4-(1,1,1,2,3,3,3-heptafluoropropan-2-yl)-6-methylphenyl]-3-methylbenzamide (2.1 g, yield 83%).

5 [0184] $^1\text{H-NMR}$ (CDCl_3): see the Table below.


[0185] Step 7-4: Synthesis of tert-butyl (4-{[2-ethyl-4-(1,1,1,2,3,3,3-heptafluoro-propan-2-yl)-6-methylphenyl]carbamoyl}-2-methylbenzyl)carbamate (Compound No. 5-104)



[0186] 4-Cyano-N-[2-ethyl-4-(1,1,1,2,3,3,3-heptafluoropropan-2-yl)-6-methylphenyl]-3-methylbenzamide (2.0 g) was dissolved in methanol (50 ml). To the solution, di-tert-butyl bicarbonate (2.0 g) and nickel (II) chloride hexahydrate (0.53 g) were added and dissolved therein. To the reaction solution, NaBH_4 (0.80 g) was slowly added under ice cooling. Upon the completion of the reaction, diethylenetriamine (4.9 ml) was added, and then stirred for 30 minutes while adjusting the mixture to room temperature. The mixture was diluted with ethyl acetate and water and vigorously stirred for 5 minutes. The organic phase was separated and the aqueous phase was extracted with ethyl acetate. The organic phases were combined, washed with a saturated sodium bicarbonate aqueous solution and dried over magnesium sulfate. After filtering off the drying agent, the solvent was distilled off under reduced pressure to obtain a crude product. The crude product was purified by column chromatography to obtain tert-butyl (4-{[2-ethyl-4-(1,1,1,2,3,3,3-heptafluoro-propan-2-yl)-6-methylphenyl] carbamoyl}-2-methylbenzyl)carbamate (1.8 g, yield 72%).

[0187] $^1\text{H-NMR}$ (CDCl_3): see the Table below.


[0188] Step 7-5: Synthesis of 4-(aminomethyl)-N-[2-ethyl-4-(1,1,1,2,3,3,3-heptafluoropropan-2-yl)-6-methylphenyl]-3-methylbenzamide (Compound No. 5-98).



[0189] Tert-Butyl (4-{[2-ethyl-4-(1,1,1,2,3,3,3-heptafluoropropan-2-yl)-6-methylphenyl]-carbamoyl}-2-methylbenzyl)carbamate (1.7 g) was dissolved in ethanol (30 ml). To the solution, conc. hydrochloric acid (3 ml) was added and the mixture was stirred under heating at 60°C for 4 hours. After adjusting to room temperature, the reaction solution was diluted with ethyl acetate and water and
 5 neutralized with sodium hydrocarbonate under vigorous stirring. The organic phase was separated and the aqueous phase was extracted with ethyl acetate. The organic phases were combined, washed with water and dried over magnesium sulfate. After filtering off the drying agent, the solvent was distilled off under reduced pressure to obtain 4-(aminomethyl)-
 N-[2-ethyl-4-(1,1,1,2,3,3,3-heptafluoropropan-2-yl)-6-methylphenyl]-3-methylbenzamide as a crude
 10 product (0.81 g). Without further purification, the crude product was used for the next reaction.

[0190] ¹H-NMR (CDCl₃): see the Table below.

[0191] Step 7-6: Synthesis of N-[2-ethyl-4-(1,1,1,2,3,3,3-heptafluoropropan-2-yl)-6-methylphenyl]-3- {[(3,3,3-trifluoropropanoyl)amino]methyl}benzamide (Compound No. 5-102)




15 [0192] To a methylene chloride solution(2 ml) of the crude product of 4-(aminomethyl)-N-[2-ethyl-4-(1,1,1,2,3,3,3-heptafluoropropan-2-yl)-6-methylphenyl]-3-methylbenzamide (150 mg) and 3,3,3-trifluoropropionic acid (50 mg), 1-ethyl-3-(3-dimethylaminopropyl)carbodiimide hydrochloride (93 mg) was added under stirring at room temperature. The mixture was further stirred for 3 hours. The reaction solution was separated and purified by column
 20 chromatography to obtain N-[2-ethyl-4-(1,1,1,2,3,3,3-heptafluoropropan-2-yl)-6-methylphenyl]-3- {[(3,3,3-trifluoropropanoyl)amino]methyl}benzamide (155 mg, yield 85%).


[0193] ¹H-NMR (CDCl₃): see the Table below.

Synthetic example 8

[0194] Synthesis of 4-(1-acetamidoethyl)-N-[2-ethyl-4-(1,1,1,2,3,3,3-heptafluoropropan-2-yl)-6-methylphenyl]benzamide (Compound No. 9-2)



[0195] Step 8-1: Synthesis of 4-acetyl-N-[2-ethyl-4-(1,1,1,2,3,3,3-heptafluoro-propan-2-yl)-6-methylphenyl]benzamide (Compound No. H-1)




- 5 [0196] 4-Acetylbenzoic acid (3.5 g) was suspended in methylene chloride (30 ml). To the suspension, oxalyl chloride (1.5 g) and a small amount of N,N-dimethylformamide (2 to 3 drops) were added and the mixture was stirred at room temperature for 2 hours. After the reflux under heating for 30 minutes, the solvent and oxalyl chloride were distilled off under reduced pressure. To the residue,
- 10 2-ethyl-4-(1,1,1,2,3,3,3-heptafluoropropan-2-yl)-6-methylaniline (1.5 g) dissolved in pyridine (30 ml) was added and the reaction solution was stirred at 140°C for 4 hours. After adjusting to the room temperature, the reaction solution was added with a 1N hydrochloric acid aqueous solution and extracted twice with ethyl acetate. The organic phases were combined, washed with a 1N hydrochloric acid solution and water in turns and dried over anhydrous magnesium sulfate. After filtering off the drying agent, the solvent was distilled off under reduced pressure. The residue was purified by column
- 15 chromatography to obtain 4-acetyl-N-[2-ethyl-4-(1,1,1,2,3,3,3-heptafluoropropan-2-yl)-6-methylphenyl]benzamide (2.4 g, yield 47%).

[0197] ¹H-NMR (CDCl₃): see the Table below.

[0198] Step 8-2: Synthesis of N-[2-ethyl-4-(1,1,1,2,3,3,3-heptafluoropropan-2-yl)-6-methylphenyl]-4-[N-hydroxyethaneimidoyl]benzamide (Compound No. H-2)

- 63 -




[0199] 4-Acetyl-N-[2-ethyl-4-(1,1,1,2,3,3,3-heptafluoropropan-2-yl)-6-methylphenyl]-benzamide (2.2 g) was dissolved in ethanol (15 ml) and water (15 ml). To the solution, sodium acetate (0.6 g) and hydroxylamine hydrochloride (0.30 g) were added and the mixture was refluxed under heating for 4 hours.

5 The reaction solution was extracted twice with ethyl acetate. The organic phases were combined, washed with water and dried over anhydrous magnesium sulfate. After filtering off the drying agent, the solvent was distilled off under reduced pressure to obtain N-[2-ethyl-4-(1,1,1,2,3,3,3-heptafluoropropan-2-yl)-6-methylphenyl]-4-[N-hydroxyethaneimidoyl]benzamide (2.1 g, yield 96%).

[0200] ¹H-NMR (CDCl₃): see the Table below.

10 [0201] Step 8-3: Synthesis of tert-butyl [1-(4-{[2-ethyl-4-(1,1,1,2,3,3,3-heptafluoropropan-2-yl)-6-methylphenyl]carbamoyl}-phenyl)ethyl]carbamate (Compound No. 9-7)



[0202] N-[2-Ethyl-4-(1,1,1,2,3,3,3-heptafluoropropan-2-yl)-6-methylphenyl]-4-[N-hydroxyethaneimidoyl]benzamide (2.1 g) was dissolved in methanol (25 ml) and 1,4-dioxane (5 ml). To the


15 solution, di-tert-butyl bicarbonate (1.8 g) and nickel (II) chloride hexahydrate (0.49 g) were added. The resulting solution was cooled to 4°C, and sodium borohydride (0.62 g) was added in small portions. The mixture was stirred at 4°C for 2 hours. Then, diethylenetriamine (1.1 g) was added and stirred for 30 minutes, and then diluted the solution with water followed by extraction twice with ethyl acetate. The organic phases were combined, washed with a saturated sodium bicarbonate aqueous solution and water

20 in turns and dried over anhydrous magnesium sulfate. After filtering off the drying agent, the solvent was distilled off under reduced pressure. The residue was purified by column chromatography to obtain tert-butyl [1-(4-{[2-ethyl-4-(1,1,1,2,3,3,3-heptafluoropropan-2-yl)-6-methylphenyl]carbamoyl}-phenyl)ethyl]carbamate (1.7 g, yield

62%).

[0203] $^1\text{H-NMR}$ (CDCl_3): see the Table below.


[0204] Step 8-4: Synthesis of 4-(1-aminoethyl)-N-[2-ethyl-4-(1,1,1,2,3,3,3-heptafluoropropan-2-yl)-6-methylphenyl]benzamide (Compound No. 9-1)



[0205] Tert-Butyl [1-(4-{[2-ethyl-4-(1,1,1,2,3,3,3-heptafluoropropan-2-yl)-6-methylphenyl]carbamoyl}phenyl)ethyl]carbamate (1.7 g) was dissolved in methylene chloride (20 ml). To the solution, trifluoroacetic acid (1.5 g) was added and the mixture was stirred at room temperature for 3 hours. The solvent was distilled off under reduced pressure and the residue was neutralized by adding water and potassium carbonate followed by extraction twice with ethyl acetate. The organic phases were combined, washed with a saturated sodium bicarbonate aqueous solution and water in turns and dried over anhydrous magnesium sulfate. After filtering off the drying agent, the solvent was distilled off under reduced pressure to obtain 4-(1-aminoethyl)-N-[2-ethyl-4-(1,1,1,2,3,3,3-heptafluoropropan-2-yl)-6-methylphenyl]benzamide as a crude product (1.8 g).

[0206] $^1\text{H-NMR}$ (CDCl_3): see the Table below.

[0207] Step 8-5: Synthesis of 4-(1-acetamidoethyl)-N-[2-ethyl-4-(1,1,1,2,3,3,3-heptafluoropropan-2-yl)-6-methylphenyl]benzamide (Compound No. 9-2)




[0208] 4-(1-Aminoethyl)-N-[2-ethyl-4-(1,1,1,2,3,3,3-heptafluoropropan-2-yl)-6-methylphenyl]benzamide (0.4 g) was dissolved in methylene chloride (15 ml). To the solution, acetic acid (0.06 g),

1-ethyl-3-(3-dimethylaminopropyl)carbodiimide hydrochloride (0.26 g) and an catalytic amount of dimethylaminopyridine were added and the mixture was stirred at room temperature for 3 hours. The solvent was distilled off under reduced pressure and the residue was added with water followed by extraction twice with ethyl acetate. The organic phases were combined, washed with water and dried over anhydrous magnesium sulfate. After filtering off the drying agent, the solvent was distilled off under reduced pressure. The residue was purified by column chromatography to obtain 4-(1-acetamidoethyl)-N-[2-ethyl-4-(1,1,1,2,3,3,3-heptafluoro-propan-2-yl)-6-methylphenyl]benzamide (0.35 g, yield 95%).


[0209] $^1\text{H-NMR}$ (CDCl_3): see the Table below.

Synthetic example 9

[0210] Synthesis of 1-acetamide-N-[2-ethyl-4-(1,1,1,2,3,3,3-heptafluoropropan-2-yl)-6-methylphenyl]indane-5-carboxamide (Compound No. 10-2).



[0211] Step 9-1: Synthesis of N-[2-ethyl-4-(1,1,1,2,3,3,3-heptafluoropropan-2-yl)-6-methylphenyl]-1-oxindane-5-carboxamide (Compound No. L-1).




[0212] 1-Oxindane-5-carboxylic acid (3.0 g) was suspended in methylene chloride (30 ml), and oxalyl chloride (1.8 g) and a small amount of N,N-dimethylformamide (2 to 3 drops) were added thereto, and then stirred at room temperature for 2 hours. Thereafter, the solvent and oxalyl chloride were distilled off under reduced pressure. Pyridine (1.6 g) and 2-ethyl-4-(1,1,1,2,3,3,3-heptafluoropropan-2-yl)-6-methylaniline (1.6 g) dissolved in methylene chloride (30 ml) were added to the residue, and the mixture was stirred at room temperature overnight. The reaction

solution was concentrated under reduced pressure and the residue was purified by column chromatography to obtain N-[2-ethyl-4-(1,1,1,2,3,3,3-heptafluoropropan-2-yl)-6-methylphenyl]-1-oxoindane-5-carboxamide (2.4 g, yield 53%).

[0213] $^1\text{H-NMR}$ (CDCl_3): see the Table below.


5 [0214] Step 9-2: Synthesis of N-[2-ethyl-4-(1,1,1,2,3,3,3-heptafluoropropan-2-yl)-6-methylphenyl]-1-(hydroxyimino)indane-5-carboxamide (Compound No. L-2).



[0215] N-[2-Ethyl-4-(1,1,1,2,3,3,3-heptafluoropropan-2-yl)-6-methylphenyl]-1-oxoindane-5-carboxamide (2.4 g) was dissolved in ethanol (40 ml), and sodium acetate (0.85 g) and hydroxylamine hydrochloride (0.43 g) were added thereto, and then stirred and heated at reflux temperature for 2 hours. The reaction solution was brought back to room temperature and diluted with water. The resulting crystals were collected by filtration and dried to obtain N-[2-ethyl-4-(1,1,1,2,3,3,3-heptafluoropropan-2-yl)-6-methylphenyl]-1-(hydroxyimino)indane-5-carboxamide (2.3 g, yield 91%).

15 [0216] $^1\text{H-NMR}$ (CDCl_3): see the Table below.

[0217] Step 9-3: Synthesis of tert-butyl 5-{[2-ethyl-4-(1,1,1,2,3,3,3-heptafluoropropan-2-yl)-6-methylphenyl]carbamoyl}-2,3-dihydro-1H-inden-1-yl)carbamate (Compound No. 10-7).




20 [0218] N-[2-Ethyl-4-(1,1,1,2,3,3,3-heptafluoropropan-2-yl)-6-methylphenyl]-1-(hydroxyimino)indane-5-carboxamide (2.3 g) was dissolved in methanol (40 ml) and 1,4-dioxane (20 ml), and di-tert-butyl bicarbonate (2.1 g) and nickel (II) chloride hexahydrate (0.56 g) were added thereto. The solution was cooled to 4°C, small portions of sodium borohydride (0.45 g) were added thereto, and then stirred at 4°C for 2 hours. To the mixture, diethylenetriamine (1.2 g) was added and stirred for 30 min. The solution was

diluted with water and extracted twice with ethyl acetate. The organic phases were combined, washed with a saturated sodium bicarbonate aqueous solution and water, and then dried over anhydrous magnesium sulfate. The drying agent was removed by filtration, and the solvent was distilled off under reduced pressure. The residue was purified by column chromatography to obtain tert-butyl

5-5-{[2-ethyl-4-(1,1,1,2,3,3,3-heptafluoro-
propan-2-yl)-6-methylphenyl]carbamoyl}-2,3-dihydro-1H-inden-1-yl)carbamate (2.3 g, yield 87%).

[0219] $^1\text{H-NMR}$ (CDCl_3): see the Table below.

[0220] Step 9-4: Synthesis of 1-amino-N-[2-ethyl-4-(1,1,1,2,3,3,3-heptafluoropropan-2-yl)-6-methylphenyl]indane-5-carboxamide.




10

[0221] Tert-butyl (5-([2-ethyl-4-(1,1,1,2,3,3,3-heptafluoropropan-2-yl)-6-methylphenyl]-
carbamoyl)-2,3-dihydro-1H-inden-1-yl)carbamate (1.3 g) was dissolved in methylene chloride (15 ml),
trifluoroacetic acid (1.5 g) was added thereto and then stirred at room temperature for 3 hours. The
solvent was distilled off under reduced pressure. Water and potassium carbonate were added to neutralize
the residue and extracted twice with ethyl acetate. The organic phases were combined, washed with a
saturated sodium bicarbonate aqueous solution and water sequentially, and then dried over anhydrous
magnesium sulfate. The drying agent was removed by filtration, and the solvent was distilled off under
reduced pressure to obtain 1-amino-N-[2-
ethyl-4-(1,1,1,2,3,3,3-heptafluoropropan-2-yl)-6-methylphenyl]indane-5-carboxamide as a crude product
(0.84 g). The crude product was used for the next step without further purification.

15

20

[0222] Step 9-5: Synthesis of 1-acetamide-N-[2-ethyl-4-(1,1,1,2,3,3,3-heptafluoro- propan-2-yl)-6-methylphenyl]indane-5-carboxamide (Compound No. 10-2).




[0223] The crude product of 1-amino-N-[2-ethyl-4-(1,1,1,2,3,3,3-heptafluoro propan-2-yl)-6-methylphenyl]indane-5-carboxamide (0.12 g) was dissolved in methylene chloride (2 ml). Acetic anhydride (0.04 ml) was added to the solution and stirred at room temperature for 2 hours. The reaction solution was separated and purified by column chromatography to obtain

5 1-acetamide-N-[2-ethyl-4-(1,1,1,2,3,3,3- heptafluoro-propan-2-yl)-6-methylphenyl]indane-5-carboxamide (0.07 g, yield 52%).


[0224] ¹H-NMR (CDCl₃): see the Table below.

Synthetic example 10

[0225] Synthesis of 4-(acetamidemethyl)-3-chloro-N-[2,6-dichloro-4-(1,1,1,2,3,3,3-heptafluoropropan- 2-yl)phenyl]benzamide (Compound No. 5-229).



[0226] Step 10-1: Synthesis of N-[2,6-dichloro-4-(1,1,1,2,3,3,3-heptafluoropropan- 2-yl)phenyl]-4-nitrobenzamide (Compound No. N-1).



15 [0227] 4-Nitrobenzoyl chloride (4.55 g) was dissolved in a pyridine (30 ml) solution of
2,6-dichloro-4-(1,1,1,2,3,3,3-heptafluoropropan-2-yl)aniline (2.7 g). The solution was refluxed under
heating for 3 hours. After cooling to room temperature, the solution was diluted with water and extracted
twice with ethyl acetate. The organic phases were combined and dried over magnesium sulfate. The
drying agent was removed by filtration, and the solvent was distilled off under reduced pressure. The
20 residue was dissolved in tetrahydrofuran (30 ml), and an aqueous solution (5 ml) containing sodium
hydroxide (2.0 g) was added, and then stirred at room temperature for 4 hours. The reaction solution was
extracted twice with ethyl acetate. The organic phases were combined, washed with 1 N hydrochloric
acid and water, and dried over anhydrous magnesium sulfate. The drying agent (i.e., anhydrous


magnesium sulfate) was removed by filtration, and the solvent was distilled off under reduced pressure.

The residue was purified by column chromatography to obtain

N-[2,6-dichloro-4-(1,1,1,2,3,3,3-heptafluoropropan-2-yl)phenyl]-4-nitrobenzamide (3.27 g, yield 83.4%).

[0228] $^1\text{H-NMR}$ (CDCl_3) δ : 7.68 (2H, d), 7.80 (1H, s), 8.13 (2H, d), 8.39 (2H, d).


5 [0229] Step 10-2: Synthesis of 4-amino-N-[2,6-dichloro-4-(1,1,1,2,3,3,3-heptafluoro-propan-2-yl)phenyl]benzamide (Compound No. O-1).



[0230] N-[2,6-Dichloro-4-(1,1,1,2,3,3,3-heptafluoropropan-2-yl)phenyl]-4-nitro-benzamide (3.2 g) and nickel (II) chloride hexahydrate (3.33 g) were dissolved in methanol (30 ml). To the reaction solution, NaBH_4 (0.80 g) was added slowly under ice cooling, and the mixture was stirred for 1 hour while increasing the temperature to room temperature. Aqueous ammonia (about 5 ml) was added to the reaction solution under stirring, and then diluted with ethyl acetate and water. The organic phase was separated and the aqueous layer was extracted with ethyl acetate. The organic phases were combined, and then dried over magnesium sulfate. The drying agent was removed by filtration, and the solvent was distilled off under reduced pressure to obtain a crude product, which was then separated and purified by column chromatography to give 4-amino-N-[2,6-dichloro-4-(1,1,1,2,3,3,3-heptafluoropropan-2-yl)phenyl]-benzamide (2.89 g, yield 96%).

[0231] $^1\text{H-NMR}$ (CDCl_3) δ : 6.72 (2H, d), 7.56 (1H, s), 7.63 (2H, s), 7.78 (2H, d).


[0232] Step 10-3: Synthesis of 4-amino-3-chloro-N-[2,6-dichloro-4-(1,1,1,2,3,3,3-heptafluoropropan-2-yl)phenyl]benzamide (Compound No. O-4).



[0233] To the toluene (30 ml) solution in which 4-amino-N-[2,6-dichloro-4-(1,1,1,2,3,3,3-heptafluoro propan-2-yl)phenyl]benzamide (2.80 g) is dissolved, N-chlorosuccinimide (0.87 g) was added. The reaction solution was stirred for 6 hours at 80°C under heating. The solution was cooled to room temperature, diluted with water and extracted twice with ethyl acetate. The organic phases were combined, and then dried over magnesium sulfate. The drying agent was removed by filtration, and the solvent was distilled off under reduced pressure to obtain a crude product, which was then separated and purified by column chromatography to give 4-amino-3-chloro-N-[2,6-dichloro-4-(1,1,1,2,3,3,3-heptafluoropropan-2-yl)phenyl] benzamide (2.03 g, yield 67.3%).

[0234] ¹H-NMR (CDCl₃) δ: 4.53 (2H, s), 6.82 (1H, d), 7.52 (1H, s), 7.64 (2H, s), 7.68 (1H, dd), 7.90 (1H, d).


[0235] Step 10-4: Synthesis of 3-chloro-N-[2,6-dichloro-4-(1,1,1,2,3,3,3-heptafluoro- propan-2-yl)phenyl]-4-iodobenzamide (compound No. A-7).



[0236] To the acetonitrile (20 ml) solution in which 4-amino-3-chloro-N-[2,6-di-chloro-4-(1,1,1,2,3,3,3-heptafluoropropan-2-yl)phenyl]benzamide (1.95 g) and diiodomethane (1.30 ml) are dissolved, an acetonitrile solution (5 ml) containing t-butyl nitrite (1.05 ml) was added dropwise. The solution was stirred for 1 hour at room temperature and then stirred further for 1 hour at 60°C under heating. The reaction mixture was cooled, diluted with ethyl acetate, and washed twice with water and twice with an aqueous solution of sodium bisulfite. The organic phase was dried over magnesium sulfate. The drying agent was removed by filtration, and the solvent was distilled off under reduced pressure to obtain a crude product, which was then separated and purified by column chromatography to give 3-chloro-N-[2,6-dichloro-4-(1,1,1,2,3,3,3-heptafluoropropan- 2-yl)phenyl]-4-iodobenzamide (1.65 g, yield 68.8%).

[0237] ¹H-NMR (CDCl₃) δ: 7.49 (1H, dd), 7.60 (1H, s), 7.67 (2H, s), 8.00 (1H, d), 8.04 (1H, d).

[0238] Step 10-5: Synthesis of 3-chloro-4-cyano-N-[2,6-dichloro-4-(1,1,1,2,3,3,3-heptafluoropropan- 2-yl)phenyl]benzamide (Compound No. I-38).




[0239] 3-Chloro-N-[2,6-dichloro-4-(1,1,1,2,3,3,3-heptafluoropropan-2-yl)phenyl]-4-iodobenzamide (1.59 g) was dissolved in N,N-dimethylformamide (20 ml). The resulting solution was deaerated under argon atmosphere, and then zinc cyanide (0.38 g) and tetrakis(triphenylphosphine) palladium (0) (0.37 g) were added thereto. The mixture was heated and stirred for 7 hours at 80°C under argon atmosphere. The reaction mixture was cooled, diluted with ethyl acetate, and then washed twice with water. The organic phase was dried over magnesium sulfate. The drying agent was removed by filtration, and the solvent was distilled off under reduced pressure to obtain a crude product, which was then purified by column chromatography to give

3-chloro-4-cyano-N-[2,6-dichloro-4-(1,1,1,2,3,3,3-heptafluoropropan-2-yl)-phenyl]- benzamide (0.90 g, yield 68.2%).

[0240] ¹H-NMR (CDCl₃) δ: 7.69 (2H, s), 7.72 (1H, s), 7.85 (1H, d), 7.93 (1H, dd), 8.09 (1H, d).

[0241] Step 10-6: Synthesis of tert-butyl (2-chloro-4-{{2,6-dichloro-4-(1,1,1,2,3,3,3-heptafluoropropan-2-yl)phenyl}carbamoyl}benzyl)carbamate (Compound No. 5-317).




[0242] 3-Chloro-4-cyano-N-[2,6-dichloro-4-(1,1,1,2,3,3,3-heptafluoropropan-2-yl)-phenyl]benzamide (0.85 g) was dissolved in methanol (50 ml). To the solution, di-tert-butyl bicarbonate (0.75 g) and nickel (II) chloride hexahydrate (0.41 g) were dissolved. To this reaction solution, NaBH₄ (0.62 g) was added in small portions under stirring and ice cooling conditions. After stirring for 2 hours, diethylenetriamine (3.7 ml) was added to the reaction solution, and then further stirred for 30 min while increasing the temperature to room temperature. The mixture was diluted with ethyl acetate and water, and then vigorously stirred for 5 min. The organic phase was separated and the aqueous layer was

extracted with ethyl acetate. The organic phases were combined, washed with a saturated sodium bicarbonate aqueous solution, and then dried over magnesium sulfate. The drying agent was removed by filtration, and the solvent was distilled off under reduced pressure to obtain a crude product, which was then purified by column chromatography to give tert-butyl (2-chloro-4-{[2,6-dichloro-4-(1,1,1,2,3,3,3-heptafluoropropan-2-yl)phenyl]carbamoyl}benzyl)- carbamate (0.95 g, yield 92.3%).

[0243] $^1\text{H-NMR}$ (CDCl_3) δ : 1.46 (9H, s), 4.47 (2H, d), 5.09 (1H, s), 7.55 (1H, d), 7.63 (1H, s), 7.67 (2H, s), 7.82 (1H, dd), 7.96 (1H, d).

[0244] Step 10-7: Synthesis of 4-(aminomethyl)-3-chloro-N-[2,6-dichloro-4-(1,1,1,2,3,3,3-heptafluoropropan-2-yl)phenyl]benzamide (Compound No. 5-228).




[0245] Tert-butyl (2-chloro-4-{[2,6-dichloro-4-(1,1,1,2,3,3,3-heptafluoropropan-2-yl)-phenyl] carbamoyl}benzyl)carbamate (0.85 g) was dissolved in methylene chloride (15 ml). Trifluoroacetic acid (2 ml) was added to the solution, and the mixture was stirred at room temperature for 16 hours. The solvent was distilled off under reduced pressure. The residue was dissolved in methylene chloride (15 ml), and an aqueous solution of potassium carbonate was added to the solution under stirring. The organic phase was separated and the aqueous layer was extracted with methylene chloride and dried over magnesium sulfate. The drying agent was removed by filtration, and the solvent was distilled off under reduced pressure to obtain a crude product (0.65 g) of 4-(aminomethyl)-3-chloro-N-[2,6-dichloro-4-(1,1,1,2,3,3,3-heptafluoro propan-2-yl)-phenyl]benzamide. The crude product was used for the next step without further purification.

[0246] $^1\text{H-NMR}$: see the Table below.

[0247] Step 10-8: Synthesis of 4-(acetamidemethyl)-3-chloro-N-[2,6-dichloro-4-(1,1,1,2,3,3,3-heptafluoropropan-2-yl)phenyl]benzamide (Compound No. 5-229).

- 73 -




[0248] The crude product of 4-(aminomethyl)-3-chloro-N-[2,6-dichloro-4-(1,1,1,2,3,3,3-heptafluoropropan-2-yl)phenyl]benzamide (0.15 g) was dissolved in methylene chloride (2 ml). Acetic anhydride (0.05 ml) was added to the solution and stirred for 2 hours at room temperature. The reaction solution was separated and purified by column chromatography to obtain 4-(acetamidomethyl)-3-chloro-N-[2,6-dichloro-4-(1,1,1,2,3,3,3-heptafluoropropan-2-yl)phenyl]benzamide (0.13 g).

[0249] ¹H-NMR: see the Table below.

Synthetic example 11

[0250] Synthesis of 3-chloro-N-[2,6-dichloro-4-(1,1,1,2,3,3,3-heptafluoropropan-2-yl)phenyl]-4-[(propionylamino)methyl]benzamide (Compound No. 5-230).




[0251] To the methylene chloride solution (2 ml) of the crude product of 4-(aminomethyl)-3-chloro-N-[2,6-dichloro-4-(1,1,1,2,3,3,3-heptafluoropropan-2-yl)-phenyl]benzamide (150 mg), which had been obtained from Step 10-7 of Synthetic example 10, and propionic acid (23 mg), 1-ethyl-3-(3-dimethylaminopropyl)-carbodiimide hydrochloride (93 mg) was added at room temperature under stirring. The mixture was then stirred for 3 hours. The reaction solution was separated and purified by column chromatography to obtain 3-chloro-N-[2,6-dichloro-4-(1,1,1,2,3,3,3-heptafluoropropan-2-yl)phenyl]-4-[(propionylamino)methyl]benzamide (150 mg).


[0252] ¹H-NMR: see the Table below.

Synthetic example 12

[0253] Synthesis of 3-(acetamidemethyl)-N-[2-ethyl-4-(1,1,1,2,3,3,3-heptafluoro- propan-2-yl)-6-methylphenyl]-4-(1H-1,2,4-triazol-1-yl)benzamide (Compound No. 12-3).



5 [0254] Step 12-1: Synthesis of 3-cyano-N-[2-ethyl-4-(1,1,1,2,3,3,3-heptafluoro- propan-2-yl)-6-methylphenyl]-4-fluorobenzamide.




[0255] 3-Cyano-4-fluorobenzoic acid (1.0 g) was suspended in toluene (20 ml), thionyl chloride (0.79 g) and a small amount of N,N-dimethylformamide (2 to 3 drops) were added thereto, and the mixture was heated and stirred for 6 hours at reflux temperature. After cooling to room temperature, the solvent and excess thionyl chloride were distilled off under reduced pressure. The residue was dissolved in tetrahydrofuran (10 ml). The solution was added dropwise at room temperature to tetrahydrofuran (15 ml) in which 2-ethyl-4-(1,1,1,2,3,3,3-heptafluoropropan-2-yl)-6-methylaniline (1.7 g) and pyridine (0.91 g) are dissolved, and the mixture was stirred overnight. The reaction solution was diluted with water and extracted twice with ethyl acetate. The organic phases were combined, washed with water and 2 N hydrochloric acid, and then dried over anhydrous sodium sulfate. The drying agent was removed by filtration, and the solvent was distilled off under reduced pressure to obtain a crude product, which was then purified by column chromatography to give 3-cyano-N-[2-ethyl-4-(1,1,1,2,3,3,3-heptafluoropropan-2-yl)-6-methylphenyl]-4-fluorobenzamide (1.7 g, yield 65%).

20 [0256] ¹H-NMR (CDCl₃) δ: 1.21 (3H, t), 2.31 (3H, s), 2.66 (2H, q), 7.35-7.40 (3H, m), 7.53 (1H, s), 8.17-8.25 (2H, m).

[0257] Step 12-2: Synthesis of 3-cyano-N-[2-ethyl-4-(1,1,1,2,3,3,3-heptafluoro- propan-2-yl)-6-


methylphenyl]-4-(1H-1,2,4-triazol-1-yl)benzamide (Compound No. 1-49).



[0258] According to the method of Synthetic example 2, the title compound was obtained from 3-cyano-N-[2-ethyl-4-(1,1,1,2,3,3,3-heptafluoropropan-2-yl)-6-methylphenyl]-4- fluorobenzamide which
5 had been obtained in Step 12-1.

[0259] ¹H-NMR: see the Table below.


[0260] Step 12-3: Synthesis of tert-butyl[5-{[2-ethyl-4-(1,1,1,2,3,3,3-heptafluoropropan- 2-yl)-6-methylphenyl]carbamoyl}-2-(1H-1,2,4-triazol-1-yl)benzyl]carbamate (Compound No. 12-1).



10 [0261] According to the method of Step 7-4 of Synthetic example 7, the title compound was obtained from 3-cyano-N-[2-ethyl-4-(1,1,1,2,3,3,3-heptafluoro-ropropan-2-yl)-6- methylphenyl]-4-(1H-1,2,4-triazol- 1-yl)benzamide which had been obtained in Step 12-2.

[0262] ¹H-NMR: see the Table below.

15 [0263] Step 12-4: Synthesis of 3-(aminomethyl)-N-[2-ethyl-4-(1,1,1,2,3,3,3-heptafluoro- propan-2-yl)- 6-methylphenyl]-4-(1H-1,2,4-triazol-1-yl)benzamide (Compound No. 12-2).




[0264] According to the method of Step 7-5 of Synthetic example 7, the title compound was

obtained from tert-butyl [5-{[2-ethyl-4-(1,1,1,2,3,3,3-heptafluoropropan-2-yl)-6-methylphenyl] carbamoyl}-2-(1H-1,2,4-triazol-1-yl)benzyl]carbamate which had been obtained in Step 12-3.

[0265] $^1\text{H-NMR}$: see the Table below.

[0266] Step 12-5: Synthesis of 3-(acetamidemethyl)-N-[2-ethyl-4-(1,1,1,2,3,3,3-heptafluoropropan-2-yl)-6-methylphenyl]-4-(1H-1,2,4-triazol-1-yl)benzamide (Compound No. 12-3).




[0267] According to the method of Step 6-4 of Synthetic example 6, the title compound was obtained from 3-(aminomethyl)-N-[2-ethyl-4-(1,1,1,2,3,3,3-heptafluoropropan-2-yl)-6-methylphenyl]-4-(1H-1,2,4-triazol-1-yl)benzamide which had been obtained in Step 12-4.


10 [0268] $^1\text{H-NMR}$: see the Table below.

Synthetic example 13

[0269] Synthesis of N-[2-ethyl-4-(1,1,1,2,3,3,3-heptafluoropropan-2-yl)-6-methyl-phenyl]-4-[(propionylamino)methyl]-3-(1H-pyrazol-1-yl)benzamide (Compound No. 13-1).



15 [0270] Step 13-1: Synthesis of methyl 4-cyano-3-(1H-pyrazol-1-yl)benzoate.




[0271] Methyl 4-cyano-3-fluorobenzoate (0.30 g) and 1H-pyrazole (0.14 g) were dissolved in

N,N-dimethylformamide (10 ml). To the reaction solution, sodium hydride (0.10 g) was added under ice cooling while stirring the mixture, and the mixture was stirred for 30 min. After increasing the temperature to room temperature, the solution was further stirred for 2 hours. The reaction solution was diluted with water and extracted twice with ethyl acetate. The organic phases were combined, washed with water, and then dried over anhydrous sodium sulfate. The drying agent was removed by filtration, and the solvent was distilled off under reduced pressure to obtain a crude product, which was then purified by column chromatography to give methyl 4-cyano-3-(1H-pyrazol-1-yl)benzoate (0.28 g, yield 73%).

[0272] $^1\text{H-NMR}$ (CDCl_3) δ : 3.99 (3H, s), 6.58 (1H, dd), 7.85-7.88 (2H, m), 8.06 (1H, dd), 8.18 (1H, dd), 8.43 (1H, d).

[0273] Step 13-2: Synthesis of 4-cyano-3-(1H-pyrazol-1-yl)benzoic acid.




[0274] Methyl 4-cyano-3-(1H-pyrazol-1-yl)benzoate (0.27 g) was dissolved in tetrahydrofuran (10 ml). To the solution, a solution in which lithium hydroxide monohydrate (0.10 g) is dissolved in water (10 ml) was added at room temperature. The reaction mixture was stirred for 2 hours. The reaction solution was acidified with 2 N hydrochloric acid, and then extracted twice with ethyl acetate. The organic phases were combined, washed with water, and then dried over anhydrous sodium sulfate. The drying agent was removed by filtration, and the solvent was distilled off under reduced pressure to obtain a crude product of 4-cyano-3-(1H-pyrazol-1-yl)benzoic acid (0.23 g). The crude product was used for the next step without further purification.

[0275] $^1\text{H-NMR}$ (DMSO-d_6) δ : 6.66 (1H, dd), 7.91 (1H, s), 8.02 (1H, d), 8.14 (1H, d), 8.22 (1H, s), 8.54 (1H, d).

[0276] Step 13-3: Synthesis of 4-cyano-N-[2-ethyl-4-(1,1,1,2,3,3,3-heptafluoropropan-2-yl)-6-methylphenyl]-3-(1H-pyrazol-1-yl)benzamide (Compound No. 14-1).


- 78 -



[0277] The crude product of 4-cyano-3-(1H-pyrazol-1-yl)benzoic acid (0.23 g) was suspended in toluene (10 ml), thionyl chloride (0.64 g) and a small amount of N,N-dimethylformamide (2 to 3 drops) were added thereto, and the mixture was heated and stirred for 6 hours at reflux temperature. After cooling to room temperature, the solvent and excess thionyl chloride were distilled off under reduced pressure. To the residue, 4-dimethylaminopyridine (7 mg), pyridine (0.18 g) and 2-ethyl-4-(1,1,1,2,3,3,3-heptafluoro-propan-2-yl)-6-methylaniline (0.34 g) dissolved in tetrahydrofuran (15 ml) were added, and the mixture was stirred at room temperature for 3 hours. The mixture was further heated and stirred for 3 hours at reflux temperature. After cooling to room temperature, the reaction solution was diluted with water and extracted twice with ethyl acetate. The organic phases were combined, washed with water and a saturated sodium bicarbonate aqueous solution sequentially, and then dried over anhydrous sodium sulfate. The drying agent was removed by filtration, and the solvent was distilled off under reduced pressure to obtain a crude product, which was then purified by column chromatography to give 4-cyano-N-[2-ethyl-4-(1,1,1,2,3,3,3-heptafluoro-propan-2-yl)-6-methylphenyl]-3-(1H-pyrazol-1-yl)benzamide (0.13 g, yield 23%).

[0278] ¹H-NMR: see the Table below.

[0279] Step 13-4: Synthesis of N-[2-ethyl-4-(1,1,1,2,3,3,3-heptafluoropropan-2-yl)-6-methylphenyl]-4-[(propionylamino)methyl]-3-(1H-pyrazol-1-yl)benzamide (Compound No. 13-1).




[0280] The title compound was obtained from 4-cyano-N-[2-ethyl-4-(1,1,1,2,3,3,3-heptafluoro-propan-2-yl)-6-methylphenyl]-3-(1H-pyrazol-1-yl)benzamide which had been obtained in Step 13-3 according to the method of Step 7-4 of Synthetic example 7 by using propionic anhydride instead of di-tert-butyl bicarbonate.

[0281] ¹H-NMR (CDCl₃): see the Table below.

[0282] The compounds of Formula (I) of the present invention and intermediates thereof, that are obtained by the same methods as those of the above Synthetic examples or obtained in accordance with the methods described in detail above as well as their physical properties are set forth in Tables 1 to 14, Tables A to M and NMR Table below. The compounds obtained in the above Synthetic examples are also
5 described in the corresponding tables.

Table 1



Exa	R1	R2	J	R 4	R5	Q	R7	R8	W
1-1	CH ₃	H	1,1,1,2,3,3,3,3-heptafluoropropan-2-yl	H	CH ₃	H	H	H	1H-pyrazol-1-yl
1-2	CH ₃	H	1,1,1,2,3,3,3,3-heptafluoropropan-2-yl	H	CH ₃	H	H	H	4-chloro-1H-pyrazol-1-yl
1-3	CH ₃	H	1,1,1,2,3,3,3,3-heptafluoropropan-2-yl	H	CH ₃	H	H	H	1H-1,2,4-triazol-1-yl
1-4	CH ₃	H	1,1,1,2,3,3,3,3-heptafluoropropan-2-yl	H	CH ₃	CH ₃	H	H	1H-1,2,4-triazol-1-yl
1-5	CH ₃	H	1,1,1,2,3,3,3,3-heptafluoropropan-2-yl	H	CH ₃	H	chloro	H	1H-1,2,4-triazol-1-yl
1-6	CH ₃	H	1,1,1,2,3,3,3,3-heptafluoropropan-2-yl	H	CH ₃	H	trifluoro-methyl	H	1H-1,2,4-triazol-1-yl
1-7	CH ₃	H	1,1,1,2,3,3,3,3-heptafluoropropan-2-yl	H	CH ₃	H	nitro	H	1H-1,2,4-triazol-1-yl
1-8	CH ₃	H	1,1,1,2,3,3,3,3-heptafluoropropan-2-yl	H	CH ₃	H	H	chloro	1H-1,2,4-triazol-1-yl

1-9	CH ₃	H	1,1,1,2,3,3,3,3-heptafluoropropan-2-yl	H	CH ₃	H	H	H	bromo	1H-1,2,4-triazol-1-yl
1-10	CH ₃	H	1,1,1,2,3,3,3,3-heptafluoropropan-2-yl	H	CH ₃	H	H	H	trifluoromethyl	1H-1,2,4-triazol-1-yl
1-11	CH ₃	H	1,1,1,2,3,3,3,3-heptafluoropropan-2-yl	H	CH ₃	H	H	H	nitro	1H-1,2,4-triazol-1-yl
1-12	CH ₃	H	1,1,1,2,3,3,3,3-heptafluoropropan-2-yl	H	CH ₃	H	H	H	cyano	1H-1,2,4-triazol-1-yl
1-13	CH ₃	H	1,1,1,2,3,3,3,3-heptafluoropropan-2-yl	H	CH ₃	H	H	H	H	5-(ethylsulfanyl)-1H-tetrazol-1-yl
1-14	CH ₃	H	1,1,1,2,3,3,3,3-heptafluoropropan-2-yl	H	ethyl	H	H	H	nitro	1H-pyrrol-1-yl
1-15	CH ₃	H	1,1,1,2,3,3,3,3-heptafluoropropan-2-yl	H	ethyl	H	H	H	trifluoromethyl	2-cyano-1H-pyrrol-1-yl
1-16	CH ₃	H	1,1,1,2,3,3,3,3-heptafluoropropan-2-yl	H	ethyl	H	H	H	H	1H-pyrazol-1-yl
1-17	CH ₃	H	1,1,1,2,3,3,3,3-heptafluoropropan-2-yl	H	ethyl	H	H	H	nitro	1H-pyrazol-1-yl
1-18	CH ₃	H	1,1,1,2,3,3,3,3-heptafluoropropan-2-yl	H	ethyl	H	H	H	(phenylcarbonyl)-amino	1H-pyrazol-1-yl
1-19	CH ₃	H	1,1,1,2,3,3,3,3-heptafluoropropan-2-yl	H	ethyl	H	H	H	[(2-fluorophenyl)-carbonyl]amino	1H-pyrazol-1-yl
1-20	CH ₃	H	1,1,1,2,3,3,3,3-heptafluoropropan-2-yl	H	ethyl	H	H	H	[(2-chloropyridin-3-yl)carbonyl]amino	1H-pyrazol-1-yl
1-21	CH ₃	H	1,1,1,2,3,3,3,3-heptafluoropropan-2-yl	H	ethyl	H	H	H	H	4-chloro-1H-pyrazol-1-yl
1-22	CH ₃	H	1,1,1,2,3,3,3,3-heptafluoropropan-2-yl	H	ethyl	H	H	H	nitro	4-(trifluoromethyl)-1H-pyrazol-1-yl
1-23	CH ₃	H	1,1,1,2,3,3,3,3-heptafluoropropan-2-yl	H	ethyl	H	H	H	nitro	4-nitro-1H-pyrazol-1-yl
1-24	CH ₃	H	1,1,1,2,3,3,3,3-heptafluoropropan-2-yl	H	ethyl	H	H	H	nitro	4-cyano-1H-pyrazol-1-yl

1-25	CH ₃	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	ethyl	H	H	H	1H-imidazol-1-yl
1-26	CH ₃	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	ethyl	H	H	nitro	1H-imidazol-1-yl
1-27	CH ₃	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	ethyl	H	H	H	1H-1,2,3-triazol-1-yl
1-28	CH ₃	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	ethyl	H	H	nitro	1H-1,2,3-triazol-1-yl
1-29	CH ₃	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	ethyl	H	H	H	2H-1,2,3-triazol-2-yl
1-30	CH ₃	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	ethyl	H	H	nitro	2H-1,2,3-triazol-2-yl
1-31	CH ₃	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	ethyl	H	H	H	1H-1,2,4-triazol-1-yl
1-32	CH ₃	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	ethyl	H	H	CH ₃	1H-1,2,4-triazol-1-yl
1-33	CH ₃	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	ethyl	H	H	trifluoromethyl	1H-1,2,4-triazol-1-yl
1-34	CH ₃	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	ethyl	H	H	fluoro	1H-1,2,4-triazol-1-yl
1-35	CH ₃	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	ethyl	H	H	chloro	1H-1,2,4-triazol-1-yl
1-36	CH ₃	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	ethyl	H	H	bromo	1H-1,2,4-triazol-1-yl
1-37	CH ₃	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	ethyl	H	H	methoxy	1H-1,2,4-triazol-1-yl
1-38	CH ₃	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	ethyl	H	H	amino	1H-1,2,4-triazol-1-yl
1-39	CH ₃	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	ethyl	H	H	nitro	1H-1,2,4-triazol-1-yl
1-40	CH ₃	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	ethyl	H	H	propanoylamino	1H-1,2,4-triazol-1-yl

1-41	CH ₃	H	1,1,1,2,3,3,3,3-heptafluoropropan-2-yl	H	ethyl	H	H	(phenylcarbonyl)-amino	1H-1,2,4-triazol-1-yl
1-42	CH ₃	H	1,1,1,2,3,3,3,3-heptafluoropropan-2-yl	H	ethyl	H	H	[(2-fluorophenyl)-carbonyl]amino	1H-1,2,4-triazol-1-yl
1-43	CH ₃	H	1,1,1,2,3,3,3,3-heptafluoropropan-2-yl	H	ethyl	H	H	[(4-fluorophenyl)-carbonyl]amino	1H-1,2,4-triazol-1-yl
1-44	CH ₃	H	1,1,1,2,3,3,3,3-heptafluoropropan-2-yl	H	ethyl	H	H	[(2,5-difluorophenyl)-carbonyl]amino	1H-1,2,4-triazol-1-yl
1-45	CH ₃	H	1,1,1,2,3,3,3,3-heptafluoropropan-2-yl	H	ethyl	H	H	[(2-fluoropyridin-3-yl)carbonyl]amino	1H-1,2,4-triazol-1-yl
1-46	CH ₃	H	1,1,1,2,3,3,3,3-heptafluoropropan-2-yl	H	ethyl	H	H	[(2-chloropyridin-3-yl)carbonyl]amino	1H-1,2,4-triazol-1-yl
1-47	CH ₃	H	1,1,1,2,3,3,3,3-heptafluoropropan-2-yl	H	ethyl	H	H	(methoxycarbonyl)-amino	1H-1,2,4-triazol-1-yl
1-48	CH ₃	H	1,1,1,2,3,3,3,3-heptafluoropropan-2-yl	H	ethyl	H	H	(methylsulfonyl)-amino	1H-1,2,4-triazol-1-yl
1-49	CH ₃	H	1,1,1,2,3,3,3,3-heptafluoropropan-2-yl	H	ethyl	H	H	cyano	1H-1,2,4-triazol-1-yl
1-50	CH ₃	H	1,1,1,2,3,3,3,3-heptafluoropropan-2-yl	H	ethyl	H	H	H	3-(trifluoromethyl)-1H-1,2,4-triazol-1-yl
1-51	CH ₃	H	1,1,1,2,3,3,3,3-heptafluoropropan-2-yl	H	ethyl	H	H	amino	3-(trifluoromethyl)-1H-1,2,4-triazol-1-yl
1-52	CH ₃	H	1,1,1,2,3,3,3,3-heptafluoropropan-2-yl	H	ethyl	H	H	nitro	3-(trifluoromethyl)-1H-1,2,4-triazol-1-yl
1-53	CH ₃	H	1,1,1,2,3,3,3,3-heptafluoropropan-2-yl	H	ethyl	H	H	nitro	3-(methoxycarbonyl)-1H-1,2,4-triazol-1-yl
1-54	CH ₃	H	1,1,1,2,3,3,3,3-heptafluoropropan-2-yl	H	ethyl	H	H	H	3-carbamoyl-1H-1,2,4-triazol-1-yl
1-55	CH ₃	H	1,1,1,2,3,3,3,3-heptafluoropropan-2-yl	H	ethyl	H	H	H	1H-tetrazol-1-yl
1-56	CH ₃	H	1,1,1,2,3,3,3,3-heptafluoropropan-2-yl	H	ethyl	H	fluoro	H	1H-tetrazol-1-yl

1-57	CH ₃	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	ethyl	H	H	nitro	1H-tetrazol-1-yl
1-58	CH ₃	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	ethyl	H	H	H	2H-tetrazol-2-yl
1-59	CH ₃	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	ethyl	H	H	nitro	2H-tetrazol-2-yl
1-60	CH ₃	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	ethyl	H	H	H	5-(methylsulfonyl)-1H-tetrazol-1-yl
1-61	CH ₃	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	ethyl	H	H	H	1H-benzotriazol-1-yl
1-62	CH ₃	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	ethyl	H	H	nitro	1H-benzotriazol-1-yl
1-63	CH ₃	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	ethyl	H	H	nitro	2H-benzotriazol-2-yl
1-64	CH ₃	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	propan-2-yl	H	H	H	1H-1,2,4-triazol-1-yl
1-65	CH ₃	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	propan-2-yl	H	H	amino	1H-1,2,4-triazol-1-yl
1-66	CH ₃	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	propan-2-yl	H	H	nitro	1H-1,2,4-triazol-1-yl
1-67	CH ₃	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	methoxy - methyl	H	H	H	1H-1,2,4-triazol-1-yl
1-68	CH ₃	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	methoxy - methyl	H	H	amino	1H-1,2,4-triazol-1-yl
1-69	CH ₃	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	methoxy - methyl	H	H	nitro	1H-1,2,4-triazol-1-yl
1-70	CH ₃	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	methoxy	H	H	H	1H-1,2,4-triazol-1-yl
1-71	CH ₃	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	methoxy	H	H	amino	1H-1,2,4-triazol-1-yl

1-72	CH ₃	H	1,1,1,2,3,3,3,3-heptafluoropropan-2-yl	H	methoxy	H	H	nitro	1H-1,2,4-triazol-1-yl
1-73	ethyl	H	1,1,1,2,3,3,3,3-heptafluoropropan-2-yl	H	ethyl	H	H	H	1H-1,2,4-triazol-1-yl
1-74	ethyl	H	1,1,1,2,3,3,3,3-heptafluoropropan-2-yl	H	ethyl	H	H	chloro	1H-1,2,4-triazol-1-yl
1-75	ethyl	H	1,1,1,2,3,3,3,3-heptafluoropropan-2-yl	H	ethyl	H	H	bromo	1H-1,2,4-triazol-1-yl
1-76	ethyl	H	1,1,1,2,3,3,3,3-heptafluoropropan-2-yl	H	ethyl	H	H	amino	1H-1,2,4-triazol-1-yl
1-77	ethyl	H	1,1,1,2,3,3,3,3-heptafluoropropan-2-yl	H	ethyl	H	H	nitro	1H-1,2,4-triazol-1-yl
1-78	bromo	H	1,1,1,2,3,3,3,3-heptafluoropropan-2-yl	H	bromo	H	H	H	1H-1,2,4-triazol-1-yl
1-79	bromo	H	1,1,1,2,3,3,3,3-heptafluoropropan-2-yl	H	(trifluoro methyl)- sulfanyl	H	H	H	1H-1,2,4-triazol-1-yl
1-80	iodo	H	1,1,1,2,3,3,3,3-heptafluoropropan-2-yl	H	iodo	H	H	H	1H-1,2,4-triazol-1-yl
1-81	iodo	H	1,1,1,2,3,3,3,3-heptafluoropropan-2-yl	H	iodo	H	H	nitro	1H-1,2,4-triazol-1-yl
1-82	CH ₃	H	2-chloro-1,1,1,3,3,3,3-hexafluoropropan-2-yl	H	ethyl	H	H	H	1H-1,2,4-triazol-1-yl
1-83	CH ₃	H	1,1,1,3,3,3,3-hexafluoro-2-hydroxypropan-2-yl	H	ethyl	H	H	H	1H-1,2,4-triazol-1-yl
1-84	CH ₃	H	(2-ethoxy-1,1,1,3,3,3-hexafluoro-2-yl [(methylsulfonyl)oxy]- propan-2-yl	H	ethyl	H	H	H	1H-1,2,4-triazol-1-yl
1-85	CH ₃	H	1,1,1,3,3,3,3-hexafluoro-2-yl [(methylsulfonyl)oxy]- propan-2-yl	H	ethyl	H	H	H	1H-1,2,4-triazol-1-yl
1-86	CH ₃	H	2-(4-chloro-1H-pyrazol-1-yl)-1,1,1,3,3,3-hexafluoropropan-2-yl	H	ethyl	H	H	H	1H-tetrazol-1-yl


1-87	CH ₃	H	1,1,1,3,3,3-hexafluoro-2-(1H-1,2,4-triazol-1-yl)-propan-2-yl	H	CH ₃	H	chloro	H	1H-1,2,4-triazol-1-yl
1-88	CH ₃	H	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	H	CH ₃	H	H	H	1H-1,2,4-triazol-1-yl
1-89	CH ₃	H	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	H	ethyl	H	H	H	1H-1,2,4-triazol-1-yl
1-90	bromo	H	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	H	bromo	H	H	H	1H-1,2,4-triazol-1-yl
1-91	iodo	H	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	H	iodo	H	H	H	1H-1,2,4-triazol-1-yl
1-92	CH ₃	H	undecafluorocyclohexyl	H	CH ₃	H	H	H	1H-1,2,4-triazol-1-yl
1-93	CH ₃	H	undecafluorocyclohexyl	H	ethyl	H	H	H	1H-1,2,4-triazol-1-yl
1-94	bromo	H	undecafluorocyclohexyl	H	bromo	H	H	H	1H-1,2,4-triazol-1-yl
1-95	iodo	H	undecafluorocyclohexyl	H	iodo	H	H	H	1H-1,2,4-triazol-1-yl
1-96	CH ₃	H	undecafluorocyclohexyl	H	ethyl	H	H	bromo	1H-1,2,4-triazol-1-yl
1-97	bromo	H	trifluoromethoxy	H	bromo	H	H	H	1H-1,2,4-triazol-1-yl
1-98	bromo	H	trifluoromethylsulfanyl	H	bromo	H	H	H	1H-1,2,4-triazol-1-yl
1-99	CH ₃	H	(pentafluoroethyl)sulfanyl	H	ethyl	H	H	H	1H-1,2,4-triazol-1-yl
1-100	CH ₃	H	(pentafluoroethyl)sulfanyl	H	ethyl	H	H	amino	1H-1,2,4-triazol-1-yl
1-101	CH ₃	H	(pentafluoroethyl)sulfanyl	H	ethyl	H	H	nitro	1H-1,2,4-triazol-1-yl

1-102	CH ₃	H	(pentafluoroethyl)sulfanyl	H	ethyl	H	H	propanoylamino	1H-1,2,4-triazol-1-yl
1-103	CH ₃	H	(pentafluoroethyl)sulfanyl	H	ethyl	H	H	[(2-fluorophenyl)- carbonyl]amino	1H-1,2,4-triazol-1-yl
1-104	CH ₃	H	(pentafluoroethyl)sulfanyl	H	ethyl	H	H	(methoxycarbonyl)- amino	1H-1,2,4-triazol-1-yl
1-105	bromo	H	(pentafluoroethyl)sulfanyl	H	bromo	H	H	H	1H-1,2,4-triazol-1-yl
1-106	bromo	H	(heptafluoropropyl)- sulfanyl	H	bromo	H	H	H	1H-1,2,4-triazol-1-yl
1-107	bromo	H	(nonafluorobutyl)sulfanyl	H	bromo	H	H	H	1H-1,2,4-triazol-1-yl
1-108	unused number								
1-109	unused number								
1-110	unused number								
1-111	unused number								
1-112	unused number								
1-113	unused number								
1-114	unused number								
1-115	unused number								
1-116	unused number								
1-117	unused number								

1-118	CH ₃	H	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	H	CH ₃	H	H	H	cyano	1H-1,2,4-triazol-1-yl
1-119	CH ₃	H	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	H	ethyl	H	H	H	cyano	1H-1,2,4-triazol-1-yl
1-120	CH ₃	H	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	H	CH ₃	H	H	H	H	1H-1,2,4-triazol-1-yl
1-121	CH ₃	H	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	H	ethyl	H	H	H	H	1H-1,2,4-triazol-1-yl
1-122	bromo	H	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	H	bromo	H	H	H	H	1H-1,2,4-triazol-1-yl
1-123	bromo	H	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	H	difluoro-methoxy	H	H	H	H	1H-1,2,4-triazol-1-yl
1-124	CH ₃	H	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	H	CH ₃	H	H	H	cyano	1H-1,2,4-triazol-1-yl
1-125	CH ₃	H	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	H	ethyl	H	H	H	cyano	1H-1,2,4-triazol-1-yl
1-126	bromo	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	difluoro-methoxy	H	H	H	H	1H-1,2,4-triazol-1-yl
1-127	bromo	H	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	H	difluoro-methoxy	H	H	H	H	1H-1,2,4-triazol-1-yl
1-128	bromo	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	difluoro-methoxy	H	H	H	H	1H-1,2,4-triazol-1-yl
1-129	CH ₃	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	difluoro-methoxy	H	H	H	H	1H-1,2,4-triazol-1-yl
1-130	CH ₃	H	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	H	difluoro-methoxy	H	H	H	H	1H-1,2,4-triazol-1-yl
1-131	CH ₃	H	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	H	difluoro-methoxy	H	H	H	H	1H-1,2,4-triazol-1-yl
1-132	chloro	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	difluoro-methoxy	H	H	H	H	1H-1,2,4-triazol-1-yl

1-133	chloro	H	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	H	difluoro methoxy	H	H	H	1H-1,2,4-triazol-1-yl
1-134	chloro	H	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	H	difluoro methoxy	H	H	H	1H-1,2,4-triazol-1-yl


Table 2



Exa	R1	R2	J	R4	R5	Q	W
2-1	CH ₃	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	CH ₃	H	1H-1,2,4-triazol-1-yl
2-2	CH ₃	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	ethyl	H	1H-1,2,4-triazol-1-yl
2-3	bromo	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	bromo	H	1H-1,2,4-triazol-1-yl
2-4	CH ₃	H	1,1,1,3,3,3-hexafluoro-2-(1H-1,2,4-triazol-1-yl)propan-2-yl	H	ethyl	H	1H-1,2,4-triazol-1-yl
2-5	CH ₃	H	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	H	CH ₃	H	1H-1,2,4-triazol-1-yl
2-6	CH ₃	H	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	H	ethyl	H	1H-1,2,4-triazol-1-yl
2-7	bromo	H	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	H	bromo	H	1H-1,2,4-triazol-1-yl
2-8	iodo	H	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	H	iodo	H	1H-1,2,4-triazol-1-yl
2-9	CH ₃	H	undecafluorocyclohexyl	H	CH ₃	H	1H-1,2,4-triazol-1-yl

2-10	CH ₃	H	undecafluorocyclohexyl	H	ethyl	H	1H-1,2,4-triazol-1-yl
2-11	bromo	H	undecafluorocyclohexyl	H	bromo	H	1H-1,2,4-triazol-1-yl
2-12	iodo	H	undecafluorocyclohexyl	H	iodo	H	1H-1,2,4-triazol-1-yl
2-13	CH ₃	H	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	H	CH ₃	H	1H-1,2,4-triazol-1-yl
2-14	CH ₃	H	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	H	ethyl	H	1H-1,2,4-triazol-1-yl
2-15	bromo	H	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	H	bromo	H	1H-1,2,4-triazol-1-yl
2-16	bromo	H	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	H	difluoromethoxy	H	1H-1,2,4-triazol-1-yl
2-17	bromo	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	difluoromethoxy	H	1H-1,2,4-triazol-1-yl
2-18	bromo	H	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	H	difluoromethoxy	H	1H-1,2,4-triazol-1-yl
2-19	CH ₃	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	difluoromethoxy	H	1H-1,2,4-triazol-1-yl
2-20	CH ₃	H	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	H	difluoromethoxy	H	1H-1,2,4-triazol-1-yl
2-21	CH ₃	H	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	H	difluoromethoxy	H	1H-1,2,4-triazol-1-yl
2-22	chloro	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	difluoromethoxy	H	1H-1,2,4-triazol-1-yl
2-23	chloro	H	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	H	difluoromethoxy	H	1H-1,2,4-triazol-1-yl
2-24	chloro	H	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	H	difluoromethoxy	H	1H-1,2,4-triazol-1-yl


Table 3



Exa	R1	R2	J	R4	R5	Q	R8	W
3-1	CH ₃	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	CH ₃	H	H	1H-1,2,4-triazol-1-yl
3-2	CH ₃	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	ethyl	H	H	1H-1,2,4-triazol-1-yl
3-3	bromo	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	bromo	H	H	1H-1,2,4-triazol-1-yl
3-4	CH ₃	H	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	H	CH ₃	H	H	1H-1,2,4-triazol-1-yl
3-5	CH ₃	H	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	H	ethyl	H	H	1H-1,2,4-triazol-1-yl
3-6	bromo	H	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	H	bromo	H	H	1H-1,2,4-triazol-1-yl
3-7	iodo	H	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	H	iodo	H	H	1H-1,2,4-triazol-1-yl
3-8	CH ₃	H	undecafluorocyclohexyl	H	CH ₃	H	H	1H-1,2,4-triazol-1-yl
3-9	CH ₃	H	undecafluorocyclohexyl	H	ethyl	H	H	1H-1,2,4-triazol-1-yl
3-10	bromo	H	undecafluorocyclohexyl	H	bromo	H	H	1H-1,2,4-triazol-1-yl
3-11	iodo	H	undecafluorocyclohexyl	H	iodo	H	H	1H-1,2,4-triazol-1-yl

3-12	CH ₃	H	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	H	CH ₃	H	1H-1,2,4-triazol-1-yl
3-13	CH ₃	H	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	H	ethyl	H	1H-1,2,4-triazol-1-yl
3-14	bromo	H	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	H	bromo	H	1H-1,2,4-triazol-1-yl
3-15	bromo	H	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	H	difluoromethoxy	H	1H-1,2,4-triazol-1-yl
3-16	bromo	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	difluoromethoxy	H	1H-1,2,4-triazol-1-yl
3-17	bromo	H	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	H	difluoromethoxy	H	1H-1,2,4-triazol-1-yl
3-18	CH ₃	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	difluoromethoxy	H	1H-1,2,4-triazol-1-yl
3-19	CH ₃	H	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	H	difluoromethoxy	H	1H-1,2,4-triazol-1-yl
3-20	CH ₃	H	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	H	difluoromethoxy	H	1H-1,2,4-triazol-1-yl
3-21	chloro	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	difluoromethoxy	H	1H-1,2,4-triazol-1-yl
3-22	chloro	H	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	H	difluoromethoxy	H	1H-1,2,4-triazol-1-yl
3-23	chloro	H	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	H	difluoromethoxy	H	1H-1,2,4-triazol-1-yl


Table 4



Exa	R1	R2	J	R4	R5	Q	R7	W
4-1	CH ₃	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	CH ₃	H	H	1H-1,2,4-triazol-1-yl
4-2	CH ₃	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	ethyl	H	H	1H-1,2,4-triazol-1-yl
4-3	bromo	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	bromo	H	H	1H-1,2,4-triazol-1-yl
4-4	CH ₃	H	1,1,1,2,3,3,3,4,4,4-nonafluorobutan-2-yl	H	CH ₃	H	H	1H-1,2,4-triazol-1-yl
4-5	CH ₃	H	1,1,1,2,3,3,3,4,4,4-nonafluorobutan-2-yl	H	ethyl	H	H	1H-1,2,4-triazol-1-yl
4-6	bromo	H	1,1,1,2,3,3,3,4,4,4-nonafluorobutan-2-yl	H	bromo	H	H	1H-1,2,4-triazol-1-yl
4-7	iodo	H	1,1,1,2,3,3,3,4,4,4-nonafluorobutan-2-yl	H	iodo	H	H	1H-1,2,4-triazol-1-yl
4-8	CH ₃	H	undecafluorocyclohexyl	H	CH ₃	H	H	1H-1,2,4-triazol-1-yl
4-9	CH ₃	H	undecafluorocyclohexyl	H	ethyl	H	H	1H-1,2,4-triazol-1-yl
4-10	bromo	H	undecafluorocyclohexyl	H	bromo	H	H	1H-1,2,4-triazol-1-yl
4-11	iodo	H	undecafluorocyclohexyl	H	iodo	H	H	1H-1,2,4-triazol-1-yl

4-12	CH ₃	H	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	H	CH ₃	H	1H-1,2,4-triazol-1-yl
4-13	CH ₃	H	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	H	ethyl	H	1H-1,2,4-triazol-1-yl
4-14	bromo	H	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	H	bromo	H	1H-1,2,4-triazol-1-yl
4-15	bromo	H	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	H	difluoromethoxy	H	1H-1,2,4-triazol-1-yl
4-16	bromo	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	difluoromethoxy	H	1H-1,2,4-triazol-1-yl
4-17	bromo	H	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	H	difluoromethoxy	H	1H-1,2,4-triazol-1-yl
4-18	CH ₃	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	difluoromethoxy	H	1H-1,2,4-triazol-1-yl
4-19	CH ₃	H	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	H	difluoromethoxy	H	1H-1,2,4-triazol-1-yl
4-20	CH ₃	H	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	H	difluoromethoxy	H	1H-1,2,4-triazol-1-yl
4-21	chloro	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	difluoromethoxy	H	1H-1,2,4-triazol-1-yl
4-22	chloro	H	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	H	difluoromethoxy	H	1H-1,2,4-triazol-1-yl
4-23	chloro	H	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	H	difluoromethoxy	H	1H-1,2,4-triazol-1-yl

Table 5



Exa	R1	R2	J	R4	R5	Q	R7	R8	R10	R14	R15
5-1	CH ₃	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	CH ₃	H	H	H	H	H	H
5-2	CH ₃	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	CH ₃	H	H	H	H	H	acetyl
5-3	CH ₃	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	CH ₃	H	H	H	H	H	propanoyl
5-4	CH ₃	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	CH ₃	H	H	H	H	H	2-methylpropanoyl
5-5	CH ₃	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	CH ₃	H	H	H	H	H	chloroacetyl
5-6	CH ₃	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	CH ₃	H	H	H	H	H	difluoroacetyl
5-7	CH ₃	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	CH ₃	H	H	H	H	H	3,3,3-trifluoro-propanoyl
5-8	CH ₃	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	CH ₃	H	H	H	H	H	cyclopropylacetyl
5-9	CH ₃	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	CH ₃	H	H	H	H	H	cyclobutylcarbonyl
5-10	CH ₃	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	CH ₃	H	H	H	H	H	cyclopentylcarbonyl

5-11	CH ₃	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	CH ₃	H	H	H	H	H	cyclohexylcarbonyl
5-12	CH ₃	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	CH ₃	H	H	H	H	H	(2E)-but-2-enyl
5-13	CH ₃	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	CH ₃	H	H	H	H	H	(2E)-2-methylbut-2-enyl
5-14	CH ₃	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	CH ₃	H	H	H	H	H	methoxyacetyl
5-15	CH ₃	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	CH ₃	H	H	H	H	H	3-methoxypropanoyl
5-16	CH ₃	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	CH ₃	H	H	H	H	H	3-methoxybutanoyl
5-17	CH ₃	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	CH ₃	H	H	H	H	H	1H-1,2,4-triazol-1-ylacetyl
5-18	CH ₃	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	CH ₃	H	H	H	H	H	(4-fluorophenyl)-acetyl
5-19	CH ₃	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	CH ₃	H	H	H	H	H	(2-fluoropyridin-3-yl)carbonyl
5-20	CH ₃	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	CH ₃	H	fluoro	H	H	H	H
5-21	CH ₃	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	CH ₃	H	fluoro	H	H	H	acetyl
5-22	CH ₃	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	CH ₃	H	fluoro	H	H	H	propanoyl
5-23	CH ₃	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	CH ₃	H	fluoro	H	H	H	cyclopropylcarbonyl
5-24	CH ₃	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	CH ₃	H	fluoro	H	H	H	cyclopropylacetyl
5-25	CH ₃	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	CH ₃	H	fluoro	H	H	H	3,3,3-trifluoro-3-propanoyl
5-26	CH ₃	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	CH ₃	H	fluoro	H	H	H	tert-butoxycarbonyl
5-27	CH ₃	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	ethyl	H	H	H	H	H	H
5-28	CH ₃	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	ethyl	H	H	H	H	H	acetyl

5-29	CH ₃	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	ethyl	H	H	H	H	H	propanoyl
5-30	CH ₃	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	ethyl	H	H	H	H	H	cyclopropylcarbonyl
5-31	CH ₃	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	ethyl	H	H	H	H	H	cyclopropylacetyl
5-32	CH ₃	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	ethyl	H	H	H	H	H	3,3,3-trifluoropropanoyl
5-33	CH ₃	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	ethyl	H	H	H	H	H	(methylsulfanyl)-acetyl
5-34	CH ₃	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	ethyl	H	H	H	H	H	(2-fluorophenyl)-carbonyl
5-35	CH ₃	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	ethyl	H	H	H	H	H	(3-fluorophenyl)-carbonyl
5-36	CH ₃	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	ethyl	H	H	H	H	H	(4-fluorophenyl)-carbonyl
5-37	CH ₃	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	ethyl	H	H	H	H	H	(2-chlorophenyl)-carbonyl
5-38	CH ₃	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	ethyl	H	H	H	H	H	(3-chlorophenyl)-carbonyl
5-39	CH ₃	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	ethyl	H	H	H	H	H	(4-chlorophenyl)-carbonyl
5-40	CH ₃	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	ethyl	H	H	H	H	H	(2-fluoropyridin-3-yl)carbonyl
5-41	CH ₃	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	ethyl	H	H	H	H	H	(2-chloropyridin-3-yl)carbonyl
5-42	CH ₃	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	ethyl	H	H	H	H	H	(2,2,2-trichloroethoxy)carbonyl
5-43	CH ₃	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	ethyl	H	fluoro	H	H	H	H
5-44	CH ₃	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	ethyl	H	fluoro	H	H	H	acetyl
5-45	CH ₃	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	ethyl	H	fluoro	H	H	H	propanoyl
5-46	CH ₃	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	ethyl	H	fluoro	H	H	H	cyclopropylacetyl

5-47	CH ₃	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	ethyl	H	fluoro	H	H	H	3,3,3-trifluoropropanoyl
5-48	CH ₃	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	ethyl	H	fluoro	H	H	H	(2-fluoropyridin-3-yl)carbonyl
5-49	CH ₃	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	ethyl	H	fluoro	H	H	H	tert-butoxycarbonyl
5-50	CH ₃	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	ethyl	H	fluoro	fluoro	H	H	H
5-51	CH ₃	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	ethyl	H	fluoro	fluoro	H	H	acetyl
5-52	CH ₃	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	ethyl	H	fluoro	fluoro	H	H	propanoyl
5-53	CH ₃	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	ethyl	H	fluoro	fluoro	H	H	cyclopropylcarbonyl
5-54	CH ₃	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	ethyl	H	fluoro	fluoro	H	H	cyclopropylacetyl
5-55	CH ₃	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	ethyl	H	fluoro	fluoro	H	H	3,3,3-trifluoropropanoyl
5-56	CH ₃	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	ethyl	H	fluoro	fluoro	H	H	tert-butoxycarbonyl
5-57	CH ₃	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	ethyl	H	fluoro	H	fluoro	H	H
5-58	CH ₃	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	ethyl	H	fluoro	H	fluoro	H	acetyl
5-59	CH ₃	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	ethyl	H	fluoro	H	fluoro	H	propanoyl
5-60	CH ₃	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	ethyl	H	fluoro	H	fluoro	H	cyclopropylcarbonyl
5-61	CH ₃	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	ethyl	H	fluoro	H	fluoro	H	cyclopropylacetyl
5-62	CH ₃	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	ethyl	H	fluoro	H	fluoro	H	3,3,3-trifluoropropanoyl
5-63	CH ₃	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	ethyl	H	fluoro	H	fluoro	H	tert-butoxycarbonyl
5-64	CH ₃	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	ethyl	H	chloro	H	H	H	H

5-65	CH ₃	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	ethyl	H	chloro	H	H	H	acetyl
5-66	CH ₃	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	ethyl	H	chloro	H	H	H	propanoyl
5-67	CH ₃	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	ethyl	H	chloro	H	H	H	cyclopropylacetyl
5-68	CH ₃	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	ethyl	H	chloro	H	H	H	3,3,3-trifluoropropanoyl
5-69	CH ₃	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	ethyl	H	chloro	H	H	H	tert-butoxycarbonyl
5-70	CH ₃	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	ethyl	H	H	fluoro	H	H	H
5-71	CH ₃	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	ethyl	H	H	fluoro	H	H	acetyl
5-72	CH ₃	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	ethyl	H	H	fluoro	H	H	propanoyl
5-73	CH ₃	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	ethyl	H	H	fluoro	H	H	cyclopropylcarbonyl
5-74	CH ₃	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	ethyl	H	H	fluoro	H	H	cyclopropylacetyl
5-75	CH ₃	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	ethyl	H	H	fluoro	H	H	3,3,3-trifluoropropanoyl
5-76	CH ₃	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	ethyl	H	H	chloro	H	H	H
5-77	CH ₃	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	ethyl	H	H	chloro	H	H	acetyl
5-78	CH ₃	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	ethyl	H	H	chloro	H	H	propanoyl
5-79	CH ₃	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	ethyl	H	H	chloro	H	H	cyclopropylcarbonyl
5-80	CH ₃	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	ethyl	H	H	chloro	H	H	cyclopropylacetyl
5-81	CH ₃	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	ethyl	H	H	chloro	H	H	3,3,3-trifluoropropanoyl
5-82	CH ₃	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	ethyl	H	H	chloro	H	H	(2-fluoropyridin-3-yl)carbonyl

5-83	CH ₃	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	ethyl	H	H	H	bromo	H	H	H
5-84	CH ₃	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	ethyl	H	H	H	bromo	H	H	formyl
5-85	CH ₃	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	ethyl	H	H	H	bromo	H	H	acetyl
5-86	CH ₃	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	ethyl	H	H	H	bromo	H	H	propanoyl
5-87	CH ₃	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	ethyl	H	H	H	bromo	H	H	cyclopropylcarbonyl
5-88	CH ₃	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	ethyl	H	H	H	bromo	H	H	cyclopropylacetyl
5-89	CH ₃	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	ethyl	H	H	H	bromo	H	H	3,3,3-trifluoropropanoyl
5-90	CH ₃	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	ethyl	H	H	H	bromo	H	H	(2E)-but-2-enoyl
5-91	CH ₃	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	ethyl	H	H	H	bromo	H	H	methoxyacetyl
5-92	CH ₃	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	ethyl	H	H	H	bromo	H	H	(4-fluorophenyl)-carbonyl
5-93	CH ₃	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	ethyl	H	H	H	bromo	H	H	(2-fluoropyridin-3-yl)carbonyl
5-94	CH ₃	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	ethyl	H	H	H	bromo	H	H	(2-chloropyridin-3-yl)carbonyl
5-95	CH ₃	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	ethyl	H	H	H	bromo	H	H	ethylcarbonyl
5-96	CH ₃	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	ethyl	H	H	H	bromo	H	H	methylsulfonyl
5-97	CH ₃	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	ethyl	H	H	H	bromo	H	H	dimethylsulfamoyl
5-98	CH ₃	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	ethyl	H	H	H	CH ₃	H	H	H
5-99	CH ₃	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	ethyl	H	H	H	CH ₃	H	H	acetyl
5-100	CH ₃	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	ethyl	H	H	H	CH ₃	H	H	propanoyl

5-101	CH ₃	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	ethyl	H	H	CH ₃	H	H	cyclopropylacetyl
5-102	CH ₃	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	ethyl	H	H	CH ₃	H	H	3,3,3-trifluoropropanoyl
5-103	CH ₃	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	ethyl	H	H	CH ₃	H	H	(2-fluoropyridin-3-yl)carbonyl
5-104	CH ₃	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	ethyl	H	H	CH ₃	H	H	tert-butoxycarbonyl
5-105	CH ₃	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	ethyl	H	H	trifluoro-methyl	H	H	H
5-106	CH ₃	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	ethyl	H	H	trifluoro-methyl	H	H	acetyl
5-107	CH ₃	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	ethyl	H	H	trifluoro-methyl	H	H	propanoyl
5-108	CH ₃	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	ethyl	H	H	trifluoro-methyl	H	H	cyclopropylcarbonyl
5-109	CH ₃	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	ethyl	H	H	trifluoro-methyl	H	H	cyclopropylacetyl
5-110	CH ₃	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	ethyl	H	H	trifluoro-methyl	H	H	3,3,3-trifluoropropanoyl
5-111	CH ₃	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	ethyl	H	H	trifluoro-methyl	H	H	(4-fluorophenyl)-carbonyl
5-112	CH ₃	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	ethyl	H	H	trifluoro-methyl	H	H	(2-fluoropyridin-3-yl)carbonyl
5-113	CH ₃	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	ethyl	H	H	nitro	H	H	H
5-114	CH ₃	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	ethyl	H	H	nitro	H	H	acetyl
5-115	CH ₃	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	ethyl	H	H	nitro	H	H	propanoyl
5-116	CH ₃	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	ethyl	H	H	nitro	H	H	cyclopropylcarbonyl
5-117	CH ₃	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	ethyl	H	H	nitro	H	H	cyclopropylacetyl
5-118	CH ₃	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	ethyl	H	H	nitro	H	H	3,3,3-trifluoropropanoyl

5-119	bromo	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	bromo	H	H	H	H	H	H	H
5-120	bromo	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	bromo	H	H	H	H	H	H	acetyl
5-121	bromo	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	bromo	H	H	H	H	H	H	propanoyl
5-122	bromo	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	bromo	H	H	H	H	H	H	cyclopropylcarbonyl
5-123	bromo	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	bromo	H	H	H	H	H	H	cyclopropylacetyl
5-124	bromo	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	bromo	H	H	H	H	H	H	3,3,3-trifluoro-propanoyl
5-125	CH ₃	H	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	H	CH ₃	H	H	H	H	H	H	H
5-126	CH ₃	H	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	H	CH ₃	H	H	H	H	H	H	acetyl
5-127	CH ₃	H	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	H	CH ₃	H	H	H	H	H	H	propanoyl
5-128	CH ₃	H	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	H	CH ₃	H	H	H	H	H	H	cyclopropylcarbonyl
5-129	CH ₃	H	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	H	CH ₃	H	H	H	H	H	H	cyclopropylacetyl
5-130	CH ₃	H	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	H	CH ₃	H	H	H	H	H	H	3,3,3-trifluoro-propanoyl
5-131	CH ₃	H	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	H	CH ₃	H	H	H	chloro	H	H	H
5-132	CH ₃	H	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	H	CH ₃	H	H	H	chloro	H	H	acetyl
5-133	CH ₃	H	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	H	CH ₃	H	H	H	chloro	H	H	propanoyl
5-134	CH ₃	H	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	H	CH ₃	H	H	H	chloro	H	H	cyclopropylcarbonyl
5-135	CH ₃	H	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	H	CH ₃	H	H	H	chloro	H	H	cyclopropylacetyl
5-136	CH ₃	H	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	H	CH ₃	H	H	H	chloro	H	H	3,3,3-trifluoro-propanoyl

5-137	CH ₃	H	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	H	ethyl	H	H	H	H	H	H	H
5-138	CH ₃	H	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	H	ethyl	H	H	H	H	H	H	acetyl
5-139	CH ₃	H	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	H	ethyl	H	H	H	H	H	H	propanoyl
5-140	CH ₃	H	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	H	ethyl	H	H	H	H	H	H	cyclopropylcarbonyl
5-141	CH ₃	H	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	H	ethyl	H	H	H	H	H	H	cyclopropylacetyl
5-142	CH ₃	H	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	H	ethyl	H	H	H	H	H	H	3,3,3-trifluoro-propanoyl
5-143	CH ₃	H	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	H	ethyl	H	H	H	fluoro	H	H	H
5-144	CH ₃	H	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	H	ethyl	H	H	H	fluoro	H	H	acetyl
5-145	CH ₃	H	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	H	ethyl	H	H	H	fluoro	H	H	propanoyl
5-146	CH ₃	H	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	H	ethyl	H	H	H	fluoro	H	H	cyclopropylcarbonyl
5-147	CH ₃	H	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	H	ethyl	H	H	H	fluoro	H	H	cyclopropylacetyl
5-148	CH ₃	H	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	H	ethyl	H	H	H	fluoro	H	H	3,3,3-trifluoro-propanoyl
5-149	CH ₃	H	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	H	ethyl	H	H	H	chloro	H	H	H
5-150	CH ₃	H	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	H	ethyl	H	H	H	chloro	H	H	acetyl
5-151	CH ₃	H	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	H	ethyl	H	H	H	chloro	H	H	propanoyl
5-152	CH ₃	H	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	H	ethyl	H	H	H	chloro	H	H	cyclopropylcarbonyl
5-153	CH ₃	H	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	H	ethyl	H	H	H	chloro	H	H	cyclopropylacetyl
5-154	CH ₃	H	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	H	ethyl	H	H	H	chloro	H	H	3,3,3-trifluoro-propanoyl

5-155	CH ₃	H	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	H	ethyl	H	H	H	chloro	H	H	(2-fluoropyridin-3-yl)carbonyl
5-156	CH ₃	H	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	H	ethyl	H	H	H	bromo	H	H	H
5-157	CH ₃	H	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	H	ethyl	H	H	H	bromo	H	H	acetyl
5-158	CH ₃	H	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	H	ethyl	H	H	H	bromo	H	H	propanoyl
5-159	CH ₃	H	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	H	ethyl	H	H	H	bromo	H	H	cyclopropylcarbonyl
5-160	CH ₃	H	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	H	ethyl	H	H	H	bromo	H	H	cyclopropylacetyl
5-161	CH ₃	H	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	H	ethyl	H	H	H	bromo	H	H	3,3,3-trifluoro-propanoyl
5-162	bromo	H	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	H	bromo	H	H	H	H	H	H	H
5-163	bromo	H	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	H	bromo	H	H	H	H	H	H	acetyl
5-164	bromo	H	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	H	bromo	H	H	H	H	H	H	propanoyl
5-165	bromo	H	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	H	bromo	H	H	H	H	H	H	cyclopropylcarbonyl
5-166	bromo	H	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	H	bromo	H	H	H	H	H	H	cyclopropylacetyl
5-167	bromo	H	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	H	bromo	H	H	H	H	H	H	3,3,3-trifluoro-propanoyl
5-168	CH ₃	H	undecafluorocyclohexyl	H	ethyl	H	H	H	chloro	H	H	H
5-169	CH ₃	H	undecafluorocyclohexyl	H	ethyl	H	H	H	chloro	H	H	acetyl
5-170	CH ₃	H	undecafluorocyclohexyl	H	ethyl	H	H	H	chloro	H	H	propanoyl
5-171	CH ₃	H	undecafluorocyclohexyl	H	ethyl	H	H	H	chloro	H	H	cyclopropylcarbonyl
5-172	CH ₃	H	undecafluorocyclohexyl	H	ethyl	H	H	H	chloro	H	H	cyclopropylacetyl

5-173	CH ₃	H	undecafluorocyclohexyl	H	ethyl	H	H	H	chloro	H	H	3,3,3-trifluoro- propanoyl
5-174	CH ₃	H	1,1,1,2,3,3,4,4,4- nonafluorobutan-2-yl	H	ethyl	H	H	H	fluoro	H	H	(2-fluoropyridin- 3-yl)carbonyl
5-175	CH ₃	H	1,1,1,2,3,3,4,4,4- nonafluorobutan-2-yl	H	ethyl	H	H	H	bromo	H	H	(2-chloropyridin- 3-yl)carbonyl
5-176	CH ₃	H	1,1,1,2,3,3,3- heptafluoropropan-2-yl	H	ethyl	H	H	H	bromo	H	H	(methylsulfonyl)- acetyl
5-177	CH ₃	H	1,1,1,2,3,3,3- heptafluoropropan-2-yl	H	ethyl	H	H	H	bromo	H	H	(methylsulfinyl)- acetyl
5-178	CH ₃	H	1,1,1,2,3,3,3- heptafluoropropan-2-yl	H	ethyl	H	H	H	bromo	H	H	(methylsulfonyl)- acetyl
5-179	CH ₃	H	1,1,1,2,3,3,4,4,4- nonafluorobutan-2-yl	H	ethyl	H	H	H	bromo	H	H	(methylsulfonyl)- acetyl
5-180	CH ₃	H	1,1,1,2,3,3,4,4,4- nonafluorobutan-2-yl	H	ethyl	H	H	H	bromo	H	H	(methylsulfinyl)- acetyl
5-181	CH ₃	H	1,1,1,2,3,3,4,4,4- nonafluorobutan-2-yl	H	ethyl	H	H	H	bromo	H	H	(methylsulfonyl)- acetyl
5-182	CH ₃	H	1,1,1,2,3,3,3- heptafluoropropan-2-yl	H	CH ₃	H	H	fluoro	H	H	H	(2-chloropyridin- 3-yl)carbonyl
5-183	CH ₃	H	1,1,1,2,3,3,3- heptafluoropropan-2-yl	H	ethyl	H	H	fluoro	H	H	H	(2-chloropyridin- 3-yl)carbonyl
5-184	CH ₃	H	1,1,1,2,3,3,3- heptafluoropropan-2-yl	H	ethyl	H	H	H	H	CH ₃	H	H
5-185	CH ₃	H	1,1,1,2,3,3,3- heptafluoropropan-2-yl	H	ethyl	H	H	H	H	CH ₃	H	acetyl
5-186	CH ₃	H	1,1,1,2,3,3,3- heptafluoropropan-2-yl	H	ethyl	H	H	H	H	CH ₃	H	propanoyl
5-187	CH ₃	H	1,1,1,2,3,3,3- heptafluoropropan-2-yl	H	ethyl	H	H	H	H	CH ₃	H	cyclopropylacetyl
5-188	CH ₃	H	1,1,1,2,3,3,3- heptafluoropropan-2-yl	H	ethyl	H	H	H	H	CH ₃	H	3,3,3-trifluoro- propanoyl
5-189	CH ₃	H	1,1,1,2,3,3,3- heptafluoropropan-2-yl	H	ethyl	H	H	H	H	CH ₃	H	(2-chloropyridin- 3-yl)carbonyl
5-190	CH ₃	H	1,1,1,2,3,3,3- heptafluoropropan-2-yl	H	ethyl	H	H	H	iodo	H	H	acetyl

[illegible]

5-209	unused number											
5-210	CH3	H	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	H	CH3	H	H	bromo	H	H	H	H
5-211	CH3	H	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	H	CH3	H	H	bromo	H	H	H	acetyl
5-212	CH3	H	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	H	CH3	H	H	bromo	H	H	H	propanoyl
5-213	CH3	H	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	H	CH3	H	fluoro	fluoro	H	H	H	3,3,3-trifluoro-propanoyl
5-214	CH3	H	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	H	CH3	H	H	chloro	H	H	H	H
5-215	CH3	H	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	H	CH3	H	H	chloro	H	H	H	acetyl
5-216	CH3	H	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	H	CH3	H	H	chloro	H	H	H	propanoyl
5-217	CH3	H	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	H	CH3	H	H	chloro	H	H	H	3,3,3-trifluoro-propanoyl
5-218	CH3	H	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	H	ethyl	H	H	chloro	H	H	H	H
5-219	CH3	H	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	H	ethyl	H	H	chloro	H	H	H	acetyl
5-220	CH3	H	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	H	ethyl	H	H	chloro	H	H	H	propanoyl
5-221	CH3	H	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	H	ethyl	H	H	chloro	H	H	H	3,3,3-trifluoro-propanoyl
5-222	chloro	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	chloro	H	H	H	H	H	H	H
5-223	chloro	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	chloro	H	H	H	H	H	H	acetyl
5-224	chloro	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	chloro	H	H	H	H	H	H	propanoyl
5-225	chloro	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	chloro	H	H	H	H	H	H	cyclopropyl-acetyl
5-226	chloro	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	chloro	H	H	H	H	H	H	3,3,3-trifluoro-propanoyl

5-227	chloro	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	chloro	H	H	H	H	H	H	H	tert-butoxy-carbonyl
5-228	chloro	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	chloro	H	H	chloro	H	H	H	H	H
5-229	chloro	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	chloro	H	H	chloro	H	H	H	H	acetyl
5-230	chloro	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	chloro	H	H	chloro	H	H	H	H	propanoyl
5-231	chloro	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	chloro	H	H	chloro	H	H	H	H	cyclopropyl-carbonyl
5-232	chloro	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	chloro	H	H	chloro	H	H	H	H	3,3,3-trifluoro-propanoyl
5-233	bromo	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	bromo	H	H	chloro	H	H	H	H	H
5-234	bromo	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	bromo	H	H	chloro	H	H	H	H	acetyl
5-235	bromo	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	bromo	H	H	chloro	H	H	H	H	propanoyl
5-236	bromo	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	bromo	H	H	chloro	H	H	H	H	3,3,3-trifluoro-propanoyl
5-237	iodo	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	iodo	H	H	chloro	H	H	H	H	H
5-238	iodo	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	iodo	H	H	chloro	H	H	H	H	acetyl
5-239	iodo	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	iodo	H	H	chloro	H	H	H	H	propanoyl
5-240	iodo	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	iodo	H	H	chloro	H	H	H	H	3,3,3-trifluoro-propanoyl
5-241	chloro	H	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	H	chloro	H	H	chloro	H	H	H	H	H
5-242	chloro	H	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	H	chloro	H	H	chloro	H	H	H	H	acetyl
5-243	chloro	H	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	H	chloro	H	H	chloro	H	H	H	H	propanoyl
5-244	chloro	H	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	H	chloro	H	H	chloro	H	H	H	H	3,3,3-trifluoro-propanoyl

5-245	bromo	H	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	H	bromo	H	H	H	chloro	H	H	H
5-246	bromo	H	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	H	bromo	H	H	H	chloro	H	H	acetyl
5-247	bromo	H	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	H	bromo	H	H	H	chloro	H	H	propanoyl
5-248	bromo	H	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	H	bromo	H	H	H	chloro	H	H	3,3,3-trifluoro-propanoyl
5-249	bromo	H	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	H	difluoro-methoxy	H	H	H	chloro	H	H	H
5-250	bromo	H	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	H	difluoro-methoxy	H	H	H	chloro	H	H	acetyl
5-251	bromo	H	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	H	difluoro-methoxy	H	H	H	chloro	H	H	propanoyl
5-252	bromo	H	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	H	difluoro-methoxy	H	H	H	chloro	H	H	3,3,3-trifluoro-propanoyl
5-253	bromo	H	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	H	trifluoro-methoxy	H	H	H	chloro	H	H	H
5-254	bromo	H	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	H	trifluoro-methoxy	H	H	H	chloro	H	H	acetyl
5-255	bromo	H	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	H	trifluoro-methoxy	H	H	H	chloro	H	H	propanoyl
5-256	bromo	H	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	H	trifluoro-methoxy	H	H	H	chloro	H	H	3,3,3-trifluoro-propanoyl
5-257	bromo	H	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	H	(difluoromethyl)-sulfanyl	H	H	H	chloro	H	H	H
5-258	bromo	H	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	H	(difluoromethyl)-sulfanyl	H	H	H	chloro	H	H	acetyl
5-259	bromo	H	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	H	(difluoromethyl)-sulfanyl	H	H	H	chloro	H	H	propanoyl
5-260	bromo	H	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	H	(difluoromethyl)-sulfanyl	H	H	H	chloro	H	H	3,3,3-trifluoro-propanoyl
5-261	bromo	H	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	H	(trifluoromethyl)-sulfanyl	H	H	H	chloro	H	H	H
5-262	bromo	H	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	H	(trifluoromethyl)-sulfanyl	H	H	H	chloro	H	H	acetyl

5-263	bromo	H	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	H	(trifluoromethyl)-sulfanyl	H	H	chloro	H	H	propanoyl
5-264	bromo	H	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	H	(trifluoromethyl)-sulfanyl	H	H	chloro	H	H	3,3,3-trifluoro-propanoyl
5-265	iodo	H	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	H	iodo	H	H	chloro	H	H	H
5-266	iodo	H	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	H	iodo	H	H	chloro	H	H	acetyl
5-267	iodo	H	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	H	iodo	H	H	chloro	H	H	propanoyl
5-268	iodo	H	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	H	iodo	H	H	chloro	H	H	3,3,3-trifluoro-propanoyl
5-269	chloro	H	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	H	chloro	H	H	chloro	H	H	H
5-270	chloro	H	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	H	chloro	H	H	chloro	H	H	acetyl
5-271	chloro	H	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	H	chloro	H	H	chloro	H	H	propanoyl
5-272	chloro	H	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	H	chloro	H	H	chloro	H	H	3,3,3-trifluoro-propanoyl
5-273	bromo	H	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	H	bromo	H	H	chloro	H	H	H
5-274	bromo	H	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	H	bromo	H	H	chloro	H	H	acetyl
5-275	bromo	H	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	H	bromo	H	H	chloro	H	H	propanoyl
5-276	bromo	H	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	H	bromo	H	H	chloro	H	H	3,3,3-trifluoro-propanoyl
5-277	iodo	H	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	H	iodo	H	H	chloro	H	H	H
5-278	iodo	H	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	H	iodo	H	H	chloro	H	H	acetyl
5-279	iodo	H	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	H	iodo	H	H	chloro	H	H	propanoyl
5-280	iodo	H	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	H	iodo	H	H	chloro	H	H	3,3,3-trifluoro-propanoyl

5-281	bromo	H	pentafluoroethyl	H	difluoromethoxy	H	H	chloro	H	H	H
5-282	bromo	H	pentafluoroethyl	H	difluoromethoxy	H	H	chloro	H	H	acetyl
5-283	bromo	H	pentafluoroethyl	H	difluoromethoxy	H	H	chloro	H	H	propanoyl
5-284	bromo	H	pentafluoroethyl	H	difluoromethoxy	H	H	chloro	H	H	3,3,3-trifluoro-propanoyl
5-285	bromo	H	1,1,1,2,3,3,3- heptafluoropropan-2-yl	H	difluoromethoxy	H	H	chloro	H	H	H
5-286	bromo	H	1,1,1,2,3,3,3- heptafluoropropan-2-yl	H	difluoromethoxy	H	H	chloro	H	H	acetyl
5-287	bromo	H	1,1,1,2,3,3,3- heptafluoropropan-2-yl	H	difluoromethoxy	H	H	chloro	H	H	propanoyl
5-288	bromo	H	1,1,1,2,3,3,3- heptafluoropropan-2-yl	H	difluoromethoxy	H	H	chloro	H	H	3,3,3-trifluoro-propanoyl
5-289	bromo	H	1-bromo-1,1,2,3,3,3- hexafluoropropan-2-yl	H	difluoromethoxy	H	H	chloro	H	H	H
5-290	bromo	H	1-bromo-1,1,2,3,3,3- hexafluoropropan-2-yl	H	difluoromethoxy	H	H	chloro	H	H	acetyl
5-291	bromo	H	1-bromo-1,1,2,3,3,3- hexafluoropropan-2-yl	H	difluoromethoxy	H	H	chloro	H	H	propanoyl
5-292	bromo	H	1-bromo-1,1,2,3,3,3- hexafluoropropan-2-yl	H	difluoromethoxy	H	H	chloro	H	H	3,3,3-trifluoro-propanoyl
5-293	CH ₃	H	1,1,1,2,3,3,3- heptafluoropropan-2-yl	H	difluoromethoxy	H	H	chloro	H	H	H
5-294	CH ₃	H	1,1,1,2,3,3,3- heptafluoropropan-2-yl	H	difluoromethoxy	H	H	chloro	H	H	acetyl
5-295	CH ₃	H	1,1,1,2,3,3,3- heptafluoropropan-2-yl	H	difluoromethoxy	H	H	chloro	H	H	propanoyl
5-296	CH ₃	H	1,1,1,2,3,3,3- heptafluoropropan-2-yl	H	difluoromethoxy	H	H	chloro	H	H	3,3,3-trifluoro-propanoyl
5-297	CH ₃	H	1,1,1,2,3,3,4,4,4- nonafluorobutan-2-yl	H	difluoromethoxy	H	H	chloro	H	H	H
5-298	CH ₃	H	1,1,1,2,3,3,4,4,4- nonafluorobutan-2-yl	H	difluoromethoxy	H	H	chloro	H	H	acetyl

5-299	CH ₃	H	1,1,1,2,3,3,3,4,4,4-nonafluorobutan-2-yl	H	difluoromethoxy	H	H	chloro	H	H	propanoyl
5-300	CH ₃	H	1,1,1,2,3,3,3,4,4,4-nonafluorobutan-2-yl	H	difluoromethoxy	H	H	chloro	H	H	3,3,3-trifluoro-propanoyl
5-301	CH ₃	H	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	H	difluoromethoxy	H	H	chloro	H	H	H
5-302	CH ₃	H	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	H	difluoromethoxy	H	H	chloro	H	H	acetyl
5-303	CH ₃	H	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	H	difluoromethoxy	H	H	chloro	H	H	propanoyl
5-304	CH ₃	H	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	H	difluoromethoxy	H	H	chloro	H	H	3,3,3-trifluoro-propanoyl
5-305	chloro	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	difluoromethoxy	H	H	chloro	H	H	H
5-306	chloro	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	difluoromethoxy	H	H	chloro	H	H	acetyl
5-307	chloro	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	difluoromethoxy	H	H	chloro	H	H	propanoyl
5-308	chloro	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	difluoromethoxy	H	H	chloro	H	H	3,3,3-trifluoro-propanoyl
5-309	chloro	H	1,1,1,2,3,3,3,4,4,4-nonafluorobutan-2-yl	H	difluoromethoxy	H	H	chloro	H	H	H
5-310	chloro	H	1,1,1,2,3,3,3,4,4,4-nonafluorobutan-2-yl	H	difluoromethoxy	H	H	chloro	H	H	acetyl
5-311	chloro	H	1,1,1,2,3,3,3,4,4,4-nonafluorobutan-2-yl	H	difluoromethoxy	H	H	chloro	H	H	propanoyl
5-312	chloro	H	1,1,1,2,3,3,3,4,4,4-nonafluorobutan-2-yl	H	difluoromethoxy	H	H	chloro	H	H	3,3,3-trifluoro-propanoyl
5-313	chloro	H	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	H	difluoromethoxy	H	H	chloro	H	H	H
5-314	chloro	H	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	H	difluoromethoxy	H	H	chloro	H	H	acetyl
5-315	chloro	H	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	H	difluoromethoxy	H	H	chloro	H	H	propanoyl
5-316	chloro	H	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	H	difluoromethoxy	H	H	chloro	H	H	3,3,3-trifluoro-propanoyl

5-317	chloro	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	chloro	H	H	chloro	H	H	tert-butoxy carbonyl
5-318	CH ₃	H	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	H	ethyl	H	H	chloro	H	H	Cyclopropyl carbonyl
5-319	CH ₃	H	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	H	ethyl	H	H	chloro	H	H	cyclopropylacetyl
5-320	CH ₃	H	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	H	ethyl	H	H	chloro	H	H	(methylsulfonyl) acetyl
5-321	chloro	H	1,1,1,2,3,3,3,4,4,4-nonafluorobutan-2-yl	H	chloro	H	H	H	H	H	H
5-322	chloro	H	1,1,1,2,3,3,3,4,4,4-nonafluorobutan-2-yl	H	chloro	H	H	H	H	H	acetyl
5-323	chloro	H	1,1,1,2,3,3,3,4,4,4-nonafluorobutan-2-yl	H	chloro	H	H	H	H	H	propanoyl
5-324	chloro	H	1,1,1,2,3,3,3,4,4,4-nonafluorobutan-2-yl	H	chloro	H	H	H	H	H	3,3,3-trifluoropropanoyl
5-325	chloro	H	1,1,1,2,3,3,3,4,4,4-nonafluorobutan-2-yl	H	chloro	H	H	H	H	H	cyclopropylacetyl
5-326	chloro	H	1,1,1,2,3,3,3,4,4,4-nonafluorobutan-2-yl	H	chloro	H	H	H	H	H	Cyclopropyl carbonyl
5-327	chloro	H	1,1,1,2,3,3,3,4,4,4-nonafluorobutan-2-yl	H	chloro	H	H	H	H	H	(methylsulfonyl) acetyl
5-328	chloro	H	1,1,1,2,3,3,3,4,4,4-nonafluorobutan-2-yl	H	chloro	H	H	H	H	H	tert-butoxy carbonyl
5-329	chloro	H	1,1,1,2,3,3,3,4,4,4-nonafluorobutan-2-yl	H	chloro	H	H	chloro	H	H	tert-butoxy carbonyl
5-330	chloro	H	1,1,1,2,3,3,3,4,4,4-nonafluorobutan-2-yl	H	chloro	H	H	chloro	H	H	cyclopropylacetyl
5-331	chloro	H	1,1,1,2,3,3,3,4,4,4-nonafluorobutan-2-yl	H	chloro	H	H	chloro	H	H	(methylsulfonyl) acetyl
5-332	CH ₃	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	chloro	H	H	H	H	H	H
5-333	CH ₃	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	chloro	H	H	H	H	H	acetyl
5-334	CH ₃	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	chloro	H	H	H	H	H	propanoyl

5-335	CH ₃	H	1,1,1,2,3,3,3,3-heptafluoropr opan-2-yl	H	chloro	H	H	H	H	H	H	3,3,3-trifluoro propanoyl
5-336	CH ₃	H	1,1,1,2,3,3,3,3-heptafluoropr opan-2-yl	H	chloro	H	H	H	H	H	H	cyclopropylacetyl
5-337	CH ₃	H	1,1,1,2,3,3,3,3-heptafluoropr opan-2-yl	H	chloro	H	H	H	H	H	H	(methylsulfanyl) acetyl
5-338	CH ₃	H	1,1,1,2,3,3,3,3-heptafluoropr opan-2-yl	H	chloro	H	H	H	H	H	H	Cyclopropyl carbonyl
5-339	CH ₃	H	1,1,1,2,3,3,3,3-heptafluoropr opan-2-yl	H	chloro	H	H	H	H	H	H	tert-butoxy carbonyl
5-340	CH ₃	H	1,1,1,2,3,3,3,3-heptafluoropr opan-2-yl	H	difluoromethoxy	H	H	H	chloro	H	H	cyclopropylacetyl
5-341	CH ₃	H	1,1,1,2,3,3,3,3-heptafluoropr opan-2-yl	H	difluoromethoxy	H	H	H	chloro	H	H	Cyclopropyl carbonyl
5-342	CH ₃	H	1,1,1,2,3,3,3,3-heptafluoropr opan-2-yl	H	difluoromethoxy	H	H	H	chloro	H	H	tert-butoxy carbonyl
5-343	chloro	H	1,1,1,2,3,3,3,3-heptafluoropr opan-2-yl	H	chloro	H	H	H	CH ₃	H	H	H
5-344	chloro	H	1,1,1,2,3,3,3,3-heptafluoropr opan-2-yl	H	chloro	H	H	H	CH ₃	H	H	acetyl
5-345	chloro	H	1,1,1,2,3,3,3,3-heptafluoropr opan-2-yl	H	chloro	H	H	H	CH ₃	H	H	propanoyl
5-346	chloro	H	1,1,1,2,3,3,3,3-heptafluoropr opan-2-yl	H	chloro	H	H	H	CH ₃	H	H	3,3,3-trifluoro propanoyl
5-347	chloro	H	1,1,1,2,3,3,3,3-heptafluoropr opan-2-yl	H	chloro	H	H	H	CH ₃	H	H	tert-butoxy carbonyl
5-348	chloro	H	1,1,1,2,3,3,3,4,4,4-nonafuor obutan-2-yl	H	chloro	H	H	H	H	H	H	trifluoroacetyl
5-349	CH ₃	H	1,1,1,2,3,3,3,3-heptafluoropr opan-2-yl	H	ethyl	H	H	H	bromo	H	H	trifluoroacetyl
5-350	chloro	H	1,1,1,2,3,3,3,3-heptafluoropr opan-2-yl	H	(difluoromethyl)s ulfanyl	H	H	H	chloro	H	H	H
5-351	chloro	H	1,1,1,2,3,3,3,3-heptafluoropr opan-2-yl	H	(difluoromethyl)s ulfanyl	H	H	H	chloro	H	H	acetyl
5-352	chloro	H	1,1,1,2,3,3,3,3-heptafluoropr opan-2-yl	H	(difluoromethyl)s ulfanyl	H	H	H	chloro	H	H	propanoyl

5-353	chloro	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	(difluoromethyl)sulfanyl	H	H	H	chloro	H	H	3,3,3-trifluoropropanoyl
5-354	chloro	H	1,1,1,2,3,3,3,4,4-nonafluorobutan-2-yl	H	(difluoromethyl)sulfanyl	H	H	H	chloro	H	H	H
5-355	chloro	H	1,1,1,2,3,3,3,4,4-nonafluorobutan-2-yl	H	(difluoromethyl)sulfanyl	H	H	H	chloro	H	H	acetyl
5-356	chloro	H	1,1,1,2,3,3,3,4,4-nonafluorobutan-2-yl	H	(difluoromethyl)sulfanyl	H	H	H	chloro	H	H	propanoyl
5-357	chloro	H	1,1,1,2,3,3,3,4,4-nonafluorobutan-2-yl	H	(difluoromethyl)sulfanyl	H	H	H	chloro	H	H	3,3,3-trifluoropropanoyl
5-358	chloro	H	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	H	(difluoromethyl)sulfanyl	H	H	H	chloro	H	H	H
5-359	chloro	H	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	H	(difluoromethyl)sulfanyl	H	H	H	chloro	H	H	acetyl
5-360	chloro	H	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	H	(difluoromethyl)sulfanyl	H	H	H	chloro	H	H	propanoyl
5-361	chloro	H	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	H	(difluoromethyl)sulfanyl	H	H	H	chloro	H	H	3,3,3-trifluoropropanoyl
5-362	bromo	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	(difluoromethyl)sulfanyl	H	H	H	chloro	H	H	H
5-363	bromo	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	(difluoromethyl)sulfanyl	H	H	H	chloro	H	H	acetyl
5-364	bromo	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	(difluoromethyl)sulfanyl	H	H	H	chloro	H	H	propanoyl
5-365	bromo	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	(difluoromethyl)sulfanyl	H	H	H	chloro	H	H	3,3,3-trifluoropropanoyl
5-366	bromo	H	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	H	(difluoromethyl)sulfanyl	H	H	H	chloro	H	H	H
5-367	bromo	H	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	H	(difluoromethyl)sulfanyl	H	H	H	chloro	H	H	acetyl
5-368	bromo	H	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	H	(difluoromethyl)sulfanyl	H	H	H	chloro	H	H	propanoyl
5-369	bromo	H	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	H	(difluoromethyl)sulfanyl	H	H	H	chloro	H	H	3,3,3-trifluoropropanoyl
5-370	chloro	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	(trifluoromethyl)sulfanyl	H	H	H	chloro	H	H	H

5-371	chloro	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	(trifluoromethyl)sulfanyl	H	H	H	chloro	H	H	acetyl
5-372	chloro	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	(trifluoromethyl)sulfanyl	H	H	H	chloro	H	H	propanoyl
5-373	chloro	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	(trifluoromethyl)sulfanyl	H	H	H	chloro	H	H	3,3,3-trifluoropropanoyl
5-374	chloro	H	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	H	(trifluoromethyl)sulfanyl	H	H	H	chloro	H	H	H
5-375	chloro	H	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	H	(trifluoromethyl)sulfanyl	H	H	H	chloro	H	H	acetyl
5-376	chloro	H	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	H	(trifluoromethyl)sulfanyl	H	H	H	chloro	H	H	propanoyl
5-377	chloro	H	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	H	(trifluoromethyl)sulfanyl	H	H	H	chloro	H	H	3,3,3-trifluoropropanoyl
5-378	chloro	H	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	H	(trifluoromethyl)sulfanyl	H	H	H	chloro	H	H	H
5-379	chloro	H	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	H	(trifluoromethyl)sulfanyl	H	H	H	chloro	H	H	acetyl
5-380	chloro	H	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	H	(trifluoromethyl)sulfanyl	H	H	H	chloro	H	H	propanoyl
5-381	chloro	H	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	H	(trifluoromethyl)sulfanyl	H	H	H	chloro	H	H	3,3,3-trifluoropropanoyl
5-382	bromo	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	(trifluoromethyl)sulfanyl	H	H	H	chloro	H	H	H
5-383	bromo	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	(trifluoromethyl)sulfanyl	H	H	H	chloro	H	H	acetyl
5-384	bromo	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	(trifluoromethyl)sulfanyl	H	H	H	chloro	H	H	propanoyl
5-385	bromo	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	(trifluoromethyl)sulfanyl	H	H	H	chloro	H	H	3,3,3-trifluoropropanoyl
5-386	bromo	H	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	H	(trifluoromethyl)sulfanyl	H	H	H	chloro	H	H	H
5-387	bromo	H	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	H	(trifluoromethyl)sulfanyl	H	H	H	chloro	H	H	acetyl
5-388	bromo	H	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	H	(trifluoromethyl)sulfanyl	H	H	H	chloro	H	H	propanoyl


5-389	bromo	H	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	H	(trifluoromethyl) sulfanyl	H	H	chloro	H	H	3,3,3-trifluoropropanoyl
5-390	chloro	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	(trifluoromethyl) sulfinyl	H	H	chloro	H	H	acetyl
5-391	chloro	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	(trifluoromethyl) sulfonyl	H	H	chloro	H	H	acetyl
5-392	chloro	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	difluoromethyl	H	H	chloro	H	H	H
5-393	chloro	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	difluoromethyl	H	H	chloro	H	H	acetyl
5-394	chloro	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	difluoromethyl	H	H	chloro	H	H	propanoyl
5-395	chloro	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	difluoromethyl	H	H	chloro	H	H	3,3,3-trifluoropropanoyl
5-396	chloro	H	1,1,1,2,3,3,3,4,4-nonafluorobutan-2-yl	H	difluoromethyl	H	H	chloro	H	H	H
5-397	chloro	H	1,1,1,2,3,3,3,4,4-nonafluorobutan-2-yl	H	difluoromethyl	H	H	chloro	H	H	acetyl
5-398	chloro	H	1,1,1,2,3,3,3,4,4-nonafluorobutan-2-yl	H	difluoromethyl	H	H	chloro	H	H	propanoyl
5-399	chloro	H	1,1,1,2,3,3,3,4,4-nonafluorobutan-2-yl	H	difluoromethyl	H	H	chloro	H	H	3,3,3-trifluoropropanoyl
5-400	chloro	H	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	H	difluoromethyl	H	H	chloro	H	H	H
5-401	chloro	H	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	H	difluoromethyl	H	H	chloro	H	H	acetyl
5-402	chloro	H	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	H	difluoromethyl	H	H	chloro	H	H	propanoyl
5-403	chloro	H	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	H	difluoromethyl	H	H	chloro	H	H	3,3,3-trifluoropropanoyl
5-404	bromo	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	difluoromethyl	H	H	chloro	H	H	H
5-405	bromo	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	difluoromethyl	H	H	chloro	H	H	acetyl
5-406	bromo	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	difluoromethyl	H	H	chloro	H	H	propanoyl

5-407	bromo	H	1,1,1,2,3,3,3,3-heptafluoropropan-2-yl	H	difluoromethyl	H	H	H	chloro	H	H	3,3,3-trifluoropropanoyl
5-408	bromo	H	1,1,1,2,3,3,3,4,4,4-nonafluorobutan-2-yl	H	difluoromethyl	H	H	H	chloro	H	H	H
5-409	bromo	H	1,1,1,2,3,3,3,4,4,4-nonafluorobutan-2-yl	H	difluoromethyl	H	H	H	chloro	H	H	acetyl
5-410	bromo	H	1,1,1,2,3,3,3,4,4,4-nonafluorobutan-2-yl	H	difluoromethyl	H	H	H	chloro	H	H	propanoyl
5-411	bromo	H	1,1,1,2,3,3,3,4,4,4-nonafluorobutan-2-yl	H	difluoromethyl	H	H	H	chloro	H	H	3,3,3-trifluoropropanoyl
5-412	bromo	H	1-bromo-1,1,2,3,3,3,3-hexafluoropropan-2-yl	H	difluoromethyl	H	H	H	chloro	H	H	H
5-413	bromo	H	1-bromo-1,1,2,3,3,3,3-hexafluoropropan-2-yl	H	difluoromethyl	H	H	H	chloro	H	H	acetyl
5-414	bromo	H	1-bromo-1,1,2,3,3,3,3-hexafluoropropan-2-yl	H	difluoromethyl	H	H	H	chloro	H	H	propanoyl
5-415	bromo	H	1-bromo-1,1,2,3,3,3,3-hexafluoropropan-2-yl	H	difluoromethyl	H	H	H	chloro	H	H	3,3,3-trifluoropropanoyl
5-416	chloro	H	1,1,1,2,3,3,3,3-heptafluoropropan-2-yl	H	trifluoromethyl	H	H	H	chloro	H	H	H
5-417	chloro	H	1,1,1,2,3,3,3,3-heptafluoropropan-2-yl	H	trifluoromethyl	H	H	H	chloro	H	H	acetyl
5-418	chloro	H	1,1,1,2,3,3,3,3-heptafluoropropan-2-yl	H	trifluoromethyl	H	H	H	chloro	H	H	propanoyl
5-419	chloro	H	1,1,1,2,3,3,3,3-heptafluoropropan-2-yl	H	trifluoromethyl	H	H	H	chloro	H	H	3,3,3-trifluoropropanoyl
5-420	chloro	H	1,1,1,2,3,3,3,4,4,4-nonafluorobutan-2-yl	H	trifluoromethyl	H	H	H	chloro	H	H	H
5-421	chloro	H	1,1,1,2,3,3,3,4,4,4-nonafluorobutan-2-yl	H	trifluoromethyl	H	H	H	chloro	H	H	acetyl
5-422	chloro	H	1,1,1,2,3,3,3,4,4,4-nonafluorobutan-2-yl	H	trifluoromethyl	H	H	H	chloro	H	H	propanoyl
5-423	chloro	H	1,1,1,2,3,3,3,4,4,4-nonafluorobutan-2-yl	H	trifluoromethyl	H	H	H	chloro	H	H	3,3,3-trifluoropropanoyl
5-424	chloro	H	1-bromo-1,1,2,3,3,3,3-hexafluoropropan-2-yl	H	trifluoromethyl	H	H	H	chloro	H	H	H

5-425	chloro	H	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	H	trifluoromethyl	H	H	chloro	H	H	acetyl
5-426	chloro	H	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	H	trifluoromethyl	H	H	chloro	H	H	propanoyl
5-427	chloro	H	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	H	trifluoromethyl	H	H	chloro	H	H	3,3,3-trifluoropropanoyl
5-428	bromo	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	trifluoromethyl	H	H	chloro	H	H	H
5-429	bromo	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	trifluoromethyl	H	H	chloro	H	H	acetyl
5-430	bromo	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	trifluoromethyl	H	H	chloro	H	H	propanoyl
5-431	bromo	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	trifluoromethyl	H	H	chloro	H	H	3,3,3-trifluoropropanoyl
5-432	bromo	H	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	H	trifluoromethyl	H	H	chloro	H	H	H
5-433	bromo	H	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	H	trifluoromethyl	H	H	chloro	H	H	acetyl
5-434	bromo	H	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	H	trifluoromethyl	H	H	chloro	H	H	propanoyl
5-435	bromo	H	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	H	trifluoromethyl	H	H	chloro	H	H	3,3,3-trifluoropropanoyl
5-436	bromo	H	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	H	trifluoromethyl	H	H	chloro	H	H	H
5-437	bromo	H	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	H	trifluoromethyl	H	H	chloro	H	H	acetyl
5-438	bromo	H	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	H	trifluoromethyl	H	H	chloro	H	H	propanoyl
5-439	bromo	H	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	H	trifluoromethyl	H	H	chloro	H	H	3,3,3-trifluoropropanoyl
5-440	bromo	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	bromo	H	H	H	H	H	tert-butoxycarbonyl
5-441	CH ₃	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	ethyl	H	H	bromo	H	H	(2,2-difluorocyclopropyl)carbonyl
5-442	CH ₃	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	ethyl	H	H	bromo	H	H	cynoacetyl

5-443	CH3	H	1,1,1,2,3,3,3,3-heptafluoropr opan-2-yl	H	chloro	H	H	chloro	H	H	H
5-444	CH3	H	1,1,1,2,3,3,3,3-heptafluoropr opan-2-yl	H	chloro	H	H	chloro	H	H	acetyl
5-445	CH3	H	1,1,1,2,3,3,3,3-heptafluoropr opan-2-yl	H	chloro	H	H	chloro	H	H	propanoyl
5-446	CH3	H	1,1,1,2,3,3,3,3-heptafluoropr opan-2-yl	H	chloro	H	H	chloro	H	H	3,3,3-trifluoro propanoyl
5-447	CH3	H	1,1,1,2,3,3,3,3-heptafluoropr opan-2-yl	H	chloro	H	H	chloro	H	H	tert-butoxy carbonyl
5-448	chloro	H	1,1,1,2,3,3,3,3-heptafluoropr opan-2-yl	H	difluoromethoxy	H	H	chloro	H	H	tert-butoxy carbonyl
5-449	bromo	H	1,1,1,2,3,3,3,3-heptafluoropr opan-2-yl	H	difluoromethoxy	H	H	chloro	H	H	tert-butoxy carbonyl
5-450	chloro	H	1,1,1,2,3,3,3,3-heptafluoropr opan-2-yl	H	difluoromethoxy	H	H	chloro	H	H	cyclopropylacetyl
5-451	bromo	H	1,1,1,2,3,3,3,3-heptafluoropr opan-2-yl	H	bromo	H	H	chloro	H	H	tert-butoxy carbonyl
5-452	chloro	H	1,1,1,2,3,3,3,4,4,4-nonafluor obutan-2-yl	H	difluoromethoxy	H	H	H	H	H	3,3,3-trifluoro propanoyl
5-453	chloro	H	1,1,1,2,3,3,3,4,4,4-nonafluor obutan-2-yl	H	difluoromethoxy	H	H	H	H	H	tert-butoxy carbonyl
5-454	chloro	H	1,1,1,2,3,3,3,4,4,4-nonafluor obutan-2-yl	H	difluoromethoxy	H	H	chloro	H	H	Cyclopropyl carbonyl
5-455	chloro	H	1,1,1,2,3,3,3,4,4,4-nonafluor obutan-2-yl	H	difluoromethoxy	H	H	chloro	H	H	cyclopropylacetyl
5-456	chloro	H	1,1,1,2,3,3,3,4,4,4-nonafluor obutan-2-yl	H	difluoromethoxy	H	H	chloro	H	H	tert-butoxy carbonyl

Table 6



Exa	R1	R2	J	R4	R5	Q	R14	R15
6-1	CH ₃	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	ethyl	H	H	H
6-2	CH ₃	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	ethyl	H	H	acetyl
6-3	CH ₃	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	ethyl	H	H	propanoyl
6-4	CH ₃	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	ethyl	H	H	cyclopropylcarbonyl
6-5	CH ₃	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	ethyl	H	H	cyclopropylacetyl
6-6	CH ₃	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	ethyl	H	H	3,3,3-trifluoropropanoyl
6-7	CH ₃	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	ethyl	H	H	(2-fluoropyridin-3-yl)carbonyl
6-8	CH ₃	H	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	H	ethyl	H	H	H
6-9	CH ₃	H	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	H	ethyl	H	H	acetyl
6-10	CH ₃	H	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	H	ethyl	H	H	propanoyl
6-11	CH ₃	H	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	H	ethyl	H	H	cyclopropylcarbonyl


6-12	CH ₃	H	1,1,1,2,3,3,3,4,4,4-nonafluorobutan-2-yl	H	ethyl	H	H	cyclopropylacetyl
6-13	CH ₃	H	1,1,1,2,3,3,3,4,4,4-nonafluorobutan-2-yl	H	ethyl	H	H	3,3,3-trifluoropropanoyl
6-14	CH ₃	H	undecafluorocyclohexyl	H	ethyl	H	H	H
6-15	CH ₃	H	undecafluorocyclohexyl	H	ethyl	H	H	acetyl
6-16	CH ₃	H	undecafluorocyclohexyl	H	ethyl	H	H	propanoyl
6-17	CH ₃	H	undecafluorocyclohexyl	H	ethyl	H	H	cyclopropylcarbonyl
6-18	CH ₃	H	undecafluorocyclohexyl	H	ethyl	H	H	cyclopropylacetyl
6-19	CH ₃	H	undecafluorocyclohexyl	H	ethyl	H	H	3,3,3-trifluoropropanoyl
6-20	CH ₃	H	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	H	CH ₃	H	H	H
6-21	CH ₃	H	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	H	CH ₃	H	H	acetyl
6-22	CH ₃	H	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	H	CH ₃	H	H	propanoyl
6-23	CH ₃	H	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	H	CH ₃	H	H	3,3,3-trifluoropropanoyl
6-24	CH ₃	H	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	H	ethyl	H	H	H
6-25	CH ₃	H	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	H	ethyl	H	H	acetyl
6-26	CH ₃	H	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	H	ethyl	H	H	propanoyl
6-27	CH ₃	H	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	H	ethyl	H	H	3,3,3-trifluoropropanoyl
6-28	bromo	H	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	H	bromo	H	H	H
6-29	bromo	H	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	H	bromo	H	H	acetyl

6-30	bromo	H	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	H	bromo	H	propanoyl
6-31	bromo	H	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	H	bromo	H	3,3,3-trifluoropropanoyl
6-32	bromo	H	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	H	difluoromethoxy	H	H
6-33	bromo	H	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	H	difluoromethoxy	H	acetyl
6-34	bromo	H	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	H	difluoromethoxy	H	propanoyl
6-35	bromo	H	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	H	difluoromethoxy	H	3,3,3-trifluoropropanoyl
6-36	bromo	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	bromo	H	H
6-37	bromo	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	bromo	H	acetyl
6-38	bromo	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	bromo	H	propanoyl
6-39	bromo	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	bromo	H	3,3,3-trifluoropropanoyl
6-40	bromo	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	difluoromethoxy	H	H
6-41	bromo	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	difluoromethoxy	H	acetyl
6-42	bromo	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	difluoromethoxy	H	propanoyl
6-43	bromo	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	difluoromethoxy	H	3,3,3-trifluoropropanoyl
6-44	bromo	H	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	H	bromo	H	H
6-45	bromo	H	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	H	bromo	H	acetyl
6-46	bromo	H	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	H	bromo	H	propanoyl
6-47	bromo	H	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	H	bromo	H	3,3,3-trifluoropropanoyl

6-48	bromo	H	1,1,1,2,3,3,3,4,4,4-nonafluorobutan-2-yl	H	difluoromethoxy	H	H	H
6-49	bromo	H	1,1,1,2,3,3,3,4,4,4-nonafluorobutan-2-yl	H	difluoromethoxy	H	H	acetyl
6-50	bromo	H	1,1,1,2,3,3,3,4,4,4-nonafluorobutan-2-yl	H	difluoromethoxy	H	H	propanoyl
6-51	bromo	H	1,1,1,2,3,3,3,4,4,4-nonafluorobutan-2-yl	H	difluoromethoxy	H	H	3,3,3-trifluoropropanoyl
6-52	CH ₃	H	1,1,1,2,3,3,3,3-heptafluoropropan-2-yl	H	difluoromethoxy	H	H	H
6-53	CH ₃	H	1,1,1,2,3,3,3,3-heptafluoropropan-2-yl	H	difluoromethoxy	H	H	acetyl
6-54	CH ₃	H	1,1,1,2,3,3,3,3-heptafluoropropan-2-yl	H	difluoromethoxy	H	H	propanoyl
6-55	CH ₃	H	1,1,1,2,3,3,3,3-heptafluoropropan-2-yl	H	difluoromethoxy	H	H	3,3,3-trifluoropropanoyl
6-56	CH ₃	H	1,1,1,2,3,3,3,4,4,4-nonafluorobutan-2-yl	H	difluoromethoxy	H	H	H
6-57	CH ₃	H	1,1,1,2,3,3,3,4,4,4-nonafluorobutan-2-yl	H	difluoromethoxy	H	H	acetyl
6-58	CH ₃	H	1,1,1,2,3,3,3,4,4,4-nonafluorobutan-2-yl	H	difluoromethoxy	H	H	propanoyl
6-59	CH ₃	H	1,1,1,2,3,3,3,4,4,4-nonafluorobutan-2-yl	H	difluoromethoxy	H	H	3,3,3-trifluoropropanoyl
6-60	CH ₃	H	1-bromo-1,1,2,3,3,3,3-hexafluoropropan-2-yl	H	difluoromethoxy	H	H	H
6-61	CH ₃	H	1-bromo-1,1,2,3,3,3,3-hexafluoropropan-2-yl	H	difluoromethoxy	H	H	acetyl
6-62	CH ₃	H	1-bromo-1,1,2,3,3,3,3-hexafluoropropan-2-yl	H	difluoromethoxy	H	H	propanoyl
6-63	CH ₃	H	1-bromo-1,1,2,3,3,3,3-hexafluoropropan-2-yl	H	difluoromethoxy	H	H	3,3,3-trifluoropropanoyl
6-64	chloro	H	1,1,1,2,3,3,3,3-heptafluoropropan-2-yl	H	difluoromethoxy	H	H	H
6-65	chloro	H	1,1,1,2,3,3,3,3-heptafluoropropan-2-yl	H	difluoromethoxy	H	H	acetyl

6-66	chloro	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	difluoromethoxy	H	H	propanoyl
6-67	chloro	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	difluoromethoxy	H	H	3,3,3-trifluoropropanoyl
6-68	chloro	H	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	H	difluoromethoxy	H	H	H
6-69	chloro	H	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	H	difluoromethoxy	H	H	acetyl
6-70	chloro	H	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	H	difluoromethoxy	H	H	propanoyl
6-71	chloro	H	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	H	difluoromethoxy	H	H	3,3,3-trifluoropropanoyl
6-72	chloro	H	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	H	difluoromethoxy	H	H	H
6-73	chloro	H	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	H	difluoromethoxy	H	H	acetyl
6-74	chloro	H	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	H	difluoromethoxy	H	H	propanoyl
6-75	chloro	H	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	H	difluoromethoxy	H	H	3,3,3-trifluoropropanoyl

Table 7



Exa	R1	R2	J	R4	R5	Q	R8	R10	R14	R15
7-1	CH ₃	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	ethyl	H	H	H	H	H
7-2	CH ₃	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	ethyl	H	H	H	H	acetyl
7-3	CH ₃	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	ethyl	H	H	H	H	propanoyl
7-4	CH ₃	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	ethyl	H	H	H	H	cyclopropylcarbonyl
7-5	CH ₃	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	ethyl	H	H	H	H	cyclopropylacetyl
7-6	CH ₃	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	ethyl	H	H	H	H	3,3,3-trifluoropropanoyl
7-7	CH ₃	H	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	H	ethyl	H	H	H	H	H
7-8	CH ₃	H	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	H	ethyl	H	H	H	H	acetyl
7-9	CH ₃	H	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	H	ethyl	H	H	H	H	propanoyl
7-10	CH ₃	H	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	H	ethyl	H	H	H	H	cyclopropylcarbonyl

7-11	CH ₃	H	1,1,1,2,3,3,3,4,4,4-nonafluorobutan-2-yl	H	ethyl	H	H	H	H	cyclopropylacetyl
7-12	CH ₃	H	1,1,1,2,3,3,3,4,4,4-nonafluorobutan-2-yl	H	ethyl	H	H	H	H	3,3,3-trifluoropropanoyl
7-13	CH ₃	H	undecafluorocyclohexyl	H	ethyl	H	H	H	H	H
7-14	CH ₃	H	undecafluorocyclohexyl	H	ethyl	H	H	H	H	acetyl
7-15	CH ₃	H	undecafluorocyclohexyl	H	ethyl	H	H	H	H	propanoyl
7-16	CH ₃	H	undecafluorocyclohexyl	H	ethyl	H	H	H	H	cyclopropylcarbonyl
7-17	CH ₃	H	undecafluorocyclohexyl	H	ethyl	H	H	H	H	cyclopropylacetyl
7-18	CH ₃	H	undecafluorocyclohexyl	H	ethyl	H	H	H	H	3,3,3-trifluoropropanoyl
7-19	CH ₃	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	ethyl	H	H	H	H	tert-butoxycarbonyl
7-20	CH ₃	H	1-bromo-1,1,2,3,3,3,3-hexafluoropropan-2-yl	H	CH ₃	H	H	H	H	H
7-21	CH ₃	H	1-bromo-1,1,2,3,3,3,3-hexafluoropropan-2-yl	H	CH ₃	H	H	H	H	acetyl
7-22	CH ₃	H	1-bromo-1,1,2,3,3,3,3-hexafluoropropan-2-yl	H	CH ₃	H	H	H	H	propanoyl
7-23	CH ₃	H	1-bromo-1,1,2,3,3,3,3-hexafluoropropan-2-yl	H	CH ₃	H	H	H	H	3,3,3-trifluoropropanoyl
7-24	CH ₃	H	1-bromo-1,1,2,3,3,3,3-hexafluoropropan-2-yl	H	ethyl	H	H	H	H	H
7-25	CH ₃	H	1-bromo-1,1,2,3,3,3,3-hexafluoropropan-2-yl	H	ethyl	H	H	H	H	acetyl
7-26	CH ₃	H	1-bromo-1,1,2,3,3,3,3-hexafluoropropan-2-yl	H	ethyl	H	H	H	H	propanoyl
7-27	CH ₃	H	1-bromo-1,1,2,3,3,3,3-hexafluoropropan-2-yl	H	ethyl	H	H	H	H	3,3,3-trifluoropropanoyl
7-28	chlor o	H	1-bromo-1,1,2,3,3,3,3-hexafluoropropan-2-yl	H	chloro	H	H	H	H	H

7-29	chlor o	H	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	H	chloro	H	H	H	H	acetyl
7-30	chlor o	H	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	H	chloro	H	H	H	H	propanoyl
7-31	chlor o	H	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	H	chloro	H	H	H	H	3,3,3-trifluoropropanoyl
7-32	brom o	H	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	H	bromo	H	H	H	H	H
7-33	brom o	H	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	H	bromo	H	H	H	H	acetyl
7-34	brom o	H	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	H	bromo	H	H	H	H	propanoyl
7-35	brom o	H	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	H	bromo	H	H	H	H	3,3,3-trifluoropropanoyl
7-36	brom o	H	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	H	difluoromethoxy	H	H	H	H	H
7-37	brom o	H	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	H	difluoromethoxy	H	H	H	H	acetyl
7-38	brom o	H	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	H	difluoromethoxy	H	H	H	H	propanoyl
7-39	brom o	H	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	H	difluoromethoxy	H	H	H	H	3,3,3-trifluoropropanoyl
7-40	chlor o	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	chloro	H	H	H	H	H
7-41	chlor o	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	chloro	H	H	H	H	acetyl
7-42	chlor o	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	chloro	H	H	H	H	propanoyl
7-43	chlor o	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	chloro	H	H	H	H	3,3,3-trifluoropropanoyl
7-44	brom o	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	bromo	H	H	H	H	H
7-45	brom o	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	bromo	H	H	H	H	acetyl
7-46	brom o	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	bromo	H	H	H	H	propanoyl

7-47	brom o	H	1,1,1,2,3,3,3,3-heptafluoropropan-2-yl	H	bromo	H	H	H	H	3,3,3-trifluoropropanoyl
7-48	brom o	H	1,1,1,2,3,3,3,3-heptafluoropropan-2-yl	H	difluoromethoxy	H	H	H	H	H
7-49	brom o	H	1,1,1,2,3,3,3,3-heptafluoropropan-2-yl	H	difluoromethoxy	H	H	H	H	acetyl
7-50	brom o	H	1,1,1,2,3,3,3,3-heptafluoropropan-2-yl	H	difluoromethoxy	H	H	H	H	propanoyl
7-51	brom o	H	1,1,1,2,3,3,3,3-heptafluoropropan-2-yl	H	difluoromethoxy	H	H	H	H	3,3,3-trifluoropropanoyl
7-52	chlor o	H	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	H	chloro	H	H	H	H	H
7-53	chlor o	H	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	H	chloro	H	H	H	H	acetyl
7-54	chlor o	H	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	H	chloro	H	H	H	H	propanoyl
7-55	chlor o	H	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	H	chloro	H	H	H	H	3,3,3-trifluoropropanoyl
7-56	brom o	H	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	H	bromo	H	H	H	H	H
7-57	brom o	H	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	H	bromo	H	H	H	H	acetyl
7-58	brom o	H	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	H	bromo	H	H	H	H	propanoyl
7-59	brom o	H	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	H	bromo	H	H	H	H	3,3,3-trifluoropropanoyl
7-60	brom o	H	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	H	difluoromethoxy	H	H	H	H	H
7-61	brom o	H	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	H	difluoromethoxy	H	H	H	H	acetyl
7-62	brom o	H	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	H	difluoromethoxy	H	H	H	H	propanoyl
7-63	brom o	H	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	H	difluoromethoxy	H	H	H	H	3,3,3-trifluoropropanoyl
7-64	CH ₃	H	1,1,1,2,3,3,3,3-heptafluoropropan-2-yl	H	difluoromethoxy	H	H	H	H	H


7-65	CH ₃	H	1,1,1,2,3,3,3,3-heptafluoropropan-2-yl	H	difluoromethoxy	H	H	H	H	acetyl
7-66	CH ₃	H	1,1,1,2,3,3,3,3-heptafluoropropan-2-yl	H	difluoromethoxy	H	H	H	H	propanoyl
7-67	CH ₃	H	1,1,1,2,3,3,3,3-heptafluoropropan-2-yl	H	difluoromethoxy	H	H	H	H	3,3,3-trifluoropropanoyl
7-68	CH ₃	H	1,1,1,2,3,3,3,4,4,4-nonafluorobutan-2-yl	H	difluoromethoxy	H	H	H	H	H
7-69	CH ₃	H	1,1,1,2,3,3,3,4,4,4-nonafluorobutan-2-yl	H	difluoromethoxy	H	H	H	H	acetyl
7-70	CH ₃	H	1,1,1,2,3,3,3,4,4,4-nonafluorobutan-2-yl	H	difluoromethoxy	H	H	H	H	propanoyl
7-71	CH ₃	H	1,1,1,2,3,3,3,4,4,4-nonafluorobutan-2-yl	H	difluoromethoxy	H	H	H	H	3,3,3-trifluoropropanoyl
7-72	CH ₃	H	1-bromo-1,1,2,3,3,3,3-hexafluoropropan-2-yl	H	difluoromethoxy	H	H	H	H	H
7-73	CH ₃	H	1-bromo-1,1,2,3,3,3,3-hexafluoropropan-2-yl	H	difluoromethoxy	H	H	H	H	acetyl
7-74	CH ₃	H	1-bromo-1,1,2,3,3,3,3-hexafluoropropan-2-yl	H	difluoromethoxy	H	H	H	H	propanoyl
7-75	CH ₃	H	1-bromo-1,1,2,3,3,3,3-hexafluoropropan-2-yl	H	difluoromethoxy	H	H	H	H	3,3,3-trifluoropropanoyl
7-76	CH ₃	H	1,1,1,2,3,3,3,3-heptafluoropropan-2-yl	H	CH ₃	H	chloro	H	H	H
7-77	CH ₃	H	1,1,1,2,3,3,3,3-heptafluoropropan-2-yl	H	CH ₃	H	chloro	H	H	acetyl
7-78	CH ₃	H	1,1,1,2,3,3,3,3-heptafluoropropan-2-yl	H	CH ₃	H	chloro	H	H	propanoyl
7-79	CH ₃	H	1,1,1,2,3,3,3,3-heptafluoropropan-2-yl	H	CH ₃	H	chloro	H	H	3,3,3-trifluoropropanoyl
7-80	CH ₃	H	1,1,1,2,3,3,3,3-heptafluoropropan-2-yl	H	ethyl	H	chloro	H	H	H
7-81	CH ₃	H	1,1,1,2,3,3,3,3-heptafluoropropan-2-yl	H	ethyl	H	chloro	H	H	acetyl
7-82	CH ₃	H	1,1,1,2,3,3,3,3-heptafluoropropan-2-yl	H	ethyl	H	chloro	H	H	propanoyl

7-83	CH ₃	H	1,1,1,2,3,3,3,3-heptafluoropropan-2-yl	H	ethyl	H	chloro	H	3,3,3,3-trifluoropropanoyl
7-84	CH ₃	H	1,1,1,2,3,3,3,4,4,4-nonafluorobutan-2-yl	H	CH ₃	H	chloro	H	H
7-85	CH ₃	H	1,1,1,2,3,3,3,4,4,4-nonafluorobutan-2-yl	H	CH ₃	H	chloro	H	acetyl
7-86	CH ₃	H	1,1,1,2,3,3,3,4,4,4-nonafluorobutan-2-yl	H	CH ₃	H	chloro	H	propanoyl
7-87	CH ₃	H	1,1,1,2,3,3,3,4,4,4-nonafluorobutan-2-yl	H	CH ₃	H	chloro	H	3,3,3,3-trifluoropropanoyl
7-88	CH ₃	H	1,1,1,2,3,3,3,4,4,4-nonafluorobutan-2-yl	H	ethyl	H	chloro	H	H
7-89	CH ₃	H	1,1,1,2,3,3,3,4,4,4-nonafluorobutan-2-yl	H	ethyl	H	chloro	H	acetyl
7-90	CH ₃	H	1,1,1,2,3,3,3,4,4,4-nonafluorobutan-2-yl	H	ethyl	H	chloro	H	propanoyl
7-91	CH ₃	H	1,1,1,2,3,3,3,4,4,4-nonafluorobutan-2-yl	H	ethyl	H	chloro	H	3,3,3,3-trifluoropropanoyl
7-92	CH ₃	H	1-bromo-1,1,2,3,3,3,3,3-hexafluoropropan-2-yl	H	CH ₃	H	chloro	H	H
7-93	CH ₃	H	1-bromo-1,1,2,3,3,3,3,3-hexafluoropropan-2-yl	H	CH ₃	H	chloro	H	acetyl
7-94	CH ₃	H	1-bromo-1,1,2,3,3,3,3,3-hexafluoropropan-2-yl	H	CH ₃	H	chloro	H	propanoyl
7-95	CH ₃	H	1-bromo-1,1,2,3,3,3,3,3-hexafluoropropan-2-yl	H	CH ₃	H	chloro	H	3,3,3,3-trifluoropropanoyl
7-96	CH ₃	H	1-bromo-1,1,2,3,3,3,3,3-hexafluoropropan-2-yl	H	ethyl	H	chloro	H	H
7-97	CH ₃	H	1-bromo-1,1,2,3,3,3,3,3-hexafluoropropan-2-yl	H	ethyl	H	chloro	H	acetyl
7-98	CH ₃	H	1-bromo-1,1,2,3,3,3,3,3-hexafluoropropan-2-yl	H	ethyl	H	chloro	H	propanoyl
7-99	CH ₃	H	1-bromo-1,1,2,3,3,3,3,3-hexafluoropropan-2-yl	H	ethyl	H	chloro	H	3,3,3,3-trifluoropropanoyl
7-10 0	CH ₃	H	1,1,1,2,3,3,3,3-heptafluoropropan-2-yl	H	CH ₃	H	H	chloro	H

7-10 1	CH ₃	H	1,1,1,2,3,3,3,3-heptafluoropropan-2-yl	H	CH ₃	H	H	chloro	H	acetyl
7-10 2	CH ₃	H	1,1,1,2,3,3,3,3-heptafluoropropan-2-yl	H	CH ₃	H	H	chloro	H	propanoyl
7-10 3	CH ₃	H	1,1,1,2,3,3,3,3-heptafluoropropan-2-yl	H	CH ₃	H	H	chloro	H	3,3,3-trifluoropropanoyl
7-10 4	CH ₃	H	1,1,1,2,3,3,3,3-heptafluoropropan-2-yl	H	ethyl	H	H	chloro	H	H
7-10 5	CH ₃	H	1,1,1,2,3,3,3,3-heptafluoropropan-2-yl	H	ethyl	H	H	chloro	H	acetyl
7-10 6	CH ₃	H	1,1,1,2,3,3,3,3-heptafluoropropan-2-yl	H	ethyl	H	H	chloro	H	propanoyl
7-10 7	CH ₃	H	1,1,1,2,3,3,3,3-heptafluoropropan-2-yl	H	ethyl	H	H	chloro	H	3,3,3-trifluoropropanoyl
7-10 8	CH ₃	H	1,1,1,2,3,3,3,4,4,4-nonafluorobutan-2-yl	H	CH ₃	H	H	chloro	H	H
7-10 9	CH ₃	H	1,1,1,2,3,3,3,4,4,4-nonafluorobutan-2-yl	H	CH ₃	H	H	chloro	H	acetyl
7-11 0	CH ₃	H	1,1,1,2,3,3,3,4,4,4-nonafluorobutan-2-yl	H	CH ₃	H	H	chloro	H	propanoyl
7-11 1	CH ₃	H	1,1,1,2,3,3,3,4,4,4-nonafluorobutan-2-yl	H	CH ₃	H	H	chloro	H	3,3,3-trifluoropropanoyl
7-11 2	CH ₃	H	1,1,1,2,3,3,3,4,4,4-nonafluorobutan-2-yl	H	ethyl	H	H	chloro	H	H
7-11 3	CH ₃	H	1,1,1,2,3,3,3,4,4,4-nonafluorobutan-2-yl	H	ethyl	H	H	chloro	H	acetyl
7-11 4	CH ₃	H	1,1,1,2,3,3,3,4,4,4-nonafluorobutan-2-yl	H	ethyl	H	H	chloro	H	propanoyl
7-11 5	CH ₃	H	1,1,1,2,3,3,3,4,4,4-nonafluorobutan-2-yl	H	ethyl	H	H	chloro	H	3,3,3-trifluoropropanoyl
7-11 6	CH ₃	H	1-bromo-1,1,2,3,3,3,3-hexafluoropropan-2-yl	H	CH ₃	H	H	chloro	H	H
7-11 7	CH ₃	H	1-bromo-1,1,2,3,3,3,3-hexafluoropropan-2-yl	H	CH ₃	H	H	chloro	H	acetyl
7-11 8	CH ₃	H	1-bromo-1,1,2,3,3,3,3-hexafluoropropan-2-yl	H	CH ₃	H	H	chloro	H	propanoyl

7-11 9	CH ₃	H	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	H	CH ₃	H	H	chloro	H	3,3,3-trifluoropropanoyl
7-12 0	CH ₃	H	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	H	ethyl	H	H	chloro	H	H
7-12 1	CH ₃	H	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	H	ethyl	H	H	chloro	H	acetyl
7-12 2	CH ₃	H	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	H	ethyl	H	H	chloro	H	propanoyl
7-12 3	CH ₃	H	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	H	ethyl	H	H	chloro	H	3,3,3-trifluoropropanoyl
7-12 4	chlor o	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	difluoromethoxy	H	H	H	H	H
7-12 5	chlor o	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	difluoromethoxy	H	H	H	H	acetyl
7-12 6	chlor o	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	difluoromethoxy	H	H	H	H	propanoyl
7-12 7	chlor o	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	difluoromethoxy	H	H	H	H	3,3,3-trifluoropropanoyl
7-12 8	chlor o	H	1,1,1,2,3,3,3,4,4,4-nonafluorobutan-2-yl	H	difluoromethoxy	H	H	H	H	H
7-12 9	chlor o	H	1,1,1,2,3,3,3,4,4,4-nonafluorobutan-2-yl	H	difluoromethoxy	H	H	H	H	acetyl
7-13 0	chlor o	H	1,1,1,2,3,3,3,4,4,4-nonafluorobutan-2-yl	H	difluoromethoxy	H	H	H	H	propanoyl
7-13 1	chlor o	H	1,1,1,2,3,3,3,4,4,4-nonafluorobutan-2-yl	H	difluoro-methoxy	H	H	H	H	3,3,3-trifluoropropanoyl
7-13 2	chlor o	H	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	H	difluoromethoxy	H	H	H	H	H
7-13 3	chlor o	H	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	H	difluoromethoxy	H	H	H	H	acetyl
7-13 4	chlor o	H	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	H	difluoromethoxy	H	H	H	H	propanoyl
7-13 5	chlor o	H	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	H	difluoromethoxy	H	H	H	H	3,3,3-trifluoropropanoyl

Table 8



Exa	R1	R2	J	R4	R5	Q	R7	R14	R15
8-1	CH ₃	H	1,1,1,2,2,3,3,3-heptafluoropropan-2-yl	H	ethyl	H	H	H	H
8-2	CH ₃	H	1,1,1,2,2,3,3,3-heptafluoropropan-2-yl	H	ethyl	H	H	H	acetyl
8-3	CH ₃	H	1,1,1,2,2,3,3,3-heptafluoropropan-2-yl	H	ethyl	H	H	H	propanoyl
8-4	CH ₃	H	1,1,1,2,2,3,3,3-heptafluoropropan-2-yl	H	ethyl	H	H	H	cyclopropylcarbonyl
8-5	CH ₃	H	1,1,1,2,2,3,3,3-heptafluoropropan-2-yl	H	ethyl	H	H	H	cyclopropylacetyl
8-6	CH ₃	H	1,1,1,2,2,3,3,3-heptafluoropropan-2-yl	H	ethyl	H	H	H	3,3,3-trifluoropropanoyl
8-7	CH ₃	H	1,1,1,2,2,3,3,4,4,4-nonafluorobutan-2-yl	H	ethyl	H	H	H	H
8-8	CH ₃	H	1,1,1,2,2,3,3,4,4,4-nonafluorobutan-2-yl	H	ethyl	H	H	H	acetyl
8-9	CH ₃	H	1,1,1,2,2,3,3,4,4,4-nonafluorobutan-2-yl	H	ethyl	H	H	H	propanoyl
8-10	CH ₃	H	1,1,1,2,2,3,3,4,4,4-nonafluorobutan-2-yl	H	ethyl	H	H	H	cyclopropylcarbonyl
8-11	CH ₃	H	1,1,1,2,2,3,3,4,4,4-nonafluorobutan-2-yl	H	ethyl	H	H	H	cyclopropylacetyl


8-12	CH ₃	H	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	H	ethyl	H	H	H	3,3,3-trifluoropropanoyl
8-13	CH ₃	H	undecafluorocyclohexyl	H	ethyl	H	H	H	H
8-14	CH ₃	H	undecafluorocyclohexyl	H	ethyl	H	H	H	acetyl
8-15	CH ₃	H	undecafluorocyclohexyl	H	ethyl	H	H	H	propanoyl
8-16	CH ₃	H	undecafluorocyclohexyl	H	ethyl	H	H	H	cyclopropylcarbonyl
8-17	CH ₃	H	undecafluorocyclohexyl	H	ethyl	H	H	H	cyclopropylacetyl
8-18	CH ₃	H	undecafluorocyclohexyl	H	ethyl	H	H	H	3,3,3-trifluoropropanoyl
8-19	CH ₃	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	ethyl	H	H	H	tert-butoxycarbonyl
8-20	CH ₃	H	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	H	CH ₃	H	H	H	H
8-21	CH ₃	H	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	H	CH ₃	H	H	H	acetyl
8-22	CH ₃	H	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	H	CH ₃	H	H	H	propanoyl
8-23	CH ₃	H	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	H	CH ₃	H	H	H	3,3,3-trifluoropropanoyl
8-24	CH ₃	H	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	H	ethyl	H	H	H	H
8-25	CH ₃	H	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	H	ethyl	H	H	H	acetyl
8-26	CH ₃	H	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	H	ethyl	H	H	H	propanoyl
8-27	CH ₃	H	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	H	ethyl	H	H	H	3,3,3-trifluoropropanoyl
8-28	bromo	H	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	H	bromo	H	H	H	H
8-29	bromo	H	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	H	bromo	H	H	H	acetyl

8-30	bromo	H	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	H	bromo	H	H	H	propanoyl
8-31	bromo	H	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	H	bromo	H	H	H	3,3,3-trifluoropropanoyl
8-32	bromo	H	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	H	difluoromethoxy	H	H	H	H
8-33	bromo	H	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	H	difluoromethoxy	H	H	H	acetyl
8-34	bromo	H	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	H	difluoromethoxy	H	H	H	propanoyl
8-35	bromo	H	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	H	difluoromethoxy	H	H	H	3,3,3-trifluoropropanoyl
8-36	bromo	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	bromo	H	H	H	H
8-37	bromo	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	bromo	H	H	H	acetyl
8-38	bromo	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	bromo	H	H	H	propanoyl
8-39	bromo	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	bromo	H	H	H	3,3,3-trifluoropropanoyl
8-40	bromo	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	difluoromethoxy	H	H	H	H
8-41	bromo	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	difluoromethoxy	H	H	H	acetyl
8-42	bromo	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	difluoromethoxy	H	H	H	propanoyl
8-43	bromo	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	difluoromethoxy	H	H	H	3,3,3-trifluoropropanoyl
8-44	bromo	H	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	H	bromo	H	H	H	H
8-45	bromo	H	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	H	bromo	H	H	H	acetyl
8-46	bromo	H	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	H	bromo	H	H	H	propanoyl
8-47	bromo	H	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	H	bromo	H	H	H	3,3,3-trifluoropropanoyl

8-48	bromo	H	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	H	difluoromethoxy	H	H	H	H
8-49	bromo	H	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	H	difluoromethoxy	H	H	H	acetyl
8-50	bromo	H	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	H	difluoromethoxy	H	H	H	propanoyl
8-51	bromo	H	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	H	difluoromethoxy	H	H	H	3,3,3-trifluoropropanoyl
8-52	CH ₃	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	difluoromethoxy	H	H	H	H
8-53	CH ₃	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	difluoromethoxy	H	H	H	acetyl
8-54	CH ₃	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	difluoromethoxy	H	H	H	propanoyl
8-55	CH ₃	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	difluoromethoxy	H	H	H	3,3,3-trifluoropropanoyl
8-56	CH ₃	H	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	H	difluoromethoxy	H	H	H	H
8-57	CH ₃	H	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	H	difluoromethoxy	H	H	H	acetyl
8-58	CH ₃	H	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	H	difluoromethoxy	H	H	H	propanoyl
8-59	CH ₃	H	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	H	difluoromethoxy	H	H	H	3,3,3-trifluoropropanoyl
8-60	CH ₃	H	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	H	difluoromethoxy	H	H	H	H
8-61	CH ₃	H	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	H	difluoromethoxy	H	H	H	acetyl
8-62	CH ₃	H	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	H	difluoromethoxy	H	H	H	propanoyl
8-63	CH ₃	H	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	H	difluoromethoxy	H	H	H	3,3,3-trifluoropropanoyl
8-64	chloro	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	difluoromethoxy	H	H	H	H
8-65	chloro	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	difluoromethoxy	H	H	H	acetyl

8-66	chloro	H	1,1,1,2,3,3,3,3-heptafluoropropan-2-yl	H	difluoromethoxy	H	H	H	propanoyl
8-67	chloro	H	1,1,1,2,3,3,3,3-heptafluoropropan-2-yl	H	difluoromethoxy	H	H	H	3,3,3-trifluoropropanoyl
8-68	chloro	H	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	H	difluoromethoxy	H	H	H	H
8-69	chloro	H	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	H	difluoromethoxy	H	H	H	acetyl
8-70	chloro	H	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	H	difluoromethoxy	H	H	H	propanoyl
8-71	chloro	H	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	H	difluoromethoxy	H	H	H	3,3,3-trifluoropropanoyl
8-72	chloro	H	1-bromo-1,1,2,3,3,3,3-hexafluoropropan-2-yl	H	difluoromethoxy	H	H	H	H
8-73	chloro	H	1-bromo-1,1,2,3,3,3,3-hexafluoropropan-2-yl	H	difluoromethoxy	H	H	H	acetyl
8-74	chloro	H	1-bromo-1,1,2,3,3,3,3-hexafluoropropan-2-yl	H	difluoromethoxy	H	H	H	propanoyl
8-75	chloro	H	1-bromo-1,1,2,3,3,3,3-hexafluoropropan-2-yl	H	difluoromethoxy	H	H	H	3,3,3-trifluoropropanoyl

Table 9



Exa	R1	R2	J	R4	R5	Q	R8	R12	R13	R14	R15
9-1	CH ₃	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	ethyl	H	H	CH ₃	H	H	H
9-2	CH ₃	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	ethyl	H	H	CH ₃	H	H	acetyl
9-3	CH ₃	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	ethyl	H	H	CH ₃	H	H	propanoyl
9-4	CH ₃	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	ethyl	H	H	CH ₃	H	H	cyclopropylcarbonyl
9-5	CH ₃	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	ethyl	H	H	CH ₃	H	H	cyclopropylacetyl
9-6	CH ₃	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	ethyl	H	H	CH ₃	H	H	3,3,3-trifluoropropanoyl
9-7	CH ₃	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	ethyl	H	H	CH ₃	H	H	tert-butoxycarbonyl
9-8	CH ₃	H	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	H	ethyl	H	H	CH ₃	H	H	H
9-9	CH ₃	H	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	H	ethyl	H	H	CH ₃	H	H	acetyl
9-10	CH ₃	H	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	H	ethyl	H	H	CH ₃	H	H	propanoyl
9-11	CH ₃	H	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	H	ethyl	H	H	CH ₃	H	H	cyclopropylcarbonyl

9-12	CH ₃	H	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	H	ethyl	H	H	CH ₃	H	H	cyclopropylacetyl
9-13	CH ₃	H	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	H	ethyl	H	H	CH ₃	H	H	3,3,3-trifluoropropanoyl
9-14	CH ₃	H	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	H	ethyl	H	H	CH ₃	H	H	tert-butoxycarbonyl
9-15	CH ₃	H	undecafluorocyclohexyl	H	ethyl	H	H	CH ₃	H	H	H
9-16	CH ₃	H	undecafluorocyclohexyl	H	ethyl	H	H	CH ₃	H	H	acetyl
9-17	CH ₃	H	undecafluorocyclohexyl	H	ethyl	H	H	CH ₃	H	H	propanoyl
9-18	CH ₃	H	undecafluorocyclohexyl	H	ethyl	H	H	CH ₃	H	H	cyclopropylcarbonyl
9-19	CH ₃	H	undecafluorocyclohexyl	H	ethyl	H	H	CH ₃	H	H	cyclopropylacetyl
9-20	CH ₃	H	undecafluorocyclohexyl	H	ethyl	H	H	CH ₃	H	H	3,3,3-trifluoropropanoyl
9-21	CH ₃	H	undecafluorocyclohexyl	H	ethyl	H	H	CH ₃	H	H	tert-butoxycarbonyl
9-22	CH ₃	H	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	H	CH ₃	H	H	CH ₃	H	H	H
9-23	CH ₃	H	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	H	CH ₃	H	H	CH ₃	H	H	acetyl
9-24	CH ₃	H	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	H	CH ₃	H	H	CH ₃	H	H	propanoyl
9-25	CH ₃	H	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	H	CH ₃	H	H	CH ₃	H	H	3,3,3-trifluoropropanoyl
9-26	CH ₃	H	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	H	ethyl	H	H	CH ₃	H	H	H
9-27	CH ₃	H	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	H	ethyl	H	H	CH ₃	H	H	acetyl
9-28	CH ₃	H	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	H	ethyl	H	H	CH ₃	H	H	propanoyl
9-29	CH ₃	H	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	H	ethyl	H	H	CH ₃	H	H	3,3,3-trifluoropropanoyl

9-30	bromo	H	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	H	bromo	H	H	H	CH ₃	H	H	H
9-31	bromo	H	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	H	bromo	H	H	H	CH ₃	H	H	acetyl
9-32	bromo	H	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	H	bromo	H	H	H	CH ₃	H	H	propanoyl
9-33	bromo	H	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	H	bromo	H	H	H	CH ₃	H	H	3,3,3-trifluoropropanoyl
9-34	bromo	H	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	H	difluoromethoxy	H	H	H	CH ₃	H	H	H
9-35	bromo	H	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	H	difluoromethoxy	H	H	H	CH ₃	H	H	acetyl
9-36	bromo	H	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	H	difluoromethoxy	H	H	H	CH ₃	H	H	propanoyl
9-37	bromo	H	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	H	difluoromethoxy	H	H	H	CH ₃	H	H	3,3,3-trifluoropropanoyl
9-38	bromo	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	bromo	H	H	H	CH ₃	H	H	H
9-39	bromo	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	bromo	H	H	H	CH ₃	H	H	acetyl
9-40	bromo	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	bromo	H	H	H	CH ₃	H	H	propanoyl
9-41	bromo	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	bromo	H	H	H	CH ₃	H	H	3,3,3-trifluoropropanoyl
9-42	bromo	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	difluoromethoxy	H	H	H	CH ₃	H	H	H
9-43	bromo	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	difluoromethoxy	H	H	H	CH ₃	H	H	acetyl
9-44	bromo	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	difluoromethoxy	H	H	H	CH ₃	H	H	propanoyl
9-45	bromo	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	difluoromethoxy	H	H	H	CH ₃	H	H	3,3,3-trifluoropropanoyl
9-46	bromo	H	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	H	bromo	H	H	H	CH ₃	H	H	H
9-47	bromo	H	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	H	bromo	H	H	H	CH ₃	H	H	acetyl

9-48	bromo	H	1,1,1,2,3,3,3,4,4,4-nonafluorobutan-2-yl	H	bromo	H	H	CH ₃	H	H	propanoyl
9-49	bromo	H	1,1,1,2,3,3,3,4,4,4-nonafluorobutan-2-yl	H	bromo	H	H	CH ₃	H	H	3,3,3-trifluoropropanoyl
9-50	bromo	H	1,1,1,2,3,3,3,4,4,4-nonafluorobutan-2-yl	H	difluoromethoxy	H	H	CH ₃	H	H	H
9-51	bromo	H	1,1,1,2,3,3,3,4,4,4-nonafluorobutan-2-yl	H	difluoromethoxy	H	H	CH ₃	H	H	acetyl
9-52	bromo	H	1,1,1,2,3,3,3,4,4,4-nonafluorobutan-2-yl	H	difluoromethoxy	H	H	CH ₃	H	H	propanoyl
9-53	bromo	H	1,1,1,2,3,3,3,4,4,4-nonafluorobutan-2-yl	H	difluoromethoxy	H	H	CH ₃	H	H	3,3,3-trifluoropropanoyl
9-54	CH ₃	H	1,1,1,2,3,3,3,3-heptafluoropropan-2-yl	H	difluoromethoxy	H	H	CH ₃	H	H	H
9-55	CH ₃	H	1,1,1,2,3,3,3,3-heptafluoropropan-2-yl	H	difluoromethoxy	H	H	CH ₃	H	H	acetyl
9-56	CH ₃	H	1,1,1,2,3,3,3,3-heptafluoropropan-2-yl	H	difluoromethoxy	H	H	CH ₃	H	H	propanoyl
9-57	CH ₃	H	1,1,1,2,3,3,3,3-heptafluoropropan-2-yl	H	difluoromethoxy	H	H	CH ₃	H	H	3,3,3-trifluoropropanoyl
9-58	CH ₃	H	1,1,1,2,3,3,3,4,4,4-nonafluorobutan-2-yl	H	difluoromethoxy	H	H	CH ₃	H	H	H
9-59	CH ₃	H	1,1,1,2,3,3,3,4,4,4-nonafluorobutan-2-yl	H	difluoromethoxy	H	H	CH ₃	H	H	acetyl
9-60	CH ₃	H	1,1,1,2,3,3,3,4,4,4-nonafluorobutan-2-yl	H	difluoromethoxy	H	H	CH ₃	H	H	propanoyl
9-61	CH ₃	H	1,1,1,2,3,3,3,4,4,4-nonafluorobutan-2-yl	H	difluoromethoxy	H	H	CH ₃	H	H	3,3,3-trifluoropropanoyl
9-62	CH ₃	H	1-bromo-1,1,2,3,3,3,3-hexafluoropropan-2-yl	H	difluoromethoxy	H	H	CH ₃	H	H	H
9-63	CH ₃	H	1-bromo-1,1,2,3,3,3,3-hexafluoropropan-2-yl	H	difluoromethoxy	H	H	CH ₃	H	H	acetyl
9-64	CH ₃	H	1-bromo-1,1,2,3,3,3,3-hexafluoropropan-2-yl	H	difluoromethoxy	H	H	CH ₃	H	H	propanoyl
9-65	CH ₃	H	1-bromo-1,1,2,3,3,3,3-hexafluoropropan-2-yl	H	difluoromethoxy	H	H	CH ₃	H	H	3,3,3-trifluoropropanoyl

9-66	chloro	H	1,1,1,2,3,3,3,3-heptafluoropropan-2-yl	H	difluoromethoxy	H	H	CH ₃	H	H	H
9-67	chloro	H	1,1,1,2,3,3,3,3-heptafluoropropan-2-yl	H	difluoromethoxy	H	H	CH ₃	H	H	acetyl
9-68	chloro	H	1,1,1,2,3,3,3,3-heptafluoropropan-2-yl	H	difluoromethoxy	H	H	CH ₃	H	H	propanoyl
9-69	chloro	H	1,1,1,2,3,3,3,3-heptafluoropropan-2-yl	H	difluoromethoxy	H	H	CH ₃	H	H	3,3,3-trifluoropropanoyl
9-70	chloro	H	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	H	difluoromethoxy	H	H	CH ₃	H	H	H
9-71	chloro	H	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	H	difluoromethoxy	H	H	CH ₃	H	H	acetyl
9-72	chloro	H	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	H	difluoromethoxy	H	H	CH ₃	H	H	propanoyl
9-73	chloro	H	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	H	difluoromethoxy	H	H	CH ₃	H	H	3,3,3-trifluoropropanoyl
9-74	chloro	H	1-bromo-1,1,2,3,3,3,3-hexafluoropropan-2-yl	H	difluoromethoxy	H	H	CH ₃	H	H	H
9-75	chloro	H	1-bromo-1,1,2,3,3,3,3-hexafluoropropan-2-yl	H	difluoromethoxy	H	H	CH ₃	H	H	acetyl
9-76	chloro	H	1-bromo-1,1,2,3,3,3,3-hexafluoropropan-2-yl	H	difluoromethoxy	H	H	CH ₃	H	H	propanoyl
9-77	chloro	H	1-bromo-1,1,2,3,3,3,3-hexafluoropropan-2-yl	H	difluoromethoxy	H	H	CH ₃	H	H	3,3,3-trifluoropropanoyl


10-12	CH ₃	H	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	H	ethyl	H	H	H	cyclopropylacetyl
10-13	CH ₃	H	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	H	ethyl	H	H	H	3,3,3-trifluoropropanoyl
10-14	CH ₃	H	undecafluorocyclohexyl	H	ethyl	H	H	H	tert-butoxycarbonyl
10-15	CH ₃	H	undecafluorocyclohexyl	H	ethyl	H	H	H	H
10-16	CH ₃	H	undecafluorocyclohexyl	H	ethyl	H	H	H	acetyl
10-17	CH ₃	H	undecafluorocyclohexyl	H	ethyl	H	H	H	propanoyl
10-18	CH ₃	H	undecafluorocyclohexyl	H	ethyl	H	H	H	cyclopropylcarbonyl
10-19	CH ₃	H	undecafluorocyclohexyl	H	ethyl	H	H	H	cyclopropylacetyl
10-20	CH ₃	H	undecafluorocyclohexyl	H	ethyl	H	H	H	3,3,3-trifluoropropanoyl
10-21	CH ₃	H	undecafluorocyclohexyl	H	ethyl	H	H	H	tert-butoxycarbonyl
10-22	CH ₃	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	ethyl	H	H	H	(methylsulfonyl)acetyl
10-23	CH ₃	H	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	H	CH ₃	H	H	H	H
10-24	CH ₃	H	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	H	CH ₃	H	H	H	acetyl
10-25	CH ₃	H	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	H	CH ₃	H	H	H	propanoyl
10-26	CH ₃	H	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	H	CH ₃	H	H	H	3,3,3-trifluoropropanoyl
10-27	CH ₃	H	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	H	ethyl	H	H	H	H
10-28	CH ₃	H	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	H	ethyl	H	H	H	acetyl
10-29	CH ₃	H	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	H	ethyl	H	H	H	propanoyl

10-30	CH ₃	H	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	H	ethyl	H	H	H	3,3,3-trifluoropropanoyl
10-31	bromo	H	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	H	bromo	H	H	H	H
10-32	bromo	H	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	H	bromo	H	H	H	acetyl
10-33	bromo	H	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	H	bromo	H	H	H	propanoyl
10-34	bromo	H	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	H	bromo	H	H	H	3,3,3-trifluoropropanoyl
10-35	bromo	H	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	H	difluoromethoxy	H	H	H	H
10-36	bromo	H	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	H	difluoromethoxy	H	H	H	acetyl
10-37	bromo	H	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	H	difluoromethoxy	H	H	H	propanoyl
10-38	bromo	H	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	H	difluoromethoxy	H	H	H	3,3,3-trifluoropropanoyl
10-39	bromo	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	bromo	H	H	H	H
10-40	bromo	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	bromo	H	H	H	acetyl
10-41	bromo	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	bromo	H	H	H	propanoyl
10-42	bromo	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	bromo	H	H	H	3,3,3-trifluoropropanoyl
10-43	bromo	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	difluoromethoxy	H	H	H	H
10-44	bromo	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	difluoromethoxy	H	H	H	acetyl
10-45	bromo	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	difluoromethoxy	H	H	H	propanoyl
10-46	bromo	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	difluoromethoxy	H	H	H	3,3,3-trifluoropropanoyl
10-47	bromo	H	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	H	bromo	H	H	H	H

10-48	bromo	H	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	H	bromo	H	H	H	acetyl
10-49	bromo	H	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	H	bromo	H	H	H	propanoyl
10-50	bromo	H	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	H	bromo	H	H	H	3,3,3-trifluoropropanoyl
10-51	bromo	H	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	H	difluoromethoxy	H	H	H	H
10-52	bromo	H	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	H	difluoromethoxy	H	H	H	acetyl
10-53	bromo	H	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	H	difluoromethoxy	H	H	H	propanoyl
10-54	bromo	H	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	H	difluoromethoxy	H	H	H	3,3,3-trifluoropropanoyl
10-55	CH ₃	H	1,1,1,2,3,3,3,3-heptafluoropropan-2-yl	H	difluoromethoxy	H	H	H	H
10-56	CH ₃	H	1,1,1,2,3,3,3,3-heptafluoropropan-2-yl	H	difluoromethoxy	H	H	H	acetyl
10-57	CH ₃	H	1,1,1,2,3,3,3,3-heptafluoropropan-2-yl	H	difluoromethoxy	H	H	H	propanoyl
10-58	CH ₃	H	1,1,1,2,3,3,3,3-heptafluoropropan-2-yl	H	difluoromethoxy	H	H	H	3,3,3-trifluoropropanoyl
10-59	CH ₃	H	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	H	difluoromethoxy	H	H	H	H
10-60	CH ₃	H	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	H	difluoromethoxy	H	H	H	acetyl
10-61	CH ₃	H	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	H	difluoromethoxy	H	H	H	propanoyl
10-62	CH ₃	H	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	H	difluoromethoxy	H	H	H	3,3,3-trifluoropropanoyl
10-63	CH ₃	H	1-bromo-1,1,2,3,3,3,3-hexafluoropropan-2-yl	H	difluoromethoxy	H	H	H	H
10-64	CH ₃	H	1-bromo-1,1,2,3,3,3,3-hexafluoropropan-2-yl	H	difluoromethoxy	H	H	H	acetyl
10-65	CH ₃	H	1-bromo-1,1,2,3,3,3,3-hexafluoropropan-2-yl	H	difluoromethoxy	H	H	H	propanoyl

10-66	CH ₃	H	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	H	difluoromethoxy	H	H	H	3,3,3-trifluoropropanoyl
10-67	chloro	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	difluoromethoxy	H	H	H	H
10-68	chloro	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	difluoromethoxy	H	H	H	acetyl
10-69	chloro	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	difluoromethoxy	H	H	H	propanoyl
10-70	chloro	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	difluoromethoxy	H	H	H	3,3,3-trifluoropropanoyl
10-71	chloro	H	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	H	difluoromethoxy	H	H	H	H
10-72	chloro	H	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	H	difluoromethoxy	H	H	H	acetyl
10-73	chloro	H	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	H	difluoromethoxy	H	H	H	propanoyl
10-74	chloro	H	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	H	difluoromethoxy	H	H	H	3,3,3-trifluoropropanoyl
10-75	chloro	H	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	H	difluoromethoxy	H	H	H	H
10-76	chloro	H	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	H	difluoromethoxy	H	H	H	acetyl
10-77	chloro	H	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	H	difluoromethoxy	H	H	H	propanoyl
10-78	chloro	H	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	H	difluoromethoxy	H	H	H	3,3,3-trifluoropropanoyl

Table 11



Exa	R1	R2	J	R4	R5	Q	R7	R14	R15
11-1	CH ₃	H	1,1,1,2,3,3,3,3-heptafluoropropan-2-yl	H	ethyl	H	H	H	H
11-2	CH ₃	H	1,1,1,2,3,3,3,3-heptafluoropropan-2-yl	H	ethyl	H	H	H	acetyl
11-3	CH ₃	H	1,1,1,2,3,3,3,3-heptafluoropropan-2-yl	H	ethyl	H	H	H	propanoyl
11-4	CH ₃	H	1,1,1,2,3,3,3,3-heptafluoropropan-2-yl	H	ethyl	H	H	H	cyclopropylcarbonyl
11-5	CH ₃	H	1,1,1,2,3,3,3,3-heptafluoropropan-2-yl	H	ethyl	H	H	H	cyclopropylacetyl
11-6	CH ₃	H	1,1,1,2,3,3,3,3-heptafluoropropan-2-yl	H	ethyl	H	H	H	3,3,3-trifluoropropanoyl
11-7	CH ₃	H	1,1,1,2,3,3,3,3-heptafluoropropan-2-yl	H	ethyl	H	H	H	tert-butoxycarbonyl
11-8	CH ₃	H	1,1,1,2,3,3,3,4,4,4-nonafluorobutan-2-yl	H	ethyl	H	H	H	H
11-9	CH ₃	H	1,1,1,2,3,3,3,4,4,4-nonafluorobutan-2-yl	H	ethyl	H	H	H	acetyl
11-10	CH ₃	H	1,1,1,2,3,3,3,4,4,4-nonafluorobutan-2-yl	H	ethyl	H	H	H	propanoyl
11-11	CH ₃	H	1,1,1,2,3,3,3,4,4,4-nonafluorobutan-2-yl	H	ethyl	H	H	H	cyclopropylcarbonyl

11-12	CH ₃	H	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	H	ethyl	H	H	H	cyclopropylacetyl
11-13	CH ₃	H	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	H	ethyl	H	H	H	3,3,3-trifluoropropanoyl
11-14	CH ₃	H	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	H	ethyl	H	H	H	tert-butoxycarbonyl
11-15	CH ₃	H	undecafluorocyclohexyl	H	ethyl	H	H	H	H
11-16	CH ₃	H	undecafluorocyclohexyl	H	ethyl	H	H	H	acetyl
11-17	CH ₃	H	undecafluorocyclohexyl	H	ethyl	H	H	H	propanoyl
11-18	CH ₃	H	undecafluorocyclohexyl	H	ethyl	H	H	H	cyclopropylcarbonyl
11-19	CH ₃	H	undecafluorocyclohexyl	H	ethyl	H	H	H	cyclopropylacetyl
11-20	CH ₃	H	undecafluorocyclohexyl	H	ethyl	H	H	H	3,3,3-trifluoropropanoyl
11-21	CH ₃	H	undecafluorocyclohexyl	H	ethyl	H	H	H	tert-butoxycarbonyl
11-22	CH ₃	H	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	H	CH ₃	H	H	H	H
11-23	CH ₃	H	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	H	CH ₃	H	H	H	acetyl
11-24	CH ₃	H	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	H	CH ₃	H	H	H	propanoyl
11-25	CH ₃	H	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	H	CH ₃	H	H	H	3,3,3-trifluoropropanoyl
11-26	CH ₃	H	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	H	ethyl	H	H	H	H
11-27	CH ₃	H	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	H	ethyl	H	H	H	acetyl
11-28	CH ₃	H	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	H	ethyl	H	H	H	propanoyl
11-29	CH ₃	H	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	H	ethyl	H	H	H	3,3,3-trifluoropropanoyl

11-30	bromo	H	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	H	bromo	H	H	H	H	H
11-31	bromo	H	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	H	bromo	H	H	H	H	acetyl
11-32	bromo	H	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	H	bromo	H	H	H	H	propanoyl
11-33	bromo	H	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	H	bromo	H	H	H	H	3,3,3-trifluoropropanoyl
11-34	bromo	H	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	H	difluoromethoxy	H	H	H	H	H
11-35	bromo	H	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	H	difluoromethoxy	H	H	H	H	acetyl
11-36	bromo	H	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	H	difluoromethoxy	H	H	H	H	propanoyl
11-37	bromo	H	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	H	difluoromethoxy	H	H	H	H	3,3,3-trifluoropropanoyl
11-38	bromo	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	bromo	H	H	H	H	H
11-39	bromo	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	bromo	H	H	H	H	acetyl
11-40	bromo	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	bromo	H	H	H	H	propanoyl
11-41	bromo	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	bromo	H	H	H	H	3,3,3-trifluoropropanoyl
11-42	bromo	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	difluoromethoxy	H	H	H	H	H
11-43	bromo	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	difluoromethoxy	H	H	H	H	acetyl
11-44	bromo	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	difluoromethoxy	H	H	H	H	propanoyl
11-45	bromo	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	difluoromethoxy	H	H	H	H	3,3,3-trifluoropropanoyl
11-46	bromo	H	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	H	bromo	H	H	H	H	H
11-47	bromo	H	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	H	bromo	H	H	H	H	acetyl

11-48	bromo	H	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	H	bromo	H	H	H	propanoyl
11-49	bromo	H	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	H	bromo	H	H	H	3,3,3-trifluoropropanoyl
11-50	bromo	H	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	H	difluoromethoxy	H	H	H	H
11-51	bromo	H	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	H	difluoromethoxy	H	H	H	acetyl
11-52	bromo	H	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	H	difluoromethoxy	H	H	H	propanoyl
11-53	bromo	H	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	H	difluoromethoxy	H	H	H	3,3,3-trifluoropropanoyl
11-54	CH ₃	H	1,1,1,2,3,3,3,3-heptafluoropropan-2-yl	H	difluoromethoxy	H	H	H	H
11-55	CH ₃	H	1,1,1,2,3,3,3,3-heptafluoropropan-2-yl	H	difluoromethoxy	H	H	H	acetyl
11-56	CH ₃	H	1,1,1,2,3,3,3,3-heptafluoropropan-2-yl	H	difluoromethoxy	H	H	H	propanoyl
11-57	CH ₃	H	1,1,1,2,3,3,3,3-heptafluoropropan-2-yl	H	difluoromethoxy	H	H	H	3,3,3-trifluoropropanoyl
11-58	CH ₃	H	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	H	difluoromethoxy	H	H	H	H
11-59	CH ₃	H	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	H	difluoromethoxy	H	H	H	acetyl
11-60	CH ₃	H	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	H	difluoromethoxy	H	H	H	propanoyl
11-61	CH ₃	H	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	H	difluoromethoxy	H	H	H	3,3,3-trifluoropropanoyl
11-62	CH ₃	H	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	H	difluoromethoxy	H	H	H	H
11-63	CH ₃	H	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	H	difluoromethoxy	H	H	H	acetyl
11-64	CH ₃	H	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	H	difluoromethoxy	H	H	H	propanoyl
11-65	CH ₃	H	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	H	difluoromethoxy	H	H	H	3,3,3-trifluoropropanoyl

11-66	chloro	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	difluoromethoxy	H	H	H	H
11-67	chloro	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	difluoromethoxy	H	H	H	acetyl
11-68	chloro	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	difluoromethoxy	H	H	H	propanoyl
11-69	chloro	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	difluoromethoxy	H	H	H	3,3,3-trifluoropropanoyl
11-70	chloro	H	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	H	difluoromethoxy	H	H	H	H
11-71	chloro	H	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	H	difluoromethoxy	H	H	H	acetyl
11-72	chloro	H	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	H	difluoromethoxy	H	H	H	propanoyl
11-73	chloro	H	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	H	difluoromethoxy	H	H	H	3,3,3-trifluoropropanoyl
11-74	chloro	H	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	H	difluoromethoxy	H	H	H	H
11-75	chloro	H	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	H	difluoromethoxy	H	H	H	acetyl
11-76	chloro	H	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	H	difluoromethoxy	H	H	H	propanoyl
11-77	chloro	H	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	H	difluoromethoxy	H	H	H	3,3,3-trifluoropropanoyl

12-10	CH ₃	H	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	H	ethyl	H	H	H	H	H	methoxycarbonyl	1H-1,2,4-triazol-1-yl
12-11	CH ₃	H	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	H	ethyl	H	H	H	H	H	tert-butoxycarbonyl	1H-1,2,4-triazol-1-yl
12-12	CH ₃	H	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	H	ethyl	H	H	H	H	H	H	1H-1,2,4-triazol-1-yl
12-13	CH ₃	H	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	H	ethyl	H	H	H	H	H	acetyl	1H-1,2,4-triazol-1-yl
12-14	CH ₃	H	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	H	ethyl	H	H	H	H	H	propionyl	1H-1,2,4-triazol-1-yl
12-15	CH ₃	H	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	H	ethyl	H	H	H	H	H	methoxycarbonyl	1H-1,2,4-triazol-1-yl

Table 13






Table 14




Exa	R1	R2	J	R4	R5	Q	R7	W	R11
14-1	CH ₃	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	ethyl	H	H	1H-pyrazol-1-yl	cyano
14-2	CH ₃	H	1,1,1,2,3,3,3-heptafluoropropan-2-yl	H	ethyl	H	H	1H-1,2,4-triazol-1-yl	cyano

Table A




Exa	X ¹⁶	J	X ¹⁷	X ¹⁴	X ¹³
A-1	CH ₃	1,1,1,2,3,3,3-heptafluoropropan-2-yl	CH ₃	trifluoromethyl	fluoro
A-2	CH ₃	1,1,1,2,3,3,3-heptafluoropropan-2-yl	ethyl	fluoro	fluoro
A-3	CH ₃	1,1,1,2,3,3,3-heptafluoropropan-2-yl	CH ₃	chloro	fluoro
A-4	CH ₃	1,1,1,2,3,3,3-heptafluoropropan-2-yl	ethyl	bromo	fluoro
A-5	CH ₃	1,1,1,2,3,3,3-heptafluoropropan-2-yl	ethyl	trifluoromethyl	fluoro
A-6	chloro	1,1,1,2,3,3,3-heptafluoropropan-2-yl	chloro	H	iodo
A-7	chloro	1,1,1,2,3,3,3-heptafluoropropan-2-yl	chloro	chloro	iodo
A-8	bromo	1,1,1,2,3,3,3-heptafluoropropan-2-yl	bromo	H	iodo
A-9	chloro	1,1,1,2,3,3,3-heptafluoropropan-2-yl	chloro	CH ₃	iodo
A-10	chloro	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	chloro	chloro	iodo
A-11	CH ₃	1,1,1,2,3,3,3-heptafluoropropan-2-yl	chloro	chloro	iodo

Table B




Exa	X ¹⁶	J	X ¹⁷	X ¹⁵	X ¹³
B-1	CH ₃	1,1,1,2,3,3,3-heptafluoropropan-2-yl	CH ₃	chloro	fluoro
B-2	CH ₃	1,1,1,2,3,3,3-heptafluoropropan-2-yl	CH ₃	trifluoromethyl	fluoro
B-3	CH ₃	1,1,1,2,3,3,3-heptafluoropropan-2-yl	CH ₃	nitro	fluoro

Table C




Exa	X ¹⁶	J	X ¹⁷	X ¹³
C-1	CH ₃	1,1,1,2,3,3,3-heptafluoropropan-2-yl	CH ₃	chloro
C-2	CH ₃	1,1,1,2,3,3,3-heptafluoropropan-2-yl	ethyl	chloro
C-3	CH ₃	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	ethyl	chloro
C-4	CH ₃	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	ethyl	chloro

Table D




Exa	X ¹⁶	J	X ¹⁷	X ¹³
D-1	CH ₃	1,1,1,2,3,3,3-heptafluoropropan-2-yl	ethyl	bromo
D-2	CH ₃	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	CH ₃	bromo
D-3	CH ₃	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	ethyl	bromo
D-4	CH ₃	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	CH ₃	bromo
D-5	CH ₃	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	ethyl	bromo

Table E



Exa	X ¹⁶	J	X ¹⁷	X ¹³
E-1	CH ₃	1,1,1,2,3,3,3-heptafluoropropan-2-yl	ethyl	fluoro


Table F



Exa	X ¹⁶	J	X ¹⁷	X ¹⁹	X ¹⁸
F-1	CH ₃	1,1,1,2,3,3,3-heptafluoropropan-2-yl	CH ₃	H	chloro
F-2	CH ₃	1,1,1,2,3,3,3-heptafluoropropan-2-yl	CH ₃	H	1,3-dioxo-1,3-dihydro-2H-isoindol-2-yl
F-3	CH ₃	1,1,1,2,3,3,3-heptafluoropropan-2-yl	ethyl	H	chloro
F-4	CH ₃	1,1,1,2,3,3,3-heptafluoropropan-2-yl	ethyl	H	1,3-dioxo-1,3-dihydro-2H-isoindol-2-yl
F-5	CH ₃	1,1,1,2,3,3,3-heptafluoropropan-2-yl	ethyl	chloro	chloro
F-6	CH ₃	1,1,1,2,3,3,3-heptafluoropropan-2-yl	ethyl	chloro	1,3-dioxo-1,3-dihydro-2H-isoindol-2-yl
F-7	CH ₃	1,1,1,2,3,3,3-heptafluoropropan-2-yl	ethyl	bromo	chloro
F-8	CH ₃	1,1,1,2,3,3,3-heptafluoropropan-2-yl	ethyl	bromo	1,3-dioxo-1,3-dihydro-2H-isoindol-2-yl
F-9	CH ₃	1,1,1,2,3,3,3-heptafluoropropan-2-yl	ethyl	nitro	1,3-dioxo-1,3-dihydro-2H-isoindol-2-yl
F-10	CH ₃	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	ethyl	H	chloro
F-11	CH ₃	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	ethyl	H	1,3-dioxo-1,3-dihydro-2H-isoindol-2-yl


F-12	CH ₃	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	ethyl	fluoro	chloro
F-13	CH ₃	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	ethyl	fluoro	1,3-dioxo-1,3-dihydro-2H-isoindol-2-yl
F-14	CH ₃	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	ethyl	chloro	chloro
F-15	CH ₃	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	ethyl	chloro	1,3-dioxo-1,3-dihydro-2H-isoindol-2-yl
F-16	CH ₃	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	ethyl	bromo	1,3-dioxo-1,3-dihydro-2H-isoindol-2-yl
F-17	CH ₃	1,1,1,2,3,3,3-heptafluoropropan-2-yl	ethyl	iodo	1,3-dioxo-1,3-dihydro-2H-isoindol-2-yl
F-18	CH ₃	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	ethyl	chloro	chloro
F-19	CH ₃	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	ethyl	chloro	1,3-dioxo-1,3-dihydro-2H-isoindol-2-yl

Table G



Exa	X ¹⁶	J	X ¹⁷	X ¹⁸
G-1	CH ₃	1,1,1,2,3,3,3-heptafluoropropan-2-yl	ethyl	chloro
G-2	CH ₃	1,1,1,2,3,3,3-heptafluoropropan-2-yl	ethyl	1,3-dioxo-1,3-dihydro-2H-isoindol-2-yl
G-3	CH ₃	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	ethyl	chloro
G-4	CH ₃	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	ethyl	1,3-dioxo-1,3-dihydro-2H-isoindol-2-yl
G-5	CH ₃	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	ethyl	chloro
G-6	CH ₃	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	ethyl	1,3-dioxo-1,3-dihydro-2H-isoindol-2-yl


Table H



Exa	X ¹⁶	J	X ¹⁷	X ²⁰	X ²¹
-----	-----------------	---	-----------------	-----------------	-----------------

H-1	CH ₃	1,1,1,2,3,3,3-heptafluoropropan-2-yl	ethyl	CH ₃	O
H-2	CH ₃	1,1,1,2,3,3,3-heptafluoropropan-2-yl	ethyl	CH ₃	N(OH)
H-3	CH ₃	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	ethyl	CH ₃	O
H-4	CH ₃	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	ethyl	CH ₃	N(OH)
H-5	CH ₃	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	ethyl	CH ₃	O
H-6	CH ₃	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	ethyl	CH ₃	N(OH)


Table I



Exa	X ¹⁶	J	X ¹⁷	X ²⁴	X ²³
I-1	CH ₃	1,1,1,2,3,3,3-heptafluoropropan-2-yl	CH ₃	fluoro	H
I-2	CH ₃	1,1,1,2,3,3,3-heptafluoropropan-2-yl	ethyl	H	H
I-3	CH ₃	1,1,1,2,3,3,3-heptafluoropropan-2-yl	ethyl	fluoro	H
I-4	CH ₃	1,1,1,2,3,3,3-heptafluoropropan-2-yl	ethyl	chloro	H
I-5	CH ₃	1,1,1,2,3,3,3-heptafluoropropan-2-yl	ethyl	H	methyl
I-6	CH ₃	1,1,1,3,3,3-hexafluoro-2-hydroxypropan-2-yl	ethyl	H	H
I-7	CH ₃	1,1,1,3,3,3-hexafluoro-2-[(methylsulfonyl)oxy]propan-2-yl	ethyl	H	H
I-8	CH ₃	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	ethyl	H	H
I-9	CH ₃	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	ethyl	H	H
I-10	CH ₃	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	ethyl	H	H
I-11	CH ₃	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	ethyl	H	H
I-12	CH ₃	1,1,1,2,3,3,3-heptafluoropropan-2-yl	difluoromethoxy	chloro	H
I-13	CH ₃	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	difluoromethoxy	chloro	H
I-14	CH ₃	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	difluoromethoxy	chloro	H
I-15	chloro	1,1,1,2,3,3,3-heptafluoropropan-2-yl	difluoromethoxy	chloro	H


I-16	chloro	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	difluoromethoxy	chloro	H
I-17	chloro	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	difluoromethoxy	chloro	H
I-18	bromo	1,1,1,2,3,3,3-heptafluoropropan-2-yl	difluoromethoxy	chloro	H
I-19	bromo	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	difluoromethoxy	chloro	H
I-20	bromo	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	difluoromethoxy	chloro	H
I-21	CH ₃	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	CH ₃	chloro	H
I-22	chloro	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	chloro	chloro	H
I-23	bromo	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	bromo	chloro	H
I-24	chloro	1,1,1,2,3,3,3-heptafluoropropan-2-yl	chloro	H	H
I-25	chloro	1,1,1,2,3,3,3-heptafluoropropan-2-yl	chloro	CH ₃	H
I-26	bromo	1,1,1,2,3,3,3-heptafluoropropan-2-yl	bromo	H	H
I-27	chloro	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	chloro	H	H
I-28	CH ₃	1,1,1,2,3,3,3-heptafluoropropan-2-yl	chloro	H	H
I-29	CH ₃	1,1,1,2,3,3,3-heptafluoropropan-2-yl	CH ₃	fluoro	H
I-30	CH ₃	1,1,1,2,3,3,3-heptafluoropropan-2-yl	ethyl	fluoro	H
I-31	CH ₃	1,1,1,2,3,3,3-heptafluoropropan-2-yl	ethyl	fluoro	H
I-32	chloro	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	chloro	chloro	H
I-33	bromo	1,1,1,2,3,3,3-heptafluoropropan-2-yl	bromo	H	H
I-34	bromo	1,1,1,2,3,3,3-heptafluoropropan-2-yl	bromo	chloro	H
I-35	CH ₃	1,1,1,2,3,3,3-heptafluoropropan-2-yl	chloro	chloro	H
I-36	CH ₃	1,1,1,2,3,3,3-heptafluoropropan-2-yl	ethyl	chloro	H
I-37	bromo	1,1,1,2,3,3,3-heptafluoropropan-2-yl	bromo	chloro	H
I-38	chloro	1,1,1,2,3,3,3-heptafluoropropan-2-yl	chloro	chloro	H

Table J




Exa	X ¹⁶	J	X ¹⁷
J-1	CH ₃	1,1,1,2,3,3,3-heptafluoropropan-2-yl	ethyl
J-2	CH ₃	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	ethyl
J-3	CH ₃	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	ethyl

Table K




Exa	X ¹⁶	J	X ¹⁷
K-1	CH ₃	1,1,1,2,3,3,3-heptafluoropropan-2-yl	ethyl
K-2	CH ₃	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	CH ₃
K-3	CH ₃	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	ethyl
K-4	CH ₃	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	CH ₃
K-5	CH ₃	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	ethyl

Talbe L



Exa	X ¹⁶	J	X ¹⁷	X ²¹
L-1	CH ₃	1,1,1,2,3,3,3-heptafluoropropan-2-yl	ethyl	O
L-2	CH ₃	1,1,1,2,3,3,3-heptafluoropropan-2-yl	ethyl	N(OH)
L-3	CH ₃	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	ethyl	O
L-4	CH ₃	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	ethyl	N(OH)
L-5	CH ₃	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	ethyl	O
L-6	CH ₃	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	ethyl	N(OH)


Talbe M



Exa	X ¹⁶	J	X ¹⁷	X ²¹
M-1	CH ₃	1,1,1,2,3,3,3-heptafluoropropan-2-yl	ethyl	O
M-2	CH ₃	1,1,1,2,3,3,3-heptafluoropropan-2-yl	ethyl	N(OH)
M-3	CH ₃	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	ethyl	O
M-4	CH ₃	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	ethyl	N(OH)
M-5	CH ₃	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	ethyl	O
M-6	CH ₃	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	ethyl	N(OH)


- 167 -

Talbe N



Exa	X ¹⁶	J	X ¹⁷	X ²⁶
N-1	chloro	1,1,1,2,3,3,3-heptafluoropropan-2-yl	chloro	H
N-2	chloro	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	chloro	H
N-3	chloro	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	chloro	H
N-4	chloro	1,1,1,2,3,3,3-heptafluoropropan-2-yl	chloro	CH ₃
N-5	chloro	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	chloro	CH ₃
N-6	chloro	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	chloro	CH ₃
N-7	CH ₃	1,1,1,2,3,3,3-heptafluoropropan-2-yl	chloro	H
N-8	CH ₃	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	chloro	H
N-9	CH ₃	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	chloro	H
N-10	CH ₃	1,1,1,2,3,3,3-heptafluoropropan-2-yl	ethyl	H
N-11	CH ₃	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	ethyl	H
N-12	CH ₃	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	ethyl	H
N-13	bromo	1,1,1,2,3,3,3-heptafluoropropan-2-yl	bromo	H
N-14	bromo	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	bromo	H
N-15	bromo	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	bromo	H

Talbe O



Exa	X ¹⁶	J	X ¹⁷	X ²⁶
O-1	chloro	1,1,1,2,3,3,3-heptafluoropropan-2-yl	chloro	H
O-2	chloro	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	chloro	H
O-3	chloro	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	chloro	H
O-4	chloro	1,1,1,2,3,3,3-heptafluoropropan-2-yl	chloro	chloro
O-5	chloro	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	chloro	chloro
O-6	chloro	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	chloro	chloro
O-7	chloro	1,1,1,2,3,3,3-heptafluoropropan-2-yl	chloro	CH ₃
O-8	chloro	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	chloro	CH ₃
O-9	chloro	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	chloro	CH ₃
O-10	CH ₃	1,1,1,2,3,3,3-heptafluoropropan-2-yl	chloro	H
O-11	CH ₃	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	chloro	H
O-12	CH ₃	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	chloro	H
O-13	CH ₃	1,1,1,2,3,3,3-heptafluoropropan-2-yl	ethyl	H
O-14	CH ₃	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	ethyl	H
O-15	CH ₃	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	ethyl	H
O-16	CH ₃	1,1,1,2,3,3,3-heptafluoropropan-2-yl	ethyl	chloro
O-17	CH ₃	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	ethyl	chloro
O-18	CH ₃	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	ethyl	chloro
O-19	CH ₃	1,1,1,2,3,3,3-heptafluoropropan-2-yl	ethyl	bromo
O-20	CH ₃	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	ethyl	bromo
O-21	CH ₃	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	ethyl	bromo

O-22	bromo	1,1,1,2,3,3,3-heptafluoropropan-2-yl	bromo	H
O-23	bromo	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	bromo	H
O-24	bromo	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	bromo	H
O-25	bromo	1,1,1,2,3,3,3-heptafluoropropan-2-yl	bromo	chloro
O-26	bromo	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	bromo	chloro
O-27	bromo	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	bromo	chloro
O-28	bromo	1,1,1,2,3,3,3-heptafluoropropan-2-yl	bromo	bromo
O-29	bromo	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	bromo	bromo
O-30	bromo	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	bromo	bromo
O-31	CH ₃	1,1,1,2,3,3,3-heptafluoropropan-2-yl	chloro	chloro
O-32	CH ₃	1,1,1,2,3,3,4,4,4-nonafluorobutan-2-yl	chloro	chloro
O-33	CH ₃	1-bromo-1,1,2,3,3,3-hexafluoropropan-2-yl	chloro	chloro

NMR Table

Exa	NMR
1-1	¹ H-NMR (CDCl ₃) δ: 2.33 (6H, s), 6.53 (1H, dd), 7.36 (2H, s), 7.57 (1H, s), 7.77 (1H, s), 7.84 (2H, d), 8.02-8.00 (3H, m).
1-2	¹ H-NMR (CDCl ₃) δ: 2.36 (6H, s), 7.37 (2H, s), 7.41 (1H, s), 7.70 (1H, s), 7.81 (2H, d), 8.01 (1H, s), 8.03 (2H, d).
1-3	¹ H-NMR (CDCl ₃) δ: 2.37 (6H, s), 7.38 (2H, s), 7.46 (1H, s), 7.88 (2H, d), 8.09 (2H, d), 8.16 (1H, s), 8.67 (1H, s).
1-4	¹ H-NMR (CDCl ₃) δ: 2.30 (6H, s), 3.35 (3H, s), 7.26 (3H, s), 7.39 (2H, d), 7.49 (2H, d), 8.07 (1H, s), 8.49 (1H, s).
1-5	¹ H-NMR (CDCl ₃) δ: 2.42 (6H, s), 7.39 (2H, s), 7.68 (1H, s), 7.75 (1H, dd), 7.93 (1H, d), 8.02 (1H, d), 8.16 (1H, s), 8.65 (1H, s).
1-6	¹ H-NMR (CDCl ₃) δ: 2.42 (6H, s), 7.18 (1H, s), 7.38 (2H, s), 7.90 (1H, d), 8.02 (1H, dd), 8.17-8.18 (2H, m), 8.70 (1H, s).
1-7	¹ H-NMR (DMSO-d ₆) δ: 2.40 (6H, s), 7.45 (2H, s), 7.95 (1H, s), 8.07 (1H, d), 8.38 (1H, s), 8.39 (1H, dd), 8.65 (1H, d), 9.57 (1H, s).
1-8	¹ H-NMR (CDCl ₃) δ: 2.36 (6H, s), 7.38 (2H, s), 7.51 (1H, s), 7.81 (1H, d), 7.96 (1H, dd), 8.16 (1H, d), 8.18 (1H, s), 8.70 (1H, s).
1-9	¹ H-NMR (CDCl ₃) δ: 2.34 (6H, s), 7.38 (2H, s), 7.69-7.71 (2H, m), 8.01 (1H, dd), 8.17 (1H, s), 8.34 (1H, d), 8.63 (1H, s).
1-10	¹ H-NMR (CDCl ₃) δ: 2.37 (6H, s), 7.39 (2H, s), 7.59 (1H, s), 7.75 (1H, d), 8.19 (1H, s), 8.27 (1H, d), 8.41 (2H, s).
1-11	¹ H-NMR (CDCl ₃) δ: 2.35 (6H, s), 7.39 (2H, s), 7.79 (1H, d), 7.84 (1H, s), 8.15 (1H, s), 8.34 (1H, dd), 8.48 (1H, s), 8.55 (1H, d).
1-12	¹ H-NMR (CDCl ₃) δ: 2.33 (6H, s), 7.38 (2H, s), 7.88 (1H, s), 7.98 (1H, d), 8.20 (1H, s), 8.33 (1H, dd), 8.44 (1H, d), 8.91 (1H, s).
1-13	¹ H-NMR (CDCl ₃) δ: 1.52 (3H, t), 2.36 (6H, s), 3.46 (2H, q), 7.38 (2H, s), 7.64 (1H, s), 7.78 (2H, d), 8.13 (2H, d).
1-14	¹ H-NMR (CDCl ₃) δ: 1.22 (3H, t), 2.33 (3H, s), 2.68 (2H, q), 6.42 (2H, d), 6.83 (2H, d), 7.39 (2H, s), 7.47-7.63 (2H, m), 8.24 (1H, m), 8.40 (1H, s).
1-15	¹ H-NMR (CDCl ₃) δ: 1.25 (3H, t), 2.36 (3H, s), 2.71 (2H, q), 6.41-6.43 (1H, m), 7.04-7.05 (2H, m), 7.40 (2H, s), 7.62 (1H, d), 7.78 (1H, s), 8.24 (1H, dd), 8.40 (1H, d).
1-16	¹ H-NMR (CDCl ₃) δ: 1.24 (3H, t), 2.36 (3H, s), 2.71 (2H, q), 6.54 (1H, dd), 7.38 (2H, s), 7.42 (1H, s), 7.78 (1H, d), 7.87 (2H, d), 8.04-8.01 (3H, m).
1-17	¹ H-NMR (CDCl ₃) δ: 1.23 (3H, t), 2.34 (3H, s), 2.69 (2H, q), 6.56 (1H, d), 7.39 (2H, s), 7.69-7.75 (4H, m), 8.24 (1H, d), 8.37 (1H, d).
1-18	¹ H-NMR (CDCl ₃) δ: 1.23 (3H, t), 2.38 (3H, s), 2.74 (2H, q), 6.60 (1H, t), 7.40 (2H, m), 7.56 (4H, tt), 7.92-8.03 (6H, m), 9.42 (1H, d), 11.92 (1H, s).

1-19	¹ H-NMR (CDCl ₃) δ: 1.23 (3H,t), 2.38 (3H,s), 2.69 (2H,q), 6.56-6.59 (1H, m), 7.14-7.34 (2H, m), 7.39 (2H, tt), 7.49-7.57 (2H, m), 7.71-7.77 (1H, m), 7.85-7.95 (3H, m), 8.06 (1H, t), 9.33 (1H,s), 11.44-11.51 (1H, d).
1-20	¹ H-NMR (CDCl ₃) δ: 1.23 (3H,t), 2.39 (3H,s), 2.70 (2H, q), 3.454(1H,d), 3.74(1H, d), 6.58 (1H, d), 7.40 (3, m), 7.57 (1H, d), 7.72-7.83 (2H, m), 7.92-8.08 (3H, m), 8.54 (1H, d), 9.35 (1H, s), 11.63 (1H,s).
1-21	¹ H-NMR (CDCl ₃) δ: 1.25 (3H, t), 2.36 (3H, s), 2.71 (2H, q), 7.38 (2H, s), 7.41 (1H, s), 7.70 (1H, s), 7.81 (2H, d), 8.01 (1H, s), 8.03 (2H, d).
1-22	¹ H-NMR (CDCl ₃) δ: 1.23 (3H,t), 2.34 (3H, s), 2.69 (2H, q), 7.40 (2H, s), 7.76 (1H, s), 7.95 (1H, s), 8.02 (1H, s), 8.10 (2H, s), 8.33 (1H, dd), 8.51 (1H, d).
1-23	¹ H-NMR (CDCl ₃) δ: 1.24 (3H, t), 2.35 (3H, s), 2.70 (2H, q), 7.41 (2H, s), 7.61 (1H, s), 7.80 (1H, d), 8.31 (1H, s), 8.34 (1H, dd), 8.54 (1H, d), 8.54 (1H, s).
1-24	¹ H-NMR (CDCl ₃) δ: 1.24 (3H, t), 2.34 (3H, s), 2.69 (2H, q), 7.41 (2H, s), 7.65 (1H, s), 7.77 (1H, d), 8.04 (1H, s), 8.23 (1H, s), 8.33 (1H, dd), 8.51 (1H, d).
1-25	¹ H-NMR (CDCl ₃) δ: 1.23 (3H, t), 2.35 (3H, s), 2.71 (2H, q), 7.24 (1H, s), 7.36 (1H, s), 7.39 (2H, s), 7.54 (2H, d), 7.78 (1H, s), 7.92 (1H, s), 8.07 (2H, d).
1-26	¹ H-NMR (CDCl ₃) δ: 1.25 (3H, t), 2.37 (3H, s), 2.70 (2H, q), 7.11 (1H, d, J), 7.20 (1H, d), 7.42 (2H, s), 7.63-7.67 (2H, m), 8.36 (2H, m), 8.60 (1H, d).
1-27	¹ H-NMR (CDCl ₃) δ: 1.24 (3H, t), 2.36 (3H, s), 2.71 (2H, q), 7.39 (2H, s), 7.63 (1H, s), 7.89-7.94 (3H, m), 8.13-8.10 (3H, m).
1-28	¹ H-NMR (CDCl ₃) δ: 1.25(3H,t), 2.33 (3H, s), 2.70 (2H, q), 7.22-7.32 (2H, m), 7.75-7.84 (3H, m), 7.89-7.96 (2H, m), 8.34-8.38 (2H, m), 8.59 (1H, s).
1-29	¹ H-NMR (CDCl ₃) δ: 1.24 (3H, t), 2.36 (3H, s), 2.71 (2H, q), 7.39 (2H, s), 7.46 (1H, s), 7.88 (2H, s), 8.05 (2H, d), 8.25 (2H, d).
1-30	¹ H-NMR (CDCl ₃) δ: 1.25(3H, t), 2.37 (3H,s), 2.70 (2H, q), 7.41 (2H, s), 7.83(2H,d), 7.94 (2H,d), 8.20 (1H,dd), 8.32 (1H, s).
1-31	¹ H-NMR (CDCl ₃) δ: 1.24 (3H, t), 2.37 (3H, s), 2.71 (2H, q), 7.39 (2H, s), 7.44 (1H, s), 7.88 (2H, d), 8.09 (2H, d), 8.16 (1H, s), 8.67 (1H, s).
1-32	¹ H-NMR (CDCl ₃) δ: 1.24 (3H, t), 2.34 (3H, s), 2.37 (3H, s), 2.70 (2H, q), 7.39 (2H, s), 7.48 (1H, d), 7.62 (1H, s), 7.86 (1H, d), 7.95 (1H, s), 8.16 (1H, s), 8.33 (1H, s).
1-33	¹ H-NMR (CDCl ₃) δ: 1.25 (3H, t), 2.37 (3H, s), 2.71 (2H, q), 7.41 (2H, s), 7.63 (1H, s), 7.75 (1H, d), 8.19 (1H, s), 8.27 (1H, dd), 8.39-8.43 (2H, m).
1-34	¹ H-NMR (CDCl ₃) δ: 1.24 (3H, t), 2.36 (3H, s), 2.70 (2H, q), 7.40 (2H, s), 7.50 (1H, s), 7.85 (1H, d), 7.92 (1H, d), 8.17-8.12 (2H, m), 8.80 (1H, d).
1-35	¹ H-NMR (CDCl ₃) δ: 1.24 (3H, t), 2.35 (3H, s), 2.69 (2H, q), 7.39 (2H, s), 7.57 (1H, s), 7.80 (1H, d), 7.95 (1H, dd), 8.16-8.17 (2H, m), 8.70 (1H, s).
1-36	¹ H-NMR (CDCl ₃) δ: 1.25 (3H, t), 2.35 (3H, s), 2.70 (2H, q), 7.40 (2H, s), 7.53 (1H, s), 7.71 (1H, d), 8.00 (1H, dd), 8.18 (1H, s), 8.33 (1H, d), 8.64 (1H, s).
1-37	¹ H-NMR (CDCl ₃) δ: 1.23 (3H, t), 2.34 (3H, s), 2.69 (2H, q), 4.04 (3H, s), 7.37 (2H, s), 7.56-7.53 (2H, m), 7.75 (1H, s), 8.01 (1H, d), 8.09 (1H, s), 8.91 (1H, s).

1-38	¹ H-NMR (DMSO-d ₆) δ: 1.25 (3H, t), , 2.31 (3H, s), 2.70 (2H, q), 5.75(2H,s), 7.28 (1H, dd), 7.37-7.49 (4H, m), 8.29 (1H, s), 8.95 (1H, s), 9.92(1H,s).
1-39	¹ H-NMR (CDCl ₃) δ: 1.25 (3H,t), 2.37 (3H, s), 2.69 (H, q), 7.40 (2H, s), 7.79 (1H, dd), 7.91 (1H, s), 8.15 (1H, s), 8.34 (1H,dd), 8.48 (1H, s), 8.56 (1H, s).
1-40	¹ H-NMR (CDCl ₃) δ: 1.08-1.35 (6H, m), 2.37 (3H, s), 2.46 (2H, q), 2.71 (2H,q), 7.39 (1H, d), 7.55(1H, s), 7.87 (1H, dd), 8.29 (1H, s), 8.57 (1H, s), 9.15 (1H, s), 9.97 (1H, s).
1-41	¹ H-NMR (CDCl ₃) δ: 1.25 (3H,t), 2.38 (3H, s), 2.70-2.78 (2H, q), 7.42 (2H,s), 7.51-7.65 (4H, m), 7.91-8.01 (4H, m), 8.36 (1H, s), 8.63 (1H, s), 9.37 (1H, s), 10.95 (1H, s).
1-42	¹ H-NMR (CDCl ₃) δ: 1.25(3H, t), 2.40 (3H, s), 2.70-2.78 (2H, q), , 7.19-7.38 (2H, m), 7.40 (2H,s), 7.51-7.62 (2H, m), 7.97 (2H, dd), 8.05-8.11 (1H, m), 8.30 (1H, s), 8.56 (1H, s), 9.28 (1H,s), 10.60 (1H, d).
1-43	¹ H-NMR (CDCl ₃) δ: 1.25 (3H,t), 2.39 (3H, s), 2.74 (2H, q), 7.09-7.26 (2H, m), 7.39 (2H, s), 7.63 (1H, d), 7.94-8.04 (3H, m), 8.04-8.11 (1H, m), 8.36 (1H,s), 8.65 (1H, s), 9.32 (1H, s), 10.97 (1H,s).
1-44	¹ H-NMR (CDCl ₃) δ: 1.25 (3H, t), 2.39(3H,s), 2.71-2.78 (2H,q), 7.14-7.33 (2H, m), 7.40 (2H, s), 7.58-7.65 (1H, m), 7.79 (1H, s), 7.88 (1H, d), 7.98(1H,dd), 8.30 (1H, s), 8.56 (1H, s), 9.24 (1H, d), 10.67-10.73 (1H, d).
1-45	¹ H-NMR (CDCl ₃) δ: 1.25 (3H, t), 2.39 (3H, s), 2.71-2.78 (2H, q), 7.43 (3H, m), 7.61 (1H, d), 7.83 (1H, s), 7.97 (1H, d), 8.34 (1H, s), 8.42 (1H, dd), 8.59 (2H, m), 9.26 (1H, s), 10.96 (1H, d).
1-46	¹ H-NMR (CDCl ₃) δ: 1.25 (3H, t), 2.41 (3H, s), 2.75 (2H, q), 7.40-7.45 (3H, m), 7.62 (1H, d), 7.86 (1H, s), 8.03 (1H, dd), 8.24 (1H, s), 8.55-8.60 (2H, m), 9.28 (1H, s), 10.65 (1H, s).
1-47	¹ H-NMR (CDCl ₃) δ: 1.24 (3H, t), 2.36 (3H, s), 2.71 (2H, q), 3.79 (3H, s), 7.38 (2H, s), 7.51 (1H, d), 7.79-7.84 (2H, m), 8.26 (1H, s), 8.54 (1H, s), 8.91 (1H, s), 9.30 (1H, s).
1-48	¹ H-NMR (acetone-d ₆) δ: 1.21 (3H, t), 2.39 (3H, s), 2.79 (2H, q), 3.05 (3H, s), 7.48 (2H, s), 7.91 (1H, d), 8.04 (1H, dd), 8.31 (1H, s), 8.42 (1H, d), 9.03 (1H, s), 9.18 (1H, s), 9.48 (1H, s).
1-49	¹ H-NMR (CDCl ₃) δ: 1.24 (3H, t), 2.35 (3H, s), 2.68 (2H, q), 7.41 (2H, s), 7.59 (1H, s), 8.01 (1H, d), 8.22 (1H, s), 8.31 (1H, dd), 8.42 (1H, d), 8.92 (1H, s).
1-50	¹ H-NMR (CDCl ₃) δ: 1.25 (3H, t), 2.37 (3H, s), 2.71 (2H, q), 7.40 (2H, s), 7.46 (1H, s), 7.90 (2H, d), 8.12 (2H, d), 8.73 (1H, s).
1-52	¹ H-NMR (CDCl ₃) δ: 1.23 (3H, td, J = 7.4, 4.9 Hz), 2.34 (3H, s), 2.69 (2H, q, J = 7.6 Hz), 7.40 (2H, s), 7.81 (1H, d, J = 8.2 Hz), 8.15 (1H, s), 8.41 (1H, dd, J = 8.2, 1.9 Hz), 8.54 (1H, s), 8.70 (1H, d, J = 1.8 Hz).
1-53	¹ H-NMR (CDCl ₃) δ: 1.21 (3H, t), 2.33 (3H, s), 2.69 (2H, q), 3.99 (3H, s), 7.39 (2H, s), 7.78 (1H, d), 8.45 (1H, dd), 8.50 (1H, s), 8.74 (1H, d), 8.77 (1H, s).
1-54	¹ H-NMR (CDCl ₃) δ: 1.24 (3H, t), 2.36 (3H, s), 2.71 (2H, q), 5.83 (1H, s), 7.10 (1H, s), 7.39 (2H, s), 7.58 (1H, s), 7.94 (2H, d), 8.12 (2H, d), 8.69 (1H, s).
1-55	¹ H-NMR (CDCl ₃) δ: 1.24 (3H, t), 2.37 (3H, s), 2.71 (2H, q), 7.40 (2H, s), 7.63 (1H, s), 7.91 (2H, d), 8.17 (2H, d), 9.11 (1H, s).
1-56	¹ H-NMR (CDCl ₃) δ: 1.25 (3H, t), 2.38 (3H, s), 2.73 (2H, q), 7.40 (2H, s), 7.70-7.82 (2H, m), 8.00 (1H, d), 8.44 (1H, dd), 9.13 (1H, s).

1-57	¹ H-NMR (CDCl ₃) δ: 1.25 (3H, t), 2.37 (3H, s), 2.69 (2H, q), 7.42 (2H, s), 7.47 (1H, s), 7.79 (1H, d), 8.31 (1H, dd), 8.85 (1H, d), 9.64 (1H, d).
1-58	¹ H-NMR (CDCl ₃) δ: 1.25 (3H, t), 2.37 (3H, s), 2.72 (2H, q), 7.40 (2H, s), 7.48 (1H, s), 8.14 (2H, d), 8.34 (2H, d), 8.72 (1H, s).
1-59	¹ H-NMR (CDCl ₃) δ: 1.25 (3H, t), 2.37 (3H, s), 2.64-2.75 (2H, q), 7.40 (2H, s), 7.69 (1H, s), 7.83 (1H, d), 8.31 (1H, d), 8.84 (1H, s), 9.64 (1H, s).
1-60	¹ H-NMR (CDCl ₃) δ: 1.25 (3H, t), 2.39 (2H, d), 2.72 (2H, q), 2.90 (3H, s), 7.40 (2H, s), 7.45 (1H, s), 7.81 (2H, d), 8.13 (2H, d).
1-61	¹ H-NMR (CDCl ₃) δ: 1.24 (3H, t), 2.39 (3H, s), 2.75 (2H, q), 7.40 (2H, s), 7.68-7.54 (3H, m), 7.77 (2H, d), 7.88 (1H, d), 7.98 (1H, s), 8.23 (1H, d), 8.80 (1H, s).
1-62	¹ H-NMR (CDCl ₃) δ: 1.25 (3H, t), 2.38 (3H, s), 2.73 (2H, q), 7.42 (2H, s), 7.43-7.52 (2H, m), 7.61 (1H, dd), 7.92 (1H, d), 8.02 (1H, s), 8.09 (1H, d), 8.45 (1H, dd), 8.71 (1H, d).
1-63	¹ H-NMR (CDCl ₃) δ: 1.24 (3H, t), 2.35 (3H, s), 2.70 (2H, q), 7.41 (2H, s), 7.45-7.49 (2H, m), 7.63 (1H, s), 7.89-7.93 (2H, m), 8.41-8.28 (3H, m).
1-64	¹ H-NMR (CDCl ₃) δ: 1.24 (6H, dz), 3.25-3.11 (1H, m), 7.38 (1H, s), 7.44 (1H, s), 7.57 (1H, s), 7.87 (2H, d), 8.09 (2H, d), 8.16 (1H, s), 8.67 (1H, s).
1-66	¹ H-NMR (CDCl ₃) δ: 1.25 (6H, d), 3.21-3.08 (1H, m), 7.40 (1H, s), 7.46 (1H, s), 7.68 (1H, s), 7.80 (1H, d), 8.17 (1H, s), 8.34 (1H, dd), 8.49 (1H, s), 8.55 (1H, d).
1-67	¹ H-NMR (CDCl ₃) δ: 2.40 (3H, s), 3.43 (3H, s), 4.52 (2H, s), 7.39 (1H, s), 7.53 (1H, s), 7.88 (2H, d), 8.11 (2H, d), 8.16 (1H, s), 8.68 (1H, s), 8.88 (1H, s).
1-68	¹ H-NMR (CDCl ₃) δ: 2.39 (3H, s), 3.41 (3H, s), 4.51 (2H, s), 4.90 (2H, s), 7.26-7.39 (3H, m), 7.50-7.52 (2H, m), 8.20 (1H, s), 8.46 (1H, s), 8.77 (1H, s).
1-69	¹ H-NMR (CDCl ₃) δ: 2.40 (3H, s), 3.45 (3H, s), 4.55 (2H, s), 7.40 (1H, s), 7.55 (1H, s), 7.80 (1H, d), 8.17 (1H, s), 8.34 (1H, dd), 8.49 (1H, s), 8.57 (1H, d), 9.13 (1H, s).
1-70	¹ H-NMR (CDCl ₃) δ: 2.38 (3H, s), 3.87 (3H, s), 6.99 (1H, s), 7.16 (1H, s), 7.69 (1H, s), 7.86 (2H, d), 8.10 (2H, d), 8.16 (1H, s), 8.67 (1H, s).
1-72	¹ H-NMR (CDCl ₃) δ: 2.37 (3H, s), 3.89 (3H, s), 7.01 (1H, s), 7.17 (1H, s), 7.77 (1H, d), 7.84 (1H, s), 8.16 (1H, s), 8.32 (1H, dd), 8.48 (1H, s), 8.53 (1H, d).
1-73	¹ H-NMR (CDCl ₃) δ: 1.24 (6H, t, J = 7.6 Hz), 2.71 (4H, q, J = 7.6 Hz), 7.41 (2H, s), 7.46 (1H, s), 7.88 (2H, d), 8.08 (2H, d), 8.16 (1H, s), 8.67 (1H, s).
1-74	¹ H-NMR (CDCl ₃) δ: 1.24 (6H, t), 2.70 (4H, q), 7.41 (2H, s), 7.48 (1H, s), 7.81 (1H, d), 7.95 (1H, d), 8.16-8.18 (2H, m), 8.70 (1H, s).
1-75	¹ H-NMR (CDCl ₃) δ: 1.25 (6H, t), 2.70 (4H, q), 7.42 (2H, s), 7.44 (1H, s), 7.72 (1H, d), 7.99 (1H, dd), 8.18 (1H, s), 8.33 (1H, d), 8.64 (1H, s).
1-77	¹ H-NMR (CDCl ₃) δ: 1.25 (6H, t), 2.70 (4H, q), 7.43 (2H, s), 7.67 (1H, s), 7.80 (1H, d), 8.17 (1H, s), 8.33 (1H, dd), 8.49 (1H, s), 8.54 (1H, d).
1-78	¹ H-NMR (CDCl ₃) δ: 7.79 (1H, s), 7.89 (2H, s), 7.89 (2H, d), 8.13 (2H, d), 8.16 (1H, s), 8.68 (1H, s).
1-79	¹ H-NMR (CDCl ₃) δ: 7.92 (2H, d), 8.03 (1H, s), 8.14 (2H, d), 8.17 (2H, s), 8.69 (1H, s).
1-80	¹ H-NMR (CDCl ₃) δ: 7.86 (2H, d), 8.15-8.10 (6H, m), 8.66 (1H, s).

1-81	¹ H-NMR (CDCl ₃) δ: 7.82 (1H, d), 8.04-8.17 (4H, m), 8.38 (1H, d), 8.50 (1H, s), 8.60 (1H, s).
1-86	¹ H-NMR (acetone-d ₆) δ: 1.15 (3H, t), 2.35 (3H, s), 2.75 (2H, q), 7.26 (2H, d), 7.84 (1H, s), 7.95 (1H, s), 8.14 (2H, d), 8.33 (2H, d), 9.42 (1H, s), 9.85 (1H, s).
1-87	¹ H-NMR (CDCl ₃) δ: 2.39 (6H, s), 7.12 (2H, s), 7.73-7.77 (2H, m), 7.93 (1H, d), 8.01 (1H, d), 8.14 (1H, s), 8.15 (1H, s), 8.31 (1H, s), 8.65 (1H, s).
1-89	¹ H-NMR (CDCl ₃) δ: 1.23 (3H, t), 2.37 (3H, s), 2.71 (2H, q), 7.38 (2H, s), 7.45 (1H, s), 7.88 (2H, d), 8.09 (2H, d), 8.16 (1H, s), 8.67 (1H, s).
1-96	¹ H-NMR (CDCl ₃) δ: 1.25 (3H, t), 2.37 (3H, s), 2.71 (2H, q), 7.46 (2H, s), 7.52 (1H, s), 7.72 (1H, d), 8.00 (1H, dd), 8.18 (1H, s), 8.33 (1H, d), 8.64 (1H, s).
1-99	¹ H-NMR (CDCl ₃) δ: 1.24 (3H, t), 2.33 (3H, s), 2.68 (2H, q), 7.46 (2H, s), 7.46 (1H, s), 7.87 (2H, d), 8.08 (2H, d), 8.16 (1H, s), 8.67 (1H, s).
1-101	¹ H-NMR (CDCl ₃) δ: 1.22 (3H, t), 2.28 (3H, s), 2.64 (2H, q), 7.45 (2H, s), 7.77 (1H, d), 7.96 (1H, s), 8.13 (1H, s), 8.32 (1H, dd), 8.47 (1H, s), 8.54 (1H, d).
1-102	¹ H-NMR (CDCl ₃) δ: 1.24 (3H, t), 1.26 (3H, t), 2.33 (3H, s), 2.46 (2H, q), 2.68 (2H, q), 7.44 (2H, s), 7.55 (1H, d), 7.76 (1H, s), 7.90 (1H, dd), 8.28 (1H, s), 8.56 (1H, s), 9.15 (1H, d), 9.98 (1H, s).
1-103	¹ H-NMR (CDCl ₃) δ: 1.25 (3H, t), 2.34 (3H, s), 2.70 (2H, q), 7.19 (1H, dd), 7.31 (1H, dd), 7.45 (2H, s), 7.52-7.58 (2H, m), 7.88 (1H, s), 7.95 (1H, d), 8.08 (1H, dd), 8.28 (1H, s), 8.54 (1H, s), 9.27 (1H, d), 10.60 (1H, d).
1-104	¹ H-NMR (CDCl ₃) δ: 1.23 (3H, t), 2.32 (3H, s), 2.68 (2H, q), 3.80 (3H, s), 7.44 (2H, s), 7.51 (1H, d), 7.73 (1H, s), 7.82 (1H, dd), 8.26 (1H, s), 8.54 (1H, s), 8.92 (1H, d), 9.30 (1H, s).
2-2	¹ H-NMR (CDCl ₃) δ: 1.30 (3H, t), 2.49 (3H, s), 2.81 (2H, q), 7.44 (2H, s), 7.48 (1H, s), 7.59 (1H, d), 7.63-7.74 (2H, m), 7.80 (1H, dd), 7.89 (1H, d), 8.27 (1H, s), 8.46 (1H, s), 8.52 (1H, dd).
4-1	¹ H-NMR (acetone-d ₆) δ: 2.34 (6H, s), 7.23 (2H, s), 7.56 (1H, s), 7.64 (1H, d), 8.23 (1H, s), 8.41 (1H, dd), 8.67 (1H, s), 9.03 (1H, d).
4-2	¹ H-NMR (CDCl ₃) δ: 1.25 (3H, t), 2.37 (3H, s), 2.71 (2H, q), 7.40 (2H, s), 7.45 (1H, s), 8.07 (1H, d), 8.15 (1H, s), 8.44 (1H, d), 9.01 (1H, s), 9.25 (1H, s).
5-1	¹ H-NMR (CDCl ₃) δ: 2.33 (6H, s), 3.98 (2H, s), 7.35 (2H, s), 7.45-7.48 (3H, m), 7.89 (2H, d).
5-2	¹ H-NMR (CDCl ₃) δ: 2.04 (3H, s), 2.33 (6H, s), 4.51 (2H, d), 5.97 (1H, s), 7.35 (2H, s), 7.41 (2H, d), 7.53 (1H, s), 7.88 (2H, d).
5-3	¹ H-NMR (CDCl ₃) δ: 1.18 (3H, t), 2.27 (2H, q), 2.32 (6H, s), 4.51 (2H, d), 5.95 (1H, s), 7.35 (2H, s), 7.40 (2H, d), 7.59 (1H, s), 7.89 (2H, d).
5-4	¹ H-NMR (CDCl ₃) δ: 1.21 (6H, d), 2.34 (6H, s), 2.42-2.44 (1H, m), 4.53 (2H, d), 5.85 (1H, s), 7.37-7.41 (5H, m), 7.89 (2H, d).
5-5	¹ H-NMR (CDCl ₃) δ: 2.32 (6H, s), 4.11 (2H, s), 4.57 (2H, d), 7.04 (1H, s), 7.35 (2H, s), 7.42 (2H, d), 7.56 (1H, s), 7.90 (2H, d).
5-6	¹ H-NMR (CDCl ₃) δ: 2.33 (6H, s), 4.60 (2H, d), 5.96 (1H, t), 6.75 (1H, s), 7.36 (2H, s), 7.42-7.45 (3H, m), 7.91 (2H, d).
5-7	¹ H-NMR (CDCl ₃) δ: 2.34 (6H, s), 3.14 (2H, q), 4.58 (2H, d), 6.21 (1H, s), 7.38-7.41 (5H, m), 7.89 (2H, d).

5-8	¹ H-NMR (CDCl ₃) δ: 0.21-0.23 (2H, m), 0.60-0.66 (2H, m), 0.98-1.00 (1H, m), 2.23 (2H, d), 2.34 (6H, s), 4.56 (2H, d), 6.32 (1H, s), 7.35 (2H, s), 7.43-7.46 (3H, m), 7.90 (2H, d).
5-9	¹ H-NMR (CDCl ₃) δ: 1.98-2.21 (6H, m), 2.34 (6H, s), 3.04-3.07 (1H, m), 4.51 (2H, d), 5.78 (1H, s), 7.35 (2H, s), 7.40 (2H, d), 7.52 (1H, s), 7.89 (2H, d).
5-10	¹ H-NMR (CDCl ₃) δ: 1.59-1.91 (8H, m), 2.34 (6H, s), 2.57-2.59 (1H, m), 4.53 (2H, d), 5.86 (1H, s), 7.35 (2H, s), 7.41-7.43 (3H, m), 7.89 (2H, d).
5-11	¹ H-NMR (CDCl ₃) δ: 1.37-1.79 (10H, m), 2.14 (1H, m), 2.34 (6H, s), 4.52 (2H, d), 5.85 (1H, s), 7.35 (2H, s), 7.40 (2H, d), 7.44 (1H, s), 7.89 (2H, d).
5-12	¹ H-NMR (CDCl ₃) δ: 1.88 (3H, dd), 2.34 (6H, s), 4.59 (2H, d), 5.82-5.87 (2H, m), 6.92 (1H, dd), 7.34-7.37 (3H, m), 7.44 (2H, d), 7.89 (2H, d).
5-13	¹ H-NMR (CDCl ₃) δ: 1.77 (3H, dd), 1.87-1.87 (3H, m), 2.33 (6H, s), 4.58 (2H, d), 6.13 (1H, s), 6.49 (1H, dd), 7.35 (2H, s), 7.42 (2H, d), 7.51 (1H, s), 7.89 (2H, d).
5-14	¹ H-NMR (CDCl ₃) δ: 2.34 (6H, s), 3.43 (3H, s), 3.96 (2H, s), 4.57 (2H, d, J = 6.0 Hz), 6.95 (1H, s), 7.35 (2H, s), 7.43-7.45 (3H, m), 7.90 (2H, d, J = 8.1 Hz).
5-15	¹ H-NMR (CDCl ₃) δ: 2.33 (6H, s), 2.53 (2H, tz), 3.38 (3H, s), 3.67 (2H, t), 4.53 (2H, d), 6.70 (1H, s), 7.35 (2H, s), 7.41 (2H, d), 7.49 (1H, s), 7.89 (2H, d).
5-16	¹ H-NMR (CDCl ₃) δ: 1.21 (3H, d), 2.33 (6H, s), 2.43 (2H, d), 3.34 (3H, s), 3.72-3.75 (1H, m), 4.53 (2H, t), 6.74 (1H, s), 7.35 (2H, s), 7.41 (2H, d), 7.54 (1H, s), 7.89 (2H, d).
5-17	¹ H-NMR (CDCl ₃) δ: 2.33 (6H, s), 4.52 (2H, d), 4.93 (2H, s), 6.97 (1H, s), 7.34-7.36 (4H, m), 7.57 (1H, s), 7.87 (2H, d), 8.00 (1H, s), 8.03 (1H, s).
5-18	¹ H-NMR (CDCl ₃) δ: 2.33 (6H, s), 3.61 (2H, s), 4.49 (2H, d), 5.82 (1H, s), 7.05 (2H, dd), 7.24-7.27 (4H, m), 7.31-7.35 (4H, m), 7.41 (1H, s), 7.86 (2H, d).
5-19	¹ H-NMR (CDCl ₃) δ: 2.33 (6H, s), 4.76 (2H, d), 7.35 (2H, s), 7.37-7.42 (1H, m), 7.49-7.52 (3H, m), 7.92 (2H, d), 8.35-8.36 (1H, m), 8.57-8.64 (1H, m).
5-21	¹ H-NMR (CDCl ₃) δ: 2.06 (3H, s), 2.35 (6H, s), 4.50 (2H, dz), 5.99 (1H, s), 7.16 (1H, d), 7.22 (1H, dd), 7.36 (2H, s), 7.96 (1H, d), 8.11 (1H, t).
5-22	¹ H-NMR (CDCl ₃) δ: 1.21 (3H, t), 2.27-2.33 (8H, m), 4.51 (2H, d), 5.99 (1H, s), 7.15 (1H, d), 7.21 (1H, dd), 7.36 (2H, s), 7.97 (1H, d), 8.10 (1H, t).
5-24	¹ H-NMR (CDCl ₃) δ: 0.23-0.26 (2H, m), 0.64-0.67 (2H, m), 1.00-1.03 (1H, m), 2.26 (2H, d), 2.35 (6H, s), 4.56 (2H, d), 6.36 (1H, s), 7.17 (1H, d), 7.24 (1H, d), 7.36 (2H, s), 7.96 (1H, d), 8.13 (1H, t).
5-25	¹ H-NMR (CDCl ₃) δ: 2.35 (6H, s), 3.14 (2H, q), 4.55 (2H, d), 6.41 (1H, s), 7.13 (1H, d), 7.20 (1H, d), 7.36 (2H, s), 7.96 (1H, d), 8.09 (1H, t).
5-27	¹ H-NMR (CDCl ₃) δ: 1.22 (3H, t), 2.34 (3H, s), 2.69 (2H, q), 3.98 (2H, s), 7.37 (2H, s), 7.47 (1H, s), 7.44 (2H, d), 7.90 (2H, d).
5-28	¹ H-NMR (acetone-d ₆) δ: 1.17 (3H, t), 1.94 (3H, s), 2.35 (3H, s), 2.75 (2H, q), 4.45 (2H, d), 7.46-7.44 (4H, m), 7.61 (1H, s), 7.99 (2H), 9.17 (1H, s).
5-29	¹ H-NMR (CDCl ₃) δ: 1.19-1.22 (6H, m), 2.28 (2H, q), 2.33 (3H, s), 2.68 (2H, q), 4.53 (2H, d), 5.88 (1H, s), 7.37 (2H, s), 7.42-7.45 (3H, m), 7.89 (2H, d).
5-30	¹ H-NMR (CDCl ₃) δ: 0.75-1.08 (4H, m), 1.21 (3H, t), 1.36-1.44 (1H, m), 2.33 (3H, s), 2.68 (2H, q), 4.53 (2H, d), 6.10 (1H, s), 7.36 (2H, s), 7.42 (2H, d), 7.52 (1H, s), 7.88 (2H, d).

5-31	¹ H-NMR (CDCl ₃) δ: 0.19-0.24 (2H, m), 0.61-0.64 (2H, m), 0.97-0.99 (1H, m), 1.21 (3H, t), 2.21 (2H, d), 2.33 (3H, s), 2.68 (2H, q), 4.55 (2H, d), 6.37 (1H, s), 7.36 (2H, s), 7.42 (2H, d), 7.59 (1H, s), 7.90 (2H, d).
5-32	¹ H-NMR (CDCl ₃) δ: 1.21 (3H, t), 2.33 (3H, s), 2.68 (2H, q), 3.14 (2H, q), 4.57 (2H, d), 6.27 (1H, s), 7.38-7.41 (5H, m), 7.88 (2H, d).
5-33	¹ H-NMR (CDCl ₃) δ: 1.21 (3H, t), 2.33 (3H, s), 2.69 (2H, q), 3.27 (2H, s), 4.57 (2H, d), 7.37 (2H, s), 7.44-7.46 (3H, m), 7.90 (2H, d).
5-34	¹ H-NMR (CDCl ₃) δ: 1.21 (3H, t), 2.33 (3H, s), 2.68 (2H, q), 4.76 (2H, d), 7.14 (1H, dd), 7.29 (1H, d), 7.36 (2H, s), 7.46-7.54 (4H, m), 7.91 (2H, d), 8.12 (1H, td).
5-35	¹ H-NMR (CDCl ₃) δ: 1.21 (3H, t), 2.33 (3H, s), 2.67 (2H, q), 4.71 (2H, d), 6.63 (1H, s), 7.19-7.25 (1H, m), 7.41-7.51 (7H, m), 7.90 (2H, d).
5-36	¹ H-NMR (CDCl ₃) δ: 1.19 (3H, t), 2.29 (3H, s), 2.66 (2H, q), 4.91 (2H, s), 6.99 (2H, t), 7.34 (2H, s), 7.49-7.54 (4H, m), 7.93 (3H, d).
5-37	¹ H-NMR (CDCl ₃) δ: 1.21 (3H, t), 2.33 (3H, s), 2.68 (2H, q), 4.75 (2H, d), 6.70 (1H, s), 7.30-7.44 (4H, m), 7.53 (2H, d), 7.68-7.71 (1H, m), 7.92 (2H, d).
5-38	¹ H-NMR (CDCl ₃) δ: 1.21 (3H, t), 2.33 (3H, s), 2.68 (2H, q), 4.71 (2H, d), 6.61 (1H, s), 7.36 (2H, s), 7.40 (1H, d), 7.47-7.52 (4H, m), 7.66-7.69 (1H, m), 7.79-7.80 (1H, m), 7.90 (2H, d).
5-39	¹ H-NMR (CDCl ₃) δ: 1.21 (3H, t), 2.33 (3H, s), 2.68 (2H, q), 4.71 (2H, d), 6.56 (1H, s), 7.37 (2H, s), 7.43-7.48 (5H, m), 7.74 (2H, d), 7.90 (2H, d).
5-40	¹ H-NMR (CDCl ₃) δ: 1.21 (3H, t), 2.34 (3H, s), 2.69 (2H, q), 4.77 (2H, d), 7.37-7.42 (4H, m), 7.51 (2H, d), 7.92 (2H, d), 8.35-8.37 (1H, m), 8.58-8.65 (1H, m).
5-41	¹ H-NMR (CDCl ₃) δ: 1.21 (3H, t), 2.33 (3H, s), 2.68 (2H, q), 4.75 (2H, d), 7.05 (1H, s), 7.34-7.38 (3H, m), 7.54-7.51 (3H, m), 7.92 (2H, d), 8.14 (1H, dd), 8.48 (1H, dd).
5-42	¹ H-NMR (CDCl ₃) δ: 1.22 (3H, t), 2.34 (3H, s), 2.69 (2H, q), 4.81-4.83 (4H, m), 7.37 (2H, s), 7.40 (1H, s), 7.46 (2H, d), 7.88 (2H, d).
5-44	¹ H-NMR (CDCl ₃) δ: 1.21 (3H, t), 2.34 (3H, s), 2.70 (2H, q), 4.51 (2H, d), 5.96 (1H, s), 7.16 (1H, d), 7.22 (1H, d), 7.37 (2H, s), 7.97 (1H, d), 8.12 (1H, t).
5-45	¹ H-NMR (CDCl ₃) δ: 1.19-1.26 (6H, m), 2.29 (2H, q), 2.34 (3H, s), 2.70 (2H, q), 4.52 (2H, d), 5.92 (1H, s), 7.16 (1H, d), 7.23 (1H, dd), 7.37 (2H, s), 7.97 (1H, d), 8.13 (1H, t).
5-46	¹ H-NMR (CDCl ₃) δ: 0.23-0.26 (2H, m), 0.64-0.67 (2H, m), 1.00-1.03 (1H, m), 1.22 (3H, t), 2.26 (2H, d), 2.35 (3H, s), 2.70 (2H, q), 4.56 (2H, d), 6.36 (1H, s), 7.17 (1H, d), 7.24 (1H, d), 7.37 (2H, s), 7.97 (1H, d), 8.14 (1H, t).
5-47	¹ H-NMR (CDCl ₃) δ: 1.22 (3H, t), 2.34 (3H, s), 2.70 (2H, q), 3.15 (2H, q), 4.56 (2H, d), 6.31 (1H, s), 7.14 (1H, d), 7.21 (1H, d), 7.37 (3H, s), 7.96 (1H, d), 8.11 (1H, t).
5-48	¹ H-NMR (CDCl ₃) δ: 1.21 (3H, t), 2.35 (3H, d), 2.70 (2H, q), 4.76 (2H), 7.22 (1H, d), 7.32 (1H, d), 7.38 (2H, d), 7.41-7.42 (1H, m), 7.97 (1H, d), 8.17 (1H, t), 8.37 (1H, td), 8.59-8.66 (1H, m).
5-49	¹ H-NMR (CDCl ₃) δ: 1.22 (3H, t), 1.48 (9H, s), 2.35 (3H, s), 2.70 (2H, q), 4.39 (2H, d), 5.02 (1H, s), 7.14-7.25 (2H, m), 7.37 (2H, s), 7.97 (1H, d), 8.14 (1H, dd).
5-51	¹ H-NMR (CDCl ₃) δ: 1.22 (3H, t), 2.04 (3H, s), 2.34 (3H, s), 2.69 (2H, q), 4.56 (2H, d), 6.04 (1H, s), 7.27-7.29 (1H, m), 7.38 (2H, s), 7.81-7.88 (2H, m).

5-52	¹ H-NMR (CDCl ₃) δ: 1.13-1.26 (6H, m), 2.28 (2H, q), 2.34 (3H, s), 2.70 (2H, q), 4.57 (2H, d), 5.94 (1H, s), 7.28-7.30 (1H, m), 7.38 (2H, s), 7.83-7.86 (2H, m).
5-53	¹ H-NMR (CDCl ₃) δ: 0.77-0.81 (2H, m), 0.98-1.05 (2H, m), 1.22 (3H, t), 1.38-1.43 (1H, m), 2.34 (3H, s), 2.70 (2H, q), 4.58 (2H, d), 6.18 (1H, t), 7.28-7.30 (1H, m), 7.37 (2H, s), 7.83-7.86 (2H, m).
5-54	¹ H-NMR (CDCl ₃) δ: 0.22-0.24 (2H, m), 0.64-0.67 (2H, m), 0.98-1.00 (1H, m), 1.23 (3H, t), 2.23 (2H, d), 2.35 (3H, s), 2.70 (2H, q), 4.61 (2H, d), 6.39 (1H, s), 7.30 (1H, d), 7.38 (2H, s), 7.83-7.88 (2H, m).
5-55	¹ H-NMR (CDCl ₃) δ: 1.23 (3H, t), 2.35 (3H, s), 2.70 (2H, q), 3.14 (2H, q), 4.63 (2H, d), 6.25 (1H, s), 7.28-7.31 (1H, m), 7.38 (2H, s), 7.79-7.90 (2H, m).
5-57	¹ H-NMR (CDCl ₃) δ: 1.22 (3H, t), 2.35 (3H, s), 2.70 (2H, q), 3.99 (2H, s), 7.32 (1H, dd), 7.38 (2H, s), 7.83 (1H, dd), 8.03 (1H, dz).
5-58	¹ H-NMR (CDCl ₃) δ: 1.21 (3H, t), 2.05 (3H, s), 2.32 (3H, s), 2.68 (2H, q), 4.50 (2H, d), 6.05 (1H, t), 7.24-7.30 (1H, m), 7.37 (2H, s), 7.84 (1H, dd), 8.01 (1H, d).
5-59	¹ H-NMR (CDCl ₃) δ: 1.16-1.24 (6H, m), 2.28 (2H, q), 2.33 (3H, s), 2.68 (2H, q), 4.51 (2H, d), 6.02 (1H, t), 7.24-7.29 (1H, m), 7.37 (2H, s), 7.84 (1H, dd), 8.01 (1H, d).
5-61	¹ H-NMR (CDCl ₃) δ: 0.22-0.24 (2H, m), 0.63-0.69 (2H, m), 0.96-1.02 (1H, m), 1.21 (3H, t), 2.23 (2H, d), 2.33 (3H, s), 2.68 (2H, q), 4.55 (2H, d), 6.45 (1H, t), 7.27 (1H, dd), 7.37 (2H, s), 7.85 (1H, dd), 8.00 (1H, d).
5-62	¹ H-NMR (CDCl ₃) δ: 1.21 (3H, t), 2.33 (3H, s), 2.68 (2H, q), 3.11 (2H, q), 4.55 (2H), 6.49 (1H, s), 7.23 (1H, dd), 7.38 (2H, s), 7.82 (1H, dd), 8.01 (1H, d).
5-63	¹ H-NMR (CDCl ₃) δ: 1.22 (3H, t), 1.47 (9H, s), 2.34 (3H, s), 2.69 (2H, q), 4.40 (2H, d), 5.06 (1H, s), 7.22-7.24 (1H, m), 7.37 (2H, s), 7.84 (1H, dd), 8.01 (1H, d).
5-64	¹ H-NMR (CDCl ₃) δ: 1.24 (3H, t), 2.40 (3H, s), 2.74 (2H, q), 3.95 (2H, s), 7.37-7.34 (3H, m), 7.49 (1H, s), 7.68 (1H, s), 7.83 (1H, d).
5-65	¹ H-NMR (CDCl ₃) δ: 1.22 (3H, t), 2.04 (3H, s), 2.38 (3H, s), 2.73 (2H, q), 4.44 (2H, d), 6.21 (1H, s), 7.24-7.28 (1H, m), 7.35-7.38 (3H, m), 7.72-7.74 (2H, m).
5-66	¹ H-NMR (CDCl ₃) δ: 1.18-1.23 (6H, m), 2.28 (2H, q), 2.39 (3H, s), 2.73 (2H, q), 4.46 (2H, dz), 6.05 (1H, s), 7.29-7.29 (1H, m), 7.35-7.39 (3H, m), 7.66 (1H, s), 7.76 (1H, d).
5-67	¹ H-NMR (CDCl ₃) δ: 0.20-0.24 (2H, m), 0.56-0.68 (2H, m), 0.96-1.03 (1H, m), 1.23 (3H, t), 2.24 (2H, d), 2.40 (3H, s), 2.74 (2H, q), 4.51 (2H, d), 6.37 (1H, s), 7.31 (1H, dd), 7.38 (2H, s), 7.41 (1H, s), 7.62 (1H, s), 7.81 (1H, d).
5-68	¹ H-NMR (CDCl ₃) δ: 1.21-1.24 (6H, m), 2.37 (3H, s), 2.72 (2H, q), 3.12 (2H, q), 4.49 (2H, d), 6.68 (1H, s), 7.23 (1H, d), 7.32 (1H, s), 7.37 (2H, s), 7.64 (1H, s), 7.70 (1H, d).
5-69	¹ H-NMR (CDCl ₃) δ: 1.24 (3H, t), 1.47 (9H, s), 2.40 (3H, s), 2.74 (2H, q), 4.35 (2H, d), 5.01 (1H, s), 7.32 (1H, d), 7.38 (2H, s), 7.41 (1H, s), 7.61 (1H, s), 7.82 (1H, d).
5-72	¹ H-NMR (CDCl ₃) δ: 1.12-1.25 (6H, m), 2.24 (2H, q), 2.32 (3H, s), 2.67 (2H, q), 4.53 (2H, d), 6.01 (1H, s), 7.36 (2H, s), 7.48 (1H, t), 7.64-7.66 (3H, m).
5-76	¹ H-NMR (CDCl ₃) δ: 1.21 (3H, t), 2.33 (3H, s), 2.68 (2H, q), 4.56 (2H, s), 7.37 (2H, s), 7.44 (1H, s), 7.67 (1H, d), 7.77 (1H, d), 7.93 (1H, s).

5-77	¹ H-NMR (CDCl ₃) δ: 1.21 (3H, t), 2.32 (3H, s), 2.67 (2H, q), 4.56 (2H, d), 6.10 (1H, s), 7.36 (2H, s), 7.52 (1H, d), 7.60 (1H, s), 7.75 (1H, dd), 7.96 (1H, d).
5-78	¹ H-NMR (CDCl ₃) δ: 1.11-1.28 (6H, m), 2.24 (2H, q), 2.31 (3H, s), 2.67 (2H, q), 4.56 (2H, d), 6.10 (1H, t), 7.36 (2H, s), 7.49 (1H, d), 7.69 (1H, s), 7.75 (1H, dd), 7.96 (1H, d).
5-79	¹ H-NMR (CDCl ₃) δ: 0.75-0.78 (2H, m), 0.92-0.97 (2H, m), 1.21 (3H, t), 1.38-1.44 (1H, m), 2.32 (3H, s), 2.67 (2H, q), 4.59 (2H, d), 6.24 (1H, s), 7.37 (2H, s), 7.51 (1H, d), 7.56 (1H, s), 7.74 (1H, d), 7.95 (1H, s).
5-80	¹ H-NMR (CDCl ₃) δ: 0.19-0.23 (2H, m), 0.61-0.67 (2H, m), 0.95-0.98 (1H, m), 1.21 (3H, t), 2.19 (2H, d), 2.33 (3H, s), 2.67 (2H, q), 4.61 (2H, d), 6.54 (1H, s), 7.37 (2H, s), 7.53-7.55 (2H, m), 7.76 (1H, t), 7.97 (1H, d).
5-81	¹ H-NMR (CDCl ₃) δ: 1.17-1.25 (6H, m), 2.30 (3H, s), 2.65 (2H, qz), 3.10 (2H, q), 4.59 (2H, d), 6.57 (1H, d), 7.36 (2H, s), 7.44 (1H, d), 7.58 (1H, s), 7.70 (1H, d), 7.91 (1H, s).
5-82	¹ H-NMR (CDCl ₃) δ: 1.21 (3H, t), 2.32 (3H, s), 2.67 (2H, q), 4.82 (2H, d), 7.35-7.44 (4H, m), 7.62 (1H, d), 7.78 (1H, d), 7.98 (1H, d), 8.35-8.36 (1H, m), 8.58 (1H, dt).
5-83	¹ H-NMR (CDCl ₃) δ: 1.22 (3H, t), 2.33 (3H, s), 2.68 (2H, q), 4.00 (2H, s), 7.37 (2H, s), 7.42 (1H, s), 7.57 (1H, d), 7.83 (1H, dd), 8.10 (1H, d).
5-84	¹ H-NMR (CDCl ₃) δ: 1.21 (3H, t), 2.32 (3H, s), 2.66 (2H, q), 4.61 (2H, d), 6.23 (1H, s), 7.37 (2H, s), 7.52-7.54 (2H, m), 7.81 (1H, dd), 8.14 (1H, d), 8.29 (1H, s).
5-85	¹ H-NMR (CDCl ₃) δ: 1.20 (3H, t), 2.31 (3H, s), 2.66 (2H, q), 4.54 (2H, d), 6.14 (1H, t), 7.36 (2H, s), 7.51 (1H, d), 7.65 (1H, s), 7.80 (1H, dd), 8.14 (1H, d).
5-86	¹ H-NMR (CDCl ₃) δ: 1.14-1.24 (6H, m), 2.26 (2H, q), 2.32 (3H, s), 2.67 (2H, q), 4.56 (2H, d), 6.06 (1H, s), 7.37 (2H, s), 7.51-7.53 (2H, m), 7.80 (1H, dd), 8.14 (1H, d).
5-88	¹ H-NMR (CDCl ₃) δ: 0.20-0.24 (2H, m), 0.61-0.67 (3H, m), 0.96-0.98 (1H, m), 1.22 (3H, t), 2.19 (2H, d), 2.33 (3H, s), 2.67 (2H, q), 4.59 (2H, d), 6.58 (1H, s), 7.37 (2H, s), 7.47 (1H, s), 7.54 (1H, d), 7.80 (1H, d), 8.14 (1H, s).
5-89	¹ H-NMR (CDCl ₃) δ: 1.22 (3H, t), 2.33 (3H, s), 2.67 (2H, q), 3.13 (2H, q), 4.61 (2H, d), 6.38 (1H, s), 7.37 (3H, s), 7.51 (1H, d), 7.79 (1H, d), 8.13 (1H, s).
5-90	¹ H-NMR (CDCl ₃) δ: 1.21 (3H, t), 1.87 (3H, dd), 2.33 (3H, s), 2.67 (2H, q), 4.63 (2H, d), 5.85 (1H, d), 6.00 (1H, s), 6.89 (1H, dd), 7.35-7.38 (3H, m), 7.56 (1H, d), 7.78 (1H, d), 8.13 (1H, s).
5-91	¹ H-NMR (CDCl ₃) δ: 1.22 (3H, t), 2.32 (3H, s), 2.67 (2H, q), 3.43 (3H, s), 3.93 (2H, s), 4.62 (2H, d), 7.11 (1H, s), 7.37 (2H, s), 7.51-7.53 (2H, m), 7.82 (1H, dd), 8.15 (1H, d).
5-92	¹ H-NMR (CDCl ₃) δ: 1.21 (3H, t), 2.33 (3H, d), 2.67 (2H, q), 4.75 (2H, d), 6.74 (1H, s), 7.12 (2H, t), 7.37 (2H, s), 7.43 (1H, s), 7.61 (1H, d), 7.79-7.82 (3H, m), 8.16 (1H, d).
5-93	¹ H-NMR (CDCl ₃) δ: 1.21 (3H, t), 2.32 (3H, s), 2.67 (2H, q), 4.80 (2H), 7.36-7.39 (3H, m), 7.43 (1H, s), 7.50 (1H, t), 7.61 (1H, d), 7.83 (1H, dd), 8.16 (1H, d), 8.36 (1H, td), 8.57 (1H, ddd).
5-94	¹ H-NMR (CDCl ₃) δ: 1.16 (3H, t), 2.26 (3H, s), 2.62 (2H, q), 4.74 (2H, d), 7.28 (1H, dd), 7.34 (2H, s), 7.38 (1H, dd), 7.56 (1H, d), 7.82 (1H, dd), 7.94 (1H, s), 8.00 (1H, dd), 8.14 (1H, d), 8.42 (1H, dd).
5-95	¹ H-NMR (acetone-d ₆) δ: 1.07 (3H, t), 1.18 (3H, t), 2.76 (2H, q), 2.79 (3H, s), 3.22-3.13 (2H, m), 4.44 (2H, d), 5.66 (1H, s), 6.03 (1H, s), 7.46 (2H, s), 7.57 (1H, d), 8.00 (1H, dd), 8.19 (1H, d), 9.28 (1H, s).

5-96	¹ H-NMR (CDCl ₃) δ: 1.19 (3H, t), 2.28 (3H, s), 2.65 (2H, q), 2.93 (3H, s), 4.46 (2H, d), 5.14 (1H, t), 7.36 (2H, s), 7.61 (1H, d), 7.66 (1H, s), 7.84 (1H, dd), 8.14 (1H, d).
5-97	¹ H-NMR (CDCl ₃) δ: 1.23 (3H, t), 2.34 (3H, s), 2.68 (2H, q), 2.82 (6H, s), 4.41 (2H, d), 4.67 (1H, t), 7.33 (1H, s), 7.38 (2H, s), 7.64 (1H, d), 7.84 (1H, dd), 8.15 (1H, d).
5-98	¹ H-NMR (CDCl ₃) δ: 1.21 (3H, t), 2.33 (3H, s), 2.41 (3H, s), 2.69 (2H, q), 3.94 (2H, s), 7.36 (2H, s), 7.44-7.50 (2H, m), 7.74-7.72 (2H, m).
5-99	¹ H-NMR (CDCl ₃) δ: 1.21 (3H, t), 2.04 (3H, s), 2.33 (3H, s), 2.41 (3H, s), 2.68 (2H, q), 4.49 (2H, d), 5.80 (1H, s), 7.34-7.36 (3H, m), 7.47 (1H, s), 7.69-7.72 (2H, m).
5-100	¹ H-NMR (CDCl ₃) δ: 1.16-1.26 (6H, m), 2.27 (2H, q), 2.34 (3H, s), 2.42 (3H, s), 2.69 (2H, q), 4.51 (2H, d), 5.69 (1H, s), 7.36-7.39 (4H, m), 7.70 (1H, d), 7.75 (1H, s).
5-101	¹ H-NMR (CDCl ₃) δ: 0.21-0.25 (2H, m), 0.61-0.67 (2H, m), 0.98-1.01 (1H, m), 1.22 (3H, t), 2.24 (2H, d), 2.34 (3H, s), 2.43 (3H, s), 2.69 (2H, q), 4.55 (2H, d), 6.15 (1H, s), 7.37-7.39 (4H, m), 7.71 (1H, d), 7.75 (1H, s).
5-102	¹ H-NMR (CDCl ₃) δ: 1.22 (3H, t), 2.33 (3H, s), 2.41 (3H, s), 2.68 (2H, q), 3.13 (2H, q), 4.55 (2H, d), 6.11 (1H, s), 7.34-7.36 (4H, m), 7.68 (1H, d), 7.74 (1H, s).
5-103	¹ H-NMR (CDCl ₃) δ: 1.22 (3H, t), 2.34 (3H, s), 2.48 (3H, s), 2.69 (2H, q), 4.75 (2H, d), 7.15 (1H, s), 7.37-7.42 (4H, m), 7.46 (1H, d), 7.73 (1H, d), 7.79 (1H, s), 8.35-8.36 (1H, m), 8.62 (1H, ddd).
5-104	¹ H-NMR (CDCl ₃) δ: 1.21 (3H, t), 1.47 (9H, s), 2.33 (3H, s), 2.40 (3H, s), 2.68 (2H, q), 4.37 (2H, d), 4.85 (1H, s), 7.36-7.44 (4H, m), 7.70-7.73 (2H, m).
5-106	¹ H-NMR (CDCl ₃) δ: 1.21 (3H, t), 2.05 (3H, s), 2.34 (3H, s), 2.68 (2H, q), 4.69 (2H, d), 5.92 (1H, s), 7.38 (2H, s), 7.46 (1H, s), 7.77 (1H, d), 8.05 (1H, d), 8.23 (1H, s).
5-107	¹ H-NMR (CDCl ₃) δ: 1.16 (3H, t), 1.21 (3H, t), 2.26 (2H, q), 2.33 (3H, s), 2.68 (2H, q), 4.68 (2H, d), 5.94 (1H, s), 7.38 (2H, s), 7.61 (1H, s), 7.73 (1H, d), 8.05 (1H, d), 8.23 (1H, s).
5-108	¹ H-NMR (CDCl ₃) δ: 0.77-0.81 (2H, m), 0.97-1.02 (2H, m), 1.22 (3H, t), 1.37-1.43 (1H, m), 2.34 (3H, s), 2.68 (2H, q), 4.70 (2H, d), 6.11 (1H, s), 7.38 (2H, s), 7.53 (1H, s), 7.74 (1H, d), 8.05 (1H, d), 8.22 (1H, s).
5-109	¹ H-NMR (CDCl ₃) δ: 0.19-0.21 (2H, m), 0.60-0.66 (2H, m), 0.92-0.95 (1H, m), 1.22 (3H, t), 2.20 (2H, d), 2.34 (3H, s), 2.68 (2H, q), 4.72 (2H, d), 6.43 (1H, s), 7.38 (2H, s), 7.55 (1H, s), 7.76 (1H, d), 8.05 (1H, d), 8.24 (1H, s).
5-110	¹ H-NMR (CDCl ₃) δ: 1.23 (3H, t), 2.34 (3H, s), 2.67 (2H, q), 3.14 (2H, q), 4.75 (2H, d), 6.21 (1H, s), 7.37-7.40 (3H, m), 7.41 (1H, s), 7.73 (1H, d), 8.06 (1H, d), 8.24 (1H, s).
5-111	¹ H-NMR (CDCl ₃) δ: 1.22 (3H, t), 2.34 (3H, s), 2.67 (2H, q), 4.89 (2H, d), 6.56 (1H, s), 7.13 (2H, t), 7.38 (2H, s), 7.45 (1H, s), 7.77-7.85 (3H, m), 8.05 (1H, d), 8.26 (1H, s).
5-112	¹ H-NMR (CDCl ₃) δ: 1.22 (3H, t), 2.33 (3H, s), 2.68 (2H, q), 4.94 (2H, d), 7.38-7.41 (3H, m), 7.49 (1H, s), 7.81 (1H, d), 8.07 (1H, d), 8.26 (1H, s), 8.35-8.37 (1H, m), 8.59 (1H, ddd).
5-113	¹ H-NMR (CDCl ₃) δ: 1.20 (3H, t), 2.32 (3H, s), 2.66 (2H, q), 5.37 (2H, s), 7.37 (2H, s), 7.45 (1H, d), 7.60 (1H, s), 7.82-7.79 (2H, m), 7.93-7.91 (2H, m), 8.12 (1H, dd), 8.64 (1H, d).
5-114	¹ H-NMR (CDCl ₃) δ: 1.20 (3H, t), 1.95 (3H, s), 2.31 (3H, s), 2.67 (2H, q), 4.72 (2H, d), 6.44 (1H, t), 7.38 (2H, s), 7.81 (1H, d), 8.04 (1H, s), 8.18 (1H, dd), 8.64 (1H, d).

5-115	¹ H-NMR (CDCl ₃) δ: 1.09 (3H, t), 1.21 (3H, t), 2.20 (2H, q), 2.32 (3H, s), 2.67 (2H, q), 4.73 (2H, d), 6.41 (1H, t), 7.38 (2H, s), 7.80 (1H, d), 8.00 (1H, s), 8.17 (1H, dd), 8.64 (1H, d).
5-116	¹ H-NMR (CDCl ₃) δ: 0.69-0.74 (2H, m), 0.78-0.83 (2H, m), 1.18 (3H, t), 1.36-1.44 (1H, m), 2.29 (3H, s), 2.65 (2H, q), 4.72 (2H, d), 6.72 (1H, t), 7.36 (2H, s), 7.68 (1H, d), 8.16 (1H, dd), 8.38 (1H, s), 8.64 (1H, d).
5-117	¹ H-NMR (CDCl ₃) δ: 0.10-0.15 (2H, m), 0.56-0.62 (2H, m), 0.82-0.90 (1H, m), 1.20 (3H, t), 2.07 (2H, d), 2.32 (3H, s), 2.67 (2H, q), 4.76 (2H, d), 6.91 (1H, t), 7.38 (2H, s), 7.79 (1H, d), 8.23-8.19 (2H, m), 8.66 (1H, d).
5-118	¹ H-NMR (acetone-d ₆) δ: 1.06 (3H, t), 2.25 (3H, s), 2.66 (2H, q), 3.27 (2H, q), 4.71 (2H, d), 7.36 (2H, s), 7.72 (1H, d), 8.02 (1H, br s), 8.23 (1H, dd), 8.54 (1H, d), 9.44 (1H, s).
5-127	¹ H-NMR (CDCl ₃) δ: 1.19 (3H, q), 2.27 (2H, q), 2.33 (3H, s), 4.53 (2H, d), 5.87 (1H, s), 7.34 (2H, s), 7.41-7.43 (3H, m), 7.89 (2H, d).
5-139	¹ H-NMR (CDCl ₃) δ: 1.19-1.21 (6H, m), 2.25-2.33 (5H, m), 2.67 (2H, q, J = 25.8 Hz), 4.53 (2H, d, J = 5.9 Hz), 5.88 (1H, s), 7.35 (2H, s), 7.42-7.45 (3H, m), 7.89 (2H, d, J = 8.1 Hz).
5-142	¹ H-NMR (CDCl ₃) δ: 1.19 (3H, t, J = 7.6 Hz), 2.31 (3H, s), 2.67 (2H, q, J = 7.5 Hz), 3.11 (2H, q, J = 10.6 Hz), 4.55 (2H, d, J = 5.9 Hz), 6.52 (1H, s), 7.35-7.38 (4H, m), 7.53 (1H, s), 7.84 (2H, d, J = 8.1 Hz).
5-144	¹ H-NMR (CDCl ₃) δ: 1.11 (3H, t, J = 7.6 Hz), 1.81 (3H, s), 2.21 (3H, s), 2.60 (2H, q, J = 7.5 Hz), 4.40 (2H, d, J = 6.0 Hz), 6.79 (1H, t, J = 6.0 Hz), 7.28-7.29 (3H, m), 7.56-7.60 (2H, m), 8.72 (1H, s).
5-145	¹ H-NMR (CDCl ₃) δ: 1.17-1.21 (6H, m), 2.26 (2H, q, J = 7.6 Hz), 2.33 (3H, s), 2.67 (2H, q, J = 7.4 Hz), 4.55 (2H, d, J = 6.2 Hz), 5.92 (1H, s), 7.36 (2H, s), 7.43 (1H, s), 7.51 (1H, t, J = 7.6 Hz), 7.63-7.65 (2H, m).
5-146	¹ H-NMR (CDCl ₃) δ: 0.74-0.78 (2H, m), 0.92-0.96 (2H, m), 1.21 (3H, t, J = 12.6 Hz), 1.37-1.39 (1H, m), 2.32 (3H, s), 2.67 (2H, q, J = 7.5 Hz), 4.55 (2H, d, J = 6.0 Hz), 6.16 (1H, d, J = 6.2 Hz), 7.35 (2H, s), 7.48 (1H, t, J = 7.7 Hz), 7.61-7.65 (3H, m).
5-147	¹ H-NMR (CDCl ₃) δ: 0.19-0.21 (2H, m), 0.59-0.63 (2H, m), 0.92-0.97 (1H, m), 1.20 (3H, t, J = 7.6 Hz), 2.17 (2H, d, J = 3.6 Hz), 2.32 (3H, s), 2.67 (2H, q, J = 7.5 Hz), 4.57 (2H, d, J = 6.0 Hz), 6.45 (1H, s), 7.35 (2H, s), 7.49 (1H, t, J = 7.7 Hz), 7.65-7.67 (3H, m).
5-148	¹ H-NMR (CDCl ₃) δ: 1.21 (3H, t, J = 8.0 Hz), 2.33 (3H, s), 2.67 (2H, q, J = 7.3 Hz), 3.12 (2H, q, J = 10.6 Hz), 4.60 (2H, d, J = 5.9 Hz), 6.32 (1H, s), 7.36 (2H, s), 7.42 (1H, s), 7.49 (1H, t, J = 7.7 Hz), 7.63-7.65 (2H, m).
5-149	¹ H-NMR (CDCl ₃) δ: 1.20 (3H, t), 2.32 (3H, s), 2.67 (2H, q), 4.02 (2H, s), 7.35 (2H, s), 7.48 (1H, s), 7.57 (1H, d), 7.79 (1H, dd), 7.93 (1H, s).
5-150	¹ H-NMR (CDCl ₃) δ: 1.20 (3H, t), 2.01 (2H, s), 2.32 (3H, s), 2.66 (2H, q), 4.56 (2H, d), 6.13 (1H, s), 7.35 (2H, s), 7.52 (1H, d), 7.66 (1H, s), 7.76 (1H, dd), 7.96 (1H, d).
5-151	¹ H-NMR (CDCl ₃) δ: 1.14-1.25 (6H, m), 2.26 (2H, q), 2.32 (3H, s), 2.67 (2H, q), 4.58 (2H, d), 6.04 (1H, s), 7.35 (2H, s), 7.52-7.54 (2H, m), 7.76 (1H, dd), 7.96 (1H, d).

5-152	¹ H-NMR (CDCl ₃) δ: 0.76-0.80 (2H, m), 0.97-1.02 (2H, m), 1.21 (3H), 1.38-1.44 (1H, m), 2.33 (3H, s), 2.67 (2H, q), 4.61 (2H, d), 6.18 (1H, s), 7.36 (2H, s), 7.40 (1H, s), 7.55 (1H, d), 7.75 (1H, d), 7.95 (1H, s).
5-153	¹ H-NMR (CDCl ₃) δ: 0.19-0.22 (2H, m), 0.61-0.64 (2H, m), 0.93-0.98 (1H, m), 1.20 (3H, t), 2.18 (2H, d), 2.32 (3H, s), 2.67 (2H, q), 4.61 (2H, d), 6.56 (1H, s), 7.35 (2H, s), 7.53 (1H, d), 7.61 (1H, s), 7.77 (1H, dd), 7.97 (1H, d).
5-154	¹ H-NMR (CDCl ₃) δ: 1.21 (3H, t), 2.33 (3H, s), 2.67 (2H, q), 3.14 (2H, q), 4.64 (2H, d), 6.31 (1H, s), 7.36 (2H, s), 7.54 (1H, d), 7.76 (1H, d), 7.97 (1H, s).
5-155	¹ H-NMR (CDCl ₃) δ: 1.20 (3H, t), 2.32 (3H, s), 2.66 (2H, q), 4.82 (2H, d), 7.35-7.40 (3H, m), 7.47 (1H, s), 7.61 (1H, d), 7.78 (1H, dd), 7.98 (1H, d), 8.35-8.36 (1H, m), 8.57 (1H, ddd).
5-157	¹ H-NMR (CDCl ₃) δ: 1.20 (3H, t), 2.01 (3H, s), 2.32 (3H, s), 2.67 (2H, q), 4.55 (2H, d), 6.14 (1H, t), 7.35 (2H, s), 7.51 (1H, d), 7.65 (1H, s), 7.80 (1H, dd), 8.14 (1H).
5-158	¹ H-NMR (CDCl ₃) δ: 1.16-1.21 (6H, m), 2.27 (2H, q), 2.32 (3H, s), 2.67 (2H, q), 4.56 (2H, d), 6.05 (1H, t), 7.35 (2H, s), 7.50-7.52 (2H, m), 7.79 (1H, d), 8.13 (1H, s).
5-159	¹ H-NMR (CDCl ₃) δ: 0.77-0.80 (2H, m), 0.96-1.00 (2H, m), 1.21 (3H, t), 2.33 (3H, s), 2.68 (2H, q), 4.59 (2H, d), 6.21 (1H, s), 7.36 (2H, s), 7.40 (1H, s), 7.54 (1H, d), 7.80 (1H, d), 8.13 (1H, s).
5-160	¹ H-NMR (acetone-d ₆) δ: -0.02-0.01 (2H, m), 0.29-0.32 (3H, m), 0.94 (3H, t), 1.97 (2H, d), 2.59 (3H, s), 4.30 (2H, d), 7.24 (2H, s), 7.34 (1H, d), 7.80 (1H, dd), 8.00 (1H, d).
5-161	¹ H-NMR (CDCl ₃) δ: 1.21 (3H, t), 2.33 (3H, s), 2.66 (2H, q), 3.24 (2H, q), 4.62 (2H, d), 6.34 (1H, s), 7.36 (2H, s), 7.53 (1H, d), 7.81 (1H, d), 8.14 (1H, s).
5-174	¹ H-NMR (CDCl ₃) δ: 1.20 (3H, t), 2.32 (3H, s), 2.67 (2H, q), 4.79 (2H, d), 7.35-7.42 (4H, m), 7.58-7.69 (3H, m), 8.35-8.36 (1H, m), 8.55-8.62 (1H, m).
5-175	¹ H-NMR (CDCl ₃) δ: 1.21 (3H, t), 2.33 (3H, s), 2.67 (2H, q), 4.80 (2H, d), 7.36-7.37 (3H, m), 7.43 (1H, s), 7.67 (1H, d), 7.84 (1H, d), 8.15-8.18 (2H, m), 8.49 (1H, dd).
5-177	¹ H-NMR (acetone-d ₆) δ: 1.17 (3H, t), 2.69-2.80 (8H, m), 3.60 (1H, d), 3.79 (1H, d), 4.58 (2H, d), 7.46 (2H, s), 7.73 (1H, d), 7.99-8.03 (2H, m), 8.22 (1H, d), 9.32 (1H, s).
5-178	¹ H-NMR (acetone-d ₆) δ: 1.17 (3H, t), 2.73-2.79 (5H, m), 3.13 (3H, s), 4.16 (2H, s), 4.59 (2H, dz), 7.46 (2H, s), 7.69 (1H, d), 8.01 (1H, dd), 8.23 (1H, d), 9.32 (1H, s).
5-179	¹ H-NMR (CDCl ₃) δ: 1.21 (3H, t), 2.17 (2H, t), 2.34 (3H, d), 2.67 (2H, q), 3.23 (3H, s), 4.61 (2H, d), 7.36 (2H, s), 7.50-7.53 (2H, m), 7.81 (1H, dd), 8.15 (1H, d).
5-181	¹ H-NMR (acetone-d ₆) δ: 1.18 (3H, t), 2.36 (3H, s), 2.76 (2H, q), 3.14 (3H, d), 4.17 (2H, s), 4.61 (2H, d), 7.46 (2H, s), 7.69 (1H, d), 8.01-8.04 (2H, m), 8.25-8.25 (2H, m).
5-182	¹ H-NMR (CDCl ₃) δ: 2.35 (6H, s), 4.75 (2H, d), 7.12 (1H, s), 7.25-7.41 (5H, m), 7.98 (1H, d), 8.16-8.19 (2H, m), 8.50 (1H, dd).
5-183	¹ H-NMR (CDCl ₃) δ: 1.22 (3H, t), 2.34 (3H, s), 2.69 (2H, q), 4.75 (2H, d), 7.15 (1H, t), 7.37-7.41 (3H, m), 7.89 (1H, dd), 8.01 (1H, d), 8.17 (1H, dt), 8.50 (1H, dt).
5-184	¹ H-NMR (CDCl ₃) δ: 1.20 (3H, t), 2.31 (3H, s), 2.48 (3H, s), 2.67 (2H, q), 3.84 (2H, s), 7.36 (2H, s), 7.45 (2H, d), 7.57 (1H, s), 7.87 (2H, d).
5-185	¹ H-NMR (CDCl ₃) δ: 1.21 (3H, t), 2.34 (3H, s), 2.69 (2H, q), 2.98 (3H, s), 4.62-4.65 (2H, m), 7.32-7.38 (4H, m), 7.66-7.69 (1H, m), 7.90-7.96 (2H, m).

5-186	¹ H-NMR (CDCl ₃) δ: 1.13-1.21 (6H, m), 2.35 (3H, s), 2.42 (2H, q), 2.69 (2H, q), 2.98 (3H, d), 4.65 (2H, d), 7.31-7.38 (4H, m), 7.57 (1H, br s), 7.89-7.92 (2H, m).
5-187	¹ H-NMR (CDCl ₃) δ: 0.14-0.19 (2H, m), 0.55-0.58 (2H, m), 1.07-1.10 (1H, m), 1.22 (3H, t), 2.34 (3H, br s), 2.70 (2H, q), 2.97 (3H, d), 4.64 (2H, d), 7.31-7.39 (4H, m), 7.67 (1H, d), 7.93 (2H, dd).
5-188	¹ H-NMR (CDCl ₃) δ: 1.22 (3H, t), 2.34 (3H, s), 2.69 (2H, q), 3.03 (3H, d), 3.23-3.36 (2H, m), 4.67 (2H, d), 7.31-7.38 (4H, m), 7.54 (1H, br s), 7.94 (2H, dd).
5-189	¹ H-NMR (CDCl ₃) δ: 1.22 (3H, t), 2.32 (3H, d), 2.69 (2H, q), 2.84 (3H, s), 4.48 (2H, d), 7.35-7.38 (2H, m), 7.56 (1H, d), 7.65-7.68 (1H, m), 7.92-7.97 (2H, m), 8.45-8.46 (1H, m).
5-190	¹ H-NMR (CDCl ₃) δ: 1.21 (3H, t), 2.04 (3H, s), 2.32 (3H, s), 2.67 (2H, q), 4.51 (2H, d), 6.08 (1H, s), 7.37 (2H, s), 7.48-7.50 (2H, m), 7.83 (1H, d), 8.39 (1H, d).
5-191	¹ H-NMR (CDCl ₃) δ: 1.15-1.24 (6H, m), 2.26 (2H, q), 2.32 (3H, s), 2.67 (3H, q), 4.51 (2H, d), 6.06 (1H, s), 7.37 (2H, s), 7.47-7.49 (2H, m), 7.83 (1H, d), 8.39 (1H, s).
5-192	¹ H-NMR (CDCl ₃) δ: 1.22 (3H, tz), 2.33 (3H, s), 2.67 (2H, q), 3.15 (2H, q), 4.57 (2H, d), 6.38 (1H, s), 7.37 (3H, s), 7.49 (1H, d), 7.84 (1H, d), 8.40 (1H, d).
5-193	¹ H-NMR (CDCl ₃) δ: 1.21 (3H, t), 2.33 (3H, s), 2.67 (2H, q), 3.94 (3H, s), 7.35 (3H, s), 7.45 (1H, s), 7.54 (1H, d), 7.88 (1H, dd), 8.37 (1H, d).
5-194	¹ H-NMR (CDCl ₃) δ: 1.21 (3H, t), 2.05 (3H, s), 2.32 (3H, s), 2.67 (2H, q), 4.51 (2H, d), 6.05 (1H, s), 7.36 (2H, s), 7.42 (1H, s), 7.51 (1H, d), 7.84 (1H, d), 8.39 (1H, s).
5-195	¹ H-NMR (CDCl ₃) δ: 1.16-1.23 (6H, m), 2.27 (2H, q), 2.33 (3H, s), 2.67 (2H, q), 4.52 (2H, d), 6.04 (1H, s), 7.35 (2H, s), 7.40 (1H, s), 7.50 (1H, d), 7.83 (1H, d), 8.39 (1H, s).
5-196	¹ H-NMR (CDCl ₃) δ: 0.77-0.80 (2H, m), 0.99-1.03 (2H, m), 1.21 (3H, t), 2.33 (3H, s), 2.67 (2H, q), 4.54 (2H, d), 6.19 (1H, s), 7.34-7.37 (3H, m), 7.51 (1H, d), 7.85 (1H, d), 8.39 (1H, s).
5-197	¹ H-NMR (CDCl ₃) δ: 0.21-0.25 (2H, m), 0.63-0.69 (2H, m), 0.97-1.00 (1H, m), 1.21 (3H, t), 2.21 (2H, d), 2.33 (3H, s), 2.67 (2H, q), 4.54 (2H, d), 6.61 (1H, s), 7.36 (2H, s), 7.44 (1H, s), 7.52 (1H, d), 7.85 (1H, d), 8.40 (1H, d).
5-198	¹ H-NMR (CDCl ₃) δ: 1.21 (3H, t), 2.33 (3H, s), 2.67 (2H, q), 3.15 (2H, q), 4.58 (2H, d), 7.36 (2H, s), 7.64-7.67 (1H, m), 7.85 (1H, d), 8.40 (1H, s).
5-199	¹ H-NMR (CDCl ₃) δ: 1.23 (3H, t), 2.35 (3H, s), 2.70 (2H, q), 4.81 (2H, d), 7.14 (1H, s), 7.36-7.43 (4H, m), 7.82-7.93 (2H, m), 8.18 (1H, dd), 8.50 (1H, dd).
5-201	¹ H-NMR (CDCl ₃) δ: 1.21 (3H, t), 2.05 (3H, s), 2.34 (3H, s), 2.69 (2H, q), 4.57 (2H, d), 5.98 (1H, s), 7.30 (1H, br s), 7.36 (2H, s), 7.84-7.87 (2H, m).
5-202	¹ H-NMR (CDCl ₃) δ: 1.16-1.24 (6H, m), 2.28 (2H, q), 2.34 (3H, s), 2.69 (2H, q), 4.58 (2H, d), 5.93 (1H, s), 7.30 (1H, d), 7.36 (2H, s), 7.81-7.89 (2H, m).
5-203	¹ H-NMR (CDCl ₃) δ: 0.78-0.81 (2H, m), 1.00-1.03 (2H, m), 1.21 (3H, t), 1.38-1.41 (1H, m), 2.34 (3H, s), 2.69 (2H, q), 4.59 (2H, d), 6.09 (1H, s), 7.30 (1H, d), 7.36 (2H, s), 7.82-7.87 (2H, m).
5-204	¹ H-NMR (CDCl ₃) δ: 0.20-0.26 (2H, m), 0.61-0.66 (2H, m), 0.97-1.02 (1H, m), 1.21 (3H, t), 2.24 (2H, d), 2.34 (3H, s), 2.70 (2H, q), 4.62 (2H, d), 6.38 (1H, s), 7.30 (1H, d), 7.36 (2H, s), 7.81-7.90 (2H, m).
5-205	¹ H-NMR (CDCl ₃) δ: 1.21 (3H, t), 2.34 (3H, s), 2.69 (2H, q), 3.14 (2H, q), 4.63 (2H, d), 6.26 (1H, s), 7.27 (1H, d), 7.37 (2H, s), 7.81-7.87 (2H, m).

5-206	¹ H-NMR (CDCl ₃) δ: 1.22 (3H, t), 2.35 (3H, s), 2.70 (2H, q), 4.81 (2H, d), 7.14 (1H, s), 7.36-7.43 (4H, m), 7.84-7.91 (2H, m), 8.18 (1H, dd), 8.50 (1H, dd).
5-211	¹ H-NMR (CDCl ₃) δ: 2.04 (3H, s), 2.33 (6H, s), 4.56 (2H, d), 6.07 (1H, s), 7.34 (2H, s), 7.47 (1H, s), 7.54 (1H, d), 7.81 (1H, d), 8.14 (1H, s).
5-212	¹ H-NMR (CDCl ₃) δ: 1.16 (3H, t), 2.26 (2H), 2.32 (6H, s), 4.56 (2H), 6.08 (1H, s), 7.34 (2H, s), 7.51 (1H, d), 7.57 (1H, s), 7.80 (1H, d), 8.13 (1H, s).
5-213	¹ H-NMR (CDCl ₃) δ: 1.26 (3H, t), 2.33 (6H, s), 3.14 (2H, q), 4.62 (2H, d), 6.36 (1H, s), 7.34-7.37 (3H, m), 7.52 (1H, d), 7.81 (1H, d), 8.14 (1H, s).
5-219	¹ H-NMR (CDCl ₃) δ: 1.16 (3H, t), 1.92 (3H, s), 2.26 (3H, s), 2.63 (2H, q), 4.47 (2H, d), 6.59 (1H, t), 7.34-7.37 (3H, m), 7.71 (1H, dd), 7.91 (1H, d), 8.39 (1H, s).
5-220	¹ H-NMR (CDCl ₃) δ: 1.14-1.24 (6H, m), 2.26 (2H, q), 2.33 (3H, s), 2.67 (2H, q), 4.58 (2H, d), 6.04 (1H, s), 7.37 (2H, s), 7.52-7.53 (2H, m), 7.75 (1H, d), 7.95 (1H, s).
5-221	¹ H-NMR (CDCl ₃) δ: 1.23 (3H, t), 2.34 (3H, s), 2.67 (2H, q), 3.14 (2H, q), 4.64 (2H, d), 6.30 (1H, s), 7.34 (1H, s), 7.38 (2H, s), 7.54 (1H, d), 7.76 (1H, d), 7.96 (1H, s).
5-223	¹ H-NMR (CDCl ₃) δ: 2.05 (3H, s), 4.52 (2H, d), 5.90 (1H, s), 7.43 (2H, d), 7.66 (2H, s), 7.73 (1H, s), 7.92 (2H, d).
5-224	¹ H-NMR (CDCl ₃) δ: 1.20 (3H, t), 2.29 (2H, q), 4.54 (2H, d), 5.84 (1H, s), 7.44 (2H, d), 7.66-7.68 (3H, m), 7.93 (2H, d).
5-225	¹ H-NMR (CDCl ₃) δ: 0.21-0.25 (2H, m), 0.61-0.67 (2H, m), 0.97-1.00 (1H, m), 2.24 (2H, d), 4.58 (2H, d), 6.30 (1H, s), 7.45 (2H, d), 7.66-7.68 (3H, m), 7.93 (2H, d, J = 8.2 Hz).
5-226	¹ H-NMR (CDCl ₃) δ: 3.16 (2H, q), 4.59 (2H, d), 6.16 (1H, s), 7.43 (2H, d), 7.63 (1H, s), 7.67 (2H, s), 7.93 (2H, d).
5-227	¹ H-NMR (CDCl ₃) δ: 1.46 (9H, t), 4.40 (2H, d), 4.98 (1H, s), 7.43 (2H, d), 7.66 (2H, s), 7.69 (1H, s), 7.92 (2H, d).
5-228	¹ H-NMR (CDCl ₃) δ: 4.57 (2H, br s), 7.58 (1H, s), 7.66 (2H, s), 7.78-7.82 (2H, m), 7.96 (1H, d).
5-229	¹ H-NMR (CDCl ₃) δ: 2.04 (3H, s), 4.58 (2H, d), 6.05 (1H, t), 7.54 (1H, d), 7.67 (2H, s), 7.79 (1H, dd), 7.84 (1H, s), 7.98 (1H, d).
5-230	¹ H-NMR (CDCl ₃) δ: 1.17 (3H, t), 2.27 (2H, q), 4.59 (2H, d), 6.01 (1H, br s), 7.54 (1H, d), 7.67 (2H, s), 7.77-7.81 (2H, m), 7.98 (1H, d).
5-231	¹ H-NMR (CDCl ₃) δ: 0.75-1.06 (4H, m), 1.39-1.42 (1H, m), 4.61 (2H, d), 6.19 (1H, br s), 7.55 (1H, d), 7.67 (2H, s), 7.72 (1H, s), 7.79 (1H, dd), 7.98 (1H, d).
5-232	¹ H-NMR (acetone-d ₆) δ: 3.37 (2H, q), 4.60 (2H, d), 7.62 (1H, d), 7.86 (2H, s), 7.98 (1H, dd), 8.06-8.06 (2H, m), 9.76 (1H, s).
6-1	¹ H-NMR (CDCl ₃) δ: 1.26 (3H, t), 2.48 (3H, s), 2.79 (2H, q), 4.40 (2H, s), 7.35 (1H, s), 7.41 (2H, s), 7.55-7.64 (3H, m), 7.80 (1H, d), 8.13-8.15 (1H, m), 8.49-8.52 (1H, m).
6-2	¹ H-NMR (CDCl ₃) δ: 1.28 (3H, t), 2.03 (3H, s), 2.47 (3H, s), 2.78 (2H, q), 4.85 (2H, d), 5.93 (1H, s), 7.40-7.42 (4H, m), 7.62-7.64 (2H, m), 7.73 (1H, d), 8.03-8.04 (1H, m), 8.47-8.48 (1H, m).
6-3	¹ H-NMR (CDCl ₃) δ: 1.18 (3H, t), 1.29 (3H, t), 2.26 (2H, q), 2.48 (3H, s), 2.79 (2H, q), 4.91 (2H, d), 5.81 (1H, s), 7.35 (1H, s), 7.41 (2H, s), 7.46 (1H, d), 7.62-7.64 (2H, m), 7.76 (1H, d), 8.06-8.07 (1H, m), 8.48-8.49 (1H, m).

6-4	¹ H-NMR (CDCl ₃) δ: 0.76-0.81 (2H, m), 1.04-1.08 (2H, m), 1.29 (3H, t), 1.35-1.38 (1H, m), 2.49 (3H, s), 2.80 (2H, q), 4.96 (2H, d), 5.94 (1H, s), 7.29 (1H, s), 7.42 (2H, s), 7.52 (1H, d), 7.64-7.65 (2H, m), 7.79 (1H, d), 8.09-8.11 (1H, m), 8.49-8.51 (1H, m).
6-5	¹ H-NMR (CDCl ₃) δ: 0.17-0.18 (2H, m), 0.56-0.59 (2H, m), 0.92-0.97 (1H, m), 1.29 (2H, t), 2.22 (1H, d), 2.48 (3H, s), 2.80 (2H, q), 4.96 (2H, d), 6.23 (1H, s), 7.35 (1H, s), 7.42 (2H, s), 7.49 (1H, d), 7.63-7.65 (2H, m), 7.78 (1H, d), 8.07-8.09 (1H, m), 8.48-8.49 (1H, m).
6-6	¹ H-NMR (CDCl ₃) δ: 1.24 (3H, t), 2.45 (3H, s), 2.76 (2H, q), 3.12 (2H, q), 4.58 (2H, d), 6.83 (1H, d), 7.16 (1H, d), 7.41 (2H, s), 7.51 (1H, s), 7.55-7.59 (3H, m), 7.72-7.74 (1H, m), 8.35-8.36 (1H, m).
6-7	¹ H-NMR (CDCl ₃) δ: 1.24 (3H, t), 2.47 (3H, s), 2.79 (2H, q), 5.15 (2H, d), 7.35-7.38 (1H, m), 7.41 (2H, s), 7.47 (1H, d), 7.54 (1H, d), 7.61-7.66 (1H, m), 7.78 (0H, d), 8.08-8.13 (1H, m), 8.31-8.33 (1H, m), 8.47-8.52 (1H, m), 8.60 (1H, ddd).
7-1	¹ H-NMR (CDCl ₃) δ: 1.19 (3H, t), 2.30 (3H, s), 2.68 (2H, q), 4.06 (2H, s), 7.35 (2H, s), 7.95 (1H, d), 8.26 (1H, d), 8.60 (1H, s), 9.57 (1H, s).
7-2	¹ H-NMR (CDCl ₃) δ: 1.20 (3H, t), 2.01 (3H, s), 2.33 (3H, s), 2.69 (3H, q), 4.50 (2H, d), 6.50 (1H, t), 7.37 (2H, s), 7.81 (1H, dd), 8.18 (1H, d), 8.56 (1H, d), 9.55 (1H, s).
7-3	¹ H-NMR (CDCl ₃) δ: 1.18-1.23 (6H, m), 2.35-2.26 (5H, m), 2.70 (2H, q), 4.56 (2H, d), 5.94 (1H, s), 7.37 (2H, s), 7.84 (1H, dd), 8.25 (1H, d), 8.58 (1H, d), 9.52 (1H, s).
7-5	¹ H-NMR (CDCl ₃) δ: 0.62-0.69 (2H, m), 0.63-0.69 (2H, m), 0.96-1.05 (1H, m), 1.18-1.29 (3H, m), 2.26 (2H, d), 2.35 (3H, s), 2.70 (2H, q), 4.61 (2H, d), 6.39 (1H, s), 7.37 (2H, s), 7.85 (1H, d), 8.26 (1H, d), 8.60 (1H, s), 9.52 (1H, s).
7-6	¹ H-NMR (CDCl ₃) δ: 1.18-1.28 (3H, m), 2.34 (3H, s), 2.69 (2H, q), 3.19-3.08 (2H, m), 4.59 (2H, d), 6.49 (1H, s), 7.37 (2H, s), 7.82 (1H, dd), 8.21 (1H, d), 8.57 (1H, d), 9.51 (1H, s).
7-19	¹ H-NMR (CDCl ₃) δ: 1.21 (3H, t), 1.47 (9H, s), 2.35 (3H, s), 2.70 (2H, q), 4.43 (2H, d), 5.12 (1H, s), 7.37 (2H, s), 7.84 (1H, dd), 8.25 (1H, d), 8.57 (1H, d), 9.54 (1H, s).
8-2	¹ H-NMR (CDCl ₃) δ: 1.21 (3H, t), 2.08 (3H, s), 2.34 (3H, s), 2.69 (2H, q), 4.64 (2H, d), 6.71 (1H, s), 7.38 (2H, s), 7.42 (1H, d), 7.62 (1H, s), 8.22 (1H, dd), 9.08 (1H, d).
8-3	¹ H-NMR (CDCl ₃) δ: 1.18-1.22 (6H, m), 2.28-2.36 (5H, m), 2.69 (2H, q), 4.63 (2H, d), 6.68 (1H, s), 7.38 (2H, s), 7.42 (1H, s), 7.71 (1H, s), 8.21 (1H, dd), 9.09 (1H, d).
8-6	¹ H-NMR (CDCl ₃) δ: 1.23 (3H, t), 2.35 (3H, s), 2.70 (2H, q), 3.20 (3H, q), 4.71 (2H, d), 7.13 (1H, s), 7.40-7.43 (4H, m), 8.24 (1H, dd), 9.08 (1H, s).
8-19	¹ H-NMR (CDCl ₃) δ: 1.20 (3H, t), 1.44 (9H, s), 2.30 (3H, s), 2.67 (2H, q), 4.50 (2H, d), 5.59 (1H, s), 7.38-7.40 (3H, m), 7.90 (1H, s), 8.21 (1H, d), 9.08 (1H, s).
9-1	¹ H-NMR (CDCl ₃) δ: 1.18 (3H, t), 1.45 (3H, d), 2.27-2.33 (5H, m), 2.65 (2H, q), 4.29-4.22 (1H, m), 7.35 (2H, s), 7.50 (2H, d), 7.60 (1H, s), 7.89 (2H, d).
9-2	¹ H-NMR (CDCl ₃) δ: 1.21 (3H, t), 1.52 (2H, d), 2.01 (3H, s), 2.33 (3H, s), 2.68 (2H, q), 5.12-5.21 (1H, m), 5.78 (1H, d), 7.36 (2H, s), 7.47-7.44 (3H, m), 7.89 (2H, d).
9-3	¹ H-NMR (CDCl ₃) δ: 1.00 (3H, t), 1.10 (3H, t), 1.40 (3H, d), 2.08-2.19 (5H, m), 2.59 (2H, q), 5.00-5.11 (1H, m), 6.67 (1H, d), 7.34-7.28 (4H, m), 7.86 (2H, d), 8.61 (1H, s).

9-5	¹ H-NMR (DMSO-d ₆) δ: 0.12-0.16 (2H, m), 0.41-0.45 (2H, m), 0.93-1.00 (1H, m), 1.11 (3H, t), 1.37 (3H, d), 2.01-2.06 (1H, m), 2.27 (3H, s), 2.65 (2H, q), 4.94-4.99 (1H, m), 7.48-7.40 (4H, m), 7.94 (2H, d), 8.25 (1H, d), 9.88 (1H, s).
9-6	¹ H-NMR (CDCl ₃) δ: 1.19 (3H, t), 1.52 (3H, d), 2.30 (3H, s), 2.66 (2H, q), 3.00-3.11 (2H, m), 5.12-5.21 (1H, m), 6.35 (1H, d), 7.36 (2H, s), 7.41 (2H, d), 7.55 (1H, s), 7.86 (2H, d).
9-7	¹ H-NMR (CDCl ₃) δ: 1.20 (3H, t), 1.41-1.46 (12H, m), 2.31 (3H, s), 2.67 (2H, q), 4.81-4.92 (2H, m), 7.36 (2H, s), 7.42 (1H, d), 7.56 (1H, br s), 7.89 (2H, d).
10-2	¹ H-NMR (CDCl ₃) δ: 1.22 (3H, t), 1.84-1.87 (2H, m), 2.06 (3H, s), 2.35 (3H, s), 2.69 (3H, q), 2.95-3.05 (2H, m), 5.55-5.58 (1H, m), 5.67 (1H, s), 7.35-7.39 (3H, m), 7.43 (1H, d), 7.75 (1H, d), 7.81 (1H, s).
10-3	¹ H-NMR (acetone-d ₆) δ: 1.09-1.20 (6H, m), 1.84-1.96 (1H, m), 2.23 (2H, q), 2.35 (3H, s), 2.50-2.53 (1H, m), 2.75 (2H, q), 2.91-3.01 (2H, m), 5.47 (1H, d), 7.27 (1H, s), 7.38 (1H, d), 7.45 (2H, s), 7.88 (2H, d), 9.14 (1H, s).
10-5	¹ H-NMR (CDCl ₃) δ: 0.18-0.22 (2H, m), 0.54-0.65 (2H, m), 0.92-1.09 (1H, m), 1.22 (3H, t), 1.83-1.89 (1H, m), 2.24 (2H, d), 2.34 (3H, s), 2.70 (2H, q), 2.89-3.11 (2H, m), 5.57-5.60 (2H, m), 6.15 (1H, d), 7.37 (2H, s), 7.40 (1H, dz), 7.52 (1H, s), 7.77 (1H, d), 7.82 (1H, s).
10-6	¹ H-NMR (acetone-d ₆) δ: 1.17 (3H, q), 1.92-1.96 (1H, m), 2.35 (3H, s), 2.52-2.63 (1H, m), 2.75 (2H, q), 2.89-3.10 (2H, m), 3.30 (2H, q), 5.49 (1H, q), 7.40 (1H, d), 7.45 (2H, s), 7.82 (1H, d), 7.89-7.91 (2H, m), 9.16 (1H, s).
10-7	¹ H-NMR (CDCl ₃) δ: 1.20 (3H, t), 1.49 (9H, s), 1.81-1.87 (1H, m), 2.33 (3H, s), 2.62-2.68 (3H, m), 2.83-3.07 (2H, m), 4.79 (1H, d), 5.21 (1H, d), 7.36 (2H, s), 7.43 (1H, d), 7.52 (1H, s), 7.76-7.78 (2H, m).
10-10	¹ H-NMR (CDCl ₃) δ: 1.21 (3H, t), 1.83-1.88 (1H, m), 2.25-2.32 (0H, m), 2.63 (3H, s), 2.69 (2H, q), 2.94-3.05 (2H, m), 5.58 (1H, q), 5.69 (1H, d), 7.35 (2H, s), 7.40 (1H, d), 7.45 (1H, s), 7.75 (1H, d), 7.81 (1H, s).
10-22	¹ H-NMR (CDCl ₃) δ: 1.23 (3H, t), 1.88-1.95 (1H, m), 2.17 (3H, t), 2.35 (3H, s), 2.70 (2H, q), 2.99-3.07 (2H, m), 3.29 (3H, s), 5.58 (1H, q), 7.12 (1H, d), 7.38-7.41 (3H, m), 7.77 (1H, d), 7.83 (1H, s).
11-2	¹ H-NMR (CDCl ₃) δ: 1.19 (3H, q), 1.47 (9H, s), 1.74-1.94 (4H, m), 2.30 (3H, s), 2.67 (2H, q), 2.77-2.89 (2H, m), 4.81-4.89 (2H, m), 7.35 (2H, s), 7.46 (1H, d), 7.78-7.61 (3H, m).
11-6	¹ H-NMR (CDCl ₃) δ: 1.22 (3H, t), 1.81-2.16 (4H, m), 2.33 (3H, s), 2.68 (2H, q), 2.85-2.91 (2H, m), 3.06-3.17 (2H, m), 5.25-5.32 (1H, m), 6.07 (1H, d), 7.37-7.39 (4H, m), 7.69-7.64 (2H, m).
11-7	¹ H-NMR (CDCl ₃) δ: 1.20 (3H, t), 1.47 (9H, s), 1.75-1.94 (4H, m), 2.30 (3H, s), 2.67 (2H, q), 2.76-2.94 (3H, m), 4.85 (1H, s), 7.35 (2H, s), 7.46 (1H, d), 7.60-7.78 (3H, m).
12-1	¹ H-NMR (CDCl ₃) δ: 1.18 (3H, t), 1.39 (9H, s), 2.28 (3H, s), 2.66 (2H, q), 4.25 (2H, d), 5.67 (1H, t), 7.36 (2H, s), 7.43 (1H, d), 8.00 (1H, dd), 8.13 (1H, s), 8.23 (1H, d), 8.36 (1H, s), 8.46 (1H, s).
12-2	¹ H-NMR (CDCl ₃) δ: 1.24 (3H, t), 2.36 (3H, s), 2.71 (2H, q), 3.85 (2H, s), 7.39 (2H, s), 7.54 (1H, d), 7.65 (1H, s), 7.95 (1H, dd), 8.17-8.18 (2H, m), 8.64 (1H, s).
12-3	¹ H-NMR (CDCl ₃) δ: 1.23 (3H, t, J = 10.6 Hz), 1.99 (3H, s), 2.35 (3H, s), 2.70 (2H, q), 4.40 (2H, d), 6.85 (1H, t), 7.38 (2H, s), 7.50 (1H, d), 8.08-8.11 (2H, m), 8.22 (1H, s), 8.25 (1H, d), 8.49 (1H, s).

12-4	¹ H-NMR (CDCl ₃) δ: 1.13 (3H, t), 1.23 (3H, t), 2.22 (2H, q), 2.35 (3H, s), 2.70 (2H, q), 4.42 (2H, d), 6.79 (1H, t), 7.38 (2H, s), 7.50 (1H, d), 7.94 (1H, s), 8.08 (1H, dd), 8.21 (1H, s), 8.24 (1H, d), 8.49 (1H, s).
12-5	¹ H-NMR (CDCl ₃) δ: 1.25 (3H, t), 2.37 (3H, s), 2.71 (2H, q), 3.68 (3H, s), 4.35 (2H, d), 5.88 (1H, br s), 7.39 (2H, s), 7.50 (1H, d), 7.64 (1H, br s), 8.06 (1H, d), 8.19-8.20 (2H, m), 8.47 (1H, s).
13-1	¹ H-NMR (CDCl ₃) δ: 0.96 (3H, t), 1.19 (3H, t), 2.09 (2H, q), 2.31 (3H, s), 2.69 (2H, q), 4.38 (2H, d), 6.52 (1H, dd), 7.17 (1H, t), 7.36 (2H, s), 7.71 (1H, d), 7.76 (1H, d), 7.84 (1H, d), 8.04-8.08 (2H, m), 8.84 (1H, s).
13-2	¹ H-NMR (CDCl ₃) δ: 1.21 (3H, t), 1.91 (3H, s), 2.32 (3H, s), 2.68 (2H, q), 4.37 (2H, d), 6.82 (1H, t), 7.37 (2H, s), 7.84 (1H, d), 8.05-8.09 (2H, m), 8.19 (1H, s), 8.32 (1H, s), 8.52 (1H, s).
13-3	¹ H-NMR (CDCl ₃) δ: 0.99 (3H, t), 1.19 (3H, t), 2.12 (4H, q), 2.30 (3H, s), 2.68 (2H, q), 4.37 (2H, d), 6.91 (1H, t), 7.36 (2H, s), 7.77 (1H, d), 8.08 (1H, d), 8.15 (1H, dd), 8.17 (1H, s), 8.51 (1H, s), 8.82 (1H, s).
14-1	¹ H-NMR (CDCl ₃) δ: 1.22 (3H, t), 2.33 (3H, s), 2.67 (2H, q), 6.60 (1H, dd), 7.38 (2H, s), 7.74 (1H, s), 7.84 (1H, d), 7.89-7.97 (2H, m), 8.28 (1H, d), 8.36 (1H, d).
14-2	¹ H-NMR (CDCl ₃) δ: 1.18 (3H, t), 2.27 (3H, s), 2.65 (2H, q), 7.38 (2H, s), 7.94 (1H, d), 8.08 (1H, dd), 8.13 (1H, s), 8.37 (1H, d), 8.49 (1H, s), 8.85 (1H, s).
A-1	¹ H-NMR (CDCl ₃) δ: 2.32 (6H, s), 7.31-7.36 (3H, m), 7.50 (1H, s), 8.20-8.11 (2H, m).
A-2	¹ H-NMR (CDCl ₃) δ: 1.22 (3H, t), 2.33 (3H, s), 2.67 (2H, q), 7.29-7.38 (4H, m), 7.67 (1H, br s), 7.78 (1H, dd).
A-3	¹ H-NMR (CDCl ₃) δ: 2.33 (6H, s), 7.22-7.36 (4H, m), 7.81 (1H, br s), 8.00 (1H, d).
A-4	¹ H-NMR (CDCl ₃) δ: 1.18 (3H, t), 2.27 (3H, s), 2.64 (2H, q), 7.21 (1H, t), 7.36 (2H, s), 7.61 (1H, s), 7.82-7.84 (1H, m), 8.14 (1H, dd).
A-5	¹ H-NMR (CDCl ₃) δ: 1.21 (3H, t), 2.31 (3H, s), 2.66 (2H, q), 7.14 (1H, s), 7.33 (1H, d), 7.38 (2H, s), 7.62 (1H, s), 8.14 (1H, dd), 8.20 (1H, d).
B-1	¹ H-NMR (CDCl ₃) δ: 2.39 (6H, s), 7.16-7.09 (1H, m), 7.24 (1H, dd), 7.37 (2H, s), 7.60 (1H, s), 7.87 (1H, dd).
B-2	¹ H-NMR (CDCl ₃) δ: 2.38 (6H, s), 7.14 (1H, s), 7.39-7.33 (3H, m), 7.50 (1H, dd), 7.73 (1H, dd).
B-3	¹ H-NMR (CDCl ₃) δ: 2.46 (6H, s), 7.20 (1H, s), 7.38 (2H, s), 7.44-7.50 (1H, m), 7.73 (1H, dd), 7.85 (1H, dd).
D-1	¹ H-NMR (CDCl ₃) δ: 1.21 (3H, t), 2.34 (3H, s), 2.70 (2H, q), 7.37 (2H, s), 8.06 (1H, dd), 8.19 (1H, dd), 8.71 (1H, dd), 9.39 (1H, s).
E-1	¹ H-NMR (CDCl ₃) δ: 1.28 (3H, t), 2.46 (3H, s), 2.77 (2H, q), 7.19 (1H, dd), 7.32 (1H, s), 7.41 (2H, s), 7.64-7.67 (2H, m), 7.80 (1H, dd), 8.18-8.22 (1H, m), 8.47-8.50 (1H, m).
F-1	¹ H-NMR (CDCl ₃) δ: 2.34 (6H, s), 4.65 (2H, s), 7.36 (2H, s), 7.43 (1H, s), 7.54 (2H, d), 7.92 (2H, d).
F-2	¹ H-NMR (CDCl ₃) δ: 2.31 (6H, s), 4.92 (2H, s), 7.33 (2H, s), 7.44 (1H, s), 7.56 (2H, d), 7.72-7.89 (6H, m).

F-3	¹ H-NMR (CDCl ₃) δ: 1.22 (3H, t), 2.34 (3H, s), 2.69 (2H, q), 4.65 (2H, s), 7.37 (2H, s), 7.41 (1H, s), 7.55 (2H, d), 7.92 (2H, d).
F-4	¹ H-NMR (CDCl ₃) δ: 1.19 (3H, t), 2.31 (3H, s), 2.66 (2H, q), 4.93 (2H, s), 7.35 (2H, s), 7.37 (1H, s), 7.57 (2H, d), 7.75-7.72 (2H, m), 7.89-7.85 (4H, m).
F-5	¹ H-NMR (CDCl ₃) δ: 1.22 (3H, t), 2.32 (3H, s), 2.67 (2H, q), 4.76 (3H, s), 7.37 (2H, s), 7.43 (1H, s), 7.64 (1H, d), 7.80 (1H, dd), 7.96 (1H, d).
F-6	¹ H-NMR (CDCl ₃) δ: 1.20 (3H, t), 2.32 (3H, s), 2.66 (2H, q), 5.06 (2H, s), 7.37 (3H, d), 7.76-7.78 (4H, m), 7.87-7.91 (3H, m), 7.96 (1H, d).
F-7	¹ H-NMR (CDCl ₃) δ: 1.21 (3H, t), 2.31 (3H, s), 2.66 (2H, q), 4.75 (2H, s), 7.37 (2H, s), 7.48 (1H, s), 7.63 (1H, d), 7.84 (1H, dd), 8.14 (1H, d).
F-8	¹ H-NMR (CDCl ₃) δ: 1.20 (3H, t), 2.31 (3H, s), 2.66 (2H, q), 5.04 (2H, s), 7.29-7.36 (4H, m), 7.75-7.80 (3H, m), 7.90-7.93 (2H, m), 8.15 (1H, d).
F-9	¹ H-NMR (CDCl ₃) δ: 1.20 (3H, t), 2.32 (3H, s), 2.66 (2H, q), 5.37 (2H, s), 7.37 (2H, s), 7.45 (1H, d), 7.60 (1H, s), 7.82-7.79 (2H, m), 7.93-7.91 (2H, m), 8.12 (1H, dd), 8.64 (1H, d, J = 1.6 Hz).
F-14	¹ H-NMR (CDCl ₃) δ: 1.21 (3H, t), 2.32 (3H, s), 2.67 (2H, q), 4.76 (2H, s), 7.36 (2H, s), 7.46 (1H, s), 7.64 (1H, d), 7.80 (1H, dd), 7.96 (1H, d).
F-15	¹ H-NMR (CDCl ₃) δ: 1.17-1.22 (3H, m), 2.31 (3H, s), 2.65 (2H, q), 5.06 (2H, s), 7.36-7.39 (4H, m), 7.72-7.97 (6H, m).
F-16	¹ H-NMR (CDCl ₃) δ: 1.19 (3H, t), 2.31 (3H, s), 2.65 (2H, q), 5.02 (2H, s), 7.31-7.43 (4H, m), 7.74-7.94 (5H, m), 8.15 (1H, d).
F-17	¹ H-NMR (CDCl ₃) δ: 1.19 (3H, t), 2.31 (3H, s), 2.65 (2H, q), 5.04 (2H, s), 7.29-7.37 (4H, m), 7.75-7.82 (3H, m), 7.86-7.91 (3H, m), 8.15 (1H, d).
G-1	¹ H-NMR (CDCl ₃) δ: 1.25 (2H, t), 2.45 (3H, s), 2.77 (2H, q), 5.07 (2H, d), 7.41 (2H, s), 7.55-7.75 (6H, m), 8.22 (1H, d), 8.45 (1H, d).
G-2	¹ H-NMR (CDCl ₃) δ: 1.25 (3H, t), 2.46 (3H, s), 2.77 (2H, q), 5.36 (2H, s), 7.38 (2H, s), 7.59-7.88 (9H, m), 8.41 (1H, d), 8.47 (1H, d).
H-1	¹ H-NMR (CDCl ₃) δ: 1.22-1.22 (3H, m), 2.34 (3H, s), 2.65-2.73 (5H, m), 7.38 (2H, s), 7.52 (1H, s), 8.00 (2H, d), 8.09 (2H, d).
H-2	¹ H-NMR (CDCl ₃) δ: 1.23 (3H, t), 2.33-2.35 (6H, m), 2.70 (3H, q), 7.43-7.38 (4H, m), 7.79 (2H, d), 7.93 (2H, d).
I-1	¹ H-NMR (CDCl ₃) δ: 2.36 (6H, s), 7.38 (2H, s), 7.56 (1H, dd), 7.65 (1H, dd), 7.92 (1H, d), 8.30 (1H, dd).
I-2	¹ H-NMR (CDCl ₃) δ: 1.25 (3H, t), 2.27 (3H, s), 2.68 (1H, q), 7.39(2H,s), 7.47 (1H, s), 7.81 (2H,d), 8.02 (2H, d).
I-3	¹ H-NMR (CDCl ₃) δ: 1.23 (3H, t), 2.35 (3H, s), 2.70 (2H, q), 7.39 (2H, s), 7.56 (1H, dd), 7.66 (1H, dd), 7.93 (1H, d), 8.31 (1H, dd).
I-4	¹ H-NMR (CDCl ₃) δ: 1.25 (3H, t), 2.40 (3H, s), 2.74 (2H, q), 7.40 (2H, s), 7.50 (1H, s), 7.70 (1H, dd), 7.81 (1H, d), 7.91 (1H, d).
I-5	¹ H-NMR (CDCl ₃) δ: 1.22 (3H, t), 2.33 (3H, s), 2.65 (3H, s), 2.68 (2H, q), 7.38 (2H, s), 7.47 (1H, s), 7.74 (1H, d), 7.78 (1H, d), 7.88 (1H, s).

I-6	¹ H-NMR (acetone-d ₆) δ: 1.17 (3H, t), 2.33 (3H, s), 2.73 (2H, q), 7.56 (1H, s), 7.58 (1H, s), 7.97 (2H, d), 8.21 (2H, d), 9.38 (1H, s).
J-1	¹ H-NMR (CDCl ₃) δ: 1.24 (3H, t), 2.35 (3H, s), 2.67 (2H, t), 7.40 (2H, s), 7.50 (1H, s), 7.88 (1H, d), 8.40 (1H, dd), 9.22 (1H, d).
K-1	¹ H-NMR (CDCl ₃) δ: 1.22 (3H, t), 2.34 (3H, t), 2.70 (2H, q), 7.39 (2H, s), 8.23 (1H, dd), 8.44 (1H, dd), 8.94 (1H, dd), 9.42 (1H, s).
L-1	¹ H-NMR (CDCl ₃) δ: 1.23 (3H, t), 2.36 (3H, s), 2.70 (2H, q), 2.78-2.80 (2H, m), 3.24-3.26 (2H, m), 7.39 (2H, s), 7.61 (1H, s), 7.87 (2H, s), 8.06 (1H, s).
L-2	¹ H-NMR (CDCl ₃) δ: 1.23 (3H, t), 2.35 (3H, s), 2.70 (2H, q), 3.03-3.05 (2H, m), 3.15-3.18 (2H, m), 7.38 (2H, s), 7.41 (1H, s), 7.78 (2H, s), 7.90 (1H, s).
M-1	¹ H-NMR (CDCl ₃) δ: 1.28-1.20 (5H, m), 2.35 (3H, s), 2.66-2.75 (4H, m), 3.07 (2H, t), 7.38 (2H, s), 7.49 (1H, s), 7.78 (1H, d), 7.85 (1H, s), 8.16 (1H, d).
M-2	¹ H-NMR (DMSO-d ₆) δ: 1.11 (3H, t), 1.74-1.82 (2H, m), 2.27 (3H, s), 2.62-2.72 (4H, m), 2.81 (2H, q), 7.40 (1H, s), 7.45 (1H, s), 7.79-7.82 (2H, m), 7.99 (1H, d), 9.93 (1H, s), 11.35 (1H, s).
5-119	¹ H-NMR (CDCl ₃) δ: 3.97 (2H, s), 7.49 (2H, d), 7.86 (2H, s), 7.94 (2H, d).
5-120	¹ H-NMR (CDCl ₃) δ: 2.07 (3H, s), 4.53 (2H, d), 5.89 (1H, s), 7.44 (2H, d), 7.71 (1H, s), 7.87 (2H, s), 7.93 (2H, d).
5-121	¹ H-NMR (CDCl ₃) δ: 1.20 (3H, t), 2.29 (2H, q), 4.54 (2H, d), 5.87 (1H, s), 7.43 (2H, d), 7.73 (1H, s), 7.87 (2H, s), 7.93 (2H, d).
5-123	¹ H-NMR (CDCl ₃) δ: 0.22-0.24 (2H, m), 0.63-0.67 (2H, m), 0.99-1.02 (1H, m), 2.25 (2H, d), 4.58 (2H, d), 6.31 (1H, s), 7.46 (2H, d), 7.69 (1H, s), 7.87 (2H, s), 7.94 (2H, d).
5-124	¹ H-NMR (CDCl ₃) δ: 3.20 (2H, q), 4.59 (2H, d), 6.25 (1H, s), 7.43 (2H, d), 7.68 (1H, s), 7.87 (2H, s), 7.93 (2H, d).
5-234	¹ H-NMR (CDCl ₃) δ: 2.03 (3H, s), 4.57 (2H, d), 6.14 (1H, s), 7.50 (1H, dd), 7.79 (1H, dd), 7.87 (2H, s), 7.98 (1H, d).
5-241	¹ H-NMR (CDCl ₃) δ: 4.57 (2H, s), 7.67-7.88 (6H, m).
5-242	¹ H-NMR (CDCl ₃) δ: 2.04 (3H, s), 4.57 (2H, d), 6.08 (1H, t), 7.53 (1H, d), 7.65 (2H, s), 7.79 (1H, dd), 7.88 (1H, s), 7.98 (1H, d).
5-243	¹ H-NMR (CDCl ₃) δ: 1.18 (3H, t), 2.28 (2H, q), 4.59 (2H, d), 5.99 (1H, s), 7.56 (1H, d), 7.65 (2H, s), 7.69 (1H, s), 7.79 (1H, dd), 7.98 (1H, d).
5-244	¹ H-NMR (CDCl ₃) δ: 3.14 (2H, dd), 4.65 (2H, d), 6.29 (1H, s), 7.55 (1H, d), 7.61 (1H, s), 7.66 (2H, s), 7.81 (1H, d), 7.99 (1H, s).
5-285	¹ H-NMR (CDCl ₃) δ: 4.56 (2H, s), 6.58 (1H, t), 7.46 (1H, d), 7.67-7.79 (4H, m), 7.94 (1H, d).
5-286	¹ H-NMR (CDCl ₃) δ: 2.04 (3H, s), 4.58 (2H, d), 6.06 (1H, br s), 6.57 (1H, t), 7.50 (1H, s), 7.54 (1H, d), 7.75-7.78 (3H, m), 7.96 (1H, d).
5-287	¹ H-NMR (CDCl ₃) δ: 1.16 (3H, t), 2.28 (2H, q), 4.59 (2H, d), 6.00 (1H, d), 6.58 (1H, t), 7.50-7.57 (2H, m), 7.71-7.76 (3H, m), 7.96 (1H, d).
5-288	¹ H-NMR (CDCl ₃) δ: 3.14 (2H, q), 4.64 (2H, d), 6.30 (1H, s), 6.58 (1H, t), 7.52-7.55 (3H, m), 7.77-7.79 (2H, m), 7.97 (1H, d).

5-293	¹ H-NMR (CDCl ₃) δ: 1.70 (2H, s), 2.39 (3H, s), 4.03 (2H, s), 6.51 (1H, t), 7.32 (1H, s), 7.42 (1H, s), 7.59 (1H, d), 7.67 (1H, s), 7.78 (1H, dd), 7.92 (1H, d).
5-294	¹ H-NMR (CDCl ₃) δ: 2.04 (3H, s), 2.38 (3H, s), 4.57 (2H, d), 6.06 (1H, s), 6.51 (1H, t), 7.32 (1H, s), 7.42 (1H, s), 7.53 (1H, d), 7.73-7.76 (2H, m), 7.94 (1H, d).
5-295	¹ H-NMR (CDCl ₃) δ: 1.16 (3H, t), 2.27 (2H, q), 2.38 (3H, s), 4.57 (2H, d), 6.05 (1H, t), 6.51 (1H, t), 7.32 (1H, s), 7.42 (1H, s), 7.51 (1H, d), 7.74 (1H, dd), 7.80 (1H, s), 7.94 (1H, d).
5-296	¹ H-NMR (CDCl ₃) δ: 2.38 (3H, s), 3.14 (2H, q), 4.63 (2H, d), 6.40 (1H, s), 6.52 (1H, t), 7.32 (1H, s), 7.43 (1H, s), 7.52 (1H, d), 7.66 (1H, s), 7.75 (1H, d), 7.95 (1H, d).
5-305	¹ H-NMR (CDCl ₃) δ: 4.02 (1H, s), 4.56 (1H, s), 6.58 (2H, t), 7.46 (1H, s), 7.57-7.68 (3H, m), 7.77-7.81 (1H, m), 7.93 (1H, d).
5-306	¹ H-NMR (CDCl ₃) δ: 2.05 (3H, d), 4.57 (2H, d), 6.09 (1H, s), 6.58 (1H, t), 7.46 (1H, s), 7.53 (1H, d), 7.63 (1H, s), 7.77 (1H, dd), 7.84 (1H, s), 7.95 (1H, d).
5-307	¹ H-NMR (CDCl ₃) δ: 1.16 (3H, t), 2.26 (2H, q), 4.57 (2H, d), 6.07 (1H, t), 6.58 (1H, t), 7.46 (1H, s), 7.51 (1H, d), 7.63 (1H, s), 7.77 (1H, dd), 7.87 (1H, s), 7.95 (1H, d).
5-308	¹ H-NMR (CDCl ₃) δ: 3.14 (2H, q), 4.64 (2H, d), 6.58 (1H, t), 7.47 (1H, s), 7.54 (1H, d), 7.58 (1H, s), 7.64 (1H, s), 7.78 (1H, d), 7.97 (1H, s).
5-310	¹ H-NMR (CDCl ₃) δ: 2.04 (3H, d), 4.57 (2H, d), 6.08 (1H, d), 6.57 (1H, t), 7.45 (1H, s), 7.53 (1H, d), 7.62 (1H, s), 7.77 (1H, dd), 7.80 (1H, s), 7.95 (1H, d).
5-311	¹ H-NMR (CDCl ₃) δ: 1.18 (3H, t), 2.28 (2H, q), 4.59 (2H, d), 5.98 (1H, s), 6.57 (1H, t), 7.45 (1H, s), 7.56 (1H, d), 7.60 (1H, s), 7.62 (1H, s), 7.76 (1H, t), 7.95 (1H, d).
5-312	¹ H-NMR (CDCl ₃) δ: 3.13 (2H, t), 4.65 (2H, d), 6.29 (1H, d), 6.57 (1H, t), 7.46 (1H, s), 7.54-7.57 (2H, m), 7.63 (1H, s), 7.78 (1H, d), 7.97 (1H, s).
5-317	¹ H-NMR (CDCl ₃) δ: 1.46 (9H, s), 4.47 (2H, d), 5.09 (1H, s), 7.55 (1H, d), 7.63 (1H, s), 7.67 (2H, s), 7.82 (1H, dd), 7.96 (1H, d).
5-318	¹ H-NMR (CDCl ₃) δ: 0.76-1.09 (4H, m), 1.61 (1H, td), 2.33 (3H, s), 2.67 (2H, q), 4.60 (2H, d), 6.21 (1H, s), 7.38 (2H, s), 7.46 (1H, s), 7.54 (1H, d), 7.75 (1H, d), 7.96 (1H, s).
5-322	¹ H-NMR (CDCl ₃) δ: 2.06 (3H, s), 4.52 (2H, d), 5.95 (1H, s), 7.42 (2H, d), 7.65 (2H, s), 7.79 (1H, s), 7.92 (2H, d).
5-323	¹ H-NMR (CDCl ₃) δ: 1.20 (3H, t), 2.29 (2H, q), 4.54 (2H, d), 5.85 (1H, s), 7.44 (2H, d), 7.65 (2H, s), 7.70 (1H, s), 7.92 (2H, d).
5-324	¹ H-NMR (CDCl ₃) δ: 3.22 (2H, q), 4.58 (2H, d), 6.26 (1H, s), 7.42 (2H, d), 7.65 (2H, s), 7.69 (1H, s), 7.91 (2H, d).
5-325	¹ H-NMR (CDCl ₃) δ: 0.21-0.25 (2H, m), 0.62-0.64 (2H, m), 0.98-1.02 (1H, m), 2.25 (2H, d, J = 7.1 Hz), 4.58 (2H, d), 6.30 (1H, s), 7.45 (2H, d), 7.65 (2H, s), 7.68 (1H, s), 7.93 (2H, d).
5-326	¹ H-NMR (CDCl ₃) δ: 0.77-0.81 (2H, m), 1.02 (2H, dd), 1.39-1.41 (1H, m), 4.54 (2H, d), 6.06 (1H, s), 7.44 (2H, d), 7.65 (2H, s), 7.73 (1H, s), 7.92 (2H, d).
5-327	¹ H-NMR (CDCl ₃) δ: 2.14 (3H, s), 3.28 (2H, s), 4.59 (2H, d), 7.46 (2H, d), 7.65 (3H, br s), 7.94 (2H, d).
5-328	¹ H-NMR (CDCl ₃) δ: 1.47 (9H, s), 4.40 (2H, d), 7.43 (2H, d), 7.65 (3H, br s), 7.92 (2H, d).

5-329	¹ H-NMR (CDCl ₃) δ: 1.44 (9H, s), 4.46 (2H, d), 5.14 (1H, s), 7.52 (1H, d), 7.65 (3H, br s), 7.82 (1H, d), 7.97 (1H, d).
5-330	¹ H-NMR (CDCl ₃) δ: 0.22 (2H, d), 0.63-0.66 (2H, m), 0.96-0.98 (1H, m), 2.21 (2H, d), 4.62 (2H), 6.51 (1H, s), 7.57 (1H, d), 7.65 (2H, s), 7.68 (1H, s), 7.80 (1H, dd), 7.99 (1H, d).
5-331	¹ H-NMR (CDCl ₃) δ: 2.14 (3H, s), 3.25 (2H, s), 4.64 (2H, d), 7.57 (1H, d), 7.63 (1H, s), 7.66 (2H, s), 7.81 (1H, dd), 7.99 (1H, d).
5-333	¹ H-NMR (CDCl ₃) δ: 2.02 (3H, s), 2.39 (3H, s), 4.50 (2H, d), 6.07 (1H, s), 7.40 (2H, d), 7.43 (1H, s), 7.56 (1H, s), 7.90 (2H, d).
5-334	¹ H-NMR (CDCl ₃) δ: 1.20 (3H, t), 2.28 (2H, q), 2.40 (3H, s), 4.53 (2H, d), 5.90 (1H, s), 7.41-7.44 (3H, m), 7.56 (1H, s), 7.76 (1H, s), 7.91 (2H, d).
5-335	¹ H-NMR (CDCl ₃) δ: 2.35 (3H, s), 3.09 (2H, q), 4.51 (2H, d), 6.64 (1H, s), 7.33 (2H, d), 7.41 (1H, s), 7.54 (1H, s), 7.83 (2H, d).
5-336	¹ H-NMR (CDCl ₃) δ: 0.18-0.26 (2H, m), 0.62 (2H, m), 0.98-1.02 (1H, m), 2.25 (2H, d), 2.41 (3H, s), 4.58 (2H, d), 6.31 (1H, s), 7.44-7.46 (3H, m), 7.56 (1H, s), 7.70 (1H, s), 7.92 (2H, d).
5-337	¹ H-NMR (CDCl ₃) δ: 2.11 (3H, s), 2.37 (3H, s), 3.24 (2H, s), 4.55 (2H, d), 7.32 (1H, s), 7.41-7.42 (3H, m), 7.54 (1H, s), 7.79 (1H, s), 7.90 (2H, d).
5-338	¹ H-NMR (CDCl ₃) δ: 0.68-1.02 (4H, m), 1.34-1.42 (1H, m), 2.35 (3H, s), 4.47 (2H, d), 6.39 (1H, s), 7.33 (2H, d), 7.40 (1H, s), 7.53 (1H, s), 7.84-7.87 (2H, m).
5-339	¹ H-NMR (CDCl ₃) δ: 1.47 (9H, s), 2.40 (3H, s), 4.40 (2H, d), 7.42-7.44 (3H, m), 7.56 (1H, s), 7.77 (1H, s), 7.92 (2H, d).
5-340	¹ H-NMR (CDCl ₃) δ: 0.21-0.22 (2H, m), 0.61-0.67 (2H, m), 0.93-0.99 (1H, m), 2.20 (2H, d), 2.39 (3H, s), 4.61 (2H, d), 6.52 (1H, t), 6.53 (1H, s), 7.32 (1H, s), 7.42 (1H, s), 7.53 (1H, d), 7.74-7.77 (2H, m), 7.95 (1H, d).
5-341	¹ H-NMR (CDCl ₃) δ: 0.75-1.09 (4H, m), 1.59-1.63 (1H, m), 2.39 (3H, s), 4.60 (2H, d), 6.19 (1H, s), 6.52 (1H, t), 7.32 (1H, s), 7.42 (1H, s), 7.54 (1H, d), 7.66 (1H, s), 7.75 (1H, t), 7.94 (1H, d).
5-342	¹ H-NMR (CDCl ₃) δ: 1.46 (9H, s), 2.39 (3H, s), 4.46 (2H, d), 5.11 (1H, s), 6.51 (1H, t), 7.32 (1H, s), 7.42 (1H, s), 7.52 (1H, d), 7.67 (1H, s), 7.77 (1H, d), 7.93 (1H, d).
5-344	¹ H-NMR (CDCl ₃) δ: 2.07 (3H, s), 2.42 (3H, s), 4.51 (2H, d), 5.70 (1H, s), 7.38 (1H, d), 7.65-7.66 (3H, m), 7.75-7.77 (2H, m).
5-345	¹ H-NMR (CDCl ₃) δ: 1.21 (3H, t), 2.29 (3H, q), 2.42 (3H, s), 4.51 (2H, d), 5.68 (1H, s), 7.37 (1H, d), 7.64-7.68 (3H, m), 7.74-7.76 (2H, m).
5-346	¹ H-NMR (CDCl ₃) δ: 2.42 (3H, s), 3.16 (2H, q), 4.57 (2H, d), 6.00 (1H, s), 7.37 (1H, d), 7.63 (1H, s), 7.67 (2H, s), 7.76 (1H, d), 7.79 (1H, s).
5-347	¹ H-NMR (CDCl ₃) δ: 1.47 (9H, s), 2.39 (3H, s), 4.37 (2H, d), 4.90 (1H, s), 7.39 (1H, d), 7.66 (3H, s), 7.76 (2H, d).
5-348	¹ H-NMR (CDCl ₃) δ: 4.61 (2H, d), 7.41 (2H, d), 7.65 (3H, s), 7.90 (2H, d).
5-349	¹ H-NMR (CDCl ₃) δ: 1.17 (3H, t), 2.27 (3H, s), 2.64 (2H, q), 4.63 (2H, d), 7.36 (2H, s), 7.43 (1H, d), 7.79 (1H, d), 8.13 (1H, s).

5-440	¹ H-NMR (CDCl ₃) δ: 1.46 (9H, s), 4.40 (2H, d), 4.98 (1H, s), 7.43 (2H, d), 7.72 (1H, s), 7.86 (2H, s), 7.93 (2H, d).
5-441	¹ H-NMR (CDCl ₃) δ: 1.16 (3H, t), 1.62-1.67 (1H, m), 1.99-2.08 (1H, m), 2.25 (3H, s), 2.32-2.36 (1H, m), 2.63 (2H, q), 4.50-4.52 (2H, m), 6.83 (1H, d), 7.31-7.33 (3H, m), 7.68 (1H, dd), 7.95 (1H, s), 8.04 (1H, d).
5-442	¹ H-NMR (CDCl ₃) δ: 1.23 (3H, t), 2.34 (3H, s), 2.68 (2H, q), 3.43 (2H, s), 4.63 (2H, d), 6.70 (1H, s), 7.36-7.39 (3H, m), 7.55 (1H, d), 7.82 (1H, d), 8.16 (1H, s).
5-443	¹ H-NMR (CDCl ₃) δ: 2.40 (3H, s), 4.03 (2H, s), 7.45 (1H, s), 7.58-7.60 (2H, m), 7.72 (1H, s), 7.82 (1H, dd), 7.95 (1H, d).
5-444	¹ H-NMR (CDCl ₃) δ: 2.17 (3H, s), 2.38 (3H, s), 4.56 (2H, d), 6.15 (1H, t), 7.44 (1H, s), 7.51 (1H, d), 7.57 (1H, s), 7.78 (1H, dd), 7.92 (1H, s), 7.97 (1H, d).
5-445	¹ H-NMR (CDCl ₃) δ: 1.18 (3H, t), 2.28 (2H, q), 2.40 (3H, s), 4.59 (2H, d), 5.98 (1H, s), 7.44 (1H, s), 7.54-7.57 (2H, m), 7.67 (1H, s), 7.78 (1H, dd), 7.97 (1H, d).
5-446	¹ H-NMR (CDCl ₃) δ: 2.40 (3H, s), 3.14 (2H, q), 4.64 (2H, d), 6.28 (1H, s), 7.45 (1H, s), 7.56-7.60 (2H, m), 7.79 (1H, d), 7.98 (1H, s).
5-447	¹ H-NMR (CDCl ₃) δ: 1.46 (9H, s), 2.40 (3H, s), 4.47 (2H, d), 5.09 (1H, s), 7.44 (1H, s), 7.54-7.56 (2H, m), 7.67 (1H, s), 7.80 (1H, dd), 7.95 (1H, d).
5-448	¹ H-NMR (CDCl ₃) δ: 1.45 (9H, s), 4.45 (2H, d), 5.14 (1H, s), 6.58 (1H, t), 7.46 (1H, s), 7.51 (1H, d), 7.63 (1H, s), 7.79 (1H, dd), 7.94 (1H, d).
5-449	¹ H-NMR (CDCl ₃) δ: 1.47 (9H, s), 4.47 (2H, d), 5.10 (1H, s), 6.58 (1H, t), 7.52-7.57 (3H, m), 7.78-7.81 (2H, m), 7.94 (1H, d).
5-450	¹ H-NMR (CDCl ₃) δ: 0.19-0.22 (2H, m), 0.58-0.64 (2H, m), 0.97-1.04 (1H, m), 2.21 (2H, d), 4.62 (2H, d), 6.54 (1H, s), 6.58 (2H, t), 7.46 (1H, s), 7.55 (1H, d), 7.63 (1H, s), 7.73 (1H, s), 7.78 (1H, dd), 7.96 (1H, d).
5-451	¹ H-NMR (CDCl ₃) δ: 1.46 (9H, s), 4.47 (2H, d), 5.10 (1H, s), 7.54 (1H, d), 7.82 (1H, d), 7.87 (2H, s), 7.97 (1H, d).
5-452	¹ H-NMR (CDCl ₃) δ: 3.16 (2H, q), 4.59 (2H, d), 6.19 (1H, s), 6.58 (1H, t), 7.42-7.44 (3H, m), 7.61-7.62 (2H, m), 7.90 (2H, d).
5-453	¹ H-NMR (CDCl ₃) δ: 1.47 (9H, s), 4.39 (2H, d), 5.01 (1H, s), 6.58 (1H, t), 7.43 (3H, dq), 7.62 (1H, s), 7.71 (1H, s), 7.90 (2H, d).
5-454	¹ H-NMR (CDCl ₃) δ: 0.77-1.07 (4H, m), 1.60-1.63 (1H, m), 4.61 (2H, d), 6.17 (1H, s), 6.57 (1H, t), 7.46 (1H, s), 7.56 (1H, d), 7.60 (1H, s), 7.63 (1H, s), 7.77 (1H, d), 7.95 (1H, d).
5-455	¹ H-NMR (CDCl ₃) δ: 0.20-0.21 (2H, m), 0.57-0.66 (2H, m), 0.98 (1H, s), 2.22 (2H, d), 4.62 (2H, d), 6.52 (1H, s), 6.57 (1H, t), 7.45 (1H, s), 7.56 (1H, d), 7.63 (1H, s), 7.65 (1H, s), 7.77 (1H, dd), 7.96 (1H, d).
5-456	¹ H-NMR (CDCl ₃) δ: 1.46 (9H, s), 4.46 (2H, d), 5.09 (1H, s), 6.58 (1H, t), 7.45 (1H, s), 7.54 (1H, d), 7.62 (2H, s), 7.78 (1H, dd), 7.93 (1H, d).
A-6	¹ H-NMR (CDCl ₃) δ: 7.63-7.67 (5H, m), 7.89 (2H, d).
A-7	¹ H-NMR (CDCl ₃) δ: 7.49 (1H, dd), 7.60 (1H, s), 7.67 (2H, s), 8.00 (1H, d), 8.04 (1H, d).

A-8	¹ H-NMR (CDCl ₃) δ: 7.64 (1H, s), 7.68 (2H, d), 7.87 (2H, s), 7.90 (2H, d).
A-9	¹ H-NMR (CDCl ₃) δ: 7.49 (1H, dd), 7.65 (3H, br s), 8.00 (1H, d), 8.03 (1H, d).
A-10	¹ H-NMR (CDCl ₃) δ: 7.49 (1H, dd), 7.65 (3H, s), 8.00 (1H, d), 8.03 (1H, d).
A-11	¹ H-NMR (CDCl ₃) δ: 2.40 (3H, s), 7.45 (1H, s), 7.49 (1H, dd), 7.57-7.60 (2H, m), 8.00 (1H, d), 8.04 (1H, d).
N-1	¹ H-NMR (CDCl ₃) δ: 7.68 (2H, d), 7.80 (1H, s), 8.13 (2H, d), 8.39 (2H, d).
N-2	¹ H-NMR (CDCl ₃) δ: 7.69 (2H, s), 8.11 (2H, d), 8.36 (2H, d), 8.58 (1H, br s).
N-4	¹ H-NMR (CDCl ₃) δ: 2.67 (3H, s), 7.66-7.70 (2H, m), 7.89 (1H, dd), 7.94 (1H, s), 8.05 (1H, d), 8.12 (1H, s).
N-7	¹ H-NMR (CDCl ₃) δ: 2.42 (3H, s), 7.47 (1H, s), 7.59 (1H, s), 7.82 (1H, s), 8.12 (2H, d), 8.38 (2H, d).
N-14	¹ H-NMR (CDCl ₃) δ: 7.83 (1H, s), 7.88 (2H, s), 8.13 (1H, d), 8.37 (1H, d).
O-1	¹ H-NMR (CDCl ₃) δ: 6.72 (2H, d), 7.56 (1H, s), 7.63 (2H, s), 7.78 (2H, d).
O-2	¹ H-NMR (CDCl ₃) δ: 4.12 (2H, br s), 6.72 (2H, d), 7.55 (1H, s), 7.62 (2H, s), 7.79 (2H, d).
O-4	¹ H-NMR (CDCl ₃) δ: 4.53 (2H, s), 6.82 (1H, d), 7.52 (1H, s), 7.64 (2H, s), 7.68 (1H, dd), 7.90 (1H, d).
O-5	¹ H-NMR (CDCl ₃) δ: 4.53 (2H, br s), 6.81 (1H, d), 7.56 (1H, s), 7.63 (2H, s), 7.68 (1H, dd), 7.90 (1H, d).
O-7	¹ H-NMR (CDCl ₃) δ: 2.23 (3H, s), 4.07 (2H, br s), 6.72 (1H, d), 7.54 (1H, s), 7.64-7.67 (2H, m), 7.70 (1H, s).
O-10	¹ H-NMR (CDCl ₃) δ: 2.39 (3H, s), 4.11 (2H, br s), 6.72 (2H, d), 7.42 (1H, s), 7.54 (1H, s), 7.57 (1H, s), 7.78 (2H, d).
O-23	¹ H-NMR (CDCl ₃) δ: 4.11 (2H, s), 6.73 (2H, d), 7.53 (1H, s), 7.78-7.83 (4H, m).
O-29	¹ H-NMR (CDCl ₃) δ: 4.57 (2H, s), 6.81 (1H, d), 7.55 (1H, s), 7.72 (1H, dd), 7.83 (2H, s), 8.06 (1H, d).
O-31	¹ H-NMR (CDCl ₃) δ: 2.38 (3H, s), 4.50 (2H, s), 6.82 (1H, d), 7.42 (1H, s), 7.52-7.54 (2H, m), 7.67 (1H, dd), 7.89 (1H, d).
I-12	¹ H-NMR (CDCl ₃) δ: 2.40 (3H, s), 6.53 (1H, t), 7.33 (1H, s), 7.44 (1H, s), 7.66 (1H, s), 7.82-7.90 (2H, m), 8.06 (1H, d).
I-15	¹ H-NMR (CDCl ₃) δ: 6.58 (1H, t), 7.47 (1H, s), 7.65 (1H, s), 7.82-7.93 (3H, m), 8.08 (1H, d).
I-16	¹ H-NMR (CDCl ₃) δ: 6.57 (1H, t), 7.46 (1H, s), 7.64 (1H, s), 7.82-7.92 (3H, m), 8.07 (1H, d).
I-18	¹ H-NMR (CDCl ₃) δ: 6.57 (1H, t), 7.51 (1H, s), 7.70 (1H, s), 7.81-7.92 (3H, m), 8.07 (1H, d).
I-29	¹ H-NMR (CDCl ₃) δ: 2.33 (6H, s), 7.38 (2H, s), 7.48 (1H, s), 7.77-7.80 (3H, m).
I-30	¹ H-NMR (CDCl ₃) δ: 1.23 (3H, t), 2.33 (3H, s), 2.66 (2H, t), 7.39 (2H, s), 7.43 (1H, s), 7.77-7.81 (3H, m).

I-31	¹ H-NMR (CDCl ₃) δ: 1.23 (3H, t), 2.35 (3H, s), 2.69 (2H, q), 7.39 (2H, s), 7.55 (1H, dd), 7.95 (1H, d), 8.05 (1H, dd).
I-32	¹ H-NMR (CDCl ₃) δ: 7.67 (2H, s), 7.75 (1H, s), 7.85 (1H, d), 7.93 (1H, dd), 8.09 (1H, d).
I-33	¹ H-NMR (CDCl ₃) δ: 7.74 (1H, s), 7.84 (2H, d), 7.88 (2H, s), 8.07 (2H, d).
I-34	¹ H-NMR (CDCl ₃) δ: 7.65 (1H, s), 7.86 (1H, d), 7.89 (2H, s), 7.93 (1H, dd), 8.10 (1H, d).
I-35	¹ H-NMR (CDCl ₃) δ: 2.40 (3H, s), 7.47 (1H, s), 7.59 (1H, s), 7.70 (1H, s), 7.85 (1H, d), 7.92 (1H, dd), 8.09 (1H, d).
I-36	¹ H-NMR (CDCl ₃) δ: 1.22 (3H, t), 2.33 (3H, s), 2.67 (2H, q), 7.38 (2H, s), 7.45 (1H, s), 7.83 (1H, d), 7.89 (1H, dd), 8.06 (1H, d).
I-37	¹ H-NMR (CDCl ₃) δ: 7.84 (1H, d), 7.87 (2H, s), 7.94 (1H, dd), 7.98 (1H, s), 8.11 (1H, d).
I-38	¹ H-NMR (CDCl ₃) δ: 7.69 (2H, s), 7.72 (1H, s), 7.85 (1H, d), 7.93 (1H, dd), 8.09 (1H, d).

[0283] The test preparations in Biological test examples 1 to 3 were prepared as follows.

[0284] Solvent: 3 parts by weight of dimethylformamide

[0285] Emulsifier: 1 part by weight of polyoxyethylene alkyl phenyl ether

[0286] To prepare a suitable preparation containing the active compound, 1 part by weight of the active compound was mixed with the above amount of the solvent containing the above amount of the emulsifier, and the resulting mixture was diluted with water to a predetermined concentration.

Biological test example 1: Test against tobacco cutworm (*Spodoptera litura*) larvae

[0287] Leaves of sweet potato were immersed in the test solution at the appropriate concentration, and the leaves were dried in air. The leaves were then placed in a petri dish having a diameter of 9 cm, and ten *Spodoptera litura* at third instar larvae were released therein. The petri dishes were placed in a temperature-controlled chamber at 25°C. After 2 days and 4 days more sweet potato leaves were added. After 7 days, the number of dead larvae was counted to calculate the insecticidal activity. An insecticidal activity of 100 % means that all larvae were killed, whereas an insecticidal activity of 0 % means that no larva was killed. In the current test, the results of two petri dishes for each treatment were averaged.

[0288] In the biological test example 1, the compounds Nos. 1-3, 1-7, 1-8, 1-9, 1-11, 1-12, 1-17, 1-20, 1-24, 1-27, 1-28, 1-30, 1-31, 1-32, 1-33, 1-34, 1-35, 1-36, 1-37, 1-38, 1-39, 1-40, 1-41, 1-42, 1-43, 1-44, 1-47, 1-49, 1-50, 1-55, 1-56, 1-58, 1-64, 1-69, 1-73, 1-74, 1-75, 1-77, 1-78, 1-79, 1-80, 1-81, 1-89, 1-96, 1-103, 2-2, 4-2, 5-3, 5-7, 5-8, 5-19, 5-21, 5-22, 5-24, 5-28, 5-29, 5-30, 5-31, 5-32, 5-34, 5-35, 5-36, 5-37, 5-38, 5-39, 5-41, 5-45, 5-46, 5-51, 5-52, 5-53, 5-54, 5-55, 5-58, 5-59, 5-61, 5-62, 5-66, 5-67, 5-68,

5-72, 5-76, 5-77, 5-78, 5-79, 5-80, 5-81, 5-82, 5-83, 5-85, 5-86, 5-88, 5-89, 5-91, 5-93, 5-94, 5-96, 5-99, 5-100, 5-101, 5-102, 5-103, 5-106, 5-107, 5-108, 5-110, 5-112, 5-115, 5-116, 5-117, 5-139, 5-142, 5-144, 5-145, 5-146, 5-147, 5-148, 5-149, 5-150, 5-151, 5-152, 5-153, 5-154, 5-155, 5-157, 5-158, 5-159, 5-160, 5-161, 5-174, 5-175, 5-177, 5-178, 5-179, 5-181, 5-182, 5-183, 5-188, 5-189, 5-190, 5-191, 5-192, 5-194, 5-195, 5-196, 5-197, 5-198, 5-201, 5-202, 5-203, 5-204, 5-205, 5-206, 5-211, 5-212, 5-213, 5-219, 5-220, 5-221, 5-225, 5-229, 5-230, 5-231, 5-232, 5-242, 5-243, 5-244, 5-293, 5-294, 5-295, 5-296, 5-318, 5-319, 5-320, 5-322, 5-323, 5-324, 5-325, 5-326, 5-329, 5-330, 5-331, 5-335, 5-336, 5-340, 5-341, 5-349, 6-2, 6-3, 6-4, 6-5, 6-6, 6-7, 7-2, 7-3, 7-5, 7-6, 8-2, 8-6, 9-2, 9-3, 9-5, 9-6, 10-2, 10-3, 10-5, 10-6, 10-10, 10-22, 11-2, 11-6, 12-1, 12-3, 12-4, 12-5, A-3, A-4, A-7, A-8, A-10, I-2, I-3, I-5, I-12, I-24, I-25, I-26, I-27 and I-28 showed an insecticidal activity of 100% at an active compound concentration of 100 ppm.

Biological test example 2: Test against two-spotted spider mite (*Tetranychus urticae*)

[0289] 50 to 100 adult mites of *Tetranychus urticae* were inoculated to leaves of kidney bean at two-leaf stage planted in a pot of 6 cm in diameter. After one day, test solution at the appropriate concentration was sprayed thereon in a sufficient amount using a spray gun. After the spraying, the plant pot was placed inside a greenhouse, and after 7 days, the acaricidal activity was calculated. An acaricidal activity of 100 % means that all mites were killed, whereas an acaricidal activity of 0 % means that no mite was killed.

[0290] In the biological test example 2, the compound Nos. 1-11, 1-12, 1-27, 1-31, 1-32, 1-35, 1-36, 1-39, 1-41, 1-46, 1-49, 1-55, 1-73, 1-74, 1-75, 1-78, 1-80, 1-81, 1-89, 1-99, 5-28, 5-29, 5-30, 5-32, 5-33, 5-36, 5-40, 5-41, 5-44, 5-58, 5-61, 5-62, 5-72, 5-77, 5-78, 5-80, 5-81, 5-82, 5-85, 5-86, 5-88, 5-89, 5-91, 5-92, 5-93, 5-94, 5-102, 5-103, 5-110, 5-112, 5-147, 5-148, 5-150, 5-151, 5-153, 5-154, 5-155, 5-157, 5-175, 5-179, 5-186, 5-187, 5-188, 5-192, 5-213, 5-219, 5-220, 5-221, 5-224, 5-225, 5-242, 5-243, 5-244, 5-294, 5-295, 5-296, 5-319, 5-320, 5-331, 5-333, 5-340, 5-341, 9-2, 9-3, 10-3, 10-5, 10-6, 10-10, 11-2 and I-12 showed an acaricidal activity of 100 % at an active compound concentration of 100 ppm.

Biological test example 3: Test against cucurbit leaf beetle (*Aulacophora femoralis*)

[0291] Leaves of cucumber were immersed in the test solution at the appropriate concentration, and the leaves were dried in air. The leaves were then put in a plastic cup containing sterilized black soil and five *Aulacophora femoralis* at second instar larvae were released in the cup. The cups were placed in a temperature-controlled chamber at 25°C. After 7 days, the number of dead larvae was counted, and thus the insecticidal activity was calculated. An insecticidal activity of 100 % means that all larvae were killed, whereas an insecticidal activity of 0 % means that no larva was killed.

[0292] In the biological test example 3, the compounds Nos. 1-3, 1-5, 1-6, 1-7, 1-8, 1-11, 1-12, 1-25, 1-31, 1-32, 1-34, 1-37, 1-47, 1-49, 1-55, 1-56, 1-58, 1-67, 1-68, 1-69, 1-73, 1-77, 1-78, 1-79, 1-80, 1-101,

2-2, 4-2, 5-8, 5-21, 5-22, 5-30, 5-34, 5-35, 5-36, 5-40, 5-41, 5-44, 5-45, 5-46, 5-51, 5-58, 5-59, 5-61, 5-62, 5-65, 5-77, 5-78, 5-79, 5-81, 5-82, 5-85, 5-86, 5-89, 5-93, 5-96, 5-100, 5-102, 5-103, 5-127, 5-139, 5-142, 5-144, 5-145, 5-148, 5-150, 5-151, 5-152, 5-154, 5-155, 5-157, 5-161, 5-174, 5-175, 5-177, 5-178, 5-179, 5-181, 5-183, 5-198, 5-201, 5-202, 5-203, 5-204, 5-205, 5-206, 5-211, 5-212, 5-213, 5-219, 5-220, 5-221, 5-224, 5-225, 5-226, 5-229, 5-231, 5-242, 5-243, 5-244, 5-294, 5-295, 5-296, 5-320, 5-323, 5-324, 5-326, 5-331, 5-341, 6-6, 6-7, 7-2, 7-3, 7-5, 8-2, 9-2, 9-3, 9-6, 10-3, 10-6, 10-22, I-5, I-12, I-24, I-26 and I-27 showed an insecticidal activity of 100% at an active compound concentration of 100 ppm.

Biological test example 4 :Boophilus microplus - test (injection)

[0293] Solvent: dimethyl sulfoxide

[0294] To produce a suitable preparation of active compound, 10 mg of active compound are dissolved in 0.5 ml solvent, and the concentrate is diluted with solvent to the desired concentration. Five adult engorged female ticks (*Boophilus microplus*) are injected with 1 µl compound solution into the abdomen. Ticks are transferred into replica plates and incubated in a climate chamber for a period of time. Egg deposition of fertile eggs is monitored.

[0295] After 7 days mortality in % is determined. 100 % means that all eggs are infertile; 0 % means that all eggs are fertile.

[0296] In this test for example, the following compounds from the preparation examples showed good activity of 80 % at application rate of 20µg/animal: 1-104

[0297] In this test for example, the following compounds from the preparation examples showed good activity of 90 % at application rate of 20µg/animal: 1-27, 1-102

[0298] In this test for example, the following compounds from the preparation examples showed good activity of 95 % at application rate of 20µg/animal : 7-5, J-1

[0299] In this test for example, the following compounds from the preparation examples showed good activity of 98 % at application rate of 20µg/animal: 1-70, 1-87

[0300] In this test for example, the following compounds from the preparation examples showed good activity of 100 % at application rate of 20µg/animal: 1-8, 1-9, 1-10, 1-11, 1-12, 1-16, 1-23, 1-24, 1-25, 1-31, 1-32, 1-34, 1-35, 1-36, 1-37, 1-38, 1-39, 1-47, 1-49, 1-55, 1-56, 1-58, 1-66, 1-67, 1-68, 1-69, 1-72, 1-73, 1-74, 1-75, 1-77, 1-78, 1-79, 1-80, 1-81, 1-86, 1-89, 1-99, 1-101, 1-103, 2-2, 4-2, 5-8, 5-19, 5-21, 5-24, 5-28, 5-29, 5-30, 5-31, 5-32, 5-34, 5-35, 5-36, 5-37, 5-40, 5-41, 5-44, 5-45, 5-46, 5-48, 5-58, 5-59, 5-61, 5-62, 5-78, 5-79, 5-80, 5-81, 5-82, 5-85, 5-86, 5-88, 5-89, 5-90, 5-91, 5-92, 5-93, 5-94, 5-96, 5-100, 5-101, 5-102, 5-103, 5-110, 5-112, 5-117, 5-127, 5-142, 5-144, 5-145, 5-146, 5-147, 5-148, 5-149, 5-150, 5-151, 5-152, 5-153, 5-154, 5-155, 5-157, 5-158, 5-159, 5-160, 5-161, 5-174, 5-175, 5-177, 5-178,

5-179, 5-181, 5-183, 5-187, 5-188, 5-190, 5-192, 5-194, 5-197, 5-198, 5-201, 5-202, 5-203, 5-204, 5-205, 5-206, 5-211, 5-212, 5-213, 5-219, 5-220, 5-221, 6-2, 6-3, 6-4, 6-5, 6-6, 6-7, 9-3, 9-5, 9-6, 10-3, 10-5, 10-6, 10-22, 12-1, A-2, A-3, A-4, F-4, I-5, I-24

[0301] After 42 days mortality in % is determined. 100 % means that all eggs are infertile; 0 % means that all eggs are fertile.

[0302] In this test for example, the following compounds from the preparation examples showed good activity of 80 % at application rate of 20µg/animal: 1-7

[0303]

Biological test example 5 :Boophilus microplus (dip)

[0304] Solvent: dimethyl sulfoxide

[0305] To produce a suitable preparation of active compound, 10 mg of active compound are dissolved in 0.5 ml solvent, and the concentrate is diluted with water to the desired concentration. Eight to ten adult engorged female *Boophilus microplus* ticks are placed in perforated plastic beakers and immersed in aqueous compound solution for one minute. Ticks are transferred to a filter paper in a plastic tray. Egg deposition of fertile eggs is monitored after. After 7 days mortality in % is determined. 100 % means that all the ticks have been killed; 0 % means that none of the ticks have been killed.

[0306] In this test for example, the following compounds from the preparation examples showed good activity of 98 % at application rate of 100ppm: 1-3

Biological test example 6 :Ctenocephalides felis - test (CTECFE)

[0307] Solvent: dimethyl sulfoxide

[0308] To produce a suitable preparation of active compound, 10 mg of active compound are dissolved in 0.5 ml solvent, and the concentrate is diluted with cattle blood to the desired concentration. Approximately 20 adult unfed (*Ctenocephalides felis*) are placed in flea chambers. The blood chamber, sealed with parafilm on the bottom, are filled with cattle blood supplied with compound solution and placed on top of the flea chamber, so that the fleas are able to suck the blood. The blood chamber is heated to 37 °C whereas the flea chamber is kept at room temperature. After 2 days mortality in % is determined. 100 % means that all the fleas have been killed; 0 % means that none of the fleas have been killed.

[0309] In this test for example, the following compounds from the preparation examples showed good activity of 80 % at application rate of 100ppm: 1-3, 1-11, 1-58, 1-75, 1-86, 1-101, 5-46, 5-61, 5-93,

5-100, 5-103, 5-155

[0310] In this test for example, the following compounds from the preparation examples showed good activity of 90 % at application rate of 100ppm: 1-9, 1-27, 1-31, 1-32, 1-35, 1-36, 1-47, 1-55, 1-69, 1-79, 2-2, 5-19, 5-21, 5-30, 5-62, 5-67, 5-72, 5-80, 5-82, 5-85, 5-94, 5-96, 5-174, 5-203, 7-5

[0311] In this test for example, the following compounds from the preparation examples showed good activity of 95 % at application rate of 100ppm: 1-8, 1-34, 1-49, 1-81, 5-8, 5-24, 5-29, 5-32, 5-65, 5-79, 5-88, 5-89, 5-91, 5-145, 5-147, 5-151, 5-152, 5-175, 5-177, 5-179, 5-181, 5-190, 5-192, 5-198, 5-201, 5-202, 5-221, 9-3, 9-5

[0312] In this test for example, the following compounds from the preparation examples showed good activity of 98 % at application rate of 100ppm: 5-139, 5-159

[0313] In this test for example, the following compounds from the preparation examples showed good activity of 100 % at application rate of 100ppm: 1-12, 1-38, 1-39, 1-73, 1-77, 1-78, 1-80, 1-89, 5-22, 5-28, 5-31, 5-44, 5-58, 5-77, 5-78, 5-81, 5-86, 5-101, 5-117, 5-127, 5-144, 5-146, 5-148, 5-150, 5-153, 5-154, 5-157, 5-158, 5-160, 5-161, 5-178, 5-194, 5-197, 5-204, 5-205, 5-211, 5-212, 5-213, 5-219, 5-220, 6-2, 6-3, 6-4, 6-5, 6-7, 9-6, 10-3, 10-5, 10-6, 10-22

Biological test example 7 :*Lucilia cuprina* (48h)

[0314] species: *Lucilia cuprina* 1st instar larvae (age 24 hrs)

[0315] solvent: dimethyl sulfoxide

[0316] 10 mg active compound are dissolve in 0,5 ml Dimethylsulfoxid. Serial dilutions are made to obtain the desired rates. Approximately 20 *Lucilia cuprina* 1st instar larvae are transferred into a test tube containing 1cm³ of minced horse meat and 0.5 ml aqueous dilution of test compound. After 48 hrs percentage of larval mortality are recorded. 100 % efficacy = all larvae are killed, % efficacy = normally developed larvae after 48 hrs.

[0317] In this test for example, the following compounds from the preparation examples showed good activity of 80 % at application rate of 100ppm: 1-27, 1-56, 1-58, 1-72, 5-19, 5-32, 5-80, 5-88, 5-89, 5-91, 5-101, 5-110, 5-117, 5-127, 5-139, 5-187, 5-197, 5-198, 5-201, 6-5, 6-7

[0318] In this test for example, the following compounds from the preparation examples showed good activity of 90 % at application rate of 100ppm: 1-35, 1-55, 1-99, 1-103, 5-36, 5-62, 5-81, 5-152, 5-153, 5-179, 5-190, 5-202, 5-204, F-4

[0319] In this test for example, the following compounds from the preparation examples showed

good activity of 95 % at application rate of 100ppm: 1-12, 5-82, 5-142, 5-146, 5-174, 5-194

[0320] In this test for example, the following compounds from the preparation examples showed good activity of 100 % at application rate of 100ppm: 1-3, 1-8, 1-9, 1-11, 1-25, 1-31, 1-35, 1-36, 1-38, 1-39, 1-49, 1-68, 1-69, 1-73, 1-74, 1-75, 1-77, 1-78, 1-79, 1-80, 1-81, 1-89, 2-2, 5-8, 5-22, 5-24, 5-61, 5-72, 5-77, 5-78, 5-85, 5-86, 5-100, 5-144, 5-145, 5-147, 5-148, 5-150, 5-151, 5-154, 5-155, 5-157, 5-158, 5-160, 5-161, 5-211, 5-212, 5-213, 5-219, 5-220, 5-221, 6-2, 6-2, 6-6, 9-3, 9-5, 9-6, 10-3, 10-5, 10-6, A-2, A-3, A-4, I-5, I-24

Biological test example 8 : *Musca domestica* - test

[0321] Solvent: dimethyl sulfoxide

[0322] To produce a suitable preparation of active compound, 10 mg of active compound are dissolved in 0.5 ml solvent, and the concentrate is diluted with water to the desired concentration. Prior to the assay, a piece of kitchen sponge is soaked with a mixture of sugar and compound solution and placed into a container. 10 adults (*Musca domestica*) are placed into the container and closed with a perforated lid. After 2 days mortality in % is determined. 100 % means that all the flies have been killed; 0 % means that none of the flies have been killed, In this test for example, the following compounds from the preparation examples showed good activity of 80% at application rate of 100ppm:

1-3,1-8,1-12,1-58,1-73,1-75,5-77,5-88,5-91,5-103,5-110,5-146,5-155,9-6,A-3

[0323] In this test for example, the following compounds from the preparation examples showed good activity of 90% at application rate of 100ppm:

1-11,1-32,1-55,5-78,5-127,5-152,5-153,5-177,5-198,5-220

[0324] In this test for example, the following compounds from the preparation examples showed good activity of 100% at application rate of 100ppm: 1-9, 1-39, 1-78, 1-79, 1-80, 1-81, 1-89, 2-2, 5-81, 5-85, 5-89, 5-93, 5-142, 5-148, 5-150, 5-151, 5-154, 5-157, 5-161, 5-175, 5-179, 5-181, 5-192, 5-212, 5-213, 5-211, 5-219, 5-221, 9-3, 10-3, 10-5, 10-6

Preparation Example 1 (granules)

[0325] To a mixture containing 10 parts of the compound of the present invention (No. 1-78), 30 parts of bentonite (montmorillonite), 58 parts of talc and 2 parts of lignin sulfonate was added 25 parts of water, and the mixture was well kneaded and granulated with 10 to 40 meshes by an extruding granulator and dried at 40 to 50°C to obtain granules.

Preparation Example 2 (granules)

[0326] 95 parts of clay mineral granules having particle diameter distribution within the range of 0.2

to 2 mm were put into a rotary mixer, and then wetted evenly by spraying of 5 parts of the compound of the present invention (No. 1-31) together with a liquid diluent under rotating condition and dried at 40 to 50°C to obtain granules.

Preparation Example 3 (emulsion)

[0327] 30 parts of the compound of the present invention (No. 1-31), 55 parts of xylene, 8 parts of polyoxyethylene alkyl phenyl ether and 7 parts of calcium alkylbenzenesulfonate were mixed together to obtain the emulsion.

Preparation Example 4 (wetable agent)

[0328] 15 parts of the compound of the present invention (No. 5-102), 80 parts of a mixture of white carbon (hydrated amorphous silicon oxide fine powder) and powdered clay (1 : 5), formalin condensate of 2 parts of sodium alkylbenzenesulfonate and 3 parts of sodium alkyl naphthalenesulfonate were mixed together and the mixture was crushed to obtain a wettable agent.

Preparation Example 5 (wetable granules)


[0329] 20 parts of the active compound of the present invention (No. 5-28), 30 parts of lignin sodium sulfonate, 15 parts of bentonite and 35 parts of calcined diatomaceous earth powder were well mixed, and after addition of water, the mixture was then extruded with a screen of 0.3 mm and dried to obtain wettable granules.

[INDUSTRIAL APPLICABILITY]

[0330] The novel pesticidal carboxamides of the present invention have excellent pesticidal activity as shown in the above examples.

CLAIMS

1. A carboxamide represented by formula (I):



wherein

A^1 , A^2 , A^3 , A^4 and A^5 each independently represent nitrogen, C- X^1 or C-T, provided that at least one of A^1 , A^2 , A^3 , A^4 and A^5 is C-T;


B^1 , B^2 , B^3 , B^4 and B^5 each independently represent nitrogen, C- X^2 or C-J, provided that at least one of B^1 , B^2 , B^3 , B^4 and B^5 is C-J;

G represents oxygen or sulfur;


Q represents hydrogen, C_{1-12} alkyl, C_{1-12} haloalkyl, (C_{1-12} alkyl)carbonyl, (C_{1-12} haloalkyl)carbonyl, (C_{1-12} alkoxy)carbonyl or (C_{1-12} haloalkoxy)carbonyl;

X^1 and X^2 each independently represent hydrogen, cyano, halogen, nitro, hydroxy, mercapto, amino, formyl, oxide, C_{1-12} alkyl, C_{1-12} haloalkyl, aryl- (C_{1-12}) alkyl, heterocyclyl- (C_{1-12}) alkyl, C_{1-12} alkyl-O-, C_{1-12} alkyl-NH-, C_{1-12} alkyl-S-, C_{1-12} alkyl-S(O)-, C_{1-12} alkyl-S(O)₂-, C_{1-12} alkyl-S(O)₂O-, C_{1-12} haloalkyl-O-, C_{1-12} haloalkyl-NH-, C_{1-12} haloalkyl-S-, C_{1-12} haloalkyl-S(O)-, C_{1-12} haloalkyl-S(O)₂-, C_{1-12} haloalkyl-S(=O)₂O-, aryl-O-, aryl-NH-, aryl-S-, aryl-S(O)-, aryl-S(O)₂-, aryl-S(O)₂O-, heterocyclyl-O-, heterocyclyl-NH-, heterocyclyl-S-, heterocyclyl-S(O)-, heterocyclyl-S(O)₂-, heterocyclyl-S(O)₂O-, C_{1-12} alkyl-O- (C_{1-12}) alkyl, C_{1-12} alkyl-NH- (C_{1-12}) alkyl, C_{1-12} alkyl-S- (C_{1-12}) alkyl, C_{1-12} alkyl-S(O)- (C_{1-12}) alkyl, C_{1-12} alkyl-S(O)₂- (C_{1-12}) alkyl, C_{1-12} alkyl-S(O)₂O- (C_{1-12}) alkyl, C_{1-12} haloalkyl-O- (C_{1-12}) alkyl, C_{1-12} haloalkyl-NH- (C_{1-12}) alkyl, C_{1-12} haloalkyl-S- (C_{1-12}) alkyl, C_{1-12} haloalkyl-S(O)- (C_{1-12}) alkyl, C_{1-12} haloalkyl-S(O)₂- (C_{1-12}) alkyl, C_{1-12} haloalkyl-S(O)₂O- (C_{1-12}) alkyl, aryl-O- (C_{1-12}) alkyl, aryl-NH- (C_{1-12}) alkyl, aryl-S- (C_{1-12}) alkyl, aryl-S(O)- (C_{1-12}) alkyl, aryl-S(O)₂- (C_{1-12}) alkyl, aryl-S(O)₂O- (C_{1-12}) alkyl, heterocyclyl-O- (C_{1-12}) alkyl, heterocyclyl-NH- (C_{1-12}) alkyl, heterocyclyl-S- (C_{1-12}) alkyl,


heterocyclyl-S(O)-(C₁₋₁₂)alkyl, heterocyclyl-S(O)₂-(C₁₋₁₂)alkyl, heterocyclyl-S(O)₂O-(C₁₋₁₂)alkyl, C₃₋₈ cycloalkyl, C₃₋₈ cycloalkyl-(C₁₋₁₂)alkyl-, C₃₋₈ halocycloalkyl, C₃₋₈ halocycloalkyl-(C₁₋₁₂)alkyl-, C₂₋₁₂ alkenyl, C₂₋₁₂ haloalkenyl, C₂₋₁₂ alkynyl, C₂₋₁₂ haloalkynyl, di(C₁₋₁₂ alkyl)amino, di(C₁₋₁₂ haloalkyl)amino, C₃₋₃₆ trialkylsilyl, hydroxyimino(C₁₋₁₂)alkyl, C₁₋₁₂ alkyl-O-N=(C₁₋₁₂)alkyl, C₁₋₁₂ alkyl-NH-N=(C₁₋₁₂)alkyl, C₁₋₁₂ alkyl-S-N=(C₁₋₁₂)alkyl, C₁₋₁₂ alkyl-S(O)-N=(C₁₋₁₂)alkyl, C₁₋₁₂ alkyl-S(O)₂-N=(C₁₋₁₂)alkyl, C₁₋₁₂ alkyl-S(O)₂O-N=(C₁₋₁₂)alkyl, C₁₋₁₂ haloalkyl-O-N=(C₁₋₁₂)alkyl, C₁₋₁₂ haloalkyl-NH-N=(C₁₋₁₂)alkyl, C₁₋₁₂ haloalkyl-S-N=(C₁₋₁₂)alkyl, C₁₋₁₂ haloalkyl-S(O)-N=(C₁₋₁₂)alkyl, C₁₋₁₂ haloalkyl-S(O)₂-N=(C₁₋₁₂)alkyl, C₁₋₁₂ haloalkyl-S(O)₂O-N=(C₁₋₁₂)alkyl, (C₁₋₁₂ alkoxy)carbonyl, (C₁₋₁₂ haloalkoxy)carbonyl, (C₃₋₈ cycloalkoxy)carbonyl, (C₃₋₈ halocycloalkoxy)carbonyl, C₃₋₈ cycloalkyl-(C₁₋₁₂ alkoxy)carbonyl, C₃₋₈ halocycloalkyl-(C₁₋₁₂ alkoxy)carbonyl, (C₁₋₁₂ alkyl)carbonyl, (C₁₋₁₂ haloalkyl)carbonyl, (C₃₋₈ cycloalkyl)carbonyl, (C₃₋₈ halocycloalkyl)carbonyl, C₃₋₈ cycloalkyl-(C₁₋₁₂)alkyl-carbonyl, (C₃₋₈ halocycloalkyl)-(C₁₋₁₂)alkyl-carbonyl, an aryl group, a heterocyclic group, sulfur pentafluoride, or one of the substituents represented by the following Formulae (X1-1) to (X1-5):




X1-1




X1-2



X1-3



X1-4



X1-5

wherein G independently has the same meaning as G described above;

X³, X⁴ and X⁵ each independently represent hydrogen, cyano, halogen, nitro, hydroxy, mercapto, amino, formyl, C₁₋₁₂ alkyl, C₁₋₁₂ haloalkyl, aryl-(C₁₋₁₂)alkyl, heterocyclyl-(C₁₋₁₂)alkyl, C₁₋₁₂ alkyl-O-, C₁₋₁₂ alkyl-NH-, C₁₋₁₂ alkyl-S-, C₁₋₁₂ alkyl-S(O)-, C₁₋₁₂ alkyl-S(O)₂-, C₁₋₁₂ alkyl-S(O)₂O-, C₁₋₁₂ haloalkyl-O-, C₁₋₁₂ haloalkyl-NH-, C₁₋₁₂ haloalkyl-S-, C₁₋₁₂ haloalkyl-S(O)-, C₁₋₁₂ haloalkyl-S(O)₂-, C₁₋₁₂ haloalkyl-S(O)₂O-, aryl-O-, aryl-NH-, aryl-S-, aryl-S(O)-, aryl-S(O)₂-, aryl-S(O)₂O-, heterocyclyl-O-, heterocyclyl-NH-, heterocyclyl-S-, heterocyclyl-S(O)-, heterocyclyl-S(O)₂-, heterocyclyl-S(O)₂O-, C₁₋₁₂ alkyl-O-(C₁₋₁₂)alkyl, C₁₋₁₂ alkyl-NH-(C₁₋₁₂)alkyl, C₁₋₁₂ alkyl-S-(C₁₋₁₂)alkyl, C₁₋₁₂ alkyl-S(O)-(C₁₋₁₂)alkyl, C₁₋₁₂ alkyl-S(O)₂-(C₁₋₁₂)alkyl, C₁₋₁₂ alkyl-S(O)₂O-(C₁₋₁₂)alkyl, C₁₋₁₂ haloalkyl-O-(C₁₋₁₂)alkyl, C₁₋₁₂ haloalkyl-NH-(C₁₋₁₂)alkyl, C₁₋₁₂ haloalkyl-S-(C₁₋₁₂)alkyl, C₁₋₁₂ haloalkyl-S(O)-(C₁₋₁₂)alkyl, C₁₋₁₂ haloalkyl-S(O)₂-(C₁₋₁₂)alkyl, C₁₋₁₂ haloalkyl-S(O)₂O-(C₁₋₁₂)alkyl, aryl-O-(C₁₋₁₂)alkyl, aryl-NH-(C₁₋₁₂)alkyl, aryl-S-(C₁₋₁₂)alkyl, aryl-S(O)-(C₁₋₁₂)alkyl, aryl-S(O)₂-(C₁₋₁₂)alkyl, aryl-S(O)₂O-(C₁₋₁₂)alkyl,

heterocyclyl-O-(C₁₋₁₂)alkyl, heterocyclyl-NH-(C₁₋₁₂)alkyl, heterocyclyl-S-(C₁₋₁₂)alkyl, heterocyclyl-S(O)-(C₁₋₁₂)alkyl, heterocyclyl-S(O)₂-(C₁₋₁₂)alkyl, heterocyclyl-S(O)₂O-(C₁₋₁₂)alkyl, C₃₋₈ cycloalkyl, C₃₋₈ cycloalkyl-(C₁₋₁₂)alkyl-, C₃₋₈ halocycloalkyl, C₃₋₈ halocycloalkyl-(C₁₋₁₂)alkyl-, C₂₋₁₂ alkenyl, C₂₋₁₂ haloalkenyl, C₂₋₁₂ alkynyl, C₂₋₁₂ haloalkynyl, di(C₁₋₁₂ alkyl)amino, di(C₁₋₁₂ haloalkyl)amino, C₃₋₃₆ trialkylsilyl, hydroxyimino(C₁₋₁₂)alkyl, C₁₋₁₂ alkyl-O-N=(C₁₋₁₂)alkyl, C₁₋₁₂ alkyl-NH-N=(C₁₋₁₂)alkyl, C₁₋₁₂ alkyl-S-N=(C₁₋₁₂)alkyl, C₁₋₁₂ alkyl-S(O)-N=(C₁₋₁₂)alkyl, C₁₋₁₂ alkyl-S(O)₂-N=(C₁₋₁₂)alkyl, C₁₋₁₂ alkyl-S(O)₂O-N=(C₁₋₁₂)alkyl, C₁₋₁₂ haloalkyl-O-N=(C₁₋₁₂)alkyl, C₁₋₁₂ haloalkyl-NH-N=(C₁₋₁₂)alkyl, C₁₋₁₂ haloalkyl-S-N=(C₁₋₁₂)alkyl, C₁₋₁₂ haloalkyl-S(O)-N=(C₁₋₁₂)alkyl, C₁₋₁₂ haloalkyl-S(O)₂-N=(C₁₋₁₂)alkyl, C₁₋₁₂ haloalkyl-S(O)₂O-N=(C₁₋₁₂)alkyl, (C₁₋₁₂ alkoxy)carbonyl, (C₁₋₁₂ haloalkoxy)carbonyl, (C₃₋₈ cycloalkoxy)carbonyl, (C₃₋₈ halocycloalkoxy)carbonyl, C₃₋₈ cycloalkyl-(C₁₋₁₂ alkoxy)carbonyl, C₃₋₈ halocycloalkyl-(C₁₋₁₂ alkoxy)carbonyl, (C₁₋₁₂ alkyl)carbonyl, (C₁₋₁₂ haloalkyl)carbonyl, (C₃₋₈ cycloalkyl)carbonyl, (C₃₋₈ halocycloalkyl)carbonyl, C₃₋₈ cycloalkyl-(C₁₋₁₂)alkyl-carbonyl, C₃₋₈ halocycloalkyl-(C₁₋₁₂)alkyl-carbonyl, aryl-carbonyl, heterocyclyl-carbonyl, aryl-(C₁₋₁₂)alkyl-carbonyl, heterocyclyl-(C₁₋₁₂)alkyl-carbonyl, sulfur pentafluoride, an aryl group or a heterocyclic group,

X³ and X⁴ may form a heterocycle together with the nitrogen atom, carbon atom, oxygen atom or sulfur atom to which they are bonded,

X³ and X⁵ may form a heterocycle together with the nitrogen atom, carbon atom, oxygen atom or sulfur atom to which they are bonded;

X⁶ each independently represents hydrogen, C₁₋₁₂ alkyl, C₁₋₁₂ haloalkyl, C₃₋₈ cycloalkyl, C₂₋₁₂ alkenyl, C₂₋₁₂ haloalkenyl, an aryl group, a heterocyclic group, aryl-(C₁₋₁₂)alkyl or heterocyclyl-(C₁₋₁₂)alkyl;

X⁷ each independently represents hydrogen, nitro, cyano, formyl, X⁸-carbonyl or X⁸-oxycarbonyl,

wherein X⁸ independently has the same meaning as X⁶ described above;

J each independently represents C₁₋₁₂ haloalkyl, C₁₋₁₂ haloalkyl-O-, C₁₋₁₂ haloalkyl-S-, C₁₋₁₂ haloalkyl-S(=O)-, C₁₋₁₂ haloalkyl-S(=O)₂-, C₃₋₈ halocycloalkyl, -C(J¹)(J²)(J³) or -C(J¹)(J²)(OJ⁴),


wherein J¹ and J² each independently represent C₁₋₁₂ haloalkyl,

J³ represents a heterocyclic group,


J⁴ represents hydrogen, C₁₋₁₂ alkyl, C₁₋₁₂ haloalkyl, C₁₋₁₂ alkylsulfonyl, C₁₋₁₂ haloalkylsulfonyl,

arylsulfonyl, an aryl group or a heterocyclic group;


T represents a 5- to 6-membered heterocycle or any one of the substituents represented by the following Formulae (X2-1) to (X2-4):




X2-1



X2-2




X2-3



X2-4

or



(X2-5)

wherein

X^3 , X^5 and G independently have the same meaning as X^3 , X^5 and G defined above, respectively;

X^9 , X^{10} and X^{11} each independently have the same meaning as X^3 , X^4 and X^5 defined above, respectively,

X^9 and X^{10} may form a 3- to 8-membered carbon ring or heterocycle, together with the carbon atom to which they are bonded,

X^9 and X^5 , X^{10} and X^5 , or X^{11} and X^5 may together form C_{1-4} alkylene,

R12 and R13 have the same meaning as X^9 and X^{10} , respectively,

R14 has the same meaning as X^3 described above, and

R15 represents hydrogen;

when A^1 , A^2 , A^3 , A^4 or A^5 is C-T and T represents any one of the substituents represented by Formulae (X2-1) to (X2-4), then X^9 , X^{10} , X^{11} or X^3 in T may form C_{1-4} alkylene together with X^1 if A^1 , A^2 , A^3 , A^4 or A^5 that is adjacent to the carbon atom to which T in C-T is bonded is C- X^1 , and one -CH₂- at any position in the alkylene may be replaced by -O-, -S- or -NH-;

when both A^1 and A^2 represent C- X^1 then X^1 's in the C- X^1 's may form a 5- to 6-membered saturated or unsaturated carbon ring or heterocycle, together with the carbon atoms to which X^1 's in C- X^1 's are bonded, and when both A^3 and A^4 represent C- X^1 , then X^1 's in the C- X^1 's may form a 5- to

6-membered saturated or unsaturated carbon ring or heterocycle, together with the carbon atoms to which X¹'s in C-X¹'s are bonded;

m each independently represents an integer of 1 to 4; and

each substituent defined above may be further substituted with any substituent.

2. The compound according to formula (I) of Claim 1 wherein

A¹, A², A³, A⁴ and A⁵ each independently represent nitrogen, C-X¹ or C-T, provided that at least one of A¹, A², A³, A⁴ and A⁵ is C-T;


B¹, B², B³, B⁴ and B⁵ each independently represent nitrogen, C-X² or C-J, provided that at least one of B¹, B², B³, B⁴ and B⁵ is C-J;

G represents oxygen or sulfur;


Q represents hydrogen, C₁₋₆ alkyl, C₁₋₆ haloalkyl, (C₁₋₆ alkyl)carbonyl, (C₁₋₆ haloalkyl)carbonyl, (C₁₋₆ alkoxy)carbonyl or (C₁₋₆ haloalkoxy)carbonyl;

X¹ and X² each independently represent hydrogen, cyano, halogen, nitro, hydroxy, mercapto, amino, formyl, oxide, C₁₋₆ alkyl, C₁₋₆ haloalkyl, aryl-(C₁₋₆)alkyl, heterocyclyl-(C₁₋₆)alkyl, C₁₋₆ alkyl-O-, C₁₋₆ alkyl-NH-, C₁₋₆ alkyl-S-, C₁₋₆ alkyl-S(O)-, C₁₋₆ alkyl-S(O)₂-, C₁₋₆ alkyl-S(O)₂O-, C₁₋₆ haloalkyl-O-, C₁₋₆ haloalkyl-NH-, C₁₋₆ haloalkyl-S-, C₁₋₆ haloalkyl-S(O)-, C₁₋₆ haloalkyl-S(O)₂-, C₁₋₆ haloalkyl-S(O)₂O-, aryl-O-, aryl-NH-, aryl-S-, aryl-S(O)-, aryl-S(O)₂-, aryl-S(O)₂O-, heterocyclyl-O-, heterocyclyl-NH-, heterocyclyl-S-, heterocyclyl-S(O)-, heterocyclyl-S(O)₂-, heterocyclyl-S(O)₂O-, C₁₋₆ alkyl-O-(C₁₋₆)alkyl, C₁₋₆ alkyl-NH-(C₁₋₆)alkyl, C₁₋₆ alkyl-S-(C₁₋₆)alkyl, C₁₋₆ alkyl-S(O)-(C₁₋₆)alkyl, C₁₋₆ alkyl-S(O)₂-(C₁₋₆)alkyl, C₁₋₆ alkyl-S(O)₂O-(C₁₋₆)alkyl, C₁₋₆ haloalkyl-O-(C₁₋₆)alkyl, C₁₋₆ haloalkyl-NH-(C₁₋₆)alkyl, C₁₋₆ haloalkyl-S-(C₁₋₆)alkyl, C₁₋₆ haloalkyl-S(O)-(C₁₋₆)alkyl, C₁₋₆ haloalkyl-S(O)₂-(C₁₋₆)alkyl, C₁₋₆ haloalkyl-S(O)₂O-(C₁₋₆)alkyl, aryl-O-(C₁₋₆)alkyl, aryl-NH-(C₁₋₆)alkyl, aryl-S-(C₁₋₆)alkyl, aryl-S(O)-(C₁₋₆)alkyl, aryl-S(O)₂-(C₁₋₆)alkyl, aryl-S(O)₂O-(C₁₋₆)alkyl, heterocyclyl-O-(C₁₋₆)alkyl, heterocyclyl-NH-(C₁₋₆)alkyl, heterocyclyl-S-(C₁₋₆)alkyl, heterocyclyl-S(O)-(C₁₋₆)alkyl, heterocyclyl-S(O)₂-(C₁₋₆)alkyl, heterocyclyl-S(O)₂O-(C₁₋₆)alkyl, C₃₋₇ cycloalkyl, C₃₋₇ cycloalkyl-(C₁₋₆)alkyl-, C₃₋₇ halocycloalkyl, C₃₋₇ halocycloalkyl-(C₁₋₆)alkyl-, C₂₋₆ alkenyl, C₂₋₆ haloalkenyl, C₂₋₆ alkynyl, C₂₋₆ haloalkynyl, di(C₁₋₆ alkyl)amino, di(C₁₋₆ haloalkyl)amino, C₃₋₁₈ trialkylsilyl, hydroxyimino(C₁₋₆)alkyl, C₁₋₆ alkyl-O-N=(C₁₋₆)alkyl, C₁₋₆ alkyl-NH-N=(C₁₋₆)alkyl, C₁₋₆


alkyl-S-N=(C₁₋₆)alkyl, C₁₋₆ alkyl-S(O)-N=(C₁₋₆)alkyl, C₁₋₆ alkyl-S(O)₂-N=(C₁₋₆)alkyl, C₁₋₆ alkyl-S(O)₂O-N=(C₁₋₆)alkyl, C₁₋₆ haloalkyl-O-N=(C₁₋₆)alkyl, C₁₋₆ haloalkyl-NH-N=(C₁₋₆)alkyl, C₁₋₆ haloalkyl-S-N=(C₁₋₆)alkyl, C₁₋₆ haloalkyl-S(O)-N=(C₁₋₆)alkyl, C₁₋₆ haloalkyl-S(O)₂-N=(C₁₋₆)alkyl, C₁₋₆ haloalkyl-S(O)₂O-N=(C₁₋₆)alkyl, (C₁₋₆ alkoxy)carbonyl, (C₁₋₆ haloalkoxy)carbonyl, (C₃₋₇ cycloalkoxy)carbonyl, (C₃₋₇ halocycloalkoxy)carbonyl, C₃₋₇ cycloalkyl-(C₁₋₆ alkoxy)carbonyl, C₃₋₇ halocycloalkyl-(C₁₋₆ alkoxy)carbonyl, (C₁₋₆ alkyl)carbonyl, (C₁₋₆ haloalkyl)carbonyl, (C₃₋₇ cycloalkyl)carbonyl, (C₃₋₇ halocycloalkyl)carbonyl, C₃₋₇ cycloalkyl-(C₁₋₆)alkyl-carbonyl, (C₃₋₇ halocycloalkyl)-(C₁₋₆)alkyl-carbonyl, an aryl group, sulfur pentafluoride, one of the substituents represented by the following Formulae (X1-1) to (X1-5):




X1-1




X1-2



X1-3




X1-4




X1-5


wherein G independently has the same meaning as G described above; or
a heterocyclic group represented by any one of the following W1 to W9:




W1




W2




W3




W4




W5




W6



W7



W8



W9

wherein Z each independently represents hydrogen, halogen, nitro, cyano, hydroxy, thio, C₁₋₆ haloalkyl, C₁₋₆ haloalkoxy, C₁₋₆ alkylthio, C₁₋₆ alkylsulfinyl, C₁₋₆ alkylsulfonyl, C₁₋₆ haloalkylthio, C₁₋₆ haloalkylsulfinyl or C₁₋₆ haloalkylsulfonyl, and

k represents an integer from 1 to 4;

X³, X⁴ and X⁵ each independently represent hydrogen, cyano, halogen, nitro, hydroxy, mercapto, amino, formyl, C₁₋₆ alkyl, C₁₋₆ haloalkyl, aryl-(C₁₋₆)alkyl, heterocyclyl-(C₁₋₆)alkyl, C₁₋₆ alkyl-O-, C₁₋₆ alkyl-NH-, C₁₋₆ alkyl-S-, C₁₋₆ alkyl-S(O)-, C₁₋₆ alkyl-S(O)₂-, C₁₋₆ alkyl-S(O)₂O-, C₁₋₆ haloalkyl-O-, C₁₋₆ haloalkyl-NH-, C₁₋₆ haloalkyl-S-, C₁₋₆ haloalkyl-S(O)-, C₁₋₆ haloalkyl-S(O)₂-, C₁₋₆ haloalkyl-S(O)₂O-, aryl-O-, aryl-NH-, aryl-S-, aryl-S(O)-, aryl-S(O)₂-, aryl-S(O)₂O-, heterocyclyl-O-, heterocyclyl-NH-, heterocyclyl-S-, heterocyclyl-S(O)-, heterocyclyl-S(O)₂-, heterocyclyl-S(O)₂O-, C₁₋₆ alkyl-O-(C₁₋₆)alkyl,

C₁₋₆ alkyl-NH-(C₁₋₆)alkyl, C₁₋₆ alkyl-S-(C₁₋₆)alkyl, C₁₋₆ alkyl-S(O)-(C₁₋₆)alkyl, C₁₋₆ alkyl-S(O)₂-(C₁₋₆)alkyl, C₁₋₆ alkyl-S(O)₂O-(C₁₋₆)alkyl, C₁₋₆ haloalkyl-O-(C₁₋₆)alkyl, C₁₋₆ haloalkyl-NH-(C₁₋₆)alkyl, C₁₋₆ haloalkyl-S-(C₁₋₆)alkyl, C₁₋₆ haloalkyl-S(O)-(C₁₋₆)alkyl, C₁₋₆ haloalkyl-S(O)₂-(C₁₋₆)alkyl, C₁₋₆ haloalkyl-S(O)₂O-(C₁₋₆)alkyl, aryl-O-(C₁₋₆)alkyl, aryl-NH-(C₁₋₆)alkyl, aryl-S-(C₁₋₆)alkyl, aryl-S(O)-(C₁₋₆)alkyl, aryl-S(O)₂-(C₁₋₆)alkyl, aryl-S(O)₂O-(C₁₋₆)alkyl, heterocyclyl-O-(C₁₋₆)alkyl, heterocyclyl-NH-(C₁₋₆)alkyl, heterocyclyl-S-(C₁₋₆)alkyl, heterocyclyl-S(O)-(C₁₋₆)alkyl, heterocyclyl-S(O)₂-(C₁₋₆)alkyl, heterocyclyl-S(O)₂O-(C₁₋₆)alkyl, C₃₋₇ cycloalkyl, C₃₋₇ cycloalkyl-(C₁₋₆)alkyl-, C₃₋₇ halocycloalkyl, C₃₋₇ halocycloalkyl-(C₁₋₆)alkyl-, C₂₋₆ alkenyl, C₂₋₆ haloalkenyl, C₂₋₆ alkynyl, C₂₋₆ haloalkynyl, di(C₁₋₆ alkyl)amino, di(C₁₋₆ haloalkyl)amino, C₃₋₁₈ trialkylsilyl, hydroxyimino(C₁₋₆)alkyl, C₁₋₆ alkyl-O-N=(C₁₋₆)alkyl, C₁₋₆ alkyl-NH-N=(C₁₋₆)alkyl, C₁₋₆ alkyl-S-N=(C₁₋₆)alkyl, C₁₋₆ alkyl-S(O)-N=(C₁₋₆)alkyl, C₁₋₆ alkyl-S(O)₂-N=(C₁₋₆)alkyl, C₁₋₆ alkyl-S(O)₂O-N=(C₁₋₆)alkyl, C₁₋₆ haloalkyl-O-N=(C₁₋₆)alkyl, C₁₋₆ haloalkyl-NH-N=(C₁₋₆)alkyl, C₁₋₆ haloalkyl-S-N=(C₁₋₆)alkyl, C₁₋₆ haloalkyl-S(O)-N=(C₁₋₆)alkyl, C₁₋₆ haloalkyl-S(O)₂-N=(C₁₋₆)alkyl, C₁₋₆ haloalkyl-S(O)₂O-N=(C₁₋₆)alkyl, (C₁₋₆ alkoxy)carbonyl, (C₁₋₆ haloalkoxy)carbonyl, (C₃₋₇ cycloalkoxy)carbonyl, (C₃₋₇ halocycloalkoxy)carbonyl, C₃₋₇ cycloalkyl-(C₁₋₆ alkoxy)carbonyl, C₃₋₇ halocycloalkyl-(C₁₋₆ alkoxy)carbonyl, (C₁₋₆ alkyl)carbonyl, (C₁₋₆ haloalkyl)carbonyl, (C₃₋₇ cycloalkyl)carbonyl, (C₃₋₇ halocycloalkyl)carbonyl, C₃₋₇ cycloalkyl-(C₁₋₆)alkyl-carbonyl, C₃₋₇ halocycloalkyl-(C₁₋₆)alkyl-carbonyl, aryl-carbonyl, heterocyclyl-carbonyl, aryl-(C₁₋₆)alkyl-carbonyl, heterocyclyl-(C₁₋₆)alkyl-carbonyl, sulfur pentafluoride, an aryl group or a heterocyclic group,

X³ and X⁴ may form a heterocycle together with the nitrogen atom, carbon atom, oxygen atom or sulfur atom to which they are bonded,

X³ and X⁵ may form a heterocycle together with the nitrogen atom, carbon atom, oxygen atom or sulfur atom to which they are bonded;

X⁶ each independently represents hydrogen, C₁₋₆ alkyl, C₁₋₆ haloalkyl, C₃₋₇ cycloalkyl, C₂₋₆ alkenyl, C₂₋₆ haloalkenyl, an aryl group, a heterocyclic group, aryl-(C₁₋₆)alkyl or heterocyclyl-(C₁₋₆)alkyl;

X⁷ each independently represents hydrogen, nitro, cyano, formyl, X⁸-carbonyl or X⁸-oxycarbonyl,

wherein X⁸ independently has the same meaning as X⁶ described above;

J each independently represents C₁₋₆ haloalkyl, C₁₋₆ haloalkyl-O-, C₁₋₆ haloalkyl-S-, C₁₋₆


haloalkyl-S(=O)-, C₁₋₆ haloalkyl-S(=O)₂-, C₃₋₇ halocycloalkyl, -C(J¹)(J²)(J³) or -C(J¹)(J²)(OJ⁴),

wherein J¹ and J² each independently represent C₁₋₆ haloalkyl,


J³ independently represents any one of the above W1 to W9;

J⁴ represents hydrogen, C₁₋₆ alkyl, C₁₋₆ haloalkyl, C₁₋₆ alkylsulfonyl, C₁₋₆ haloalkylsulfonyl, arylsulfonyl, an aryl group or a heterocyclic group;


T represents any one of the substituents represented by W1 to W9 mentioned above or any one of the substituents represented by the following Formulae (X2-1) to (X2-4):




X2-1




X2-2



X2-3



X2-4



or (X2-5)

wherein

X³, X⁵ and G independently have the same meaning as X³, X⁵ and G defined above, respectively;

X⁹, X¹⁰ and X¹¹ each independently have the same meaning as X³, X⁴ and X⁵ defined above, respectively,

X⁹ and X¹⁰ may form a 3- to 8-membered carbon ring or heterocycle, together with the carbon atom to which they are bonded,

X⁹ and X⁵, X¹⁰ and X⁵, or X¹¹ and X⁵ may together form C₁₋₄ alkylene,

R12 and R13 have the same meaning as X⁹ and X¹⁰, respectively,

R14 has the same meaning as X³ described above, and

R15 represents hydrogen;

when A¹, A², A³, A⁴ or A⁵ is C-T and T represents any one of the substituents represented by Formulae (X2-1) to (X2-4), then X⁹, X¹⁰, X¹¹ or X³ in T may form C₁₋₄ alkylene together with X¹ if A¹, A², A³, A⁴ or A⁵ that is adjacent to the carbon atom to which T in C-T is bonded is C-X¹, and one -CH₂- at any position in the alkylene may be replaced by -O-, -S- or -NH-;

when both A¹ and A² represent C-X¹ then X¹'s in the C-X¹'s may form a 5- to 6-membered

saturated or unsaturated carbon ring or heterocycle, together with the carbon atoms to which X¹'s in C-X¹'s are bonded, and when both A³ and A⁴ represent C-X¹, then X¹'s in the C-X¹'s may form a 5- to 6-membered saturated or unsaturated carbon ring or heterocycle, together with the carbon atoms to which X¹'s in C-X¹'s are bonded;

m each independently represents an integer of 1 to 4; and

each substituent defined above may be further substituted with any substituent.

3. The compound according to formula (I) of Claim 1 or 2 wherein

A¹, A², A³, A⁴ and A⁵ each independently represent nitrogen, C-X¹ or C-T, provided that at least one of A¹, A², A³, A⁴ and A⁵ is C-T;


B¹, B², B³, B⁴ and B⁵ each independently represent nitrogen, C-X² or C-J, provided that at least one of B¹, B², B³, B⁴ and B⁵ is C-J;

G represents oxygen or sulfur;


Q represents hydrogen, C₁₋₄ alkyl, C₁₋₄ haloalkyl, (C₁₋₄ alkyl)carbonyl, (C₁₋₄ haloalkyl)carbonyl, (C₁₋₄ alkoxy)carbonyl or (C₁₋₄ haloalkoxy)carbonyl;

X¹ and X² each independently represent hydrogen, cyano, halogen, nitro, hydroxy, mercapto, amino, formyl, oxide, C₁₋₄ alkyl, C₁₋₄ haloalkyl, aryl-(C₁₋₄)alkyl, heterocyclyl-(C₁₋₄)alkyl, C₁₋₄ alkyl-O-, C₁₋₄ alkyl-NH-, C₁₋₄ alkyl-S-, C₁₋₄ alkyl-S(O)-, C₁₋₄ alkyl-S(O)₂-, C₁₋₄ alkyl-S(O)₂O-, C₁₋₄ haloalkyl-O-, C₁₋₄ haloalkyl-NH-, C₁₋₄ haloalkyl-S-, C₁₋₄ haloalkyl-S(O)-, C₁₋₄ haloalkyl-S(O)₂-, C₁₋₄ haloalkyl-S(=O)₂O-, aryl-O-, aryl-NH-, aryl-S-, aryl-S(O)-, aryl-S(O)₂-, aryl-S(O)₂O-, heterocyclyl-O-, heterocyclyl-NH-, heterocyclyl-S-, heterocyclyl-S(O)-, heterocyclyl-S(O)₂-, heterocyclyl-S(O)₂O-, C₁₋₄ alkyl-O-(C₁₋₄)alkyl, C₁₋₄ alkyl-NH-(C₁₋₄)alkyl, C₁₋₄ alkyl-S-(C₁₋₄)alkyl, C₁₋₄ alkyl-S(O)-(C₁₋₄)alkyl, C₁₋₄ alkyl-S(O)₂-(C₁₋₄)alkyl, C₁₋₄ alkyl-S(O)₂O-(C₁₋₄)alkyl, C₁₋₄ haloalkyl-O-(C₁₋₄)alkyl, C₁₋₄ haloalkyl-NH-(C₁₋₄)alkyl, C₁₋₄ haloalkyl-S-(C₁₋₄)alkyl, C₁₋₄ haloalkyl-S(O)-(C₁₋₄)alkyl, C₁₋₄ haloalkyl-S(O)₂-(C₁₋₄)alkyl, C₁₋₄ haloalkyl-S(O)₂O-(C₁₋₄)alkyl, aryl-O-(C₁₋₄)alkyl, aryl-NH-(C₁₋₄)alkyl, aryl-S-(C₁₋₄)alkyl, aryl-S(O)-(C₁₋₄)alkyl, aryl-S(O)₂-(C₁₋₄)alkyl, aryl-S(O)₂O-(C₁₋₄)alkyl, heterocyclyl-O-(C₁₋₄)alkyl, heterocyclyl-NH-(C₁₋₄)alkyl, heterocyclyl-S-(C₁₋₄)alkyl, heterocyclyl-S(O)-(C₁₋₄)alkyl, heterocyclyl-S(O)₂-(C₁₋₄)alkyl, heterocyclyl-S(O)₂O-(C₁₋₄)alkyl, C₃₋₆ cycloalkyl, C₃₋₆ cycloalkyl-(C₁₋₄)alkyl-, C₃₋₆ halocycloalkyl, C₃₋₆ halocycloalkyl-(C₁₋₄)alkyl-, C₂₋₄ alkenyl,


C₂₋₄ haloalkenyl, C₂₋₄ alkynyl, C₂₋₄ haloalkynyl, di(C₁₋₄ alkyl)amino, di(C₁₋₄ haloalkyl)amino, C₃₋₁₂ trialkylsilyl, hydroxyimino(C₁₋₄)alkyl, C₁₋₄ alkyl-O-N=(C₁₋₄)alkyl, C₁₋₄ alkyl-NH-N=(C₁₋₄)alkyl, C₁₋₄ alkyl-S-N=(C₁₋₄)alkyl, C₁₋₄ alkyl-S(O)-N=(C₁₋₄)alkyl, C₁₋₄ alkyl-S(O)₂-N=(C₁₋₄)alkyl, C₁₋₄ alkyl-S(O)₂O-N=(C₁₋₄)alkyl, C₁₋₄ haloalkyl-O-N=(C₁₋₄)alkyl, C₁₋₄ haloalkyl-NH-N=(C₁₋₄)alkyl, C₁₋₄ haloalkyl-S-N=(C₁₋₄)alkyl, C₁₋₄ haloalkyl-S(O)-N=(C₁₋₄)alkyl, C₁₋₄ haloalkyl-S(O)₂-N=(C₁₋₄)alkyl, C₁₋₄ haloalkyl-S(O)₂O-N=(C₁₋₄)alkyl, (C₁₋₄ alkoxy)carbonyl, (C₁₋₄ haloalkoxy)carbonyl, (C₃₋₆ cycloalkoxy)carbonyl, (C₃₋₆ halocycloalkoxy)carbonyl, C₃₋₆ cycloalkyl-(C₁₋₄ alkoxy)carbonyl, C₃₋₆ halocycloalkyl-(C₁₋₄ alkoxy)carbonyl, (C₁₋₄ alkyl)carbonyl, (C₁₋₄ haloalkyl)carbonyl, (C₃₋₆ cycloalkyl)carbonyl, (C₃₋₆ halocycloalkyl)carbonyl, C₃₋₆ cycloalkyl-(C₁₋₄)alkyl-carbonyl, (C₃₋₆ halocycloalkyl)-(C₁₋₄)alkyl-carbonyl, an aryl group, sulfur pentafluoride, or one of the substituents represented by the following Formulae (X1-1) to (X1-5):




X1-1




X1-2



X1-3




X1-4




X1-5

wherein G independently has the same meaning as G described above; or


a heterocyclic group represented by any one of the following W1 to W9:




W1




W2




W3




W4




W5




W6



W7



W8



W9

wherein Z each independently represents hydrogen, halogen, nitro, cyano, hydroxy, thio, C₁₋₆ haloalkyl, C₁₋₆ haloalkoxy, C₁₋₆ alkylthio, C₁₋₆ alkylsulfinyl, C₁₋₆ alkylsulfonyl, C₁₋₆ haloalkylthio, C₁₋₆ haloalkylsulfinyl or C₁₋₆ haloalkylsulfonyl, and

k represents an integer from 1 to 4;

X³, X⁴ and X⁵ each independently represent hydrogen, cyano, halogen, nitro, hydroxy, mercapto, amino, formyl, C₁₋₄ alkyl, C₁₋₄ haloalkyl, aryl-(C₁₋₄)alkyl, heterocyclyl-(C₁₋₄)alkyl, C₁₋₄ alkyl-O-, C₁₋₄ alkyl-NH-, C₁₋₄ alkyl-S-, C₁₋₄ alkyl-S(O)-, C₁₋₄ alkyl-S(O)₂-, C₁₋₄ alkyl-S(O)₂O-, C₁₋₄ haloalkyl-O-, C₁₋₄ haloalkyl-NH-, C₁₋₄ haloalkyl-S-, C₁₋₄ haloalkyl-S(O)-, C₁₋₄ haloalkyl-S(O)₂-, C₁₋₄ haloalkyl-S(O)₂O-,

aryl-O-, aryl-NH-, aryl-S-, aryl-S(O)-, aryl-S(O)₂-, aryl-S(O)₂O-, heterocyclyl-O-, heterocyclyl-NH-, heterocyclyl-S-, heterocyclyl-S(O)-, heterocyclyl-S(O)₂-, heterocyclyl-S(O)₂O-, C₁₋₄ alkyl-O-(C₁₋₄)alkyl, C₁₋₄ alkyl-NH-(C₁₋₄)alkyl, C₁₋₄ alkyl-S-(C₁₋₄)alkyl, C₁₋₄ alkyl-S(O)-(C₁₋₄)alkyl, C₁₋₄ alkyl-S(O)₂-(C₁₋₄)alkyl, C₁₋₄ alkyl-S(O)₂O-(C₁₋₄)alkyl, C₁₋₄ haloalkyl-O-(C₁₋₄)alkyl, C₁₋₄ haloalkyl-NH-(C₁₋₄)alkyl, C₁₋₄ haloalkyl-S-(C₁₋₄)alkyl, C₁₋₄ haloalkyl-S(O)-(C₁₋₄)alkyl, C₁₋₄ haloalkyl-S(O)₂-(C₁₋₄)alkyl, C₁₋₄ haloalkyl-S(O)₂O-(C₁₋₄)alkyl, aryl-O-(C₁₋₄)alkyl, aryl-NH-(C₁₋₄)alkyl, aryl-S-(C₁₋₄)alkyl, aryl-S(O)-(C₁₋₄)alkyl, aryl-S(O)₂-(C₁₋₄)alkyl, aryl-S(O)₂O-(C₁₋₄)alkyl, heterocyclyl-O-(C₁₋₄)alkyl, heterocyclyl-NH-(C₁₋₄)alkyl, heterocyclyl-S-(C₁₋₄)alkyl, heterocyclyl-S(O)-(C₁₋₄)alkyl, heterocyclyl-S(O)₂-(C₁₋₄)alkyl, heterocyclyl-S(O)₂O-(C₁₋₄)alkyl, C₃₋₆ cycloalkyl, C₃₋₆ cycloalkyl-(C₁₋₄)alkyl-, C₃₋₆ halocycloalkyl, C₃₋₆ halocycloalkyl-(C₁₋₄)alkyl-, C₂₋₄ alkenyl, C₂₋₄ haloalkenyl, C₂₋₄ alkynyl, C₂₋₄ haloalkynyl, di(C₁₋₄ alkyl)amino, di(C₁₋₄ haloalkyl)amino, C₃₋₁₂ trialkylsilyl, hydroxyimino(C₁₋₄)alkyl, C₁₋₄ alkyl-O-N=(C₁₋₄)alkyl, C₁₋₄ alkyl-NH-N=(C₁₋₄)alkyl, C₁₋₄ alkyl-S-N=(C₁₋₄)alkyl, C₁₋₄ alkyl-S(O)-N=(C₁₋₄)alkyl, C₁₋₄ alkyl-S(O)₂-N=(C₁₋₄)alkyl, C₁₋₄ alkyl-S(O)₂O-N=(C₁₋₄)alkyl, C₁₋₄ haloalkyl-O-N=(C₁₋₄)alkyl, C₁₋₄ haloalkyl-NH-N=(C₁₋₄)alkyl, C₁₋₄ haloalkyl-S-N=(C₁₋₄)alkyl, C₁₋₄ haloalkyl-S(O)-N=(C₁₋₄)alkyl, C₁₋₄ haloalkyl-S(O)₂-N=(C₁₋₄)alkyl, C₁₋₄ haloalkyl-S(O)₂O-N=(C₁₋₄)alkyl, (C₁₋₄ alkoxy)carbonyl, (C₁₋₄ haloalkoxy)carbonyl, (C₃₋₆ cycloalkoxy)carbonyl, (C₃₋₆ halocycloalkoxy)carbonyl, C₃₋₆ cycloalkyl-(C₁₋₄ alkoxy)carbonyl, C₃₋₆ halocycloalkyl-(C₁₋₄ alkoxy)carbonyl, (C₁₋₄ alkyl)carbonyl, (C₁₋₄ haloalkyl)carbonyl, (C₃₋₆ cycloalkyl)carbonyl, (C₃₋₆ halocycloalkyl)carbonyl, C₃₋₆ cycloalkyl-(C₁₋₄)alkyl-carbonyl, C₃₋₆ halocycloalkyl-(C₁₋₄)alkyl-carbonyl, aryl-carbonyl, heterocyclyl-carbonyl, aryl-(C₁₋₄)alkyl-carbonyl, heterocyclyl-(C₁₋₄)alkyl-carbonyl, sulfur pentafluoride, an aryl group or a heterocyclic group,

X³ and X⁴ may form a heterocycle together with the nitrogen atom, carbon atom, oxygen atom or sulfur atom to which they are bonded,

X³ and X⁵ may form a heterocycle together with the nitrogen atom, carbon atom, oxygen atom or sulfur atom to which they are bonded;

X⁶ each independently represents hydrogen, C₁₋₄ alkyl, C₁₋₄ haloalkyl, C₃₋₆ cycloalkyl, C₂₋₄ alkenyl, C₂₋₄ haloalkenyl, an aryl group, a heterocyclic group, aryl-(C₁₋₄)alkyl or heterocyclyl-(C₁₋₄)alkyl;

X⁷ each independently represents hydrogen, nitro, cyano, formyl, X⁸-carbonyl or X⁸-oxycarbonyl,

wherein X^8 independently has the same meaning as X^6 described above;


J each independently represents C_{1-4} haloalkyl, C_{1-4} haloalkyl-O-, C_{1-4} haloalkyl-S-, C_{1-4} haloalkyl-S(=O)-, C_{1-4} haloalkyl-S(=O)₂-, C_{3-6} halocycloalkyl, -C(J¹)(J²)(J³) or -C(J¹)(J²)(OJ⁴),

wherein J¹ and J² each independently represent C_{1-4} haloalkyl,


J³ independently represents any one of the above W1 to W9;

J⁴ represents hydrogen, C_{1-4} alkyl, C_{1-4} haloalkyl, C_{1-4} alkylsulfonyl, C_{1-4} haloalkylsulfonyl, arylsulfonyl, an aryl group or a heterocyclic group;


T represents any one of the substituents represented by W1 to W9 mentioned above or any one of the substituents represented by the following Formulae (X2-1) to (X2-4):




X2-1



X2-2




X2-3



X2-4

or



(X2-5)

wherein

X^3 , X^5 and G independently have the same meaning as X^3 , X^5 and G defined above, respectively;

X^9 , X^{10} and X^{11} each independently have the same meaning as X^3 , X^4 and X^5 defined above, respectively,

X^9 and X^{10} may form a 3- to 8-membered carbon ring or heterocycle, together with the carbon atom to which they are bonded,

X^9 and X^5 , X^{10} and X^5 , or X^{11} and X^5 may together form C_{1-4} alkylene;

R12 and R13 have the same meaning as X^9 and X^{10} , respectively,

R14 has the same meaning as X^3 described above, and

R15 represents hydrogen;

when A¹, A², A³, A⁴ or A⁵ is C-T and T represents any one of the substituents represented by


Formulae (X2-1) to (X2-4), then X^9 , X^{10} , X^{11} or X^3 in T may form C_{1-4} alkylene together with X^1 if A^1 , A^2 , A^3 , A^4 or A^5 that is adjacent to the carbon atom to which T in C-T is bonded is C- X^1 , and one $-CH_2-$ at any position in the alkylene may be replaced by $-O-$, $-S-$ or $-NH-$;

when both A^1 and A^2 represent C- X^1 then X^1 's in the C- X^1 's may form a 5- to 6-membered saturated or unsaturated carbon ring or heterocycle, together with the carbon atoms to which X^1 's in C- X^1 's are bonded, and when both A^3 and A^4 represent C- X^1 , then X^1 's in the C- X^1 's may form a 5- to 6-membered saturated or unsaturated carbon ring or heterocycle, together with the carbon atoms to which X^1 's in C- X^1 's are bonded;

m each independently represents an integer of 1 to 4; and

each substituent defined above may be further substituted with any substituent.

4. A pesticide comprising, as an active ingredient, the compound according to any one of Claims 1 to 3.
5. An animal parasite-controlling agent comprising, as an active ingredient, the compound according to any one of Claims 1 to 3.
6. An intermediate represented by formula (V-1):



wherein


X^{13} represents halogen;

X^{14} represents halogen or C_{1-4} haloalkyl;

X^{16} and X^{17} each independently represent halogen, C_{1-4} alkyl, C_{1-4} haloalkyl, C_{1-4} haloalkoxy, C_{1-4} haloalkyl-S-, C_{1-4} haloalkyl-S(O)- or C_{1-4} haloalkyl-S(O)₂- and

J is as defined in Claim 1.

7. An intermediate represented by formula (V-2):




wherein

X^{15} represents halogen, C_{1-4} haloalkyl or a nitro group and


X^{13} , X^{16} , X^{17} and J are as defined in Claim 6.

8. An intermediate represented by formula (V-3):




wherein X^{13} , X^{16} , X^{17} and J are as defined in Claim 6.

9. An intermediate represented by formula (V-4):




wherein X^{13} , X^{16} , X^{17} and J are as defined in Claim 6.

10. An intermediate represented by formula (V-5):



wherein X^{13} , X^{16} , X^{17} and J are as defined in Claim 6.

11. An intermediate represented by formula (VII-1):



wherein


X^9 , X^{10} and m are as defined in Claim 1;

X^{16} , X^{17} and J are as defined in Claim 6;

X^{18} represents halogen, hydroxy, azide or 1,3-dioxo-1,3-dihydro-2H-isoindol-2-yl, and

X^{19} represents hydrogen, halogen or C_{1-4} alkyl.

12. An intermediate represented by formula (VII-2):




wherein

X^9 , X^{10} , J and m are as defined in Claim 1;

X^{16} and X^{17} are as defined in Claim 6; and

X^{18} is as defined in Claim 11.

13. An intermediate represented by formula (VII-3):



wherein


X^{16} , X^{17} and J are as defined in Claim 6:

X^{20} represents hydrogen or C_{1-4} alkyl;

X^{21} represents an oxygen or $N-X^{22}$; and

X^{22} represents hydroxy, C_{1-4} alkyl or C_{1-4} alkoxy.

14. An intermediate represented by formula (VII-4):




wherein

X^{16} , X^{17} and J are as defined in Claim 6;

X^{23} represents hydrogen or C_{1-4} alkyl; and

X^{24} represents hydrogen or halogen.


15. An intermediate represented by formula (VII-5):



wherein X^{16} , X^{17} and J are as defined in Claim 6.


16. An intermediate represented by formula (VII-6):

- 216 -



wherein X^{16} , X^{17} and J are as defined in Claim 6.

17. An intermediate represented by formula (VIII):




wherein

A^1 to A^3 , B^1 to B^5 , G and Q are as defined in Claim 1;

X^{16} is as defined in Claim 6; and

X^{21} is as defined in Claim 13.

18. An intermediate represented by formula (IX):



wherein

A^1 to A^3 , B^1 to B^5 , G and Q are as defined in Claim 1;

X^{16} is as defined in Claim 6 and

X^{21} is as defined in Claim 13.

