



US00D720311S

(12) **United States Design Patent**
Shiroyama et al.

(10) **Patent No.:** **US D720,311 S**

(45) **Date of Patent:** **** Dec. 30, 2014**

(54) **COAXIAL WAVEGUIDE CONVERTER
SUBSTRATE WITH FILTERING FUNCTION**

(71) Applicants: **NEC Engineering, Ltd.**, Shinagawa-ku,
Tokyo (JP); **NEC Corporation**,
Minato-ku, Tokyo (JP)

(72) Inventors: **Norihisa Shiroyama**, Shinagawa-ku
(JP); **Kiyotake Sasaki**, Shinagawa-ku
(JP); **Sumio Ueda**, Shinagawa-ku (JP);
Takahiro Miyamoto, Minato-ku (JP)

(73) Assignees: **NEC Engineering, Ltd.**, Tokyo (JP);
NEC Corporation, Tokyo (JP)

(**) Term: **14 Years**

(21) Appl. No.: **29/488,060**

(22) Filed: **Apr. 15, 2014**

(30) **Foreign Application Priority Data**

Oct. 17, 2013 (JP) 2013-024223

(51) **LOC (10) Cl.** **13-03**

(52) **U.S. Cl.**
USPC **D13/182**

(58) **Field of Classification Search**

USPC D13/110, 123, 133, 182; D10/46, 75;
29/825, 828, 829, 830, 831, 832, 846;
174/68.1, 250-261, 268, 71 C, 75 C,
174/88 C; 216/13; 428/901; 361/718, 736,
361/741, 748, 752, 756, 760, 764, 783,
361/820; 333/1, 21 R, 24 R, 25, 26, 157,
333/160, 202, 204, 206, 208, 239, 248

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

3,737,812	A *	6/1973	Gaudio et al.	333/32
4,458,222	A *	7/1984	Herstein et al.	333/26
4,602,271	A *	7/1986	Dougherty et al.	257/700
4,652,839	A *	3/1987	Tadachi et al.	333/26
D319,045	S *	8/1991	Hasegawa et al.	D13/182
D319,629	S *	9/1991	Hasegawa et al.	D13/182
D319,814	S *	9/1991	Hasegawa et al.	D13/182
5,326,284	A *	7/1994	Bohbot et al.	439/676
D397,093	S *	8/1998	Kim	D13/182
D429,704	S *	8/2000	Kang	D13/182
D440,209	S *	4/2001	Kang	D13/182
D442,149	S *	5/2001	Kang	D13/182
D442,150	S *	5/2001	Kang	D13/182
6,232,562	B1 *	5/2001	Kikuchi et al.	174/260
D457,146	S *	5/2002	Yamamoto et al.	D13/182
D466,093	S *	11/2002	Ebihara et al.	D13/182
D471,167	S *	3/2003	Ebihara et al.	D13/182
D485,536	S *	1/2004	Dang et al.	D13/182
6,788,171	B2 *	9/2004	Ammar et al.	333/247
D505,925	S *	6/2005	Koo	D13/182
D524,763	S *	7/2006	Nakano et al.	D13/182
D552,048	S *	10/2007	He	D13/182
7,612,632	B2 *	11/2009	Tanaka et al.	333/26
D639,756	S *	6/2011	Greene, Jr.	D13/182

(Continued)

Primary Examiner — Elizabeth J Oswecki

(74) *Attorney, Agent, or Firm* — Keating & Bennett, LLP



(57) **CLAIM**

The ornamental design for a coaxial waveguide converter substrate with filtering function, as shown and described.

DESCRIPTION

FIG. 1 is a top plan view of a coaxial waveguide converter substrate with filtering function showing our new design; FIG. 2 a bottom plan view thereof; FIG. 3 is a left side elevation view thereof; FIG. 4 is a right side elevation view thereof; FIG. 5 is a front elevation view thereof; FIG. 6 is a rear elevation view thereof; and, FIG. 7 is a perspective view thereof.

1 Claim, 7 Drawing Sheets



(56)

References Cited

* cited by examiner

U.S. PATENT DOCUMENTS

D642,546	S	*	8/2011	Greene, Jr.	D13/182
2003/0081393	A1	*	5/2003	Yokoyama	361/767
2003/0231078	A1	*	12/2003	Koriyama et al.	333/26

FIG. 1




FIG. 2




FIG. 3



FIG. 4



FIG. 5



FIG. 6



FIG. 7

