



US010565633B2

(12) **United States Patent**
Ranganath et al.

(10) **Patent No.:** **US 10,565,633 B2**
(45) **Date of Patent:** ***Feb. 18, 2020**

(54) **DETERMINING GIFT SUGGESTIONS FOR
USERS OF A SOCIAL NETWORKING
SYSTEM USING AN AUCTION MODEL**

(56) **References Cited**

U.S. PATENT DOCUMENTS

(71) Applicant: **Facebook, Inc.**, Menlo Park, CA (US)

6,081,786 A 6/2000 Barry et al.
7,644,019 B2 1/2010 Woda et al.
(Continued)

(72) Inventors: **Rama Kittane Ranganath**, San
Francisco, CA (US); **Jared S.**
Morgenstern, Manhattan, NY (US);
Mark Rabkin, Palo Alto, CA (US)

FOREIGN PATENT DOCUMENTS

CN 102739558 A * 10/2012 H04L 12/58
WO WO-2010035037 A1 * 4/2010 H04L 51/12

(73) Assignee: **Facebook, Inc.**, Menlo Park, CA (US)

OTHER PUBLICATIONS

(*) Notice: Subject to any disclaimer, the term of this
patent is extended or adjusted under 35
U.S.C. 154(b) by 241 days.

United States Office Action, U.S. Appl. No. 15/016,620, dated Apr.
24, 2017, 12 pages.

This patent is subject to a terminal dis-
claimer.

(Continued)

(21) Appl. No.: **15/854,670**

Primary Examiner — Yogesh C Garg

(22) Filed: **Dec. 26, 2017**

(74) *Attorney, Agent, or Firm* — Fenwick & West LLP

(65) **Prior Publication Data**

US 2018/0121989 A1 May 3, 2018

(57) **ABSTRACT**

Related U.S. Application Data

(63) Continuation of application No. 13/764,740, filed on
Feb. 11, 2013, now abandoned.


A social networking system provides suggestions of gifts to
users for presentation to a target user for a life event of the
target user. Merchants provide bids for their products. The
social networking system selects products as gift sugges-
tions based on the merchants' bids, recipient's interests, and
the candidate user to whom the gift is suggested. The
selected gift and any messages relating to the life event are
held until a specified time and then delivered to the target
user. At the time of delivery, the target user may be provided
with alternative products that the target user can select
instead of the gift. The social networking system can earn
revenue based on promotion of products as gift suggestions,
promotion of products as gift alternatives, and for any
financial transaction related to the gift.

(51) **Int. Cl.**
G06Q 30/06 (2012.01)
G06Q 50/00 (2012.01)
H04L 12/58 (2006.01)

(52) **U.S. Cl.**
CPC **G06Q 30/0613** (2013.01); **G06Q 30/0601**
(2013.01); **G06Q 30/0619** (2013.01);
(Continued)

(58) **Field of Classification Search**
CPC G06Q 30/601; G06Q 30/0613; G06Q
30/0619; G06Q 30/0625; G06Q 30/0631;
H04L 51/32; H04L 51/14; H04L 51/08
(Continued)

20 Claims, 12 Drawing Sheets



- (52) **U.S. Cl.**
CPC *G06Q 30/0625* (2013.01); *G06Q 30/0631*
(2013.01); *G06Q 50/01* (2013.01); *H04L*
51/08 (2013.01); *H04L 51/14* (2013.01);
H04L 51/32 (2013.01)

- (58) **Field of Classification Search**
USPC 705/26.1, 26.7, 26.41, 26.44, 26.62
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

7,831,439	B1	11/2010	Bryar et al.
8,082,511	B2	12/2011	Sobotka et al.
8,165,562	B2	4/2012	Piett et al.
8,606,776	B2	12/2013	Steiner
8,666,836	B2	3/2014	Adams
8,886,153	B2	11/2014	Velusamy et al.
9,113,315	B2 *	8/2015	Talwar H04W 4/14
9,246,866	B1 *	1/2016	Sanders G06Q 30/0201
9,306,896	B2	4/2016	Ranganath et al.
2002/0116466	A1 *	8/2002	Trevithick H04L 29/06 709/206
2005/0082199	A1	4/2005	Pazdro
2008/0040673	A1	2/2008	Zuckerberg et al.

2010/0058417	A1	3/2010	Rondeau et al.
2011/0179129	A1	7/2011	McKissick et al.
2011/0231240	A1	9/2011	Schoen et al.
2011/0276372	A1	11/2011	Spivack et al.
2012/0016817	A1	1/2012	Smith et al.
2012/0060105	A1	3/2012	Brown et al.
2012/0109787	A1	5/2012	Larrick et al.
2012/0278414	A1	11/2012	Walsh et al.
2013/0103542	A1	4/2013	Abuelsaad et al.
2013/0159132	A1	6/2013	Adams
2013/0185198	A1	7/2013	Lorch
2014/0059135	A1	2/2014	Stan et al.
2014/0089327	A1	3/2014	Pavlidis et al.
2014/0122627	A1	5/2014	Arnold
2014/0330903	A1	11/2014	Farmer
2016/0234664	A1 *	8/2016	Vendrow H04M 1/57

OTHER PUBLICATIONS

United States Office Action, U.S. Appl. No. 15/016,620, dated Jun. 15, 2016, 18 pages.
United States Office Action, U.S. Appl. No. 13/764,740, dated Jul. 14, 2015, 18 pages.
United States Office Action, U.S. Appl. No. 13/764,740, dated Jan. 28, 2015, 19 pages.

* cited by examiner




FIG. 1








FIG. 2

**FIG. 3**

**FIG. 4**

**FIG. 5**

**FIG. 6**




FIG. 7

3 Start your friends birthday card
Start your friends eGift card

810 ☐ \$5 ☐ \$5-\$100 815

Contact information

Email Address

820 Credit/Debit Card

Card type

Name on Card

Card Number

CVN

Expiration Date

BILLING ADDRESS

First Name

Last Name

Street Address

Apt/Suit

City

State/Province

Zip/Postal Cade

Order Total: \$5 Starbucks Card eGift for 830

FIG. 8




FIG. 9






FIG. 10

**FIG. 11**

**FIG. 12**

1

DETERMINING GIFT SUGGESTIONS FOR USERS OF A SOCIAL NETWORKING SYSTEM USING AN AUCTION MODEL

CROSS REFERENCE TO RELATED APPLICATIONS

This application is a continuation of co-pending U.S. application Ser. No. 13/764,740, filed Feb. 11, 2013, which is incorporated by reference in its entirety.

BACKGROUND

This invention relates generally to social networking, and in particular to suggesting gift giving between users of social networking systems.

People often present gifts to their loved ones and acquaintances, including, friends, family, or colleagues on various occasions for example, birthdays, anniversaries, holidays and the like. Often, people organize events to be celebrate special occasions in which gifts for a person may be presented to that person, for example, birthday parties, baby showers, weddings, and so on. People may also make contribution to present an expensive gift that may exceed the budget of any one of the contributors. As a result, celebrating special occasions and presenting gifts can be a complex social event requiring extensive preparation and coordination between various parties.

Vendors of products and services that provide articles relevant to special occasions, for example, articles that can be presented as gifts would like to be able to promote their products and services to the various parties involved in the these special occasions. Being able to present their products to the right party at the right time could substantially increase the chances that the vendor is able to sell their products and services. Conventional promotional methods used by vendors include billboards, television broadcasts, and newspaper or magazine advertisements. However, these mass media promotional methods advertise products to a wide variety of individuals, who may or may not be interested in the products. As a result, a typical viewer of the advertisement may ignore the advertisement. Significant amount of advertising efforts of vendors gets directed towards people that do not have an immediate interest in the products services. Merchants can improve the effectiveness of their advertising by targeting it towards those individuals who are likely to be interested in, and therefore are likely to purchase, their products.

Social networking systems store social information about users, including their social profiles and social interactions. The power of social networking has not been exploited towards helping connect vendors offering various products and services to parties involved in various special occasions of people. The ability to exploit social information would allow vendors to target their advertisements and product information in a more focused manner towards parties that are more likely to purchase their products and services. Since networking systems can charge vendors for providing the appropriate social information that helps vendors sell their products, social networks can derive revenues from the vendors. Furthermore, since networking systems can provide special services benefitting users of the networking systems involved in these special occasions, users are more likely to use the networking systems, and visit the network-

2

ing systems on a regular basis. This increases user loyalty towards particular networking systems that may provide these features.

SUMMARY

A social networking system provides gift suggestions to users of the social networking system. The suggested gifts are presented to a user who is connected to a target user in the social networking system, where the suggested gift is for a life event of the target user. For example, the social networking system may suggest to friends of a user who is about to have a birthday that the friends buy a gift for that user. The gift suggestions may be determined based on organic and sponsorship factors. For example, the social networking system may determine the gift suggestions in part based on the user's likely interest in the gift and the user's friends' likelihood of buying the gift for the user if the suggestion is made. However, the gift suggestions may also be determined based on a monetary value to the social networking system if the gift suggestion is made or acted upon.

In one embodiment, this monetary value is based on bids for certain gift suggestions, which the social networking system receives from merchants or from advertisers on behalf of merchants. Each bid may include information identifying a product, information identifying a merchant, and a bid value. The bid value represents the revenue provided by the merchant to the social networking system for promoting the product (e.g., paid on an impression, if a user is shown the suggestion, or paid on conversion, if the user actually acts on the suggestion).

For a particular target user, the social networking system identifies a life event of the target user, such as a birthday, wedding, or graduation. The social networking system also identifies one or more candidate users connected to the target user as potential gift givers. The social networking system recommends products as gift suggestions to each candidate user as potential gifts for the life event of the target user. The social networking system selects products for recommending as gifts based at least in part on potential revenue earned by the social networking system as determined from the bids provided by the merchants for the products.

In an embodiment, the social networking system identifies products suitable for presenting as gift for the life event of the target user. For example, a particular type of gift may be suitable for a birthday whereas a different type of gift may be suitable for a wedding. The social networking system may maintain a mapping from different types of life events to products presented as gifts for each life event. This mapping may be built using historical information describing gifts presented for each life event in the past and/or may be provided by the merchants.

The features and advantages described in this summary and the following detailed description are not all-inclusive. Many additional features and advantages will be apparent to one of ordinary skill in the art in view of the drawings, specification, and claims.

BRIEF DESCRIPTION OF THE DRAWINGS

FIG. 1 is a diagram of the system environment illustrating a social networking system allowing connections of a user to present gifts to the user, in accordance with an embodiment of the invention.

FIG. 2 is a high-level block diagram of the system architecture of a social networking system for facilitating

3

connections of a user to present gifts to the user, in accordance with an embodiment of the invention.

FIG. 3 provides details of the gift selection module, in accordance with an embodiment of the invention.

FIG. 4 is a flowchart of the gift selection process, in accordance with an embodiment of the invention.

FIG. 5 provides details of the gift delivery module, in accordance with an embodiment of the invention.

FIG. 6 is a flowchart describing the gift delivery process, in accordance with an embodiment of the invention.

FIG. 7 shows a screenshot of a user interface for allowing friends of a user to initiate a group gift card for a life event of the user, in accordance with an embodiment of the invention.

FIG. 8 shows a screenshot of a user interface for allowing friends of the target user to contribute to a group gift, in accordance with an embodiment of the invention.

FIG. 9 shows a screenshot of a user interface for informing friends of the target user that one of the friends has started a group gift card, in accordance with an embodiment of the invention.

FIG. 10 shows a screenshot of a user interface presenting the target user with messages and/or gifts provided by friends of the target user at a time associated with a life event of the target user, in accordance with an embodiment of the invention.

FIG. 11 provides details of the gift arbitrage module, in accordance with an embodiment of the invention.

FIG. 12 is a flowchart describing the gift arbitrage process, in accordance with an embodiment of the invention.

The figures depict various embodiments of the present invention for purposes of illustration only. One skilled in the art will readily recognize from the following discussion that alternative embodiments of the structures and methods illustrated herein may be employed without departing from the principles of the invention described herein.

DETAILED DESCRIPTION

Social networking systems store information describing users of the social networking system and their interactions with each other. Users join the social networking system and then add connections to a number of other users to whom they desire to be connected. The social networking system may be aware of important events in the lives of its users, such as birthdays, weddings, or anniversaries. When the social networking system presents information regarding a user's life event to that user's connections in the social networking system by explicit postings, news feed, or other means, the user's connections often respond in a generic manner, for example, by sending messages of congratulations or well-wishing. However, some users may desire to respond to another user's life event in a manner more befitting the nature of the event and the affinity of the other user. In particular, a user might prefer to give a gift to another user rather than merely send a message. The type of gift presented may depend on the type of event, interests of the user receiving the gift, and the closeness of the user presenting the gift and the recipient. In particular, when a user of a social networking system has an upcoming life event that might warrant gift giving from other individuals, such as a birthday, wedding, baby shower, graduation, or the like, the social networking system may send gift suggestions to the connections of that user particular products that may be given as gifts. If the social networking system presents a user with products or services as potential gifts that would be appropriate for the life event and likely to be interesting

4

to the receiver of the gift, the user is more likely to purchase the products or services presented to the user.

Various products and services to be presented as gifts may be provided by merchants wishing to advertise their products in a manner beneficial both to the users of the social networking system and to the promotional goals of the merchants. A reference to the term "product" is not limited to physical goods but includes various types of products and services, charity donations, gift cards, memberships of organizations, tickets to events, media including music, videos, movies, and the like. Social networking systems can utilize social information to suggest potential gifts to connections of a target user for presenting to the target user. The suggestions for gifts can be determined based on various factors including information describing the target user, information describing the connections presented with the gift suggestions, and the amount of revenue that the social networking system generates.

The social networking system can also use social information of the target user and the special occasion to determine how the gift is delivered to the target user. For example, the social networking system may determine that the gift or message is delivered at a particular time based on the type of occasion. The time selected for delivery of the messages and gifts is typically closer to the special event or occasion. For example, if the special occasion is the birthday of the target user, birthday greetings sent by the connections of the user may not be delivered when the connection sends the message. Instead, the social networking system may hold all messages to be delivered and deliver them at midnight on the birthday.

In spite of the social information utilized by the social networking system in selecting gifts for the target user, there is a likelihood that the target user would have preferred another gift instead of the gift actually selected by a connection of the target user. The social networking system may present the target user with alternatives to the gift along with the gift selected by the connections of the user. These alternatives are products and/or services that were not selected by the connection. However, the social networking system determines that the target user may be interested in preferring these gifts instead of the gift actually selected by a connection. If the target user prefers an alternative, the social networking system may generate higher revenue based on the transaction instead of a transaction based on the gift originally selected by the connection. The revenue generated by the social networking system depends on a difference of price that the connection of the target user selected and the gift that was finally selected by the target user. This process of presenting alternative gifts to users and generating revenue based on the price difference between the gift selected by the connection and the gift selected by the target users is referred to as gift arbitrage herein.

These embodiments allow the social networking system provides vendors with opportunities to present product information to users at various occasions when the user is very likely to complete a transaction associated with the product and services. Furthermore, the social networking system maximizes the revenue generated by the social networking system as a result of the transactions. Furthermore, the social networking system provides valuable service to the users of the social networking system, thereby increasing user loyalty.

System Environment

FIG. 1 is a diagram of the system environment illustrating a social networking system allowing connections of a user to present gifts to the user. FIG. 1, illustrates interactions

between the social networking system **100**, users **105**, **145** of the social networking system, and merchants **125**. Figure (FIG. **1** and the other figures use like reference numerals to identify like elements. A letter after a reference numeral, such as “**120a**,” indicates that the text refers specifically to the element having that particular reference numeral. A reference numeral in the text without a following letter, such as “**120**,” refers to any or all of the elements in the figures bearing that reference numeral (e.g. “**120**” in the text refers to reference numerals “**120a**” and/or “**120b**” in the figures). In an embodiment, the social networking system **100** is implemented using a computer system. The users including the target user **105** and friends **145** communicate with the social networking system using computer systems, for example, client devices. The merchant system **125** may also be implemented using a computer system.

A social networking system **100** offers its users the ability to communicate and interact with other users of the system. In use, users join the social networking system and then add connections to a number of other users to whom they desire to be connected. As used herein, the term “friend” refers to any other user to whom a user has formed a connection, association, or relationship via the system. Connections may be added explicitly by a user, for example, the user selecting a particular other user to be a friend, or automatically created by the social networking site based on common characteristics of the users (e.g., users who are alumni of the same educational institution). Connections in social networking system are usually in both directions, but need not be, so the terms “user” and “friend” depend on the frame of reference. For example, if Bob and Joe are both users and connected to each other in the social networking system, Bob and Joe, both users, are also each other’s friends. The connection between users may be a direct connection; however, some embodiments of a social networking system allow the connection to be indirect via one or more levels of connections. Also, the term friend need not require that users actually be friends in real life, (which would generally be the case when one of the users is a business or other entity); it simply implies a connection in the social networking system.

The social networking system provides users **105**, **145** with the ability to take actions on various types of items supported by the social networking system. These items may include groups or networks (where “networks” here refer not to physical communication networks, but rather to social networks of people) to which users of the social networking system may belong, events or calendar entries in which a user might be interested, computer-based applications that a user may use via the social networking system, and transactions that allow users to buy, sell, auction, rent, or exchange items via the social networking system. These are just a few examples of the items upon which a user may act on a social networking system, and many others are possible.

Users **105**, **145** of the social networking system perform other actions **110** including, posting information, visiting pages, interacting with the information posted by other users, and executing transactions related to products offered by merchants **125**. Social networking system **100** can use the actions **110** of a target user **105**, to determine information describing life events **120**. A life event can be a significant event in the target user’s life based on a special occasion. A user may explicitly define these dates, for example, the user’s birthday, wedding, or graduation. The social networking system **100** can also infer information regarding life events not explicitly specified by a user, for example, a pet adoption. The social networking system can infer life events

from actions **110** performed by the target user using the social networking system **100**, for example, communications with connections referring to the event. The social networking system can also determine life events based on information obtained from external systems interacting with the social networking system, for example, an external gift registry that interacts with the social networking system using social network plug-ins.

Merchant systems **125** are computer systems that allow vendor organizations to interact with computer systems of other organizations, for example, a computer system of a social networking system **100**. Merchant systems **125** provide social networking system **100** with bids **130** associated with products that can be potentially presented to users as gifts. In the description herein, a merchant system can also be referred to as a merchant or a vendor. Bids may be represented in the social networking system as objects or data structures storing information describing the bids. Information describing a bid **130** includes information identifying a product that could be given as a gift and the price of the item, for example, the price that a user needs to pay to purchase the item. In addition, bids **130** may describe a portion of revenue share to be given to social networking system **100** in the case a transaction based on the product is executed by a user with the merchant. A bid may also include revenue provided to the social networking system if the social networking system presents the product information to a user, for example, as a gift suggestion or during the gift arbitrage.

The social networking system **100** uses the bids **130** and actions **110** of the target user **105** to provide gift suggestions **135** to friends **145** of the target user **105**. The interests of target user **105** and friends **145** may be inferred from actions **110** of the target user **105** and the target user’s friends **145**. The social networking system **100** determines a set of gift suggestions **135** based on information describing the target user **105**, the life event **120**, the friends **145**, and the bids **130**. Social networking system **100** informs friends **145** that target user **105** has an upcoming life event **120** and gives friends **145** the opportunity to respond to the event. The social networking system **100** presents gift suggestions to the friends **145** of the user. A friend **145** or friends **145** may select one or more gifts **150** to present to the target user **105** from the set of suggested gifts **135**. In an embodiment a group of friends may collectively present a gift to the user by making contributions to the gift. In this situation, a single gift (referred to herein as a “group gift”) may be purchased by a pool into which multiple individuals contribute.

In the case of a group gift, selected gift **150** may be determined by social networking system **100** based on the feedback of friends **145**, for example, via a voting process. Selected gift **150** is then delivered **155** to target user **105** at the time of the life event or at a time related to the life event, for example, before the life event. In one embodiment, gift delivery **155** comprises gift arbitrage **265**. During arbitrage, gift alternatives **160** are presented to target user **105** along with the selected gift **150**. Target user **105** may select one of gift alternatives **160** to replace the selected gift **150** if the target user **105** would prefer one of the alternatives over the selected gift.

System Architecture

FIG. **2** is a high-level block diagram of the system architecture of a social networking system for facilitating connections of a user to present gifts to the user, in accordance with an embodiment of the invention. The system architecture may be configured as computer-executable program modules. As used herein, the term “module” refers to

computer program logic and/or data for providing the specific functionality. A module can be implemented in hardware, firmware, and/or software. The social networking system **100** includes an action logger **215**, action log **220**, merchant bid store **225**, gift suggestion module **230**, gift delivery module **235**, gift arbitrage module **240**, user profile store **245**, connection store **250**, merchant transaction module **255**, and communication module **260**. In other embodiments, the social networking system **100** may include additional, fewer, or different modules for various applications. Conventional components such as network interfaces, security mechanisms, load balancers, failover servers, management and network operations consoles, and the like are not shown so as to not obscure the details of the system.

Client device **200** interacts with social networking system **100** through network **210**. Network **210** represents a communication pathway between user device **200**, merchant system **205**, and social networking system **100**. The network **210** is typically the Internet, but may be any network, including but not limited to a LAN, a MAN, a WAN, a mobile wired or wireless network, a private network, or a virtual private network. In one embodiment, the network **210** uses standard communications technologies and/or protocols. For example, the networking protocols used on the network **210** can include the transmission control protocol/Internet protocol (TCP/IP), the hypertext transport protocol (HTTP), the file transfer protocol (FTP), etc. The data exchanged over the network **210** can be represented using technologies and/or formats including the hypertext markup language (HTML), the extensible markup language (XML), etc. In some embodiments, the entities can use custom and/or dedicated data communications technologies instead of, or in addition to, the ones described above.

The client device **200** can be a desktop computer, laptop computer, portable computer, personal digital assistant (PDA), smart phone, or any other device including computing functionality and data communication capabilities. A plurality of client devices **200** can be configured to communicate via the network **210**. Furthermore, although only one client device is shown in FIG. 2 for simplicity, it is to be understood that a plurality of client devices may interact with social networking system **100**.

Action logger **220** identifies interactions of users with social networking system **100** and logs the information in action log **215**. User interactions with social networking systems include interactions between users, interactions between a user and a page within the social networking system, interactions between a user and a post on a page, and user visits to or interactions with a page outside the social networking system that contains plug-ins for that social networking system. When a user manually enters information into the user's profile, for example, name, location, sex, age, and date of birth, the information is stored in the user profile store **245**.

Communication module **260** provides various methods for users to communicate, including but not limited to wall posts, news feed, emails, or customized user interfaces such as side bars or fly-outs. The connection store **250**, stores information relating to the social connections of each user such as a list of social connections, list of connections shared with each connection, and frequency and type of interactions between the user and each connection. The communications between the target user and the target user's connections may be stored in the connection store **250** or in a different data store.

For one given user, the information stored in action log **215**, user profile store **245**, and connection store **250** may be

used to accurately predict characteristics of that user. Methods that might be used to predict user characteristics are well known in the art. For example, the user might frequently respond to pictures, articles, and comments relating to dogs. The frequency and nature of these responses would likely indicate that the user is interested in dogs and, therefore, might be interested in dog-related merchandise or services. However, any number of methods may be used to predict, infer, or deduce user characteristics and interests, and the present invention is not limited by the particular method employed.

Merchant system **205** also interacts with social networking system **100** through a network **210**, which may be in the same form as or in a different form than the network through which user device **200** interacts with social networking system **100**. Within social networking system **100**, merchant transaction module **255** connects the social networking system **100** to a merchant application programming interface (API) **265** to complete gift transactions. In one embodiment, the merchant API **265** may be implemented as a web service. The merchant APIs **265** allow the social networking system **100** to send requests for information to the merchant system **205** and receive information associated with bids **130**.

The gift suggestion module **230**, gift delivery module **235**, and gift arbitrage module **240** perform processing related to gifts. The gift suggestion module **230** collects merchant bids for products that may be sold through the social networking system and facilitates the purchase of these products as gifts that may be given from one user to another. As friends respond to the life event of target user **105**, the gift delivery module **235** collects the gift chosen by users, informs other users of the gift, encourages participation, and delivers the gift at a specified time to the target user. In addition to delivering the gift chosen by users, gift delivery module **235** may invoke gift arbitrage module **240** to provide the target user with alternative gift options. These alternative gifts may be chosen in place of the original gift, with the tradeoff that the alternatives may have lower value than the original gift. Gift suggestion module **230**, gift delivery module **235**, and gift arbitrage module **240** are described in further detail herein.

Gift Suggestion

The social networking system **100** receives from merchants, bids for product(s) that can be potential gifts presented by users of the social networking system **100** to other users. The merchant transaction module **255** stores information about the bid in merchant bid store **370** including the merchant information, product information, and bid value. In an embodiment, the merchant bid store **370** represents the bid information as a record or tuple <merchant_id, product_id, bid_value>, where the merchant_id represents an identifier of a merchant, the product_id represents an identifier of the product, and the bid_value is a representation of the bid value. In this representation, the merchant and product information may be stored in a separate store or a database table, where the merchant_id and product_id values are foreign keys referring to these stores or database tables respectively. The bid value could be in the form of an absolute monetary value or a percentage of the product value. The bid value represents the revenue provided to the social networking system **100** by the merchant for services provided by the social networking system to the merchant towards selling of products of the merchants to users.

The revenue provided by the merchant to the social networking system **100** by the merchants may depend on the value of the product for which the bid is placed, for example, as a percentage of the price of the product. The value of the

revenue provided to the social networking system may be a fixed price, for example, a fixed amount paid by the merchant to the social networking system **100** for every impression of the product presented to a user. The value of the revenue provided to the social networking system **100** may represent an amount paid to the social networking system responsive to a product being sold as a gift to the target user responsive to the social networking system suggesting the product as potential gift to the friends of the target user. The value of the revenue provided to the social networking system **100** may depend on the context in which the product information is presented by the social networking system **100** to the user, for example, the value of the revenue for presenting the product to the target user during gift arbitrage may be higher than the value of the revenue for presenting as a gift suggestion to a connection of the user. This is so, because the likelihood of the product being sold during gift arbitrage are determined by the social networking system to be higher than the likelihood of the product being sold based upon a gift suggestion.

In an embodiment, the social networking system **100** receives multiple bids from the merchant for the same product, each bid corresponding to the revenue provided to the social networking system for a particular type of action performed by the social networking system towards the promotion of the product. Separate bid values may be provided for different actions taken by the social networking system including, recommending the product as a gift suggestion to a connection of the user, presenting the product as an alternative for the gift finally selected for the user, a financial transaction executed as a result of the product being given as a gift to the user, and recommending the product as a gift suggestion to a subsequent user after the product has already been recommended to at least one connection of the user. The bid value provided by the merchant for recommending the product as a gift suggestion to a connection of the user is typically less than the bid value provided for presenting the product as an alternative for the gift finally selected for the user. The bid value provided by the merchant for recommending the product as a gift suggestion for the first time for this life event of the target user to a connection is higher than the bid value for recommending the product as gift suggestions to subsequent users after the product has already been suggested to at least one connection. In an embodiment, the social networking system verifies these relations between different types of bid values for the same product provided by a merchant and may provide a warning or a message to the merchant responsive to the bid values not conforming to an expected relationship.

FIG. 3 outlines the components of one embodiment of gift suggestion module **230**. After merchant transaction module **255** collects a plurality of merchant bids **130**, gift suggestion module **230** selects products from the set of merchant bids that may be given as gifts and selects social connections of the target user to encourage to purchase the gift suggestions. More precisely, gift suggestion module **230** as shown in FIG. 3 contains a number of sub-modules that select social connections to target as potential gift givers, choose gift options from the set of merchant bids **130**, present the suggested gifts to the selected social connections, receive feedback from the social connections to whom the suggestions are presented, and select a gift for the target user.

Gift contributor selection **310** selects users of the social networking system that are likely to give the target user gifts in response to his or her life event. The selected users are referred to herein as “friends,” but it is to be understood that these connections can include individuals with any relation-

ship to the target user and are not limited by the terminology used to designate connections. The entire set of social connections of the target user may be selected as potential gift givers also referred to as gift contributors. In an embodiment, the selected group of gift contributors may be a subset of the target user’s social connections. Selection of gift contributors may be based on user affinity, recent interactions between a connection and the target user, a rate at which the connections have given gift to the target user in the past, or other criteria. The gift contributor selection **310** may select individual gift contributors, such that each individual gift gives a separate gift to the target user and the number of gifts given to the target user is equal to the number of gift contributors. If the price of a potential gift exceeds a threshold value, the gift contributor selection **310** may select multiple friends to present the product as a group gift. In this situation, each contributor of the group gift contributes less than the price of the gift, for example, if there are three contributors, each contributor may contribute a third of the price of the gift. In this case, the number of gifts given to the target user is less than the number of friends who purchase gifts. Alternatively, the selected gift contributors can be a combination of individual gift contributors and group gift contributors.

Each product provided by the set of merchant bids **130** is assigned an interest score by gift scoring module **320**, the score representing the likelihood of a friend selecting a particular product to give as a gift to the target user. Each interest score is assigned based on such factors as the interests of the target user, qualities of the friends such as their personal interests, interests shared with the target user, and expected monetary contribution; or the appropriateness of the gift for the life event. For example, if the life event is a baby shower, gifts relating to babies may receive a higher interest score than restaurant gift certificates or baseball tickets. As another example, if friend A frequently visits restaurants with the target user, a restaurant gift certificate may receive a high interest score for friend A. The social networking system **100** may use information provided by users when they check-in to a location to identify the various places visited by the user, for example, restaurants, stores, malls, and the like. In this case, the product is scored based on a particular gift/friend combination; the same product, i.e., the gift certificate for the same restaurant, may receive a lower interest score for a different friend who has not been identified as frequenting that particular restaurant with the target user.

In one embodiment, a product receives a high interest score if the product is on a wish list of the target user. The wish list may identify products in which the target user is interested, based on the target user or connections of the target user adding products to the wish list. A method for generating a wish list for a target user is described in U.S. patent application Ser. No. 13/748,222, filed Jan. 23, 2013, which is incorporated by reference in its entirety.

In an embodiment, the social networking system selects a gift for recommending to a candidate user based on the economic status of the candidate user. The economic status may be determined based on information available in the user profile of the candidate user, for example, earnings or type of job specified by the user. A candidate user having higher earning capacity may be provided with gift suggestions of more expensive products compared to a candidate user having lower earning capacity. Similarly, the social networking system considers the economic status of the target user receiving the gift to select potential gifts for the target user. If the economic status of the target user indicates

that the target user belongs to a high economic status, the social networking system selects more expensive gifts for the target user compared to another user with lower economic status.

In an embodiment, the selection of gifts is based on the type of life event. For example, gifts given for a birthday event are different from gifts given on a wedding. Similarly, gifts given for a graduation may be different for gifts given for a birthday or a wedding. In an embodiment, the gift suggestion module 230 maintains an association between types of life events and the types of gifts typically presented for that type of life event. These associations may be predetermined by experts and stored in the social networking system 100. In an embodiment, the social networking system may build a database of these associations based on observations of gifts presented by users of the social networking system to other users. For example, if a friend uses the social networking system presents a gift to a friend via the social networking system user interface close to a life event of the friend, that product is added as a type of product that is likely to be provided as gift for that type of life event. Over time, if the same type of product is given as gift on various occasions, the social networking system 100 associates that type of product as potential gift for that type of life event. The products associated with a type of life event may be identified by the brand name, the type of item, for example, a toy, dress, book, etc. or by a unique identifier for the product type. In an embodiment, the social networking system determines a common set of characteristics of a set of products previously presented as gift to users so as to be able to associate a new product provided by a vendor with a particular life event. In subsequent instances of that type of life events, the social networking system may identify products of the type associated with the life event and suggest them as potential gifts to friends of the target user. This mechanism allows the social networking system to grow the database of associations of gifts with types of life events.

The bids 130 are also assigned a revenue score by auction model 340, which predicts the expected revenue of the social networking system contributed by each bid based on the value of the bid and the interest score determined by gift scoring module 320. Gifts that are most likely to be purchased by a friend or friends and that have the greatest revenue share for the social networking system would be given the highest revenue score by auction model 340.

In an embodiment, the gift suggestion module determines a combined weighted score for each bid based on various criteria, for example, the interest score and the revenue score. After the bids have been assigned the relevant scores, gift suggestion presentation module 330 presents the bids to the selected friends based on the scores. For example, a product associated with a bid having higher score has greater likelihood of being presented to friends of the target user. All friends may see the same selection of gift options, or the options may be tailored to the specific friend (such as in the restaurant gift certificate example above, in which a particular gift/friend combination received a high interest score). Presentation of gift options may employ methods commonly used within social networking system 100 to present information its users, such as wall posts or newsfeed, or may use a custom interface such as a sidebar gift user interface. Gift suggestion presentation module 330 also determines the time to present gift options to the friends that may be on the day of the life event or a set time period prior to the life event that would allow friends sufficient time to respond to the event and decide to purchase or contribute towards a gift.

After the options have been presented by gift suggestion presentation module 330, user feedback module 350 solicits feedback from the friends regarding the available gift options. Feedback can be in the form of user comments, user "liking," or other methods that similarly quantify the response of friends to the product type, price, appropriateness for the life event, or other factors. In one embodiment, friend feedback may be passed to gift selection module 360, described further below, to determine the gift to be given to the target user. In another embodiment, the feedback provided by friends can be used to adjust the interest score that was assigned to the gift by the gift scoring module 320. The gift scoring module may in turn adjust the revenue score based on the adjustment of the interest score.

The gift selection module 360 selects one or more gifts at a specified point relating to the life event. Selection may occur in a number of ways. If friends provide individual gifts, each friend selects a gift to give to the target user for the target user's life event and pays for the entire cost of the gift. The gift selection module may also modify the gift options available to other friends based on the purchase of one gift. For example, if item A was presented to both friend B and friend C as a gift option, and friend B purchases item A, item A may be removed from the set of gift options presented to friend C.

Alternatively, if a plurality of friends gives a group gift, gift selection module 360 selects the gift to be given to the target user based on the feedback received by user feedback module 350. In one embodiment, when the group gift is a gift card or other redeemable certificate that can be purchased in continuous monetary values, the money contributed by friends can be directly applied to the value of the gift. Gift selection module 360 may then compute the value of the gift based on the total amount of money contributed by friends. For example, friends A, B, and C contribute money to purchase a gift card for target user D's birthday. Friend A donates \$20.00, friend B donates \$7.00, and friend C donates \$13.43. Gift selection module 360 then computes that target user D may receive a gift card with a value of \$40.43.

In another possible case of a group gift, the group gift may have a fixed price. Examples of such gifts include products or gift cards that may only be purchased in discrete increments. For example, friends A, B, and C contribute money to purchase a gift with a fixed cost of \$45.00. If friend A contributes \$20.00, friend B contributes \$7.00, friend C contributes \$13.43, and no other social connections of the target user contribute to the gift, the funds will be insufficient to purchase the \$45.00 gift. In such a case gift selection module 360 may encourage one or more of the friends to increase his or her contribution to cover the difference in cost. Alternatively, gift selection module 360 may select an alternative gift that can be purchased with the available funds. The alternative may be one of the previously-suggested gift options that was ranked slightly lower by users in user feedback module 350 than the originally-selected gift. In another embodiment, gift selection module 360 selects the gift with the highest user feedback rank that can be purchased with the money contributed by the plurality of friends. In an alternative case, friends contribute more money than is needed for the originally-selected gift. For example, friend A contributes \$20.00, friend B contributes \$7.00, and friend C contributes \$10.00 to be used to purchase a \$45.00 gift. If the quantity contributed is sufficient to purchase a more expensive gift from the available options, gift selection module 360 may select the more expensive gift to be given to the target user. If the contributed money is not

13

used to purchase a more expensive gift, the difference between the quantity donated and the cost of the gift may be transferred to the social networking system.

FIG. 4 is a flowchart outlining the process of one embodiment of the gift suggestion module 222 as detailed in the description of its sub-modules. The social networking system 100 identifies 400 a life event 120 of a target user 105. The social networking system 100 receives 410 bids 130 from merchants 125 identifying products that may be gifted to target user 105 for his or her life event 120. The social networking system 100 scores 420 the products as potential gifts based on various criteria including information describing the target user, information describing a connection of the target user who is a potential gift giver, and a bid associated with the product, for example, the bid specifying revenue provided to the social networking system for promoting the products as potential gifts. The score of the products may be based on other criteria including the interests of target user 105 and friends 145, socioeconomic status of friends 145, or nature of life event 120. The gift selection module 360 uses the score of the potential gifts to select the products that are recommended to the potential gift givers. The gift suggestion module 230 suggests 430 the selected gifts to the potential gift givers. The potential gift givers provide their final selection of the gifts that they would like to present to the target user. The gift delivery module 235 sends 450 information describing the final selection of gifts for the target user to the target user at a time close to the life event, for example, at midnight on the day of a birthday of the target user.

Gift Delivery

FIG. 5 details the components of one embodiment of gift delivery module 235. In response to a life event 120, friends 145 send messages to target user 105, or social networking system 100 sends messages to target user 105 based on the actions of friends 145 within the system. These messages include communications, for example, comments or emails from friends with greetings, well-wishes, or other types of statements for the life event and notification of gifts purchased by friends 145, whether these gifts are purchased by individual friends or by groups of friends 145.

As messages are sent, some users of social networking system 100 may be permitted to view information regarding the messages. For example, a user may be able to see on the morning of a given day that it is target user A's birthday and that three friends so far have donated money to purchase a gift for target user A, whereas target user A may not be notified of that information. Such selection of users who can see information regarding messages is performed by user selection module 510. Generally, user selection module 510 determines which users of social networking system 100 should be able to see information related to a gift or gifts for a particular target user's life event. Visible information is that which a user of social networking system 100 can access under normal operation of the social networking system, that is, information saved to and/or displayed upon the user's profile, information posted to the user's newsfeed, messages sent to the user, or publically-available information. It does not include, for example, information that could be accessed by logging into another user's profile.

According to one embodiment, the social networking system informs some or all social connections of target user 105 that other connections are contributing money to purchase a gift for target user 105 or sending public comments to target user 105. In an embodiment, the messages communicated to the target user and the information describing the gifts for the life events is communicated to the users

14

based on the privacy settings of the target user and the privacy settings of the other user that is communicating the message or sending the gift. However, the social networking system ensures that the same information is not communicated to target user 105 until a predetermined time based on the life event. In another embodiment, said gift information is displayed only to the plurality of individuals selected by social networking system 100 to give a group gift.

Messages may be sent by friends 145 to target user 105 at any point before the life event, or within a designated window before the life event such as the time specified by gift suggestion presentation module 330, but are initially held in message store 500 instead of being delivered directly to target user 105. These messages are not provided to the target user 105, even if the target user attempts to access the message store with proper authentication until a predetermined time based on the life event. In an embodiment, the message store 500 is a channel dedicated to a particular target user and particular life event of said target user. Delivery timing module 520 determines an appropriate time to deliver the messages held in message store 500 to target user 105, such as the time of the life event or a predetermined time on the date of the life event, such as 9:00 pm. Delivery timing may be based on the type of life event. For example, the delivery timing for a birthday may be determined to be at midnight when the birthday start or soon after midnight. For certain life events the delivery time may be during the day of the life event, for example, in the morning. The delivery time may be determined based on the target user. For example, the messages may be delivered on the day of the life event after the target user logs in to the social networking system. If the target user doesn't log into the social networking system on the day of the life event until very late during the day, the messages may be delivered at a predetermined time before the target user logs in. The delivery time for a life event corresponding to a graduation may be based on the time associated with a graduation ceremony. In an embodiment, the social networking system 100 communicates with the friends of the target user that are sending messages and gifts to the target user to determine a time of delivery. For example, the time of delivery may be presented to one or more of these friends of the target user and if more than a threshold number of friends dislike the proposed delivery time, the friends may be provided a user interface to suggest a new delivery time or the social networking system may propose a new delivery time. For example, the delivery time for a baby shower may be determined based on information received from the friends of the target user participating in the baby shower.

When the time specified by delivery timing module 520 is reached, gift presentation module 540 delivers messages stored in message store 500 to target user 145 by communication mechanisms used by the social networking system, for example, wall posts, email notifications, private messages, and the like. In an embodiment, these messages are displayed to the user in a separate portion of the user interface, for example, a portion specially dedicated to information related to the life event. In one embodiment of the design, the presentation module determines the order in which messages will be delivered to target user 105 based on some factor such as the affinity between the sender of each message and the target user, or the time the gift was purchased or otherwise prepared. In another embodiment, the gift presentation module 540 categorizes messages for delivery, enabling for example messages from family members to be delivered together, or messages from classmates or coworkers to be delivered together.

15

The method of message delivery depends on the type of message. Messages such as wall posts, private communication between users, or other text-exclusive content may be delivered by displaying the text directly or providing a link to a page containing the text. Messages comprising gift information may be delivered, in one embodiment, by the gift presentation module 540 transferring target user 105 to the API of the relevant merchant through a specialized channel. In another possible embodiment, the gift presentation module 540 comprises a custom gift redemption platform, such that target user 105 may redeem his or her gift without interacting with the merchant API.

The gift redemption process is specific to the nature of the selected gift. Generally, target user 105 is given credit for the gift, wherein credit might be a printable certificate or coupon, a downloadable file, a secret code that may be entered at an external website, a certificate or coupon that may be downloaded to a mobile device, confirmation that the item will be shipped or mailed to the target user, access to a debit account, credit transferred to a personal online fund repository such as a bank account, PayPal® account, or the like, or any other method that may be relevant for delivering the selected gift. For example, if the gift is a gift card that may be redeemed by an online merchant, the user may be provided with a code that could be entered at check out when the target user purchases an item. Alternatively, if the gift is a physical product that must be mailed or shipped to the target user, target user 105 may be asked to enter a shipping address that merchant transaction module 255 sends to the merchant in addition to the purchase request and payment or payment agreement. In yet another embodiment, the target user may be given an opportunity to select a particular gift out of a set of similar options. For example, if the gift is a candle that comes in six different scents, the target user may be able to select the scent of the candle.

FIG. 6 is a flowchart outlining the procedure employed by one embodiment of gift delivery module 235, for delivering messages and information describing a gift presented to the user for the life event. The social networking system 100 sends 600 information describing the life event of the target user to friends of the target user 105. In an embodiment, the social networking system 100 may prompt 610 the friend 145 to send a message to the target user for the life event, for example, a greeting, and/or purchase a gift or contribute money towards a gift for the target user, in combination with contributions by other friends towards a gift. Delivery timing module 520 determines 620 a delivery time for the life event of the target user 105 for delivering all messages related to the life events send by friends 145 and information describing any gifts presented for the life event.

As friends 145 respond to the life event 120 of target user 105, message store 500 collects all messages, including notification to the target user of gifts or money contributed towards group gifts as well as notes written by friends 145 to target user 105. User selection module 510 sends 630 the information of some or all of the contents of message store 500 to the users selected by the module.

At the delivery time specified by delivery timing module 520, gift selection module 360 determines the gift or gifts to be given to target user 105 based on the response of friends 145, including their feedback to gift suggestions 135 and the money they contribute to a gift. The gift presentation module 540 may sort the gifts into categories based on the relationship between friends 145 and target user 105. The gift presentation module 540 sends 560 the messages and infor-

16

mation describing the gift(s) to target user 105 at the delivery time. The gift presentation module 540 may then facilitate gift redemption.

In one embodiment of the gift delivery module 235, the gift(s) chosen by friends 145 or by gift selection module 360 based on the input of friends 145 is/are delivered to target user 105 as described above. In another possible embodiment, target user 105 may be given the opportunity to select an alternative gift instead of the gifts actually selected by the friends of the target user. Arbitrage module 240 presents the gift alternatives and the gift selected by friends to target user 145 and facilitates arbitrage. Details of arbitrage module 240 are provided herein.

FIG. 7 shows a screenshot of a user interface for allowing friends of a user to initiate a group gift card for a life event of the user, in accordance with an embodiment of the invention. The user interface provides required instructions 710 for the user to initiate the group gift card. As shown in FIG. 7, a user of the social networking system is presented with one or more friends that have a life event within a near future. FIG. 7 shows a list of friends 720 of the user that have upcoming birthdays. However, other embodiments can show different life events of users, for example, graduation, wedding anniversary, and the like. The user may be provided a mechanism to personalize the group gift card by adding a message 730. The user may be allowed to include additional content to personalize the group gift card, for example, by including an image 740 along with the message.

FIG. 8 shows a screenshot of a user interface for allowing friends of the target user to contribute to a group gift, in accordance with an embodiment of the invention. The user can contribute monetarily towards a gift, for example, by making a payment 820 using a credit card. The user interface shown in FIG. 8 prompts the user with an amount 810 to contribute towards the gift or to enter a new amount 830. Once the user has provided the requested information the user can initiate the group gift card by clicking on a button 830. Similar user interface can be presented to other friends of the user to contribute towards one or more gifts.

Once a friend of the target user initiates a group gift card for the target user, other friends of the target user may be provided with an opportunity to contribute to the group gift card either by adding new messages or making a monetary contribution. FIG. 9 shows a screenshot of a user interface for informing friends of the target user that one of the friends has started a group gift card, in accordance with an embodiment of the invention. Information 910 describing the group gift card may be provided as part of communication channels of the social networking system, for example, newsfeed. In other embodiments the information may be presented to the friends using a user interface specialized for presenting group gift information, for example, a panel or side bar of a webpage. The friends of the user may be presented with information describing the activities related to the group gift card performed by other users so far, for example, information describing the users that added messages to the group gift card, information describing the users that made financial contributions to the group gift card, information describing any gift that has been finalized in the group gift card, and so on.

The information included in the group gift card is provided to the target user at a time associated with the life event of the target user, for example, in the morning of a birthday. FIG. 10 shows a screenshot of a user interface presenting the target user with messages and/or gifts provided by friends of the target user at a time associated with a life event of the target user, in accordance with an

17

embodiment of the invention. The information included may describe the financial contributions **1020** made by the friends of the target user towards the group gift card. The information provided to the user may include messages **1010**, and content, for example, images uploaded by the friends of the target user for the group gift card. In some embodiments, the social networking system **100** presents the target user with alternative gifts that the target user can accept instead of a gift selected by the friends of the user. These embodiments are described herein, as follows.

Gift Arbitrage

FIG. **11** details the components of one embodiment of gift arbitrage module **240**. When the gift or gifts selected by friends **145** are presented to target user **105**, social networking system **100** may provide target user **105** with the opportunity to choose a different gift than that selected by friends **145**. Gift alternatives **160**, which are different from the gift(s) chosen by friends **145**, are selected from the set of merchant bids **130** by alternative gift selection module **1100**. These alternative gifts may be chosen based on the scores assigned to each bid by gift scoring module **320** and/or auction model **340**, or new scores may be assigned to merchant bids **130** by sub-components of alternative gift selection module **1100**.

In one embodiment of gift arbitrage module **240**, alternative gifts are selected that have lower value than the value of the original gift. This allows the social networking system to receive at least a portion of the price difference between the alternative gift and the gifts selected by friends of the target user as revenue. In some embodiments, merchants **125** agree to pay the social networking system **100** revenue, for example, a fixed amount or percentage of product value for presenting the product as an alternative gift during gift arbitrage. Because there is a high likelihood of target user **105** selecting one of the alternatives presented, merchants are likely to receive a high rate of return on any items displayed during arbitrage. Therefore, in an embodiment, the social networking system **100** requires a merchant to provide higher bid values for presenting the products as alternative gifts to the target user as compared to a corresponding bid for the same product for presenting to friends of the target user as gift suggestions. The bid value for presenting the products as alternative gifts to a target user is also higher than a corresponding bid for presentation of the product as a conventional advertisement to users of the social networking system. In addition to or in place of an advertising fee, the merchant may agree to pay the social networking system a share of revenue based on the cost difference between the original gift and alternative gifts, either as a fixed amount or percentage of the cost difference.

For example, friends of target user E may give him gift F, with a value of \$100. During arbitrage, social networking system **100** provides target user E with the choice to accept gift F or choose alternative gifts G, H, or I instead. In one embodiment of gift arbitrage module **240**, gifts G, H, and I would necessarily have a lower value than gift F, such as \$90, \$80, and \$70, respectively. The social networking system **100** may select gifts G, H, and I so as to maximize the revenue earned by the social networking system **100**. That is, for the said gift values, social networking system **100** might predict that gift I would be most desirable to target user E, gift H would be slightly less desirable, and gift G would be less desirable than H. The complete set of possible gifts may include another gift J with value \$95 that target user E is predicted to desire more than any of gifts G, H, or I as represented by the score assigned to gift J by gift scoring module **320**, but the revenue difference may out-

18

weigh the difference in target user E's expected desires. If target user E selects one of gifts G, H, or I in place of gift F, such as gift H, the difference in cost (\$20 in this case) may be revenue for social networking system **100**.

As an example of an alternative embodiment, gift J, gift K, and gift L may be shown as alternatives to gift F, still with value \$100 for this example, but the values of gifts J, K, and L are not constrained by the value of gift F and therefore might be, respectively, \$120, \$75, and \$200. For example, gifts K, L, and M are all items sold by merchant N, although the products selected and displayed by gift arbitrage module **240** are not constrained to one merchant. Merchant N may agree to pay the social networking system an advertising fee for displaying gifts K, L, and M during arbitrage, such as \$10 per item. In addition to or in place of this advertising fee, merchant N may agree to give the social networking system as revenue share a specified percentage of the value of the chosen item, a specified percentage of the price difference between the chosen item and the original gift (that is, gift F), or a fixed amount per transaction. For example, if target user E decides to purchase gift M instead of gift F, merchant N may agree to pay the social networking system ten percent of the cost difference, such that the social networking system would earn \$10 from the transaction.

Gift alternatives **160** and the original gift **150** are displayed to target user **105** by gift suggestion presentation module **330**, or an alternative module with features designed specifically for gift arbitrage. For example, the gift suggestion presentation module may not display the value of each item to target user **105**, or in the case of an alternative gift that is more expensive than the original gift, gift suggestion presentation module **330** may only display the difference in price that target user **105** would need to pay in order to purchase the more expensive item.

FIG. **12** is a flowchart outlining the procedure employed by one embodiment of gift arbitrage module **240**, as detailed in the description of the sub-modules. The social networking system **100** receives **1200** selection of gifts from friends of a target user for presenting to the target user for a life event. The social networking system selects **1210** alternative gifts for suggesting to the user based on various factors including price difference between the gift selection received from friends of the target user and potential alternative gifts. Other factors considered by the social networking system for selecting **1210** alternative gifts include matching of the potential alternative gifts with interests of the target user as determined by social information describing the target user stored in the social networking system, and bids provided by the merchants for presenting the products as alternative gifts. The gift suggestion presentation module **330** sends **1220** information describing the gift selections from friends of the target user along with information describing alternative gifts to the target user.

If the target user selects an alternative gift, the social networking system **100** receives **1230** the selection of the alternative gift from the target user. If social networking system may assist the merchant system that provides the alternative gift to complete a transaction for providing the alternative gift to the target user. The social networking system **100** receives revenue based at least on the price difference between the gift selection provided by the friends, and the alternative gift selected by the target user. The social networking system **100** may in addition receive revenue from merchants for each alternative gift that was presented to the target user.

19

Alternative Embodiments

While various embodiments and modules for implementing those embodiments have been described above, these descriptions are intended to be illustrative but not limiting of the scope of the present invention. Those of skill in the art will appreciate that the invention may be practiced in other embodiments. The particular naming of the components, capitalization of terms, the attributes, data structures, or any other programming or structural aspect is not mandatory nor significant, and the mechanisms that implement the invention or its features may have different names, formats, or protocols. Also, the particular division of functionality between the various system components described herein is merely exemplary, and not mandatory; functions performed by a single system component may instead be performed by multiple components, and functions performed by multiple components may be instead performed by a single component.

The present invention also relates to an apparatus for performing the operations herein. This apparatus may be specially constructed for the required purposes, and/or it may comprise a general-purpose computing device selectively activated or reconfigured by a computer program stored in the computer. Such a computer program may be stored in a tangible computer readable storage medium, such as, but not limited to, any type of disk including floppy disks, optical disks, CD-ROMs, magnetic-optical disks, read-only memories (ROM), random-access memories (RAM), EPROMs, EEPROMs, magnetic or optical cards, application specific integrated circuits (ASICs), or any type of media suitable for storing electronic instructions, and each coupled to a computer system bus. Furthermore, any computing systems referred to in the specification may include a single processor or may be architectures employing multiple processor designs for increased computing capability.

The present invention is well suited to a wide variety of computer network systems over numerous topologies. Within this field, the configuration and management of large networks comprise storage devices and computers that are communicatively coupled to dissimilar computers and storage devices over a network, such as the Internet. In addition, the present invention is not limited to any particular programming language. It is appreciated that a variety of programming languages may be used to implement the teachings of the present invention as described herein.

Finally, it should be understood that the language used in this specification has been selected for readability and instructional purposes, and may not have been selected to delineate or circumscribe the inventive subject matter. The scope of the invention is set forth in the following claims.

What is claimed is:

1. A computer implemented method comprising:

storing user profiles of each of a plurality of users of a social networking system;

identifying by the social networking system, a life event of a target user of the social networking system;

selecting by the social networking system, a plurality of candidate users connected to the target user via the social networking system;

receiving, by the social networking system, a plurality of messages from the plurality of candidate users, the plurality of messages associated with the life event of the target user, the plurality of messages sent to the target user via one or more communication channels of the social networking system;

for each of the plurality of candidate users, providing access to the plurality of messages, comprising:

20

receiving, via a user interface, a first request to view social information from the target user, and responsive to receiving the first request to access social network information, providing information describing the plurality of messages for display via the user interface as specified by privacy settings of the target user;

withholding access to the plurality of messages until a delivery time, comprising:

receiving a request from the target user via a user interface, the request to access messages received by the target user, wherein the request provides authentication information, and

withholding information describing the plurality of messages from being displayed to the target user via the user interface in spite of the request providing successful authentication; and

responsive to reaching the delivery time, sending, via the one or more communication channels of the social networking system, the plurality of messages for display via a user interface to a client device of the target user.

2. The computer implemented method of claim 1, further comprising:

determining the delivery time based on the life event of the target user.

3. The computer implemented method of claim 1, further comprising:

sending a determined delivery time to at least a subset of the plurality of candidate users; and

receiving, via a user interface presented to the subset of the plurality of candidate users, a modified delivery time.

4. The computer implemented method of claim 1, wherein the one or more communication channels of the social networking system include communication channels for email notifications, wall posts, or private messages.

5. The computer implemented method of claim 1, wherein the plurality of messages include at least a message comprising an image uploaded by a candidate user.

6. The computer implemented method of claim 1, wherein the plurality of messages include at least a message comprising a link to content provided by a candidate user for providing to the target user.

7. The computer implemented method of claim 1, ranking the plurality of messages for presentation to the target user based on one or more criteria.

8. The computer implemented method of claim 7, wherein the one or more criteria for ranking comprises an affinity between the target user and a candidate user that sent the message.

9. The computer implemented method of claim 7, wherein the one or more criteria for ranking comprises grouping the messages into a plurality of categories and delivering messages belonging to a category together.

10. The computer implemented method of claim 7, wherein a category is associated with a type of connection between the target user and the candidate user sending the message.

11. A non-transitory computer-readable storage medium storing executable computer program instructions, the computer program instructions comprising instructions for:

storing user profiles of each of a plurality of users of a social networking system;

identifying by the social networking system, a life event of a target user of the social networking system;

21

selecting by the social networking system, a plurality of candidate users connected to the target user via the social networking system;

receiving, by the social networking system, a plurality of messages from the plurality of candidate users, the plurality of messages associated with the life event of the target user, the plurality of messages sent to the target user via one or more communication channels of the social networking system;

for each of the plurality of candidate users, providing access to the plurality of messages, comprising:

- receiving, via a user interface, a first request to view social information from the target user, and
- responsive to receiving the first request to access social network information, providing information describing the plurality of messages for display via the user interface as specified by privacy settings of the target user;

withholding access to the plurality of messages until a delivery time, comprising:

- receiving a request from the target user via a user interface, the request to access messages received by the target user, wherein the request provides authentication information, and
- withholding information describing the plurality of messages from being displayed to the target user via the user interface in spite of the request providing successful authentication; and

responsive to reaching the delivery time, sending, via the one or more communication channels of the social networking system, the plurality of messages for display via a user interface to a client device of the target user.

12. The non-transitory computer readable storage medium of claim **11**, wherein the computer program instructions comprise instructions for:

- determining the delivery time based on the life event of the target user.

22

13. The non-transitory computer readable storage medium of claim **11**, wherein the computer program instructions comprise instructions for:

- sending a determined delivery time to at least a subset of the plurality of candidate users; and
- receiving, via a user interface presented to the subset of the plurality of candidate users, a modified delivery time.

14. The non-transitory computer readable storage medium of claim **11**, wherein the one or more communication channels of the social networking system include communication channels for email notifications, wall posts, or private messages.

15. The non-transitory computer readable storage medium of claim **11**, wherein the plurality of messages include at least a message comprising an image uploaded by a candidate user.

16. The non-transitory computer readable storage medium of claim **11**, wherein the plurality of messages include at least a message comprising a link to content provided by a candidate user for providing to the target user.

17. The non-transitory computer readable storage medium of claim **11**, ranking the plurality of messages for presentation to the target user based on one or more criteria.

18. The non-transitory computer readable storage medium of claim **17**, wherein the one or more criteria for ranking comprises an affinity between the target user and a candidate user that sent the message.

19. The non-transitory computer readable storage medium of claim **17**, wherein the one or more criteria for ranking comprises grouping the messages into a plurality of categories and delivering messages belonging to a category together.

20. The non-transitory computer readable storage medium of claim **17**, wherein a category is associated with a type of connection between the target user and the candidate user sending the message.

* * * * *