



US00D348836S

United States Patent [19]

[11] Patent Number: **Des. 348,836**

McCallum et al.

[45] Date of Patent: **** Jul. 19, 1994**

[54] **TRANSPORTATION SAFETY RING FOR CYLINDRICAL CONTAINERS**

[75] Inventors: **Duncan J. McCallum, Hinsdale; John P. Williams, Geneva; Robert C. Jack, Schaumburg, all of Ill.**

[73] Assignee: **Armstrong Containers, Inc., Westchester, Ill.**

[**] Term: **14 Years**

[21] Appl. No.: **711,433**

[22] Filed: **Jun. 6, 1991**

[52] U.S. Cl. **D9/456; D9/434**

[58] **Field of Search** **D9/434-440, D9/443-445, 447-449, 451-456, 499; 215/200; 220/259, 270, 276, 306, 352; 229/1.5 B; D17/22**

[56] **References Cited**

U.S. PATENT DOCUMENTS

- D. 267,494 1/1983 Hardy D17/22
- D. 270,620 9/1983 Owens D9/447
- D. 285,778 9/1986 Smith D9/434
- D. 286,508 11/1986 Tilden D9/435

- D. 315,309 3/1991 Baughman D9/434 X
- D. 321,325 11/1991 Petrus D9/435
- D. 338,621 8/1993 Balson D9/434
- 3,809,284 5/1974 Churan D9/443 X
- 4,969,570 11/1990 Harvey, Sr. D9/434 X


Primary Examiner—Alan P. Douglas
Assistant Examiner—Robert M. Spear
Attorney, Agent, or Firm—McCaleb, Lucas & Brugman

[57] **CLAIM**

The ornamental design for a transportation safety ring for cylindrical containers, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a transportation safety ring embodying the ornamental design of this invention; FIG. 2 is a top plan view of the ring illustrated in FIG. 1;
FIG. 3 is a bottom plan view thereof;
FIG. 4 is a front elevation thereof;
FIG. 5 is a side elevation thereof;
FIG. 6 is a rear elevation thereof; and,
FIG. 7 is a cross sectional view taken substantially along vantage line 7—7 of FIG. 1 and looking in the direction of the arrows thereon.






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7