



US00PP20293P2

(12) **United States Plant Patent**
Tristram

(10) **Patent No.:** **US PP20,293 P2**

(45) **Date of Patent:** **Sep. 15, 2009**

(54) **AJUGA PLANT NAMED ‘BINPARCOL’**

(52) **U.S. Cl.** **Plt./401**

(50) Latin Name: *Ajuga reptans*
Varietal Denomination: **BINPARCOL**

(58) **Field of Classification Search** Plt./401
See application file for complete search history.

(76) Inventor: **Mike Tristram**, Binsted, Arundel, West
Sussex (GB), BN18 0LL

Primary Examiner—Annette H Para

(*) Notice: Subject to any disclaimer, the term of this
patent is extended or adjusted under 35
U.S.C. 154(b) by 19 days.

(57) **ABSTRACT**

A new and distinct cultivar of *Ajuga* named ‘BINPARCOL’
that is characterized by compact mat-forming habit, multi-
color foliage, and light blue flowers. In combination these
traits set ‘BINPARCOL’ apart from all other existing variet-
ies of *Ajuga* known to the inventor.

(21) Appl. No.: **12/220,648**

(22) Filed: **Jul. 24, 2008**

(51) **Int. Cl.**
A01H 5/00 (2006.01)

2 Drawing Sheets

1

2

Genus: *Ajuga*.
Species: *reptans*.
Denomination: ‘BINPARCOL’.

BACKGROUND OF THE INVENTION

The present invention relates to a new variety of bugle
grown for use in container, rock garden, and as a small-scale
groundcover for the landscape. The new invention from the
family Labiateae is known botanically as *Ajuga reptans* and
will be referred to hereinafter as ‘BINPARCOL’.

The new cultivar named ‘BINPARCOL’ has resulted from
a breeding program established at the inventor’s nursery in
West Sussex, United Kingdom, in 2004. The aim of the
breeding program is to produce new and improved varieties
of *Ajuga* which are robust in cultivation and colorful in the
landscape. In particular, the inventor wished to develop new
varieties which are consistent with the robust qualities of the
inventor’s *Ajuga* variety, *Ajuga* ‘Black Scallop’ (U.S. Plant
Pat. No. 15,815). Thus the criteria for selection include foliage
interest through pronounced and contrasting leaf
coloration, and broader, glossier and thicker leaves which
confer robustness, tolerance to high temperatures and light
intensity, and resistance to powdery mildew attack.

‘BINPARCOL’ was selected by the inventor in 2006 from
a variable population of vegetatively propagated plants of
Ajuga ‘Burgundy Glow’ (unpatented). ‘Burgundy Glow’ is a
variegated variety which, due to its variegation, does not
reproduce entirely true to type when asexually reproduced,
especially using tissue culture. Initially, seven unique tissue
culture explant clones of potential were isolated and sub-
jected to subsequent vegetative propagation and growing on
in a range of container sizes, for repeated evaluation of over-
all appearance, robustness, distinctness, and uniformity.
From these growing trials, ‘BINPARCOL’ was selected as
having the brightest multi-colored foliage and the most com-
pact habit. Although ‘BINPARCOL’ has a constantly creep-
ing habit, its stems and branches have short internodes and
growth extends by approximately 6–9 inches per year.

‘BINPARCOL’ exhibits compact, mat-forming habit,
large, glossy, thick multi-colored leaves, and light blue flow-
ers that bloom in late summer. Cultural needs include full

sun, moisture retentive soil, and moderate water. ‘BINPAR-
COL’ exhibits resistance to powdery mildew, and is hardy to
USDA Zone 3.

The pattern of foliage coloration is unique to this variety,
and is best illustrated by a series of drawings. The leaf exhib-
its color elements of cream-white around the edges, grey-
green in the body of the leaf, and rose-red in centers. A
portion of individual leaves are entirely suffused by rose-
pink color. Overall the foliage is brighter, with rounder,
thicker leaves.

‘BINPARCOL’ is distinguishable from all other *Ajuga*
known to the inventor. The closest comparison plant is the
parent plant *Ajuga* ‘Burgundy Glow’. The new variety ‘BIN-
PARCOL’ is distinguishable from ‘Burgundy Glow’ by
larger, round, thicker leaves, and brighter foliage color with
prominent contrasting cream-white leaf edges.

The first asexual reproduction of ‘BINPARCOL’ occurred
in 2006 and was accomplished at the inventor’s nursery in
West Sussex, United Kingdom. Asexual propagation was
carried out by the inventor using the method of stem cut-
tings. Since that time under careful observation ‘BINPAR-
COL’ has been determined fixed, stable and true to type in
subsequent generations of asexual propagation.

SUMMARY OF THE INVENTION

The following traits have been repeatedly observed and
represent the distinguishing characteristics of the new *Ajuga*
cultivar named ‘BINPARCOL’. These traits in combination
distinguish ‘BINPARCOL’ from all other existing varieties
of *Ajuga* known to the inventor. ‘BINPARCOL’ has not been
tested under all possible conditions. Phenotypic differences
may be observed with variations in environmental, climatic,
and cultural conditions without however any variance in
genotype.

1. ‘BINPARCOL’ exhibits compact mat-forming habit.
2. The stems and branches of ‘BINPARCOL’ are com-
prised of short internodes and the rate of stem growth is
approximately 6 inches per year.
3. ‘BINPARCOL’ reaches a maximum height of 200 mm.

4. 'BINPARCOL' exhibits multi-colored leaves that are cream-white, grey-green and rose-red in color.
5. Individual leaves on 'BINPARCOL' are entirely suffused by rose-pink color.
6. 'BINPARCOL' exhibits light blue flowers which bloom in late summer.
7. 'BINPARCOL' is hardy to USDA Zone 3.

BRIEF DESCRIPTION OF THE DRAWINGS

The accompanying color drawings illustrate the overall appearance of the new *Ajuga* cultivar named 'BINPARCOL' showing color as true as is reasonably possible to obtain in color reproductions of this type. Color in the drawings may differ from color values cited in the detailed botanical description, which accurately describe the actual color of the new variety 'BINPARCOL'.

Drawing labeled FIG. 1 depicts the plant from a side perspective illustrating the multi-color foliage.

Drawing labeled FIG. 2 depicts the flower.

Drawings were made using conventional techniques and although flower and foliage color may appear different from actual color due to light reflectance, they are as accurate as possible by conventional photography.

BOTANICAL DESCRIPTION OF THE PLANT

The following is a detailed botanical description of the new *Ajuga* cultivar named 'BINPARCOL'. Observations, measurements, values and comparisons were collected in Arroyo Grande, Calif. from 9-month-old plants in 1-liter containers. Color determinations are made in accordance with the 2001 Royal Horticultural Society Colour Chart from London, England, except where general color terms of ordinary dictionary significance are used. The growing requirements of the new variety 'BINPARCOL' are similar to the species.

Botanical classification: *Ajuga reptans* 'BINPARCOL'.

Family: Labiateae.

Genus: *Ajuga*.

Species: *reptans*.

Denomination: 'BINPARCOL'.

Common name: Bugle.

Habit: Compact mat-forming.

Commercial category: Perennial herb.

Use: Container, rock garden, and small-scale groundcover for the landscape.

Suggested commercial container size: 1-liter container.

Parentage: *Ajuga reptans* 'BINPARCOL' is a clonal selection resulting from a formal breeding program. The sole parent is *Ajuga* 'Burgundy Glow' (unpatented).

Propagation method: Methods of tip cuttings, and division.

Rooting system: Fine.

Vigor (range): Low to moderate.

Crop time (range): 9–12 months to produce a 1-liter container from stem cuttings.

Temperature (range): The recommended air temperature is 20–21° Centigrade.

Plant dimensions (at maturity): A maximum of 200 mm. in height and creeping to an indefinite width.

Cultural requirements: Grow in moisture retentive soil, full sun, with moderate water.

Pest or disease resistance: Resistant to mildew.

Hardiness: USDA Zone 3.

Stem:

Shape.—Cylindrical.

Surface.—Glabrous.

Color.—146C.

Stem length (average).—10 cm.

Stem diameter (average).—3 mm.

Internode (average).—1.40 cm.

Foliage:

Type.—Evergreen.

Leaf arrangement.—Opposite.

Leaf division.—Simple.

Leaf margin (range).—Crenate.

Leaf surface (abaxial).—Puberulent and rugose.

Leaf surface (adaxial).—Glabrous and rugose.

Leaf appearance.—Glossy.

Leaf shape.—Reniform.

Leaf length (average).—3.50 cm.

Leaf width (average).—4 cm.

Leaf color (abaxial surface).—182C, N138C and 161D are all individually present.

Leaf color (adaxial surface).—182A, 185B, N138C and 158A are all individually present.

Leaf apex.—Obtuse.

Leaf base.—Cordate.

Venation.—Pinnate.

Vein color (abaxial and adaxial surfaces).—N138B.

Attachment (range).—Petiolate to clasping.

Petiole shape.—Sulcate.

Petiole surface.—Glabrous.

Petiole color.—N138B.

Petiole dimensions.—0.60 cm. in length and 0.25 cm. in width.

Leaf fragrance.—Scented when bruised.

Inflorescence:

Inflorescence.—Spike.

Inflorescence dimensions.—3.50 cm. in length and 2.50 cm in width.

Flower quantity (range).—10–14 per inflorescence.

Bract (average).—16 per inflorescence.

Bract arrangement.—Whorled.

Bract attachment.—Sessile.

Bract shape (range).—Ovate to reniform.

Bract apex.—Acute.

Bract margin.—Entire.

Peduncle shape.—Tetragonal.

Peduncle surface.—Villous.

Peduncle strength.—Strong.

Peduncle color.—N187B.

Peduncle dimensions (average).—3.25 cm. in height and 4 mm. in width.

Bud shape.—Globose.

Bud color.—N187B.

Bud surface.—Villous.

Bud dimensions.—2.50 mm. in length and 2.50 mm. in width.

Flower shape.—Tubular.

Flower color (ventral and dorsal surface).—94A, 94B, 94C, 94D are all individually present.

Flower dimensions.—9 mm. in depth and 7 mm. in width.

Flower surface (dorsal).—Villous.

Corolla tube depth.—7 mm.

Corolla tube width.—2.75 mm.

Lips.—3 in number.

Lip color (adaxial and abaxial surfaces).—94A, 94B, 94C, 94D are all individually present.

5

Lip margin.—Entire.
Lip surface (abaxial).—Villous.
Lip apex (range).—Rounded to emarginate.
Calyx shape.—Tubular.
Calyx surface (dorsal).—Villous.
Sepals.—5 in number.
Sepals fused or unfused.—Fused.
Sepal color.—189B.
Sepal margin.—Entire.
Sepal apex.—Acute.
Sepal surface (abaxial).—Villous.
Inflorescence fragrance.—None observed.
 Reproductive organs:
Stamen quantity.—4 in number.
Stamen length.—7 mm.
Stamen color.—155A.

6

Anther color.—N186A.
Anther length.—<1 mm.
Pollen amount.—Low.
Pollen color.—162A.
Pistil quantity.—1 in number.
Pistil length.—9 mm.
Pistil color.—155A.
Ovary position.—Superior.
Ovary shape.—Globose.
Ovary dimensions.—1 mm. in height and 1 mm. in diameter.
Ovary color.—144A.
 It is claimed:
 1. A new and distinct cultivar of *Ajuga* plant named 'BIN-PARCOL' as described and illustrated herein.
 * * * * *




FIG. 1



FIG. 2