



R. GROSS.  
CORSET COVER,  
APPLICATION FILED MAR. 1, 1917.

1,237,894.

Patented Aug. 21, 1917.



WITNESSES

William P. Goebel,  
6 Broadway

INVENTOR

BY Rosa Gross,  
M. M. Co.  
ATTORNEYS

# UNITED STATES PATENT OFFICE.

ROSA GROSS, OF NEW YORK, N. Y.

## CORSET-COVER.

1,237,894.

Specification of Letters Patent. Patented Aug. 21, 1917.

Application filed March 1, 1917. Serial No. 151,761.

To all whom it may concern:

Be it known that I, ROSA GROSS, a subject of the King of Great Britain, and a resident of the city of New York, borough of Manhattan, in the county and State of New York, have invented a new and Improved Corset-Cover, of which the following is a full, clear, and exact description.

This invention relates to corset covers, 10 chemises, brassières, dress and waist linings, etc., and has to deal particularly with means attached to or carried by such a piece of apparel to conceal the armpits of the wearer.

The invention has for its general objects 15 to improve the construction of undergarments of the character referred to by providing a novel arm-pit concealing means which is reliable and efficient in use, of neat and attractive appearance and comparatively inexpensive.

A more specific object of the invention is the provision of armpit concealing extensions at the sides of the body of the garment, in combination with means whereby 25 the extensions are kept closely confined to the arms in all positions without, however, being uncomfortable or restraining from free movement.

Another object of the invention is the provision of armpit concealing extensions which, together with the top edges of the garment, are edged with a strip of beading through which a draw string can pass, whereby the drawing together of the garment around the body will automatically 35 adjust the extensions to the arms.

With such objects in view, and others which will appear as the description proceeds, the invention comprises various novel 40 features of construction and arrangement of parts which will be set forth with particularity in the following description and claims appended hereto.

In the accompanying drawing, which illustrates one embodiment of the invention and wherein similar characters of reference indicate corresponding parts in all the views,

Figure 1 is a front perspective view of the garment shown as a corset cover in applied 50 position;

Fig. 2 is a rear perspective view of the garment shown on the figure; and

Fig. 3 is a fragmentary perspective view of the garment detached.

55 Referring to the drawing, A designates the body of the garment which is formed at

opposite sides with armpit concealing extensions 1 which are of such length as to extend under the arms two or three inches from the center of the armpit, and the width 60 of the extensions is such that only the inner side of the arm will be covered. A loop or strap 2 extends from the front edge 3 to the back edge 4 of each extension, and this loop passes over the outside of the arm, 65 whereby the extensions will be held in proper position. The body portion of the garment can be held in proper position by shoulder straps 5. Any desired number or arrangement of arm or shoulder straps may 70 be employed. The top edge of the body of the garment is provided with a strip of beading 6 which is continued along the edges of the armpit concealing extensions 1 and through this continuous beading is run a 75 draw string 7. When the garment is adjusted the ends are buttoned together in the usual manner, and then the draw string 7 is pulled so as to gather the top portion of the garment snugly around the body, and by 80 thus pulling the ends of the draw string the armpit concealing extensions will be adjusted snugly to the arms. In other words, the openings formed by the arm straps 2 and extensions 1 can be contracted to the girth 85 of the arms, whereby the extensions will be held in contact with the under sides of the arms and thereby prevent exposing of the armpits.

From the foregoing description taken 90 in connection with the accompanying drawing, the advantages of the construction and method of operation will be readily understood by those skilled in the art to which the invention appertains, and while I have 95 described the principle of operation, together with the article which I now consider to be the best embodiment thereof, I desire to have it understood that the article shown is merely illustrative and that such changes 100 may be made when desired as fall within the scope of the appended claims.

Having thus described my invention, I claim as new and desire to secure by Letters Patent:

1. A garment of the class described comprising a shoulderless body and formed with armpit concealing extensions having front and rear edges in continuation of the front and rear edges of the body, shoulder-embracing means connected with the front and rear of the body, arm-embracing means connected 105

105

110

with the said extensions, and draw means spaced from the first-mentioned means and connected with the corners of the extensions, to hold the latter close to the under side of 5 the arms.

2. A garment of the class described comprising a body having armpit concealing extensions, and a draw string passing along the top edge of the body at the front and 10 along the front, rear, and end edges of the said extensions, whereby the drawing of the strings will gather the garment around the body of the wearer and the extensions around the arms.
- 15 3. A garment of the class described comprising a body having armpit concealing extensions, said extensions covering the inner or under side of the arms, shoulder straps connected with the body at points inwardly

from the extensions, arm straps connected 20 with the extensions and extending around the outside of the arms, and means on the extensions and coöperating with the arm straps for gathering the same close to the arms.

25 4. A garment of the class described comprising a body having armpit concealing extensions, said extensions covering the inner or under side of the arms, straps connected with the extensions and extending around the outside of the arms, a beading extending continuously across the front of the body and along the edges of the extensions and across the back of the body, and a draw string extending continuously through the 30 beading.

25

30

35

ROSA GROSS.

Copies of this patent may be obtained for five cents each, by addressing the "Commissioner of Patents, Washington, D. C."