



US0D1068435S

(12) **United States Design Patent**
Spadavecchia et al.

(10) **Patent No.:** **US D1,068,435 S**

(45) **Date of Patent:** **** Apr. 1, 2025**

(54) **HANDLE**

(71) Applicant: **Polymer Solutions International Inc.,**
Medford, NJ (US)

(72) Inventors: **John Spadavecchia**, Atlantic Beach,
NC (US); **Walter T. Blanchard**, Alamo
Heights, TX (US); **Jeffrey Jacobs**,
Lexington, SC (US); **Joseph Travis**
Newton, Lawrenceburg, KY (US)

(73) Assignee: **Polymer Solutions International Inc.,**
Medford, NJ (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/881,700**

(22) Filed: **Jan. 5, 2023**

(51) **LOC (15) Cl.** **09-01**

(52) **U.S. Cl.**

USPC **D9/531; D8/320**

(58) **Field of Classification Search**

USPC D8/300, 301, 303, 315, 316, 317, 318,
D8/319, 320; D9/434, 443, 530–536;
D7/622, 393, 394, 395

CPC A45F 5/10; A45F 5/102; B65D 23/104;
B65D 23/106

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D29,333 S *	9/1898	Seymour	D8/DIG. 1
3,306,507 A *	2/1967	Wilson	A45F 5/102
				294/169
D605,937 S *	12/2009	Lovelace, Jr.	D9/434
D668,146 S	10/2012	Kelly et al.	
D668,147 S *	10/2012	Kelly	D9/434
D847,627 S *	5/2019	Kelly	D9/434
D879,583 S *	3/2020	Bunn	D8/316
D933,448 S *	10/2021	Spadavecchia	D8/301

2003/0006210 A1 *	1/2003	Iizuka	B65D 23/106
				215/398
2004/0083603 A1 *	5/2004	Yu	B29C 49/20
				29/774
2007/0045225 A1 *	3/2007	Jhuang	B65D 23/106
				215/396

(Continued)

OTHER PUBLICATIONS

5 Gallon Handles, posted Sep. 24, 2020 [online], [retrieved Nov. 13, 2024]. Retrieved from internet, <https://prostack.com/product/5-gallon-handles/> (Year: 2020).*

Primary Examiner — Calvin E Vansant
Assistant Examiner — Benjamin L. Gray
(74) *Attorney, Agent, or Firm* — Buchanan Ingersoll & Rooney PC


CLAIM

(57) The ornamental design for a handle as shown and described.

DESCRIPTION

FIG. 1 is a top side perspective view of a handle according to a first exemplary embodiment;
FIG. 2 is a bottom side perspective view thereof;
FIG. 3 is a top plan view thereof;
FIG. 4 is a bottom plan view thereof;
FIG. 5 is a front elevation view thereof;
FIG. 6 is a rear elevation view thereof;
FIG. 7 is a left side elevation view thereof; and
FIG. 8 is a right side elevation view thereof.
FIG. 9 is a top side perspective view of a handle according to a second exemplary embodiment;
FIG. 10 is a bottom side perspective view thereof;
FIG. 11 is a top plan view thereof;
FIG. 12 is a bottom plan view thereof;
FIG. 13 is a front elevation view thereof;
FIG. 14 is a rear elevation view thereof;
FIG. 15 is a left side elevation view thereof; and,
FIG. 16 is a right side elevation view thereof.

1 Claim, 10 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

2015/0151869 A1* 6/2015 Dominguez B29C 49/62
425/522
2016/0129622 A1* 5/2016 Usami B65D 23/106
215/398
2024/0367858 A1* 11/2024 Spadavecchia B65D 23/104

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16