

(12) STANDARD PATENT
(19) AUSTRALIAN PATENT OFFICE

(11) Application No. **AU 2018329937 B2**

(54) Title
PROTEINS BINDING NKG2D, CD16 AND NECTIN4

(51) International Patent Classification(s)
C07K 16/28 (2006.01) **C12N 5/0783** (2010.01)
C07K 16/30 (2006.01)

(21) Application No: **2018329937** (22) Date of Filing: **2018.09.07**

(87) WIPO No: **WO19/051308**

(30) Priority Data

(31) Number	(32) Date	(33) Country
62/566,824	2017.10.02	US
62/555,110	2017.09.07	US

(43) Publication Date: **2019.03.14**

(44) Accepted Journal Date: **2024.09.12**

(71) Applicant(s)
Dragonfly Therapeutics, Inc.

(72) Inventor(s)
CHANG, Gregory P.;CHEUNG, Ann F.;HANEY, William;LUNDE, Bradley M.;PRINZ, Biana;GRINBERG, Asya

(74) Agent / Attorney
Spruson & Ferguson, GPO Box 3898, Sydney, NSW, 2001, AU

(56) Related Art
SZUN SZUN TAY ET AL: "TriKEs and BiKEs join CARs on the cancer immunotherapy highway", HUMAN VACCINES & IMMUNOTHERAPEUTICS, vol. 12, no. 11, 20 June 2016 (2016-06-20), pages 2790 - 2796, DOI: 10.1080/21645515.2016.1198455



(51) International Patent Classification:

C07K 16/28 (2006.01) C12N 5/0783 (2010.01)

C07K 16/30 (2006.01)

(21) International Application Number:

PCT/US2018/050073

(22) International Filing Date:

07 September 2018 (07.09.2018)

(25) Filing Language:

English

(26) Publication Language:

English

(30) Priority Data:

62/555,110 07 September 2017 (07.09.2017) US

62/566,824 02 October 2017 (02.10.2017) US

(71) Applicant: DRAGONFLY THERAPEUTICS, INC.

[US/US]; 35 Gatehouse Drive, Waltham, MA 02451 (US).

(72) Inventors: CHANG, Gregory, P.; 143 Saunders Street,

Medford, MA 02155 (US). CHEUNG, Ann, F.; 25 Morn-

ingside Lane, Lincoln, MA 01773 (US). HANEY, William;

61 Lincoln Road, Wayland, MA 01778 (US). LUNDE,

Bradley, M.; 7 Lucent Drive, Lebanon, NH 03766 (US).

PRINZ, Bianka; 7 Lucent Drive, Lebanon, NH 03766

(US). GRINBERG, Asya; 37 Follen Road, Lexington, MA 02421 (US).

(74) Agent: ASHRAF, Shovon et al.; Goodwin Procter LLP, 100 Northern Avenue, Boston, MA 02210 (US).


(81) Designated States (unless otherwise indicated, for every kind of national protection available): AE, AG, AL, AM, AO, AT, AU, AZ, BA, BB, BG, BH, BN, BR, BW, BY, BZ, CA, CH, CL, CN, CO, CR, CU, CZ, DE, DJ, DK, DM, DO, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, GT, HN, HR, HU, ID, IL, IN, IR, IS, JO, JP, KE, KG, KH, KN, KP, KR, KW, KZ, LA, LC, LK, LR, LS, LU, LY, MA, MD, ME, MG, MK, MN, MW, MX, MY, MZ, NA, NG, NI, NO, NZ, OM, PA, PE, PG, PH, PL, PT, QA, RO, RS, RU, RW, SA, SC, SD, SE, SG, SK, SL, SM, ST, SV, SY, TH, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, ZA, ZM, ZW.

(84) Designated States (unless otherwise indicated, for every kind of regional protection available): ARIPO (BW, GH, GM, KE, LR, LS, MW, MZ, NA, RW, SD, SL, ST, SZ, TZ, UG, ZM, ZW), Eurasian (AM, AZ, BY, KG, KZ, RU, TJ, TM), European (AL, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HR, HU, IE, IS, IT, LT, LU, LV, MC, MK, MT, NL, NO, PL, PT, RO, RS, SE, SI, SK, SM,

(54) Title: PROTEINS BINDING NKG2D, CD16 AND A TUMOR-ASSOCIATED ANTIGEN

FIG. 36

F4 Format



(57) Abstract: Multi-specific binding proteins that bind the NKG2D receptor, CD16, and a tumor-associated antigen are described, as well as pharmaceutical compositions and therapeutic methods useful for the treatment of cancer.



TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW,
KM, ML, MR, NE, SN, TD, TG).

Published:

- *with international search report (Art. 21(3))*
- *before the expiration of the time limit for amending the
claims and to be republished in the event of receipt of
amendments (Rule 48.2(h))*
- *with sequence listing part of description (Rule 5.2(a))*

PROTEINS BINDING NKG2D, CD16 AND NECTIN**CROSS-REFERENCE TO RELATED APPLICATIONS**

5 [0001] This application claims the benefit of and priority to U.S. Provisional Patent Application No. 62/555,110, filed September 7, 2017, and U.S. Provisional Patent Application No. 62/566,824, filed on October 2, 2017, the entire disclosure of each of which is hereby incorporated by reference in its entirety for all purposes.

SEQUENCE LISTING

0 [0002] The instant application contains a Sequence Listing which has been submitted electronically in ASCII format and is hereby incorporated by reference in its entirety. Said ASCII copy, created on September 6, 2018, is named DFY-038WO_SL.txt and is 321,395 bytes in size.

FIELD OF THE INVENTION

5 [0003] The invention relates to multi-specific binding proteins that bind to NKG2D, CD16, and a tumor-associated antigen.

BACKGROUND

10 [0004] Cancer continues to be a significant health problem despite the substantial research efforts and scientific advances reported in the literature for treating this disease. Some of the most frequently diagnosed cancers include prostate cancer, breast cancer, lung cancer, and colorectal cancer. Prostate cancer is the most common form of cancer in men. Breast cancer remains a leading cause of death in women. Blood and bone marrow cancers are also frequently diagnosed cancer types, including multiple myelomas, leukemia, and lymphomas. Current treatment options for these cancers are not effective for all patients and/or can have substantial adverse side effects. Other types of cancer also remain challenging to treat using existing therapeutic options.

25 [0005] Cancer immunotherapies are desirable because they are highly specific and can facilitate destruction of cancer cells using the patient's own immune system. Fusion proteins such as bi-specific T-cell engagers are cancer immunotherapies described in the literature that bind to tumor cells and T-cells to facilitate destruction of tumor cells. Antibodies that bind to certain tumor-associated antigens and to certain immune cells have been described in the literature. See, for example WO 2016/134371 and WO 2015/095412.

30

[0006] Natural killer (NK) cells are a component of the innate immune system and make up approximately 15% of circulating lymphocytes. NK cells infiltrate virtually all tissues and were originally characterized by their ability to kill tumor cells effectively without the need for prior sensitization. Activated NK cells kill target cells by means similar to cytotoxic T cells – *i.e.*, via cytolytic granules that contain perforin and granzymes as well as via death receptor pathways. Activated NK cells also secrete inflammatory cytokines such as IFN-
5 gamma and chemokines that promote the recruitment of other leukocytes to the target tissue.

[0007] NK cells respond to signals through a variety of activating and inhibitory receptors on their surface. For example, when NK cells encounter healthy self-cells, their activity is inhibited through activation of the killer-cell immunoglobulin-like receptors (KIRs). Alternatively, when NK cells encounter foreign cells or cancer cells, they are activated via their activating receptors (*e.g.*, Natural killer group 2 member D (NKG2D), NCRs, DNAM1). NK cells are also activated by the constant region of some immunoglobulins through CD16 receptors on their surface. The overall sensitivity of NK
10 cells to activation depends on the sum of stimulatory and inhibitory signals.

[0008] Epithelial cell adhesion molecule (EpCAM) is a transmembrane glycoprotein mediating Ca^{2+} -independent homotypic cell–cell adhesion in epithelia. EpCAM is also involved in cell signaling, migration, proliferation, and differentiation. Additionally, EpCAM has oncogenic potential via its capacity to upregulate c-myc, e-fabp, and cyclins A and E. Since EpCAM is expressed exclusively in epithelia and epithelial-derived neoplasms, EpCAM can be used as diagnostic marker for various cancers, such as head and neck cancer, ovarian cancer, bladder cancer, breast cancer, colorectal cancer, prostate cancer, gastric cancer, liver cancer, esophageal cancer, and lung cancer. It appears to play a role in tumorigenesis and metastasis of carcinomas, so it can also act as a potential prognostic
20 marker and as a potential target for immunotherapeutic strategies.

[0009] CA125, also known as mucin 16, is a member of the mucin family glycoproteins. CA-125 has found application as a tumor marker or biomarker that may be elevated in the blood of some patients with specific types of cancers, including ovarian cancer, endometrial cancer, and pancreatic cancer. CA-125 has been shown to play a role in
30 advancing tumorigenesis and tumor proliferation by several different mechanisms, including suppressing the response of natural killer cells, and thereby protecting cancer cells from the immune response; and by enabling cell growth and promoting cell motility.

[0010] Sodium-dependent phosphate transport protein 2b (NaPi2b) is involved in actively transporting phosphate into cells via Na⁺ co-transport. For example, it is the main phosphate transport protein in the intestinal brush border membrane, and has a role in the synthesis of surfactant in lungs' alveoli. NaPi2b is also an antigen expressed in a variety of cancer, such as lung cancer, ovarian cancer, and thyroid cancer.

[0011] Nectin4 is a member of the Nectin family, which is a family of cellular adhesion molecules involved in Ca²⁺-independent cellular adhesion. Nectins are ubiquitously expressed and have adhesive roles in a wide range of tissues such as the adherens junction of epithelia or the chemical synapse of the neuronal tissue. It is also a tumor associated antigen, and expressed in cancers such as bladder cancer, breast cancer, ovarian cancer, pancreatic cancer, colorectal cancer, and lung cancer.

[0012] Gangliosides have been implicated in many physiological processes, including growth, differentiation, migration, and apoptosis through modulating both cell signaling processes and cell-to-cell and cell-to-matrix interactions. GM1 is a ganglioside, and Fucosyl-GM1 is a ganglioside with a unique structure in which the terminal galactose is α -1,2-fucosylated at the non-reducing end. It is expressed in very few normal tissues but occurs in a variety of cancers such as in small cell lung cancer, neuroblastoma, liver cancer. Consequently, fucosyl-GM1 has been considered to be a candidate as a tumor marker and target antigen in antibody immunotherapy small cell lung cancer, neuroblastoma, liver cancer.

[0013] ADAM (a disintegrin and metalloproteinase) proteins have a predominant role in the protein ectodomain shedding of membrane-bound molecules. They have emerged as critical regulators of cell-cell signaling during development and homeostasis, and are believed to contribute to pathologies, such as cancer, where their regulation is altered. ADAM8, a member the ADAM family, is overexpressed in pancreatic cancer, breast cancer, lung cancer, and renal cancer. ADAM9 has been shown to cleave and release a number of molecules with important roles in tumorigenesis and angiogenesis, such as EGF, FGFR2iiiib, Tie-2, Flk-1, EphB4, CD40, VCAM-1, and VE-cadherin. ADAM9 is overexpressed in renal cancer, breast cancer, lung cancer, liver cancer, pancreatic cancer, melanoma, cervical cancer, prostate cancer, osteosarcoma, and brain cancer.

[0014] SLC44A4, also known as CTL4, is a member of the family of solute carrier proteins known as choline transporter-like proteins (CTL1-5). SLC44A4 has not been shown

to be involved in choline transport, but it has been linked with acetylcholine synthesis and transport as well as uptake of thiamine pyrophosphate, the phosphorylated form of vitamin B1. SLC44A4 is normally expressed on the apical surface of secretory epithelial cells, but it is markedly upregulated in a variety of epithelial tumors, most notably pancreatic cancer, prostate cancer, and gastric cancer.

[0015] CA19-9 is the common term for carbohydrate antigen sialyl Lewis a. It is overexpressed in cancer of the digestive organs such as pancreatic cancer, colorectal cancer, cholangiocarcinoma, and liver cancer. Therefore, it is the most frequently applied serum tumor marker for diagnosis of these above mentioned cancers.

10

SUMMARY

[0016] The invention provides multi-specific binding proteins that bind to a tumor-associated antigen (selected from any one of the antigens provided in Table 11) and to the NKG2D receptor and CD16 receptor on natural killer cells. Such proteins can engage more than one kind of NK activating receptor, and may block the binding of natural ligands to NKG2D. In certain embodiments, the proteins can agonize NK cells in humans, and in other species such as rodents and cynomolgus monkeys. Various aspects and embodiments of the invention are described in further detail below.

[0017] Accordingly, one aspect of the invention provides a protein that incorporates a first antigen-binding site that binds NKG2D; a second antigen-binding site that binds an antigen selected from EpCAM, Cancer Antigen 125 (CA125), sodium/phosphate cotransporter 2B (NaPi2b), Nectin cell adhesion molecule 4 (Nectin4), Fucosyl-GM1 (monosialotetrahexosylganglioside), disintegrin and metalloproteinase domain-containing protein 8 (ADAM8), disintegrin and metalloproteinase domain-containing protein 9 (ADAM9), solute carrier family 44 member 4 (SLC44A4), and sialylated Lewis a antigen (CA19-9); and an antibody Fc domain, a portion thereof sufficient to bind CD16, or a third antigen-binding site that binds CD16. The antigen-binding sites may each incorporate an antibody heavy chain variable domain and an antibody light chain variable domain (*e.g.* arranged as in an antibody, or fused together to form an scFv), or one or more of the antigen-binding sites may be a single domain antibody, such as a V_HH antibody like a camelid antibody or a V_{NAR} antibody like those found in cartilaginous fish.

[0018] The invention provides multi-specific binding proteins that bind the NKG2D receptor, CD16, and an antigen selected from EpCAM, Cancer Antigen 125 (CA125),

sodium/phosphate cotransporter 2B (NaPi2b), Nectin cell adhesion molecule 4 (Nectin4), Fucosyl-GM1 (monosialotetrahexosylganglioside), disintegrin and metalloproteinase domain-containing protein 8 (ADAM8), disintegrin and metalloproteinase domain-containing protein 9 (ADAM9), solute carrier family 44 member 4 (SLC44A4), and sialylated Lewis a antigen (CA19-9).

[0019] Some proteins of the present disclosure include an Fab fragment linked to the antibody Fc domain or a portion thereof sufficient to bind CD16, or the third antigen-binding site that binds CD16.

[0020] Some proteins of the present disclosure include an Fab fragment, wherein the heavy chain portion of the Fab fragment comprises a heavy chain variable domain and a CH1 domain, and wherein the heavy chain variable domain is linked to the CH1 domain.

[0021] Some proteins of the present disclosure include an Fab fragment linked to the antibody Fc domain.

[0022] In one aspect, the invention provides a protein comprising (a) a first antigen-binding site comprising an Fab fragment that binds NKG2D; (b) a second antigen-binding site comprising a single-chain variable fragment (scFv) that binds EpCAM; and (c) an antibody Fc domain or a portion thereof sufficient to bind CD16, or a third antigen-binding site that binds CD16. The present invention provides a protein in which the first antigen-binding site that binds NKG2D is an Fab fragment, and the second antigen-binding site that binds a tumor-associated antigen EpCAM is an scFv.

[0023] Certain proteins described in the present disclosure include an scFv-targeting EpCAM, comprising a heavy chain variable domain and a light chain variable domain, linked to an antibody Fc domain or a portion thereof sufficient to bind CD16, or the third antigen-binding site that binds CD16, via a hinge comprising Ala-Ser or Gly-Ala-Ser. Some proteins of the present disclosure includes an scFv-targeting EpCAM linked to an antibody Fc domain. Some proteins of the present disclosure includes a heavy chain variable domain of an scFv-targeting EpCAM, which forms a disulfide bridge with the light chain variable domain of the scFv.

[0024] Some proteins of the present disclosure include an scFv-targeting EpCAM, in which a disulfide bridge is formed between C44 from the heavy chain variable domain and C100 from the light chain variable domain.

[0025] Some proteins of the present disclosure include an scFv-targeting EpCAM linked to an antibody Fc domain, in which the light chain variable domain of the scFv is positioned

at the N-terminus of the heavy chain variable domain of the scFv, and is linked to the heavy chain variable domain of the scFv via a flexible linker (GlyGlyGlyGlySer)₄ (G4S)₄ (SEQ ID NO:206), and the Fab fragment that binds NKG2D is linked to the antibody Fc domain.

[0026] Some proteins of the present disclosure include an scFv-targeting EpCAM in which the heavy chain variable domain is positioned at the N-terminus or the C-terminus of the light chain variable domain of the scFv.

[0027] Some proteins of the present disclosure include an scFv-targeting EpCAM in which the light chain variable domain is positioned at the N-terminus of the heavy chain variable domain of the scFv.

[0028] In one aspect of the invention provides a protein comprising (a) a first antigen-binding site comprising a single-chain variable fragment (scFv) that binds NKG2D; (b) a second antigen-binding site that binds EpCAM; and (c) an antibody Fc domain or a portion thereof sufficient to bind CD16, or a third antigen-binding site that binds CD16. In certain embodiments, a protein of the present disclosure further comprises an additional antigen-binding site that binds EpCAM. In certain embodiments, the second antigen-binding site of a protein described in the present disclosure is an Fab fragment that binds EpCAM. In certain embodiments, the second and the additional antigen-binding site of a protein described in the present disclosure are Fab fragments that bind EpCAM.

[0029] In certain embodiments, the second and the additional antigen-binding site of a protein described in the present disclosure are scFvs that bind EpCAM. In certain embodiments, the heavy chain variable domain of the scFv that binds NKG2D is positioned at the N-terminus or the C-terminus of the light chain variable domain of the scFv. In certain embodiments, the light chain variable domain is positioned at the N-terminus of the heavy chain variable domain of the scFv that binds NKG2D.

[0030] In certain embodiments, the scFv that binds to NKG2D is linked to the antibody Fc domain or a portion thereof sufficient to bind CD16, or a third antigen-binding site that binds CD16. In certain embodiments, the scFv that binds to NKG2D is linked to the antibody Fc domain or a portion thereof sufficient to bind CD16, or a third antigen-binding site that binds CD16 *via* a hinge comprising Ala-Ser (*e.g.*, in a TriNKET that comprises an additional antigen-binding site that binds EpCAM, CA125, NaPi2b, Nectin4, Fucosyl-GM1, ADAM8, ADAM9, SLC44A4, or CA19-9) or Gly-Ala-Ser (*e.g.*, in a TriNKET that does not comprise an additional antigen-binding site that binds EpCAM, CA125, NaPi2b, Nectin4, Fucosyl-GM1, ADAM8, ADAM9, SLC44A4, or CA19-9). In certain embodiments, the scFv that binds to NKG2D is linked to the C-terminus of the antibody Fc domain or a portion thereof

sufficient to bind CD16, or a third antigen-binding site that binds CD16 *via* a flexible linker comprising G4S. In certain embodiments, the C-terminus of the antibody Fc domain is linked to the N-terminus of the light chain variable domain of the scFv that binds NKG2D.

[0031] In certain embodiments, within the scFv that binds NKG2D, a disulfide bridge is formed between the heavy chain variable domain of the scFv and the light chain variable domain of the scFv. In certain embodiments, the disulfide bridge is formed between C44 from the heavy chain variable domain and C100 from the light chain variable domain.

[0032] Some proteins of the present disclosure include a sequence selected from SEQ ID NO:210 and SEQ ID NO:211.

[0033] Some proteins of the present disclosure include an scFv linked to an antibody Fc domain, wherein the scFv linked to the antibody Fc domain is represented by a sequence selected from SEQ ID NO:208 and SEQ ID NO:209.

[0034] Some proteins of the present disclosure include a sequence of SEQ ID NO:205 and SEQ ID NO:213.

[0035] Some proteins of the present disclosure include a sequence at least 90% identical to an amino acid sequence selected from SEQ ID NO:210 and SEQ ID NO:211.

[0036] Some proteins of the present disclosure include a sequence at least 95% identical to an amino acid sequence selected from SEQ ID NO:210 and SEQ ID NO:211.

[0037] Some proteins of the present disclosure include a sequence at least 99% identical to an amino acid sequence selected from SEQ ID NO:210 and SEQ ID NO:211.

[0038] Some proteins of the present disclosure include an amino acid sequence of SEQ ID NO:203.

[0039] Some proteins of the present disclosure include an amino acid sequence of SEQ ID NO:203 and SEQ ID NO:204.

[0040] Some proteins of the present disclosure include an amino acid sequence at least 90% identical to an amino acid sequence of SEQ ID NO:203. Some proteins of the present disclosure include an amino acid sequence at least 95% identical to an amino acid sequence of SEQ ID NO:203. Some proteins of the present disclosure include an amino acid sequence at least 99% identical to an amino acid sequence of SEQ ID NO:203.

[0041] The first antigen-binding site, which binds to NKG2D, in some embodiments, can incorporate a heavy chain variable domain related to SEQ ID NO:1, such as by having an amino acid sequence at least 90% (*e.g.*, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, or 100%) identical to SEQ ID NO:1, and/or incorporating amino acid sequences identical to the CDR1 (SEQ ID NO:105), CDR2 (SEQ ID NO:106), and CDR3 (SEQ ID

NO:107) sequences of SEQ ID NO:1. The heavy chain variable domain related to SEQ ID NO:1 can be coupled with a variety of light chain variable domains to form an NKG2D binding site. For example, the first antigen-binding site that incorporates a heavy chain variable domain related to SEQ ID NO:1 can further incorporate a light chain variable domain selected from any one of the sequences related to SEQ ID NOs:2, 4, 6, 8, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30, 32, 34, 36, 38, and 40. For example, the first antigen-binding site incorporates a heavy chain variable domain with amino acid sequences at least 90% (*e.g.*, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, or 100%) identical to SEQ ID NO:1 and a light chain variable domain with amino acid sequences at least 90% (*e.g.*, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, or 100%) identical to any one of the sequences selected from SEQ ID NOs:2, 4, 6, 8, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30, 32, 34, 36, 38, and 40.

[0042] Alternatively, the first antigen-binding site can incorporate a heavy chain variable domain related to SEQ ID NO:41 and a light chain variable domain related to SEQ ID NO:42. For example, the heavy chain variable domain of the first antigen-binding site can be at least 90% (*e.g.*, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, or 100%) identical to SEQ ID NO:41, and/or incorporate amino acid sequences identical to the CDR1 (SEQ ID NO:43), CDR2 (SEQ ID NO:44), and CDR3 (SEQ ID NO:45) sequences of SEQ ID NO:41. Similarly, the light chain variable domain of the second antigen-binding site can be at least 90% (*e.g.*, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, or 100%) identical to SEQ ID NO:42, and/or incorporate amino acid sequences identical to the CDR1 (SEQ ID NO:46), CDR2 (SEQ ID NO:47), and CDR3 (SEQ ID NO:48) sequences of SEQ ID NO:42.

[0043] In other embodiments, the first antigen-binding site can incorporate a heavy chain variable domain related to SEQ ID NO:49 and a light chain variable domain related to SEQ ID NO:50. For example, the heavy chain variable domain of the first antigen-binding site can be at least 90% (*e.g.*, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, or 100%) identical to SEQ ID NO:49, and/or incorporate amino acid sequences identical to the CDR1 (SEQ ID NO:51), CDR2 (SEQ ID NO:52), and CDR3 (SEQ ID NO:53) sequences of SEQ ID NO:49. Similarly, the light chain variable domain of the second antigen-binding site can be at least 90% (*e.g.*, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, or 100%) identical to SEQ ID NO:50, and/or incorporate amino acid sequences identical to the CDR1

(SEQ ID NO:54), CDR2 (SEQ ID NO:55), and CDR3 (SEQ ID NO:56) sequences of SEQ ID NO:50.

[0044] Alternatively, the first antigen-binding site can incorporate a heavy chain variable domain related to SEQ ID NO:57 and a light chain variable domain related to SEQ ID

5 NO:58, such as by having amino acid sequences at least 90% (*e.g.*, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, or 100%) identical to SEQ ID NO:57 and at least 90% (*e.g.*, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, or 100%) identical to SEQ ID NO:58, respectively.

[0045] In another embodiment, the first antigen-binding site can incorporate a heavy

10 chain variable domain related to SEQ ID NO:59 and a light chain variable domain related to SEQ ID NO:60. For example, the heavy chain variable domain of the first antigen-binding site can be at least 90% (*e.g.*, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, or 100%) identical to SEQ ID NO:59, and/or incorporate amino acid sequences identical to the CDR1 (SEQ ID NO:109), CDR2 (SEQ ID NO:110), and CDR3 (SEQ ID NO:111) sequences
15 of SEQ ID NO:59. Similarly, the light chain variable domain of the second antigen-binding site can be at least 90% (*e.g.*, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, or 100%) identical to SEQ ID NO:60, and/or incorporate amino acid sequences identical to the CDR1 (SEQ ID NO:112), CDR2 (SEQ ID NO:113), and CDR3 (SEQ ID NO:114) sequences of SEQ ID NO:60.

20 **[0046]** The first antigen-binding site, which binds to NKG2D, in some embodiments, can incorporate a heavy chain variable domain related to SEQ ID NO:61 and a light chain variable domain related to SEQ ID NO:62. For example, the heavy chain variable domain of

the first antigen-binding site can be at least 90% (*e.g.*, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, or 100%) identical to SEQ ID NO:61, and/or incorporate amino acid
25 sequences identical to the CDR1 (SEQ ID NO:63), CDR2 (SEQ ID NO:64), and CDR3 (SEQ ID NO:65) sequences of SEQ ID NO:61. Similarly, the light chain variable domain of the second antigen-binding site can be at least 90% (*e.g.*, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, or 100%) identical to SEQ ID NO:62, and/or incorporate amino acid sequences identical to the CDR1 (SEQ ID NO:66), CDR2 (SEQ ID NO:67), and CDR3 (SEQ
30 ID NO:68) sequences of SEQ ID NO:62.

[0047] In some embodiments, the first antigen-binding site can incorporate a heavy chain variable domain related to SEQ ID NO:69 and a light chain variable domain related to SEQ

ID NO:70. For example, the heavy chain variable domain of the first antigen-binding site can be at least 90% (*e.g.*, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, or 100%) identical to SEQ ID NO:69, and/or incorporate amino acid sequences identical to the CDR1 (SEQ ID NO:71), CDR2 (SEQ ID NO:72), and CDR3 (SEQ ID NO:73) sequences of SEQ ID NO:69. Similarly, the light chain variable domain of the second antigen-binding site can be at least 90% (*e.g.*, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, or 100%) identical to SEQ ID NO:70, and/or incorporate amino acid sequences identical to the CDR1 (SEQ ID NO:74), CDR2 (SEQ ID NO:75), and CDR3 (SEQ ID NO:76) sequences of SEQ ID NO:70.

10 **[0048]** In some embodiments, the first antigen-binding site can incorporate a heavy chain variable domain related to SEQ ID NO:77 and a light chain variable domain related to SEQ ID NO:78. For example, the heavy chain variable domain of the first antigen-binding site can be at least 90% (*e.g.*, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, or 100%) identical to SEQ ID NO:77, and/or incorporate amino acid sequences identical to the CDR1 (SEQ ID NO:79), CDR2 (SEQ ID NO:80), and CDR3 (SEQ ID NO:81) sequences of SEQ ID NO:77. Similarly, the light chain variable domain of the second antigen-binding site can be at least 90% (*e.g.*, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, or 100%) identical to SEQ ID NO:78, and/or incorporate amino acid sequences identical to the CDR1 (SEQ ID NO:82), CDR2 (SEQ ID NO:83), and CDR3 (SEQ ID NO:84) sequences of SEQ ID NO:78.

25 **[0049]** In some embodiments, the first antigen-binding site can incorporate a heavy chain variable domain related to SEQ ID NO:85 and a light chain variable domain related to SEQ ID NO:86. For example, the heavy chain variable domain of the first antigen-binding site can be at least 90% (*e.g.*, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, or 100%) identical to SEQ ID NO:85, and/or incorporate amino acid sequences identical to the CDR1 (SEQ ID NO:87), CDR2 (SEQ ID NO:88), and CDR3 (SEQ ID NO:89) sequences of SEQ ID NO:85. Similarly, the light chain variable domain of the second antigen-binding site can be at least 90% (*e.g.*, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, or 100%) identical to SEQ ID NO:86, and/or incorporate amino acid sequences identical to the CDR1 (SEQ ID NO:90), CDR2 (SEQ ID NO:91), and CDR3 (SEQ ID NO:92) sequences of SEQ ID NO:86.

30 **[0050]** In some embodiments, the first antigen-binding site can incorporate a heavy chain variable domain related to SEQ ID NO:93 and a light chain variable domain related to SEQ

ID NO:94. For example, the heavy chain variable domain of the first antigen-binding site can be at least 90% (*e.g.*, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, or 100%) identical to SEQ ID NO:93, and/or incorporate amino acid sequences identical to the CDR1 (SEQ ID NO:95), CDR2 (SEQ ID NO:96), and CDR3 (SEQ ID NO:97) sequences of SEQ ID NO:93. Similarly, the light chain variable domain of the second antigen-binding site can be at least 90% (*e.g.*, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, or 100%) identical to SEQ ID NO:94, and/or incorporate amino acid sequences identical to the CDR1 (SEQ ID NO:98), CDR2 (SEQ ID NO:99), and CDR3 (SEQ ID NO:100) sequences of SEQ ID NO:94.

10 **[0051]** In some embodiments, the first antigen-binding site can incorporate a heavy chain variable domain related to SEQ ID NO:101 and a light chain variable domain related to SEQ ID NO:102, such as by having amino acid sequences at least 90% (*e.g.*, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, or 100%) identical to SEQ ID NO:101 and at least 90% (*e.g.*, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, or 100%) identical to
15 SEQ ID NO:102, respectively.

[0052] In some embodiments, the first antigen-binding site can incorporate a heavy chain variable domain related to SEQ ID NO:103 and a light chain variable domain related to SEQ ID NO:104, such as by having amino acid sequences at least 90% (*e.g.*, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, or 100%) identical to SEQ ID NO:103 and at least
20 90% (*e.g.*, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, or 100%) identical to SEQ ID NO:104, respectively.

[0053] In some embodiments, the second antigen-binding site can bind to EpCAM and can incorporate a heavy chain variable domain related to SEQ ID NO:115 and a light chain variable domain related to SEQ ID NO:119. For example, the heavy chain variable domain of
25 the second antigen-binding site can be at least 90% (*e.g.*, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, or 100%) identical to SEQ ID NO:115, and/or incorporate amino acid sequences identical to the CDR1 (SEQ ID NO:116), CDR2 (SEQ ID NO:117), and CDR3 (SEQ ID NO:118) sequences of SEQ ID NO:115. Similarly, the light chain variable domain of the second antigen-binding site can be at least 90% (*e.g.*, 90%, 91%, 92%, 93%, 94%,
30 95%, 96%, 97%, 98%, 99%, or 100%) identical to SEQ ID NO:119, and/or incorporate amino acid sequences identical to the CDR1 (SEQ ID NO:120), CDR2 (SEQ ID NO:121), and CDR3 (SEQ ID NO:122) sequences of SEQ ID NO:119.

[0054] In some embodiments, the second antigen-binding site can bind to EpCAM and can incorporate a heavy chain variable domain related to SEQ ID NO:123 and a light chain variable domain related to SEQ ID NO:127. For example, the heavy chain variable domain of the second antigen-binding site can be at least 90% (*e.g.*, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, or 100%) identical to SEQ ID NO:123, and/or incorporate amino acid sequences identical to the CDR1 (SEQ ID NO:124), CDR2 (SEQ ID NO:125), and CDR3 (SEQ ID NO:126) sequences of SEQ ID NO:123. Similarly, the light chain variable domain of the second antigen-binding site can be at least 90% (*e.g.*, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, or 100%) identical to SEQ ID NO:127, and/or incorporate amino acid sequences identical to the CDR1 (SEQ ID NO:128), CDR2 (SEQ ID NO:129), and CDR3 (SEQ ID NO:130) sequences of SEQ ID NO:127.

[0055] In some embodiments, the second antigen-binding site can bind to EpCAM and can incorporate a heavy chain variable domain related to SEQ ID NO:131 and a light chain variable domain related to SEQ ID NO:135. For example, the heavy chain variable domain of the second antigen-binding site can be at least 90% (*e.g.*, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, or 100%) identical to SEQ ID NO:131, and/or incorporate amino acid sequences identical to the CDR1 (SEQ ID NO:132), CDR2 (SEQ ID NO:133), and CDR3 (SEQ ID NO:134) sequences of SEQ ID NO:131. Similarly, the light chain variable domain of the second antigen-binding site can be at least 90% (*e.g.*, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, or 100%) identical to SEQ ID NO:135, and/or incorporate amino acid sequences identical to the CDR1 (SEQ ID NO:136), CDR2 (SEQ ID NO:137), and CDR3 (SEQ ID NO:138) sequences of SEQ ID NO:135.

[0056] In some embodiments, the second antigen-binding site can bind to EpCAM and can incorporate a heavy chain variable domain related to SEQ ID NO:139 and a light chain variable domain related to SEQ ID NO:143. For example, the heavy chain variable domain of the second antigen-binding site can be at least 90% (*e.g.*, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, or 100%) identical to SEQ ID NO:139, and/or incorporate amino acid sequences identical to the CDR1 (SEQ ID NO:140), CDR2 (SEQ ID NO:141), and CDR3 (SEQ ID NO:142) sequences of SEQ ID NO:139. Similarly, the light chain variable domain of the second antigen-binding site can be at least 90% (*e.g.*, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, or 100%) identical to SEQ ID NO:143, and/or incorporate amino acid sequences identical to the CDR1 (SEQ ID NO:144), CDR2 (SEQ ID NO:145), and CDR3 (SEQ ID NO:146) sequences of SEQ ID NO:143.

[0057] In some embodiments, the second antigen-binding site can bind to CA125 and can incorporate a heavy chain variable domain related to SEQ ID NO:155 and a light chain variable domain related to SEQ ID NO:159. For example, the heavy chain variable domain of the second antigen-binding site can be at least 90% (*e.g.*, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, or 100%) identical to SEQ ID NO:155, and/or incorporate amino acid sequences identical to the CDR1 (SEQ ID NO:156), CDR2 (SEQ ID NO:157), and CDR3 (SEQ ID NO:158) sequences of SEQ ID NO:155. Similarly, the light chain variable domain of the second antigen-binding site can be at least 90% (*e.g.*, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, or 100%) identical to SEQ ID NO:159, and/or incorporate amino acid sequences identical to the CDR1 (SEQ ID NO:160), CDR2 (SEQ ID NO:161), and CDR3 (SEQ ID NO:162) sequences of SEQ ID NO:159.

[0058] In some embodiments, the second antigen-binding site can bind to CA125 and can incorporate a heavy chain variable domain related to SEQ ID NO:163 and a light chain variable domain related to SEQ ID NO:167. For example, the heavy chain variable domain of the second antigen-binding site can be at least 90% (*e.g.*, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, or 100%) identical to SEQ ID NO:163, and/or incorporate amino acid sequences identical to the CDR1 (SEQ ID NO:164), CDR2 (SEQ ID NO:165), and CDR3 (SEQ ID NO:166) sequences of SEQ ID NO:163. Similarly, the light chain variable domain of the second antigen-binding site can be at least 90% (*e.g.*, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, or 100%) identical to SEQ ID NO:167, and/or incorporate amino acid sequences identical to the CDR1 (SEQ ID NO:168), CDR2 (SEQ ID NO:169), and CDR3 (SEQ ID NO:170) sequences of SEQ ID NO:167.

[0059] In some embodiments, the second antigen-binding site can bind to NaPi2b and can incorporate a heavy chain variable domain related to SEQ ID NO:171 and a light chain variable domain related to SEQ ID NO:175. For example, the heavy chain variable domain of the second antigen-binding site can be at least 90% (*e.g.*, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, or 100%) identical to SEQ ID NO:171, and/or incorporate amino acid sequences identical to the CDR1 (SEQ ID NO:172), CDR2 (SEQ ID NO:173), and CDR3 (SEQ ID NO:174) sequences of SEQ ID NO:171. Similarly, the light chain variable domain of the second antigen-binding site can be at least 90% (*e.g.*, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, or 100%) identical to SEQ ID NO:175, and/or incorporate amino acid sequences identical to the CDR1 (SEQ ID NO:176), CDR2 (SEQ ID NO:177), and CDR3 (SEQ ID NO:178) sequences of SEQ ID NO:175.

[0060] In some embodiments, the second antigen-binding site can bind to Nectin4 and can incorporate a heavy chain variable domain related to SEQ ID NO:179 and a light chain variable domain related to SEQ ID NO:183. For example, the heavy chain variable domain of the second antigen-binding site can be at least 90% (*e.g.*, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, or 100%) identical to SEQ ID NO:179, and/or incorporate amino acid sequences identical to the CDR1 (SEQ ID NO:180), CDR2 (SEQ ID NO:181), and CDR3 (SEQ ID NO:182) sequences of SEQ ID NO:179. Similarly, the light chain variable domain of the second antigen-binding site can be at least 90% (*e.g.*, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, or 100%) identical to SEQ ID NO:183, and/or incorporate amino acid sequences identical to the CDR1 (SEQ ID NO:184), CDR2 (SEQ ID NO:185), and CDR3 (SEQ ID NO:186) sequences of SEQ ID NO:183.

[0061] In some embodiments, the second antigen-binding site can bind to fucosyl-GM1 and can incorporate a heavy chain variable domain related to SEQ ID NO:187 and a light chain variable domain related to SEQ ID NO:191. For example, the heavy chain variable domain of the second antigen-binding site can be at least 90% (*e.g.*, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, or 100%) identical to SEQ ID NO:187, and/or incorporate amino acid sequences identical to the CDR1 (SEQ ID NO:188), CDR2 (SEQ ID NO:189), and CDR3 (SEQ ID NO:190) sequences of SEQ ID NO:187. Similarly, the light chain variable domain of the second antigen-binding site can be at least 90% (*e.g.*, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, or 100%) identical to SEQ ID NO:191, and/or incorporate amino acid sequences identical to the CDR1 (SEQ ID NO:192), CDR2 (SEQ ID NO:193), and CDR3 (SEQ ID NO:194) sequences of SEQ ID NO:191.

[0062] In some embodiments, the second antigen-binding site can bind to SLC44A4 and can incorporate a heavy chain variable domain related to SEQ ID NO:195 and a light chain variable domain related to SEQ ID NO:199. For example, the heavy chain variable domain of the second antigen-binding site can be at least 90% (*e.g.*, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, or 100%) identical to SEQ ID NO:195, and/or incorporate amino acid sequences identical to the CDR1 (SEQ ID NO:196), CDR2 (SEQ ID NO:197), and CDR3 (SEQ ID NO:198) sequences of SEQ ID NO:195. Similarly, the light chain variable domain of the second antigen-binding site can be at least 90% (*e.g.*, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, or 100%) identical to SEQ ID NO:199, and/or incorporate amino acid sequences identical to the CDR1 (SEQ ID NO:200), CDR2 (SEQ ID NO:201), and CDR3 (SEQ ID NO:202) sequences of SEQ ID NO:199.

[0063] In some embodiments, the second antigen binding site incorporates a light chain variable domain having an amino acid sequence identical to the amino acid sequence of the light chain variable domain present in the first antigen binding site.

[0064] In some embodiments, the protein incorporates a portion of an antibody Fc domain sufficient to bind CD16, wherein the antibody Fc domain comprises hinge and CH2 domains, and/or amino acid sequences at least 90% identical to amino acid sequence 234-332 of a human IgG antibody.

[0065] Some proteins of the present disclosure bind to NKG2D with a K_D of 10 nM or weaker affinity.

[0066] Formulations containing one of these proteins; cells containing one or more nucleic acids expressing these proteins, and methods of enhancing tumor cell death using these proteins are also provided.

[0067] Another aspect of the invention provides a method of treating cancer in a patient. The method comprises administering to a patient in need thereof a therapeutically effective amount of the multi-specific binding protein described herein. Exemplary cancers for treatment using the multi-specific binding proteins include, for example, head and neck cancer, ovarian cancer, bladder cancer, breast cancer, colorectal cancer, prostate cancer, gastric cancer, liver cancer, esophageal cancer, and lung cancer.

BRIEF DESCRIPTION OF THE DRAWINGS

[0068] FIG. 1 is a representation of a heterodimeric, multi-specific antibody (a trispecific binding protein (TriNKET)). Each arm can represent either the NKG2D-binding domain, or the tumor associated antigen-binding domain. In some embodiments, the NKG2D- and the tumor associated antigen- binding domains can share a common light chain.

[0069] FIG. 2 is a representation of a heterodimeric, multi-specific antibody. Either the NKG2D-binding domain or the tumor associated antigen-binding domain can take the scFv format (right arm).

[0070] FIG. 3 are line graphs demonstrating the binding affinity of NKG2D-binding domains (listed as clones) to human recombinant NKG2D in an ELISA assay.

[0071] FIG. 4 are line graphs demonstrating the binding affinity of NKG2D-binding domains (listed as clones) to cynomolgus recombinant NKG2D in an ELISA assay.

[0072] FIG. 5 are line graphs demonstrating the binding affinity of NKG2D-binding domains (listed as clones) to mouse recombinant NKG2D in an ELISA assay.

[0073] FIG. 6 are bar graphs demonstrating the binding of NKG2D-binding domains (listed as clones) to EL4 cells expressing human NKG2D by flow cytometry showing mean fluorescence intensity (MFI) fold over background (FOB).

5 [0074] FIG. 7 are bar graphs demonstrating the binding of NKG2D-binding domains (listed as clones) to EL4 cells expressing mouse NKG2D by flow cytometry showing mean fluorescence intensity (MFI) fold over background (FOB).

[0075] FIG. 8 are line graphs demonstrating specific binding affinity of NKG2D-binding domains (listed as clones) to recombinant human NKG2D-Fc by competing with natural ligand ULBP-6.

10 [0076] FIG. 9 are line graphs demonstrating specific binding affinity of NKG2D-binding domains (listed as clones) to recombinant human NKG2D-Fc by competing with natural ligand MICA.

[0077] FIG. 10 are line graphs demonstrating specific binding affinity of NKG2D-binding domains (listed as clones) to recombinant mouse NKG2D-Fc by competing with
15 natural ligand Rae-1 delta.

[0078] FIG. 11 are bar graphs showing activation of human NKG2D by NKG2D-binding domains (listed as clones) by quantifying the percentage of TNF- α positive cells, which express human NKG2D-CD3 zeta fusion proteins.

[0079] FIG. 12 are bar graphs showing activation of mouse NKG2D by NKG2D-binding
20 domains (listed as clones) by quantifying the percentage of TNF- α positive cells, which express mouse NKG2D-CD3 zeta fusion proteins.

[0080] FIG. 13 are bar graphs showing activation of human NK cells by NKG2D-binding domains (listed as clones).

[0081] FIG. 14 are bar graphs showing activation of human NK cells by NKG2D-binding
25 domains (listed as clones).

[0082] FIG. 15 are bar graphs showing activation of mouse NK cells by NKG2D-binding domains (listed as clones).

[0083] FIG. 16 are bar graphs showing activation of mouse NK cells by NKG2D-binding domains (listed as clones).

[0084] FIG. 17 are bar graphs showing the cytotoxic effect of NKG2D-binding domains (listed as clones) on tumor cells.

[0085] FIG. 18 are bar graphs showing the melting temperature of NKG2D-binding domains (listed as clones) measured by differential scanning fluorimetry.

5 [0086] FIGS. 19A-19C are bar graphs of synergistic activation of NK cells using CD16 and NKG2D-binding. FIG. 19A demonstrates levels of CD107a; FIG. 19B demonstrates levels of IFN- γ ; FIG. 19C demonstrates levels of CD107a and IFN- γ . Graphs indicate the mean ($n = 2$) $\pm$ SD. Data are representative of five independent experiments using five different healthy donors.

10 [0087] FIG. 20 is a representation of a trispecific binding protein (TriNKET) in the Triomab form, which is a trifunctional, bispecific antibody that maintains an IgG-like shape. This chimera consists of two half antibodies, each with one light and one heavy chain, that originate from two parental antibodies. Triomab form may be a heterodimeric construct containing 1/2 of rat antibody and 1/2 of mouse antibody.

15 [0088] FIG. 21 is a representation of a TriNKET in the KiH Common Light Chain form, which involves the knobs-into-holes (KIHS) technology. KiH is a heterodimer containing 2 Fab fragments binding to target 1 and 2, and an Fc stabilized by heterodimerization mutations. TriNKET in the KiH format may be a heterodimeric construct with 2 Fab fragments binding to target 1 and target 2, containing two different heavy chains and a
20 common light chain that pairs with both heavy chains.

[0089] FIG. 22 is a representation of a TriNKET in the dual-variable domain immunoglobulin (DVD-IgTM) form, which combines the target-binding domains of two monoclonal antibodies via flexible naturally occurring linkers, and yields a tetravalent IgG-like molecule. DVD-IgTM is a homodimeric construct where variable domain targeting
25 antigen 2 is fused to the N-terminus of a variable domain of Fab fragment targeting antigen 1. DVD-IgTM form contains normal Fc.

[0090] FIG. 23 is a representation of a TriNKET in the Orthogonal Fab interface (Ortho-Fab) form, which is a heterodimeric construct that contains 2 Fab fragments binding to target 1 and target 2 fused to Fc. Light chain (LC)-heavy chain (HC) pairing is ensured by
30 orthogonal interface. Heterodimerization is ensured by mutations in the Fc.

[0091] FIG. 24 is a representation of a TriNKET in the 2-in-1 Ig format.

[0092] **FIG. 25** is a representation of a TriNKET in the ES form, which is a heterodimeric construct containing two different Fab fragments binding to target 1 and target 2 fused to the Fc. Heterodimerization is ensured by electrostatic steering mutations in the Fc.

[0093] **FIG. 26** is a representation of a TriNKET in the Fab fragment Arm Exchange form: antibodies that exchange Fab arms by swapping a heavy chain and attached light chain (half-molecule) with a heavy-light chain pair from another molecule, resulting in bispecific antibodies. Fab Arm Exchange form (cFae) is a heterodimer containing 2 Fab fragments binding to target 1 and 2, and an Fc stabilized by heterodimerization mutations.

[0094] **FIG. 27** is a representation of a TriNKET in the SEED Body form, which is a heterodimer containing 2 Fab fragments binding to target 1 and 2, and an Fc stabilized by heterodimerization mutations.

[0095] **FIG. 28** is a representation of a TriNKET in the LuZ-Y form, in which a leucine zipper is used to induce heterodimerization of two different HCs. The LuZ-Y form is a heterodimer containing two different scFabs binding to target 1 and 2, fused to Fc.

Heterodimerization is ensured through leucine zipper motifs fused to C-terminus of Fc.

[0096] **FIG. 29** is a representation of a TriNKET in the Cov-X-Body form.

[0097] **FIGs. 30A and 30B** are representations of TriNKETs in the $\kappa\lambda$ -Body forms, which are heterodimeric constructs with two different Fab fragments fused to Fc stabilized by heterodimerization mutations: one Fab fragment targeting antigen 1 contains kappa LC, and the second Fab fragment targeting antigen 2 contains lambda LC. FIG. 30A is an exemplary representation of one form of a $\kappa\lambda$ -Body; FIG. 30B is an exemplary representation of another $\kappa\lambda$ -Body.

[0098] **FIG. 31** is an Oasc-Fab heterodimeric construct that includes Fab fragment binding to target 1 and scFab binding to target 2, both of which are fused to the Fc domain.

Heterodimerization is ensured by mutations in the Fc domain.

[0099] **FIG. 32** is a DuetMab, which is a heterodimeric construct containing two different Fab fragments binding to antigens 1 and 2, and an Fc that is stabilized by heterodimerization mutations. Fab fragments 1 and 2 contain differential S-S bridges that ensure correct light chain and heavy chain pairing.

[0100] **FIG. 33** is a CrossmAb, which is a heterodimeric construct with two different Fab fragments binding to targets 1 and 2, and an Fc stabilized by heterodimerization mutations.

CL and CH1 domains, and VH and VL domains are switched, *e.g.*, CH1 is fused in-line with VL, while CL is fused in-line with VH.

[0101] **FIG. 34** is a Fit-Ig, which is a homodimeric construct where Fab fragment binding to antigen 2 is fused to the N-terminus of HC of Fab fragment that binds to antigen 1. The construct contains wild-type Fc.

[0102] **FIG. 35** illustrates a trispecific antibody (TriNKET) that contains a tumor-associated antigen-binding scFv, a NKG2D-targeting Fab, and a heterodimerized antibody constant region/domain ("CD domain") that binds CD16 (scFv-Fab format). The antibody format is referred herein as F3'-TriNKET.

10 [0103] **FIG. 36** illustrates an exemplary trispecific antibodies (TriNKET), which includes an scFv first antigen-binding site that binds NKG2D, a second antigen-binding site that binds a tumor-associated antigen-binding (*e.g.*, EpCAM), an additional tumor-associated antigen-binding site that binds a tumor-associated antigen-binding (*e.g.*, EpCAM), and a heterodimerized antibody constant region that binds CD16. These antibody formats are referred herein as F4-TriNKET.

[0104] **FIG. 37** are line graphs demonstrating that TriNKETs and mAb bind to EpCAM expressed on H747 human colorectal cancer cells.

[0105] **FIG. 38** are line graphs demonstrating that TriNKETs and mAb bind to EpCAM expressed on HCC827 human lung cancer cells.

20 [0106] **FIG. 39** are line graphs demonstrating that TriNKETs and mAb bind to EPCAM expressed on HCT116 human colorectal cancer cells.

[0107] **FIG. 40A** and **FIG. 40B** are line graphs showing TriNKET-mediated killing of H747 cells with rested human NK cells from two different donors. The effector-to-target ratio was 10:1.

25 [0108] **FIG. 41A** and **FIG. 41B** are line graphs showing TriNKET-mediated killing of HCC827 cells with rested human NK cells from two different donors. The effector-to-target ratio was 10:1.

[0109] **FIG. 42A** and **FIG. 42B** are line graphs showing TriNKET-mediated killing of MCF7 cells with rested human NK cells from two different donors. The effector-to-target ratio was 10:1.

[0110] FIG 43A and FIG. 43B are line graphs showing TriNKET-mediated killing of HCT116 cells with rested human NK cells from two different donors. The effector-to-target ratio was 10:1.

DETAILED DESCRIPTION

5 [0111] The invention provides multi-specific binding proteins that bind EPCAM on a cancer cell and the NKG2D receptor and CD16 receptor on natural killer cells to activate the natural killer cells, pharmaceutical compositions comprising such multi-specific binding proteins, and therapeutic methods using such multi-specific proteins and pharmaceutical compositions, including for the treatment of cancer. Various aspects of the invention are set
10 forth below in sections; however, aspects of the invention described in one particular section are not to be limited to any particular section.

[0112] To facilitate an understanding of the present invention, a number of terms and phrases are defined below.

15 [0113] The terms “a” and “an” as used herein mean “one or more” and include the plural unless the context is inappropriate.

[0114] As used herein, the term "antigen-binding site" refers to the part of the immunoglobulin molecule that participates in antigen binding. In human antibodies, the antigen binding site is formed by amino acid residues of the N-terminal variable ("V") regions of the heavy ("H") and light ("L") chains. Three highly divergent stretches within the
20 V regions of the heavy and light chains are referred to as "hypervariable regions" which are interposed between more conserved flanking stretches known as "framework regions," or "FR". Thus the term "FR" refers to amino acid sequences which are naturally found between and adjacent to hypervariable regions in immunoglobulins. In a human antibody molecule, the three hypervariable regions of a light chain and the three hypervariable regions of a heavy
25 chain are disposed relative to each other in three dimensional space to form an antigen-binding surface. The antigen-binding surface is complementary to the three-dimensional surface of a bound antigen, and the three hypervariable regions of each of the heavy and light chains are referred to as "complementarity-determining regions," or "CDRs." In certain
30 animals, such as camels and cartilaginous fish, the antigen-binding site is formed by a single antibody chain providing a “single domain antibody.” Antigen-binding sites can exist in an intact antibody, in an antigen-binding fragment of an antibody that retains the antigen-binding surface, or in a recombinant polypeptide such as an scFv, using a peptide linker to

connect the heavy chain variable domain to the light chain variable domain in a single polypeptide.

[0115] The term “tumor associated antigen” as used herein means any antigen including but not limited to a protein, glycoprotein, ganglioside, carbohydrate, lipid that is associated with cancer. Such antigen can be expressed on malignant cells or in the tumor microenvironment such as on tumor-associated blood vessels, extracellular matrix, mesenchymal stroma, or immune infiltrates.

[0116] As used herein, the terms “subject” and “patient” refer to an organism to be treated by the methods and compositions described herein. Such organisms preferably include, but are not limited to, mammals (*e.g.*, murines, simians, equines, bovines, porcines, canines, felines, and the like), and more preferably include humans.

[0117] As used herein, the term “effective amount” refers to the amount of a compound (*e.g.*, a compound of the present invention) sufficient to effect beneficial or desired results. An effective amount can be administered in one or more administrations, applications or dosages and is not intended to be limited to a particular formulation or administration route. As used herein, the term “treating” includes any effect, *e.g.*, lessening, reducing, modulating, ameliorating or eliminating, that results in the improvement of the condition, disease, disorder, and the like, or ameliorating a symptom thereof.

[0118] As used herein, the term “pharmaceutical composition” refers to the combination of an active agent with a carrier, inert or active, making the composition especially suitable for diagnostic or therapeutic use *in vivo* or *ex vivo*.

[0119] As used herein, the term “pharmaceutically acceptable carrier” refers to any of the standard pharmaceutical carriers, such as a phosphate buffered saline solution, water, emulsions (*e.g.*, such as an oil/water or water/oil emulsions), and various types of wetting agents. The compositions also can include stabilizers and preservatives. For examples of carriers, stabilizers and adjuvants, *see e.g.*, Martin, Remington's Pharmaceutical Sciences, 15th Ed., Mack Publ. Co., Easton, PA [1975].

[0120] As used herein, the term “pharmaceutically acceptable salt” refers to any pharmaceutically acceptable salt (*e.g.*, acid or base) of a compound of the present invention which, upon administration to a subject, is capable of providing a compound of this invention or an active metabolite or residue thereof. As is known to those of skill in the art, “salts” of the compounds of the present invention may be derived from inorganic or organic acids and

bases. Exemplary acids include, but are not limited to, hydrochloric, hydrobromic, sulfuric, nitric, perchloric, fumaric, maleic, phosphoric, glycolic, lactic, salicylic, succinic, toluene-p-sulfonic, tartaric, acetic, citric, methanesulfonic, ethanesulfonic, formic, benzoic, malonic, naphthalene-2-sulfonic, benzenesulfonic acid, and the like. Other acids, such as oxalic, while
5 not in themselves pharmaceutically acceptable, may be employed in the preparation of salts useful as intermediates in obtaining the compounds of the invention and their pharmaceutically acceptable acid addition salts.

[0121] Exemplary bases include, but are not limited to, alkali metal (*e.g.*, sodium) hydroxides, alkaline earth metal (*e.g.*, magnesium) hydroxides, ammonia, and compounds of
10 formula NW_4^+ , wherein W is C_{1-4} alkyl, and the like.

[0122] Exemplary salts include, but are not limited to: acetate, adipate, alginate, aspartate, benzoate, benzenesulfonate, bisulfate, butyrate, citrate, camphorate, camphorsulfonate, cyclopentanepropionate, digluconate, dodecylsulfate, ethanesulfonate, fumarate, flucoheptanoate, glycerophosphate, hemisulfate, heptanoate, hexanoate,
15 hydrochloride, hydrobromide, hydroiodide, 2-hydroxyethanesulfonate, lactate, maleate, methanesulfonate, 2-naphthalenesulfonate, nicotinate, oxalate, palmoate, pectinate, persulfate, phenylpropionate, picrate, pivalate, propionate, succinate, tartrate, thiocyanate, tosylate, undecanoate, and the like. Other examples of salts include anions of the compounds of the present invention compounded with a suitable cation such as Na^+ , NH_4^+ , and NW_4^+
20 (wherein W is a C_{1-4} alkyl group), and the like.

[0123] For therapeutic use, salts of the compounds of the present invention are contemplated as being pharmaceutically acceptable. However, salts of acids and bases that are non-pharmaceutically acceptable may also find use, for example, in the preparation or purification of a pharmaceutically acceptable compound.

[0124] Throughout the description, where compositions are described as having, including, or comprising specific components, or where processes and methods are described as having, including, or comprising specific steps, it is contemplated that, additionally, there are compositions of the present invention that consist essentially of, or consist of, the recited components, and that there are processes and methods according to the present invention that
30 consist essentially of, or consist of, the recited processing steps.

[0125] As a general matter, compositions specifying a percentage are by weight unless otherwise specified. Further, if a variable is not accompanied by a definition, then the previous definition of the variable controls.

I. PROTEINS

5 [0126] The invention provides multi-specific binding proteins that bind to the NKG2D receptor and CD16 receptor on natural killer cells, and the tumor-associated antigen selected from any one of the antigens provided in Table 11. The multi-specific binding proteins are useful in the pharmaceutical compositions and therapeutic methods described herein. Binding of the multi-specific binding proteins to the NKG2D receptor and CD16 receptor on a natural
10 killer cell enhances the activity of the natural killer cell toward destruction of tumor cells expressing the tumor-associated antigen selected from any one of the antigens provided in Table 11. Binding of the multi-specific binding proteins to tumor-associated antigen-expressing cells brings the cancer cells into proximity with the natural killer cell, which facilitates direct and indirect destruction of the cancer cells by the natural killer cell. Further
15 description of some exemplary multi-specific binding proteins is provided below.

[0127] The first component of the multi-specific binding proteins binds to NKG2D receptor-expressing cells, which can include but are not limited to NK cells, $\gamma\delta$ T cells and CD8⁺ $\alpha\beta$ T cells. Upon NKG2D binding, the multi-specific binding proteins may block natural ligands, such as ULBP6 (UL16 binding protein 6) and MICA (Major
20 Histocompatibility Complex Class I Chain-Related A), from binding to NKG2D and activating NKG2D receptors.

[0128] The second component of the multi-specific binding proteins binds a tumor-associated antigen selected from any one of the antigens provided in Table 11. The tumor-associated antigen-expressing cells, which may be found in leukemias such as, for example,
25 acute myeloid leukemia and T-cell leukemia.

[0129] The third component for the multi-specific binding proteins binds to cells expressing CD16, an Fc receptor on the surface of leukocytes including natural killer cells, macrophages, neutrophils, eosinophils, mast cells, and follicular dendritic cells.

[0130] The multi-specific binding proteins described herein can take various formats. For
30 example, one format is a heterodimeric, multi-specific antibody including a first immunoglobulin heavy chain, a first immunoglobulin light chain, a second immunoglobulin heavy chain and a second immunoglobulin light chain (FIG. 1). The first immunoglobulin

heavy chain includes a first Fc (hinge-CH2-CH3) domain, a first heavy chain variable domain and optionally a first CH1 heavy chain domain. The first immunoglobulin light chain includes a first light chain variable domain and a first light chain constant domain. The first immunoglobulin light chain, together with the first immunoglobulin heavy chain, forms an antigen-binding site that binds NKG2D. The second immunoglobulin heavy chain comprises a second Fc (hinge-CH2-CH3) domain, a second heavy chain variable domain and optionally a second CH1 heavy chain domain. The second immunoglobulin light chain includes a second light chain variable domain and a second light chain constant domain. The second immunoglobulin light chain, together with the second immunoglobulin heavy chain, forms an antigen-binding site that binds a tumor-associated antigen selected from any one of the antigens provided in Table 11. The first Fc domain and second Fc domain together are able to bind to CD16 (FIG. 1). In some embodiments, the first immunoglobulin light chain is identical to the second immunoglobulin light chain.

[0131] Another exemplary format involves a heterodimeric, multi-specific antibody including a first immunoglobulin heavy chain, a second immunoglobulin heavy chain and an immunoglobulin light chain (FIG. 2). The first immunoglobulin heavy chain includes a first Fc (hinge-CH2-CH3) domain fused via either a linker or an antibody hinge to a single-chain variable fragment (scFv) composed of a heavy chain variable domain and light chain variable domain which pair and bind NKG2D, or bind a tumor-associated antigen selected from any one of the antigens provided in Table 11. The second immunoglobulin heavy chain includes a second Fc (hinge-CH2-CH3) domain, a second heavy chain variable domain and optionally a CH1 heavy chain domain. The immunoglobulin light chain includes a light chain variable domain and a light chain constant domain. The second immunoglobulin heavy chain pairs with the immunoglobulin light chain and binds to NKG2D or binds a tumor-associated antigen selected from any one of the antigens provided in Table 11. The first Fc domain and the second Fc domain together are able to bind to CD16 (FIG. 2).

[0132] One or more additional binding motifs may be fused to the C-terminus of the constant region CH3 domain, optionally via a linker sequence. In certain embodiments, the antigen-binding motif is a single-chain or disulfide-stabilized variable region (scFv) forming a tetravalent or trivalent molecule.

[0133] In some embodiments, the multi-specific binding protein is in the Triomab form, which is a trifunctional, bispecific antibody that maintains an IgG-like shape. This chimera

consists of two half antibodies, each with one light and one heavy chain, that originate from two parental antibodies.

[0134] In some embodiments, the multi-specific binding protein is the KiH Common Light Chain (LC) form, which involves the knobs-into-holes (KIHs) technology. The KIH involves engineering C_H3 domains to create either a “knob” or a “hole” in each heavy chain to promote heterodimerization. The concept behind the “Knobs-into-Holes (KiH)” Fc technology was to introduce a “knob” in one CH3 domain (CH3A) by substitution of a small residue with a bulky one (*e.g.*, T366W_{CH3A} in EU numbering). To accommodate the “knob,” a complementary “hole” surface was created on the other CH3 domain (CH3B) by replacing the closest neighboring residues to the knob with smaller ones (*e.g.*, T366S/L368A/Y407V_{CH3B}). The “hole” mutation was optimized by structured-guided phage library screening (Atwell S, Ridgway JB, Wells JA, Carter P., Stable heterodimers from remodeling the domain interface of a homodimer using a phage display library, *J. Mol. Biol.* (1997) 270(1):26–35). X-ray crystal structures of KiH Fc variants (Elliott JM, Ultsch M, Lee J, Tong R, Takeda K, Spiess C, *et al.*, Antiparallel conformation of knob and hole aglycosylated half-antibody homodimers is mediated by a CH2-CH3 hydrophobic interaction. *J. Mol. Biol.* (2014) 426(9):1947–57; Mimoto F, Kadono S, Katada H, Igawa T, Kamikawa T, Hattori K. Crystal structure of a novel asymmetrically engineered Fc variant with improved affinity for FcγRs. *Mol. Immunol.* (2014) 58(1):132–8) demonstrated that heterodimerization is thermodynamically favored by hydrophobic interactions driven by steric complementarity at the inter-CH3 domain core interface, whereas the knob–knob and the hole–hole interfaces do not favor homodimerization owing to steric hindrance and disruption of the favorable interactions, respectively.

[0135] In some embodiments, the multi-specific binding protein is in the dual-variable domain immunoglobulin (DVD-IgTM) form, which combines the target binding domains of two monoclonal antibodies via flexible naturally occurring linkers, and yields a tetravalent IgG-like molecule.

[0136] In some embodiments, the multi-specific binding protein is in the Orthogonal Fab interface (Ortho-Fab) form. In the ortho-Fab IgG approach (Lewis SM, Wu X, Pustilnik A, Sereno A, Huang F, Rick HL, *et al.*, Generation of bispecific IgG antibodies by structure-based design of an orthogonal Fab interface. *Nat. Biotechnol.* (2014) 32(2):191–8), structure-based regional design introduces complementary mutations at the LC and HC_{VH-CH1} interface in only one Fab fragment, without any changes being made to the other Fab fragment.

[0137] In some embodiments, the multi-specific binding protein is in the 2-in-1 Ig format. In some embodiments, the multi-specific binding protein is in the ES form, which is a heterodimeric construct containing two different Fab fragments binding to targets 1 and target 2 fused to the Fc. Heterodimerization is ensured by electrostatic steering mutations in the Fc.

5 [0138] In some embodiments, the multi-specific binding protein is in the $\kappa\lambda$ -Body form, which is a heterodimeric construct with two different Fab fragments fused to Fc stabilized by heterodimerization mutations: Fab fragment1 targeting antigen 1 contains kappa LC, while second Fab fragment targeting antigen 2 contains lambda LC. FIG. 30A is an exemplary representation of one form of a $\kappa\lambda$ -Body; FIG. 30B is an exemplary representation of another
10 $\kappa\lambda$ -Body.

[0139] In some embodiments, the multi-specific binding protein is in Fab Arm Exchange form (antibodies that exchange Fab arms by swapping a heavy chain and attached light chain (half-molecule) with a heavy-light chain pair from another molecule, which results in bispecific antibodies).

15 [0140] In some embodiments, the multi-specific binding protein is in the SEED Body form. The strand-exchange engineered domain (SEED) platform was designed to generate asymmetric and bispecific antibody-like molecules, a capability that expands therapeutic applications of natural antibodies. This protein engineered platform is based on exchanging structurally related sequences of immunoglobulin within the conserved CH3 domains. The
20 SEED design allows efficient generation of AG/GA heterodimers, while disfavoring homodimerization of AG and GA SEED CH3 domains. (Muda M. *et al.*, *Protein Eng. Des. Sel.* (2011, 24(5):447-54)).

[0141] In some embodiments, the multi-specific binding protein is in the LuZ-Y form, in which a leucine zipper is used to induce heterodimerization of two different HCs. (Wranik,
25 BJ. *et al.*, *J. Biol. Chem.* (2012), 287:43331-9).

[0142] In some embodiments, the multi-specific binding protein is in the Cov-X-Body form. In bispecific CovX-Bodies, two different peptides are joined together using a branched azetidinone linker and fused to the scaffold antibody under mild conditions in a site-specific manner. Whereas the pharmacophores are responsible for functional activities, the antibody
30 scaffold imparts long half-life and Ig-like distribution. The pharmacophores can be chemically optimized or replaced with other pharmacophores to generate optimized or unique bispecific antibodies. (Doppalapudi VR *et al.*, *PNAS* (2010), 107(52);22611-22616).

[0143] In some embodiments, the multi-specific binding protein is in an Oasc-Fab heterodimeric form that includes Fab fragment binding to target 1, and scFab binding to target 2 fused to Fc. Heterodimerization is ensured by mutations in the Fc.

[0144] In some embodiments, the multi-specific binding protein is in a DuetMab form, which is a heterodimeric construct containing two different Fab fragments binding to antigens 1 and 2, and Fc stabilized by heterodimerization mutations. Fab fragments 1 and 2 contain differential S-S bridges that ensure correct LC and HC pairing.

[0145] In some embodiments, the multi-specific binding protein is in a CrossmAb form, which is a heterodimeric construct with two different Fab fragments binding to targets 1 and 2, fused to Fc stabilized by heterodimerization. CL and CH1 domains and VH and VL domains are switched, *e.g.*, CH1 is fused in-line with VL, while CL is fused in-line with VH.

[0146] In some embodiments, the multi-specific binding protein is in a Fit-Ig form, which is a homodimeric construct where Fab fragment binding to antigen 2 is fused to the N terminus of HC of Fab fragment that binds to antigen 1. The construct contains wild-type Fc.

[0147] Table 1 lists peptide sequences of heavy chain variable domains and light chain variable domains that, in combination, can bind to NKG2D. The NKG2D binding domains can vary in their binding affinity to NKG2D, nevertheless, they all activate human NKG2D and NK cells.

Table 1		
Clone	Heavy chain variable region amino acid sequence	Light chain variable region amino acid sequence
ADI-27705	QVQLQQWGAGLLKPSETLSLTCAV YGGSFSGYYWSWIRQPPGKGLEWI GEIDHSGSTNYNPSLKSRTISVDTS KNQFSLKLSSVTAADTAVYYCARA RGPWSFDPWGQGLTVTVSS (SEQ ID NO:1) CDR1 (SEQ ID NO:105) – GSFSGYYWS CDR2 (SEQ ID NO:106) – EIDHSGSTNYNPSLKS	DIQMTQSPSTLSASVGDRVTIT CRASQSISSWLAWYQQKPGK APKLLIYKASSLESVPSRFSG SSGSGTEFTLTISLQPDDFATY YCQQYNSYPITFGGGTKVEIK (SEQ ID NO:2)

	CDR3 (SEQ ID NO:107) – ARARGPWSFDP	
ADI- 27724	QVQLQQWGAGLLKPSETLSLTCAV YGGSFSGYYWSWIRQPPGKGLEWI GEIDHSGSTNYNPSLKSRVTISVDTS KNQFSLKLSSVTAADTAVYYCARA RGPWSFDPWGQGTLVTVSS (SEQ ID NO:3)	EIVLTQSPGTLSPGERATLS CRASQSVSSSYLAWYQQKPG QAPRLLIYGASSRATGIPDRFS GSGSGTDFTLTISRLEPEDFAV YYCQQYGSSPITFGGGTKVEI K (SEQ ID NO:4)
ADI- 27740 (A40)	QVQLQQWGAGLLKPSETLSLTCAV YGGSFSGYYWSWIRQPPGKGLEWI GEIDHSGSTNYNPSLKSRVTISVDTS KNQFSLKLSSVTAADTAVYYCARA RGPWSFDPWGQGTLVTVSS (SEQ ID NO:5)	DIQMTQSPSTLSASVGDRVIT CRASQSIGSWLAWYQQKPGK APKLLIYKASSLESGVPSRFSG SGSGTEFTLTISLQPDDEFATY YCQQYHSFYTFGGGTKVEIK (SEQ ID NO:6)
ADI- 27741	QVQLQQWGAGLLKPSETLSLTCAV YGGSFSGYYWSWIRQPPGKGLEWI GEIDHSGSTNYNPSLKSRVTISVDTS KNQFSLKLSSVTAADTAVYYCARA RGPWSFDPWGQGTLVTVSS (SEQ ID NO:7)	DIQMTQSPSTLSASVGDRVIT CRASQSIGSWLAWYQQKPGK APKLLIYKASSLESGVPSRFSG SGSGTEFTLTISLQPDDEFATY YCQQSNSYYTFGGGTKVEIK (SEQ ID NO:8)
ADI- 27743	QVQLQQWGAGLLKPSETLSLTCAV YGGSFSGYYWSWIRQPPGKGLEWI GEIDHSGSTNYNPSLKSRVTISVDTS KNQFSLKLSSVTAADTAVYYCARA RGPWSFDPWGQGTLVTVSS (SEQ ID NO:9)	DIQMTQSPSTLSASVGDRVIT CRASQSISSWLAWYQQKPGK APKLLIYKASSLESGVPSRFSG SGSGTEFTLTISLQPDDEFATY YCQQYNSYPTFGGGGTKVEIK (SEQ ID NO:10)
ADI- 28153	QVQLQQWGAGLLKPSETLSLTCAV YGGSFSGYYWSWIRQPPGKGLEWI GEIDHSGSTNYNPSLKSRVTISVDTS KNQFSLKLSSVTAADTAVYYCARA RGPWGFDPPWGQGTLVTVSS	ELQMTQSPSSLSASVGDRVIT CRTSQSISSYLNWYQQKPGQP PKLLIYWASTRESGVDPDRFSGS GSGTDFTLTISLQPEDSATYY CQQSYDIPYTFGGGTKLEIK

	(SEQ ID NO:11)	(SEQ ID NO:12)
ADI-28226 (C26)	QVQLQQWGAGLLKPSETLSLTCAV YGGSFSGYYWSWIRQPPGKGLEWI GEIDHSGSTNYNPSLKSRVTISVDTS KNQFSLKLSSVTAADTAVYYCARA RGPWSFDPWGQGTLLVTVSS (SEQ ID NO:13)	DIQMTQSPSTLSASVGDRVTIT CRASQSISSWLAWYQQKPGK APKLLIYKASSLESGVPSRFSG SGSGTEFTLTISLQPDDEFATY YCQQYGSFPITFGGGTKVEIK (SEQ ID NO:14)
ADI-28154	QVQLQQWGAGLLKPSETLSLTCAV YGGSFSGYYWSWIRQPPGKGLEWI GEIDHSGSTNYNPSLKSRVTISVDTS KNQFSLKLSSVTAADTAVYYCARA RGPWSFDPWGQGTLLVTVSS (SEQ ID NO:15)	DIQMTQSPSTLSASVGDRVTIT CRASQSISSWLAWYQQKPGK APKLLIYKASSLESGVPSRFSG SGSGTDFLTISLQPDDEFATY YCQQSKEVPWTFGQGTKVEIK (SEQ ID NO:16)
ADI-29399	QVQLQQWGAGLLKPSETLSLTCAV YGGSFSGYYWSWIRQPPGKGLEWI GEIDHSGSTNYNPSLKSRVTISVDTS KNQFSLKLSSVTAADTAVYYCARA RGPWSFDPWGQGTLLVTVSS (SEQ ID NO:17)	DIQMTQSPSTLSASVGDRVTIT CRASQSISSWLAWYQQKPGK APKLLIYKASSLESGVPSRFSG SGSGTEFTLTISLQPDDEFATY YCQQYNSFPTFGGGTKVEIK (SEQ ID NO:18)
ADI-29401	QVQLQQWGAGLLKPSETLSLTCAV YGGSFSGYYWSWIRQPPGKGLEWI GEIDHSGSTNYNPSLKSRVTISVDTS KNQFSLKLSSVTAADTAVYYCARA RGPWSFDPWGQGTLLVTVSS (SEQ ID NO:19)	DIQMTQSPSTLSASVGDRVTIT CRASQSIGSWLAWYQQKPGK APKLLIYKASSLESGVPSRFSG SGSGTEFTLTISLQPDDEFATY YCQQYDIYPTFGGGTKVEIK (SEQ ID NO:20)
ADI-29403	QVQLQQWGAGLLKPSETLSLTCAV YGGSFSGYYWSWIRQPPGKGLEWI GEIDHSGSTNYNPSLKSRVTISVDTS KNQFSLKLSSVTAADTAVYYCARA RGPWSFDPWGQGTLLVTVSS (SEQ ID NO:21)	DIQMTQSPSTLSASVGDRVTIT CRASQSISSWLAWYQQKPGK APKLLIYKASSLESGVPSRFSG SGSGTEFTLTISLQPDDEFATY YCQQYDSYPTFGGGTKVEIK (SEQ ID NO:22)
ADI-29405	QVQLQQWGAGLLKPSETLSLTCAV YGGSFSGYYWSWIRQPPGKGLEWI	DIQMTQSPSTLSASVGDRVTIT CRASQSISSWLAWYQQKPGK

	GEIDHSGSTNYNPSLKSRVTISVDTS KNQFSLKLSSVTAADTAVYYCARA RGPWSFDPWGQGTLVTVSS (SEQ ID NO:23)	APKLLIYKASSLESGVPSRFSG SGSGTEFTLTISLQPDDEFATY YCQQYGSFPTFGGGTKVEIK (SEQ ID NO:24)
ADI- 29407	QVQLQQWGAGLLKPSETLSLTCAV YGGSFSGYYWSWIRQPPGKGLEWI GEIDHSGSTNYNPSLKSRVTISVDTS KNQFSLKLSSVTAADTAVYYCARA RGPWSFDPWGQGTLVTVSS (SEQ ID NO:25)	DIQMTQSPSTLSASVGDRVTIT CRASQSISSWLAWYQQKPGK APKLLIYKASSLESGVPSRFSG SGSGTEFTLTISLQPDDEFATY YCQQYQSFPTFGGGTKVEIK (SEQ ID NO:26)
ADI- 29419	QVQLQQWGAGLLKPSETLSLTCAV YGGSFSGYYWSWIRQPPGKGLEWI GEIDHSGSTNYNPSLKSRVTISVDTS KNQFSLKLSSVTAADTAVYYCARA RGPWSFDPWGQGTLVTVSS (SEQ ID NO:27)	DIQMTQSPSTLSASVGDRVTIT CRASQSISSWLAWYQQKPGK APKLLIYKASSLESGVPSRFSG SGSGTEFTLTISLQPDDEFATY YCQQYSSFSTFGGGTKVEIK (SEQ ID NO:28)
ADI- 29421	QVQLQQWGAGLLKPSETLSLTCAV YGGSFSGYYWSWIRQPPGKGLEWI GEIDHSGSTNYNPSLKSRVTISVDTS KNQFSLKLSSVTAADTAVYYCARA RGPWSFDPWGQGTLVTVSS (SEQ ID NO:29)	DIQMTQSPSTLSASVGDRVTIT CRASQSISSWLAWYQQKPGK APKLLIYKASSLESGVPSRFSG SGSGTEFTLTISLQPDDEFATY YCQQYESYSTFGGGTKVEIK (SEQ ID NO:30)
ADI- 29424	QVQLQQWGAGLLKPSETLSLTCAV YGGSFSGYYWSWIRQPPGKGLEWI GEIDHSGSTNYNPSLKSRVTISVDTS KNQFSLKLSSVTAADTAVYYCARA RGPWSFDPWGQGTLVTVSS (SEQ ID NO:31)	DIQMTQSPSTLSASVGDRVTIT CRASQSISSWLAWYQQKPGK APKLLIYKASSLESGVPSRFSG SGSGTEFTLTISLQPDDEFATY YCQQYDSFITFGGGTKVEIK (SEQ ID NO:32)
ADI- 29425	QVQLQQWGAGLLKPSETLSLTCAV YGGSFSGYYWSWIRQPPGKGLEWI GEIDHSGSTNYNPSLKSRVTISVDTS KNQFSLKLSSVTAADTAVYYCARA RGPWSFDPWGQGTLVTVSS	DIQMTQSPSTLSASVGDRVTIT CRASQSISSWLAWYQQKPGK APKLLIYKASSLESGVPSRFSG SGSGTEFTLTISLQPDDEFATY YCQQYQSYPTFGGGTKVEIK

	(SEQ ID NO:33)	(SEQ ID NO:34)
ADI-29426	QVQLQQWGAGLLKPSETLSLTCAV YGGSFSGYYWSWIRQPPGKGLEWI GEIDHSGSTNYNPSLKSRVTISVDTS KNQFSLKLSSVTAADTAVYYCARA RGPWSFDPWGQGTLLVTVSS (SEQ ID NO:35)	DIQMTQSPSTLSASVGDRVTIT CRASQSIGSWLAWYQQKPGK APKLLIYKASSLESGVPSRFSG SGSGTEFTLTISLQPDDEFATY YCQQYHSFPTFGGGTKVEIK (SEQ ID NO:36)
ADI-29429	QVQLQQWGAGLLKPSETLSLTCAV YGGSFSGYYWSWIRQPPGKGLEWI GEIDHSGSTNYNPSLKSRVTISVDTS KNQFSLKLSSVTAADTAVYYCARA RGPWSFDPWGQGTLLVTVSS (SEQ ID NO:37)	DIQMTQSPSTLSASVGDRVTIT CRASQSIGSWLAWYQQKPGK APKLLIYKASSLESGVPSRFSG SGSGTEFTLTISLQPDDEFATY YCQQYELYSYTFGGGTKVEIK (SEQ ID NO:38)
ADI-29447 (F47)	QVQLQQWGAGLLKPSETLSLTCAV YGGSFSGYYWSWIRQPPGKGLEWI GEIDHSGSTNYNPSLKSRVTISVDTS KNQFSLKLSSVTAADTAVYYCARA RGPWSFDPWGQGTLLVTVSS (SEQ ID NO:39)	DIQMTQSPSTLSASVGDRVTIT CRASQSISSWLAWYQQKPGK APKLLIYKASSLESGVPSRFSG SGSGTEFTLTISLQPDDEFATY YCQQYDTFITFGGGTKVEIK (SEQ ID NO:40)
ADI-27727	QVQLVQSGAEVKKPGSSVKVSCA SGGTFFSSYAISWVRQAPGQGLEWM GGIPIFGTANYAQKFQGRVTITADE STSTAYMELSSLRSED TAVYYCAR GDSSIRHAYYYYGMDVWGQGT TVSS (SEQ ID NO:41) CDR1 (SEQ ID NO:43) – GTFSSYAIS CDR2 (SEQ ID NO:44) – GGIPIFGTANYAQKFQG CDR3 (SEQ ID NO:45) – ARGDSSIRHAYYYYGMDV	DIVMTQSPDSLAVSLGERATIN CKSSQSVLYSSNNKNYLA WYQQKPGQPPKLLIYWASTRESG VPDRFSGSGSGTDFTLTISLQ AEDVAVYYCQQYYSTPITFGG GTKVEIK (SEQ ID NO:42) CDR1 (SEQ ID NO:46) – KSSQSVLYSSNNKNYLA CDR2 (SEQ ID NO:47) – WASTRES CDR3 (SEQ ID NO:48) – QQYYSTPIT

ADI- 29443 (F43)	QLQLQESGPGLVKPSSETLSLTCTVS GGSISSSSYWGWIRQPPGKGLEWI GSIYYSGSTYYNPSLKSRVTISVDTS KNQFSLKLSSVTAADTAVYYCARG SDRFHPYFDYWGQGTLVTVSS (SEQ ID NO:49) CDR1 (SEQ ID NO:51) – GSISSSSYYWG CDR2 (SEQ ID NO:52) – SIYYSGSTYYNPSLKS CDR3 (SEQ ID NO:53) – ARGSDRFHPYFDY	EIVLTQSPATLSLSPGERATLS CRASQSVSRYLAWYQQKPGQ APRLLIYDASNRATGIPARFSG SGSGTDFTLTISSLEPEDFAVY YCQQFDTWPPTFGGGTKVEIK (SEQ ID NO:50) CDR1 (SEQ ID NO:54) – RASQSVSRYLA CDR2 (SEQ ID NO:55) – DASNRAT CDR3 (SEQ ID NO:56) – QQFDTWPPT
ADI- 29404 (F04)	QVQLQQWGAGLLKPSETLSLTCAV YGGSFSGYYWSWIRQPPGKGLEWI GEIDHSGSTNYPNPSLKSRVTISVDTS KNQFSLKLSSVTAADTAVYYCARA RGPWSFDPWGQGTLVTVSS (SEQ ID NO:57)	DIQMTQSPSTLSASVGDRVIT CRASQSISSWLAWYQQKPGK APKLLIYKASSLESGVPSRFSG SGSGTEFTLTISSLQPDDEFATY YCEQYDSYPTFGGGTKVEIK (SEQ ID NO:58)
ADI- 28200	QVQLVQSGAEVKKPGSSVKVSCA SGGTFSSYAIWVRQAPGQGLEWM GGIIPIFGTANYAQKFQGRVTITADE STSTAYMELSSLRSED TAVYYCAR RGRKASGSFYFYYGMDVWGQGT VTVSS (SEQ ID NO:59) CDR1 (SEQ ID NO:109) – GTFSSYAI CDR2 (SEQ ID NO:110) – GIIPIFGTANYAQKFQG CDR3 (SEQ ID NO:111) – ARRGRKASGSFYFYYGMDV	DIVMTQSPDSLAVSLGERATIN CESSQSLNLSGNQKNYLTWY QQKPGQPPKPLIYWASTRESG VPDRFSGSGSGTDFTLTISSLQ AEDVAVYYCQNDYSYPYTFG QGTKLEIK (SEQ ID NO:60) CDR1 (SEQ ID NO:112) – ESSQSLNLSGNQKNYLT CDR2 (SEQ ID NO:113) – WASTRES CDR3 (SEQ ID NO:114) – QNDYSYPYT
ADI-	QVQLVQSGAEVKKPGASVKVSK	EIVMTQSPATLSVSPGERATLS

29379 (E79)	ASGYTFTSYMHWRQAPGQGLE WMGIINPSGGSTSYAQKFQGRVTM TRDTSTSTVYMELSSLRSEDFAVYY CARGAPNYGDTTHDYYYMDVWG KGTTVTVSS (SEQ ID NO:61) CDR1 (SEQ ID NO:63) - YTFTSYMH CDR2 (SEQ ID NO:64) - IINPSGGSTSYAQKFQG CDR3 (SEQ ID NO:65) - ARGAPNYGDTTHDYYYMDV	CRASQSVSSNLAWYQQKPGQ APRLLIYGASTRATGIPARFSG SGSGTEFTLTISLQSEDFAVY YCQQYDDWPFTFGGGTKVEI K (SEQ ID NO:62) CDR1 (SEQ ID NO:66) - RASQSVSSNLA CDR2 (SEQ ID NO:67) - GASTRAT CDR3 (SEQ ID NO:68) - QQYDDWPFT
ADI- 29463 (F63)	QVQLVQSGAEVKKPGASVKVCK ASGYTFTGYMHWRQAPGQGLE WMGWINPNSGGTNYAQKFQGRVT MTRDTSISTAYMELSRLRSDDTAV YYCARDTGEYYDTDDHGMDVWG QGTTVTVSS (SEQ ID NO:69) CDR1 (SEQ ID NO:71) - YTFTGYMH CDR2 (SEQ ID NO:72) - WINPNSGGTNYAQKFQG CDR3 (SEQ ID NO:73) - ARDTGEYYDTDDHGMDV	EIVLTQSPGTLSPGERATLS CRASQSVSSNLAWYQQKPGQ APRLLIYGASTRATGIPARFSG SGSGTEFTLTISLQSEDFAVY YCQQDDYWPPTFGGGTKVEI K (SEQ ID NO:70) CDR1 (SEQ ID NO:74) - RASQSVSSNLA CDR2 (SEQ ID NO:75) - GASTRAT CDR3 (SEQ ID NO:76) - QQDDYWPPT
ADI- 27744 (A44)	EVQLLES GGGLVQP GGS LRLSCAAS GFTFSSYAMSWVRQAPGKGLEWV SAISGSGGSTYYADSVKGRFTISR NSKNTLYLQMNSLRAEDTAVYYC AKDGGYYDSGAGDYWGQGLTVT SS (SEQ ID NO:77) CDR1 (SEQ ID NO:79) - FTFSSYAMS	DIQMTQSPSSVSASVGDRVTIT CRASQGIDSWLAWYQQKPGK APKLLIYAASSLQSGVPSRFSG SGSGTDFTLTISLQPEDFATY YCQQGVSYPRTFGGGTKVEIK (SEQ ID NO:78) CDR1 (SEQ ID NO:82) - RASQGIDSWLA

	CDR2 (SEQ ID NO:80) - AISGSGGSTYYADSVKG CDR3 (SEQ ID NO:81) - AKDGGYYDSGAGDY	CDR2 (SEQ ID NO:83) - AASSLQS CDR3 (SEQ ID NO:84) - QQGVSYPR
ADI- 27749 (A49)	EVQLVESGGGLVKGPGSLRLSCAA SGFTFSSYSMNWVRQAPGKGLEW VSSISSSSYIYYADSVKGRFTISR NAKNSLYLQMNSLRAEDTAVYYC ARGAPMGAAAGWFDPPWGQGT LTVSS (SEQ ID NO:85) CDR1 (SEQ ID NO:87) - FTFSSYS MN CDR2 (SEQ ID NO:88) - SSSSSSYIYYADSVKG CDR3 (SEQ ID NO:89) - ARGAPMGAAAGWFDPP	DIQMTQSPSSVSASVGDRVTIT CRASQGISWLA WYQQKPGK APKLLIYAASSLQSGVPSRFS G SSGTDFLTITSLQPEDFATY YCQQGVSPRTFGGGTKVEIK (SEQ ID NO:86) CDR1 (SEQ ID NO:90) - RASQGISWLA CDR2 (SEQ ID NO:91) - AASSLQS CDR3 (SEQ ID NO:92) - QQGVSPRT
ADI- 29378 (E78)	QVQLVQSGAEVKKPGASVKVSCK ASGYTFTSYMHWRQAPGQGLE WMGIINPSGGSTSYAQKFQGRTM TRDTSTSTVYMELSSLRSEDTAVYY CAREGAGFAYGMDYYMDVWGK GTTFTVSS (SEQ ID NO:93) CDR1 (SEQ ID NO:95) - YFTSYMH CDR2 (SEQ ID NO:96) - IINPSGGSTSYAQKFQG CDR3 (SEQ ID NO:97) - AREGAGFAYGMDYYMDV	EIVLTQSPATLSLSPGERATLS CRASQSVSSYLAWYQQKPGQ APRLLIYDASNRATGIPARFSG SSGTDFLTITSLPEDFAVY YCQQSDNWPFTFGGGTKVEIK (SEQ ID NO:94) CDR1 (SEQ ID NO:98) - RASQSVSSYLA CDR2 (SEQ ID NO:99) - DASNRAT CDR3 (SEQ ID NO:100) - QQSDNWPFT

[0148] Alternatively, a heavy chain variable domain represented by SEQ ID NO:101 can be paired with a light chain variable domain represented by SEQ ID NO:102 to form an antigen-binding site that can bind to NKG2D, as illustrated in US 9,273,136.

SEQ ID NO:101

QVQLVESGGGLVKPGGSLRLSCAASGFTFSSYGMHWVRQAPGKGLEWVAFI
RYDGSNKYYADSVKGRFTISRDN SKNTLYLQMNSLRAEDTAVYYCAKDRGL
GDGTYFDYWGQGTTTVTVSS

5 SEQ ID NO:102

QSALTQPASVSGSPGQSITISCSGSSSNIGNNAVNWYQQLPGKAPKLLIYYDDL
LPSGVSDRFSGSKSGTSAFLAISGLQSEDEADYYCAAWDDSLNGPVFGGGK
LTVL

[0149] Alternatively, a heavy chain variable domain represented by SEQ ID NO:103 can
10 be paired with a light chain variable domain represented by SEQ ID NO:104 to form an
antigen-binding site that can bind to NKG2D, as illustrated in US 7,879,985.

SEQ ID NO:103

QVHLQESGPGLVKPSETLSLTCTVSDDSISSYYWSWIRQPPGKGLEWIGHISYS
GSANYNPSLKSRVTISVDTSKNQFSLKLSSVTAADTAVYYCANWDDAFNIWG
15 QGTMVTVSS

SEQ ID NO:104

EIVLTQSPGTLSPGERATLSCRASQSVSSSYLAWYQQKPGQAPRLLIYGASS
RATGIPDRFSGSGSGTDFTLTISRLEPEDFAVYYCQQYGSSPWTFTGQGTKVEIK

20 [0150] Table 2 lists peptide sequences of heavy chain variable domains and light chain
variable domains that, in combination, can bind to EpCAM.

Table 2		
Clones	Heavy chain variable domain amino acid sequence	Light chain variable domain amino acid sequence
Oportuzumab	EVQLVQSGPGLVQPGGSVRISCA ASGYTFTNYGMNWVKQAPGKGL EWMGWINTYTGESTYADSFKGRF TFSLDTSASAAYLQINSLRAEDTA VYYCARFAIKGDYWGQGTLLTVS	DIQMTQSPSSLSASVGDRVTITCRS TKSLLHSNGITYLYWYQQKPGKAP KLLIYQMSNLSAGVPSRFSSSGSGT DFTLTISLQPEDFATYYCAQNLEI PRTFGQGTKVELKR

	SE (SEQ ID NO:115) CDR1 (SEQ ID NO:116) - GYTFTNY CDR2 (SEQ ID NO:117) - NTYTGE CDR3 (SEQ ID NO:118) - FAIKGDY	(SEQ ID NO:119) CDR1(SEQ ID NO:120) - KSLHLSNGITYLY CDR2 (SEQ ID NO:121) - QMSNLAS CDR3 (SEQ ID NO:122) - AQNLEIPRT
Adecatumumab	EVQLLESGGGVVQPGRSLRLSCA ASGFTFSSYGMHWVRQAPGKGL EWVAVISYDGSNKYYADSVKGR FTISRDNSKNTLYLQMNSLRAEDT AVYYCAKDMGWGSGWRPYYYY GMDVWGQGTTVTVSSA (SEQ ID NO:123) CDR1 (SEQ ID NO:124) - GFTFSSY CDR2 (SEQ ID NO:125) - SYDGSN CDR3 (SEQ ID NO:126) - DMGWGSGWRPYYYYGMDV	ELQMTQSPSSLSASVGDRVITTCRT SQSISSYLNWYQQKPGQPPKLLIY WASTRESGVPDRFSGSGSGTDFTL TISSLQPEDSATYYCQQSYDIPYTF GQGTKLEIKR (SEQ ID NO:127) CDR1 (SEQ ID NO:128) - QSISSYLN CDR2 (SEQ ID NO:129) - WASTRES CDR3 (SEQ ID NO:130) - QQSYDIPYT
Citatumumab	EVQLVQSGPGLVQPGGSVRISCA ASGYTFTNYGMNWKQAPGKGL EWMGWINTYTGESTYADSFKGRF TFSLDTSASAAYLQINSLRAEDTA VYYCARFAIKGDYWGQGTLTSTVS SA (SEQ ID NO:131) CDR1 (SEQ ID NO:132) - GYTFTNY CDR2 (SEQ ID NO:133) - NTYTGE CDR3 (SEQ ID NO:134) - FAIKGDY	DIQMTQSPSSLSASVGDRVITTCRS TKSLHLSNGITYLYWYQQKPGKAP KLLIYQMSNLASGVPSRFSSSGSGT DFTLTISLQPEDFATYYCAQNLEI PRTFGQGTKVELKR (SEQ ID NO:135) CDR1 (SEQ ID NO:136) - KSLHLSNGITYLY CDR2 (SEQ ID NO:137) - QMSNLAS CDR3 (SEQ ID NO:138) - AQNLEIPRT
Solitumab (MT110)	EVQLLEQSGAELVRPGTSVKISCK ASGYAFTNYWLGWVKQRPGHGL EWIGDIFPGSGNIHYNEKFKGKAT LTADKSSSTAYMQLSSLTFEDSAV YFCARLRNWDEPMDYWGQGTTV	ELVMTQSPSSLTVTAGEKVTMSCK SSQSLLSNGNQKNYLTWYQQKPG QPPKLLIYWASTRESGVPDRFTGS GSGTDFTLTISVQAEDLAVYYCQ NDYSYPLTFGAGTKLEIKG

TVSS (SEQ ID NO:139)	(SEQ ID NO:143)
CDR1 (SEQ ID NO:140) - GYAFTNY	CDR1 (SEQ ID NO:144) - QSLNLSGNQKNYLT
CDR2 (SEQ ID NO:141) - FPGSGN	CDR2 (SEQ ID NO:145) - WASTRES
CDR3 (SEQ ID NO:142) - LRNWDEPMDY	CDR3 (SEQ ID NO:146) - QNDYSYPLT

[0151] Alternatively, novel antigen-binding sites that can bind to EpCAM can be identified by screening for binding to the amino acid sequence defined by SEQ ID NO:147.

SEQ ID NO:147

5 MAPPQVLAFLGLLLAAATATFAAAQEECVENYKLAVNCFVNNNRQCQCTSVGAQN
TVICKSLAAKCLVMKAEMNGSKLGRRAKPEGALQNDGLYDPDCDESGLFKAKQC
NGTSMCWCVNATAGVRRTDKDTEITCSERVRTYWIIELKHKAREKPYDSKSLRTALQ
KEITTRYQLDPKFITSILYENNVITIDLQNSSQKTQNDVDIADVAYYFEKDVKGESLF
HSKKMDLTVNGEQLDLDPGQTLIYYVDEKAPEFSMQGLKAGVIAVIVVVVIAVVAGI
10 VVLVISRKKRMAKYEKAEIKEMGEMHRELNA

[0152] Antigen-binding sites that can bind to tumor associated antigen CA125 can be identified by screening for binding to the amino acid sequence defined by SEQ ID NO:148.

SEQ ID NO:148

15 MLKPSGLPGSSSPTRSLMTGSRSTKATPEMDSGLTGATLSPKTSTGAIVVTEHTLPFTS
PDKTLASPTSSVVGRTTQSLGVMSSALPESTRGMTHSEQRTSPSLSPQVNGTPSRNY
PATSMVSGLSPPRTRTSSTEGNFTKEASTYTLTVETTSGPVTEKYTVPTETSTTEGDST
ETPWDTRYIPVKITSPMKTFADSTASKENAPVSMTPAETTVDSTHTPGRTNPSFGTLY
SSFLDLSPKGTPNSRGETSLELILSTTGYPFSSPEPGSAGHSRISTSAPLSSSASVLDNKI
20 SETSIFSGQSLTSPSPGVPEARASTMPNSAIPFSMTLSNAETSAERVRSTISSLGTPSIS
TKQTAETILTFHAFATMDIPSTHIAKTLASEWLGSPGTLGGTSTSALTTSPTTLVSE
ETNTHHSTSGKETEGTLNTSMTPLETSAPGEESEMTATLVPTLGFTTLDSKIRSPSQVS
SSHPTRELRTTGSTSGRQSSSTAAGSSDILRATTSSTSKASSWTSESTAQQFSEPQHT
QWVETSPSMKTERPPASTSVAAPITTSVPSVVSFGFTLKTSSSTKGIWLEETSADTLIGE
25 STAGPTTHQFAVPTGISMTGGSSTRGSQGTTHLLTRATASSETSADLTLATNGVPVSV
SPAVSKTAAGSSPPGGTKPSYTMVSSVIPETSSLQSSAFREGTSLGLTPLNTRHPFSSPE
PDSAGHTKISTSIPLSSASVLEDKVSATSTFHHKATSSITTGTPEISTKTKPSSAVLSS
MTLSNAATSPERVRNATSPLTHPSPSGEETAGSVLTLSTSAETTDSPNIHPTGTLTSESS
ESPSTLSLPSVSGVKTFSSSTPSTHLFTSGEETEETSNPSVSQPETSVSRRVTTLASTSV
30 PTPVFPTMDTWPTRSAQFSSSHLVSELRATSSSTSVTNSTGSALPKISHLTGATMSQT
NRDTFNDSAAPQSTTWPETSPRFKTGLPSATTTVSTSATSLSATVMVSKFTSPATSSM

EATSIREPSTTILTTETTNGPGSMASVASTNIPIGKGYITEGRDLTSHLPIGTTASSETSMD
 FTMAKESVSMVSPSQSMDAAGSSTPGRTSQFVDTFSDDVYHLTSREITIPRDGTSSA
 LTPQMTATHPPSPDPGSARSTWLGLSSSPSSPTPKVTMSSTFSTQRVTTSMIMDTVET
 SRWNMPNLPSTTSLTPSNIPTSGAIGKSTLVPLDTPSPATSLEASEGGLPTLSTYPESTN
 5 TPSIHLGAHASSESPSTIKLTMAVSVKPGSYTPLTFPSIETHIHVSTARMAYSSGSSPEM
 TAPGETNTGSTWDPTTYITTTDPKDTSSAQVSTPHSVRTLRTTENHPKTESATPAAYS
 GSPKISSPNLTSPATKAWTITDTEHSTQLHYTKLAEKSSGFETQSAPGPVSVVIPTSP
 TIGSSTLELTSDVPGEPLVLAPSEQTTITLPMATWLSTSLTEEMASTDLDISSPSSPMST
 FAIFPPMSTPSHELKSEADTSAIRNTDSTTLDQHLGIRSLGRGTGDLTTVPITPLTTTWT
 10 SVIEHSTQAQDTLSATMSPTHVTQSLKDQTSIPASASPSHLTEVYPELGTQGRSSSEAT
 TFWKPSTDTLSREIETGPTNIQSTPPMDNTTTGSSSGVTLGIAHLPIGTSSPAETSTNM
 ALERRSSTATVSMAGTMGLLVTSAPGRSISQSLGRVSSVLSESTTEGVTDSKKGSSPR
 LNTQGNALSSSLEPSYAEGSQMSTSIPLTSSPTPDVEFIGGSTFWTKEVTTVMSTDI
 SKSSARTESSSATLMSTALGSTENTGKEKLRTASMDLPSPTPSMEVTPWISLTLNSAP
 15 NTTDSLDSLHGVHTSSAGTLATDRSLNTGVTRASRLENGSDTSSKSLSMGNSTHTSM
 TYTEKSEVSSSIHPRPETSAPGAETTLTSTPGNRAISLTLPFSSIPVEEVISTGITSGPDIN
 SAPMTHSPITPPTIVWTSTGTIEQSTQPLHAVSSEKVSQVQSTPYVNSVAVSASPTHE
 NSVSSGSSTSSPYSSASLESLDSTISRRAITSWLWDLTTLPTTTPSTSLSEALSSGH
 SGVSNPSSTTTEFPLFSAASTSAAKQRNPETETHGPQNTAASTLNTDASSVTGLSETPV
 20 GASISSEVPLPMAITSRSDVSGLTSESTANPSLGTASSAGTKLRTISLPTSESLVSRM
 NKDPWTVSIPLGSHPTTNTETSIPVNSAGPPGLSTVASDVIDTPSDGAESIPTVSFSPSP
 DTEVTTISHFPEKTTHSFRTISSLTHELTSRVTPIPGDWMSSAMSTKPTGASPSITLGER
 RTITSAAPTTSPIVLTASFTETSTVSLDNETTVKTS DILDARKTNELPSDSSSSDLINTSI
 ASSTMDVTKTASISPTSISGMTASSSPSLFSSDRPQVPTSTTETNTATSPSVSSNTYSLD
 25 GGSNVGGTPSTLPPFTITHPVETSSALLAWSRPVRTFSTMVSTDTASGENPTSSNSVVT
 SVPAPGTWTSVGSTTDLPAMGFLKTSPAGEAHSLLASTIEPATAFTPHLSAAVVTGSS
 ATSEASLLTTSSEKAIHSSPQTPTTPTSGANWETSATPESLLVVTETSDTTLTSLKLVTD
 TILFSTVSTPPSKFPSTGTLSGASFPTLLPDTPAIPLTATEPTSSLATSFDSTPLVTIASDS
 LGTVPETTLTMSETSNGDALVLKTVSNPDRSIPGITIQGVTESPLHPSSTSPSKIVAPRN
 30 TTYEGSITVALSTLPAGTTGSLVFSQSENSETTALVDSSAGLERASVMPLTTGSGQM
 ASSGGIRSGSTHSTGTCTFSSLPLTMNPGEVTAMSEITNRLTATQSTAPKGIPTKPTS
 AESGLLTVPVASSSSPSKAFASLTAPPTWGIPQSTLTFFEFSEVPSLDTKSASLPTPGQSL
 NTIPDSDASTASSLSKSPEKNPRARMMTSTKAISASSFQSTGFTETPEGSASPSMAGH
 EPRVPTSGTGDPRYASESMSYPDPKASSAMTSTSLASKLTTLFSTGQAARSGSSSPI
 35 SLSTEKETSFLSPTASTSRKTSFLGPSMARQPNILVHLQTSALTLSPTSTLNMSQEEPP
 ELTSSQTIAEEEGTTAETQTLTFTPSETPTSLLPVSSPTEPTARRKSSPETWASSISVPAK
 TSLVETTDGTLVTTIKMSSQAAQGNSTWPAPAEETGSSPAGTSPGSPSEMSTTLKIMSS
 KEPSISPEIRSTVRNSPWKTPETTVPMETTVEPVTLQSTALGSGSTSISHLPTGTTSPTK
 SPTENMLATERVSLSPSPPEAWTNLYSGTPGGTRQSLATMSSVSLESPTARSITGTGQ
 40 QSSPELVSKTTGMEFSMWHGSTGGTTGDTHVSLSTSSNILEDPTVSPNSVSSLTDKSK
 HKTETWVSTTAIPSTVLNNKIMAAEQQTSRSVDEAYSSSTSSWSDQTS GSDITLGASPD
 VTNTLYITSTAQTSLVSLPSGDQGITSLTNPSSGKTSSASSVTSPSIGLETLRANVSAV
 KSDIAPTAGHLSQTSSPAEVSILDVTTAPTGPSTTTTMTGNTSISTTTNPEVGMSTMD
 STPATERRTTSTEHPSTWSSTAASDSWTVTDMTSNLKVARSPGTISTMHTTSFLASST
 45 ELDSMSTPHGRITVIGTSLVTPSSDASAVKTETSTSERTLSPSDTTASTPISTFSRVQRM
 SISVPDILSTSWTPSSTEAEDVPVSMVSTDHASTKTDPNPLSTFLFDSLSTLDWDGTGR
 SLSSATATTSAPQGATTPQELTLETMISPATSQLPFSIGHITS AVTPAAMARSSGVTF SR
 PDPTSKKAEQTSTQLPTTSAHPGQVPRSAATTLDVIPHTAKTPDATFQRQGGTALTT
 EARATSDSWNEKEKSTPSAPWITEMNSVSEDTIKEVTSSSSVLRTLNLTLDINLESGT
 50 TSSPSWKSSPYERIAPESESTTDKEAIHPSTNTVETTGWVTSSEHASHSTIPAHSASSKLT

SPVVTSTREQAIVSMSTTTWPESTRARTEPNSTFLTIELRDVSPYMDTSSTTQTSIISSP
 GSTAITKGPRTEITSSKRISSSFLAQSMRSDSPSEAITRLSNFPAMTESGGMILAMQTS
 PPGATSLSAPTLDTASATASWTGTPLATTQRFTYSEKTTLFSKGPEDTSQPSPPSVEETS
 SSSSLVPIHATTSPSNILLTSQGHSPSTPPVTSVFLSETSGLGKTTDMSRISLEPGTSLPP
 5 NLSSTAGEALSTYEASRDTKAIHHSADTAVTNMEATSSEYSPIGHTKPSKATSPLVT
 SHIMGDITSSTSVFGSSETTEIETVSSVNQGLQERSTSQVASSATETSTVITHVSSGDAT
 THVTKTQATFSSGTSISSPHQFITSTNTFTDVSTNPSTSLIMTESSGVTITTQTGPTGAA
 TQGPYLLDTSTMPYLTETPLAVTPDFMQSEKTTLISKGPKDVSWTSPPSVAETSYPPSS
 LTPFLVTTIPPATSTLQGQHTSSPVSATSVLTSGLVKTTDMLNTSMEPVTNSPQNLNN
 10 PSNEILATLAATTDIETIHPSINKAVTNMGTAASSAHVLHSTLPVSSEPSTATSPMVPASS
 MGDALASISIPGSETTDIEGEPTSSLTAGRKENSTLQEMNSTTESNIILSNVSVGAITEA
 TKMEVPSFDATFIPTPAQSTKFPDIFSVASSRLSNSPPMTISTHMTTTQTGSSGATSKIP
 LALDTSTLETSAGTPSVVTEGFAHSKITTAMNNDVKDVSQTNPPFQDEASSPSSQAPV
 LVTTLPSSVAFTPQWHSTSSPVSMSVLTSSLVKTAGKVDTSLETVTSSPQSMSNTLD
 15 DISVTSAAATTDIETTHPSINTVVTNVGTTGSAFESHSTVSAYPEPSKVTSPNVTTSTME
 DTTISRIPKSSKTRTETETTTSSLTPKLRETSISQEITSSSTETSTVPYKELTGATTEVSRT
 DVTSSSSSTSFPQPDQSTVSLDISTETNTRLSTSPIMTESAEITITTQTGPHGATSQDFTFM
 DPSNTTPQAGIHSAMTHGFSQLDVTTLMSRIPQDVSWTSPPSVDKTSSPSSFLSSPAM
 TTPSLISSTLPEDKLSSPMTSLLTSGLVKITDILRTRLEPVTSSLPNFSSTSDKILATSKDS
 20 KDTKEIFPSINTEETNVKANNSGHESHSPALADSETPKATTQMVIITTVGDPAPSTSM
 PVHGSSETTNIKREPTYFLTPRLRETSTSQESSFPTDTSFLLSKVPTGTITEVSSSTGVNSS
 SKISTPDHDKSTVPPDTFTGEIPRVFTSSIKTKSAEMTITTQASPPESASHSTLPLDTSTT
 LSQGGTHSTVTQGFYSEVTTLMGMGPGNVSWMTTPPVEETSSVSSLMSSPAMTSPS
 PVSSTSPQSISSPLPVTALPTSVLVTTTDLVLTGTTSPESVTSSPPNLSSITHERPATYKDT
 25 AHTEAAMHHSTNTAVTNVGTSGSGHKSQSSVLADSETSKATPLMSTTSTLGDTSVST
 STPNISQTNQIQTEPTASLSPLRESSTSEKTSSTTETNTAFSYVPTGAIQASRTEISS
 RTSISDLDRPTIAPDISTGMITRLFTSPIMTKSAEMTVTTQTTTPGATSQGILPWDSTST
 LFQGGTHSTVSQGFPHSEITTLRSRTPGDVSWMTTPPVEETSSGFSLMSPSMTSPSPVS
 STSPESIPSSPLPVTALLTSVLVTTTNVLGTTSPPEVTSSPPNLSSPTQERLTTYKDTAH
 30 TEAMHASHMHTNTAVANVGTSISGHESQSSVPADSHTSKATSPMGITFAMGDTSVSTS
 TPAFFETRIQTESTSSLIPGLRDTRTSEEINTVTETSTVLSEVPTTTTTEVSRTEVITSSRT
 TISGPDHDKMSPISTETITRLSTFPFVTGSTEMAITNQTPIGTISQATLTLDTSSTASW
 EGTHSPVTQRFPHSEETTTMSRSTKGVSWQSPPSVEETSSPSSPVPLPAITSHSSLYSAV
 SGSSPTSALPVTSLTSGRRKTIDMLDTHSELVTSSLPSASSFSGEILTSEASTNTETIHF
 35 SENTAETNMGTNTNSMHKLHSSVSIHSQPSGHTPPKVTGSMMEDAIVSTSTPGSPETKN
 VDRDSTSPLTPELKEDSTALVMNSTTESNTVFSSVSLDAATEVSRAEVTYYDPTFMP
 ASAQSTKSPDISPEASSSHSNSPPLTISTHKTATQTGPSGVTSGLQTLTDTSTIATSAGT
 PSARTQDFVDSETTSMNNDLNDVLKTSFPFSAEEANLSSQAPLLVTTSPSPVTSTLQ
 EHSTSSLVSVTSVPTPLAKITMDTNLEPVTRSPQNLRLNTLATSEATTDTHTMHPSIN
 40 TAVANVGTTSSPNEFYFTVSPSDPYKATSAVVITSTSGDSIVSTSMPRSSAMKKIESE
 TTFSLIFRLRETSTSQKIGSSSDTSTVFDKAFTAATTEVSRTELTSSTRTSIQGTEKPTMS
 PDTSTRSVTMLSTFAGLTKSEERTIATQTGPHRATSQGTLTWDTSTTSQAGTHSAMT
 HGFSQLDLSTLTSRVPEYISGTSPPSVEKTSSSSSLLSLPAITSPSPVPTTLPESRPSSPVH
 LLSLPTSGLVKTTDMLASVASLPPNLGSTSHKIPTTSEDIKDTEKMYPSTNIAVTNVGT
 45 TTSEKESYSSVPAYSEPPKVTSPMVTSTFNIRDITVSTSMPGSSEITRIEMESTFSLAHL
 KGTSTSQDPIVSTESKSAVLHKLTTGATETSRTEVASSRRTSIPGPDHSTESPDISTEVIPS
 LPISLGITESSNMTHITRTGPPLGSTSQGTFTLDTPTTSSRAGTHSMATQEPHSEMTTV
 MNKDPEILSWTIPPSIEKTSFSSSLMPSPAMTSPVSSTLPKTIHTTTPSPMTSLLTPSLV
 MTTDTLGTSPPEPTTSSPPNLSSTSHEILTDEDTTAIEAMHPSTSTAATNVETTSSGHGS
 50 QSSVLADSEKTKATAPMDTTSTMGHTTVSTSMVSSETTKIKRESTYSLTPGLRETSIS

QNASFSTDTSIVLSEVPTGTTAEVSRTEVTSSGRTSIPGPSQSTVLPEISTRMTMLFASP
 TMTESAEMTIPTQTGPSGSTSQDRTLDTSTTKSQAETHSTLTQRFPHSEM TTLMSRG
 PGDMSWQSSPSLENPSSLPSLLSLPATTSPPISSSTLPVTISSSPLPVTSLLTSSPVTTTD
 MLHTSPELVTSSPPKLSHTSDERLTTGKDTTNTAEVHPSTNTAASNVEIPSSGHESPSS
 5 ALADSETSKATSPMFITSTQEDTTVAISTPHFLETSSRIQKESISLSPKLRETGSSVETSS
 AIETSAVLSEVSIGATTEISRTEVTSSSRTSISGSAESTMLPEISTTRKIIKFPTSPILAE
 SSEMTIKTQTSPPGSTSESTFTLDTSTPSLVITHSTMTQRLPHSEITTLVSRGAGDVPR
 PSSLPVEETSPSSQLSLSAMISPPVSSTLPASSHSSASVTSLLTPGQVKTTEVLDAS
 AEPETSSPPSLSSSTSVEILATSEVTTDTEKIHPPSNTAVTKVGTSSSGHESPSSVLPDSE
 10 TTKATSAMGTISIMGDTSVSTLTPALSNTRKIQSEPASSLTTRLRETSTSEETSLATEAN
 TVLSKVSTGATTEVSRTEAISFSRTSMGPEQSTMSQDISIGTIPRISASSVLTESAKMT
 ITTQTGPSESTLESTLNLNTATTPSWVETHSIVIQQGFHPPEMTTSMGRGPGGVSWPSPP
 FVKETSPSSPLSLPAVTSHPVSTTFLAHIPPSPLPVTSLLTSGPATTTDILGTSTEPGT
 SSSSSLSTTSHERLTTYKDTAHTAEVHPSTNTGGTNVATTSSGYKSQSSVLADSSPMC
 15 TTSTMGDTSVLTSTPAFLETRRIQTELASSTLTPGLRESSGSEGTSSGKTMSTVLSKVPT
 GATTEISKEDVTSIPGPAQSTISPDISTRVSWFSTSPVMTESAEITMNTHTSPLGATTQ
 GTSTLDTSSSTSLTMTHTSISQGFHSQMSTLMRRGPEDVSWMSPPLLEKTRPSFSLM
 SSPATTSPSPVSSTLPESISSSPLPVTSLLTSGLAKTTDMLHKSSEPVTNSPANLSSTSVE
 ILATSEVTTDTEKTHPSSNRTVTDVGTSSSGHESTSFVLADSQTSKVTPMVITSTMED
 20 TSVSTSTPGFFETSRIQTEPTSSLTGLRKTSSEGTSLATEMSTVLSGVPTGATAEVSR
 TEVTSSSRTSISGFAQLTVSPETSTETITRLPTSSIMTESAEMMIKTQDPPGSTPESTHT
 VDISTTPNWVETHSTVTQRFHSEM TTLVSRSPGDMLWPSQSSVEETSSASSLLSLPA
 TTSPSPVSSTLVEDFPSASLPVTSLLNPLGVITTD RMGISREPGTSSTSNLSSTTSHERLTT
 LEDTVDTEDMQPSTHTAVTNVRTSISGHESQSSVLSDSETPKATSPMGTTYTMGETS
 25 VSISTSDFFETSRIQIEPTSSLTSGLRETSSSERISSATEGSTVLSEVPSGATTEVSRTEVIS
 SRGTSMSGPDQFTISPDISTEAITRLSTSPIMTESAESAITIETGSPGATSEGTTLTLDSTT
 TFWSGTHSTASPGFHSSEM TTLMSRTPGDVPWPSLPSVEEASSVSSSLSPAMTSTSFF
 STLPESSSSPHPV TALLTLGPVKTTDMLRTSSEPETSSPPNLSSTSAEILATSEVTKDRE
 KIHPPSNTPVVNVGTVIYKHLSPSSVLADLVTTKPTSPMATTSTLGNTSVSTSTPAFPE
 30 TMMTQPTSSLTSGLREISTSQETSSATERSASLSGMPTGATTKVSRTEALSLGRTSTPG
 PAQSTISPEISTETITRISTPLTTTGSAEMTITPKTGHSAGASSQGTFTLDTSSRASWPGTH
 SAATHRSPHSGMTTPMSRGPEDVSWPSRPSVEKTSPPSSLVSLSAVTSPLYSTPSES
 SHSSPLRVTSLFTPVMMKTTDMLDTSLEPVTTSPPSMNITSDESLATSKATMETEAIQ
 LSENTAVTQMGTISARQEFYSSYPGLPEPSKVTSPPVTSSTIKDIVSTTIPASSEITRIEM
 35 ESTSTLTPTPRETSTSQEIHSATKPSTVPYKALTSATIEDSMTQVMSSSRGSPDQSTM
 SQDISTEVITRLSTSPIKTESTEMTITTQTGSPGATSRGTLTLDSTTFMSGTHSTASQG
 FSHSQMTALMSRTPGDVPWLSHPSVEEASSASFLSSPVMTSSSPVSSTLPDSIHSSSLP
 VTSLLTSGLVKTELLGTSSSEPETSSPPNLSSTSAEILAITEVTTDTEKLEMTNVVTSGY
 THESPSSVLADSVTTKATSSMGITYPTGDTNVLTSTPAFSDTSRIQTKSKLSLTPGLME
 40 TSISEETSSATEKSTVLSSVPTGATTEVSRTEAIISSRTSIPGPAQSTMSSDTSMETITRIS
 TPLTRKESTDMAITPKTGPSGATSQGTFTLDSSTASWPGTHSATTQRFPQSVVTTTPM
 SRGPEDVSWPSPLSVEKNSSPPSSLVSSSVTSPSPLYSTPSGSSHSPVPVTSLFTSIMM
 KATDMLDASLEPETTSAPNMNITSDESLAASKATTETEAIHVFENTAASHVETTSATE
 ELYSSSPGFSEPTKVISPVTSSSIRDNMVSTTMPGSSGITRIEIESMSSLTPGLRETRTS
 45 QDITSSSTETSTVLYKMPSGATPEVSRTEVMPSSRTSIPGPAQSTMSLDISDEVVTRLST
 SPIMTESAEITITTQTGYSLATSQVTLPLGTSMTFLSGTHSTMSQGLSHSEM TNLMSRG
 PESLSWTSPRFVETTRSSSLTSLPLTSLSPVSSSTLLDSSPSSPLPVTSLILPGLVKTTEV
 LDTSSPEKTSPPNLSSTSVEIPATSEIMTDTEKIHPPSNTAVAKVRTSSSVHESHSSVL
 ADSETTITIPSMGITS AVDDTTVFTSNPAFSETRRIPTEPTFSLTPGFRETSTSEETTSITE
 50 TSAVLYGVPTSATTEVSMTEIMSSNRIHIPDSQSTMSPDIIITEVITRLSSSSMMSESTQ

MTITTQKSSPGATAQSTLTATTTAPLARTHSTVPPRFLHSEMTTLMRSRPENPSWKS
 SLFVEKTSSSSSLLSLPVTTSPSVSSTLPQSIPSSSFVSLLTPGMVKTDDTSTEPGTSLS
 PNLSGTSVEILAASEVTTDEKIHPSSSMAVTNVGTTSSGHEL YSSVSIHSEPSKATYP
 VGT PSSMAETSISTSM PANFETTGF EAEPF SHLTSGFRKTNMSLD TSSVTP TNP TSSPG
 5 STHLLQSSKTDFTSSAKTSSPDWPPASQYTEIPVDIITPFNASPSITESTGITSFPESRFTM
 SVTESTHHLSTDLLPSAETISTGTVMPSLSEAMTSFATTGVPRAISGSGSPFSRTESGPG
 DATLSTIAESLPSSTPVPFSSSTFTTTDSSTIPALHEITSSSATPYRVDTSLGTESSTTEGR
 LVMVSTLDTSSQPGR TSSSPILDTRMTESVELGTVTSAYQVPSLSTRLTRTDGIMEHIT
 KIPNEAAHRTIRPVKGPQTSTSPASPKGLHTGGTKRMETTTTALKTTTALKTTTSRA
 10 TLTTSVYTPTLGLTLPNASMQMASTIPTEMMITTPYVFPDVPETTSSLATSLGAETST
 ALPRTPSVFNRESETTASLVSRGAERSPIQTLDVSSSEPDTTASWVIHPAETIPTVS
 KTTPNFFHSELDTVSSTATSHGADVSSAIPTNISPSELDA LTP LVISGTD TSTTFPTLTK
 SPHETETRTTWLTHPAETSS TIPRTIPNF SHHESDATPSIATSPGAETSSAIPIMTVSPGA
 EDLVTSQVTSSGTD RNM TIPTLTLSPGEPKTIASLVTHPEAQ TSSAIPTSTISPAVSRLV
 15 TSMVTS LAAKTSTTN RALTN SPGEPATTVSLVTHPAQTSPTVPWTT SIFFH SKSDTTPS
 MTTSHGAESS SAVPTPTVSTE VPGVV TPLVTSSRAVISTTIPILTLSPGEPETTPSMATS
 HGEEASSAIPTPTVSPGVPGVVTSLVTSSRAVTSTTIPILTFSLGEPETTPSMATSHGTE
 AGSAVPTVLPEVPGMVTSLVASSRAVTSTTLPTLTLSPGEPETTPSMATSHGAEASST
 VPTVSPEVPGVVTSLVTSSSGVNSTSIPTLILSPGELETTPSMATSHGAEASSAVPTPTV
 20 SPGVSGVVTPLVTSSRAVTSTTIPILTLSSSEPETTPSMATSHGVEASSAVLTVSPEVPG
 MVTSLVTSSRAVTSTTIPTLTISSDEPETTTSLVTHSEAKMISAIPTLAVSPTVQGLVTS
 LVTSSGSETSAFSLTVASSQPETIDSWVAHPGTEASSVVPTLTVSTGEPFTNISLVTH
 PAESSSTLPRTTSRFSHSELDTMPSTVTSPEAESSAISTTISPGIPGVLTSLVTSSGRDIS
 ATFPTVPESPHESEATASWVTHPAVTSTTVPRTPPNYSHSEPDTTPSIATSPGAEATSD
 25 FPTITVSPDVPDMVTSQVTSSGTDTSITIPTLTLSSGEPETTTSFITYSEHTSSAIPTLPV
 SPGASKMLTSLVISSGTDSTTFPTLTETPYEPETTAIQLIHPAETNTMVPRTTPKFSHS
 KSDTTLPVAITSPGPEASSAVSTTISPDMSDLVTSLVPSSGTDSTTFPTLSETPYEPET
 TATWLTHPAETSTTVSGTIPNF SHRGSDTAPSMVTSPGVDTRSGVPTTTPPSIPGVVT
 SQVTSSATDTSTAIPTLTPSPGEPETTASSATHPGTQTGFTVPIRTVPSSEPDTMASWV
 30 THPPQTSTPVSR TSSFSHSSPDATPV MATSPRTEASSAVLT TISPGAPEMVTSQITSSG
 AATSTTVPTLTHSPGMPETTALLSTHPRTETSKTFPASTVFPQVSETTASLTIRPGAETS
 TALPTQT TSSSLFTLLVTGTSRVDLSPTASPGVSAKTAPLSTHPGTETSTMIPTSTLSLGL
 LETTGLLATSSSAETSTSTLTLTVSPA VSGLSASITTDKPQTVTSWNTETSPSVTSVGP
 PEFRTVTGTMTLIPSEMPTPPKTSHGEGVSPTTILRTTMVEATNLATTGSSPTVAKT
 35 TTTFNTLAGSLFTPLTPGMSTLASESVTSRTSYNHRSWISTTSSYNRRYWTPATSTPV
 TSTFSPGISTSSIPSSTAATVPFMVPFTLNFTITNLQYEEDMRHPGSRKFNATERELQGL
 LKPLFRNSSLEYLYSGCRLASLRPEKDSSATAVDAICTHRPD PEDLGLDRERLYWELS
 NLTNQIQELGPYTLDRNSLYVNGFTHRSSMPTTSTPGTSTVDVGTSGTPSSSPSPTTAG
 PLLMPFTLNFTITNLQYEEDMRRTGSRKFNTMESVLQGLLKPLFKNTSVGPLYSGCR
 40 LTLRPEKDGAATGVDAICTHRLDPKSPGLNREQLYWELSKLTNDIEELGPYTLDRN
 SLYVNGFTHQSSVSTTSTPGTSTVDLRTSGTPSSLSSPTIMAAGPLLVPFTLNFTITNLQ
 YGEDMGHPGSRKFNTTERVLQGLLGPIFKNTSVGPLYSGCRLTSLRSEKDGAATGVD
 AICHHLDPKSPGLNRERLYWELSQLTNGIKELGPYTLDRNSLYVNGFTHRTSVPTSS
 TPGTSTVDLGTSGTPFSLPSPATAGPLLVLFTLNFTITNLKYEEDMHRPGSRKFNTTER
 45 VLQTL LGPMFKNTSVGLLYSGCRLTLRSEKDGAATGVDAICTHRLDPKSPGV DREQ
 LYWELSQLTNGIKELGPYTLDRNSLYVNGFTHWIPVPTSSTPGTSTVDLGSPTSSLPS
 PTTAGPLLVPFTLNFTITNLKYEEDMHCPGSRKFNTTERVLQSL LGPMFKNTSVGPLY
 SGCRLTLRSEKDGAATGVDAICTHRLDPKSPGV DREQLYWELSQLTNGIKELGPYT
 LDRNSLYVNGFTHQTSAPNTSTPGTSTVDLGTSGTPSSLPSPTSAGPLLVPFTLNFTIT
 50 NLQYEEDMHHPGSRKFNTTERVLQGL LGPMFKNTSVGLLYSGCRLTLRPEKNGAA

TGMDAICSHRLDPKSPGLNREQLYWELSQLTHGIKELGPYTLDRNSLYVNGFTHRSS
 VAPTSTPGTSTVDLGTSGTPSSLPSPTTAVPLLVPFTLNFTITNLQYGEDMRHPGSRKF
 NTTERVLQGLLGPLFKNSSVGPLYSGCRLISLRSEKDGAATGVDAICTHHLNPQSPGL
 DREQLYWQLSQMTNGIKELGPYTLDRNSLYVNGFTHRSSGLTTSTPWTSTVDLGTSG
 5 TSPSPVSPSTTTGPLLVPFTLNFTITNLQYEEENMGHPGSRKFNITESVLQGLLKPLFKSTS
 VGPLYSGCRLTLLRPEKDGVA TRVDAICTHRPDPKIPGLDRQQLYWELSQLTHSITEL
 GPYTLDRDSLYVNGFTQRSSVPTTSTPGTFTVQPETSETPSSLPGPATATGPVLLPFTLN
 FTITNLQYEEENMRPGRKFNTERVLQGLLMPLFKNTSVSSLYSGCRLTLLRPEKDG
 AATRVDVCTHRPDPKSPGLDRERLYWKLSQLTHGITELGPYTLDRHSLYVNGFTH
 10 QSSMTTTRTPDSTMTLATSRTASLSGPMASPLLVFTINFTITNLRYEENMHHPG
 SRKFNTTERVLQGLLRPVFKNTSVGPLYSGCRLTLLRPKKDGAATKVDAICTYRPDP
 KSPGLDREQLYWELSQLTHSITELGPYTLDRDSLYVNGFTQRSSVPTTSIPGTPTVDLG
 TSGTPVSKPGPSAASPLLVFTLNFTITNLRYEENMQHPGSRKFNTERVLQGLLRSLF
 KSTSVGPLYSGCRLTLLRPEKDGATGVDAICTHHPDPKSPRLDREQLYWELSQLTH
 15 NITELGPYALDNDSLFVNGFTHRSSVSTTSTPGTPTVYLGASKTPASIFGPSAASHLLIL
 FTLNFTITNLRYEENMWPGSRKFNTERVLQGLLRPLFKNTSVGPLYSGCRLTLLRPE
 KDGEATGVDAICTHRPDPTGPGLDREQLYLELSQLTHSITELGPYTLDRDSLYVNGFT
 HRSSVPTTSTGVVSEEPFTLNFTINNLRYMADMGPGLKFNITDNVMQHLLSPLFQR
 SSLGARYTGCRVIALRSVKNGAETRVDLLCTYLQPLSGPGLPIKQVFHELSQLTHGIT
 20 RLGYPYSLDKDSLYLNGYNPEGPDEPPTPKPATTFPLPSEATTAMGYHLKTLTNFT
 ISNLQYSPDMGKGSATFNSTEGVLQHLLRPLFQKSSMGPFFYLGCLISLRPEKDGAAT
 GVDTTCTYHPDPVGPGLDIQQLYWELSQLTHGVTQLGFYVLDRLSLFINGYAPQNLS
 IRGEYQINFHIVNWNLSNPDPTSSEYITLLRDIQDKVTTLYKGSQHLDTFRFCLVTNLT
 MDSVLVTVKALFSSNLDPSLVEQVFLDKTLNASFWLGGSTYQLVDIHVTEMESSVY
 25 QPTSSSSTQHLYLNFITITNLPSYQDKAQPGTTNYQRNKRNIEDALNQLFRNSSIKSYFS
 DCQVSTFRSVPNRHHTGVDSL CNFSPLARRVDRVAIYEEFLRMTRNGTQLQNFTLDR
 SSVLVDGYSPNRNEPLTGNSDLPFWAVILIGLAGLLGVITCLICGVLVTTTRRRKKEGE
 YNVQQQCPGYYSHLDELDLQ

30 **[0153]** Antigen-binding sites that can bind to tumor associated antigen NaPi2b can be
 identified by screening for binding to the amino acid sequence defined by SEQ ID NO:149.

SEQ ID NO:149

MAPWPELGDAQPNPDKYLEGAAGQQPTAPDKSKETNKTNDTEAPVTKIELLPSYST
 ATLIDEPTVDDPWNLP TLQDSGIKWSERDTKGKILCFFQIGIRLILLGLFYFFVCSL
 35 DILSSAFQLVGGKMAGQFFSNSSIMSNPLLGLVIGVLVTVLVQSSSTSTSIVSMVSSS
 LLTVRAAPIIMGANIGTSITNTIVALMQVGDRSEFRRAFAGATVHDFFNWLSVLVLL
 PVEVATHYLEIITQLIVESFHFKNGEDAPDLLKVITKPFTKLIVQLDKKVISQIAMNDE
 KAKNKS LVKIWCKTFTNKTQINVTVPSTANCTSPSLCWTDGIQNW TMKNVTYKENI
 AKCQHIFVNFHLPDLAVGTILLILSLLVLCGLIMIVKILGSVLKGQVATVIKKTINTDF
 40 PFPFAWLTGYLAILVGAGMTFIVQSSSVFTSALTPLIGIVITIERAYPLTLGNSNIGTTTT
 AILAALASPGNALRSSQLALCHFFFNISGILLWYPIPFTRLPIRMAKGLGNISAKYRWF
 AVFYLIIFFLIPLTVFGLSLAGWRVLVGVGVPVVFIIILVLCRLQLSRCPRVLPKKLQ
 NWNFLPLWMRSLKPWDAVVSKFTGCFQMRCCCCRVCCRACCLLCDCPKCCRCSK
 CCEDLEEAQEGQDVPVKAPETFDNITISREAQGEVPASDSKTECTAL
 45

[0154] Antigen-binding sites that can bind to tumor associated antigen Nectin4 can be
 identified by screening for binding to the amino acid sequence defined by SEQ ID NO:150.

SEQ ID NO:150

MPLSLGAEMWGPEAWLLLLLLLASFTGRCPAGELETSADVVTVVLGQDAKLPCFYRG
 DSGEQVGQVAWARVDAGEGAQELALLHSKYGLHVSPA YEGRVEQPPPPRNPLDGS
 VLLRNAVQADEGEYECRVSTFPAGSFQARLRRLRVLPPLPSLNPGPALEEGQGLTLA
 5 ASCTAEGSPAPSVTWDTEVKGTTSSRSFKHSRSAAVTSEFHLVPSRSMNGQPLTCVV
 SHPGLLQDQRITHILHVSFLAEASVRGLEDQNLWHIGREGAMLKCLSEGQPPPSYNW
 TRLDGPLPSGVRVDGDTLGFPLTTEHSGIYVCHVSNEFSSRDSQVTVDLDPQEDSG
 KQVDLVSASVVVVG VIAALLFCLLVVVVVLMSRYHRRKAQQMTQKYEEELTLTRE
 NSIRRLHSHHTDPRSQPEESVGLRAEGHPDSLKDNSSCSVMSEEPEGRSYSTLTTVREI
 10 ETQTELLSPGSGRAEEEEEDQDEGIKQAMNHFVQENGTLRAKPTGNGIYINGRHLV

[0155] Antigen-binding sites that can bind to tumor associated antigen Fucosyl-GM1 can be identified by screening for binding to monosialotetrahexosylganglioside.

[0156] Antigen-binding sites that can bind to tumor associated antigen ADAM8 can be
 15 identified by screening for binding to the amino acid sequence defined by SEQ ID NO:151.

SEQ ID NO:151

LGATGHNFTLHLRKNRDLGSGYTETYTAANGSEVTEQPRGQDHCIFYQGHVEGYPD
 SAASLSTCAGLRGFFQVGSDDLHLIEPLDEGGEGGRHAVYQAEHLLQTAGTCGVSDDS
 LGSLLGPRTAAVFRPRPGDSLPSRETRYVELYVVVDNAEFQMLGSEAAVRHRVLEV
 20 VNHVDKLYQKLNFRVVLVGLIWN SQDRFHVSPDPSVTLENLLTWQARQTRRHLH
 DNVQLITGVDFTGTTVG FARVSAMCSHSSGAVNQDHSKNPVG VACTMAHEMGNL
 GMDHDENVQGCRCQERFEAGRCIMAGSIGSSFPRMFSDCSQAYLESFLERPQSVCLA
 NAPDLSHLVGGPVCGNLFVERGEQCDCGPPEDCRNRCCNSTTCQLAEGAQCAHGTC
 CQECKVKPAGELCRPKKDMCDLEEFCDGRHPECPEDAFQENGTPCSGGYCYNGACP
 25 TLAQQCQAFWGPGGQAAEESCF SYDILPGCKASRYRADMCGVLQCKGGQQPLGRAI
 CIVDVCHALT TEDGTAYEPVPEGTRCGPEKVCWKGRQC DLHVYRSSNCSAQCHNH
 GVCNHNKQECHCHAGWAPPHCAKLLTEVHAASGSLPVFVVVVLVLLAVVLVTLAGII
 VYRKARSRLSRNVAPKTTMGRSNPLFHQAASRVPAKGGAPAPSRGPQELVPTTHPG
 QPARHPASSVALKRPPAPPVTVSSPPFPVPVYTRQAPKQVIKPTFAPPVPPVKPGAG
 30 AANPGPAEGAVGPKVALKPPIQRKQAGAPTAP

[0157] Antigen-binding sites that can bind to tumor associated antigen ADAM9 can be identified by screening for binding to the amino acid sequence defined by SEQ ID NO:152.

SEQ ID NO:152

MGS GARFPSGTLRVRWLLLGLVGPVLGAARPGFQQTSHLSSYEIITPWRLTRERRE
 APRPYSKQVSYVIAEGKEHIIHLERNKDLLPEDFVVYTYNKEGTLITDHPNIQNHCH
 YRGYVEGVHNSSIALSDCFGLRGLLHLENASYGIEPLQNSSHFEHIIYRMDDVYKEPL
 KCGVSNKDIEKETAKDEEEPPSMTQLLRRRRRAVLPQTRYVELFIVVDKERYDMMG
 RNQTAVREEMILLANYLDSMYIMLNIRIVLVGLEIWTNGNLINIVGGAGDVLGNFVQ
 40 WREKFLITRRRHDSAQLVLKKGFGGTAGMAFVGTVC SRSHAGGINVFGQITVETFAS
 IVAHELGHNLGMNHDDGRDCSCGAKSCIMNSGASGSRNFFSSCAEDFEKLT LNKG G
 NCLLNIPKPDEAYSAPSCGNKLVDAGEECD CGTPKECELDPCCEGSTCKLKSFAECA
 YGDCKKDCRFLPGGTLCRGKTSECDVPEYCNGSSQFCQPDVFIQNGYPCQNNKAYC
 YNGMCQYYDAQCQVIFGSKAKAAPKDCFIEVNSKGD RFGNCGFSGNEYKKCATGN
 45 ALCGKLQCENVQEIPVFGIVPAIIQTPSRGTKCWGVDFQLGSDVPDPGMVNEGTKCG

AGKICRNFQCVDASVLNYDCDVQKKCHGHGVCNSNKNCHCENGWAPPNCETKGY
 GGSVDSGPTYNEMNTALRDGLLVFFFLIVPLIVCAIFIFIKRDQLWRSYFRKKRSQTYE
 SDGKNQANPSRQPGSVPRHVSPTVTPPREVPIYANRFAVPTYAAKQPQQFSPRPPPPQP
 KVSSQGNLIPARPAPAPPLYSSLT

5

[0158] Antigen-binding sites that can bind to tumor associated antigen SLC44A4 can be identified by screening for binding to the amino acid sequence defined by SEQ ID NO:153.

SEQ ID NO:153

10 MGGKQRDEDEDEAYGKPVKYDPSFRGPIKNRSCTDVICCVLFLLFILGYIVVGIVAWL
 YGDPQVLYPRNSTGAYCGMGENKDKPYLLYFNIFSCILSSNIISVAENGLQCPTPQV
 CVSSCPEDPWTVGKNEFSQTVGEVFYTKNRNFCPLGVPWNMTVITSLQQELCPSFLL
 PSAPALGRCFPWTNVTTPALPGITNDTTIQQGISGLIDSLNARDISVKIFEDFAQSWYW
 ILVALGVALVLSLLFILLRLVAGPLVLVLILGVLGVLAYGIYYCWEEYRVLDRDKGAS
 15 ISQLGFTTNLSAYQSVQETWLAALIVLAVLEAILLMLIFLRQIRIRIAIALKEASKAV
 GQMMSTMFYPLVTFVLLICIAYWAMTALYLATSGQPQYVLWASNISPGCEKVPIN
 TSCNPTAHLVNSSCPGLMCFVQGYSSKGLIQRSVFNLQIYGVLGLFWTLNWVLALG
 QCVLAGAFASFYWAFHKPQDIPTFPLISAFIRTLRYHTGSLAFGALITLVQIARVILEY
 IDHKLGRGVQNPVARCIMCCFKCCLWCLEKFIKFLNRNAYIMIAIYGKNFCVSAKNAF
 20 MLLMRNIVRVVLDKVTDLLFFGKLLVVGGVGVLSFFFFSGRIPGLGKDFKSPHLN
 YYWLPIMTSILGAYVIASGFFSVFGMCVDTLFLCFLEDLERNNGSLDRPYYSKSL
 KILGKKNEAPPDNKKRKK

[0159] Antigen-binding sites that can bind to tumor associated antigen CA19-9 can be identified by screening for binding to the amino acid sequence defined by SEQ ID NO:154.

25 SEQ ID NO:154

MACSRPPSQCEPTSLPPGPPAGRRHLPLSRRRREMSSNKEQRSVVFILFALITILILYS
 SNSANEFHYGSLRGRSRPVLNKKWSITDGYVPILGNKTLPSRCHQCIVVSSSHLL
 GTKLGPEIERAECTIRMNDAPTTGYSADVGNKTTYRVVAHSSVFRVLRRPQEFVNRT
 PETVFIFWGPSPKMQKPQGS�VRVIQRAGLVFPNMEAYAVSPGRMRQFDDLFRGET
 30 GKDREKSHSWLSTGWFTMVIAVELCDHVHVYGMVPPNYCSQRPRLQRMPIYHYEP
 KGPDECVTYIQNEHSRKGNNHRFITEKRVFSSWAQLYGITFSHPST

[0160] Alternatively, Table 3 lists peptide sequences of heavy chain variable domains and light chain variable domains that, in combination, can bind to CA125 (abagovomab, sofituzumab), NaPi2b (lifastuzumab), Nectin4 (enfortumab), Fucosyl-GM1 (described in US Patent Application Publication No.: 20130142789, specific sequences are incorporated by reference herein), or SLC44A4 (described in International Application Publication No.: WO2010111018, specific sequences are incorporated by reference herein).

40

Table 3		
Clones	Heavy chain variable domain amino acid sequence	Light chain variable domain amino acid sequence
abagovomab	QVKLQESGAELARPGASVKLSC KASGYTFTNYWMQWVKQRPQG GLDWIGAIYPGDGNTRYTHKFK GKATLTADKSSSTAYMQLSSLAS EDSGVYYCARGEGNYAWFAYW GQGTTVTVSSA (SEQ ID NO:155) CDR1 (SEQ ID NO:156) - GYTFTNY CDR2 (SEQ ID NO:157) - YPGDGN CDR3 (SEQ ID NO:158) – GEGNYAWFAY	DIELTQSPASLSASVGETVTITCQA SENIYSYLAWHQQKQKGKSPQLLV YNAKTLAGGVSSRFSGSGSGTHFS LKIKSLQPEDFGIYYCQHHYGILPT FGGGTKLEIKR (SEQ ID NO:159) CDR1(SEQ ID NO:160) - ENIYSYLA CDR2 (SEQ ID NO:161) - NAKTLAG CDR3 (SEQ ID NO:162) - QHHYGILPT
sofituzumab	EVQLVESGGGLVQPGGSLRLSCA ASGYTNDYAWNVRQAPGK GLEWVGYSYSGYTTYNPSLKSR FTISRDTSKNTLYLQMNSLRAED TAVYYCARWTSGLDYWGQGT LTVSSA (SEQ ID NO:163) CDR1 (SEQ ID NO:164) - GYSITNDY CDR2 (SEQ ID NO:165) - SYSGY CDR3 (SEQ ID NO:166) - WTSGLDY	DIQMTQSPSSLSASVGDRVTITCKA SDLIHNWLAWYQQKPGKAPKLLI YGATSLETGVPSRFSGSGSGTDFTL TISLQPEDFATYYCQQYWTPPFTF GQGTEVEIKR (SEQ ID NO:167) CDR1 (SEQ ID NO:168) - DLIHNWLA CDR2 (SEQ ID NO:169) - GATSLET CDR3 (SEQ ID NO:170) - QQYWTPPFT
lifastuzumab	EVQLVESGGGLVQPGGSLRLSCA ASGFSSDFAMSWVRQAPGKGL EWVATIGRVAFTYYPDMSMKGR FTISRDNKNTLYLQMNSLRAED	DIQMTQSPSSLSASVGDRVTITCRS SETLVHSSGNTYLEWYQQKPGKA PKLLIYRVSNRFSGVPSRFSGSGSG TDFTLTISLQPEDFATYYCFQGSF

	TAVYYCARHRGFDVGHFDFWG QGTLLTVSSA (SEQ ID NO:171) CDR1 (SEQ ID NO:172) - GFSFSDF CDR2 (SEQ ID NO:173) - GRVAFH CDR3 (SEQ ID NO:174) - HRGFDVGHFDF	NPLTFGQGTKVEIKR(SEQ ID NO:175) CDR1 (SEQ ID NO:176) - ETLVHSSGNTYLE CDR2 (SEQ ID NO:177) - RVSNRFS CDR3 (SEQ ID NO:178) - FQGSFNPLT
enfortumab	EVQLVESGGGLVQPGGSLRLSCA ASGFTFSSYNMNWVRQAPGKGL EWVSYISSSSTIYYADSVKGRFT ISRDNAKNSLSLQMNSLRDEDTA VYYCARAYYYGMDVWGQGTTV TVSSA (SEQ ID NO:179) CDR1 (SEQ ID NO:180) - GFTFSSY CDR2 (SEQ ID NO:181) - SSSSST CDR3 (SEQ ID NO:182) - AYYYGMDV	DIQMTQSPSSVSASVGDRVITICRA SQGISGWLAWYQQKPGKAPKFLIY AASTLQSGVPSRFSGSGSGTDFTLT ISSLQPEDFATYYCQQANSFPPTFG GGTKVEIKR (SEQ ID NO:183) CDR1(SEQ ID NO:184) - QGISGWL CDR2 (SEQ ID NO:185) - AASTLQS CDR3 (SEQ ID NO:186) - QQANSFPPT
Anti- Fucosyl- GM1	EVQLVESGGGSVQPGESLRLSCV ASGFTFSRYKMNVWRQAPGKGL EWVSYISRSGRDIYYADSVKGRF TISRDNAKNSLYLQMNSLRDEDT AVYYCAGTVTTYYYDFGMDVW GQGTTVTVSS (SEQ ID NO:187) CDR1 (SEQ ID NO:188) - GFTFSRY CDR2 (SEQ ID NO:189) - SRSGRD CDR3 (SEQ ID NO:190) - TVTTYYYDFGMDV	DIQMTQSPSSLSASVGDRVITICRA SQGISSWLAWYQQKPEKAPKSLIY AASSLQSGVPSRFSGSGSGTDFTLT ISSLQPEDFATYYCQQYNSYPPTFG GGTKVEIK (SEQ ID NO:191) CDR1 (SEQ ID NO:192) - QGISSWLA CDR2 (SEQ ID NO:193) - AASSLQS CDR3 (SEQ ID NO:194) - QQYNSYPPT

Anti-SLC44A4	QVQLVESGGGVVQPGRSLRLSC AASGFTFSSYGMHWVRQAPGKG LEWVAVMSYDGSKKFYTDSVK GRFTISRDNSKNTLYLQMNSLRA EDTAVYYCARDGGDYVRYHYY GMDVWGQGTTVTVSSA (SEQ ID NO:195) CDR1 (SEQ ID NO:196) - GFTFSSY CDR2 (SEQ ID NO:197) - SYDGSK CDR3 (SEQ ID NO:198) - DGGDYVRYHYYGMDV	DIQMTQSPSTLSASIGDRVITCRA SQGISYYLAWYQQKPGKIPKLLIY DTSSLQSGVPSRFSGSRSGTDLSTI SSLQPEDVATYYCQRYDSAPLTFG GGTKVEIKR (SEQ ID NO:199) CDR1 (SEQ ID NO:200) - QGISYYLA CDR2 (SEQ ID NO:201) - DTSSLQS CDR3 (SEQ ID NO:202) - QRYDSAPLT
--------------	---	--

[0161] Listed below are examples of the scFv linked to an antibody constant region that also includes mutations that enable heterodimerization of two polypeptide chains. The scFv containing a heavy chain variable domain (V_H) and a light chain variable domain (V_L) from an anti-NKG2D antibody is used in preparing a multispecific protein of the present disclosure. Each sequence represents V_L -(G4S)₄- V_H -hinge (AS or GAS)-Fc containing heterodimerization mutations (underlined). V_L and V_H contain 100 V_L - 44 V_H S-S bridge (underlined), and can be from any tumor targeting or NKG2D binding antibody. The Ala-Ser (AS, bolded & underlined) is included at the elbow hinge region sequence to balance between flexibility and optimal geometry. In certain embodiments, an additional Gly can be added to the N-terminus of the AS sequence, generating a hinge having the sequence of Gly-Ala-Ser (GAS, bolded & underlined). In certain embodiments, an additional sequence Thr-Lys-Gly can be added to the AS sequence at the hinge. (G4S)₄ linker is underlined in the sequences listed in the paragraph below.

[0162] A TriNKET of the present disclosure is NKG2D-binding-F4-TriNKET-EpCAM comprising a first polypeptide comprising the sequence of SEQ ID NO:203 (F4- EpCAMFc-AJchainB-NKG2D-binding scFv), and a second polypeptide comprising the sequence of SEQ ID NO:204 (Anti-EpCAM HC-hinge-Fc). The NKG2D-binding-F4-TriNKET-EpCAM also comprises two EpCAM-targeting light chains each comprising an anti-EpCAM V_L - Constant domain comprising the sequence of SEQ ID NO:214. For example, in the structure of FIG. 36, when the Fab fragments target EpCAM, the NKG2D-binding-F4-TriNKET-EpCAM

includes SEQ ID NO:203 and SEQ ID NO:214 forming one arm of the TriNKET, and SEQ ID NO:204 and SEQ ID NO:214 forming the second arm of the TriNKET.

[0163] Each of the arms comprises an EpCAM-binding Fab fragment, which comprises a heavy chain portion comprising a heavy chain variable domain and a CH1 domain, in which the heavy chain variable domain is connected to the CH1 domain; and a light chain portion comprising a light chain variable domain and a light chain constant domain (SEQ ID NO:214). In the first arm (*e.g.*, in F4- EpCAMFc-AJchainB-NKG2D-binding scFv) the CH1 domain is connected to the Fc domain, which is connected to an scFv-targeting NKG2D, forming a polypeptide comprising the sequence of SEQ ID NO:203. In the second arm, the CH1 domain is connected to the Fc domain, forming a polypeptide comprising the sequence of SEQ ID NO:204.

[0164] For example, F4-EpCAMFc-AJchainB-NKG2D-binding scFv (SEQ ID NO:203) comprises a EpCAM-targeting heavy chain variable domain (V_H) (SEQ ID NO:139) and a CH1 domain connected to an Fc domain (hinge-CH2-CH3), which at the C-terminus of the Fc is linked to a single-chain variable fragment (scFv) that binds NKG2D. The Fc domain in SEQ ID NO:203 comprises a S354C substitution, which forms a disulfide bond with a Y349C substitution in another Fc domain (SEQ ID NO:204, described below). The Fc domain in SEQ ID NO:203 includes Q347R, D399V, and F405T substitutions. The scFv that binds NKG2D is represented by the amino acid sequence of SEQ ID NO:205, and includes a light chain variable domain (V_L) linked to an heavy chain variable domain (V_H) *via* a (G4S)₄ linker, GGGGSGGGGSGGGGSGGGGS (SEQ ID NO:206). The V_L and V_H comprised within SEQ ID NO:205 are connected as V_L -(G4S)₄- V_H ; V_L and V_H contain 100 V_L - 44 V_H S-S bridge (resulting from G100C and G44C substitutions, respectively) (cysteine residues are bold-italics-underlined). As represented in SEQ ID NO:203, the C-terminus of the Fc domain is linked to the N-terminus of the scFv (SEQ ID NO:205) *via* a short SGSGGGGS linker (SEQ ID NO:207).

NKG2D-binding scFv

DIQMTQSPSSVSASVGDRVTITCRASQGISSWLAWYQQKPGKAPKLLIYAASSLQSG
VPSRFGSGSGTDFLTITSLQPEDFATYYCQQGVSPRTFGCGTKVEIKGGGGSGGG
GGGGGGSGGGGSEVQLVESGGGLVKPGGSLRLSCAASGFTFSSYSMNWVRQAPGKC
LEWVSSISSSSSYYADSVKGRFTISRDNAKNSLYLQMNSLRAEDTAVYYCARGAP
MGAAAGWFDPPWGQGTLLVTVSS (SEQ ID NO:205)

F4-EpCAMFc-AJchainB-NKG2D-binding scFv

EVQLLEQSGAELVRPGTSVKISCKASGYAFTNYWLGWVKQRPGHGLEWIGDIFPGSG
 NIHYNEKFKGKATLTADKSSSTAYMQLSSLTFEDSAVYFCARLRNWDPEMDYWGQ
 GTTDTVSSASTKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSG
 5 VHTFPAVLQSSGLYSLSSVTVTPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDKT
 HTCPCPAPELLGGPSVFLFPPKPKDTLMISRTPEVTCVVDVSHEDPEVKFNWYVD
 GVEVHNAKTKPREEQYNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTI
 SKAKGQPREPQVYTLPPCRDELTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKT
 TPPVLDSDGSFTLYSKLTVDKSRWQQGNVVFSCSVMHEALHNHYTQKSLSLSPG
 10 SGSGGGGSDIQMTQSPSSVSASVGDRVTITCRASQGISSWLAWYQQKPGKAPKLLIY
 AASSLQSGVPSRFSGSGSGTDFTLTISLQPEDFATYYCQQGVSFPRTFGCGTKVEIKG
 GGGSGGGSGGGSGGGGSEVQLVESGGGLVKPGGSLRLSCAASGFTFSSYSMNWV
 RQAPGKCLEWVSSISSSSSYIYYADSVKGRFTISRDNANKNSLYLQMNSLRAEDTAVY
 YCARGAPMGAAAGWFDPWGQGTTLTVSS (SEQ ID NO:203)

15 [0165] Anti-EpCAM HC-hinge-Fc (SEQ ID NO:204) includes a EpCAM-targeting heavy
 chain variable domain and a CH1 domain connected to an Fc domain (hinge-CH2-CH3). The
 Fc domain in SEQ ID NO:204 includes a Y349C substitution, which forms a disulfide bond
 with an S354C substitution in the CH3 domain of the Fc linked to the NKG2D-binding scFv
 20 (SEQ ID NO:203). In SEQ ID NO:204, the Fc domain also includes K360E and K409W
 substitutions.

Anti-EpCAM V_H-CH1-Fc

EVQLLEQSGAELVRPGTSVKISCKASGYAFTNYWLGWVKQRPGHGLEWIGDIFPGSG
 NIHYNEKFKGKATLTADKSSSTAYMQLSSLTFEDSAVYFCARLRNWDPEMDYWGQ
 25 GTTDTVSSASTKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSG
 VHTFPAVLQSSGLYSLSSVTVTPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDKT
 HTCPCPAPELLGGPSVFLFPPKPKDTLMISRTPEVTCVVDVSHEDPEVKFNWYVD
 GVEVHNAKTKPREEQYNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTI
 SKAKGQPREPQVCTLPPSRDELTEENQVSLTCLVKGFYPSDIAVEWESNGQPENNYKT
 30 TPPVLDSGDSFFLYSWLTVDKSRWQQGNVVFSCSVMHEALHNHYTQKSLSLSPG
 (SEQ ID NO:204)

[0166] Anti-EpCAM V_L- Constant domain (SEQ ID NO:214) includes a EpCAM-
 targeting light chain portion comprising a light chain variable domain and a light chain
 constant domain.

Anti-EpCAM V_L- Constant domain

ELVMTQSPSSLTVTAGEKVTMSCKSSQSLLNSGNQKNYLTWYQQKPGQPPKLLIYW
 ASTRESGVDPDRFTGSGSGTDFTLTISVQAEDLAVYYCQNDYSYPLTFGAGTKLEIKG
 RTVAAPSVFIFPPSDEQLKSGTASVVCLLNNFYPREAKVQWKVDNALQSGNSQESVT
 EQDSKDSSTLSSTLTLSKADYEKHKVYACEVTHQGLSSPVTKSFNRGEC (SEQ ID
 40 NO:214)

[0167] In an exemplary embodiment, the Fc domain linked to the NKG2D-binding scFv fragment comprises the mutations of K360E and K409W, and the Fc domain linked to the EPCAM Fab fragment comprises matching mutations Q347R, D399V, and F405T for forming a heterodimer.

5 [0168] In an exemplary embodiment, the Fc domain linked to the NKG2D-binding scFv includes a Y349C substitution in the CH3 domain, which forms a disulfide bond with a S354C substitution on the Fc domain that is not linked to an NKG2D-binding scFv.

[0169] Another TriNKET of the present disclosure is NKG2D-binding-F3'-TriNKET-EPCAM, sequences of which are described below (CDRs (Kabat numbering) are underlined).

10 [0170] Some TriNKETs of the present disclosure are in the form A49-F3'-TriNKET-EPCAM, sequences of which are provided below (CDRs (Kabat numbering) are underlined).

[0171] An A49-F3'-TriNKET-EPCAM includes a single-chain variable fragment (scFv) that binds EPCAM (SEQ ID NOs:208 and 209 are exemplary sequences of such EPCAM-binding scFv polypeptides), linked to an Fc domain via a hinge comprising Gly-Ala-Ser (for example, in SEQ ID NO:210 and SEQ ID NO:211); and an NKG2D-binding Fab fragment ("A49") including a heavy chain portion comprising an heavy chain variable domain (SEQ ID NO:85) and a CH1 domain, and a light chain portion comprising a light chain variable domain (SEQ ID NO:86) and a light chain constant domain, wherein the heavy chain variable domain is connected to the CH1 domain, and the CH1 domain is connected to the Fc domain.

20 The Fc domain linked to the EPCAM-targeting Fab comprises Q347R, D399V, and F405T substitutions for forming a heterodimer with an Fab comprising K360E and K409W substitutions (*see, e.g.*, SEQ ID NO:212 described below).

[0172] An EPCAM-binding scFv of the present disclosure can include a heavy chain variable domain connected to a light chain variable domain with a (G4S)₄ linker (represented as V_L(G4S)₄V_H or LH where V_L is N-terminal to V_H, and represented as V_H(G4S)₄V_L or HL where V_H is N-terminal to V_L). SEQ ID NOs:208 and 209 are exemplary sequences of such EPCAM-binding scFv polypeptides. The V_L and V_H comprised within the scFv (SEQ ID NOs:208 or 209) contain 100V_L - 44V_H S-S bridge (resulting from G100C and G44C substitutions, respectively) (cysteine residues are in bold-italics-underlined in the sequences below). (G4S)₄ is the bolded-underlined sequence GGGGSGGGGSGGGGSGGGGS (SEQ ID NO:206) in SEQ ID NO:208 and SEQ ID NO:209.

EPCAM (MT110LH) scFv

ELVMTQSPSSSLTVTAGEKVTMSCKSSQSLNLSGNQKNYLTWYQQKPGQPPKLLIYW
 ASTRESGVPDRFTGSGSGTDFTLTISSVQAEDLAVYYCQNDYSYPLTFGCGTKLEIK
 5 GGGGSGGGGSGGGGSGGGGSGGGGSEVQLLEQSGAELVRPGTSVKISCKASGYAFTNYW
 LGWVKQRP~~GH~~CLEWIGDIFPGSGNIHYNEKFKGKATLTADKSSSTAYMQLSSLTFED
 SAVYFCARL~~R~~NWDEPMDYWGQGTTVTVSS (SEQ ID NO:208)

EPCAM (MT100HL) scFv

10 EVQLLEQSGAELVRPGTSVKISCKASGYAFTNYWLGWVKQRP~~GH~~CLEWIGDIFPGSG
 NIHYNEKFKGKATLTADKSSSTAYMQLSSLTFEDSAVYFCARL~~R~~NWDEPMDYWGQ
 GTTVTVSSGGGGSGGGGSGGGGSGGGGSGGGGSSELVMTQSPSSSLTVTAGEKVTMSCKSSQ
 15 SLLNLSGNQKNYLTWYQQKPGQPPKLLIYWASTRESGVPDRFTGSGSGTDFTLTISSV
 QAEDLAVYYCQNDYSYPLTFGCGTKLEIK (SEQ ID NO:209)

[0173] SEQ ID NO:210 and SEQ ID NO:211 represent two sequences of an EPCAM-binding scFv, which can be linked to an Fc domain via a hinge comprising Gly-Ala-Ser (bold-underlined). The Fc domain linked to the scFv includes Q347R, D399V, and F405T substitutions.

EPCAM (MT110LH) scFv-Fc

ELVMTQSPSSSLTVTAGEKVTMSCKSSQSLNLSGNQKNYLTWYQQKPGQPPKLLIYW
 ASTRESGVPDRFTGSGSGTDFTLTISSVQAEDLAVYYCQNDYSYPLTFGCGTKLEIK
GGGGSGGGGSGGGGSGGGGSGGGGSEVQLLEQSGAELVRPGTSVKISCKASGYAFTNYW
 25 LGWVKQRP~~GH~~CLEWIGDIFPGSGNIHYNEKFKGKATLTADKSSSTAYMQLSSLTFED
 SAVYFCARL~~R~~NWDEPMDYWGQGTTVTVSSGASDKTHTCPPCPAPELLGGPSVFLFPPK
 PKPKDTLMISRTPEVTCVVDVSHEDPEVKFNWYVDGVEVHNAKTKPREEQYNSTY
 RVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPRVYTLPPCRDE
 LTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTTPVLVSDGSFTLYSKLTVDK
 SRWQQGNVFSCSVMHEALHNHYTQKSLSLSPG (SEQ ID NO:210)

30

EPCAM (MT110HL) scFv-Fc

EVQLLEQSGAELVRPGTSVKISCKASGYAFTNYWLGWVKQRP~~GH~~CLEWIGDIFPGSG
 NIHYNEKFKGKATLTADKSSSTAYMQLSSLTFEDSAVYFCARL~~R~~NWDEPMDYWGQ
 GTTVTVSSGGGGSGGGGSGGGGSGGGGSGGGGSSELVMTQSPSSSLTVTAGEKVTMSCKSSQ
 35 SLLNLSGNQKNYLTWYQQKPGQPPKLLIYWASTRESGVPDRFTGSGSGTDFTLTISSV
 QAEDLAVYYCQNDYSYPLTFGCGTKLEIKGASDKTHTCPPCPAPELLGGPSVFLFPPK
 PKDTLMISRTPEVTCVVDVSHEDPEVKFNWYVDGVEVHNAKTKPREEQYNSTYRV
 VSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPRVYTLPPCRDELT
 KNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTTPVLVSDGSFTLYSKLTVDKSR
 40 WQQGNVFSCSVMHEALHNHYTQKSLSLSPG (SEQ ID NO:211)

[0174] SEQ ID NO:212 represents the heavy chain portion of a Fab fragment, which comprises an heavy chain variable domain (SEQ ID NO:85) of an NKG2D-binding site and a

CH1 domain, connected to an Fc domain. The Fc domain in SEQ ID NO:212 includes a Y349C substitution in the CH3 domain, which forms a disulfide bond with a S354C substitution on the Fc linked to the EpCAM-binding scFv (*e.g.*, SEQ ID NO:210 and SEQ ID NO:211). In SEQ ID NO:212, the Fc domain also includes K360E and K409W substitutions.

5 **A49 - V_H**

EVQLVESGGGLVKPGGSLRLSCAASGFTFSSYSMNWVRQAPGKGLEWVSSISSSSSSYI
YYADSVKGRFTISRDNKNSLYLQMNSLRAEDTAVYYCARGAPMGAAAGWFDPW
GQGTLLTVSS (SEQ ID NO:85)

10

A49 V_H-CH1-Fc

EVQLVESGGGLVKPGGSLRLSCAASGFTFSSYSMNWVRQAPGKGLEWVSSISSSSSSYI
YYADSVKGRFTISRDNKNSLYLQMNSLRAEDTAVYYCARGAPMGAAAGWFDPW
15 GQGTLLTVSSASTKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALT
SGVHTFPAVLQSSGLYSLSSVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCD
KTHTCPPCPAPELLGGPSVFLFPPKPKDTLMISRTPEVTCVVDVSHEDPEVKFNWYV
DGVEVHNAKTKPREEQYNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEK
TISKAKGQPREPQVCTLPSSRDELTE~~N~~QVSLTCLVKGFYPSDIAVEWESNGQPENNY
20 KTTTPVLDSDGSFFLYS~~W~~LTVDKSRWQQGNVFSCSVMHEALHNHYTQKSLSLSPG
(SEQ ID NO:212)

[0175] SEQ ID NO:213 represents the light chain portion of a Fab fragment comprising a light chain variable domain (SEQ ID NO:86) of an NKG2D-binding site and a light chain
25 constant domain.

A49 - V_L

DIQMTQSPSSVSASVGDRVTITCRASQGISSWLAWYQQKPGKAPKLLIYAASSLQSG
VPSRFGSGSGTDFTLTISLQPEDFATYYCQQGVSPRTFGGGTKVEIK (SEQ ID
NO:86)

30 **A49 LC V_L - Constant domain**

DIQMTQSPSSVSASVGDRVTITCRASQGISSWLAWYQQKPGKAPKLLIYAASSLQSG
VPSRFGSGSGTDFTLTISLQPEDFATYYCQQGVSPRTFGGGTKVEIK
RTVAAPSPSPDEQLKSGTASVVCLLNNFYPREAKVQWKVDNALQSGNSQESVTEQD
35 SKDSTYSLSTLTLSKADYEKHKVYACEVTHQGLSSPVTKSFNRGEC (SEQ ID
NO:213)

[0176] In an exemplary embodiment, the Fc domain linked to the NKG2D-binding Fab fragment includes the mutations of Q347R, D399V, and F405T, and the Fc domain linked to the EPCAM scFv comprises matching mutations K360E and K409W for forming a
40 heterodimer. In an exemplary embodiment, the Fc domain linked to the NKG2D-binding Fab

fragment includes a S354C substitution in the CH3 domain, which forms a disulfide bond with a Y349C substitution on the Fc linked to the EPCAM-binding scFv.

[0177] Within the Fc domain, CD16 binding is mediated by the hinge region and the CH2 domain. For example, within human IgG1, the interaction with CD16 is primarily focused on amino acid residues Asp 265 – Glu 269, Asn 297 – Thr 299, Ala 327 – Ile 332, Leu 234 – Ser 239, and carbohydrate residue N-acetyl-D-glucosamine in the CH2 domain (see, Sondermann *et al.*, Nature, 406 (6793):267-273). Based on the known domains, mutations can be selected to enhance or reduce the binding affinity to CD16, such as by using phage-displayed libraries or yeast surface-displayed cDNA libraries, or can be designed based on the known three-dimensional structure of the interaction.

[0178] The assembly of heterodimeric antibody heavy chains can be accomplished by expressing two different antibody heavy chain sequences in the same cell, which may lead to the assembly of homodimers of each antibody heavy chain as well as assembly of heterodimers. Promoting the preferential assembly of heterodimers can be accomplished by incorporating different mutations in the CH3 domain of each antibody heavy chain constant region as shown in US13/494870, US16/028850, US11/533709, US12/875015, US13/289934, US14/773418, US12/811207, US13/866756, US14/647480, and US14/830336. For example, mutations can be made in the CH3 domain based on human IgG1 and incorporating distinct pairs of amino acid substitutions within a first polypeptide and a second polypeptide that allow these two chains to selectively heterodimerize with each other. The positions of amino acid substitutions illustrated below are all numbered according to the EU index as in Kabat.

[0179] In one scenario, an amino acid substitution in the first polypeptide replaces the original amino acid with a larger amino acid, selected from arginine (R), phenylalanine (F), tyrosine (Y) or tryptophan (W), and at least one amino acid substitution in the second polypeptide replaces the original amino acid(s) with a smaller amino acid(s), chosen from alanine (A), serine (S), threonine (T), or valine (V), such that the larger amino acid substitution (a protuberance) fits into the surface of the smaller amino acid substitutions (a cavity). For example, one polypeptide can incorporate a T366W substitution, and the other can incorporate three substitutions including T366S, L368A, and Y407V.

[0180] An antibody heavy chain variable domain of the invention can optionally be coupled to an amino acid sequence at least 90% identical to an antibody constant region, such

as an IgG constant region including hinge, CH2 and CH3 domains with or without CH1 domain. In some embodiments, the amino acid sequence of the constant region is at least 90% identical to a human antibody constant region, such as an human IgG1 constant region, an IgG2 constant region, IgG3 constant region, or IgG4 constant region. In some other

5 embodiments, the amino acid sequence of the constant region is at least 90% identical to an antibody constant region from another mammal, such as rabbit, dog, cat, mouse, or horse. One or more mutations can be incorporated into the constant region as compared to human IgG1 constant region, for example at Q347, Y349, L351, S354, E356, E357, K360, Q362, S364, T366, L368, K370, N390, K392, T394, D399, S400, D401, F405, Y407, K409, T411

10 and/or K439. Exemplary substitutions include, for example, Q347E, Q347R, Y349S, Y349K, Y349T, Y349D, Y349E, Y349C, T350V, L351K, L351D, L351Y, S354C, E356K, E357Q, E357L, E357W, K360E, K360W, Q362E, S364K, S364E, S364H, S364D, T366V, T366I, T366L, T366M, T366K, T366W, T366S, L368E, L368A, L368D, K370S, N390D, N390E, K392L, K392M, K392V, K392F, K392D, K392E, T394F, T394W, D399R, D399K,

15 D399V, S400K, S400R, D401K, F405A, F405T, Y407A, Y407I, Y407V, K409F, K409W, K409D, T411D, T411E, K439D, and K439E.

[0181] In certain embodiments, mutations that can be incorporated into the CH1 of a human IgG1 constant region may be at amino acid V125, F126, P127, T135, T139, A140, F170, P171, and/or V173. In certain embodiments, mutations that can be incorporated into

20 the C κ of a human IgG1 constant region may be at amino acid E123, F116, S176, V163, S174, and/or T164.

[0182] Alternatively, amino acid substitutions could be selected from the following sets of substitutions shown in Table 4.

Table 4		
	First Polypeptide	Second Polypeptide
Set 1	S364E/F405A	Y349K/T394F
Set 2	S364H/D401K	Y349T/T411E
Set 3	S364H/T394F	Y349T/F405A
Set 4	S364E/T394F	Y349K/F405A
Set 5	S364E/T411E	Y349K/D401K
Set 6	S364D/T394F	Y349K/F405A

Set 7	S364H/F405A	Y349T/T394F
Set 8	S364K/E357Q	L368D/K370S
Set 9	L368D/K370S	S364K
Set 10	L368E/K370S	S364K
Set 11	K360E/Q362E	D401K
Set 12	L368D/K370S	S364K/E357L
Set 13	K370S	S364K/E357Q
Set 14	F405L	K409R
Set 15	K409R	F405L

[0183] Alternatively, amino acid substitutions could be selected from the following sets of substitutions shown in Table 5.

Table 5		
	First Polypeptide	Second Polypeptide
Set 1	K409W	D399V/F405T
Set 2	Y349S	E357W
Set 3	K360E	Q347R
Set 4	K360E/K409W	Q347R/D399V/F405T
Set 5	Q347E/K360E/K409W	Q347R/D399V/F405T
Set 6	Y349S/K409W	E357W/D399V/F405T

[0184] Alternatively, amino acid substitutions could be selected from the following set of
5 substitutions shown in Table 6.

Table 6		
	First Polypeptide	Second Polypeptide
Set 1	T366K/L351K	L351D/L368E
Set 2	T366K/L351K	L351D/Y349E
Set 3	T366K/L351K	L351D/Y349D
Set 4	T366K/L351K	L351D/Y349E/L368E
Set 5	T366K/L351K	L351D/Y349D/L368E
Set 6	E356K/D399K	K392D/K409D

[0185] Alternatively, at least one amino acid substitution in each polypeptide chain could be selected from Table 7.

Table 7	
First Polypeptide	Second Polypeptide
L351Y, D399R, D399K, S400K, S400R, Y407A, Y407I, Y407V	T366V, T366I, T366L, T366M, N390D, N390E, K392L, K392M, K392V, K392F, K392D, K392E, K409F, K409W, T411D and T411E

[0186] Alternatively, at least one amino acid substitutions could be selected from the following set of substitutions in Table 8, where the position(s) indicated in the First Polypeptide column is replaced by any known negatively-charged amino acid, and the position(s) indicated in the Second Polypeptide Column is replaced by any known positively-charged amino acid.

Table 8	
First Polypeptide	Second Polypeptide
K392, K370, K409, or K439	D399, E356, or E357

[0187] Alternatively, at least one amino acid substitutions could be selected from the following set of in Table 9, where the position(s) indicated in the First Polypeptide column is replaced by any known positively-charged amino acid, and the position(s) indicated in the Second Polypeptide Column is replaced by any known negatively-charged amino acid.

Table 9	
First Polypeptide	Second Polypeptide
D399, E356, or E357	K409, K439, K370, or K392

[0188] Alternatively, amino acid substitutions could be selected from the following set in Table 10.

Table 10	
First Polypeptide	Second Polypeptide

T350V, L351Y, F405A, and Y407V	T350V, T366L, K392L, and T394W
--------------------------------	--------------------------------

[0189] Alternatively, or in addition, the structural stability of a hetero-multimeric protein may be increased by introducing S354C on either of the first or second polypeptide chain, and Y349C on the opposing polypeptide chain, which forms an artificial disulfide bridge within the interface of the two polypeptides.

- 5 **[0190]** In some embodiments, the amino acid sequence of one polypeptide chain of the antibody constant region differs from the amino acid sequence of an IgG1 constant region at position T366, and wherein the amino acid sequence of the other polypeptide chain of the antibody constant region differs from the amino acid sequence of an IgG1 constant region at one or more positions selected from the group consisting of T366, L368 and Y407.
- 10 **[0191]** In some embodiments, the amino acid sequence of one polypeptide chain of the antibody constant region differs from the amino acid sequence of an IgG1 constant region at one or more positions selected from the group consisting of T366, L368 and Y407, and wherein the amino acid sequence of the other polypeptide chain of the antibody constant region differs from the amino acid sequence of an IgG1 constant region at position T366.
- 15 **[0192]** In some embodiments, the amino acid sequence of one polypeptide chain of the antibody constant region differs from the amino acid sequence of an IgG1 constant region at one or more positions selected from the group consisting of E357, K360, Q362, S364, L368, K370, T394, D401, F405, and T411 and wherein the amino acid sequence of the other polypeptide chain of the antibody constant region differs from the amino acid sequence of an
- 20 IgG1 constant region at one or more positions selected from the group consisting of Y349, E357, S364, L368, K370, T394, D401, F405 and T411.
- [0193]** In some embodiments, the amino acid sequence of one polypeptide chain of the antibody constant region differs from the amino acid sequence of an IgG1 constant region at one or more positions selected from the group consisting of Y349, E357, S364, L368, K370,
- 25 T394, D401, F405 and T411 and wherein the amino acid sequence of the other polypeptide chain of the antibody constant region differs from the amino acid sequence of an IgG1 constant region at one or more positions selected from the group consisting of E357, K360, Q362, S364, L368, K370, T394, D401, F405, and T411.
- [0194]** In some embodiments, the amino acid sequence of one polypeptide chain of the
- 30 antibody constant region differs from the amino acid sequence of an IgG1 constant region at

one or more positions selected from the group consisting of L351, D399, S400 and Y407 and wherein the amino acid sequence of the other polypeptide chain of the antibody constant region differs from the amino acid sequence of an IgG1 constant region at one or more positions selected from the group consisting of T366, N390, K392, K409 and T411.

5 **[0195]** In some embodiments, the amino acid sequence of one polypeptide chain of the antibody constant region differs from the amino acid sequence of an IgG1 constant region at one or more positions selected from the group consisting of T366, N390, K392, K409 and T411 and wherein the amino acid sequence of the other polypeptide chain of the antibody constant region differs from the amino acid sequence of an IgG1 constant region at one or
10 more positions selected from the group consisting of L351, D399, S400 and Y407.

[0196] In some embodiments, the amino acid sequence of one polypeptide chain of the antibody constant region differs from the amino acid sequence of an IgG1 constant region at one or more positions selected from the group consisting of Q347, Y349, K360, and K409, and wherein the amino acid sequence of the other polypeptide chain of the antibody constant
15 region differs from the amino acid sequence of an IgG1 constant region at one or more positions selected from the group consisting of Q347, E357, D399 and F405.

[0197] In some embodiments, the amino acid sequence of one polypeptide chain of the antibody constant region differs from the amino acid sequence of an IgG1 constant region at one or more positions selected from the group consisting of Q347, E357, D399 and F405, and
20 wherein the amino acid sequence of the other polypeptide chain of the antibody constant region differs from the amino acid sequence of an IgG1 constant region at one or more positions selected from the group consisting of Y349, K360, Q347 and K409.

[0198] In some embodiments, the amino acid sequence of one polypeptide chain of the antibody constant region differs from the amino acid sequence of an IgG1 constant region at
25 one or more positions selected from the group consisting of K370, K392, K409 and K439, and wherein the amino acid sequence of the other polypeptide chain of the antibody constant region differs from the amino acid sequence of an IgG1 constant region at one or more positions selected from the group consisting of D356, E357 and D399.

[0199] In some embodiments, the amino acid sequence of one polypeptide chain of the antibody constant region differs from the amino acid sequence of an IgG1 constant region at
30 one or more positions selected from the group consisting of D356, E357 and D399, and wherein the amino acid sequence of the other polypeptide chain of the antibody constant

region differs from the amino acid sequence of an IgG1 constant region at one or more positions selected from the group consisting of K370, K392, K409 and K439.

5 [0200] In some embodiments, the amino acid sequence of one polypeptide chain of the antibody constant region differs from the amino acid sequence of an IgG1 constant region at one or more positions selected from the group consisting of L351, E356, T366 and D399, and wherein the amino acid sequence of the other polypeptide chain of the antibody constant region differs from the amino acid sequence of an IgG1 constant region at one or more positions selected from the group consisting of Y349, L351, L368, K392 and K409.

10 [0201] In some embodiments, the amino acid sequence of one polypeptide chain of the antibody constant region differs from the amino acid sequence of an IgG1 constant region at one or more positions selected from the group consisting of Y349, L351, L368, K392 and K409, and wherein the amino acid sequence of the other polypeptide chain of the antibody constant region differs from the amino acid sequence of an IgG1 constant region at one or more positions selected from the group consisting of L351, E356, T366 and D399.

15 [0202] In some embodiments, the amino acid sequence of one polypeptide chain of the antibody constant region differs from the amino acid sequence of an IgG1 constant region by an S354C substitution and wherein the amino acid sequence of the other polypeptide chain of the antibody constant region differs from the amino acid sequence of an IgG1 constant region by a Y349C substitution.

20 [0203] In some embodiments, the amino acid sequence of one polypeptide chain of the antibody constant region differs from the amino acid sequence of an IgG1 constant region by a Y349C substitution and wherein the amino acid sequence of the other polypeptide chain of the antibody constant region differs from the amino acid sequence of an IgG1 constant region by an S354C substitution.

25 [0204] In some embodiments, the amino acid sequence of one polypeptide chain of the antibody constant region differs from the amino acid sequence of an IgG1 constant region by K360E and K409W substitutions and wherein the amino acid sequence of the other polypeptide chain of the antibody constant region differs from the amino acid sequence of an IgG1 constant region by O347R, D399V and F405T substitutions.

30 [0205] In some embodiments, the amino acid sequence of one polypeptide chain of the antibody constant region differs from the amino acid sequence of an IgG1 constant region by O347R, D399V and F405T substitutions and wherein the amino acid sequence of the other

polypeptide chain of the antibody constant region differs from the amino acid sequence of an IgG1 constant region by K360E and K409W substitutions.

[0206] In some embodiments, the amino acid sequence of one polypeptide chain of the antibody constant region differs from the amino acid sequence of an IgG1 constant region by a T366W substitutions and wherein the amino acid sequence of the other polypeptide chain of the antibody constant region differs from the amino acid sequence of an IgG1 constant region by T366S, T368A, and Y407V substitutions.

[0207] In some embodiments, the amino acid sequence of one polypeptide chain of the antibody constant region differs from the amino acid sequence of an IgG1 constant region by T366S, T368A, and Y407V substitutions and wherein the amino acid sequence of the other polypeptide chain of the antibody constant region differs from the amino acid sequence of an IgG1 constant region by a T366W substitution.

[0208] In some embodiments, the amino acid sequence of one polypeptide chain of the antibody constant region differs from the amino acid sequence of an IgG1 constant region by T350V, L351Y, F405A, and Y407V substitutions and wherein the amino acid sequence of the other polypeptide chain of the antibody constant region differs from the amino acid sequence of an IgG1 constant region by T350V, T366L, K392L, and T394W substitutions.

[0209] In some embodiments, the amino acid sequence of one polypeptide chain of the antibody constant region differs from the amino acid sequence of an IgG1 constant region by T350V, T366L, K392L, and T394W substitutions and wherein the amino acid sequence of the other polypeptide chain of the antibody constant region differs from the amino acid sequence of an IgG1 constant region by T350V, L351Y, F405A, and Y407V substitutions.

[0210] The multi-specific proteins described above can be made using recombinant DNA technology well known to a skilled person in the art. For example, a first nucleic acid sequence encoding the first immunoglobulin heavy chain can be cloned into a first expression vector; a second nucleic acid sequence encoding the second immunoglobulin heavy chain can be cloned into a second expression vector; a third nucleic acid sequence encoding the immunoglobulin light chain can be cloned into a third expression vector; and the first, second, and third expression vectors can be stably transfected together into host cells to produce the multimeric proteins.

[0211] To achieve the highest yield of the multi-specific protein, different ratios of the first, second, and third expression vector can be explored to determine the optimal ratio for

transfection into the host cells. After transfection, single clones can be isolated for cell bank generation using methods known in the art, such as limited dilution, ELISA, FACS, microscopy, or Clonepix.

[0212] Clones can be cultured under conditions suitable for bio-reactor scale-up and maintained expression of the multi-specific protein. The multispecific proteins can be isolated and purified using methods known in the art including centrifugation, depth filtration, cell lysis, homogenization, freeze-thawing, affinity purification, gel filtration, ion exchange chromatography, hydrophobic interaction exchange chromatography, and mixed-mode chromatography.

10 II. CHARACTERISTICS OF THE MULTI-SPECIFIC PROTEINS

[0213] The multi-specific proteins described herein include an NKG2D-binding site, a CD16-binding site, and a tumor-associated antigen selected from any one of the antigens provided in Table 11. In some embodiments, the multi-specific proteins bind simultaneously to cells expressing NKG2D and/or CD16, such as NK cells, and to tumor cells expressing a tumor-associated antigen selected from any one of the antigens provided in Table 11. Binding of the multi-specific proteins to NK cells can enhance the activity of the NK cells toward destruction of the tumor cells.

[0214] Table 11

Type of Antigen	Biological Name
Transmembrane glycoprotein mediating Ca^{2+} -independent homotypic cell–cell adhesion in epithelia	Epithelial cell adhesion molecule (EpCAM)
Mucin family glycoproteins	Cancer Antigen 125 (CA125)
Phosphate transport protein involved in transporting phosphate into cells via Na^+ -co-transport	sodium/phosphate cotransporter 2B (NaPi2b)
Cellular adhesion molecules involved in Ca^{2+} -independent cellular adhesion	Nectin cell adhesion molecule 4 (Nectin4)
Gangliosides	Fucosyl-GM1 (monosialotetrahexosylganglioside)
ADAM (a disintegrin and metalloproteinase) protein	disintegrin and metalloproteinase domain-containing protein 8 (ADAM8)

ADAM (a disintegrin and metalloproteinase) protein	disintegrin and metalloproteinase domain-containing protein 9 (ADAM9)
Solute carrier proteins known as choline transporter-like proteins (CTL1-5)	solute carrier family 44 member 4 (SLC44A4)
Carbohydrate antigen sialyl Lewis a	sialylated Lewis a antigen (CA19-9)

[0215] In some embodiments, the multi-specific proteins bind to a tumor-associated antigen selected from any one of the antigens provided in Table 11 with a similar affinity to the corresponding monoclonal antibody (*i.e.*, a monoclonal antibody containing the same a tumor-associated antigen-binding site as the one incorporated in the multi-specific proteins
5 (selected from any one of the antigens provided in Table 11)). In some embodiments, the multi-specific proteins are more effective in killing the tumor cells expressing a tumor-associated antigen selected from any one of the antigens provided in Table 11 than the corresponding monoclonal antibodies.

[0216] In certain embodiments, the multi-specific proteins described herein, which
10 include an NKG2D-binding site and a binding site for a tumor-associated antigen selected from any one of the antigens provided in Table 11, activate primary human NK cells when co-culturing with cells expressing the tumor-associated antigen. NK cell activation is marked by the increase in CD107a degranulation and IFN- γ cytokine production. Furthermore, compared to a corresponding monoclonal antibody for a tumor-associated antigen selected
15 from any one of the antigens provided in Table 11, the multi-specific proteins may show superior activation of human NK cells in the presence of cells expressing the tumor-associated antigen.

[0217] In certain embodiments, the multi-specific proteins described herein, which
20 include an NKG2D-binding site and a binding site for a tumor-associated antigen selected from any one of the antigens provided in Table 11, enhance the activity of rested and IL-2-activated human NK cells co-culturing with cells expressing the tumor-associated antigen.

[0218] In certain embodiments, compared to a corresponding monoclonal antibody that binds to a tumor-associated antigen selected from any one of the antigens provided in Table 11, the multi-specific proteins offer an advantage in targeting tumor cells that express the
25 tumor-associated antigen. The multi-specific binding proteins described herein may be more effective in reducing tumor growth and killing cancer cells.

[0219] In certain embodiments, EpCAM-targeting F4-TriNKET (*e.g.*, NKG2D-binding-F4-TriNKET-EpCAM) killed target cells more effectively than the parental mAb targeting EpCAM. In certain embodiments, the F4-TriNKET also killed target cells more potently than F3'-TriNKET (*e.g.*, NKG2D-binding-F3'-TriNKET-EpCAM), which may be a reflection of the stronger binding of F4-TriNKET to target cells.

III. THERAPEUTIC APPLICATIONS

[0220] The invention provides methods for treating cancer using a multi-specific binding protein described herein and/or a pharmaceutical composition described herein. The methods may be used to treat a variety of cancers which express EPCAM by administering to a patient in need thereof a therapeutically effective amount of a multi-specific binding protein described herein.

[0221] The therapeutic method can be characterized according to the cancer to be treated. For example, in certain embodiments, the cancer is acute myeloid leukemia, multiple myeloma, diffuse large B cell lymphoma, thymoma, adenoid cystic carcinoma, gastrointestinal cancer, renal cancer, breast cancer, glioblastoma, lung cancer, ovarian cancer, brain cancer, prostate cancer, pancreatic cancer, or melanoma.

[0222] In certain other embodiments, the cancer is a solid tumor. In certain other embodiments, the cancer is colon cancer, bladder cancer, cervical cancer, endometrial cancer, esophageal cancer, leukemia, liver cancer, rectal cancer, stomach cancer, testicular cancer, or uterine cancer. In yet other embodiments, the cancer is a vascularized tumor, squamous cell carcinoma, adenocarcinoma, small cell carcinoma, melanoma, glioma, neuroblastoma, sarcoma (*e.g.*, an angiosarcoma or chondrosarcoma), larynx cancer, parotid cancer, biliary tract cancer, thyroid cancer, acral lentiginous melanoma, actinic keratoses, acute lymphocytic leukemia, acute myeloid leukemia, adenoid cystic carcinoma, adenomas, adenosarcoma, adenosquamous carcinoma, anal canal cancer, anal cancer, anorectum cancer, astrocytic tumor, bartholin gland carcinoma, basal cell carcinoma, biliary cancer, bone cancer, bone marrow cancer, bronchial cancer, bronchial gland carcinoma, carcinoid, cholangiocarcinoma, chondrosarcoma, choroid plexus papilloma/carcinoma, chronic lymphocytic leukemia, chronic myeloid leukemia, clear cell carcinoma, connective tissue cancer, cystadenoma, digestive system cancer, duodenum cancer, endocrine system cancer, endodermal sinus tumor, endometrial hyperplasia, endometrial stromal sarcoma, endometrioid adenocarcinoma, endothelial cell cancer, ependymal cancer, epithelial cell cancer, Ewing's sarcoma, eye and

orbit cancer, female genital cancer, focal nodular hyperplasia, gallbladder cancer, gastric antrum cancer, gastric fundus cancer, gastrinoma, glioblastoma, glucagonoma, heart cancer, hemangioblastomas, hemangioendothelioma, hemangiomas, hepatic adenoma, hepatic adenomatosis, hepatobiliary cancer, hepatocellular carcinoma, Hodgkin's disease, ileum

5 cancer, insulinoma, intraepithelial neoplasia, interepithelial squamous cell neoplasia, intrahepatic bile duct cancer, invasive squamous cell carcinoma, jejunum cancer, joint cancer, Kaposi's sarcoma, pelvic cancer, large cell carcinoma, large intestine cancer, leiomyosarcoma, lentigo maligna melanomas, lymphoma, male genital cancer, malignant melanoma, malignant mesothelial tumors, medulloblastoma, medulloepithelioma, meningeal

10 cancer, mesothelial cancer, metastatic carcinoma, mouth cancer, mucoepidermoid carcinoma, multiple myeloma, muscle cancer, nasal tract cancer, nervous system cancer, neuroepithelial adenocarcinoma nodular melanoma, non-epithelial skin cancer, non-Hodgkin's lymphoma, oat cell carcinoma, oligodendroglial cancer, oral cavity cancer, osteosarcoma, papillary serous adenocarcinoma, penile cancer, pharynx cancer, pituitary tumors, plasmacytoma,

15 pseudosarcoma, pulmonary blastoma, rectal cancer, renal cell carcinoma, respiratory system cancer, retinoblastoma, rhabdomyosarcoma, sarcoma, serous carcinoma, sinus cancer, skin cancer, small cell carcinoma, small intestine cancer, smooth muscle cancer, soft tissue cancer, somatostatin-secreting tumor, spine cancer, squamous cell carcinoma, striated muscle cancer, submesothelial cancer, superficial spreading melanoma, T cell leukemia, tongue cancer,

20 undifferentiated carcinoma, ureter cancer, urethra cancer, urinary bladder cancer, urinary system cancer, uterine cervix cancer, uterine corpus cancer, uveal melanoma, vaginal cancer, verrucous carcinoma, VIPoma, vulva cancer, well differentiated carcinoma, or Wilms tumor.

[0223] In certain other embodiments, the cancer is non-Hodgkin's lymphoma, such as a B-cell lymphoma or a T-cell lymphoma. In certain embodiments, the non-Hodgkin's

25 lymphoma is a B-cell lymphoma, such as a diffuse large B-cell lymphoma, primary mediastinal B-cell lymphoma, follicular lymphoma, small lymphocytic lymphoma, mantle cell lymphoma, marginal zone B-cell lymphoma, extranodal marginal zone B-cell lymphoma, nodal marginal zone B-cell lymphoma, splenic marginal zone B-cell lymphoma, Burkitt lymphoma, lymphoplasmacytic lymphoma, hairy cell leukemia, or primary central nervous

30 system (CNS) lymphoma. In certain other embodiments, the non-Hodgkin's lymphoma is a T-cell lymphoma, such as a precursor T-lymphoblastic lymphoma, peripheral T-cell lymphoma, cutaneous T-cell lymphoma, angioimmunoblastic T-cell lymphoma, extranodal natural killer/T-cell lymphoma, enteropathy type T-cell lymphoma, subcutaneous

panniculitis-like T-cell lymphoma, anaplastic large cell lymphoma, or peripheral T-cell lymphoma.

[0224] The cancer to be treated can be characterized according to the presence of a particular antigen expressed on the surface of the cancer cell. In certain embodiments, the cancer cell can express one or more of the following in addition to EpCAM: CD2, CD19, CD20, CD30, CD38, CD40, CD52, CD70, EGFR/ERBB1, IGF1R, HER3/ERBB3, HER4/ERBB4, MUC1, TROP2, cMET, SLAMF7, PSCA, MICA, MICB, TRAILR1, TRAILR2, MAGE-A3, B7.1, B7.2, CTLA4, and PD1.

[0225] In some other embodiments, when the second binding site binds EpCAM, the cancer to be treated is selected from head and neck cancer, ovarian cancer, bladder cancer, breast cancer, colorectal cancer, prostate cancer, gastric cancer, liver cancer, esophageal cancer, and lung cancer. In some other embodiments, when the second binding site binds an antigen selected from Cancer Antigen 125 (CA125), sodium/phosphate cotransporter 2B (NaPi2b), Nectin cell adhesion molecule 4 (Nectin4), Fucosyl-GM1 (monosialotetrahexosylganglioside), disintegrin and metalloproteinase domain-containing protein 8 (ADAM8), disintegrin and metalloproteinase domain-containing protein 9 (ADAM9), solute carrier family 44 member 4 (SLC44A4), and sialylated Lewis a antigen (CA19-9), the cancer to be treated is selected from ovarian cancer, endometrial cancer, pancreatic cancer, lung cancer, thyroid cancer, bladder cancer, breast cancer, colorectal cancer, small cell lung cancer, neuroblastoma, liver cancer, renal cancer, melanoma, cervical cancer, prostate cancer, osteosarcoma, brain cancer, gastric cancer, cholangiocarcinoma.

IV. COMBINATION THERAPY

[0226] Another aspect of the invention provides for combination therapy. A multi-specific binding protein described herein can be used in combination with additional therapeutic agents to treat the cancer.

[0227] Exemplary therapeutic agents that may be used as part of a combination therapy in treating cancer, include, for example, radiation, mitomycin, tretinoin, ribomustin, gemcitabine, vincristine, etoposide, cladribine, mitobronitol, methotrexate, doxorubicin, carboquone, pentostatin, nitracrine, zinostatin, cetorelix, letrozole, raltitrexed, daunorubicin, fadrozole, fotemustine, thymalfasin, sobuzoxane, nedaplatin, cytarabine, bicalutamide, vinorelbine, vesnarinone, aminoglutethimide, amsacrine, proglumide, elliptinium acetate, ketanserin, doxifluridine, etretinate, isotretinoin, streptozocin, nimustine, vindesine,

flutamide, drogenil, butocin, carmofur, razoxane, sizofilan, carboplatin, mitolactol, tegafur, ifosfamide, prednimustine, picibanil, levamisole, teniposide, improsulfan, enocitabine, lisuride, oxymetholone, tamoxifen, progesterone, mepitiostane, epitiostanol, formestane, interferon-alpha, interferon-2 alpha, interferon-beta, interferon-gamma (IFN- γ), colony
 5 stimulating factor-1, colony stimulating factor-2, denileukin diftitox, interleukin-2, luteinizing hormone releasing factor and variations of the aforementioned agents that may exhibit differential binding to its cognate receptor, and increased or decreased serum half-life.

[0228] An additional class of agents that may be used as part of a combination therapy in treating cancer is immune checkpoint inhibitors. Exemplary immune checkpoint inhibitors
 10 include agents that inhibit one or more of (i) cytotoxic T lymphocyte-associated antigen 4 (CTLA4), (ii) programmed cell death protein 1 (PD1), (iii) PDL1, (iv) LAG3, (v) B7-H3, (vi) B7-H4, and (vii) TIM3. The CTLA4 inhibitor ipilimumab has been approved by the United States Food and Drug Administration for treating melanoma.

[0229] Yet other agents that may be used as part of a combination therapy in treating
 15 cancer are monoclonal antibody agents that target non-checkpoint targets (*e.g.*, herceptin) and non-cytotoxic agents (*e.g.*, tyrosine-kinase inhibitors).

[0230] Yet other categories of anti-cancer agents include, for example: (i) an inhibitor selected from an ALK Inhibitor, an ATR Inhibitor, an A2A Antagonist, a Base Excision Repair Inhibitor, a Bcr-Abl Tyrosine Kinase Inhibitor, a Bruton's Tyrosine Kinase Inhibitor, a
 20 CDC7 Inhibitor, a CHK1 Inhibitor, a Cyclin-Dependent Kinase Inhibitor, a DNA-PK Inhibitor, an Inhibitor of both DNA-PK and mTOR, a DNMT1 Inhibitor, a DNMT1 Inhibitor plus 2-chloro-deoxyadenosine, an HDAC Inhibitor, a Hedgehog Signaling Pathway Inhibitor, an IDO Inhibitor, a JAK Inhibitor, a mTOR Inhibitor, a MEK Inhibitor, a MELK Inhibitor, a MTH1 Inhibitor, a PARP Inhibitor, a Phosphoinositide 3-Kinase Inhibitor, an Inhibitor of
 25 both PARP1 and DHODH, a Proteasome Inhibitor, a Topoisomerase-II Inhibitor, a Tyrosine Kinase Inhibitor, a VEGFR Inhibitor, and a WEE1 Inhibitor; (ii) an agonist of OX40, CD137, CD40, GITR, CD27, HVEM, TNFRSF25, or ICOS; and (iii) a cytokine selected from IL-12, IL-15, GM-CSF, and G-CSF.

[0231] Proteins of the invention can also be used as an adjunct to surgical removal of the
 30 primary lesion.

[0232] The amount of multi-specific binding protein and additional therapeutic agent and the relative timing of administration may be selected in order to achieve a desired combined

therapeutic effect. For example, when administering a combination therapy to a patient in need of such administration, the therapeutic agents in the combination, or a pharmaceutical composition or compositions comprising the therapeutic agents, may be administered in any order such as, for example, sequentially, concurrently, together, simultaneously and the like.

- 5 Further, for example, a multi-specific binding protein may be administered during a time when the additional therapeutic agent(s) exerts its prophylactic or therapeutic effect, or *vice versa*.

V. PHARMACEUTICAL COMPOSITIONS

- 10 [0233] The present disclosure also features pharmaceutical compositions that contain a therapeutically effective amount of a protein described herein. The composition can be formulated for use in a variety of drug delivery systems. One or more physiologically acceptable excipients or carriers can also be included in the composition for proper formulation. Suitable formulations for use in the present disclosure are found in Remington's Pharmaceutical Sciences, Mack Publishing Company, Philadelphia, Pa., 17th ed., 1985. For a
15 brief review of methods for drug delivery, *see, e.g.*, Langer (Science 249:1527-1533, 1990).

[0234] Pharmaceutical compositions can contain a therapeutically effective amount of a multi-specific binding protein comprising an antigen (listed in Table 11) site.

- [0235] The intravenous drug delivery formulation of the present disclosure may be contained in a bag, a pen, or a syringe. In certain embodiments, the bag may be connected to
20 a channel comprising a tube and/or a needle. In certain embodiments, the formulation may be a lyophilized formulation or a liquid formulation. In certain embodiments, the formulation may freeze-dried (lyophilized) and contained in about 12-60 vials. In certain embodiments, the formulation may be freeze-dried and 45 mg of the freeze-dried formulation may be contained in one vial. In certain embodiments, the about 40 mg – about 100 mg of freeze-
25 dried formulation may be contained in one vial. In certain embodiments, freeze dried formulation from 12, 27, or 45 vials are combined to obtained a therapeutic dose of the protein in the intravenous drug formulation. In certain embodiments, the formulation may be a liquid formulation and stored as about 250 mg/vial to about 1000 mg/vial. In certain
30 embodiments, the formulation may be a liquid formulation and stored as about 600 mg/vial. In certain embodiments, the formulation may be a liquid formulation and stored as about 250 mg/vial.

[0236] The protein could exist in a liquid aqueous pharmaceutical formulation including a therapeutically effective amount of the protein in a buffered solution forming a formulation.

[0237] These compositions may be sterilized by conventional sterilization techniques, or may be sterile filtered. The resulting aqueous solutions may be packaged for use as-is, or lyophilized, the lyophilized preparation being combined with a sterile aqueous carrier prior to administration. The pH of the preparations typically will be between 3 and 11, more preferably between 5 and 9 or between 6 and 8, and most preferably between 7 and 8, such as 7 to 7.5. The resulting compositions in solid form may be packaged in multiple single dose units, each containing a fixed amount of the above-mentioned agent or agents. The composition in solid form can also be packaged in a container for a flexible quantity.

[0238] In certain embodiments, the present disclosure provides a formulation with an extended shelf life including the protein of the present disclosure, in combination with mannitol, citric acid monohydrate, sodium citrate, disodium phosphate dihydrate, sodium dihydrogen phosphate dihydrate, sodium chloride, polysorbate 80, water, and sodium hydroxide.

[0239] In certain embodiments, an aqueous formulation is prepared including the protein of the present disclosure in a pH-buffered solution. The buffer of this invention may have a pH ranging from about 4 to about 8, *e.g.*, from about 4.5 to about 6.0, or from about 4.8 to about 5.5, or may have a pH of about 5.0 to about 5.2. Ranges intermediate to the above recited pH's are also intended to be part of this disclosure. For example, ranges of values using a combination of any of the above recited values as upper and/or lower limits are intended to be included. Examples of buffers that will control the pH within this range include acetate (*e.g.*, sodium acetate), succinate (such as sodium succinate), gluconate, histidine, citrate and other organic acid buffers.

[0240] In certain embodiments, the formulation includes a buffer system which contains citrate and phosphate to maintain the pH in a range of about 4 to about 8. In certain embodiments the pH range may be from about 4.5 to about 6.0, or from about pH 4.8 to about 5.5, or in a pH range of about 5.0 to about 5.2. In certain embodiments, the buffer system includes citric acid monohydrate, sodium citrate, disodium phosphate dihydrate, and/or sodium dihydrogen phosphate dihydrate. In certain embodiments, the buffer system includes about 1.3 mg/mL of citric acid (*e.g.*, 1.305 mg/mL), about 0.3 mg/mL of sodium citrate (*e.g.*, 0.305 mg/mL), about 1.5 mg/mL of disodium phosphate dihydrate (*e.g.*, 1.53 mg/mL), about

0.9 mg/mL of sodium dihydrogen phosphate dihydrate (*e.g.*, 0.86), and about 6.2 mg/mL of sodium chloride (*e.g.*, 6.165 mg/mL). In certain embodiments, the buffer system includes 1-1.5 mg/mL of citric acid, 0.25 to 0.5 mg/mL of sodium citrate, 1.25 to 1.75 mg/mL of disodium phosphate dihydrate, 0.7 to 1.1 mg/mL of sodium dihydrogen phosphate dihydrate, and 6.0 to 6.4 mg/mL of sodium chloride. In certain embodiments, the pH of the formulation is adjusted with sodium hydroxide.

[0241] A polyol, which acts as a tonicifier and may stabilize the antibody, may also be included in the formulation. The polyol is added to the formulation in an amount which may vary with respect to the desired isotonicity of the formulation. In certain embodiments, the aqueous formulation may be isotonic. The amount of polyol added may also be altered with respect to the molecular weight of the polyol. For example, a lower amount of a monosaccharide (*e.g.*, mannitol) may be added, compared to a disaccharide (such as trehalose). In certain embodiments, the polyol which may be used in the formulation as a tonicity agent is mannitol. In certain embodiments, the mannitol concentration may be about 5 to about 20 mg/mL. In certain embodiments, the concentration of mannitol may be about 7.5 to 15 mg/mL. In certain embodiments, the concentration of mannitol may be about 10-14 mg/mL. In certain embodiments, the concentration of mannitol may be about 12 mg/mL. In certain embodiments, the polyol sorbitol may be included in the formulation.

[0242] A detergent or surfactant may also be added to the formulation. Exemplary detergents include nonionic detergents such as polysorbates (*e.g.*, polysorbates 20, 80 etc.) or poloxamers (*e.g.*, poloxamer 188). The amount of detergent added is such that it reduces aggregation of the formulated antibody and/or minimizes the formation of particulates in the formulation and/or reduces adsorption. In certain embodiments, the formulation may include a surfactant which is a polysorbate. In certain embodiments, the formulation may contain the detergent polysorbate 80 or Tween 80. Tween 80 is a term used to describe polyoxyethylene (20) sorbitanmonooleate (*see* Fiedler, *Lexikon der Hfisstoffe*, Editio Cantor Verlag Aulendorf, 4th ed., 1996). In certain embodiments, the formulation may contain between about 0.1 mg/mL and about 10 mg/mL of polysorbate 80, or between about 0.5 mg/mL and about 5 mg/mL. In certain embodiments, about 0.1% polysorbate 80 may be added in the formulation.

[0243] In embodiments, the protein product of the present disclosure is formulated as a liquid formulation. The liquid formulation may be presented at a 10 mg/mL concentration in either a USP / Ph Eur type I 50R vial closed with a rubber stopper and sealed with an

aluminum crimp seal closure. The stopper may be made of elastomer complying with USP and Ph Eur. In certain embodiments vials may be filled with 61.2 mL of the protein product solution in order to allow an extractable volume of 60 mL. In certain embodiments, the liquid formulation may be diluted with 0.9% saline solution.

5 [0244] In certain embodiments, the liquid formulation of the disclosure may be prepared as a 10 mg/mL concentration solution in combination with a sugar at stabilizing levels. In certain embodiments the liquid formulation may be prepared in an aqueous carrier. In certain
10 embodiments, a stabilizer may be added in an amount no greater than that which may result in a viscosity undesirable or unsuitable for intravenous administration. In certain
embodiments, the sugar may be disaccharides, *e.g.*, sucrose. In certain embodiments, the liquid formulation may also include one or more of a buffering agent, a surfactant, and a preservative.

[0245] In certain embodiments, the pH of the liquid formulation may be set by addition of a pharmaceutically acceptable acid and/or base. In certain embodiments, the
15 pharmaceutically acceptable acid may be hydrochloric acid. In certain embodiments, the base may be sodium hydroxide.

[0246] In addition to aggregation, deamidation is a common product variant of peptides and proteins that may occur during fermentation, harvest/cell clarification, purification, drug substance/drug product storage and during sample analysis. Deamidation is the loss of NH₃
20 from a protein forming a succinimide intermediate that can undergo hydrolysis. The succinimide intermediate results in a 17 dalton mass decrease of the parent peptide. The subsequent hydrolysis results in an 18 dalton mass increase. Isolation of the succinimide intermediate is difficult due to instability under aqueous conditions. As such, deamidation is typically detectable as 1 dalton mass increase. Deamidation of an asparagine results in either
25 aspartic or isoaspartic acid. The parameters affecting the rate of deamidation include pH, temperature, solvent dielectric constant, ionic strength, primary sequence, local polypeptide conformation and tertiary structure. The amino acid residues adjacent to Asn in the peptide chain affect deamidation rates. Gly and Ser following an Asn in protein sequences results in a higher susceptibility to deamidation.

30 [0247] In certain embodiments, the liquid formulation of the present disclosure may be preserved under conditions of pH and humidity to prevent deamination of the protein product.

[0248] The aqueous carrier of interest herein is one which is pharmaceutically acceptable (safe and non-toxic for administration to a human) and is useful for the preparation of a liquid formulation. Illustrative carriers include sterile water for injection (SWFI), bacteriostatic water for injection (BWFI), a pH buffered solution (*e.g.*, phosphate-buffered saline), sterile saline solution, Ringer's solution or dextrose solution.

[0249] A preservative may be optionally added to the formulations herein to reduce bacterial action. The addition of a preservative may, for example, facilitate the production of a multi-use (multiple-dose) formulation.

[0250] Intravenous (IV) formulations may be the preferred administration route in particular instances, such as when a patient is in the hospital after transplantation receiving all drugs via the IV route. In certain embodiments, the liquid formulation is diluted with 0.9% Sodium Chloride solution before administration. In certain embodiments, the diluted drug product for injection is isotonic and suitable for administration by intravenous infusion.

[0251] In certain embodiments, a salt or buffer components may be added in an amount of 10 mM - 200 mM. The salts and/or buffers are pharmaceutically acceptable and are derived from various known acids (inorganic and organic) with "base forming" metals or amines. In certain embodiments, the buffer may be phosphate buffer. In certain embodiments, the buffer may be glycinate, carbonate, citrate buffers, in which case, sodium, potassium or ammonium ions can serve as counterion.

[0252] A preservative may be optionally added to the formulations herein to reduce bacterial action. The addition of a preservative may, for example, facilitate the production of a multi-use (multiple-dose) formulation.

[0253] The aqueous carrier of interest herein is one which is pharmaceutically acceptable (safe and non-toxic for administration to a human) and is useful for the preparation of a liquid formulation. Illustrative carriers include sterile water for injection (SWFI), bacteriostatic water for injection (BWFI), a pH buffered solution (*e.g.*, phosphate-buffered saline), sterile saline solution, Ringer's solution or dextrose solution.

[0254] The protein of the present disclosure could exist in a lyophilized formulation including the proteins and a lyoprotectant. The lyoprotectant may be sugar, *e.g.*, disaccharides. In certain embodiments, the lyoprotectant may be sucrose or maltose. The lyophilized formulation may also include one or more of a buffering agent, a surfactant, a bulking agent, and/or a preservative.

[0255] The amount of sucrose or maltose useful for stabilization of the lyophilized drug product may be in a weight ratio of at least 1:2 protein to sucrose or maltose. In certain embodiments, the protein to sucrose or maltose weight ratio may be of from 1:2 to 1:5.

[0256] In certain embodiments, the pH of the formulation, prior to lyophilization, may be set by addition of a pharmaceutically acceptable acid and/or base. In certain embodiments the pharmaceutically acceptable acid may be hydrochloric acid. In certain embodiments, the pharmaceutically acceptable base may be sodium hydroxide.

[0257] Before lyophilization, the pH of the solution containing the protein of the present disclosure may be adjusted between 6 to 8. In certain embodiments, the pH range for the lyophilized drug product may be from 7 to 8.

[0258] In certain embodiments, a salt or buffer components may be added in an amount of 10 mM - 200 mM. The salts and/or buffers are pharmaceutically acceptable and are derived from various known acids (inorganic and organic) with "base forming" metals or amines. In certain embodiments, the buffer may be phosphate buffer. In certain embodiments, the buffer may be glycinate, carbonate, citrate buffers, in which case, sodium, potassium or ammonium ions can serve as counterion.

[0259] In certain embodiments, a "bulking agent" may be added. A "bulking agent" is a compound which adds mass to a lyophilized mixture and contributes to the physical structure of the lyophilized cake (*e.g.*, facilitates the production of an essentially uniform lyophilized cake which maintains an open pore structure). Illustrative bulking agents include mannitol, glycine, polyethylene glycol and sorbitol. The lyophilized formulations of the present invention may contain such bulking agents.

[0260] A preservative may be optionally added to the formulations herein to reduce bacterial action. The addition of a preservative may, for example, facilitate the production of a multi-use (multiple-dose) formulation.

[0261] In certain embodiments, the lyophilized drug product may be constituted with an aqueous carrier. The aqueous carrier of interest herein is one which is pharmaceutically acceptable (*e.g.*, safe and non-toxic for administration to a human) and is useful for the preparation of a liquid formulation, after lyophilization. Illustrative diluents include sterile water for injection (SWFI), bacteriostatic water for injection (BWFI), a pH buffered solution (*e.g.*, phosphate-buffered saline), sterile saline solution, Ringer's solution or dextrose solution.

[0262] In certain embodiments, the lyophilized drug product of the current disclosure is reconstituted with either Sterile Water for Injection, USP (SWFI) or 0.9% Sodium Chloride Injection, USP. During reconstitution, the lyophilized powder dissolves into a solution.

5 [0263] In certain embodiments, the lyophilized protein product of the instant disclosure is constituted to about 4.5 mL water for injection and diluted with 0.9% saline solution (sodium chloride solution).

[0264] Actual dosage levels of the active ingredients in the pharmaceutical compositions of this invention may be varied so as to obtain an amount of the active ingredient which is effective to achieve the desired therapeutic response for a particular patient, composition, and
10 mode of administration, without being toxic to the patient.

[0265] The specific dose can be a uniform dose for each patient, for example, 50-5000 mg of protein. Alternatively, a patient's dose can be tailored to the approximate body weight or surface area of the patient. Other factors in determining the appropriate dosage can include the disease or condition to be treated or prevented, the severity of the disease, the route of
15 administration, and the age, sex and medical condition of the patient. Further refinement of the calculations necessary to determine the appropriate dosage for treatment is routinely made by those skilled in the art, especially in light of the dosage information and assays disclosed herein. The dosage can also be determined through the use of known assays for determining dosages used in conjunction with appropriate dose-response data. An individual patient's
20 dosage can be adjusted as the progress of the disease is monitored. Blood levels of the targetable construct or complex in a patient can be measured to see if the dosage needs to be adjusted to reach or maintain an effective concentration. Pharmacogenomics may be used to determine which targetable constructs and/or complexes, and dosages thereof, are most likely to be effective for a given individual (Schmitz *et al.*, *Clinica Chimica Acta* 308: 43-53, 2001; Steimer *et al.*, *Clinica Chimica Acta* 308: 33-41, 2001).
25

[0266] In general, dosages based on body weight are from about 0.01 µg to about 100 mg per kg of body weight, such as about 0.01 µg to about 100 mg/kg of body weight, about 0.01 µg to about 50 mg/kg of body weight, about 0.01 µg to about 10 mg/kg of body weight, about 0.01 µg to about 1 mg/kg of body weight, about 0.01 µg to about 100 µg/kg of body weight,
30 about 0.01 µg to about 50 µg/kg of body weight, about 0.01 µg to about 10 µg/kg of body weight, about 0.01 µg to about 1 µg/kg of body weight, about 0.01 µg to about 0.1 µg/kg of body weight, about 0.1 µg to about 100 mg/kg of body weight, about 0.1 µg to about 50

mg/kg of body weight, about 0.1 µg to about 10 mg/kg of body weight, about 0.1 µg to about 1 mg/kg of body weight, about 0.1 µg to about 100 µg/kg of body weight, about 0.1 µg to about 10 µg/kg of body weight, about 0.1 µg to about 1 µg/kg of body weight, about 1 µg to about 100 mg/kg of body weight, about 1 µg to about 50 mg/kg of body weight, about 1 µg to about 10 mg/kg of body weight, about 1 µg to about 1 mg/kg of body weight, about 1 µg to about 100 µg/kg of body weight, about 1 µg to about 50 µg/kg of body weight, about 1 µg to about 10 µg/kg of body weight, about 10 µg to about 100 mg/kg of body weight, about 10 µg to about 50 mg/kg of body weight, about 10 µg to about 10 mg/kg of body weight, about 10 µg to about 1 mg/kg of body weight, about 10 µg to about 100 µg/kg of body weight, about 10 µg to about 50 µg/kg of body weight, about 50 µg to about 100 mg/kg of body weight, about 50 µg to about 50 mg/kg of body weight, about 50 µg to about 10 mg/kg of body weight, about 50 µg to about 1 mg/kg of body weight, about 50 µg to about 100 µg/kg of body weight, about 100 µg to about 100 mg/kg of body weight, about 100 µg to about 50 mg/kg of body weight, about 100 µg to about 10 mg/kg of body weight, about 100 µg to about 1 mg/kg of body weight, about 1 mg to about 100 mg/kg of body weight, about 1 mg to about 50 mg/kg of body weight, about 1 mg to about 10 mg/kg of body weight, about 10 mg to about 100 mg/kg of body weight, about 10 mg to about 50 mg/kg of body weight, about 50 mg to about 100 mg/kg of body weight.

[0267] Doses may be given once or more times daily, weekly, monthly or yearly, or even once every 2 to 20 years. Persons of ordinary skill in the art can easily estimate repetition rates for dosing based on measured residence times and concentrations of the targetable construct or complex in bodily fluids or tissues. Administration of the present invention could be intravenous, intraarterial, intraperitoneal, intramuscular, subcutaneous, intrapleural, intrathecal, intracavitary, by perfusion through a catheter or by direct intralesional injection. This may be administered once or more times daily, once or more times weekly, once or more times monthly, and once or more times annually.

[0268] The description above describes multiple aspects and embodiments of the invention. The patent application specifically contemplates all combinations and permutations of the aspects and embodiments.

EXAMPLES

[0269] The invention now being generally described, will be more readily understood by reference to the following examples, which are included merely for purposes of illustration of

certain aspects and embodiments of the present invention, and which are not intended to limit the invention.

Example 1 – NKG2D binding domains bind to NKG2D

NKG2D-binding domains bind to purified recombinant NKG2D

5 [0270] The nucleic acid sequences of human, mouse, or cynomolgus NKG2D ectodomains were fused with nucleic acid sequences encoding human IgG1 Fc domains and introduced into mammalian cells to be expressed. After purification, NKG2D-Fc fusion proteins were adsorbed to wells of microplates. After blocking the wells with bovine serum albumin to prevent non-specific binding, NKG2D-binding domains were titrated and added to
10 the wells pre-adsorbed with NKG2D-Fc fusion proteins. Primary antibody binding was detected using a secondary antibody which was conjugated to horseradish peroxidase and specifically recognizes a human kappa light chain to avoid Fc cross-reactivity. 3,3',5,5'-Tetramethylbenzidine (TMB), a substrate for horseradish peroxidase, was added to the wells to visualize the binding signal, whose absorbance was measured at 450 nM and corrected at
15 540 nM. An NKG2D-binding domain clone, an isotype control or a positive control (comprising heavy chain and light chain variable domains selected from SEQ ID NOs:101-104, or anti-mouse NKG2D clones MI-6 and CX-5 available at eBioscience) was added to each well.

[0271] The isotype control showed minimal binding to recombinant NKG2D-Fc proteins,
20 while the positive control bound strongest to the recombinant antigens. NKG2D-binding domains produced by all clones demonstrated binding across human, mouse, and cynomolgus recombinant NKG2D-Fc proteins, although with varying affinities from clone to clone. Generally, each anti-NKG2D clone bound to human (FIG. 3) and cynomolgus (FIG. 4) recombinant NKG2D-Fc with similar affinity, but with lower affinity to mouse (FIG. 5)
25 recombinant NKG2D-Fc.

NKG2D-binding domains bind to cells expressing NKG2D

[0272] EL4 mouse lymphoma cell lines were engineered to express human or mouse NKG2D-CD3 zeta signaling domain chimeric antigen receptors. An NKG2D-binding clone, an isotype control, or a positive control was used at a 100 nM concentration to stain
30 extracellular NKG2D expressed on the EL4 cells. The antibody binding was detected using fluorophore-conjugated anti-human IgG secondary antibodies. Cells were analyzed by flow

cytometry, and fold-over-background (FOB) was calculated using the mean fluorescence intensity (MFI) of NKG2D-expressing cells compared to parental EL4 cells.

[0273] NKG2D-binding domains produced by all clones bound to EL4 cells expressing human and mouse NKG2D. Positive control antibodies (comprising heavy chain and light chain variable domains selected from SEQ ID NOs:101-104, or anti-mouse NKG2D clones MI-6 and CX-5 available at eBioscience) gave the best FOB binding signal. The NKG2D-binding affinity for each clone was similar between cells expressing human NKG2D (FIG. 6) and mouse (FIG. 7) NKG2D.

Example 2 – NKG2D-binding domains block natural ligand binding to NKG2D

10 Competition With ULBP-6

[0274] Recombinant human NKG2D-Fc proteins were adsorbed to wells of a microplate, and the wells were blocked with bovine serum albumin to reduce non-specific binding. A saturating concentration of ULBP-6-His-biotin was added to the wells, followed by addition of the NKG2D-binding domain clones. After a 2-hour incubation, wells were washed and ULBP-6-His-biotin that remained bound to the NKG2D-Fc coated wells was detected by streptavidin-conjugated to horseradish peroxidase and TMB substrate. Absorbance was measured at 450 nM and corrected at 540 nM. After subtracting background, specific binding of NKG2D-binding domains to the NKG2D-Fc proteins was calculated from the percentage of ULBP-6-His-biotin that was blocked from binding to the NKG2D-Fc proteins in wells.

20 The positive control antibody (comprising heavy chain and light chain variable domains selected from SEQ ID NOs:101-104) and various NKG2D-binding domains blocked ULBP-6 binding to NKG2D, while isotype control showed little competition with ULBP-6 (FIG. 8).

ULBP-6 sequence is represented by SEQ ID NO:108

MAAAIPALLLCLPLLFLFGWSRARRDDPHSLCYDITVIPKFRPGPRWCAVQ
 25 GQVDEKTFLLHYDCGNKTVTPVSPLGKKLNVTMAWKAQNPVLRVVDILTEQ
 LLDIQLENYTPKEPLTLQARMSCEQKAEGHSSGSWQFSIDGQTFLFDSEKRM
 WTTVHPGARKMKEKWENDKDVAMSFHYISMGDCIGWLEDFLMGMDSTLEP
 SAGAPLAMSSGTTQLRATATTLILCCLLILPCFILPGI (SEQ ID NO:108)

Competition With MICA

30 [0275] Recombinant human MICA-Fc proteins were adsorbed to wells of a microplate, and the wells were blocked with bovine serum albumin to reduce non-specific binding.

NKG2D-Fc-biotin was added to wells followed by NKG2D-binding domains. After incubation and washing, NKG2D-Fc-biotin that remained bound to MICA-Fc coated wells was detected using streptavidin-HRP and TMB substrate. Absorbance was measured at 450 nM and corrected at 540 nM. After subtracting background, specific binding of NKG2D-binding domains to the NKG2D-Fc proteins was calculated from the percentage of NKG2D-Fc-biotin that was blocked from binding to the MICA-Fc coated wells. The positive control antibody (comprising heavy chain and light chain variable domains selected from SEQ ID NOs:101-104) and various NKG2D-binding domains blocked MICA binding to NKG2D, while isotype control showed little competition with MICA (FIG. 9).

10 Competition With Rae-1 delta

[0276] Recombinant mouse Rae-1delta-Fc (purchased from R&D Systems) was adsorbed to wells of a microplate, and the wells were blocked with bovine serum albumin to reduce non-specific binding. Mouse NKG2D-Fc-biotin was added to the wells followed by NKG2D-binding domains. After incubation and washing, NKG2D-Fc-biotin that remained bound to Rae-1delta-Fc coated wells was detected using streptavidin-HRP and TMB substrate. Absorbance was measured at 450 nM and corrected at 540 nM. After subtracting background, specific binding of NKG2D-binding domains to the NKG2D-Fc proteins was calculated from the percentage of NKG2D-Fc-biotin that was blocked from binding to the Rae-1delta-Fc coated wells. The positive control (comprising heavy chain and light chain variable domains selected from SEQ ID NOs:101-104, or anti-mouse NKG2D clones MI-6 and CX-5 available at eBioscience) and various NKG2D-binding domain clones blocked Rae-1delta binding to mouse NKG2D, while the isotype control antibody showed little competition with Rae-1delta (FIG. 10).

Example 3 – NKG2D-binding domain clones activate NKG2D

[0277] Nucleic acid sequences of human and mouse NKG2D were fused to nucleic acid sequences encoding a CD3 zeta signaling domain to obtain chimeric antigen receptor (CAR) constructs. The NKG2D-CAR constructs were then cloned into a retrovirus vector using Gibson assembly and transfected into expi293 cells for retrovirus production. EL4 cells were infected with viruses containing NKG2D-CAR together with 8 µg/mL polybrene. 24 hours after infection, the expression levels of NKG2D-CAR in the EL4 cells were analyzed by flow cytometry, and clones which express high levels of the NKG2D-CAR on the cell surface were selected.

[0278] To determine whether NKG2D-binding domains activate NKG2D, they were adsorbed to wells of a microplate, and NKG2D-CAR EL4 cells were cultured on the antibody fragment-coated wells for 4 hours in the presence of brefeldin-A and monensin. Intracellular TNF- α production, an indicator for NKG2D activation, was assayed by flow cytometry. The percentage of TNF- α positive cells was normalized to the cells treated with the positive control. All NKG2D-binding domains activated both human NKG2D (FIG. 11) and mouse NKG2D (FIG. 12).

Example 4 – NKG2D-binding domains activate NK cells

Primary human NK cells

[0279] Peripheral blood mononuclear cells (PBMCs) were isolated from human peripheral blood buffy coats using density gradient centrifugation. NK cells (CD3⁻CD56⁺) were isolated using negative selection with magnetic beads from PBMCs, and the purity of the isolated NK cells was typically >95%. Isolated NK cells were then cultured in media containing 100 ng/mL IL-2 for 24-48 hours before they were transferred to the wells of a microplate to which the NKG2D-binding domains were adsorbed, and cultured in the media containing fluorophore-conjugated anti-CD107a antibody, brefeldin-A, and monensin. Following culture, NK cells were assayed by flow cytometry using fluorophore-conjugated antibodies against CD3, CD56 and IFN- γ . CD107a and IFN- γ staining were analyzed in CD3⁻CD56⁺ cells to assess NK cell activation. The increase in CD107a/IFN- γ double-positive cells is indicative of better NK cell activation through engagement of two activating receptors rather than one receptor. NKG2D-binding domains and the positive control (*e.g.*, heavy chain variable domain represented by SEQ ID NO:101 or SEQ ID NO:103, and light chain variable domain represented by SEQ ID NO:102 or SEQ ID NO:104) showed a higher percentage of NK cells becoming CD107a⁺ and IFN- γ ⁺ than the isotype control (FIG. 13 & FIG. 14 represent data from two independent experiments, each using a different donor's PBMC for NK cell preparation).

Primary mouse NK cells

[0280] Spleens were obtained from C57Bl/6 mice and crushed through a 70 μ m cell strainer to obtain single cell suspension. Cells were pelleted and resuspended in ACK lysis buffer (purchased from Thermo Fisher Scientific #A1049201; 155 mM ammonium chloride, 10 mM potassium bicarbonate, 0.01 mM EDTA) to remove red blood cells. The remaining cells were cultured with 100 ng/mL hIL-2 for 72 hours before being harvested and prepared

for NK cell isolation. NK cells (CD3⁺NK1.1⁺) were then isolated from spleen cells using a negative depletion technique with magnetic beads with typically >90% purity. Purified NK cells were cultured in media containing 100 ng/mL mIL-15 for 48 hours before they were transferred to the wells of a microplate to which the NKG2D-binding domains were

5 adsorbed, and cultured in the media containing fluorophore-conjugated anti-CD107a antibody, brefeldin-A, and monensin. Following culture in NKG2D-binding domain-coated wells, NK cells were assayed by flow cytometry using fluorophore-conjugated antibodies against CD3, NK1.1 and IFN- γ . CD107a and IFN- γ staining were analyzed in CD3⁺ NK1.1⁺ cells to assess NK cell activation. The increase in CD107a/IFN- γ double-positive cells is

10 indicative of better NK cell activation through engagement of two activating receptors rather than one receptor. NKG2D-binding domains and the positive control (selected from anti-mouse NKG2D clones MI-6 and CX-5 available at eBioscience) showed a higher percentage of NK cells becoming CD107a⁺ and IFN- γ ⁺ than the isotype control (FIG. 15 & FIG. 16 represent data from two independent experiments, each using a different mouse for NK cell

15 preparation).

Example 5 – NKG2D-binding domains enable cytotoxicity of target tumor cells

[0281] Human and mouse primary NK cell activation assays demonstrated increased cytotoxicity markers on NK cells after incubation with NKG2D-binding domains. To address whether this translates into increased tumor cell lysis, a cell-based assay was utilized where

20 each NKG2D-binding domain was developed into a monospecific antibody. The Fc region was used as one targeting arm, while the Fab fragment regions (NKG2D-binding domain) acted as another targeting arm to activate NK cells. THP-1 cells, which are of human origin and express high levels of Fc receptors, were used as a tumor target and a Perkin Elmer DELFIA Cytotoxicity Kit was used. THP-1 cells were labeled with BATDA reagent, and

25 resuspended at 10⁵/mL in culture media. Labeled THP-1 cells were then combined with NKG2D antibodies and isolated mouse NK cells in wells of a microtiter plate at 37 °C for 3 hours. After incubation, 20 μ L of the culture supernatant was removed, mixed with 200 μ L of Europium solution and incubated with shaking for 15 minutes in the dark. Fluorescence was measured over time by a PheraStar plate reader equipped with a time-resolved fluorescence

30 module (Excitation 337 nM, Emission 620 nM) and specific lysis was calculated according to the kit instructions.

[0282] The positive control, ULBP-6 - a natural ligand for NKG2D – conjugated to Fc, showed increased specific lysis of THP-1 target cells by mouse NK cells. NKG2D antibodies

also increased specific lysis of THP-1 target cells, while isotype control antibody showed reduced specific lysis. The dotted line indicates specific lysis of THP-1 cells by mouse NK cells without antibody added (FIG. 17).

Example 6 – NKG2D antibodies show high thermostability

- 5 [0283] Melting temperatures of NKG2D-binding domains were assayed using differential scanning fluorimetry. The extrapolated apparent melting temperatures are high relative to typical IgG1 antibodies (FIG. 18).

Example 7 – Synergistic activation of human NK cells by cross-linking NKG2D and CD16

- 10 Primary human NK cell activation assay

- [0284] Peripheral blood mononuclear cells (PBMCs) were isolated from peripheral human blood buffy coats using density gradient centrifugation. NK cells were purified from PBMCs using negative magnetic beads (StemCell # 17955). NK cells were >90% CD3⁻CD56⁺ as determined by flow cytometry. Cells were then expanded 48 hours in media
15 containing 100 ng/mL hIL-2 (Peprotech #200-02) before use in activation assays. Antibodies were coated onto a 96-well flat-bottom plate at a concentration of 2 µg/mL (anti-CD16, Biolegend # 302013) and 5 µg/mL (anti-NKG2D, R&D #MAB139) in 100 µL sterile PBS overnight at 4 °C followed by washing the wells thoroughly to remove excess antibody. For the assessment of degranulation IL-2-activated NK cells were resuspended at 5×10⁵ cells/mL
20 in culture media supplemented with 100 ng/mL human IL-2 (hIL2) and 1 µg/mL APC-conjugated anti-CD107a mAb (Biolegend # 328619). 1×10⁵ cells/well were then added onto antibody coated plates. The protein transport inhibitors Brefeldin A (BFA, Biolegend # 420601) and Monensin (Biolegend # 420701) were added at a final dilution of 1:1000 and 1:270, respectively. Plated cells were incubated for 4 hours at 37 °C in 5% CO₂. For
25 intracellular staining of IFN-γ, NK cells were labeled with anti-CD3 (Biolegend #300452) and anti-CD56 mAb (Biolegend # 318328), and subsequently fixed, permeabilized and labeled with anti-IFN-γ mAb (Biolegend # 506507). NK cells were analyzed for expression of CD107a and IFN-γ by flow cytometry after gating on live CD56⁺CD3⁻ cells.

- [0285] To investigate the relative potency of receptor combination, crosslinking of
30 NKG2D or CD16, and co-crosslinking of both receptors by plate-bound stimulation was performed. As shown in Figure 19 (FIGs. 19A-19C), combined stimulation of CD16 and

NKG2D resulted in highly elevated levels of CD107a (degranulation) (FIG. 19A) and/or IFN- γ production (FIG. 19B). Dotted lines represent an additive effect of individual stimulations of each receptor.

CD107a levels and intracellular IFN- γ production of IL-2-activated NK cells were analyzed after 4 hours of plate-bound stimulation with anti-CD16, anti-NKG2D or a combination of both monoclonal antibodies. Graphs indicate the mean ($n = 2$) $\pm$ Sd. FIG. 19A demonstrates levels of CD107a; FIG. 19B demonstrates levels of IFN- γ ; FIG. 19C demonstrates levels of CD107a and IFN- γ . Data shown in FIGs. 19A-19C are representative of five independent experiments using five different healthy donors.

10 **Example 8 – Trispecific binding protein (TriNKET)-mediated enhanced cytotoxicity of target cells**

Assessment of TriNKET or mAb binding to cell expressed human cancer antigens

[0286] Human cancer cell lines expressing EPCAM were used to assess tumor antigen binding of TriNKETs derived from EPCAM targeting clone MT110 in F4 and F3' formats.

15 The human cell lines H747, HCC827 and HCT116 were used to assess binding of TriNKETs and mAb to cell expressed EPCAM. TriNKETs or mAb were diluted and incubated with the respective cells. Binding was detected using a fluorophore conjugated anti-human IgG secondary antibody. Cells were analyzed by flow cytometry, binding MFI to cell expressed EPCAM was normalized to human recombinant IgG1 stained controls to obtain fold over
20 background values.

[0287] FIG. 37 shows binding of trispecific binding proteins (TriNKETs) of the present disclosure (A49-F4-TriNKET-MT110 and A49-F3'-TriNKET-MT110) and parental monoclonal antibody (mAb) to EpCAM expressing H747 human colorectal cancer cells. FIG. 38 shows binding of trispecific binding proteins (TriNKETs) of the present disclosure (A49-F4-TriNKET-MT110 and A49-F3'-TriNKET-MT110) and parental monoclonal antibody (mAb) to EpCAM expressing HCC827 human lung cancer cells. FIG. 39 shows binding of trispecific binding proteins (TriNKETs) of the present disclosure (A49-F4-TriNKET-MT110 and A49-F3'-TriNKET-MT110) and parental monoclonal antibody (mAb) to EpCAM expressing HCT116 human colorectal cancer cells. Overall binding was stronger with F4-
25 TriNKET compared to F3'-TriNKET that incorporate MT110 EPCAM binder.
30

Primary human NK cell cytotoxicity assay

[0288] PBMCs were isolated from human peripheral blood buffy coats using density gradient centrifugation. Isolated PBMCs were washed and prepared for NK cell isolation. NK cells were isolated using a negative selection technique with magnetic beads. Purity of isolated NK cells achieved was typically greater than 90% CD3⁻ CD56⁺. Isolated NK cells were incubated overnight without cytokine, and used the following day in cytotoxicity assays.

DELFI cytotoxicity assay

[0289] Human cancer cell lines expressing a target of interest were harvested from culture, washed with HBS, and resuspended in growth media at 10⁶ cells/mL for labeling with BATDA reagent (Perkin Elmer, AD0116). Manufacturer instructions were followed for labeling of the target cells. After labeling, cells were washed 3 times with HBS and resuspended at 0.5x10⁵ cells/mL in culture media. To prepare the background wells, an aliquot of the labeled cells was put aside, and the cells were spun out of the media. 100 µL of the media was carefully added to wells in triplicate to avoid disturbing the pelleted cells. 100 µL of BATDA-labeled cells were added to each well of the 96-well plate. Wells were saved for spontaneous release from target cells and prepared for lysis of target cells by addition of 1% Triton-X. Monoclonal antibodies or TriNKETs against the tumor target of interest were diluted in culture media, and 50 µL of diluted mAb or TriNKET was added to each well. Rested NK cells were harvested from culture, washed, and resuspended at 1.0x10⁵-2.0x10⁶ cell/mL in culture media, depending on the desired effector to target cell ratio. 50 µL of NK cells were added to each well of the plate to provide a total of 200 µL culture volume. The plate was incubated at 37 °C with 5% CO₂ for 2-4 hours before developing the assay.

[0290] After culturing for 2-3 hours, the plate was removed from the incubator and the cells were pelleted by centrifugation at 200xg for 5 minutes. 20 µL of culture supernatant was transferred to a clean microplate provided from the manufacturer, and 200 µL of room temperature Europium solution was added to each well. The plate was protected from light and incubated on a plate shaker at 250 rpm for 15 minutes. The plate was read using a SpectraMax[®] i3X instrument (Molecular Devices), and percent specific lysis was calculated (% Specific lysis = (Experimental release – Spontaneous release) / (Maximum release – Spontaneous release)) x 100).

[0291] FIG. 40A and FIG. 40B TriNKET-mediated cytotoxicity of rested human NK cells from two different healthy donors against H747 human cancer cells. FIG. 41A and FIG.

41B TriNKET-mediated cytotoxicity of rested human NK cells from two different healthy donors against HCC827 human cancer cells. FIG. 42A and FIG. 42B TriNKET-mediated cytotoxicity of rested human NK cells from two different healthy donors against MCF7 human cancer cells. FIG. 43A and FIG. 43B TriNKET-mediated cytotoxicity of rested human NK cells from two different healthy donors against HCT116 human cancer cells. EPCAM-targeting F4-TriNKET killed target cells more effectively than the parental mAb targeting EPCAM. F4-TriNKET also killed target cells more potently than F3'-TriNKET, which may be a reflection of the stronger binding of F4-TriNKET to target cells.

INCORPORATION BY REFERENCE

[0292] The entire disclosure of each of the patent documents and scientific articles referred to herein is incorporated by reference for all purposes.

EQUIVALENTS

[0293] The invention may be embodied in other specific forms without departing from the spirit or essential characteristics thereof. The foregoing embodiments are therefore to be considered in all respects illustrative rather than limiting the invention described herein. Scope of the invention is thus indicated by the appended claims rather than by the foregoing description, and all changes that come within the meaning and range of equivalency of the claims are intended to be embraced therein.

[0294] In a first aspect there is provided a protein comprising:

- (a) a first antigen-binding site comprising a heavy chain variable domain (VH) and a light chain variable domain (VL) of an anti Natural killer group 2 member D (NKG2D) antibody that binds NKG2D;
- (b) a second antigen-binding site comprising a VH domain and a VL domain of an anti Nectin cell adhesion molecule 4 (Nectin4) antibody that binds Nectin4; and
- (c) an antibody Fc domain or a portion thereof sufficient to bind cluster of differentiation 16 (CD16), or a third antigen-binding site comprising a VH domain and a VL domain of an anti-CD16 antibody that binds CD16,

wherein each of the antigen-binding sites comprises the part of an immunoglobulin molecule that participates in antigen binding.

[0295] In a second aspect there is provided a formulation comprising a protein according to the first aspect and a pharmaceutically acceptable carrier.

[0296] In a third aspect there is provided a cell comprising one or more nucleic acids encoding a protein according to the first aspect.

[0297] In a fourth aspect there is provided a method of directly and/or indirectly enhancing tumor cell death, the method comprising exposing the tumor cell and a natural killer cell to the protein according to the first aspect.

[0298] In a fifth aspect, the present invention provides use of the protein according to the first aspect in the manufacture of a medicament for directly and/or indirectly enhancing tumor cell death.

[0299] In a sixth aspect there is provided a method of treating cancer, wherein the method comprises administering the protein according to the first aspect or the formulation according to the second aspect to a patient, wherein the cancer is selected from the group consisting of bladder cancer, breast cancer, ovarian cancer, pancreatic cancer, colorectal cancer, and lung cancer.

[0300] In a seventh aspect, the present invention provides use of the protein according to the first aspect or the formulation according to the second aspect in the manufacture of a medicament for treating cancer in a patient, wherein the cancer is selected from the group consisting of bladder cancer, breast cancer, ovarian cancer, pancreatic cancer, colorectal cancer, and lung cancer.

[0301] The term “comprise” and variants of the term such as “comprises” or “comprising” are used herein to denote the inclusion of a stated integer or stated integers but not to exclude any other integer or any other integers, unless in the context or usage an exclusive interpretation of the term is required.

Any reference to any prior art in this specification is not, and should not be taken as an acknowledgement or any form of suggestion that the prior art forms part of the common general knowledge.

WHAT IS CLAIMED IS:

1. A protein comprising:

- (a) a first antigen-binding site comprising a heavy chain variable domain (VH) and a light chain variable domain (VL) of an anti-Natural killer group 2 member D (NKG2D) antibody that binds NKG2D;
- (b) a second antigen-binding site comprising a VH domain and a VL domain of an anti-Nectin cell adhesion molecule 4 (Nectin4) antibody that binds Nectin4; and
- (c) an antibody Fc domain or a portion thereof sufficient to bind cluster of differentiation 16 (CD16), or a third antigen-binding site comprising a VH domain and a VL domain of an anti-CD16 antibody that binds CD16,

wherein each of the antigen-binding sites comprises the part of an immunoglobulin molecule that participates in antigen binding.

- 2. The protein of claim 1, wherein the first antigen-binding site binds to NKG2D in humans, and non-human primates.
- 3. The protein according to claim 1, wherein the heavy chain variable domain and the light chain variable domain are present on the same polypeptide.
- 4. The protein according to claim 1, wherein the heavy chain variable domain and the light chain variable domain of the second antigen-binding site are present on the same polypeptide.
- 5. The protein according to claim 1, wherein the light chain variable domain of the first antigen-binding site has an amino acid sequence identical to the amino acid sequence of the light chain variable domain of the second antigen-binding site.
- 6. The protein of claim 1, wherein the heavy chain variable domain and the light chain variable domain of the second antigen-binding site are present on the same polypeptide.
- 7. The protein according to any one of claims 1-6, wherein the antibody Fc domain comprises hinge and CH2 domains of a human IgG1 antibody.

8. The protein of claim 7, wherein the Fc domain comprises an amino acid sequence at least 90% identical to amino acids 234-332 of a human IgG1 antibody.
9. The protein of claim 8, wherein the Fc domain comprises an amino acid sequence at least 90% identical to the Fc domain of human IgG1 and differs at one or more positions selected from the group consisting of Q347, Y349, L351, S354, E356, E357, K360, Q362, S364, T366, L368, K370, N390, K392, T394, D399, S400, D401, F405, Y407, K409, T411, and K439.
10. The protein according to any one of claims 1-9, wherein the protein binds to NKG2D with a K_D of 10 nM or weaker affinity.
11. A formulation comprising the protein according to any one of the preceding claims and a pharmaceutically acceptable carrier.
12. A cell comprising one or more nucleic acids encoding the protein according to any one of claims 1-10.
13. A method of directly and/or indirectly enhancing tumor cell death, the method comprising exposing the tumor cell and a natural killer cell to the protein according to any one of claims 1-10.
14. Use of the protein according to any one of claims 1-10 in the manufacture of a medicament for directly and/or indirectly enhancing tumor cell death.
15. A method of treating cancer, wherein the method comprises administering the protein according to any one of claims 1-10 or the formulation according to claim 11 to a patient, wherein the cancer is selected from the group consisting of bladder cancer, breast cancer, ovarian cancer, pancreatic cancer, colorectal cancer, and lung cancer.
16. Use of the protein according to any one of claims 1-10 or the formulation according to claim 11 in the manufacture of a medicament for treating cancer in a patient, wherein the cancer is selected from the group consisting of bladder cancer, breast cancer, ovarian cancer, pancreatic cancer, colorectal cancer, and lung cancer.

FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18




FIG. 19A




FIG. 19B




FIG. 19C




FIG. 20




FIG. 21




FIG. 22




FIG. 23




FIG. 24




FIG. 25




FIG. 26




FIG. 27




FIG. 28




FIG. 29




FIG. 31




FIG. 32




FIG. 33




FIG. 34





FIG. 35**F3' format**

FIG. 36

F4 Format




FIG. 37




FIG. 38




FIG. 39




FIG. 40A




FIG. 40B




FIG. 41A




FIG. 41B




FIG. 42A




FIG. 42B




FIG. 43A





FIG. 43B



DFY-038WO_SL.TXT
SEQUENCE LISTING

<110> DRAGONFLY THERAPEUTICS, INC.
<120> PROTEINS BINDING NKG2D, CD16 AND A TUMOR-ASSOCIATED ANTIGEN
<130> DFY-038WO
<150> 62/566,824
<151> 2017-10-02

<150> 62/555,110
<151> 2017-09-07

<160> 214

<170> PatentIn version 3.5

<210> 1
<211> 117
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: Synthetic polypeptide

<400> 1

Gln	Val	Gln	Leu	Gln	Gln	Trp	Gly	Ala	Gly	Leu	Leu	Lys	Pro	Ser	Glu
1			5				10						15		

Thr	Leu	Ser	Leu	Thr	Cys	Ala	Val	Tyr	Gly	Gly	Ser	Phe	Ser	Gly	Tyr
			20				25						30		

Tyr	Trp	Ser	Trp	Ile	Arg	Gln	Pro	Pro	Gly	Lys	Gly	Leu	Glu	Trp	Ile
		35				40						45			

Gly	Glu	Ile	Asp	His	Ser	Gly	Ser	Thr	Asn	Tyr	Asn	Pro	Ser	Leu	Lys
50						55				60					

Ser	Arg	Val	Thr	Ile	Ser	Val	Asp	Thr	Ser	Lys	Asn	Gln	Phe	Ser	Leu
65					70					75					80

Lys	Leu	Ser	Ser	Val	Thr	Ala	Ala	Asp	Thr	Ala	Val	Tyr	Tyr	Cys	Ala
				85					90					95	

DFY-038W0_SL.TXT

Arg Ala Arg Gly Pro Trp Ser Phe Asp Pro Trp Gly Gln Gly Thr Leu
100 105 110

Val Thr Val Ser Ser
115

<210> 2
<211> 107
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: Synthetic polypeptide

<400> 2

Asp Ile Gln Met Thr Gln Ser Pro Ser Thr Leu Ser Ala Ser Val Gly
1 5 10 15

Asp Arg Val Thr Ile Thr Cys Arg Ala Ser Gln Ser Ile Ser Ser Trp
20 25 30

Leu Ala Trp Tyr Gln Gln Lys Pro Gly Lys Ala Pro Lys Leu Leu Ile
35 40 45

Tyr Lys Ala Ser Ser Leu Glu Ser Gly Val Pro Ser Arg Phe Ser Gly
50 55 60

Ser Gly Ser Gly Thr Glu Phe Thr Leu Thr Ile Ser Ser Leu Gln Pro
65 70 75 80

Asp Asp Phe Ala Thr Tyr Tyr Cys Gln Gln Tyr Asn Ser Tyr Pro Ile
85 90 95

Thr Phe Gly Gly Gly Thr Lys Val Glu Ile Lys
100 105

<210> 3
<211> 117
<212> PRT
<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Synthetic polypeptide

<400> 3

Gln Val Gln Leu Gln Gln Trp Gly Ala Gly Leu Leu Lys Pro Ser Glu
1 5 10 15

Thr Leu Ser Leu Thr Cys Ala Val Tyr Gly Gly Ser Phe Ser Gly Tyr
20 25 30

Tyr Trp Ser Trp Ile Arg Gln Pro Pro Gly Lys Gly Leu Glu Trp Ile
35 40 45

Gly Glu Ile Asp His Ser Gly Ser Thr Asn Tyr Asn Pro Ser Leu Lys
50 55 60

Ser Arg Val Thr Ile Ser Val Asp Thr Ser Lys Asn Gln Phe Ser Leu
65 70 75 80

Lys Leu Ser Ser Val Thr Ala Ala Asp Thr Ala Val Tyr Tyr Cys Ala
85 90 95

Arg Ala Arg Gly Pro Trp Ser Phe Asp Pro Trp Gly Gln Gly Thr Leu
100 105 110

Val Thr Val Ser Ser
115

<210> 4

<211> 108

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Synthetic polypeptide

<400> 4

Glu Ile Val Leu Thr Gln Ser Pro Gly Thr Leu Ser Leu Ser Pro Gly
1 5 10 15

Glu Arg Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Ser Ser Ser
20 25 30

Tyr Leu Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu
35 40 45

Ile Tyr Gly Ala Ser Ser Arg Ala Thr Gly Ile Pro Asp Arg Phe Ser
50 55 60

Gly Ser Gly Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu
65 70 75 80

Pro Glu Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Gly Ser Ser Pro
85 90 95

Ile Thr Phe Gly Gly Gly Thr Lys Val Glu Ile Lys
100 105

<210> 5

<211> 117

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Synthetic polypeptide

<400> 5

Gln Val Gln Leu Gln Gln Trp Gly Ala Gly Leu Leu Lys Pro Ser Glu
1 5 10 15

Thr Leu Ser Leu Thr Cys Ala Val Tyr Gly Gly Ser Phe Ser Gly Tyr
20 25 30

Tyr Trp Ser Trp Ile Arg Gln Pro Pro Gly Lys Gly Leu Glu Trp Ile
35 40 45

Gly Glu Ile Asp His Ser Gly Ser Thr Asn Tyr Asn Pro Ser Leu Lys
50 55 60

Ser Arg Val Thr Ile Ser Val Asp Thr Ser Lys Asn Gln Phe Ser Leu
65 70 75 80

DFY-038W0_SL.TXT

Lys Leu Ser Ser Val Thr Ala Ala Asp Thr Ala Val Tyr Tyr Cys Ala
85 90 95

Arg Ala Arg Gly Pro Trp Ser Phe Asp Pro Trp Gly Gln Gly Thr Leu
100 105 110

Val Thr Val Ser Ser
115

<210> 6

<211> 106

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Synthetic polypeptide

<400> 6

Asp Ile Gln Met Thr Gln Ser Pro Ser Thr Leu Ser Ala Ser Val Gly
1 5 10 15

Asp Arg Val Thr Ile Thr Cys Arg Ala Ser Gln Ser Ile Gly Ser Trp
20 25 30

Leu Ala Trp Tyr Gln Gln Lys Pro Gly Lys Ala Pro Lys Leu Leu Ile
35 40 45

Tyr Lys Ala Ser Ser Leu Glu Ser Gly Val Pro Ser Arg Phe Ser Gly
50 55 60

Ser Gly Ser Gly Thr Glu Phe Thr Leu Thr Ile Ser Ser Leu Gln Pro
65 70 75 80

Asp Asp Phe Ala Thr Tyr Tyr Cys Gln Gln Tyr His Ser Phe Tyr Thr
85 90 95

Phe Gly Gly Gly Thr Lys Val Glu Ile Lys
100 105

<210> 7

<211> 117

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Synthetic polypeptide

<400> 7

Gln Val Gln Leu Gln Gln Trp Gly Ala Gly Leu Leu Lys Pro Ser Glu
1 5 10 15

Thr Leu Ser Leu Thr Cys Ala Val Tyr Gly Gly Ser Phe Ser Gly Tyr
20 25 30

Tyr Trp Ser Trp Ile Arg Gln Pro Pro Gly Lys Gly Leu Glu Trp Ile
35 40 45

Gly Glu Ile Asp His Ser Gly Ser Thr Asn Tyr Asn Pro Ser Leu Lys
50 55 60

Ser Arg Val Thr Ile Ser Val Asp Thr Ser Lys Asn Gln Phe Ser Leu
65 70 75 80

Lys Leu Ser Ser Val Thr Ala Ala Asp Thr Ala Val Tyr Tyr Cys Ala
85 90 95

Arg Ala Arg Gly Pro Trp Ser Phe Asp Pro Trp Gly Gln Gly Thr Leu
100 105 110

Val Thr Val Ser Ser
115

<210> 8

<211> 106

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Synthetic polypeptide

<400> 8

Asp Ile Gln Met Thr Gln Ser Pro Ser Thr Leu Ser Ala Ser Val Gly
1 5 10 15

DFY-038W0_SL.TXT

Asp Arg Val Thr Ile Thr Cys Arg Ala Ser Gln Ser Ile Gly Ser Trp
20 25 30

Leu Ala Trp Tyr Gln Gln Lys Pro Gly Lys Ala Pro Lys Leu Leu Ile
35 40 45

Tyr Lys Ala Ser Ser Leu Glu Ser Gly Val Pro Ser Arg Phe Ser Gly
50 55 60

Ser Gly Ser Gly Thr Glu Phe Thr Leu Thr Ile Ser Ser Leu Gln Pro
65 70 75 80

Asp Asp Phe Ala Thr Tyr Tyr Cys Gln Gln Ser Asn Ser Tyr Tyr Thr
85 90 95

Phe Gly Gly Gly Thr Lys Val Glu Ile Lys
100 105

<210> 9

<211> 117

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Synthetic polypeptide

<400> 9

Gln Val Gln Leu Gln Gln Trp Gly Ala Gly Leu Leu Lys Pro Ser Glu
1 5 10 15

Thr Leu Ser Leu Thr Cys Ala Val Tyr Gly Gly Ser Phe Ser Gly Tyr
20 25 30

Tyr Trp Ser Trp Ile Arg Gln Pro Pro Gly Lys Gly Leu Glu Trp Ile
35 40 45

Gly Glu Ile Asp His Ser Gly Ser Thr Asn Tyr Asn Pro Ser Leu Lys
50 55 60

DFY-038W0_SL.TXT

Ser Arg Val Thr Ile Ser Val Asp Thr Ser Lys Asn Gln Phe Ser Leu
65 70 75 80

Lys Leu Ser Ser Val Thr Ala Ala Asp Thr Ala Val Tyr Tyr Cys Ala
85 90 95

Arg Ala Arg Gly Pro Trp Ser Phe Asp Pro Trp Gly Gln Gly Thr Leu
100 105 110

Val Thr Val Ser Ser
115

<210> 10

<211> 106

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Synthetic polypeptide

<400> 10

Asp Ile Gln Met Thr Gln Ser Pro Ser Thr Leu Ser Ala Ser Val Gly
1 5 10 15

Asp Arg Val Thr Ile Thr Cys Arg Ala Ser Gln Ser Ile Ser Ser Trp
20 25 30

Leu Ala Trp Tyr Gln Gln Lys Pro Gly Lys Ala Pro Lys Leu Leu Ile
35 40 45

Tyr Lys Ala Ser Ser Leu Glu Ser Gly Val Pro Ser Arg Phe Ser Gly
50 55 60

Ser Gly Ser Gly Thr Glu Phe Thr Leu Thr Ile Ser Ser Leu Gln Pro
65 70 75 80

Asp Asp Phe Ala Thr Tyr Tyr Cys Gln Gln Tyr Asn Ser Tyr Pro Thr
85 90 95

Phe Gly Gly Gly Thr Lys Val Glu Ile Lys
100 105

<210> 11
 <211> 117
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Description of Artificial Sequence: Synthetic polypeptide

<400> 11

Gln Val Gln Leu Gln Gln Trp Gly Ala Gly Leu Leu Lys Pro Ser Glu
 1 5 10 15

Thr Leu Ser Leu Thr Cys Ala Val Tyr Gly Gly Ser Phe Ser Gly Tyr
 20 25 30

Tyr Trp Ser Trp Ile Arg Gln Pro Pro Gly Lys Gly Leu Glu Trp Ile
 35 40 45

Gly Glu Ile Asp His Ser Gly Ser Thr Asn Tyr Asn Pro Ser Leu Lys
 50 55 60

Ser Arg Val Thr Ile Ser Val Asp Thr Ser Lys Asn Gln Phe Ser Leu
 65 70 75 80

Lys Leu Ser Ser Val Thr Ala Ala Asp Thr Ala Val Tyr Tyr Cys Ala
 85 90 95

Arg Ala Arg Gly Pro Trp Gly Phe Asp Pro Trp Gly Gln Gly Thr Leu
 100 105 110

Val Thr Val Ser Ser
 115

<210> 12
 <211> 107
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Description of Artificial Sequence: Synthetic polypeptide

<400> 12

Glu Leu Gln Met Thr Gln Ser Pro Ser Ser Leu Ser Ala Ser Val Gly
1 5 10 15

Asp Arg Val Thr Ile Thr Cys Arg Thr Ser Gln Ser Ile Ser Ser Tyr
20 25 30

Leu Asn Trp Tyr Gln Gln Lys Pro Gly Gln Pro Pro Lys Leu Leu Ile
35 40 45

Tyr Trp Ala Ser Thr Arg Glu Ser Gly Val Pro Asp Arg Phe Ser Gly
50 55 60

Ser Gly Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Ser Leu Gln Pro
65 70 75 80

Glu Asp Ser Ala Thr Tyr Tyr Cys Gln Gln Ser Tyr Asp Ile Pro Tyr
85 90 95

Thr Phe Gly Gln Gly Thr Lys Leu Glu Ile Lys
100 105

<210> 13

<211> 117

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Synthetic polypeptide

<400> 13

Gln Val Gln Leu Gln Gln Trp Gly Ala Gly Leu Leu Lys Pro Ser Glu
1 5 10 15

Thr Leu Ser Leu Thr Cys Ala Val Tyr Gly Gly Ser Phe Ser Gly Tyr
20 25 30

Tyr Trp Ser Trp Ile Arg Gln Pro Pro Gly Lys Gly Leu Glu Trp Ile
35 40 45

DFY-038W0_SL.TXT

Gly Glu Ile Asp His Ser Gly Ser Thr Asn Tyr Asn Pro Ser Leu Lys
50 55 60

Ser Arg Val Thr Ile Ser Val Asp Thr Ser Lys Asn Gln Phe Ser Leu
65 70 75 80

Lys Leu Ser Ser Val Thr Ala Ala Asp Thr Ala Val Tyr Tyr Cys Ala
85 90 95

Arg Ala Arg Gly Pro Trp Ser Phe Asp Pro Trp Gly Gln Gly Thr Leu
100 105 110

Val Thr Val Ser Ser
115

<210> 14
<211> 107
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: Synthetic polypeptide

<400> 14

Asp Ile Gln Met Thr Gln Ser Pro Ser Thr Leu Ser Ala Ser Val Gly
1 5 10 15

Asp Arg Val Thr Ile Thr Cys Arg Ala Ser Gln Ser Ile Ser Ser Trp
20 25 30

Leu Ala Trp Tyr Gln Gln Lys Pro Gly Lys Ala Pro Lys Leu Leu Ile
35 40 45

Tyr Lys Ala Ser Ser Leu Glu Ser Gly Val Pro Ser Arg Phe Ser Gly
50 55 60

Ser Gly Ser Gly Thr Glu Phe Thr Leu Thr Ile Ser Ser Leu Gln Pro
65 70 75 80

Asp Asp Phe Ala Thr Tyr Tyr Cys Gln Gln Tyr Gly Ser Phe Pro Ile
85 90 95

Thr Phe Gly Gly Gly Thr Lys Val Glu Ile Lys
100 105

<210> 15
<211> 117
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: Synthetic polypeptide

<400> 15

Gln Val Gln Leu Gln Gln Trp Gly Ala Gly Leu Leu Lys Pro Ser Glu
1 5 10 15

Thr Leu Ser Leu Thr Cys Ala Val Tyr Gly Gly Ser Phe Ser Gly Tyr
20 25 30

Tyr Trp Ser Trp Ile Arg Gln Pro Pro Gly Lys Gly Leu Glu Trp Ile
35 40 45

Gly Glu Ile Asp His Ser Gly Ser Thr Asn Tyr Asn Pro Ser Leu Lys
50 55 60

Ser Arg Val Thr Ile Ser Val Asp Thr Ser Lys Asn Gln Phe Ser Leu
65 70 75 80

Lys Leu Ser Ser Val Thr Ala Ala Asp Thr Ala Val Tyr Tyr Cys Ala
85 90 95

Arg Ala Arg Gly Pro Trp Ser Phe Asp Pro Trp Gly Gln Gly Thr Leu
100 105 110

Val Thr Val Ser Ser
115

<210> 16
<211> 107
<212> PRT
<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Synthetic polypeptide

<400> 16

Asp Ile Gln Met Thr Gln Ser Pro Ser Thr Leu Ser Ala Ser Val Gly
1 5 10 15

Asp Arg Val Thr Ile Thr Cys Arg Ala Ser Gln Ser Ile Ser Ser Trp
20 25 30

Leu Ala Trp Tyr Gln Gln Lys Pro Gly Lys Ala Pro Lys Leu Leu Ile
35 40 45

Tyr Lys Ala Ser Ser Leu Glu Ser Gly Val Pro Ser Arg Phe Ser Gly
50 55 60

Ser Gly Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Ser Leu Gln Pro
65 70 75 80

Asp Asp Phe Ala Thr Tyr Tyr Cys Gln Gln Ser Lys Glu Val Pro Trp
85 90 95

Thr Phe Gly Gln Gly Thr Lys Val Glu Ile Lys
100 105

<210> 17

<211> 117

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Synthetic polypeptide

<400> 17

Gln Val Gln Leu Gln Gln Trp Gly Ala Gly Leu Leu Lys Pro Ser Glu
1 5 10 15

Thr Leu Ser Leu Thr Cys Ala Val Tyr Gly Gly Ser Phe Ser Gly Tyr
20 25 30

DFY-038W0_SL.TXT

Tyr Trp Ser Trp Ile Arg Gln Pro Pro Gly Lys Gly Leu Glu Trp Ile
35 40 45

Gly Glu Ile Asp His Ser Gly Ser Thr Asn Tyr Asn Pro Ser Leu Lys
50 55 60

Ser Arg Val Thr Ile Ser Val Asp Thr Ser Lys Asn Gln Phe Ser Leu
65 70 75 80

Lys Leu Ser Ser Val Thr Ala Ala Asp Thr Ala Val Tyr Tyr Cys Ala
85 90 95

Arg Ala Arg Gly Pro Trp Ser Phe Asp Pro Trp Gly Gln Gly Thr Leu
100 105 110

Val Thr Val Ser Ser
115

<210> 18

<211> 106

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Synthetic polypeptide

<400> 18

Asp Ile Gln Met Thr Gln Ser Pro Ser Thr Leu Ser Ala Ser Val Gly
1 5 10 15

Asp Arg Val Thr Ile Thr Cys Arg Ala Ser Gln Ser Ile Ser Ser Trp
20 25 30

Leu Ala Trp Tyr Gln Gln Lys Pro Gly Lys Ala Pro Lys Leu Leu Ile
35 40 45

Tyr Lys Ala Ser Ser Leu Glu Ser Gly Val Pro Ser Arg Phe Ser Gly
50 55 60

Ser Gly Ser Gly Thr Glu Phe Thr Leu Thr Ile Ser Ser Leu Gln Pro
65 70 75 80

Asp Asp Phe Ala Thr Tyr Tyr Cys Gln Gln Tyr Asn Ser Phe Pro Thr
85 90 95

Phe Gly Gly Gly Thr Lys Val Glu Ile Lys
100 105

<210> 19

<211> 117

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Synthetic polypeptide

<400> 19

Gln Val Gln Leu Gln Gln Trp Gly Ala Gly Leu Leu Lys Pro Ser Glu
1 5 10 15

Thr Leu Ser Leu Thr Cys Ala Val Tyr Gly Gly Ser Phe Ser Gly Tyr
20 25 30

Tyr Trp Ser Trp Ile Arg Gln Pro Pro Gly Lys Gly Leu Glu Trp Ile
35 40 45

Gly Glu Ile Asp His Ser Gly Ser Thr Asn Tyr Asn Pro Ser Leu Lys
50 55 60

Ser Arg Val Thr Ile Ser Val Asp Thr Ser Lys Asn Gln Phe Ser Leu
65 70 75 80

Lys Leu Ser Ser Val Thr Ala Ala Asp Thr Ala Val Tyr Tyr Cys Ala
85 90 95

Arg Ala Arg Gly Pro Trp Ser Phe Asp Pro Trp Gly Gln Gly Thr Leu
100 105 110

Val Thr Val Ser Ser
115

<210> 20
 <211> 106
 <212> PRT
 <213> Artificial Sequence
 <220>
 <223> Description of Artificial Sequence: Synthetic polypeptide
 <400> 20

Asp Ile Gln Met Thr Gln Ser Pro Ser Thr Leu Ser Ala Ser Val Gly
 1 5 10 15

Asp Arg Val Thr Ile Thr Cys Arg Ala Ser Gln Ser Ile Gly Ser Trp
 20 25 30

Leu Ala Trp Tyr Gln Gln Lys Pro Gly Lys Ala Pro Lys Leu Leu Ile
 35 40 45

Tyr Lys Ala Ser Ser Leu Glu Ser Gly Val Pro Ser Arg Phe Ser Gly
 50 55 60

Ser Gly Ser Gly Thr Glu Phe Thr Leu Thr Ile Ser Ser Leu Gln Pro
 65 70 75 80

Asp Asp Phe Ala Thr Tyr Tyr Cys Gln Gln Tyr Asp Ile Tyr Pro Thr
 85 90 95

Phe Gly Gly Gly Thr Lys Val Glu Ile Lys
 100 105

<210> 21
 <211> 117
 <212> PRT
 <213> Artificial Sequence
 <220>
 <223> Description of Artificial Sequence: Synthetic polypeptide
 <400> 21

Gln Val Gln Leu Gln Gln Trp Gly Ala Gly Leu Leu Lys Pro Ser Glu
 1 5 10 15

DFY-038W0_SL.TXT

Thr Leu Ser Leu Thr Cys Ala Val Tyr Gly Gly Ser Phe Ser Gly Tyr
20 25 30

Tyr Trp Ser Trp Ile Arg Gln Pro Pro Gly Lys Gly Leu Glu Trp Ile
35 40 45

Gly Glu Ile Asp His Ser Gly Ser Thr Asn Tyr Asn Pro Ser Leu Lys
50 55 60

Ser Arg Val Thr Ile Ser Val Asp Thr Ser Lys Asn Gln Phe Ser Leu
65 70 75 80

Lys Leu Ser Ser Val Thr Ala Ala Asp Thr Ala Val Tyr Tyr Cys Ala
85 90 95

Arg Ala Arg Gly Pro Trp Ser Phe Asp Pro Trp Gly Gln Gly Thr Leu
100 105 110

Val Thr Val Ser Ser
115

<210> 22

<211> 106

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Synthetic polypeptide

<400> 22

Asp Ile Gln Met Thr Gln Ser Pro Ser Thr Leu Ser Ala Ser Val Gly
1 5 10 15

Asp Arg Val Thr Ile Thr Cys Arg Ala Ser Gln Ser Ile Ser Ser Trp
20 25 30

Leu Ala Trp Tyr Gln Gln Lys Pro Gly Lys Ala Pro Lys Leu Leu Ile
35 40 45

Tyr Lys Ala Ser Ser Leu Glu Ser Gly Val Pro Ser Arg Phe Ser Gly
50 55 60

Ser Gly Ser Gly Thr Glu Phe Thr Leu Thr Ile Ser Ser Leu Gln Pro
65 70 75 80

Asp Asp Phe Ala Thr Tyr Tyr Cys Gln Gln Tyr Asp Ser Tyr Pro Thr
85 90 95

Phe Gly Gly Gly Thr Lys Val Glu Ile Lys
100 105

<210> 23

<211> 117

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Synthetic polypeptide

<400> 23

Gln Val Gln Leu Gln Gln Trp Gly Ala Gly Leu Leu Lys Pro Ser Glu
1 5 10 15

Thr Leu Ser Leu Thr Cys Ala Val Tyr Gly Gly Ser Phe Ser Gly Tyr
20 25 30

Tyr Trp Ser Trp Ile Arg Gln Pro Pro Gly Lys Gly Leu Glu Trp Ile
35 40 45

Gly Glu Ile Asp His Ser Gly Ser Thr Asn Tyr Asn Pro Ser Leu Lys
50 55 60

Ser Arg Val Thr Ile Ser Val Asp Thr Ser Lys Asn Gln Phe Ser Leu
65 70 75 80

Lys Leu Ser Ser Val Thr Ala Ala Asp Thr Ala Val Tyr Tyr Cys Ala
85 90 95

Arg Ala Arg Gly Pro Trp Ser Phe Asp Pro Trp Gly Gln Gly Thr Leu
100 105 110

Val Thr Val Ser Ser
115

<210> 24
<211> 106
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: Synthetic polypeptide

<400> 24

Asp Ile Gln Met Thr Gln Ser Pro Ser Thr Leu Ser Ala Ser Val Gly
1 5 10 15

Asp Arg Val Thr Ile Thr Cys Arg Ala Ser Gln Ser Ile Ser Ser Trp
20 25 30

Leu Ala Trp Tyr Gln Gln Lys Pro Gly Lys Ala Pro Lys Leu Leu Ile
35 40 45

Tyr Lys Ala Ser Ser Leu Glu Ser Gly Val Pro Ser Arg Phe Ser Gly
50 55 60

Ser Gly Ser Gly Thr Glu Phe Thr Leu Thr Ile Ser Ser Leu Gln Pro
65 70 75 80

Asp Asp Phe Ala Thr Tyr Tyr Cys Gln Gln Tyr Gly Ser Phe Pro Thr
85 90 95

Phe Gly Gly Gly Thr Lys Val Glu Ile Lys
100 105

<210> 25
<211> 117
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: Synthetic polypeptide

<400> 25

DFY-038W0_SL.TXT

Gln Val Gln Leu Gln Gln Trp Gly Ala Gly Leu Leu Lys Pro Ser Glu
1 5 10 15

Thr Leu Ser Leu Thr Cys Ala Val Tyr Gly Gly Ser Phe Ser Gly Tyr
20 25 30

Tyr Trp Ser Trp Ile Arg Gln Pro Pro Gly Lys Gly Leu Glu Trp Ile
35 40 45

Gly Glu Ile Asp His Ser Gly Ser Thr Asn Tyr Asn Pro Ser Leu Lys
50 55 60

Ser Arg Val Thr Ile Ser Val Asp Thr Ser Lys Asn Gln Phe Ser Leu
65 70 75 80

Lys Leu Ser Ser Val Thr Ala Ala Asp Thr Ala Val Tyr Tyr Cys Ala
85 90 95

Arg Ala Arg Gly Pro Trp Ser Phe Asp Pro Trp Gly Gln Gly Thr Leu
100 105 110

Val Thr Val Ser Ser
115

<210> 26

<211> 106

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Synthetic polypeptide

<400> 26

Asp Ile Gln Met Thr Gln Ser Pro Ser Thr Leu Ser Ala Ser Val Gly
1 5 10 15

Asp Arg Val Thr Ile Thr Cys Arg Ala Ser Gln Ser Ile Ser Ser Trp
20 25 30

Leu Ala Trp Tyr Gln Gln Lys Pro Gly Lys Ala Pro Lys Leu Leu Ile
35 40 45

Tyr Lys Ala Ser Ser Leu Glu Ser Gly Val Pro Ser Arg Phe Ser Gly
50 55 60

Ser Gly Ser Gly Thr Glu Phe Thr Leu Thr Ile Ser Ser Leu Gln Pro
65 70 75 80

Asp Asp Phe Ala Thr Tyr Tyr Cys Gln Gln Tyr Gln Ser Phe Pro Thr
85 90 95

Phe Gly Gly Gly Thr Lys Val Glu Ile Lys
100 105

<210> 27

<211> 117

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Synthetic polypeptide

<400> 27

Gln Val Gln Leu Gln Gln Trp Gly Ala Gly Leu Leu Lys Pro Ser Glu
1 5 10 15

Thr Leu Ser Leu Thr Cys Ala Val Tyr Gly Gly Ser Phe Ser Gly Tyr
20 25 30

Tyr Trp Ser Trp Ile Arg Gln Pro Pro Gly Lys Gly Leu Glu Trp Ile
35 40 45

Gly Glu Ile Asp His Ser Gly Ser Thr Asn Tyr Asn Pro Ser Leu Lys
50 55 60

Ser Arg Val Thr Ile Ser Val Asp Thr Ser Lys Asn Gln Phe Ser Leu
65 70 75 80

Lys Leu Ser Ser Val Thr Ala Ala Asp Thr Ala Val Tyr Tyr Cys Ala
85 90 95

DFY-038W0_SL.TXT

Arg Ala Arg Gly Pro Trp Ser Phe Asp Pro Trp Gly Gln Gly Thr Leu
 100 105 110

Val Thr Val Ser Ser
 115

<210> 28
 <211> 106
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Description of Artificial Sequence: Synthetic polypeptide

<400> 28

Asp Ile Gln Met Thr Gln Ser Pro Ser Thr Leu Ser Ala Ser Val Gly
 1 5 10 15

Asp Arg Val Thr Ile Thr Cys Arg Ala Ser Gln Ser Ile Ser Ser Trp
 20 25 30

Leu Ala Trp Tyr Gln Gln Lys Pro Gly Lys Ala Pro Lys Leu Leu Ile
 35 40 45

Tyr Lys Ala Ser Ser Leu Glu Ser Gly Val Pro Ser Arg Phe Ser Gly
 50 55 60

Ser Gly Ser Gly Thr Glu Phe Thr Leu Thr Ile Ser Ser Leu Gln Pro
 65 70 75 80

Asp Asp Phe Ala Thr Tyr Tyr Cys Gln Gln Tyr Ser Ser Phe Ser Thr
 85 90 95

Phe Gly Gly Gly Thr Lys Val Glu Ile Lys
 100 105

<210> 29
 <211> 117
 <212> PRT
 <213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Synthetic polypeptide

<400> 29

Gln Val Gln Leu Gln Gln Trp Gly Ala Gly Leu Leu Lys Pro Ser Glu
1 5 10 15

Thr Leu Ser Leu Thr Cys Ala Val Tyr Gly Gly Ser Phe Ser Gly Tyr
20 25 30

Tyr Trp Ser Trp Ile Arg Gln Pro Pro Gly Lys Gly Leu Glu Trp Ile
35 40 45

Gly Glu Ile Asp His Ser Gly Ser Thr Asn Tyr Asn Pro Ser Leu Lys
50 55 60

Ser Arg Val Thr Ile Ser Val Asp Thr Ser Lys Asn Gln Phe Ser Leu
65 70 75 80

Lys Leu Ser Ser Val Thr Ala Ala Asp Thr Ala Val Tyr Tyr Cys Ala
85 90 95

Arg Ala Arg Gly Pro Trp Ser Phe Asp Pro Trp Gly Gln Gly Thr Leu
100 105 110

Val Thr Val Ser Ser
115

<210> 30

<211> 106

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Synthetic polypeptide

<400> 30

Asp Ile Gln Met Thr Gln Ser Pro Ser Thr Leu Ser Ala Ser Val Gly
1 5 10 15

Asp Arg Val Thr Ile Thr Cys Arg Ala Ser Gln Ser Ile Ser Ser Trp
20 25 30

Leu Ala Trp Tyr Gln Gln Lys Pro Gly Lys Ala Pro Lys Leu Leu Ile
35 40 45

Tyr Lys Ala Ser Ser Leu Glu Ser Gly Val Pro Ser Arg Phe Ser Gly
50 55 60

Ser Gly Ser Gly Thr Glu Phe Thr Leu Thr Ile Ser Ser Leu Gln Pro
65 70 75 80

Asp Asp Phe Ala Thr Tyr Tyr Cys Gln Gln Tyr Glu Ser Tyr Ser Thr
85 90 95

Phe Gly Gly Gly Thr Lys Val Glu Ile Lys
100 105

<210> 31

<211> 117

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Synthetic polypeptide

<400> 31

Gln Val Gln Leu Gln Gln Trp Gly Ala Gly Leu Leu Lys Pro Ser Glu
1 5 10 15

Thr Leu Ser Leu Thr Cys Ala Val Tyr Gly Gly Ser Phe Ser Gly Tyr
20 25 30

Tyr Trp Ser Trp Ile Arg Gln Pro Pro Gly Lys Gly Leu Glu Trp Ile
35 40 45

Gly Glu Ile Asp His Ser Gly Ser Thr Asn Tyr Asn Pro Ser Leu Lys
50 55 60

Ser Arg Val Thr Ile Ser Val Asp Thr Ser Lys Asn Gln Phe Ser Leu
65 70 75 80

DFY-038W0_SL.TXT

Lys Leu Ser Ser Val Thr Ala Ala Asp Thr Ala Val Tyr Tyr Cys Ala
85 90 95

Arg Ala Arg Gly Pro Trp Ser Phe Asp Pro Trp Gly Gln Gly Thr Leu
100 105 110

Val Thr Val Ser Ser
115

<210> 32

<211> 106

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Synthetic polypeptide

<400> 32

Asp Ile Gln Met Thr Gln Ser Pro Ser Thr Leu Ser Ala Ser Val Gly
1 5 10 15

Asp Arg Val Thr Ile Thr Cys Arg Ala Ser Gln Ser Ile Ser Ser Trp
20 25 30

Leu Ala Trp Tyr Gln Gln Lys Pro Gly Lys Ala Pro Lys Leu Leu Ile
35 40 45

Tyr Lys Ala Ser Ser Leu Glu Ser Gly Val Pro Ser Arg Phe Ser Gly
50 55 60

Ser Gly Ser Gly Thr Glu Phe Thr Leu Thr Ile Ser Ser Leu Gln Pro
65 70 75 80

Asp Asp Phe Ala Thr Tyr Tyr Cys Gln Gln Tyr Asp Ser Phe Ile Thr
85 90 95

Phe Gly Gly Gly Thr Lys Val Glu Ile Lys
100 105

<210> 33

<211> 117

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Synthetic polypeptide

<400> 33

Gln Val Gln Leu Gln Gln Trp Gly Ala Gly Leu Leu Lys Pro Ser Glu
1 5 10 15

Thr Leu Ser Leu Thr Cys Ala Val Tyr Gly Gly Ser Phe Ser Gly Tyr
20 25 30

Tyr Trp Ser Trp Ile Arg Gln Pro Pro Gly Lys Gly Leu Glu Trp Ile
35 40 45

Gly Glu Ile Asp His Ser Gly Ser Thr Asn Tyr Asn Pro Ser Leu Lys
50 55 60

Ser Arg Val Thr Ile Ser Val Asp Thr Ser Lys Asn Gln Phe Ser Leu
65 70 75 80

Lys Leu Ser Ser Val Thr Ala Ala Asp Thr Ala Val Tyr Tyr Cys Ala
85 90 95

Arg Ala Arg Gly Pro Trp Ser Phe Asp Pro Trp Gly Gln Gly Thr Leu
100 105 110

Val Thr Val Ser Ser
115

<210> 34

<211> 106

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Synthetic polypeptide

<400> 34

Asp Ile Gln Met Thr Gln Ser Pro Ser Thr Leu Ser Ala Ser Val Gly
1 5 10 15

Asp Arg Val Thr Ile Thr Cys Arg Ala Ser Gln Ser Ile Ser Ser Trp
20 25 30

Leu Ala Trp Tyr Gln Gln Lys Pro Gly Lys Ala Pro Lys Leu Leu Ile
35 40 45

Tyr Lys Ala Ser Ser Leu Glu Ser Gly Val Pro Ser Arg Phe Ser Gly
50 55 60

Ser Gly Ser Gly Thr Glu Phe Thr Leu Thr Ile Ser Ser Leu Gln Pro
65 70 75 80

Asp Asp Phe Ala Thr Tyr Tyr Cys Gln Gln Tyr Gln Ser Tyr Pro Thr
85 90 95

Phe Gly Gly Gly Thr Lys Val Glu Ile Lys
100 105

<210> 35

<211> 117

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Synthetic polypeptide

<400> 35

Gln Val Gln Leu Gln Gln Trp Gly Ala Gly Leu Leu Lys Pro Ser Glu
1 5 10 15

Thr Leu Ser Leu Thr Cys Ala Val Tyr Gly Gly Ser Phe Ser Gly Tyr
20 25 30

Tyr Trp Ser Trp Ile Arg Gln Pro Pro Gly Lys Gly Leu Glu Trp Ile
35 40 45

Gly Glu Ile Asp His Ser Gly Ser Thr Asn Tyr Asn Pro Ser Leu Lys
50 55 60

DFY-038W0_SL.TXT

Ser Arg Val Thr Ile Ser Val Asp Thr Ser Lys Asn Gln Phe Ser Leu
65 70 75 80

Lys Leu Ser Ser Val Thr Ala Ala Asp Thr Ala Val Tyr Tyr Cys Ala
85 90 95

Arg Ala Arg Gly Pro Trp Ser Phe Asp Pro Trp Gly Gln Gly Thr Leu
100 105 110

Val Thr Val Ser Ser
115

<210> 36

<211> 106

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Synthetic polypeptide

<400> 36

Asp Ile Gln Met Thr Gln Ser Pro Ser Thr Leu Ser Ala Ser Val Gly
1 5 10 15

Asp Arg Val Thr Ile Thr Cys Arg Ala Ser Gln Ser Ile Gly Ser Trp
20 25 30

Leu Ala Trp Tyr Gln Gln Lys Pro Gly Lys Ala Pro Lys Leu Leu Ile
35 40 45

Tyr Lys Ala Ser Ser Leu Glu Ser Gly Val Pro Ser Arg Phe Ser Gly
50 55 60

Ser Gly Ser Gly Thr Glu Phe Thr Leu Thr Ile Ser Ser Leu Gln Pro
65 70 75 80

Asp Asp Phe Ala Thr Tyr Tyr Cys Gln Gln Tyr His Ser Phe Pro Thr
85 90 95

Phe Gly Gly Gly Thr Lys Val Glu Ile Lys
100 105

<210> 37
 <211> 117
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Description of Artificial Sequence: Synthetic polypeptide

<400> 37

Gln Val Gln Leu Gln Gln Trp Gly Ala Gly Leu Leu Lys Pro Ser Glu
 1 5 10 15

Thr Leu Ser Leu Thr Cys Ala Val Tyr Gly Gly Ser Phe Ser Gly Tyr
 20 25 30

Tyr Trp Ser Trp Ile Arg Gln Pro Pro Gly Lys Gly Leu Glu Trp Ile
 35 40 45

Gly Glu Ile Asp His Ser Gly Ser Thr Asn Tyr Asn Pro Ser Leu Lys
 50 55 60

Ser Arg Val Thr Ile Ser Val Asp Thr Ser Lys Asn Gln Phe Ser Leu
 65 70 75 80

Lys Leu Ser Ser Val Thr Ala Ala Asp Thr Ala Val Tyr Tyr Cys Ala
 85 90 95

Arg Ala Arg Gly Pro Trp Ser Phe Asp Pro Trp Gly Gln Gly Thr Leu
 100 105 110

Val Thr Val Ser Ser
 115

<210> 38
 <211> 107
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Description of Artificial Sequence: Synthetic polypeptide

<400> 38

Asp Ile Gln Met Thr Gln Ser Pro Ser Thr Leu Ser Ala Ser Val Gly
1 5 10 15

Asp Arg Val Thr Ile Thr Cys Arg Ala Ser Gln Ser Ile Gly Ser Trp
20 25 30

Leu Ala Trp Tyr Gln Gln Lys Pro Gly Lys Ala Pro Lys Leu Leu Ile
35 40 45

Tyr Lys Ala Ser Ser Leu Glu Ser Gly Val Pro Ser Arg Phe Ser Gly
50 55 60

Ser Gly Ser Gly Thr Glu Phe Thr Leu Thr Ile Ser Ser Leu Gln Pro
65 70 75 80

Asp Asp Phe Ala Thr Tyr Tyr Cys Gln Gln Tyr Glu Leu Tyr Ser Tyr
85 90 95

Thr Phe Gly Gly Gly Thr Lys Val Glu Ile Lys
100 105

<210> 39

<211> 117

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Synthetic polypeptide

<400> 39

Gln Val Gln Leu Gln Gln Trp Gly Ala Gly Leu Leu Lys Pro Ser Glu
1 5 10 15

Thr Leu Ser Leu Thr Cys Ala Val Tyr Gly Gly Ser Phe Ser Gly Tyr
20 25 30

Tyr Trp Ser Trp Ile Arg Gln Pro Pro Gly Lys Gly Leu Glu Trp Ile
35 40 45

DFY-038W0_SL.TXT

Gly Glu Ile Asp His Ser Gly Ser Thr Asn Tyr Asn Pro Ser Leu Lys
50 55 60

Ser Arg Val Thr Ile Ser Val Asp Thr Ser Lys Asn Gln Phe Ser Leu
65 70 75 80

Lys Leu Ser Ser Val Thr Ala Ala Asp Thr Ala Val Tyr Tyr Cys Ala
85 90 95

Arg Ala Arg Gly Pro Trp Ser Phe Asp Pro Trp Gly Gln Gly Thr Leu
100 105 110

Val Thr Val Ser Ser
115

<210> 40

<211> 106

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Synthetic polypeptide

<400> 40

Asp Ile Gln Met Thr Gln Ser Pro Ser Thr Leu Ser Ala Ser Val Gly
1 5 10 15

Asp Arg Val Thr Ile Thr Cys Arg Ala Ser Gln Ser Ile Ser Ser Trp
20 25 30

Leu Ala Trp Tyr Gln Gln Lys Pro Gly Lys Ala Pro Lys Leu Leu Ile
35 40 45

Tyr Lys Ala Ser Ser Leu Glu Ser Gly Val Pro Ser Arg Phe Ser Gly
50 55 60

Ser Gly Ser Gly Thr Glu Phe Thr Leu Thr Ile Ser Ser Leu Gln Pro
65 70 75 80

Asp Asp Phe Ala Thr Tyr Tyr Cys Gln Gln Tyr Asp Thr Phe Ile Thr
85 90 95

Phe Gly Gly Gly Thr Lys Val Glu Ile Lys
100 105

<210> 41
<211> 125
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: Synthetic polypeptide

<400> 41

Gln Val Gln Leu Val Gln Ser Gly Ala Glu Val Lys Lys Pro Gly Ser
1 5 10 15

Ser Val Lys Val Ser Cys Lys Ala Ser Gly Gly Thr Phe Ser Ser Tyr
20 25 30

Ala Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Met
35 40 45

Gly Gly Ile Ile Pro Ile Phe Gly Thr Ala Asn Tyr Ala Gln Lys Phe
50 55 60

Gln Gly Arg Val Thr Ile Thr Ala Asp Glu Ser Thr Ser Thr Ala Tyr
65 70 75 80

Met Glu Leu Ser Ser Leu Arg Ser Glu Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Arg Gly Asp Ser Ser Ile Arg His Ala Tyr Tyr Tyr Tyr Gly Met
100 105 110

Asp Val Trp Gly Gln Gly Thr Thr Val Thr Val Ser Ser
115 120 125

<210> 42
<211> 113
<212> PRT
<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Synthetic polypeptide

<400> 42

Asp Ile Val Met Thr Gln Ser Pro Asp Ser Leu Ala Val Ser Leu Gly
1 5 10 15

Glu Arg Ala Thr Ile Asn Cys Lys Ser Ser Gln Ser Val Leu Tyr Ser
20 25 30

Ser Asn Asn Lys Asn Tyr Leu Ala Trp Tyr Gln Gln Lys Pro Gly Gln
35 40 45

Pro Pro Lys Leu Leu Ile Tyr Trp Ala Ser Thr Arg Glu Ser Gly Val
50 55 60

Pro Asp Arg Phe Ser Gly Ser Gly Ser Gly Thr Asp Phe Thr Leu Thr
65 70 75 80

Ile Ser Ser Leu Gln Ala Glu Asp Val Ala Val Tyr Tyr Cys Gln Gln
85 90 95

Tyr Tyr Ser Thr Pro Ile Thr Phe Gly Gly Gly Thr Lys Val Glu Ile
100 105 110

Lys

<210> 43

<211> 9

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Synthetic peptide

<400> 43

Gly Thr Phe Ser Ser Tyr Ala Ile Ser
1 5

<210> 44
 <211> 17
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Description of Artificial Sequence: Synthetic peptide

<400> 44

Gly	Ile	Ile	Pro	Ile	Phe	Gly	Thr	Ala	Asn	Tyr	Ala	Gln	Lys	Phe	Gln
1				5					10					15	

Gly

<210> 45
 <211> 18
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Description of Artificial Sequence: Synthetic peptide

<400> 45

Ala	Arg	Gly	Asp	Ser	Ser	Ile	Arg	His	Ala	Tyr	Tyr	Tyr	Tyr	Gly	Met
1				5					10					15	

Asp Val

<210> 46
 <211> 17
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Description of Artificial Sequence: Synthetic peptide

<400> 46

Lys	Ser	Ser	Gln	Ser	Val	Leu	Tyr	Ser	Ser	Asn	Asn	Lys	Asn	Tyr	Leu
1				5						10				15	

Ala

<210> 47
 <211> 7
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Description of Artificial Sequence: Synthetic peptide

<400> 47

Trp Ala Ser Thr Arg Glu Ser
 1 5

<210> 48
 <211> 9
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Description of Artificial Sequence: Synthetic peptide

<400> 48

Gln Gln Tyr Tyr Ser Thr Pro Ile Thr
 1 5

<210> 49
 <211> 121
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Description of Artificial Sequence: Synthetic polypeptide

<400> 49

Gln Leu Gln Leu Gln Glu Ser Gly Pro Gly Leu Val Lys Pro Ser Glu
 1 5 10 15

Thr Leu Ser Leu Thr Cys Thr Val Ser Gly Gly Ser Ile Ser Ser Ser
 20 25 30

Ser Tyr Tyr Trp Gly Trp Ile Arg Gln Pro Pro Gly Lys Gly Leu Glu
 35 40 45

DFY-038W0_SL.TXT

Trp Ile Gly Ser Ile Tyr Tyr Ser Gly Ser Thr Tyr Tyr Asn Pro Ser
50 55 60

Leu Lys Ser Arg Val Thr Ile Ser Val Asp Thr Ser Lys Asn Gln Phe
65 70 75 80

Ser Leu Lys Leu Ser Ser Val Thr Ala Ala Asp Thr Ala Val Tyr Tyr
85 90 95

Cys Ala Arg Gly Ser Asp Arg Phe His Pro Tyr Phe Asp Tyr Trp Gly
100 105 110

Gln Gly Thr Leu Val Thr Val Ser Ser
115 120

<210> 50

<211> 107

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Synthetic polypeptide

<400> 50

Glu Ile Val Leu Thr Gln Ser Pro Ala Thr Leu Ser Leu Ser Pro Gly
1 5 10 15

Glu Arg Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Ser Arg Tyr
20 25 30

Leu Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Ile
35 40 45

Tyr Asp Ala Ser Asn Arg Ala Thr Gly Ile Pro Ala Arg Phe Ser Gly
50 55 60

Ser Gly Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Ser Leu Glu Pro
65 70 75 80

Glu Asp Phe Ala Val Tyr Tyr Cys Gln Gln Phe Asp Thr Trp Pro Pro
85 90 95

Thr Phe Gly Gly Gly Thr Lys Val Glu Ile Lys
100 105

<210> 51
<211> 11
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: Synthetic peptide

<400> 51

Gly Ser Ile Ser Ser Ser Ser Tyr Tyr Trp Gly
1 5 10

<210> 52
<211> 16
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: Synthetic peptide

<400> 52

Ser Ile Tyr Tyr Ser Gly Ser Thr Tyr Tyr Asn Pro Ser Leu Lys Ser
1 5 10 15

<210> 53
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: Synthetic peptide

<400> 53

Ala Arg Gly Ser Asp Arg Phe His Pro Tyr Phe Asp Tyr
1 5 10

<210> 54
<211> 11
<212> PRT
<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Synthetic peptide

<400> 54

Arg	Ala	Ser	Gln	Ser	Val	Ser	Arg	Tyr	Leu	Ala
1				5					10	

<210> 55

<211> 7

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Synthetic peptide

<400> 55

Asp	Ala	Ser	Asn	Arg	Ala	Thr
1			5			

<210> 56

<211> 9

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Synthetic peptide

<400> 56

Gln	Gln	Phe	Asp	Thr	Trp	Pro	Pro	Thr
1				5				

<210> 57

<211> 117

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Synthetic polypeptide

<400> 57

Gln	Val	Gln	Leu	Gln	Gln	Trp	Gly	Ala	Gly	Leu	Leu	Lys	Pro	Ser	Glu
1				5					10					15	

DFY-038W0_SL.TXT

Thr Leu Ser Leu Thr Cys Ala Val Tyr Gly Gly Ser Phe Ser Gly Tyr
20 25 30

Tyr Trp Ser Trp Ile Arg Gln Pro Pro Gly Lys Gly Leu Glu Trp Ile
35 40 45

Gly Glu Ile Asp His Ser Gly Ser Thr Asn Tyr Asn Pro Ser Leu Lys
50 55 60

Ser Arg Val Thr Ile Ser Val Asp Thr Ser Lys Asn Gln Phe Ser Leu
65 70 75 80

Lys Leu Ser Ser Val Thr Ala Ala Asp Thr Ala Val Tyr Tyr Cys Ala
85 90 95

Arg Ala Arg Gly Pro Trp Ser Phe Asp Pro Trp Gly Gln Gly Thr Leu
100 105 110

Val Thr Val Ser Ser
115

<210> 58

<211> 106

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Synthetic polypeptide

<400> 58

Asp Ile Gln Met Thr Gln Ser Pro Ser Thr Leu Ser Ala Ser Val Gly
1 5 10 15

Asp Arg Val Thr Ile Thr Cys Arg Ala Ser Gln Ser Ile Ser Ser Trp
20 25 30

Leu Ala Trp Tyr Gln Gln Lys Pro Gly Lys Ala Pro Lys Leu Leu Ile
35 40 45

Tyr Lys Ala Ser Ser Leu Glu Ser Gly Val Pro Ser Arg Phe Ser Gly
50 55 60

Ser Gly Ser Gly Thr Glu Phe Thr Leu Thr Ile Ser Ser Leu Gln Pro
65 70 75 80

Asp Asp Phe Ala Thr Tyr Tyr Cys Glu Gln Tyr Asp Ser Tyr Pro Thr
85 90 95

Phe Gly Gly Gly Thr Lys Val Glu Ile Lys
100 105

<210> 59

<211> 126

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Synthetic polypeptide

<400> 59

Gln Val Gln Leu Val Gln Ser Gly Ala Glu Val Lys Lys Pro Gly Ser
1 5 10 15

Ser Val Lys Val Ser Cys Lys Ala Ser Gly Gly Thr Phe Ser Ser Tyr
20 25 30

Ala Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Met
35 40 45

Gly Gly Ile Ile Pro Ile Phe Gly Thr Ala Asn Tyr Ala Gln Lys Phe
50 55 60

Gln Gly Arg Val Thr Ile Thr Ala Asp Glu Ser Thr Ser Thr Ala Tyr
65 70 75 80

Met Glu Leu Ser Ser Leu Arg Ser Glu Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Arg Arg Gly Arg Lys Ala Ser Gly Ser Phe Tyr Tyr Tyr Tyr Gly
100 105 110

DFY-038W0_SL.TXT

Met Asp Val Trp Gly Gln Gly Thr Thr Val Thr Val Ser Ser
 115 120 125

<210> 60

<211> 113

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Synthetic polypeptide

<400> 60

Asp Ile Val Met Thr Gln Ser Pro Asp Ser Leu Ala Val Ser Leu Gly
 1 5 10 15

Glu Arg Ala Thr Ile Asn Cys Glu Ser Ser Gln Ser Leu Leu Asn Ser
 20 25 30

Gly Asn Gln Lys Asn Tyr Leu Thr Trp Tyr Gln Gln Lys Pro Gly Gln
 35 40 45

Pro Pro Lys Pro Leu Ile Tyr Trp Ala Ser Thr Arg Glu Ser Gly Val
 50 55 60

Pro Asp Arg Phe Ser Gly Ser Gly Ser Gly Thr Asp Phe Thr Leu Thr
 65 70 75 80

Ile Ser Ser Leu Gln Ala Glu Asp Val Ala Val Tyr Tyr Cys Gln Asn
 85 90 95

Asp Tyr Ser Tyr Pro Tyr Thr Phe Gly Gln Gly Thr Lys Leu Glu Ile
 100 105 110

Lys

<210> 61

<211> 126

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Synthetic polypeptide

<400> 61

Gln Val Gln Leu Val Gln Ser Gly Ala Glu Val Lys Lys Pro Gly Ala
1 5 10 15

Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Thr Ser Tyr
20 25 30

Tyr Met His Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Met
35 40 45

Gly Ile Ile Asn Pro Ser Gly Gly Ser Thr Ser Tyr Ala Gln Lys Phe
50 55 60

Gln Gly Arg Val Thr Met Thr Arg Asp Thr Ser Thr Ser Thr Val Tyr
65 70 75 80

Met Glu Leu Ser Ser Leu Arg Ser Glu Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Arg Gly Ala Pro Asn Tyr Gly Asp Thr Thr His Asp Tyr Tyr Tyr
100 105 110

Met Asp Val Trp Gly Lys Gly Thr Thr Val Thr Val Ser Ser
115 120 125

<210> 62

<211> 107

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Synthetic polypeptide

<400> 62

Glu Ile Val Met Thr Gln Ser Pro Ala Thr Leu Ser Val Ser Pro Gly
1 5 10 15

Glu Arg Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Ser Ser Asn
20 25 30

Leu Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Ile
 35 40 45

Tyr Gly Ala Ser Thr Arg Ala Thr Gly Ile Pro Ala Arg Phe Ser Gly
 50 55 60

Ser Gly Ser Gly Thr Glu Phe Thr Leu Thr Ile Ser Ser Leu Gln Ser
 65 70 75 80

Glu Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Asp Asp Trp Pro Phe
 85 90 95

Thr Phe Gly Gly Gly Thr Lys Val Glu Ile Lys
 100 105

<210> 63
 <211> 9
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Description of Artificial Sequence: Synthetic peptide

<400> 63

Tyr Thr Phe Thr Ser Tyr Tyr Met His
 1 5

<210> 64
 <211> 17
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Description of Artificial Sequence: Synthetic peptide

<400> 64

Ile Ile Asn Pro Ser Gly Gly Ser Thr Ser Tyr Ala Gln Lys Phe Gln
 1 5 10 15

Gly

<210> 65
 <211> 19
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Description of Artificial Sequence: Synthetic peptide

<400> 65

Ala	Arg	Gly	Ala	Pro	Asn	Tyr	Gly	Asp	Thr	Thr	His	Asp	Tyr	Tyr	Tyr
1				5					10					15	

Met Asp Val

<210> 66
 <211> 11
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Description of Artificial Sequence: Synthetic peptide

<400> 66

Arg	Ala	Ser	Gln	Ser	Val	Ser	Ser	Asn	Leu	Ala
1				5					10	

<210> 67
 <211> 7
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Description of Artificial Sequence: Synthetic peptide

<400> 67

Gly	Ala	Ser	Thr	Arg	Ala	Thr
1				5		

<210> 68
 <211> 9
 <212> PRT
 <213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Synthetic peptide

<400> 68

Gln Gln Tyr Asp Asp Trp Pro Phe Thr
1 5

<210> 69

<211> 124

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Synthetic polypeptide

<400> 69

Gln Val Gln Leu Val Gln Ser Gly Ala Glu Val Lys Lys Pro Gly Ala
1 5 10 15

Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Thr Gly Tyr
20 25 30

Tyr Met His Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Met
35 40 45

Gly Trp Ile Asn Pro Asn Ser Gly Gly Thr Asn Tyr Ala Gln Lys Phe
50 55 60

Gln Gly Arg Val Thr Met Thr Arg Asp Thr Ser Ile Ser Thr Ala Tyr
65 70 75 80

Met Glu Leu Ser Arg Leu Arg Ser Asp Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Arg Asp Thr Gly Glu Tyr Tyr Asp Thr Asp Asp His Gly Met Asp
100 105 110

Val Trp Gly Gln Gly Thr Thr Val Thr Val Ser Ser
115 120

<210> 70

<211> 107

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Synthetic polypeptide

<400> 70

Glu Ile Val Leu Thr Gln Ser Pro Gly Thr Leu Ser Leu Ser Pro Gly
1 5 10 15

Glu Arg Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Ser Ser Asn
20 25 30

Leu Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Ile
35 40 45

Tyr Gly Ala Ser Thr Arg Ala Thr Gly Ile Pro Ala Arg Phe Ser Gly
50 55 60

Ser Gly Ser Gly Thr Glu Phe Thr Leu Thr Ile Ser Ser Leu Gln Ser
65 70 75 80

Glu Asp Phe Ala Val Tyr Tyr Cys Gln Gln Asp Asp Tyr Trp Pro Pro
85 90 95

Thr Phe Gly Gly Gly Thr Lys Val Glu Ile Lys
100 105

<210> 71

<211> 9

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Synthetic peptide

<400> 71

Tyr Thr Phe Thr Gly Tyr Tyr Met His
1 5

<210> 72
 <211> 17
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Description of Artificial Sequence: Synthetic peptide

<400> 72

Trp	Ile	Asn	Pro	Asn	Ser	Gly	Gly	Thr	Asn	Tyr	Ala	Gln	Lys	Phe	Gln
1				5				10						15	

Gly

<210> 73
 <211> 17
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Description of Artificial Sequence: Synthetic peptide

<400> 73

Ala	Arg	Asp	Thr	Gly	Glu	Tyr	Tyr	Asp	Thr	Asp	Asp	His	Gly	Met	Asp
1				5				10						15	

Val

<210> 74
 <211> 11
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Description of Artificial Sequence: Synthetic peptide

<400> 74

Arg	Ala	Ser	Gln	Ser	Val	Ser	Ser	Asn	Leu	Ala
1				5				10		

<210> 75
 <211> 7

<212> PRT
<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Synthetic peptide

<400> 75

Gly Ala Ser Thr Arg Ala Thr
1 5

<210> 76

<211> 9

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Synthetic peptide

<400> 76

Gln Gln Asp Asp Tyr Trp Pro Pro Thr
1 5

<210> 77

<211> 121

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Synthetic polypeptide

<400> 77

Glu Val Gln Leu Leu Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Phe Ser Ser Tyr
20 25 30

Ala Met Ser Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
35 40 45

Ser Ala Ile Ser Gly Ser Gly Gly Ser Thr Tyr Tyr Ala Asp Ser Val
50 55 60

DFY-038W0_SL.TXT

Lys Gly Arg Phe Thr Ile Ser Arg Asp Asn Ser Lys Asn Thr Leu Tyr
65 70 75 80

Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Lys Asp Gly Gly Tyr Tyr Asp Ser Gly Ala Gly Asp Tyr Trp Gly
100 105 110

Gln Gly Thr Leu Val Thr Val Ser Ser
115 120

<210> 78

<211> 107

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Synthetic polypeptide

<400> 78

Asp Ile Gln Met Thr Gln Ser Pro Ser Ser Val Ser Ala Ser Val Gly
1 5 10 15

Asp Arg Val Thr Ile Thr Cys Arg Ala Ser Gln Gly Ile Asp Ser Trp
20 25 30

Leu Ala Trp Tyr Gln Gln Lys Pro Gly Lys Ala Pro Lys Leu Leu Ile
35 40 45

Tyr Ala Ala Ser Ser Leu Gln Ser Gly Val Pro Ser Arg Phe Ser Gly
50 55 60

Ser Gly Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Ser Leu Gln Pro
65 70 75 80

Glu Asp Phe Ala Thr Tyr Tyr Cys Gln Gln Gly Val Ser Tyr Pro Arg
85 90 95

Thr Phe Gly Gly Gly Thr Lys Val Glu Ile Lys
100 105

<210> 79
 <211> 9
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Description of Artificial Sequence: Synthetic peptide

<400> 79

Phe Thr Phe Ser Ser Tyr Ala Met Ser
 1 5

<210> 80
 <211> 17
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Description of Artificial Sequence: Synthetic peptide

<400> 80

Ala Ile Ser Gly Ser Gly Gly Ser Thr Tyr Tyr Ala Asp Ser Val Lys
 1 5 10 15

Gly

<210> 81
 <211> 14
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Description of Artificial Sequence: Synthetic peptide

<400> 81

Ala Lys Asp Gly Gly Tyr Tyr Asp Ser Gly Ala Gly Asp Tyr
 1 5 10

<210> 82
 <211> 11
 <212> PRT
 <213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Synthetic peptide

<400> 82

Arg Ala Ser Gln Gly Ile Asp Ser Trp Leu Ala
1 5 10

<210> 83

<211> 7

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Synthetic peptide

<400> 83

Ala Ala Ser Ser Leu Gln Ser
1 5

<210> 84

<211> 9

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Synthetic peptide

<400> 84

Gln Gln Gly Val Ser Tyr Pro Arg Thr
1 5

<210> 85

<211> 122

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Synthetic polypeptide

<400> 85

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Lys Pro Gly Gly
1 5 10 15

DFY-038W0_SL.TXT

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Phe Ser Ser Tyr
20 25 30

Ser Met Asn Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
35 40 45

Ser Ser Ile Ser Ser Ser Ser Tyr Ile Tyr Tyr Ala Asp Ser Val
50 55 60

Lys Gly Arg Phe Thr Ile Ser Arg Asp Asn Ala Lys Asn Ser Leu Tyr
65 70 75 80

Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Arg Gly Ala Pro Met Gly Ala Ala Ala Gly Trp Phe Asp Pro Trp
100 105 110

Gly Gln Gly Thr Leu Val Thr Val Ser Ser
115 120

<210> 86

<211> 107

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Synthetic polypeptide

<400> 86

Asp Ile Gln Met Thr Gln Ser Pro Ser Ser Val Ser Ala Ser Val Gly
1 5 10 15

Asp Arg Val Thr Ile Thr Cys Arg Ala Ser Gln Gly Ile Ser Ser Trp
20 25 30

Leu Ala Trp Tyr Gln Gln Lys Pro Gly Lys Ala Pro Lys Leu Leu Ile
35 40 45

Tyr Ala Ala Ser Ser Leu Gln Ser Gly Val Pro Ser Arg Phe Ser Gly
50 55 60

Ser Gly Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Ser Leu Gln Pro
65 70 75 80

Glu Asp Phe Ala Thr Tyr Tyr Cys Gln Gln Gly Val Ser Phe Pro Arg
85 90 95

Thr Phe Gly Gly Gly Thr Lys Val Glu Ile Lys
100 105

<210> 87

<211> 9

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Synthetic peptide

<400> 87

Phe Thr Phe Ser Ser Tyr Ser Met Asn
1 5

<210> 88

<211> 17

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Synthetic peptide

<400> 88

Ser Ile Ser Ser Ser Ser Ser Tyr Ile Tyr Tyr Ala Asp Ser Val Lys
1 5 10 15

Gly

<210> 89

<211> 15

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Synthetic peptide

<400> 89

Ala	Arg	Gly	Ala	Pro	Met	Gly	Ala	Ala	Ala	Gly	Trp	Phe	Asp	Pro
1				5					10					15

<210> 90

<211> 11

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Synthetic peptide

<400> 90

Arg	Ala	Ser	Gln	Gly	Ile	Ser	Ser	Trp	Leu	Ala
1				5					10	

<210> 91

<211> 7

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Synthetic peptide

<400> 91

Ala	Ala	Ser	Ser	Leu	Gln	Ser
1				5		

<210> 92

<211> 9

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Synthetic peptide

<400> 92

Gln	Gln	Gly	Val	Ser	Phe	Pro	Arg	Thr
1				5				

<210> 93

<211> 125

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Synthetic polypeptide

<400> 93

Gln Val Gln Leu Val Gln Ser Gly Ala Glu Val Lys Lys Pro Gly Ala
1 5 10 15

Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Thr Ser Tyr
20 25 30

Tyr Met His Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Met
35 40 45

Gly Ile Ile Asn Pro Ser Gly Gly Ser Thr Ser Tyr Ala Gln Lys Phe
50 55 60

Gln Gly Arg Val Thr Met Thr Arg Asp Thr Ser Thr Ser Thr Val Tyr
65 70 75 80

Met Glu Leu Ser Ser Leu Arg Ser Glu Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Arg Glu Gly Ala Gly Phe Ala Tyr Gly Met Asp Tyr Tyr Tyr Met
100 105 110

Asp Val Trp Gly Lys Gly Thr Thr Val Thr Val Ser Ser
115 120 125

<210> 94

<211> 107

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Synthetic polypeptide

<400> 94

Glu Ile Val Leu Thr Gln Ser Pro Ala Thr Leu Ser Leu Ser Pro Gly
1 5 10 15

Glu Arg Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Ser Ser Tyr
 20 25 30

Leu Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Ile
 35 40 45

Tyr Asp Ala Ser Asn Arg Ala Thr Gly Ile Pro Ala Arg Phe Ser Gly
 50 55 60

Ser Gly Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Ser Leu Glu Pro
 65 70 75 80

Glu Asp Phe Ala Val Tyr Tyr Cys Gln Gln Ser Asp Asn Trp Pro Phe
 85 90 95

Thr Phe Gly Gly Gly Thr Lys Val Glu Ile Lys
 100 105

<210> 95
 <211> 9
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Description of Artificial Sequence: Synthetic peptide

<400> 95

Tyr Thr Phe Thr Ser Tyr Tyr Met His
 1 5

<210> 96
 <211> 17
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Description of Artificial Sequence: Synthetic peptide

<400> 96

Ile Ile Asn Pro Ser Gly Gly Ser Thr Ser Tyr Ala Gln Lys Phe Gln
 1 5 10 15

Gly

<210> 97
 <211> 18
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Description of Artificial Sequence: Synthetic peptide

<400> 97

Ala	Arg	Glu	Gly	Ala	Gly	Phe	Ala	Tyr	Gly	Met	Asp	Tyr	Tyr	Tyr	Met
1				5					10					15	

Asp Val

<210> 98
 <211> 11
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Description of Artificial Sequence: Synthetic peptide

<400> 98

Arg	Ala	Ser	Gln	Ser	Val	Ser	Ser	Tyr	Leu	Ala
1				5					10	

<210> 99
 <211> 7
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Description of Artificial Sequence: Synthetic peptide

<400> 99

Asp	Ala	Ser	Asn	Arg	Ala	Thr
1				5		

<210> 100
 <211> 9
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Description of Artificial Sequence: Synthetic peptide

<400> 100

Gln Gln Ser Asp Asn Trp Pro Phe Thr
 1 5

<210> 101
 <211> 121
 <212> PRT
 <213> Homo sapiens

<400> 101

Gln Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Lys Pro Gly Gly
 1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Phe Ser Ser Tyr
 20 25 30

Gly Met His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
 35 40 45

Ala Phe Ile Arg Tyr Asp Gly Ser Asn Lys Tyr Tyr Ala Asp Ser Val
 50 55 60

Lys Gly Arg Phe Thr Ile Ser Arg Asp Asn Ser Lys Asn Thr Leu Tyr
 65 70 75 80

Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

Ala Lys Asp Arg Gly Leu Gly Asp Gly Thr Tyr Phe Asp Tyr Trp Gly
 100 105 110

Gln Gly Thr Thr Val Thr Val Ser Ser
 115 120

<210> 102
 <211> 110
 <212> PRT
 <213> Homo sapiens

<400> 102

Gln Ser Ala Leu Thr Gln Pro Ala Ser Val Ser Gly Ser Pro Gly Gln
 1 5 10 15

Ser Ile Thr Ile Ser Cys Ser Gly Ser Ser Ser Asn Ile Gly Asn Asn
 20 25 30

Ala Val Asn Trp Tyr Gln Gln Leu Pro Gly Lys Ala Pro Lys Leu Leu
 35 40 45

Ile Tyr Tyr Asp Asp Leu Leu Pro Ser Gly Val Ser Asp Arg Phe Ser
 50 55 60

Gly Ser Lys Ser Gly Thr Ser Ala Phe Leu Ala Ile Ser Gly Leu Gln
 65 70 75 80

Ser Glu Asp Glu Ala Asp Tyr Tyr Cys Ala Ala Trp Asp Asp Ser Leu
 85 90 95

Asn Gly Pro Val Phe Gly Gly Gly Thr Lys Leu Thr Val Leu
 100 105 110

<210> 103
 <211> 115
 <212> PRT
 <213> Homo sapiens

<400> 103

Gln Val His Leu Gln Glu Ser Gly Pro Gly Leu Val Lys Pro Ser Glu
 1 5 10 15

Thr Leu Ser Leu Thr Cys Thr Val Ser Asp Asp Ser Ile Ser Ser Tyr
 20 25 30

Tyr Trp Ser Trp Ile Arg Gln Pro Pro Gly Lys Gly Leu Glu Trp Ile

35

40

45

Gly His Ile Ser Tyr Ser Gly Ser Ala Asn Tyr Asn Pro Ser Leu Lys
 50 55 60

Ser Arg Val Thr Ile Ser Val Asp Thr Ser Lys Asn Gln Phe Ser Leu
 65 70 75 80

Lys Leu Ser Ser Val Thr Ala Ala Asp Thr Ala Val Tyr Tyr Cys Ala
 85 90 95

Asn Trp Asp Asp Ala Phe Asn Ile Trp Gly Gln Gly Thr Met Val Thr
 100 105 110

Val Ser Ser
 115

<210> 104

<211> 108

<212> PRT

<213> Homo sapiens

<400> 104

Glu Ile Val Leu Thr Gln Ser Pro Gly Thr Leu Ser Leu Ser Pro Gly
 1 5 10 15

Glu Arg Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Ser Ser Ser
 20 25 30

Tyr Leu Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu
 35 40 45

Ile Tyr Gly Ala Ser Ser Arg Ala Thr Gly Ile Pro Asp Arg Phe Ser
 50 55 60

Gly Ser Gly Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu
 65 70 75 80

Pro Glu Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Gly Ser Ser Pro
 85 90 95

Trp Thr Phe Gly Gln Gly Thr Lys Val Glu Ile Lys
100 105

<210> 105
<211> 9
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: Synthetic peptide

<400> 105

Gly Ser Phe Ser Gly Tyr Tyr Trp Ser
1 5

<210> 106
<211> 16
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: Synthetic peptide

<400> 106

Glu Ile Asp His Ser Gly Ser Thr Asn Tyr Asn Pro Ser Leu Lys Ser
1 5 10 15

<210> 107
<211> 11
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: Synthetic peptide

<400> 107

Ala Arg Ala Arg Gly Pro Trp Ser Phe Asp Pro
1 5 10

<210> 108
<211> 246
<212> PRT
<213> Homo sapiens

<400> 108

Met Ala Ala Ala Ala Ile Pro Ala Leu Leu Leu Cys Leu Pro Leu Leu
 1 5 10 15

Phe Leu Leu Phe Gly Trp Ser Arg Ala Arg Arg Asp Asp Pro His Ser
 20 25 30

Leu Cys Tyr Asp Ile Thr Val Ile Pro Lys Phe Arg Pro Gly Pro Arg
 35 40 45

Trp Cys Ala Val Gln Gly Gln Val Asp Glu Lys Thr Phe Leu His Tyr
 50 55 60

Asp Cys Gly Asn Lys Thr Val Thr Pro Val Ser Pro Leu Gly Lys Lys
 65 70 75 80

Leu Asn Val Thr Met Ala Trp Lys Ala Gln Asn Pro Val Leu Arg Glu
 85 90 95

Val Val Asp Ile Leu Thr Glu Gln Leu Leu Asp Ile Gln Leu Glu Asn
 100 105 110

Tyr Thr Pro Lys Glu Pro Leu Thr Leu Gln Ala Arg Met Ser Cys Glu
 115 120 125

Gln Lys Ala Glu Gly His Ser Ser Gly Ser Trp Gln Phe Ser Ile Asp
 130 135 140

Gly Gln Thr Phe Leu Leu Phe Asp Ser Glu Lys Arg Met Trp Thr Thr
 145 150 155 160

Val His Pro Gly Ala Arg Lys Met Lys Glu Lys Trp Glu Asn Asp Lys
 165 170 175

Asp Val Ala Met Ser Phe His Tyr Ile Ser Met Gly Asp Cys Ile Gly
 180 185 190

Trp Leu Glu Asp Phe Leu Met Gly Met Asp Ser Thr Leu Glu Pro Ser

195

200

205

Ala Gly Ala Pro Leu Ala Met Ser Ser Gly Thr Thr Gln Leu Arg Ala
 210 215 220

Thr Ala Thr Thr Leu Ile Leu Cys Cys Leu Leu Ile Ile Leu Pro Cys
 225 230 235 240

Phe Ile Leu Pro Gly Ile
 245

<210> 109
 <211> 9
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Description of Artificial Sequence: Synthetic peptide

<400> 109

Gly Thr Phe Ser Ser Tyr Ala Ile Ser
 1 5

<210> 110
 <211> 17
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Description of Artificial Sequence: Synthetic peptide

<400> 110

Gly Ile Ile Pro Ile Phe Gly Thr Ala Asn Tyr Ala Gln Lys Phe Gln
 1 5 10 15

Gly

<210> 111
 <211> 19
 <212> PRT
 <213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Synthetic peptide

<400> 111

Ala	Arg	Arg	Gly	Arg	Lys	Ala	Ser	Gly	Ser	Phe	Tyr	Tyr	Tyr	Tyr	Gly
1				5					10					15	

Met Asp Val

<210> 112

<211> 17

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Synthetic peptide

<400> 112

Glu	Ser	Ser	Gln	Ser	Leu	Leu	Asn	Ser	Gly	Asn	Gln	Lys	Asn	Tyr	Leu
1				5					10					15	

Thr

<210> 113

<211> 7

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Synthetic peptide

<400> 113

Trp	Ala	Ser	Thr	Arg	Glu	Ser
1				5		

<210> 114

<211> 9

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Synthetic peptide

<400> 114

Gln Asn Asp Tyr Ser Tyr Pro Tyr Thr
1 5

<210> 115

<211> 117

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Synthetic polypeptide

<400> 115

Glu Val Gln Leu Val Gln Ser Gly Pro Gly Leu Val Gln Pro Gly Gly
1 5 10 15

Ser Val Arg Ile Ser Cys Ala Ala Ser Gly Tyr Thr Phe Thr Asn Tyr
20 25 30

Gly Met Asn Trp Val Lys Gln Ala Pro Gly Lys Gly Leu Glu Trp Met
35 40 45

Gly Trp Ile Asn Thr Tyr Thr Gly Glu Ser Thr Tyr Ala Asp Ser Phe
50 55 60

Lys Gly Arg Phe Thr Phe Ser Leu Asp Thr Ser Ala Ser Ala Ala Tyr
65 70 75 80

Leu Gln Ile Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Arg Phe Ala Ile Lys Gly Asp Tyr Trp Gly Gln Gly Thr Leu Leu
100 105 110

Thr Val Ser Ser Glu
115

<210> 116

<211> 7

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Synthetic peptide

<400> 116

Gly	Tyr	Thr	Phe	Thr	Asn	Tyr
1				5		

<210> 117

<211> 6

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Synthetic peptide

<400> 117

Asn	Thr	Tyr	Thr	Gly	Glu
1				5	

<210> 118

<211> 7

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Synthetic peptide

<400> 118

Phe	Ala	Ile	Lys	Gly	Asp	Tyr
1				5		

<210> 119

<211> 113

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Synthetic polypeptide

<400> 119

Asp	Ile	Gln	Met	Thr	Gln	Ser	Pro	Ser	Ser	Leu	Ser	Ala	Ser	Val	Gly
1				5				10						15	

DFY-038W0_SL.TXT

Asp Arg Val Thr Ile Thr Cys Arg Ser Thr Lys Ser Leu Leu His Ser
20 25 30

Asn Gly Ile Thr Tyr Leu Tyr Trp Tyr Gln Gln Lys Pro Gly Lys Ala
35 40 45

Pro Lys Leu Leu Ile Tyr Gln Met Ser Asn Leu Ala Ser Gly Val Pro
50 55 60

Ser Arg Phe Ser Ser Ser Gly Ser Gly Thr Asp Phe Thr Leu Thr Ile
65 70 75 80

Ser Ser Leu Gln Pro Glu Asp Phe Ala Thr Tyr Tyr Cys Ala Gln Asn
85 90 95

Leu Glu Ile Pro Arg Thr Phe Gly Gln Gly Thr Lys Val Glu Leu Lys
100 105 110

Arg

<210> 120
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: Synthetic peptide

<400> 120

Lys Ser Leu Leu His Ser Asn Gly Ile Thr Tyr Leu Tyr
1 5 10

<210> 121
<211> 7
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: Synthetic peptide

<400> 121

Gln Met Ser Asn Leu Ala Ser
1 5

<210> 122
<211> 9
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: Synthetic peptide

<400> 122

Ala Gln Asn Leu Glu Ile Pro Arg Thr
1 5

<210> 123
<211> 128
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: Synthetic polypeptide

<400> 123

Glu Val Gln Leu Leu Glu Ser Gly Gly Gly Val Val Gln Pro Gly Arg
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Phe Ser Ser Tyr
20 25 30

Gly Met His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
35 40 45

Ala Val Ile Ser Tyr Asp Gly Ser Asn Lys Tyr Tyr Ala Asp Ser Val
50 55 60

Lys Gly Arg Phe Thr Ile Ser Arg Asp Asn Ser Lys Asn Thr Leu Tyr
65 70 75 80

Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Lys Asp Met Gly Trp Gly Ser Gly Trp Arg Pro Tyr Tyr Tyr Tyr
100 105 110

Gly Met Asp Val Trp Gly Gln Gly Thr Thr Val Thr Val Ser Ser Ala
115 120 125

<210> 124
<211> 7
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: Synthetic peptide

<400> 124

Gly Phe Thr Phe Ser Ser Tyr
1 5

<210> 125
<211> 6
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: Synthetic peptide

<400> 125

Ser Tyr Asp Gly Ser Asn
1 5

<210> 126
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: Synthetic peptide

<400> 126

Asp Met Gly Trp Gly Ser Gly Trp Arg Pro Tyr Tyr Tyr Tyr Gly Met
1 5 10 15

Asp Val

<210> 127
 <211> 108
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Description of Artificial Sequence: Synthetic polypeptide

<400> 127

Glu Leu Gln Met Thr Gln Ser Pro Ser Ser Leu Ser Ala Ser Val Gly
 1 5 10 15

Asp Arg Val Thr Ile Thr Cys Arg Thr Ser Gln Ser Ile Ser Ser Tyr
 20 25 30

Leu Asn Trp Tyr Gln Gln Lys Pro Gly Gln Pro Pro Lys Leu Leu Ile
 35 40 45

Tyr Trp Ala Ser Thr Arg Glu Ser Gly Val Pro Asp Arg Phe Ser Gly
 50 55 60

Ser Gly Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Ser Leu Gln Pro
 65 70 75 80

Glu Asp Ser Ala Thr Tyr Tyr Cys Gln Gln Ser Tyr Asp Ile Pro Tyr
 85 90 95

Thr Phe Gly Gln Gly Thr Lys Leu Glu Ile Lys Arg
 100 105

<210> 128
 <211> 8
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Description of Artificial Sequence: Synthetic peptide

<400> 128

Gln Ser Ile Ser Ser Tyr Leu Asn

1 5

<210> 129
 <211> 7
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Description of Artificial Sequence: Synthetic peptide

<400> 129

Trp Ala Ser Thr Arg Glu Ser
 1 5

<210> 130
 <211> 9
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Description of Artificial Sequence: Synthetic peptide

<400> 130

Gln Gln Ser Tyr Asp Ile Pro Tyr Thr
 1 5

<210> 131
 <211> 117
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Description of Artificial Sequence: Synthetic polypeptide

<400> 131

Glu Val Gln Leu Val Gln Ser Gly Pro Gly Leu Val Gln Pro Gly Gly
 1 5 10 15

Ser Val Arg Ile Ser Cys Ala Ala Ser Gly Tyr Thr Phe Thr Asn Tyr
 20 25 30

Gly Met Asn Trp Val Lys Gln Ala Pro Gly Lys Gly Leu Glu Trp Met
 35 40 45

DFY-038W0_SL.TXT

Gly Trp Ile Asn Thr Tyr Thr Gly Glu Ser Thr Tyr Ala Asp Ser Phe
50 55 60

Lys Gly Arg Phe Thr Phe Ser Leu Asp Thr Ser Ala Ser Ala Ala Tyr
65 70 75 80

Leu Gln Ile Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Arg Phe Ala Ile Lys Gly Asp Tyr Trp Gly Gln Gly Thr Leu Leu
100 105 110

Thr Val Ser Ser Ala
115

<210> 132
<211> 7
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: Synthetic peptide

<400> 132

Gly Tyr Thr Phe Thr Asn Tyr
1 5

<210> 133
<211> 6
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: Synthetic peptide

<400> 133

Asn Thr Tyr Thr Gly Glu
1 5

<210> 134
<211> 7
<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Synthetic peptide

<400> 134

Phe Ala Ile Lys Gly Asp Tyr
1 5

<210> 135

<211> 113

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Synthetic polypeptide

<400> 135

Asp Ile Gln Met Thr Gln Ser Pro Ser Ser Leu Ser Ala Ser Val Gly
1 5 10 15

Asp Arg Val Thr Ile Thr Cys Arg Ser Thr Lys Ser Leu Leu His Ser
20 25 30

Asn Gly Ile Thr Tyr Leu Tyr Trp Tyr Gln Gln Lys Pro Gly Lys Ala
35 40 45

Pro Lys Leu Leu Ile Tyr Gln Met Ser Asn Leu Ala Ser Gly Val Pro
50 55 60

Ser Arg Phe Ser Ser Ser Gly Ser Gly Thr Asp Phe Thr Leu Thr Ile
65 70 75 80

Ser Ser Leu Gln Pro Glu Asp Phe Ala Thr Tyr Tyr Cys Ala Gln Asn
85 90 95

Leu Glu Ile Pro Arg Thr Phe Gly Gln Gly Thr Lys Val Glu Leu Lys
100 105 110

Arg

<210> 136
 <211> 13
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Description of Artificial Sequence: Synthetic peptide

<400> 136

Lys Ser Leu Leu His Ser Asn Gly Ile Thr Tyr Leu Tyr
 1 5 10

<210> 137
 <211> 7
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Description of Artificial Sequence: Synthetic peptide

<400> 137

Gln Met Ser Asn Leu Ala Ser
 1 5

<210> 138
 <211> 9
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Description of Artificial Sequence: Synthetic peptide

<400> 138

Ala Gln Asn Leu Glu Ile Pro Arg Thr
 1 5

<210> 139
 <211> 120
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Description of Artificial Sequence: Synthetic polypeptide

<400> 139

DFY-038W0_SL.TXT

Glu Val Gln Leu Leu Glu Gln Ser Gly Ala Glu Leu Val Arg Pro Gly
1 5 10 15

Thr Ser Val Lys Ile Ser Cys Lys Ala Ser Gly Tyr Ala Phe Thr Asn
20 25 30

Tyr Trp Leu Gly Trp Val Lys Gln Arg Pro Gly His Gly Leu Glu Trp
35 40 45

Ile Gly Asp Ile Phe Pro Gly Ser Gly Asn Ile His Tyr Asn Glu Lys
50 55 60

Phe Lys Gly Lys Ala Thr Leu Thr Ala Asp Lys Ser Ser Ser Thr Ala
65 70 75 80

Tyr Met Gln Leu Ser Ser Leu Thr Phe Glu Asp Ser Ala Val Tyr Phe
85 90 95

Cys Ala Arg Leu Arg Asn Trp Asp Glu Pro Met Asp Tyr Trp Gly Gln
100 105 110

Gly Thr Thr Val Thr Val Ser Ser
115 120

<210> 140
<211> 7
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: Synthetic peptide

<400> 140

Gly Tyr Ala Phe Thr Asn Tyr
1 5

<210> 141
<211> 6
<212> PRT
<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Synthetic peptide

<400> 141

Phe Pro Gly Ser Gly Asn
1 5

<210> 142

<211> 10

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Synthetic peptide

<400> 142

Leu Arg Asn Trp Asp Glu Pro Met Asp Tyr
1 5 10

<210> 143

<211> 114

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Synthetic polypeptide

<400> 143

Glu Leu Val Met Thr Gln Ser Pro Ser Ser Leu Thr Val Thr Ala Gly
1 5 10 15

Glu Lys Val Thr Met Ser Cys Lys Ser Ser Gln Ser Leu Leu Asn Ser
20 25 30

Gly Asn Gln Lys Asn Tyr Leu Thr Trp Tyr Gln Gln Lys Pro Gly Gln
35 40 45

Pro Pro Lys Leu Leu Ile Tyr Trp Ala Ser Thr Arg Glu Ser Gly Val
50 55 60

Pro Asp Arg Phe Thr Gly Ser Gly Ser Gly Thr Asp Phe Thr Leu Thr
65 70 75 80

DFY-038WO_SL.TXT

Ile Ser Ser Val Gln Ala Glu Asp Leu Ala Val Tyr Tyr Cys Gln Asn
85 90 95

Asp Tyr Ser Tyr Pro Leu Thr Phe Gly Ala Gly Thr Lys Leu Glu Ile
100 105 110

Lys Gly

<210> 144
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: Synthetic peptide

<400> 144

Gln Ser Leu Leu Asn Ser Gly Asn Gln Lys Asn Tyr Leu Thr
1 5 10

<210> 145
<211> 7
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: Synthetic peptide

<400> 145

Trp Ala Ser Thr Arg Glu Ser
1 5

<210> 146
<211> 9
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: Synthetic peptide

<400> 146

Gln Asn Asp Tyr Ser Tyr Pro Leu Thr

1

5

<210> 147

<211> 314

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Synthetic polypeptide

<400> 147

Met Ala Pro Pro Gln Val Leu Ala Phe Gly Leu Leu Leu Ala Ala Ala
 1 5 10 15

Thr Ala Thr Phe Ala Ala Ala Gln Glu Glu Cys Val Cys Glu Asn Tyr
 20 25 30

Lys Leu Ala Val Asn Cys Phe Val Asn Asn Asn Arg Gln Cys Gln Cys
 35 40 45

Thr Ser Val Gly Ala Gln Asn Thr Val Ile Cys Ser Lys Leu Ala Ala
 50 55 60

Lys Cys Leu Val Met Lys Ala Glu Met Asn Gly Ser Lys Leu Gly Arg
 65 70 75 80

Arg Ala Lys Pro Glu Gly Ala Leu Gln Asn Asn Asp Gly Leu Tyr Asp
 85 90 95

Pro Asp Cys Asp Glu Ser Gly Leu Phe Lys Ala Lys Gln Cys Asn Gly
 100 105 110

Thr Ser Met Cys Trp Cys Val Asn Thr Ala Gly Val Arg Arg Thr Asp
 115 120 125

Lys Asp Thr Glu Ile Thr Cys Ser Glu Arg Val Arg Thr Tyr Trp Ile
 130 135 140

Ile Ile Glu Leu Lys His Lys Ala Arg Glu Lys Pro Tyr Asp Ser Lys
 145 150 155 160

DFY-038W0_SL.TXT

Ser Leu Arg Thr Ala Leu Gln Lys Glu Ile Thr Thr Arg Tyr Gln Leu
165 170 175

Asp Pro Lys Phe Ile Thr Ser Ile Leu Tyr Glu Asn Asn Val Ile Thr
180 185 190

Ile Asp Leu Val Gln Asn Ser Ser Gln Lys Thr Gln Asn Asp Val Asp
195 200 205

Ile Ala Asp Val Ala Tyr Tyr Phe Glu Lys Asp Val Lys Gly Glu Ser
210 215 220

Leu Phe His Ser Lys Lys Met Asp Leu Thr Val Asn Gly Glu Gln Leu
225 230 235 240

Asp Leu Asp Pro Gly Gln Thr Leu Ile Tyr Tyr Val Asp Glu Lys Ala
245 250 255

Pro Glu Phe Ser Met Gln Gly Leu Lys Ala Gly Val Ile Ala Val Ile
260 265 270

Val Val Val Val Ile Ala Val Val Ala Gly Ile Val Val Leu Val Ile
275 280 285

Ser Arg Lys Lys Arg Met Ala Lys Tyr Glu Lys Ala Glu Ile Lys Glu
290 295 300

Met Gly Glu Met His Arg Glu Leu Asn Ala
305 310

<210> 148
<211> 14507
<212> PRT
<213> Homo sapiens

<400> 148

Met Leu Lys Pro Ser Gly Leu Pro Gly Ser Ser Ser Pro Thr Arg Ser
1 5 10 15

DFY-038W0_SL.TXT

Leu Met Thr Gly Ser Arg Ser Thr Lys Ala Thr Pro Glu Met Asp Ser
20 25 30

Gly Leu Thr Gly Ala Thr Leu Ser Pro Lys Thr Ser Thr Gly Ala Ile
35 40 45

Val Val Thr Glu His Thr Leu Pro Phe Thr Ser Pro Asp Lys Thr Leu
50 55 60

Ala Ser Pro Thr Ser Ser Val Val Gly Arg Thr Thr Gln Ser Leu Gly
65 70 75 80

Val Met Ser Ser Ala Leu Pro Glu Ser Thr Ser Arg Gly Met Thr His
85 90 95

Ser Glu Gln Arg Thr Ser Pro Ser Leu Ser Pro Gln Val Asn Gly Thr
100 105 110

Pro Ser Arg Asn Tyr Pro Ala Thr Ser Met Val Ser Gly Leu Ser Ser
115 120 125

Pro Arg Thr Arg Thr Ser Ser Thr Glu Gly Asn Phe Thr Lys Glu Ala
130 135 140

Ser Thr Tyr Thr Leu Thr Val Glu Thr Thr Ser Gly Pro Val Thr Glu
145 150 155 160

Lys Tyr Thr Val Pro Thr Glu Thr Ser Thr Thr Glu Gly Asp Ser Thr
165 170 175

Glu Thr Pro Trp Asp Thr Arg Tyr Ile Pro Val Lys Ile Thr Ser Pro
180 185 190

Met Lys Thr Phe Ala Asp Ser Thr Ala Ser Lys Glu Asn Ala Pro Val
195 200 205

Ser Met Thr Pro Ala Glu Thr Thr Val Thr Asp Ser His Thr Pro Gly
210 215 220

DFY-038W0_SL.TXT

Arg Thr Asn Pro Ser Phe Gly Thr Leu Tyr Ser Ser Phe Leu Asp Leu
225 230 235 240

Ser Pro Lys Gly Thr Pro Asn Ser Arg Gly Glu Thr Ser Leu Glu Leu
245 250 255

Ile Leu Ser Thr Thr Gly Tyr Pro Phe Ser Ser Pro Glu Pro Gly Ser
260 265 270

Ala Gly His Ser Arg Ile Ser Thr Ser Ala Pro Leu Ser Ser Ser Ala
275 280 285

Ser Val Leu Asp Asn Lys Ile Ser Glu Thr Ser Ile Phe Ser Gly Gln
290 295 300

Ser Leu Thr Ser Pro Leu Ser Pro Gly Val Pro Glu Ala Arg Ala Ser
305 310 315 320

Thr Met Pro Asn Ser Ala Ile Pro Phe Ser Met Thr Leu Ser Asn Ala
325 330 335

Glu Thr Ser Ala Glu Arg Val Arg Ser Thr Ile Ser Ser Leu Gly Thr
340 345 350

Pro Ser Ile Ser Thr Lys Gln Thr Ala Glu Thr Ile Leu Thr Phe His
355 360 365

Ala Phe Ala Glu Thr Met Asp Ile Pro Ser Thr His Ile Ala Lys Thr
370 375 380

Leu Ala Ser Glu Trp Leu Gly Ser Pro Gly Thr Leu Gly Gly Thr Ser
385 390 395 400

Thr Ser Ala Leu Thr Thr Thr Ser Pro Ser Thr Thr Leu Val Ser Glu
405 410 415

Glu Thr Asn Thr His His Ser Thr Ser Gly Lys Glu Thr Glu Gly Thr
420 425 430

DFY-038W0_SL.TXT

Leu Asn Thr Ser Met Thr Pro Leu Glu Thr Ser Ala Pro Gly Glu Glu
435 440 445

Ser Glu Met Thr Ala Thr Leu Val Pro Thr Leu Gly Phe Thr Thr Leu
450 455 460

Asp Ser Lys Ile Arg Ser Pro Ser Gln Val Ser Ser Ser His Pro Thr
465 470 475 480

Arg Glu Leu Arg Thr Thr Gly Ser Thr Ser Gly Arg Gln Ser Ser Ser
485 490 495

Thr Ala Ala His Gly Ser Ser Asp Ile Leu Arg Ala Thr Thr Ser Ser
500 505 510

Thr Ser Lys Ala Ser Ser Trp Thr Ser Glu Ser Thr Ala Gln Gln Phe
515 520 525

Ser Glu Pro Gln His Thr Gln Trp Val Glu Thr Ser Pro Ser Met Lys
530 535 540

Thr Glu Arg Pro Pro Ala Ser Thr Ser Val Ala Ala Pro Ile Thr Thr
545 550 555 560

Ser Val Pro Ser Val Val Ser Gly Phe Thr Thr Leu Lys Thr Ser Ser
565 570 575

Thr Lys Gly Ile Trp Leu Glu Glu Thr Ser Ala Asp Thr Leu Ile Gly
580 585 590

Glu Ser Thr Ala Gly Pro Thr Thr His Gln Phe Ala Val Pro Thr Gly
595 600 605

Ile Ser Met Thr Gly Gly Ser Ser Thr Arg Gly Ser Gln Gly Thr Thr
610 615 620

His Leu Leu Thr Arg Ala Thr Ala Ser Ser Glu Thr Ser Ala Asp Leu
625 630 635 640

DFY-038W0_SL.TXT

Thr Leu Ala Thr Asn Gly Val Pro Val Ser Val Ser Pro Ala Val Ser
645 650 655

Lys Thr Ala Ala Gly Ser Ser Pro Pro Gly Gly Thr Lys Pro Ser Tyr
660 665 670

Thr Met Val Ser Ser Val Ile Pro Glu Thr Ser Ser Leu Gln Ser Ser
675 680 685

Ala Phe Arg Glu Gly Thr Ser Leu Gly Leu Thr Pro Leu Asn Thr Arg
690 695 700

His Pro Phe Ser Ser Pro Glu Pro Asp Ser Ala Gly His Thr Lys Ile
705 710 715 720

Ser Thr Ser Ile Pro Leu Leu Ser Ser Ala Ser Val Leu Glu Asp Lys
725 730 735

Val Ser Ala Thr Ser Thr Phe Ser His His Lys Ala Thr Ser Ser Ile
740 745 750

Thr Thr Gly Thr Pro Glu Ile Ser Thr Lys Thr Lys Pro Ser Ser Ala
755 760 765

Val Leu Ser Ser Met Thr Leu Ser Asn Ala Ala Thr Ser Pro Glu Arg
770 775 780

Val Arg Asn Ala Thr Ser Pro Leu Thr His Pro Ser Pro Ser Gly Glu
785 790 795 800

Glu Thr Ala Gly Ser Val Leu Thr Leu Ser Thr Ser Ala Glu Thr Thr
805 810 815

Asp Ser Pro Asn Ile His Pro Thr Gly Thr Leu Thr Ser Glu Ser Ser
820 825 830

Glu Ser Pro Ser Thr Leu Ser Leu Pro Ser Val Ser Gly Val Lys Thr
835 840 845

DFY-038W0_SL.TXT

Thr Phe Ser Ser Ser Thr Pro Ser Thr His Leu Phe Thr Ser Gly Glu
850 855 860

Glu Thr Glu Glu Thr Ser Asn Pro Ser Val Ser Gln Pro Glu Thr Ser
865 870 875 880

Val Ser Arg Val Arg Thr Thr Leu Ala Ser Thr Ser Val Pro Thr Pro
885 890 895

Val Phe Pro Thr Met Asp Thr Trp Pro Thr Arg Ser Ala Gln Phe Ser
900 905 910

Ser Ser His Leu Val Ser Glu Leu Arg Ala Thr Ser Ser Thr Ser Val
915 920 925

Thr Asn Ser Thr Gly Ser Ala Leu Pro Lys Ile Ser His Leu Thr Gly
930 935 940

Thr Ala Thr Met Ser Gln Thr Asn Arg Asp Thr Phe Asn Asp Ser Ala
945 950 955 960

Ala Pro Gln Ser Thr Thr Trp Pro Glu Thr Ser Pro Arg Phe Lys Thr
965 970 975

Gly Leu Pro Ser Ala Thr Thr Thr Val Ser Thr Ser Ala Thr Ser Leu
980 985 990

Ser Ala Thr Val Met Val Ser Lys Phe Thr Ser Pro Ala Thr Ser Ser
995 1000 1005

Met Glu Ala Thr Ser Ile Arg Glu Pro Ser Thr Thr Ile Leu Thr
1010 1015 1020

Thr Glu Thr Thr Asn Gly Pro Gly Ser Met Ala Val Ala Ser Thr
1025 1030 1035

Asn Ile Pro Ile Gly Lys Gly Tyr Ile Thr Glu Gly Arg Leu Asp
1040 1045 1050

DFY-038W0_SL.TXT

Thr Ser His Leu Pro Ile Gly Thr Thr Ala Ser Ser Glu Thr Ser
1055 1060 1065

Met Asp Phe Thr Met Ala Lys Glu Ser Val Ser Met Ser Val Ser
1070 1075 1080

Pro Ser Gln Ser Met Asp Ala Ala Gly Ser Ser Thr Pro Gly Arg
1085 1090 1095

Thr Ser Gln Phe Val Asp Thr Phe Ser Asp Asp Val Tyr His Leu
1100 1105 1110

Thr Ser Arg Glu Ile Thr Ile Pro Arg Asp Gly Thr Ser Ser Ala
1115 1120 1125

Leu Thr Pro Gln Met Thr Ala Thr His Pro Pro Ser Pro Asp Pro
1130 1135 1140

Gly Ser Ala Arg Ser Thr Trp Leu Gly Ile Leu Ser Ser Ser Pro
1145 1150 1155

Ser Ser Pro Thr Pro Lys Val Thr Met Ser Ser Thr Phe Ser Thr
1160 1165 1170

Gln Arg Val Thr Thr Ser Met Ile Met Asp Thr Val Glu Thr Ser
1175 1180 1185

Arg Trp Asn Met Pro Asn Leu Pro Ser Thr Thr Ser Leu Thr Pro
1190 1195 1200

Ser Asn Ile Pro Thr Ser Gly Ala Ile Gly Lys Ser Thr Leu Val
1205 1210 1215

Pro Leu Asp Thr Pro Ser Pro Ala Thr Ser Leu Glu Ala Ser Glu
1220 1225 1230

Gly Gly Leu Pro Thr Leu Ser Thr Tyr Pro Glu Ser Thr Asn Thr
1235 1240 1245

DFY-038W0_SL.TXT

Pro	Ser	Ile	His	Leu	Gly	Ala	His	Ala	Ser	Ser	Glu	Ser	Pro	Ser
1250						1255					1260			
Thr	Ile	Lys	Leu	Thr	Met	Ala	Ser	Val	Val	Lys	Pro	Gly	Ser	Tyr
1265						1270					1275			
Thr	Pro	Leu	Thr	Phe	Pro	Ser	Ile	Glu	Thr	His	Ile	His	Val	Ser
1280						1285					1290			
Thr	Ala	Arg	Met	Ala	Tyr	Ser	Ser	Gly	Ser	Ser	Pro	Glu	Met	Thr
1295						1300					1305			
Ala	Pro	Gly	Glu	Thr	Asn	Thr	Gly	Ser	Thr	Trp	Asp	Pro	Thr	Thr
1310						1315					1320			
Tyr	Ile	Thr	Thr	Thr	Asp	Pro	Lys	Asp	Thr	Ser	Ser	Ala	Gln	Val
1325						1330					1335			
Ser	Thr	Pro	His	Ser	Val	Arg	Thr	Leu	Arg	Thr	Thr	Glu	Asn	His
1340						1345					1350			
Pro	Lys	Thr	Glu	Ser	Ala	Thr	Pro	Ala	Ala	Tyr	Ser	Gly	Ser	Pro
1355						1360					1365			
Lys	Ile	Ser	Ser	Ser	Pro	Asn	Leu	Thr	Ser	Pro	Ala	Thr	Lys	Ala
1370						1375					1380			
Trp	Thr	Ile	Thr	Asp	Thr	Thr	Glu	His	Ser	Thr	Gln	Leu	His	Tyr
1385						1390					1395			
Thr	Lys	Leu	Ala	Glu	Lys	Ser	Ser	Gly	Phe	Glu	Thr	Gln	Ser	Ala
1400						1405					1410			
Pro	Gly	Pro	Val	Ser	Val	Val	Ile	Pro	Thr	Ser	Pro	Thr	Ile	Gly
1415						1420					1425			
Ser	Ser	Thr	Leu	Glu	Leu	Thr	Ser	Asp	Val	Pro	Gly	Glu	Pro	Leu
1430						1435					1440			

DFY-038W0_SL.TXT

Val	Leu	Ala	Pro	Ser	Glu	Gln	Thr	Thr	Ile	Thr	Leu	Pro	Met	Ala
1445						1450					1455			
Thr	Trp	Leu	Ser	Thr	Ser	Leu	Thr	Glu	Glu	Met	Ala	Ser	Thr	Asp
1460						1465					1470			
Leu	Asp	Ile	Ser	Ser	Pro	Ser	Ser	Pro	Met	Ser	Thr	Phe	Ala	Ile
1475						1480					1485			
Phe	Pro	Pro	Met	Ser	Thr	Pro	Ser	His	Glu	Leu	Ser	Lys	Ser	Glu
1490						1495					1500			
Ala	Asp	Thr	Ser	Ala	Ile	Arg	Asn	Thr	Asp	Ser	Thr	Thr	Leu	Asp
1505						1510					1515			
Gln	His	Leu	Gly	Ile	Arg	Ser	Leu	Gly	Arg	Thr	Gly	Asp	Leu	Thr
1520						1525					1530			
Thr	Val	Pro	Ile	Thr	Pro	Leu	Thr	Thr	Thr	Trp	Thr	Ser	Val	Ile
1535						1540					1545			
Glu	His	Ser	Thr	Gln	Ala	Gln	Asp	Thr	Leu	Ser	Ala	Thr	Met	Ser
1550						1555					1560			
Pro	Thr	His	Val	Thr	Gln	Ser	Leu	Lys	Asp	Gln	Thr	Ser	Ile	Pro
1565						1570					1575			
Ala	Ser	Ala	Ser	Pro	Ser	His	Leu	Thr	Glu	Val	Tyr	Pro	Glu	Leu
1580						1585					1590			
Gly	Thr	Gln	Gly	Arg	Ser	Ser	Ser	Glu	Ala	Thr	Thr	Phe	Trp	Lys
1595						1600					1605			
Pro	Ser	Thr	Asp	Thr	Leu	Ser	Arg	Glu	Ile	Glu	Thr	Gly	Pro	Thr
1610						1615					1620			
Asn	Ile	Gln	Ser	Thr	Pro	Pro	Met	Asp	Asn	Thr	Thr	Thr	Gly	Ser
1625						1630					1635			

DFY-038W0_SL.TXT

Ser	Ser	Ser	Gly	Val	Thr	Leu	Gly	Ile	Ala	His	Leu	Pro	Ile	Gly
1640						1645					1650			
Thr	Ser	Ser	Pro	Ala	Glu	Thr	Ser	Thr	Asn	Met	Ala	Leu	Glu	Arg
1655						1660					1665			
Arg	Ser	Ser	Thr	Ala	Thr	Val	Ser	Met	Ala	Gly	Thr	Met	Gly	Leu
1670						1675					1680			
Leu	Val	Thr	Ser	Ala	Pro	Gly	Arg	Ser	Ile	Ser	Gln	Ser	Leu	Gly
1685						1690					1695			
Arg	Val	Ser	Ser	Val	Leu	Ser	Glu	Ser	Thr	Thr	Glu	Gly	Val	Thr
1700						1705					1710			
Asp	Ser	Ser	Lys	Gly	Ser	Ser	Pro	Arg	Leu	Asn	Thr	Gln	Gly	Asn
1715						1720					1725			
Thr	Ala	Leu	Ser	Ser	Ser	Leu	Glu	Pro	Ser	Tyr	Ala	Glu	Gly	Ser
1730						1735					1740			
Gln	Met	Ser	Thr	Ser	Ile	Pro	Leu	Thr	Ser	Ser	Pro	Thr	Thr	Pro
1745						1750					1755			
Asp	Val	Glu	Phe	Ile	Gly	Gly	Ser	Thr	Phe	Trp	Thr	Lys	Glu	Val
1760						1765					1770			
Thr	Thr	Val	Met	Thr	Ser	Asp	Ile	Ser	Lys	Ser	Ser	Ala	Arg	Thr
1775						1780					1785			
Glu	Ser	Ser	Ser	Ala	Thr	Leu	Met	Ser	Thr	Ala	Leu	Gly	Ser	Thr
1790						1795					1800			
Glu	Asn	Thr	Gly	Lys	Glu	Lys	Leu	Arg	Thr	Ala	Ser	Met	Asp	Leu
1805						1810					1815			
Pro	Ser	Pro	Thr	Pro	Ser	Met	Glu	Val	Thr	Pro	Trp	Ile	Ser	Leu
1820						1825					1830			

DFY-038W0_SL.TXT

Thr Leu Ser Asn Ala Pro Asn Thr Thr Asp Ser Leu Asp Leu Ser
1835 1840 1845

His Gly Val His Thr Ser Ser Ala Gly Thr Leu Ala Thr Asp Arg
1850 1855 1860

Ser Leu Asn Thr Gly Val Thr Arg Ala Ser Arg Leu Glu Asn Gly
1865 1870 1875

Ser Asp Thr Ser Ser Lys Ser Leu Ser Met Gly Asn Ser Thr His
1880 1885 1890

Thr Ser Met Thr Tyr Thr Glu Lys Ser Glu Val Ser Ser Ser Ile
1895 1900 1905

His Pro Arg Pro Glu Thr Ser Ala Pro Gly Ala Glu Thr Thr Leu
1910 1915 1920

Thr Ser Thr Pro Gly Asn Arg Ala Ile Ser Leu Thr Leu Pro Phe
1925 1930 1935

Ser Ser Ile Pro Val Glu Glu Val Ile Ser Thr Gly Ile Thr Ser
1940 1945 1950

Gly Pro Asp Ile Asn Ser Ala Pro Met Thr His Ser Pro Ile Thr
1955 1960 1965

Pro Pro Thr Ile Val Trp Thr Ser Thr Gly Thr Ile Glu Gln Ser
1970 1975 1980

Thr Gln Pro Leu His Ala Val Ser Ser Glu Lys Val Ser Val Gln
1985 1990 1995

Thr Gln Ser Thr Pro Tyr Val Asn Ser Val Ala Val Ser Ala Ser
2000 2005 2010

Pro Thr His Glu Asn Ser Val Ser Ser Gly Ser Ser Thr Ser Ser
2015 2020 2025

DFY-038W0_SL.TXT

Pro	Tyr	Ser	Ser	Ala	Ser	Leu	Glu	Ser	Leu	Asp	Ser	Thr	Ile	Ser
2030						2035					2040			
Arg	Arg	Asn	Ala	Ile	Thr	Ser	Trp	Leu	Trp	Asp	Leu	Thr	Thr	Ser
2045						2050					2055			
Leu	Pro	Thr	Thr	Thr	Trp	Pro	Ser	Thr	Ser	Leu	Ser	Glu	Ala	Leu
2060						2065					2070			
Ser	Ser	Gly	His	Ser	Gly	Val	Ser	Asn	Pro	Ser	Ser	Thr	Thr	Thr
2075						2080					2085			
Glu	Phe	Pro	Leu	Phe	Ser	Ala	Ala	Ser	Thr	Ser	Ala	Ala	Lys	Gln
2090						2095					2100			
Arg	Asn	Pro	Glu	Thr	Glu	Thr	His	Gly	Pro	Gln	Asn	Thr	Ala	Ala
2105						2110					2115			
Ser	Thr	Leu	Asn	Thr	Asp	Ala	Ser	Ser	Val	Thr	Gly	Leu	Ser	Glu
2120						2125					2130			
Thr	Pro	Val	Gly	Ala	Ser	Ile	Ser	Ser	Glu	Val	Pro	Leu	Pro	Met
2135						2140					2145			
Ala	Ile	Thr	Ser	Arg	Ser	Asp	Val	Ser	Gly	Leu	Thr	Ser	Glu	Ser
2150						2155					2160			
Thr	Ala	Asn	Pro	Ser	Leu	Gly	Thr	Ala	Ser	Ser	Ala	Gly	Thr	Lys
2165						2170					2175			
Leu	Thr	Arg	Thr	Ile	Ser	Leu	Pro	Thr	Ser	Glu	Ser	Leu	Val	Ser
2180						2185					2190			
Phe	Arg	Met	Asn	Lys	Asp	Pro	Trp	Thr	Val	Ser	Ile	Pro	Leu	Gly
2195						2200					2205			
Ser	His	Pro	Thr	Thr	Asn	Thr	Glu	Thr	Ser	Ile	Pro	Val	Asn	Ser
2210						2215					2220			

DFY-038W0_SL.TXT

Ala	Gly	Pro	Pro	Gly	Leu	Ser	Thr	Val	Ala	Ser	Asp	Val	Ile	Asp
2225						2230					2235			
Thr	Pro	Ser	Asp	Gly	Ala	Glu	Ser	Ile	Pro	Thr	Val	Ser	Phe	Ser
2240						2245					2250			
Pro	Ser	Pro	Asp	Thr	Glu	Val	Thr	Thr	Ile	Ser	His	Phe	Pro	Glu
2255						2260					2265			
Lys	Thr	Thr	His	Ser	Phe	Arg	Thr	Ile	Ser	Ser	Leu	Thr	His	Glu
2270						2275					2280			
Leu	Thr	Ser	Arg	Val	Thr	Pro	Ile	Pro	Gly	Asp	Trp	Met	Ser	Ser
2285						2290					2295			
Ala	Met	Ser	Thr	Lys	Pro	Thr	Gly	Ala	Ser	Pro	Ser	Ile	Thr	Leu
2300						2305					2310			
Gly	Glu	Arg	Arg	Thr	Ile	Thr	Ser	Ala	Ala	Pro	Thr	Thr	Ser	Pro
2315						2320					2325			
Ile	Val	Leu	Thr	Ala	Ser	Phe	Thr	Glu	Thr	Ser	Thr	Val	Ser	Leu
2330						2335					2340			
Asp	Asn	Glu	Thr	Thr	Val	Lys	Thr	Ser	Asp	Ile	Leu	Asp	Ala	Arg
2345						2350					2355			
Lys	Thr	Asn	Glu	Leu	Pro	Ser	Asp	Ser	Ser	Ser	Ser	Ser	Asp	Leu
2360						2365					2370			
Ile	Asn	Thr	Ser	Ile	Ala	Ser	Ser	Thr	Met	Asp	Val	Thr	Lys	Thr
2375						2380					2385			
Ala	Ser	Ile	Ser	Pro	Thr	Ser	Ile	Ser	Gly	Met	Thr	Ala	Ser	Ser
2390						2395					2400			
Ser	Pro	Ser	Leu	Phe	Ser	Ser	Asp	Arg	Pro	Gln	Val	Pro	Thr	Ser
2405						2410					2415			

DFY-038W0_SL.TXT

Thr	Thr	Glu	Thr	Asn	Thr	Ala	Thr	Ser	Pro	Ser	Val	Ser	Ser	Asn
2420						2425					2430			
Thr	Tyr	Ser	Leu	Asp	Gly	Gly	Ser	Asn	Val	Gly	Gly	Thr	Pro	Ser
2435						2440					2445			
Thr	Leu	Pro	Pro	Phe	Thr	Ile	Thr	His	Pro	Val	Glu	Thr	Ser	Ser
2450						2455					2460			
Ala	Leu	Leu	Ala	Trp	Ser	Arg	Pro	Val	Arg	Thr	Phe	Ser	Thr	Met
2465						2470					2475			
Val	Ser	Thr	Asp	Thr	Ala	Ser	Gly	Glu	Asn	Pro	Thr	Ser	Ser	Asn
2480						2485					2490			
Ser	Val	Val	Thr	Ser	Val	Pro	Ala	Pro	Gly	Thr	Trp	Thr	Ser	Val
2495						2500					2505			
Gly	Ser	Thr	Thr	Asp	Leu	Pro	Ala	Met	Gly	Phe	Leu	Lys	Thr	Ser
2510						2515					2520			
Pro	Ala	Gly	Glu	Ala	His	Ser	Leu	Leu	Ala	Ser	Thr	Ile	Glu	Pro
2525						2530					2535			
Ala	Thr	Ala	Phe	Thr	Pro	His	Leu	Ser	Ala	Ala	Val	Val	Thr	Gly
2540						2545					2550			
Ser	Ser	Ala	Thr	Ser	Glu	Ala	Ser	Leu	Leu	Thr	Thr	Ser	Glu	Ser
2555						2560					2565			
Lys	Ala	Ile	His	Ser	Ser	Pro	Gln	Thr	Pro	Thr	Thr	Pro	Thr	Ser
2570						2575					2580			
Gly	Ala	Asn	Trp	Glu	Thr	Ser	Ala	Thr	Pro	Glu	Ser	Leu	Leu	Val
2585						2590					2595			
Val	Thr	Glu	Thr	Ser	Asp	Thr	Thr	Leu	Thr	Ser	Lys	Ile	Leu	Val
2600						2605					2610			

DFY-038W0_SL.TXT

Thr	Asp	Thr	Ile	Leu	Phe	Ser	Thr	Val	Ser	Thr	Pro	Pro	Ser	Lys
	2615					2620					2625			
Phe	Pro	Ser	Thr	Gly	Thr	Leu	Ser	Gly	Ala	Ser	Phe	Pro	Thr	Leu
	2630					2635					2640			
Leu	Pro	Asp	Thr	Pro	Ala	Ile	Pro	Leu	Thr	Ala	Thr	Glu	Pro	Thr
	2645					2650					2655			
Ser	Ser	Leu	Ala	Thr	Ser	Phe	Asp	Ser	Thr	Pro	Leu	Val	Thr	Ile
	2660					2665					2670			
Ala	Ser	Asp	Ser	Leu	Gly	Thr	Val	Pro	Glu	Thr	Thr	Leu	Thr	Met
	2675					2680					2685			
Ser	Glu	Thr	Ser	Asn	Gly	Asp	Ala	Leu	Val	Leu	Lys	Thr	Val	Ser
	2690					2695					2700			
Asn	Pro	Asp	Arg	Ser	Ile	Pro	Gly	Ile	Thr	Ile	Gln	Gly	Val	Thr
	2705					2710					2715			
Glu	Ser	Pro	Leu	His	Pro	Ser	Ser	Thr	Ser	Pro	Ser	Lys	Ile	Val
	2720					2725					2730			
Ala	Pro	Arg	Asn	Thr	Thr	Tyr	Glu	Gly	Ser	Ile	Thr	Val	Ala	Leu
	2735					2740					2745			
Ser	Thr	Leu	Pro	Ala	Gly	Thr	Thr	Gly	Ser	Leu	Val	Phe	Ser	Gln
	2750					2755					2760			
Ser	Ser	Glu	Asn	Ser	Glu	Thr	Thr	Ala	Leu	Val	Asp	Ser	Ser	Ala
	2765					2770					2775			
Gly	Leu	Glu	Arg	Ala	Ser	Val	Met	Pro	Leu	Thr	Thr	Gly	Ser	Gln
	2780					2785					2790			
Gly	Met	Ala	Ser	Ser	Gly	Gly	Ile	Arg	Ser	Gly	Ser	Thr	His	Ser
	2795					2800					2805			

DFY-038W0_SL.TXT

Thr	Gly	Thr	Lys	Thr	Phe	Ser	Ser	Leu	Pro	Leu	Thr	Met	Asn	Pro
	2810					2815					2820			
Gly	Glu	Val	Thr	Ala	Met	Ser	Glu	Ile	Thr	Thr	Asn	Arg	Leu	Thr
	2825					2830					2835			
Ala	Thr	Gln	Ser	Thr	Ala	Pro	Lys	Gly	Ile	Pro	Val	Lys	Pro	Thr
	2840					2845					2850			
Ser	Ala	Glu	Ser	Gly	Leu	Leu	Thr	Pro	Val	Ser	Ala	Ser	Ser	Ser
	2855					2860					2865			
Pro	Ser	Lys	Ala	Phe	Ala	Ser	Leu	Thr	Thr	Ala	Pro	Pro	Thr	Trp
	2870					2875					2880			
Gly	Ile	Pro	Gln	Ser	Thr	Leu	Thr	Phe	Glu	Phe	Ser	Glu	Val	Pro
	2885					2890					2895			
Ser	Leu	Asp	Thr	Lys	Ser	Ala	Ser	Leu	Pro	Thr	Pro	Gly	Gln	Ser
	2900					2905					2910			
Leu	Asn	Thr	Ile	Pro	Asp	Ser	Asp	Ala	Ser	Thr	Ala	Ser	Ser	Ser
	2915					2920					2925			
Leu	Ser	Lys	Ser	Pro	Glu	Lys	Asn	Pro	Arg	Ala	Arg	Met	Met	Thr
	2930					2935					2940			
Ser	Thr	Lys	Ala	Ile	Ser	Ala	Ser	Ser	Phe	Gln	Ser	Thr	Gly	Phe
	2945					2950					2955			
Thr	Glu	Thr	Pro	Glu	Gly	Ser	Ala	Ser	Pro	Ser	Met	Ala	Gly	His
	2960					2965					2970			
Glu	Pro	Arg	Val	Pro	Thr	Ser	Gly	Thr	Gly	Asp	Pro	Arg	Tyr	Ala
	2975					2980					2985			
Ser	Glu	Ser	Met	Ser	Tyr	Pro	Asp	Pro	Ser	Lys	Ala	Ser	Ser	Ala
	2990					2995					3000			

DFY-038W0_SL.TXT

Met	Thr	Ser	Thr	Ser	Leu	Ala	Ser	Lys	Leu	Thr	Thr	Leu	Phe	Ser
3005						3010					3015			
Thr	Gly	Gln	Ala	Ala	Arg	Ser	Gly	Ser	Ser	Ser	Ser	Pro	Ile	Ser
3020						3025					3030			
Leu	Ser	Thr	Glu	Lys	Glu	Thr	Ser	Phe	Leu	Ser	Pro	Thr	Ala	Ser
3035						3040					3045			
Thr	Ser	Arg	Lys	Thr	Ser	Leu	Phe	Leu	Gly	Pro	Ser	Met	Ala	Arg
3050						3055					3060			
Gln	Pro	Asn	Ile	Leu	Val	His	Leu	Gln	Thr	Ser	Ala	Leu	Thr	Leu
3065						3070					3075			
Ser	Pro	Thr	Ser	Thr	Leu	Asn	Met	Ser	Gln	Glu	Glu	Pro	Pro	Glu
3080						3085					3090			
Leu	Thr	Ser	Ser	Gln	Thr	Ile	Ala	Glu	Glu	Glu	Gly	Thr	Thr	Ala
3095						3100					3105			
Glu	Thr	Gln	Thr	Leu	Thr	Phe	Thr	Pro	Ser	Glu	Thr	Pro	Thr	Ser
3110						3115					3120			
Leu	Leu	Pro	Val	Ser	Ser	Pro	Thr	Glu	Pro	Thr	Ala	Arg	Arg	Lys
3125						3130					3135			
Ser	Ser	Pro	Glu	Thr	Trp	Ala	Ser	Ser	Ile	Ser	Val	Pro	Ala	Lys
3140						3145					3150			
Thr	Ser	Leu	Val	Glu	Thr	Thr	Asp	Gly	Thr	Leu	Val	Thr	Thr	Ile
3155						3160					3165			
Lys	Met	Ser	Ser	Gln	Ala	Ala	Gln	Gly	Asn	Ser	Thr	Trp	Pro	Ala
3170						3175					3180			
Pro	Ala	Glu	Glu	Thr	Gly	Ser	Ser	Pro	Ala	Gly	Thr	Ser	Pro	Gly
3185						3190					3195			

DFY-038W0_SL.TXT

Ser	Pro	Glu	Met	Ser	Thr	Thr	Leu	Lys	Ile	Met	Ser	Ser	Lys	Glu
	3200					3205					3210			
Pro	Ser	Ile	Ser	Pro	Glu	Ile	Arg	Ser	Thr	Val	Arg	Asn	Ser	Pro
	3215					3220					3225			
Trp	Lys	Thr	Pro	Glu	Thr	Thr	Val	Pro	Met	Glu	Thr	Thr	Val	Glu
	3230					3235					3240			
Pro	Val	Thr	Leu	Gln	Ser	Thr	Ala	Leu	Gly	Ser	Gly	Ser	Thr	Ser
	3245					3250					3255			
Ile	Ser	His	Leu	Pro	Thr	Gly	Thr	Thr	Ser	Pro	Thr	Lys	Ser	Pro
	3260					3265					3270			
Thr	Glu	Asn	Met	Leu	Ala	Thr	Glu	Arg	Val	Ser	Leu	Ser	Pro	Ser
	3275					3280					3285			
Pro	Pro	Glu	Ala	Trp	Thr	Asn	Leu	Tyr	Ser	Gly	Thr	Pro	Gly	Gly
	3290					3295					3300			
Thr	Arg	Gln	Ser	Leu	Ala	Thr	Met	Ser	Ser	Val	Ser	Leu	Glu	Ser
	3305					3310					3315			
Pro	Thr	Ala	Arg	Ser	Ile	Thr	Gly	Thr	Gly	Gln	Gln	Ser	Ser	Pro
	3320					3325					3330			
Glu	Leu	Val	Ser	Lys	Thr	Thr	Gly	Met	Glu	Phe	Ser	Met	Trp	His
	3335					3340					3345			
Gly	Ser	Thr	Gly	Gly	Thr	Thr	Gly	Asp	Thr	His	Val	Ser	Leu	Ser
	3350					3355					3360			
Thr	Ser	Ser	Asn	Ile	Leu	Glu	Asp	Pro	Val	Thr	Ser	Pro	Asn	Ser
	3365					3370					3375			
Val	Ser	Ser	Leu	Thr	Asp	Lys	Ser	Lys	His	Lys	Thr	Glu	Thr	Trp
	3380					3385					3390			

DFY-038W0_SL.TXT

Val Ser Thr Thr Ala Ile Pro Ser Thr Val Leu Asn Asn Lys Ile
3395 3400 3405

Met Ala Ala Glu Gln Gln Thr Ser Arg Ser Val Asp Glu Ala Tyr
3410 3415 3420

Ser Ser Thr Ser Ser Trp Ser Asp Gln Thr Ser Gly Ser Asp Ile
3425 3430 3435

Thr Leu Gly Ala Ser Pro Asp Val Thr Asn Thr Leu Tyr Ile Thr
3440 3445 3450

Ser Thr Ala Gln Thr Thr Ser Leu Val Ser Leu Pro Ser Gly Asp
3455 3460 3465

Gln Gly Ile Thr Ser Leu Thr Asn Pro Ser Gly Gly Lys Thr Ser
3470 3475 3480

Ser Ala Ser Ser Val Thr Ser Pro Ser Ile Gly Leu Glu Thr Leu
3485 3490 3495

Arg Ala Asn Val Ser Ala Val Lys Ser Asp Ile Ala Pro Thr Ala
3500 3505 3510

Gly His Leu Ser Gln Thr Ser Ser Pro Ala Glu Val Ser Ile Leu
3515 3520 3525

Asp Val Thr Thr Ala Pro Thr Pro Gly Ile Ser Thr Thr Ile Thr
3530 3535 3540

Thr Met Gly Thr Asn Ser Ile Ser Thr Thr Thr Pro Asn Pro Glu
3545 3550 3555

Val Gly Met Ser Thr Met Asp Ser Thr Pro Ala Thr Glu Arg Arg
3560 3565 3570

Thr Thr Ser Thr Glu His Pro Ser Thr Trp Ser Ser Thr Ala Ala
3575 3580 3585

DFY-038W0_SL.TXT

Ser Asp Ser Trp Thr Val Thr Asp Met Thr Ser Asn Leu Lys Val
3590 3595 3600

Ala Arg Ser Pro Gly Thr Ile Ser Thr Met His Thr Thr Ser Phe
3605 3610 3615

Leu Ala Ser Ser Thr Glu Leu Asp Ser Met Ser Thr Pro His Gly
3620 3625 3630

Arg Ile Thr Val Ile Gly Thr Ser Leu Val Thr Pro Ser Ser Asp
3635 3640 3645

Ala Ser Ala Val Lys Thr Glu Thr Ser Thr Ser Glu Arg Thr Leu
3650 3655 3660

Ser Pro Ser Asp Thr Thr Ala Ser Thr Pro Ile Ser Thr Phe Ser
3665 3670 3675

Arg Val Gln Arg Met Ser Ile Ser Val Pro Asp Ile Leu Ser Thr
3680 3685 3690

Ser Trp Thr Pro Ser Ser Thr Glu Ala Glu Asp Val Pro Val Ser
3695 3700 3705

Met Val Ser Thr Asp His Ala Ser Thr Lys Thr Asp Pro Asn Thr
3710 3715 3720

Pro Leu Ser Thr Phe Leu Phe Asp Ser Leu Ser Thr Leu Asp Trp
3725 3730 3735

Asp Thr Gly Arg Ser Leu Ser Ser Ala Thr Ala Thr Thr Ser Ala
3740 3745 3750

Pro Gln Gly Ala Thr Thr Pro Gln Glu Leu Thr Leu Glu Thr Met
3755 3760 3765

Ile Ser Pro Ala Thr Ser Gln Leu Pro Phe Ser Ile Gly His Ile
3770 3775 3780

DFY-038W0_SL.TXT

Thr Ser Ala Val Thr Pro Ala Ala Met Ala Arg Ser Ser Gly Val
3785 3790 3795

Thr Phe Ser Arg Pro Asp Pro Thr Ser Lys Lys Ala Glu Gln Thr
3800 3805 3810

Ser Thr Gln Leu Pro Thr Thr Thr Ser Ala His Pro Gly Gln Val
3815 3820 3825

Pro Arg Ser Ala Ala Thr Thr Leu Asp Val Ile Pro His Thr Ala
3830 3835 3840

Lys Thr Pro Asp Ala Thr Phe Gln Arg Gln Gly Gln Thr Ala Leu
3845 3850 3855

Thr Thr Glu Ala Arg Ala Thr Ser Asp Ser Trp Asn Glu Lys Glu
3860 3865 3870

Lys Ser Thr Pro Ser Ala Pro Trp Ile Thr Glu Met Met Asn Ser
3875 3880 3885

Val Ser Glu Asp Thr Ile Lys Glu Val Thr Ser Ser Ser Ser Val
3890 3895 3900

Leu Arg Thr Leu Asn Thr Leu Asp Ile Asn Leu Glu Ser Gly Thr
3905 3910 3915

Thr Ser Ser Pro Ser Trp Lys Ser Ser Pro Tyr Glu Arg Ile Ala
3920 3925 3930

Pro Ser Glu Ser Thr Thr Asp Lys Glu Ala Ile His Pro Ser Thr
3935 3940 3945

Asn Thr Val Glu Thr Thr Gly Trp Val Thr Ser Ser Glu His Ala
3950 3955 3960

Ser His Ser Thr Ile Pro Ala His Ser Ala Ser Ser Lys Leu Thr
3965 3970 3975

DFY-038W0_SL.TXT

Ser Pro Val Val Thr Thr Ser Thr Arg Glu Gln Ala Ile Val Ser
3980 3985 3990

Met Ser Thr Thr Thr Trp Pro Glu Ser Thr Arg Ala Arg Thr Glu
3995 4000 4005

Pro Asn Ser Phe Leu Thr Ile Glu Leu Arg Asp Val Ser Pro Tyr
4010 4015 4020

Met Asp Thr Ser Ser Thr Thr Gln Thr Ser Ile Ile Ser Ser Pro
4025 4030 4035

Gly Ser Thr Ala Ile Thr Lys Gly Pro Arg Thr Glu Ile Thr Ser
4040 4045 4050

Ser Lys Arg Ile Ser Ser Ser Phe Leu Ala Gln Ser Met Arg Ser
4055 4060 4065

Ser Asp Ser Pro Ser Glu Ala Ile Thr Arg Leu Ser Asn Phe Pro
4070 4075 4080

Ala Met Thr Glu Ser Gly Gly Met Ile Leu Ala Met Gln Thr Ser
4085 4090 4095

Pro Pro Gly Ala Thr Ser Leu Ser Ala Pro Thr Leu Asp Thr Ser
4100 4105 4110

Ala Thr Ala Ser Trp Thr Gly Thr Pro Leu Ala Thr Thr Gln Arg
4115 4120 4125

Phe Thr Tyr Ser Glu Lys Thr Thr Leu Phe Ser Lys Gly Pro Glu
4130 4135 4140

Asp Thr Ser Gln Pro Ser Pro Pro Ser Val Glu Glu Thr Ser Ser
4145 4150 4155

Ser Ser Ser Leu Val Pro Ile His Ala Thr Thr Ser Pro Ser Asn
4160 4165 4170

DFY-038W0_SL.TXT

Ile	Leu	Leu	Thr	Ser	Gln	Gly	His	Ser	Pro	Ser	Ser	Thr	Pro	Pro
4175						4180					4185			
Val	Thr	Ser	Val	Phe	Leu	Ser	Glu	Thr	Ser	Gly	Leu	Gly	Lys	Thr
4190						4195					4200			
Thr	Asp	Met	Ser	Arg	Ile	Ser	Leu	Glu	Pro	Gly	Thr	Ser	Leu	Pro
4205						4210					4215			
Pro	Asn	Leu	Ser	Ser	Thr	Ala	Gly	Glu	Ala	Leu	Ser	Thr	Tyr	Glu
4220						4225					4230			
Ala	Ser	Arg	Asp	Thr	Lys	Ala	Ile	His	His	Ser	Ala	Asp	Thr	Ala
4235						4240					4245			
Val	Thr	Asn	Met	Glu	Ala	Thr	Ser	Ser	Glu	Tyr	Ser	Pro	Ile	Pro
4250						4255					4260			
Gly	His	Thr	Lys	Pro	Ser	Lys	Ala	Thr	Ser	Pro	Leu	Val	Thr	Ser
4265						4270					4275			
His	Ile	Met	Gly	Asp	Ile	Thr	Ser	Ser	Thr	Ser	Val	Phe	Gly	Ser
4280						4285					4290			
Ser	Glu	Thr	Thr	Glu	Ile	Glu	Thr	Val	Ser	Ser	Val	Asn	Gln	Gly
4295						4300					4305			
Leu	Gln	Glu	Arg	Ser	Thr	Ser	Gln	Val	Ala	Ser	Ser	Ala	Thr	Glu
4310						4315					4320			
Thr	Ser	Thr	Val	Ile	Thr	His	Val	Ser	Ser	Gly	Asp	Ala	Thr	Thr
4325						4330					4335			
His	Val	Thr	Lys	Thr	Gln	Ala	Thr	Phe	Ser	Ser	Gly	Thr	Ser	Ile
4340						4345					4350			
Ser	Ser	Pro	His	Gln	Phe	Ile	Thr	Ser	Thr	Asn	Thr	Phe	Thr	Asp
4355						4360					4365			

DFY-038W0_SL.TXT

Val Ser Thr Asn Pro Ser Thr Ser Leu Ile Met Thr Glu Ser Ser
4370 4375 4380

Gly Val Thr Ile Thr Thr Gln Thr Gly Pro Thr Gly Ala Ala Thr
4385 4390 4395

Gln Gly Pro Tyr Leu Leu Asp Thr Ser Thr Met Pro Tyr Leu Thr
4400 4405 4410

Glu Thr Pro Leu Ala Val Thr Pro Asp Phe Met Gln Ser Glu Lys
4415 4420 4425

Thr Thr Leu Ile Ser Lys Gly Pro Lys Asp Val Ser Trp Thr Ser
4430 4435 4440

Pro Pro Ser Val Ala Glu Thr Ser Tyr Pro Ser Ser Leu Thr Pro
4445 4450 4455

Phe Leu Val Thr Thr Ile Pro Pro Ala Thr Ser Thr Leu Gln Gly
4460 4465 4470

Gln His Thr Ser Ser Pro Val Ser Ala Thr Ser Val Leu Thr Ser
4475 4480 4485

Gly Leu Val Lys Thr Thr Asp Met Leu Asn Thr Ser Met Glu Pro
4490 4495 4500

Val Thr Asn Ser Pro Gln Asn Leu Asn Asn Pro Ser Asn Glu Ile
4505 4510 4515

Leu Ala Thr Leu Ala Ala Thr Thr Asp Ile Glu Thr Ile His Pro
4520 4525 4530

Ser Ile Asn Lys Ala Val Thr Asn Met Gly Thr Ala Ser Ser Ala
4535 4540 4545

His Val Leu His Ser Thr Leu Pro Val Ser Ser Glu Pro Ser Thr
4550 4555 4560

DFY-038W0_SL.TXT

Ala Thr Ser Pro Met Val Pro Ala Ser Ser Met Gly Asp Ala Leu
4565 4570 4575

Ala Ser Ile Ser Ile Pro Gly Ser Glu Thr Thr Asp Ile Glu Gly
4580 4585 4590

Glu Pro Thr Ser Ser Leu Thr Ala Gly Arg Lys Glu Asn Ser Thr
4595 4600 4605

Leu Gln Glu Met Asn Ser Thr Thr Glu Ser Asn Ile Ile Leu Ser
4610 4615 4620

Asn Val Ser Val Gly Ala Ile Thr Glu Ala Thr Lys Met Glu Val
4625 4630 4635

Pro Ser Phe Asp Ala Thr Phe Ile Pro Thr Pro Ala Gln Ser Thr
4640 4645 4650

Lys Phe Pro Asp Ile Phe Ser Val Ala Ser Ser Arg Leu Ser Asn
4655 4660 4665

Ser Pro Pro Met Thr Ile Ser Thr His Met Thr Thr Thr Gln Thr
4670 4675 4680

Gly Ser Ser Gly Ala Thr Ser Lys Ile Pro Leu Ala Leu Asp Thr
4685 4690 4695

Ser Thr Leu Glu Thr Ser Ala Gly Thr Pro Ser Val Val Thr Glu
4700 4705 4710

Gly Phe Ala His Ser Lys Ile Thr Thr Ala Met Asn Asn Asp Val
4715 4720 4725

Lys Asp Val Ser Gln Thr Asn Pro Pro Phe Gln Asp Glu Ala Ser
4730 4735 4740

Ser Pro Ser Ser Gln Ala Pro Val Leu Val Thr Thr Leu Pro Ser
4745 4750 4755

DFY-038W0_SL.TXT

Ser	Val	Ala	Phe	Thr	Pro	Gln	Trp	His	Ser	Thr	Ser	Ser	Pro	Val
4760						4765					4770			
Ser	Met	Ser	Ser	Val	Leu	Thr	Ser	Ser	Leu	Val	Lys	Thr	Ala	Gly
4775						4780					4785			
Lys	Val	Asp	Thr	Ser	Leu	Glu	Thr	Val	Thr	Ser	Ser	Pro	Gln	Ser
4790						4795					4800			
Met	Ser	Asn	Thr	Leu	Asp	Asp	Ile	Ser	Val	Thr	Ser	Ala	Ala	Thr
4805						4810					4815			
Thr	Asp	Ile	Glu	Thr	Thr	His	Pro	Ser	Ile	Asn	Thr	Val	Val	Thr
4820						4825					4830			
Asn	Val	Gly	Thr	Thr	Gly	Ser	Ala	Phe	Glu	Ser	His	Ser	Thr	Val
4835						4840					4845			
Ser	Ala	Tyr	Pro	Glu	Pro	Ser	Lys	Val	Thr	Ser	Pro	Asn	Val	Thr
4850						4855					4860			
Thr	Ser	Thr	Met	Glu	Asp	Thr	Thr	Ile	Ser	Arg	Ser	Ile	Pro	Lys
4865						4870					4875			
Ser	Ser	Lys	Thr	Thr	Arg	Thr	Glu	Thr	Glu	Thr	Thr	Ser	Ser	Leu
4880						4885					4890			
Thr	Pro	Lys	Leu	Arg	Glu	Thr	Ser	Ile	Ser	Gln	Glu	Ile	Thr	Ser
4895						4900					4905			
Ser	Thr	Glu	Thr	Ser	Thr	Val	Pro	Tyr	Lys	Glu	Leu	Thr	Gly	Ala
4910						4915					4920			
Thr	Thr	Glu	Val	Ser	Arg	Thr	Asp	Val	Thr	Ser	Ser	Ser	Ser	Thr
4925						4930					4935			
Ser	Phe	Pro	Gly	Pro	Asp	Gln	Ser	Thr	Val	Ser	Leu	Asp	Ile	Ser
4940						4945					4950			

DFY-038W0_SL.TXT

Thr	Glu	Thr	Asn	Thr	Arg	Leu	Ser	Thr	Ser	Pro	Ile	Met	Thr	Glu
4955						4960					4965			
Ser	Ala	Glu	Ile	Thr	Ile	Thr	Thr	Gln	Thr	Gly	Pro	His	Gly	Ala
4970						4975					4980			
Thr	Ser	Gln	Asp	Thr	Phe	Thr	Met	Asp	Pro	Ser	Asn	Thr	Thr	Pro
4985						4990					4995			
Gln	Ala	Gly	Ile	His	Ser	Ala	Met	Thr	His	Gly	Phe	Ser	Gln	Leu
5000						5005					5010			
Asp	Val	Thr	Thr	Leu	Met	Ser	Arg	Ile	Pro	Gln	Asp	Val	Ser	Trp
5015						5020					5025			
Thr	Ser	Pro	Pro	Ser	Val	Asp	Lys	Thr	Ser	Ser	Pro	Ser	Ser	Phe
5030						5035					5040			
Leu	Ser	Ser	Pro	Ala	Met	Thr	Thr	Pro	Ser	Leu	Ile	Ser	Ser	Thr
5045						5050					5055			
Leu	Pro	Glu	Asp	Lys	Leu	Ser	Ser	Pro	Met	Thr	Ser	Leu	Leu	Thr
5060						5065					5070			
Ser	Gly	Leu	Val	Lys	Ile	Thr	Asp	Ile	Leu	Arg	Thr	Arg	Leu	Glu
5075						5080					5085			
Pro	Val	Thr	Ser	Ser	Leu	Pro	Asn	Phe	Ser	Ser	Thr	Ser	Asp	Lys
5090						5095					5100			
Ile	Leu	Ala	Thr	Ser	Lys	Asp	Ser	Lys	Asp	Thr	Lys	Glu	Ile	Phe
5105						5110					5115			
Pro	Ser	Ile	Asn	Thr	Glu	Glu	Thr	Asn	Val	Lys	Ala	Asn	Asn	Ser
5120						5125					5130			
Gly	His	Glu	Ser	His	Ser	Pro	Ala	Leu	Ala	Asp	Ser	Glu	Thr	Pro
5135						5140					5145			

DFY-038W0_SL.TXT

Lys	Ala	Thr	Thr	Gln	Met	Val	Ile	Thr	Thr	Thr	Val	Gly	Asp	Pro
5150						5155					5160			
Ala	Pro	Ser	Thr	Ser	Met	Pro	Val	His	Gly	Ser	Ser	Glu	Thr	Thr
5165						5170					5175			
Asn	Ile	Lys	Arg	Glu	Pro	Thr	Tyr	Phe	Leu	Thr	Pro	Arg	Leu	Arg
5180						5185					5190			
Glu	Thr	Ser	Thr	Ser	Gln	Glu	Ser	Ser	Phe	Pro	Thr	Asp	Thr	Ser
5195						5200					5205			
Phe	Leu	Leu	Ser	Lys	Val	Pro	Thr	Gly	Thr	Ile	Thr	Glu	Val	Ser
5210						5215					5220			
Ser	Thr	Gly	Val	Asn	Ser	Ser	Ser	Lys	Ile	Ser	Thr	Pro	Asp	His
5225						5230					5235			
Asp	Lys	Ser	Thr	Val	Pro	Pro	Asp	Thr	Phe	Thr	Gly	Glu	Ile	Pro
5240						5245					5250			
Arg	Val	Phe	Thr	Ser	Ser	Ile	Lys	Thr	Lys	Ser	Ala	Glu	Met	Thr
5255						5260					5265			
Ile	Thr	Thr	Gln	Ala	Ser	Pro	Pro	Glu	Ser	Ala	Ser	His	Ser	Thr
5270						5275					5280			
Leu	Pro	Leu	Asp	Thr	Ser	Thr	Thr	Leu	Ser	Gln	Gly	Gly	Thr	His
5285						5290					5295			
Ser	Thr	Val	Thr	Gln	Gly	Phe	Pro	Tyr	Ser	Glu	Val	Thr	Thr	Leu
5300						5305					5310			
Met	Gly	Met	Gly	Pro	Gly	Asn	Val	Ser	Trp	Met	Thr	Thr	Pro	Pro
5315						5320					5325			
Val	Glu	Glu	Thr	Ser	Ser	Val	Ser	Ser	Leu	Met	Ser	Ser	Pro	Ala
5330						5335					5340			

DFY-038W0_SL.TXT

Met Thr Ser Pro Ser Pro Val Ser Ser Thr Ser Pro Gln Ser Ile
5345 5350 5355

Pro Ser Ser Pro Leu Pro Val Thr Ala Leu Pro Thr Ser Val Leu
5360 5365 5370

Val Thr Thr Thr Asp Val Leu Gly Thr Thr Ser Pro Glu Ser Val
5375 5380 5385

Thr Ser Ser Pro Pro Asn Leu Ser Ser Ile Thr His Glu Arg Pro
5390 5395 5400

Ala Thr Tyr Lys Asp Thr Ala His Thr Glu Ala Ala Met His His
5405 5410 5415

Ser Thr Asn Thr Ala Val Thr Asn Val Gly Thr Ser Gly Ser Gly
5420 5425 5430

His Lys Ser Gln Ser Ser Val Leu Ala Asp Ser Glu Thr Ser Lys
5435 5440 5445

Ala Thr Pro Leu Met Ser Thr Thr Ser Thr Leu Gly Asp Thr Ser
5450 5455 5460

Val Ser Thr Ser Thr Pro Asn Ile Ser Gln Thr Asn Gln Ile Gln
5465 5470 5475

Thr Glu Pro Thr Ala Ser Leu Ser Pro Arg Leu Arg Glu Ser Ser
5480 5485 5490

Thr Ser Glu Lys Thr Ser Ser Thr Thr Glu Thr Asn Thr Ala Phe
5495 5500 5505

Ser Tyr Val Pro Thr Gly Ala Ile Thr Gln Ala Ser Arg Thr Glu
5510 5515 5520

Ile Ser Ser Ser Arg Thr Ser Ile Ser Asp Leu Asp Arg Pro Thr
5525 5530 5535

DFY-038W0_SL.TXT

Ile	Ala	Pro	Asp	Ile	Ser	Thr	Gly	Met	Ile	Thr	Arg	Leu	Phe	Thr
5540						5545					5550			
Ser	Pro	Ile	Met	Thr	Lys	Ser	Ala	Glu	Met	Thr	Val	Thr	Thr	Gln
5555						5560					5565			
Thr	Thr	Thr	Pro	Gly	Ala	Thr	Ser	Gln	Gly	Ile	Leu	Pro	Trp	Asp
5570						5575					5580			
Thr	Ser	Thr	Thr	Leu	Phe	Gln	Gly	Gly	Thr	His	Ser	Thr	Val	Ser
5585						5590					5595			
Gln	Gly	Phe	Pro	His	Ser	Glu	Ile	Thr	Thr	Leu	Arg	Ser	Arg	Thr
5600						5605					5610			
Pro	Gly	Asp	Val	Ser	Trp	Met	Thr	Thr	Pro	Pro	Val	Glu	Glu	Thr
5615						5620					5625			
Ser	Ser	Gly	Phe	Ser	Leu	Met	Ser	Pro	Ser	Met	Thr	Ser	Pro	Ser
5630						5635					5640			
Pro	Val	Ser	Ser	Thr	Ser	Pro	Glu	Ser	Ile	Pro	Ser	Ser	Pro	Leu
5645						5650					5655			
Pro	Val	Thr	Ala	Leu	Leu	Thr	Ser	Val	Leu	Val	Thr	Thr	Thr	Asn
5660						5665					5670			
Val	Leu	Gly	Thr	Thr	Ser	Pro	Glu	Pro	Val	Thr	Ser	Ser	Pro	Pro
5675						5680					5685			
Asn	Leu	Ser	Ser	Pro	Thr	Gln	Glu	Arg	Leu	Thr	Thr	Tyr	Lys	Asp
5690						5695					5700			
Thr	Ala	His	Thr	Glu	Ala	Met	His	Ala	Ser	Met	His	Thr	Asn	Thr
5705						5710					5715			
Ala	Val	Ala	Asn	Val	Gly	Thr	Ser	Ile	Ser	Gly	His	Glu	Ser	Gln
5720						5725					5730			

DFY-038W0_SL.TXT

Ser	Ser	Val	Pro	Ala	Asp	Ser	His	Thr	Ser	Lys	Ala	Thr	Ser	Pro
5735						5740					5745			
Met	Gly	Ile	Thr	Phe	Ala	Met	Gly	Asp	Thr	Ser	Val	Ser	Thr	Ser
5750						5755					5760			
Thr	Pro	Ala	Phe	Phe	Glu	Thr	Arg	Ile	Gln	Thr	Glu	Ser	Thr	Ser
5765						5770					5775			
Ser	Leu	Ile	Pro	Gly	Leu	Arg	Asp	Thr	Arg	Thr	Ser	Glu	Glu	Ile
5780						5785					5790			
Asn	Thr	Val	Thr	Glu	Thr	Ser	Thr	Val	Leu	Ser	Glu	Val	Pro	Thr
5795						5800					5805			
Thr	Thr	Thr	Thr	Glu	Val	Ser	Arg	Thr	Glu	Val	Ile	Thr	Ser	Ser
5810						5815					5820			
Arg	Thr	Thr	Ile	Ser	Gly	Pro	Asp	His	Ser	Lys	Met	Ser	Pro	Tyr
5825						5830					5835			
Ile	Ser	Thr	Glu	Thr	Ile	Thr	Arg	Leu	Ser	Thr	Phe	Pro	Phe	Val
5840						5845					5850			
Thr	Gly	Ser	Thr	Glu	Met	Ala	Ile	Thr	Asn	Gln	Thr	Gly	Pro	Ile
5855						5860					5865			
Gly	Thr	Ile	Ser	Gln	Ala	Thr	Leu	Thr	Leu	Asp	Thr	Ser	Ser	Thr
5870						5875					5880			
Ala	Ser	Trp	Glu	Gly	Thr	His	Ser	Pro	Val	Thr	Gln	Arg	Phe	Pro
5885						5890					5895			
His	Ser	Glu	Glu	Thr	Thr	Thr	Met	Ser	Arg	Ser	Thr	Lys	Gly	Val
5900						5905					5910			
Ser	Trp	Gln	Ser	Pro	Pro	Ser	Val	Glu	Glu	Thr	Ser	Ser	Pro	Ser
5915						5920					5925			

DFY-038W0_SL.TXT

Ser	Pro	Val	Pro	Leu	Pro	Ala	Ile	Thr	Ser	His	Ser	Ser	Leu	Tyr
5930						5935					5940			
Ser	Ala	Val	Ser	Gly	Ser	Ser	Pro	Thr	Ser	Ala	Leu	Pro	Val	Thr
5945						5950					5955			
Ser	Leu	Leu	Thr	Ser	Gly	Arg	Arg	Lys	Thr	Ile	Asp	Met	Leu	Asp
5960						5965					5970			
Thr	His	Ser	Glu	Leu	Val	Thr	Ser	Ser	Leu	Pro	Ser	Ala	Ser	Ser
5975						5980					5985			
Phe	Ser	Gly	Glu	Ile	Leu	Thr	Ser	Glu	Ala	Ser	Thr	Asn	Thr	Glu
5990						5995					6000			
Thr	Ile	His	Phe	Ser	Glu	Asn	Thr	Ala	Glu	Thr	Asn	Met	Gly	Thr
6005						6010					6015			
Thr	Asn	Ser	Met	His	Lys	Leu	His	Ser	Ser	Val	Ser	Ile	His	Ser
6020						6025					6030			
Gln	Pro	Ser	Gly	His	Thr	Pro	Pro	Lys	Val	Thr	Gly	Ser	Met	Met
6035						6040					6045			
Glu	Asp	Ala	Ile	Val	Ser	Thr	Ser	Thr	Pro	Gly	Ser	Pro	Glu	Thr
6050						6055					6060			
Lys	Asn	Val	Asp	Arg	Asp	Ser	Thr	Ser	Pro	Leu	Thr	Pro	Glu	Leu
6065						6070					6075			
Lys	Glu	Asp	Ser	Thr	Ala	Leu	Val	Met	Asn	Ser	Thr	Thr	Glu	Ser
6080						6085					6090			
Asn	Thr	Val	Phe	Ser	Ser	Val	Ser	Leu	Asp	Ala	Ala	Thr	Glu	Val
6095						6100					6105			
Ser	Arg	Ala	Glu	Val	Thr	Tyr	Tyr	Asp	Pro	Thr	Phe	Met	Pro	Ala
6110						6115					6120			

DFY-038W0_SL.TXT

Ser	Ala	Gln	Ser	Thr	Lys	Ser	Pro	Asp	Ile	Ser	Pro	Glu	Ala	Ser
6125						6130					6135			
Ser	Ser	His	Ser	Asn	Ser	Pro	Pro	Leu	Thr	Ile	Ser	Thr	His	Lys
6140						6145					6150			
Thr	Ile	Ala	Thr	Gln	Thr	Gly	Pro	Ser	Gly	Val	Thr	Ser	Leu	Gly
6155						6160					6165			
Gln	Leu	Thr	Leu	Asp	Thr	Ser	Thr	Ile	Ala	Thr	Ser	Ala	Gly	Thr
6170						6175					6180			
Pro	Ser	Ala	Arg	Thr	Gln	Asp	Phe	Val	Asp	Ser	Glu	Thr	Thr	Ser
6185						6190					6195			
Val	Met	Asn	Asn	Asp	Leu	Asn	Asp	Val	Leu	Lys	Thr	Ser	Pro	Phe
6200						6205					6210			
Ser	Ala	Glu	Glu	Ala	Asn	Ser	Leu	Ser	Ser	Gln	Ala	Pro	Leu	Leu
6215						6220					6225			
Val	Thr	Thr	Ser	Pro	Ser	Pro	Val	Thr	Ser	Thr	Leu	Gln	Glu	His
6230						6235					6240			
Ser	Thr	Ser	Ser	Leu	Val	Ser	Val	Thr	Ser	Val	Pro	Thr	Pro	Thr
6245						6250					6255			
Leu	Ala	Lys	Ile	Thr	Asp	Met	Asp	Thr	Asn	Leu	Glu	Pro	Val	Thr
6260						6265					6270			
Arg	Ser	Pro	Gln	Asn	Leu	Arg	Asn	Thr	Leu	Ala	Thr	Ser	Glu	Ala
6275						6280					6285			
Thr	Thr	Asp	Thr	His	Thr	Met	His	Pro	Ser	Ile	Asn	Thr	Ala	Val
6290						6295					6300			
Ala	Asn	Val	Gly	Thr	Thr	Ser	Ser	Pro	Asn	Glu	Phe	Tyr	Phe	Thr
6305						6310					6315			

DFY-038W0_SL.TXT

Val	Ser	Pro	Asp	Ser	Asp	Pro	Tyr	Lys	Ala	Thr	Ser	Ala	Val	Val
6320						6325					6330			
Ile	Thr	Ser	Thr	Ser	Gly	Asp	Ser	Ile	Val	Ser	Thr	Ser	Met	Pro
6335						6340					6345			
Arg	Ser	Ser	Ala	Met	Lys	Lys	Ile	Glu	Ser	Glu	Thr	Thr	Phe	Ser
6350						6355					6360			
Leu	Ile	Phe	Arg	Leu	Arg	Glu	Thr	Ser	Thr	Ser	Gln	Lys	Ile	Gly
6365						6370					6375			
Ser	Ser	Ser	Asp	Thr	Ser	Thr	Val	Phe	Asp	Lys	Ala	Phe	Thr	Ala
6380						6385					6390			
Ala	Thr	Thr	Glu	Val	Ser	Arg	Thr	Glu	Leu	Thr	Ser	Ser	Ser	Arg
6395						6400					6405			
Thr	Ser	Ile	Gln	Gly	Thr	Glu	Lys	Pro	Thr	Met	Ser	Pro	Asp	Thr
6410						6415					6420			
Ser	Thr	Arg	Ser	Val	Thr	Met	Leu	Ser	Thr	Phe	Ala	Gly	Leu	Thr
6425						6430					6435			
Lys	Ser	Glu	Glu	Arg	Thr	Ile	Ala	Thr	Gln	Thr	Gly	Pro	His	Arg
6440						6445					6450			
Ala	Thr	Ser	Gln	Gly	Thr	Leu	Thr	Trp	Asp	Thr	Ser	Ile	Thr	Thr
6455						6460					6465			
Ser	Gln	Ala	Gly	Thr	His	Ser	Ala	Met	Thr	His	Gly	Phe	Ser	Gln
6470						6475					6480			
Leu	Asp	Leu	Ser	Thr	Leu	Thr	Ser	Arg	Val	Pro	Glu	Tyr	Ile	Ser
6485						6490					6495			
Gly	Thr	Ser	Pro	Pro	Ser	Val	Glu	Lys	Thr	Ser	Ser	Ser	Ser	Ser
6500						6505					6510			

DFY-038W0_SL.TXT

Leu	Leu	Ser	Leu	Pro	Ala	Ile	Thr	Ser	Pro	Ser	Pro	Val	Pro	Thr
6515						6520					6525			
Thr	Leu	Pro	Glu	Ser	Arg	Pro	Ser	Ser	Pro	Val	His	Leu	Thr	Ser
6530						6535					6540			
Leu	Pro	Thr	Ser	Gly	Leu	Val	Lys	Thr	Thr	Asp	Met	Leu	Ala	Ser
6545						6550					6555			
Val	Ala	Ser	Leu	Pro	Pro	Asn	Leu	Gly	Ser	Thr	Ser	His	Lys	Ile
6560						6565					6570			
Pro	Thr	Thr	Ser	Glu	Asp	Ile	Lys	Asp	Thr	Glu	Lys	Met	Tyr	Pro
6575						6580					6585			
Ser	Thr	Asn	Ile	Ala	Val	Thr	Asn	Val	Gly	Thr	Thr	Thr	Ser	Glu
6590						6595					6600			
Lys	Glu	Ser	Tyr	Ser	Ser	Val	Pro	Ala	Tyr	Ser	Glu	Pro	Pro	Lys
6605						6610					6615			
Val	Thr	Ser	Pro	Met	Val	Thr	Ser	Phe	Asn	Ile	Arg	Asp	Thr	Ile
6620						6625					6630			
Val	Ser	Thr	Ser	Met	Pro	Gly	Ser	Ser	Glu	Ile	Thr	Arg	Ile	Glu
6635						6640					6645			
Met	Glu	Ser	Thr	Phe	Ser	Leu	Ala	His	Gly	Leu	Lys	Gly	Thr	Ser
6650						6655					6660			
Thr	Ser	Gln	Asp	Pro	Ile	Val	Ser	Thr	Glu	Lys	Ser	Ala	Val	Leu
6665						6670					6675			
His	Lys	Leu	Thr	Thr	Gly	Ala	Thr	Glu	Thr	Ser	Arg	Thr	Glu	Val
6680						6685					6690			
Ala	Ser	Ser	Arg	Arg	Thr	Ser	Ile	Pro	Gly	Pro	Asp	His	Ser	Thr
6695						6700					6705			

DFY-038W0_SL.TXT

Glu	Ser	Pro	Asp	Ile	Ser	Thr	Glu	Val	Ile	Pro	Ser	Leu	Pro	Ile
6710						6715					6720			
Ser	Leu	Gly	Ile	Thr	Glu	Ser	Ser	Asn	Met	Thr	Ile	Ile	Thr	Arg
6725						6730					6735			
Thr	Gly	Pro	Pro	Leu	Gly	Ser	Thr	Ser	Gln	Gly	Thr	Phe	Thr	Leu
6740						6745					6750			
Asp	Thr	Pro	Thr	Thr	Ser	Ser	Arg	Ala	Gly	Thr	His	Ser	Met	Ala
6755						6760					6765			
Thr	Gln	Glu	Phe	Pro	His	Ser	Glu	Met	Thr	Thr	Val	Met	Asn	Lys
6770						6775					6780			
Asp	Pro	Glu	Ile	Leu	Ser	Trp	Thr	Ile	Pro	Pro	Ser	Ile	Glu	Lys
6785						6790					6795			
Thr	Ser	Phe	Ser	Ser	Ser	Leu	Met	Pro	Ser	Pro	Ala	Met	Thr	Ser
6800						6805					6810			
Pro	Pro	Val	Ser	Ser	Thr	Leu	Pro	Lys	Thr	Ile	His	Thr	Thr	Pro
6815						6820					6825			
Ser	Pro	Met	Thr	Ser	Leu	Leu	Thr	Pro	Ser	Leu	Val	Met	Thr	Thr
6830						6835					6840			
Asp	Thr	Leu	Gly	Thr	Ser	Pro	Glu	Pro	Thr	Thr	Ser	Ser	Pro	Pro
6845						6850					6855			
Asn	Leu	Ser	Ser	Thr	Ser	His	Glu	Ile	Leu	Thr	Thr	Asp	Glu	Asp
6860						6865					6870			
Thr	Thr	Ala	Ile	Glu	Ala	Met	His	Pro	Ser	Thr	Ser	Thr	Ala	Ala
6875						6880					6885			
Thr	Asn	Val	Glu	Thr	Thr	Ser	Ser	Gly	His	Gly	Ser	Gln	Ser	Ser
6890						6895					6900			

DFY-038W0_SL.TXT

Val	Leu	Ala	Asp	Ser	Glu	Lys	Thr	Lys	Ala	Thr	Ala	Pro	Met	Asp
6905						6910					6915			
Thr	Thr	Ser	Thr	Met	Gly	His	Thr	Thr	Val	Ser	Thr	Ser	Met	Ser
6920						6925					6930			
Val	Ser	Ser	Glu	Thr	Thr	Lys	Ile	Lys	Arg	Glu	Ser	Thr	Tyr	Ser
6935						6940					6945			
Leu	Thr	Pro	Gly	Leu	Arg	Glu	Thr	Ser	Ile	Ser	Gln	Asn	Ala	Ser
6950						6955					6960			
Phe	Ser	Thr	Asp	Thr	Ser	Ile	Val	Leu	Ser	Glu	Val	Pro	Thr	Gly
6965						6970					6975			
Thr	Thr	Ala	Glu	Val	Ser	Arg	Thr	Glu	Val	Thr	Ser	Ser	Gly	Arg
6980						6985					6990			
Thr	Ser	Ile	Pro	Gly	Pro	Ser	Gln	Ser	Thr	Val	Leu	Pro	Glu	Ile
6995						7000					7005			
Ser	Thr	Arg	Thr	Met	Thr	Arg	Leu	Phe	Ala	Ser	Pro	Thr	Met	Thr
7010						7015					7020			
Glu	Ser	Ala	Glu	Met	Thr	Ile	Pro	Thr	Gln	Thr	Gly	Pro	Ser	Gly
7025						7030					7035			
Ser	Thr	Ser	Gln	Asp	Thr	Leu	Thr	Leu	Asp	Thr	Ser	Thr	Thr	Lys
7040						7045					7050			
Ser	Gln	Ala	Lys	Thr	His	Ser	Thr	Leu	Thr	Gln	Arg	Phe	Pro	His
7055						7060					7065			
Ser	Glu	Met	Thr	Thr	Leu	Met	Ser	Arg	Gly	Pro	Gly	Asp	Met	Ser
7070						7075					7080			
Trp	Gln	Ser	Ser	Pro	Ser	Leu	Glu	Asn	Pro	Ser	Ser	Leu	Pro	Ser
7085						7090					7095			

DFY-038W0_SL.TXT

Leu 7100	Leu	Ser	Leu	Pro	Ala	Thr 7105	Thr	Ser	Pro	Pro	Pro 7110	Ile	Ser	Ser
Thr 7115	Leu	Pro	Val	Thr	Ile	Ser 7120	Ser	Ser	Pro	Leu	Pro 7125	Val	Thr	Ser
Leu 7130	Leu	Thr	Ser	Ser	Pro	Val 7135	Thr	Thr	Thr	Asp	Met 7140	Leu	His	Thr
Ser 7145	Pro	Glu	Leu	Val	Thr	Ser 7150	Ser	Pro	Pro	Lys	Leu 7155	Ser	His	Thr
Ser 7160	Asp	Glu	Arg	Leu	Thr	Thr 7165	Gly	Lys	Asp	Thr	Thr 7170	Asn	Thr	Glu
Ala 7175	Val	His	Pro	Ser	Thr	Asn 7180	Thr	Ala	Ala	Ser	Asn 7185	Val	Glu	Ile
Pro 7190	Ser	Ser	Gly	His	Glu	Ser 7195	Pro	Ser	Ser	Ala	Leu 7200	Ala	Asp	Ser
Glu 7205	Thr	Ser	Lys	Ala	Thr	Ser 7210	Pro	Met	Phe	Ile	Thr 7215	Ser	Thr	Gln
Glu 7220	Asp	Thr	Thr	Val	Ala	Ile 7225	Ser	Thr	Pro	His	Phe 7230	Leu	Glu	Thr
Ser 7235	Arg	Ile	Gln	Lys	Glu	Ser 7240	Ile	Ser	Ser	Leu	Ser 7245	Pro	Lys	Leu
Arg 7250	Glu	Thr	Gly	Ser	Ser	Val 7255	Glu	Thr	Ser	Ser	Ala 7260	Ile	Glu	Thr
Ser 7265	Ala	Val	Leu	Ser	Glu	Val 7270	Ser	Ile	Gly	Ala	Thr 7275	Thr	Glu	Ile
Ser 7280	Arg	Thr	Glu	Val	Thr	Ser 7285	Ser	Ser	Arg	Thr	Ser 7290	Ile	Ser	Gly

DFY-038W0_SL.TXT

Ser Ala Glu Ser Thr Met Leu Pro Glu Ile Ser Thr Thr Arg Lys
7295 7300 7305

Ile Ile Lys Phe Pro Thr Ser Pro Ile Leu Ala Glu Ser Ser Glu
7310 7315 7320

Met Thr Ile Lys Thr Gln Thr Ser Pro Pro Gly Ser Thr Ser Glu
7325 7330 7335

Ser Thr Phe Thr Leu Asp Thr Ser Thr Thr Pro Ser Leu Val Ile
7340 7345 7350

Thr His Ser Thr Met Thr Gln Arg Leu Pro His Ser Glu Ile Thr
7355 7360 7365

Thr Leu Val Ser Arg Gly Ala Gly Asp Val Pro Arg Pro Ser Ser
7370 7375 7380

Leu Pro Val Glu Glu Thr Ser Pro Pro Ser Ser Gln Leu Ser Leu
7385 7390 7395

Ser Ala Met Ile Ser Pro Ser Pro Val Ser Ser Thr Leu Pro Ala
7400 7405 7410

Ser Ser His Ser Ser Ser Ala Ser Val Thr Ser Leu Leu Thr Pro
7415 7420 7425

Gly Gln Val Lys Thr Thr Glu Val Leu Asp Ala Ser Ala Glu Pro
7430 7435 7440

Glu Thr Ser Ser Pro Pro Ser Leu Ser Ser Thr Ser Val Glu Ile
7445 7450 7455

Leu Ala Thr Ser Glu Val Thr Thr Asp Thr Glu Lys Ile His Pro
7460 7465 7470

Phe Ser Asn Thr Ala Val Thr Lys Val Gly Thr Ser Ser Ser Gly
7475 7480 7485

DFY-038W0_SL.TXT

His Glu Ser Pro Ser Ser Val Leu Pro Asp Ser Glu Thr Thr Lys
7490 7495 7500

Ala Thr Ser Ala Met Gly Thr Ile Ser Ile Met Gly Asp Thr Ser
7505 7510 7515

Val Ser Thr Leu Thr Pro Ala Leu Ser Asn Thr Arg Lys Ile Gln
7520 7525 7530

Ser Glu Pro Ala Ser Ser Leu Thr Thr Arg Leu Arg Glu Thr Ser
7535 7540 7545

Thr Ser Glu Glu Thr Ser Leu Ala Thr Glu Ala Asn Thr Val Leu
7550 7555 7560

Ser Lys Val Ser Thr Gly Ala Thr Thr Glu Val Ser Arg Thr Glu
7565 7570 7575

Ala Ile Ser Phe Ser Arg Thr Ser Met Ser Gly Pro Glu Gln Ser
7580 7585 7590

Thr Met Ser Gln Asp Ile Ser Ile Gly Thr Ile Pro Arg Ile Ser
7595 7600 7605

Ala Ser Ser Val Leu Thr Glu Ser Ala Lys Met Thr Ile Thr Thr
7610 7615 7620

Gln Thr Gly Pro Ser Glu Ser Thr Leu Glu Ser Thr Leu Asn Leu
7625 7630 7635

Asn Thr Ala Thr Thr Pro Ser Trp Val Glu Thr His Ser Ile Val
7640 7645 7650

Ile Gln Gly Phe Pro His Pro Glu Met Thr Thr Ser Met Gly Arg
7655 7660 7665

Gly Pro Gly Gly Val Ser Trp Pro Ser Pro Pro Phe Val Lys Glu
7670 7675 7680

DFY-038W0_SL.TXT

Thr	Ser	Pro	Pro	Ser	Ser	Pro	Leu	Ser	Leu	Pro	Ala	Val	Thr	Ser
7685						7690					7695			
Pro	His	Pro	Val	Ser	Thr	Thr	Phe	Leu	Ala	His	Ile	Pro	Pro	Ser
7700						7705					7710			
Pro	Leu	Pro	Val	Thr	Ser	Leu	Leu	Thr	Ser	Gly	Pro	Ala	Thr	Thr
7715						7720					7725			
Thr	Asp	Ile	Leu	Gly	Thr	Ser	Thr	Glu	Pro	Gly	Thr	Ser	Ser	Ser
7730						7735					7740			
Ser	Ser	Leu	Ser	Thr	Thr	Ser	His	Glu	Arg	Leu	Thr	Thr	Tyr	Lys
7745						7750					7755			
Asp	Thr	Ala	His	Thr	Glu	Ala	Val	His	Pro	Ser	Thr	Asn	Thr	Gly
7760						7765					7770			
Gly	Thr	Asn	Val	Ala	Thr	Thr	Ser	Ser	Gly	Tyr	Lys	Ser	Gln	Ser
7775						7780					7785			
Ser	Val	Leu	Ala	Asp	Ser	Ser	Pro	Met	Cys	Thr	Thr	Ser	Thr	Met
7790						7795					7800			
Gly	Asp	Thr	Ser	Val	Leu	Thr	Ser	Thr	Pro	Ala	Phe	Leu	Glu	Thr
7805						7810					7815			
Arg	Arg	Ile	Gln	Thr	Glu	Leu	Ala	Ser	Ser	Leu	Thr	Pro	Gly	Leu
7820						7825					7830			
Arg	Glu	Ser	Ser	Gly	Ser	Glu	Gly	Thr	Ser	Ser	Gly	Thr	Lys	Met
7835						7840					7845			
Ser	Thr	Val	Leu	Ser	Lys	Val	Pro	Thr	Gly	Ala	Thr	Thr	Glu	Ile
7850						7855					7860			
Ser	Lys	Glu	Asp	Val	Thr	Ser	Ile	Pro	Gly	Pro	Ala	Gln	Ser	Thr
7865						7870					7875			

DFY-038W0_SL.TXT

Ile	Ser	Pro	Asp	Ile	Ser	Thr	Arg	Thr	Val	Ser	Trp	Phe	Ser	Thr
7880						7885					7890			
Ser	Pro	Val	Met	Thr	Glu	Ser	Ala	Glu	Ile	Thr	Met	Asn	Thr	His
7895						7900					7905			
Thr	Ser	Pro	Leu	Gly	Ala	Thr	Thr	Gln	Gly	Thr	Ser	Thr	Leu	Asp
7910						7915					7920			
Thr	Ser	Ser	Thr	Thr	Ser	Leu	Thr	Met	Thr	His	Ser	Thr	Ile	Ser
7925						7930					7935			
Gln	Gly	Phe	Ser	His	Ser	Gln	Met	Ser	Thr	Leu	Met	Arg	Arg	Gly
7940						7945					7950			
Pro	Glu	Asp	Val	Ser	Trp	Met	Ser	Pro	Pro	Leu	Leu	Glu	Lys	Thr
7955						7960					7965			
Arg	Pro	Ser	Phe	Ser	Leu	Met	Ser	Ser	Pro	Ala	Thr	Thr	Ser	Pro
7970						7975					7980			
Ser	Pro	Val	Ser	Ser	Thr	Leu	Pro	Glu	Ser	Ile	Ser	Ser	Ser	Pro
7985						7990					7995			
Leu	Pro	Val	Thr	Ser	Leu	Leu	Thr	Ser	Gly	Leu	Ala	Lys	Thr	Thr
8000						8005					8010			
Asp	Met	Leu	His	Lys	Ser	Ser	Glu	Pro	Val	Thr	Asn	Ser	Pro	Ala
8015						8020					8025			
Asn	Leu	Ser	Ser	Thr	Ser	Val	Glu	Ile	Leu	Ala	Thr	Ser	Glu	Val
8030						8035					8040			
Thr	Thr	Asp	Thr	Glu	Lys	Thr	His	Pro	Ser	Ser	Asn	Arg	Thr	Val
8045						8050					8055			
Thr	Asp	Val	Gly	Thr	Ser	Ser	Ser	Gly	His	Glu	Ser	Thr	Ser	Phe
8060						8065					8070			

DFY-038W0_SL.TXT

Val	Leu	Ala	Asp	Ser	Gln	Thr	Ser	Lys	Val	Thr	Ser	Pro	Met	Val
8075						8080					8085			
Ile	Thr	Ser	Thr	Met	Glu	Asp	Thr	Ser	Val	Ser	Thr	Ser	Thr	Pro
8090						8095					8100			
Gly	Phe	Phe	Glu	Thr	Ser	Arg	Ile	Gln	Thr	Glu	Pro	Thr	Ser	Ser
8105						8110					8115			
Leu	Thr	Leu	Gly	Leu	Arg	Lys	Thr	Ser	Ser	Ser	Glu	Gly	Thr	Ser
8120						8125					8130			
Leu	Ala	Thr	Glu	Met	Ser	Thr	Val	Leu	Ser	Gly	Val	Pro	Thr	Gly
8135						8140					8145			
Ala	Thr	Ala	Glu	Val	Ser	Arg	Thr	Glu	Val	Thr	Ser	Ser	Ser	Arg
8150						8155					8160			
Thr	Ser	Ile	Ser	Gly	Phe	Ala	Gln	Leu	Thr	Val	Ser	Pro	Glu	Thr
8165						8170					8175			
Ser	Thr	Glu	Thr	Ile	Thr	Arg	Leu	Pro	Thr	Ser	Ser	Ile	Met	Thr
8180						8185					8190			
Glu	Ser	Ala	Glu	Met	Met	Ile	Lys	Thr	Gln	Thr	Asp	Pro	Pro	Gly
8195						8200					8205			
Ser	Thr	Pro	Glu	Ser	Thr	His	Thr	Val	Asp	Ile	Ser	Thr	Thr	Pro
8210						8215					8220			
Asn	Trp	Val	Glu	Thr	His	Ser	Thr	Val	Thr	Gln	Arg	Phe	Ser	His
8225						8230					8235			
Ser	Glu	Met	Thr	Thr	Leu	Val	Ser	Arg	Ser	Pro	Gly	Asp	Met	Leu
8240						8245					8250			
Trp	Pro	Ser	Gln	Ser	Ser	Val	Glu	Glu	Thr	Ser	Ser	Ala	Ser	Ser
8255						8260					8265			

DFY-038W0_SL.TXT

Leu Leu Ser Leu Pro Ala Thr Thr Ser Pro Ser Pro Val Ser Ser
8270 8275 8280

Thr Leu Val Glu Asp Phe Pro Ser Ala Ser Leu Pro Val Thr Ser
8285 8290 8295

Leu Leu Asn Pro Gly Leu Val Ile Thr Thr Asp Arg Met Gly Ile
8300 8305 8310

Ser Arg Glu Pro Gly Thr Ser Ser Thr Ser Asn Leu Ser Ser Thr
8315 8320 8325

Ser His Glu Arg Leu Thr Thr Leu Glu Asp Thr Val Asp Thr Glu
8330 8335 8340

Asp Met Gln Pro Ser Thr His Thr Ala Val Thr Asn Val Arg Thr
8345 8350 8355

Ser Ile Ser Gly His Glu Ser Gln Ser Ser Val Leu Ser Asp Ser
8360 8365 8370

Glu Thr Pro Lys Ala Thr Ser Pro Met Gly Thr Thr Tyr Thr Met
8375 8380 8385

Gly Glu Thr Ser Val Ser Ile Ser Thr Ser Asp Phe Phe Glu Thr
8390 8395 8400

Ser Arg Ile Gln Ile Glu Pro Thr Ser Ser Leu Thr Ser Gly Leu
8405 8410 8415

Arg Glu Thr Ser Ser Ser Glu Arg Ile Ser Ser Ala Thr Glu Gly
8420 8425 8430

Ser Thr Val Leu Ser Glu Val Pro Ser Gly Ala Thr Thr Glu Val
8435 8440 8445

Ser Arg Thr Glu Val Ile Ser Ser Arg Gly Thr Ser Met Ser Gly
8450 8455 8460

DFY-038W0_SL.TXT

Pro	Asp	Gln	Phe	Thr	Ile	Ser	Pro	Asp	Ile	Ser	Thr	Glu	Ala	Ile
	8465					8470					8475			
Thr	Arg	Leu	Ser	Thr	Ser	Pro	Ile	Met	Thr	Glu	Ser	Ala	Glu	Ser
	8480					8485					8490			
Ala	Ile	Thr	Ile	Glu	Thr	Gly	Ser	Pro	Gly	Ala	Thr	Ser	Glu	Gly
	8495					8500					8505			
Thr	Leu	Thr	Leu	Asp	Thr	Ser	Thr	Thr	Thr	Phe	Trp	Ser	Gly	Thr
	8510					8515					8520			
His	Ser	Thr	Ala	Ser	Pro	Gly	Phe	Ser	His	Ser	Glu	Met	Thr	Thr
	8525					8530					8535			
Leu	Met	Ser	Arg	Thr	Pro	Gly	Asp	Val	Pro	Trp	Pro	Ser	Leu	Pro
	8540					8545					8550			
Ser	Val	Glu	Glu	Ala	Ser	Ser	Val	Ser	Ser	Ser	Leu	Ser	Ser	Pro
	8555					8560					8565			
Ala	Met	Thr	Ser	Thr	Ser	Phe	Phe	Ser	Thr	Leu	Pro	Glu	Ser	Ile
	8570					8575					8580			
Ser	Ser	Ser	Pro	His	Pro	Val	Thr	Ala	Leu	Leu	Thr	Leu	Gly	Pro
	8585					8590					8595			
Val	Lys	Thr	Thr	Asp	Met	Leu	Arg	Thr	Ser	Ser	Glu	Pro	Glu	Thr
	8600					8605					8610			
Ser	Ser	Pro	Pro	Asn	Leu	Ser	Ser	Thr	Ser	Ala	Glu	Ile	Leu	Ala
	8615					8620					8625			
Thr	Ser	Glu	Val	Thr	Lys	Asp	Arg	Glu	Lys	Ile	His	Pro	Ser	Ser
	8630					8635					8640			
Asn	Thr	Pro	Val	Val	Asn	Val	Gly	Thr	Val	Ile	Tyr	Lys	His	Leu
	8645					8650					8655			

DFY-038W0_SL.TXT

Ser	Pro	Ser	Ser	Val	Leu	Ala	Asp	Leu	Val	Thr	Thr	Lys	Pro	Thr
8660						8665					8670			
Ser	Pro	Met	Ala	Thr	Thr	Ser	Thr	Leu	Gly	Asn	Thr	Ser	Val	Ser
8675						8680					8685			
Thr	Ser	Thr	Pro	Ala	Phe	Pro	Glu	Thr	Met	Met	Thr	Gln	Pro	Thr
8690						8695					8700			
Ser	Ser	Leu	Thr	Ser	Gly	Leu	Arg	Glu	Ile	Ser	Thr	Ser	Gln	Glu
8705						8710					8715			
Thr	Ser	Ser	Ala	Thr	Glu	Arg	Ser	Ala	Ser	Leu	Ser	Gly	Met	Pro
8720						8725					8730			
Thr	Gly	Ala	Thr	Thr	Lys	Val	Ser	Arg	Thr	Glu	Ala	Leu	Ser	Leu
8735						8740					8745			
Gly	Arg	Thr	Ser	Thr	Pro	Gly	Pro	Ala	Gln	Ser	Thr	Ile	Ser	Pro
8750						8755					8760			
Glu	Ile	Ser	Thr	Glu	Thr	Ile	Thr	Arg	Ile	Ser	Thr	Pro	Leu	Thr
8765						8770					8775			
Thr	Thr	Gly	Ser	Ala	Glu	Met	Thr	Ile	Thr	Pro	Lys	Thr	Gly	His
8780						8785					8790			
Ser	Gly	Ala	Ser	Ser	Gln	Gly	Thr	Phe	Thr	Leu	Asp	Thr	Ser	Ser
8795						8800					8805			
Arg	Ala	Ser	Trp	Pro	Gly	Thr	His	Ser	Ala	Ala	Thr	His	Arg	Ser
8810						8815					8820			
Pro	His	Ser	Gly	Met	Thr	Thr	Pro	Met	Ser	Arg	Gly	Pro	Glu	Asp
8825						8830					8835			
Val	Ser	Trp	Pro	Ser	Arg	Pro	Ser	Val	Glu	Lys	Thr	Ser	Pro	Pro
8840						8845					8850			

DFY-038W0_SL.TXT

Ser	Ser	Leu	Val	Ser	Leu	Ser	Ala	Val	Thr	Ser	Pro	Ser	Pro	Leu
8855						8860					8865			
Tyr	Ser	Thr	Pro	Ser	Glu	Ser	Ser	His	Ser	Ser	Pro	Leu	Arg	Val
8870						8875					8880			
Thr	Ser	Leu	Phe	Thr	Pro	Val	Met	Met	Lys	Thr	Thr	Asp	Met	Leu
8885						8890					8895			
Asp	Thr	Ser	Leu	Glu	Pro	Val	Thr	Thr	Ser	Pro	Pro	Ser	Met	Asn
8900						8905					8910			
Ile	Thr	Ser	Asp	Glu	Ser	Leu	Ala	Thr	Ser	Lys	Ala	Thr	Met	Glu
8915						8920					8925			
Thr	Glu	Ala	Ile	Gln	Leu	Ser	Glu	Asn	Thr	Ala	Val	Thr	Gln	Met
8930						8935					8940			
Gly	Thr	Ile	Ser	Ala	Arg	Gln	Glu	Phe	Tyr	Ser	Ser	Tyr	Pro	Gly
8945						8950					8955			
Leu	Pro	Glu	Pro	Ser	Lys	Val	Thr	Ser	Pro	Val	Val	Thr	Ser	Ser
8960						8965					8970			
Thr	Ile	Lys	Asp	Ile	Val	Ser	Thr	Thr	Ile	Pro	Ala	Ser	Ser	Glu
8975						8980					8985			
Ile	Thr	Arg	Ile	Glu	Met	Glu	Ser	Thr	Ser	Thr	Leu	Thr	Pro	Thr
8990						8995					9000			
Pro	Arg	Glu	Thr	Ser	Thr	Ser	Gln	Glu	Ile	His	Ser	Ala	Thr	Lys
9005						9010					9015			
Pro	Ser	Thr	Val	Pro	Tyr	Lys	Ala	Leu	Thr	Ser	Ala	Thr	Ile	Glu
9020						9025					9030			
Asp	Ser	Met	Thr	Gln	Val	Met	Ser	Ser	Ser	Arg	Gly	Pro	Ser	Pro
9035						9040					9045			

DFY-038W0_SL.TXT

Asp	Gln	Ser	Thr	Met	Ser	Gln	Asp	Ile	Ser	Thr	Glu	Val	Ile	Thr
9050						9055					9060			
Arg	Leu	Ser	Thr	Ser	Pro	Ile	Lys	Thr	Glu	Ser	Thr	Glu	Met	Thr
9065						9070					9075			
Ile	Thr	Thr	Gln	Thr	Gly	Ser	Pro	Gly	Ala	Thr	Ser	Arg	Gly	Thr
9080						9085					9090			
Leu	Thr	Leu	Asp	Thr	Ser	Thr	Thr	Phe	Met	Ser	Gly	Thr	His	Ser
9095						9100					9105			
Thr	Ala	Ser	Gln	Gly	Phe	Ser	His	Ser	Gln	Met	Thr	Ala	Leu	Met
9110						9115					9120			
Ser	Arg	Thr	Pro	Gly	Asp	Val	Pro	Trp	Leu	Ser	His	Pro	Ser	Val
9125						9130					9135			
Glu	Glu	Ala	Ser	Ser	Ala	Ser	Phe	Ser	Leu	Ser	Ser	Pro	Val	Met
9140						9145					9150			
Thr	Ser	Ser	Ser	Pro	Val	Ser	Ser	Thr	Leu	Pro	Asp	Ser	Ile	His
9155						9160					9165			
Ser	Ser	Ser	Leu	Pro	Val	Thr	Ser	Leu	Leu	Thr	Ser	Gly	Leu	Val
9170						9175					9180			
Lys	Thr	Thr	Glu	Leu	Leu	Gly	Thr	Ser	Ser	Glu	Pro	Glu	Thr	Ser
9185						9190					9195			
Ser	Pro	Pro	Asn	Leu	Ser	Ser	Thr	Ser	Ala	Glu	Ile	Leu	Ala	Ile
9200						9205					9210			
Thr	Glu	Val	Thr	Thr	Asp	Thr	Glu	Lys	Leu	Glu	Met	Thr	Asn	Val
9215						9220					9225			
Val	Thr	Ser	Gly	Tyr	Thr	His	Glu	Ser	Pro	Ser	Ser	Val	Leu	Ala
9230						9235					9240			

DFY-038W0_SL.TXT

Asp	Ser	Val	Thr	Thr	Lys	Ala	Thr	Ser	Ser	Met	Gly	Ile	Thr	Tyr
9245						9250					9255			
Pro	Thr	Gly	Asp	Thr	Asn	Val	Leu	Thr	Ser	Thr	Pro	Ala	Phe	Ser
9260						9265					9270			
Asp	Thr	Ser	Arg	Ile	Gln	Thr	Lys	Ser	Lys	Leu	Ser	Leu	Thr	Pro
9275						9280					9285			
Gly	Leu	Met	Glu	Thr	Ser	Ile	Ser	Glu	Glu	Thr	Ser	Ser	Ala	Thr
9290						9295					9300			
Glu	Lys	Ser	Thr	Val	Leu	Ser	Ser	Val	Pro	Thr	Gly	Ala	Thr	Thr
9305						9310					9315			
Glu	Val	Ser	Arg	Thr	Glu	Ala	Ile	Ser	Ser	Ser	Arg	Thr	Ser	Ile
9320						9325					9330			
Pro	Gly	Pro	Ala	Gln	Ser	Thr	Met	Ser	Ser	Asp	Thr	Ser	Met	Glu
9335						9340					9345			
Thr	Ile	Thr	Arg	Ile	Ser	Thr	Pro	Leu	Thr	Arg	Lys	Glu	Ser	Thr
9350						9355					9360			
Asp	Met	Ala	Ile	Thr	Pro	Lys	Thr	Gly	Pro	Ser	Gly	Ala	Thr	Ser
9365						9370					9375			
Gln	Gly	Thr	Phe	Thr	Leu	Asp	Ser	Ser	Ser	Thr	Ala	Ser	Trp	Pro
9380						9385					9390			
Gly	Thr	His	Ser	Ala	Thr	Thr	Gln	Arg	Phe	Pro	Gln	Ser	Val	Val
9395						9400					9405			
Thr	Thr	Pro	Met	Ser	Arg	Gly	Pro	Glu	Asp	Val	Ser	Trp	Pro	Ser
9410						9415					9420			
Pro	Leu	Ser	Val	Glu	Lys	Asn	Ser	Pro	Pro	Ser	Ser	Leu	Val	Ser
9425						9430					9435			

DFY-038W0_SL.TXT

Ser Ser Ser Val Thr Ser Pro Ser Pro Leu Tyr Ser Thr Pro Ser
9440 9445 9450

Gly Ser Ser His Ser Ser Pro Val Pro Val Thr Ser Leu Phe Thr
9455 9460 9465

Ser Ile Met Met Lys Ala Thr Asp Met Leu Asp Ala Ser Leu Glu
9470 9475 9480

Pro Glu Thr Thr Ser Ala Pro Asn Met Asn Ile Thr Ser Asp Glu
9485 9490 9495

Ser Leu Ala Ala Ser Lys Ala Thr Thr Glu Thr Glu Ala Ile His
9500 9505 9510

Val Phe Glu Asn Thr Ala Ala Ser His Val Glu Thr Thr Ser Ala
9515 9520 9525

Thr Glu Glu Leu Tyr Ser Ser Ser Pro Gly Phe Ser Glu Pro Thr
9530 9535 9540

Lys Val Ile Ser Pro Val Val Thr Ser Ser Ser Ile Arg Asp Asn
9545 9550 9555

Met Val Ser Thr Thr Met Pro Gly Ser Ser Gly Ile Thr Arg Ile
9560 9565 9570

Glu Ile Glu Ser Met Ser Ser Leu Thr Pro Gly Leu Arg Glu Thr
9575 9580 9585

Arg Thr Ser Gln Asp Ile Thr Ser Ser Thr Glu Thr Ser Thr Val
9590 9595 9600

Leu Tyr Lys Met Pro Ser Gly Ala Thr Pro Glu Val Ser Arg Thr
9605 9610 9615

Glu Val Met Pro Ser Ser Arg Thr Ser Ile Pro Gly Pro Ala Gln
9620 9625 9630

DFY-038W0_SL.TXT

Ser Thr Met Ser Leu Asp Ile Ser Asp Glu Val Val Thr Arg Leu
9635 9640 9645

Ser Thr Ser Pro Ile Met Thr Glu Ser Ala Glu Ile Thr Ile Thr
9650 9655 9660

Thr Gln Thr Gly Tyr Ser Leu Ala Thr Ser Gln Val Thr Leu Pro
9665 9670 9675

Leu Gly Thr Ser Met Thr Phe Leu Ser Gly Thr His Ser Thr Met
9680 9685 9690

Ser Gln Gly Leu Ser His Ser Glu Met Thr Asn Leu Met Ser Arg
9695 9700 9705

Gly Pro Glu Ser Leu Ser Trp Thr Ser Pro Arg Phe Val Glu Thr
9710 9715 9720

Thr Arg Ser Ser Ser Ser Leu Thr Ser Leu Pro Leu Thr Thr Ser
9725 9730 9735

Leu Ser Pro Val Ser Ser Thr Leu Leu Asp Ser Ser Pro Ser Ser
9740 9745 9750

Pro Leu Pro Val Thr Ser Leu Ile Leu Pro Gly Leu Val Lys Thr
9755 9760 9765

Thr Glu Val Leu Asp Thr Ser Ser Glu Pro Lys Thr Ser Ser Ser
9770 9775 9780

Pro Asn Leu Ser Ser Thr Ser Val Glu Ile Pro Ala Thr Ser Glu
9785 9790 9795

Ile Met Thr Asp Thr Glu Lys Ile His Pro Ser Ser Asn Thr Ala
9800 9805 9810

Val Ala Lys Val Arg Thr Ser Ser Ser Val His Glu Ser His Ser
9815 9820 9825

DFY-038W0_SL.TXT

Ser Val Leu Ala Asp Ser Glu Thr Thr Ile Thr Ile Pro Ser Met
9830 9835 9840

Gly Ile Thr Ser Ala Val Asp Asp Thr Thr Val Phe Thr Ser Asn
9845 9850 9855

Pro Ala Phe Ser Glu Thr Arg Arg Ile Pro Thr Glu Pro Thr Phe
9860 9865 9870

Ser Leu Thr Pro Gly Phe Arg Glu Thr Ser Thr Ser Glu Glu Thr
9875 9880 9885

Thr Ser Ile Thr Glu Thr Ser Ala Val Leu Tyr Gly Val Pro Thr
9890 9895 9900

Ser Ala Thr Thr Glu Val Ser Met Thr Glu Ile Met Ser Ser Asn
9905 9910 9915

Arg Ile His Ile Pro Asp Ser Asp Gln Ser Thr Met Ser Pro Asp
9920 9925 9930

Ile Ile Thr Glu Val Ile Thr Arg Leu Ser Ser Ser Ser Met Met
9935 9940 9945

Ser Glu Ser Thr Gln Met Thr Ile Thr Thr Gln Lys Ser Ser Pro
9950 9955 9960

Gly Ala Thr Ala Gln Ser Thr Leu Thr Leu Ala Thr Thr Thr Ala
9965 9970 9975

Pro Leu Ala Arg Thr His Ser Thr Val Pro Pro Arg Phe Leu His
9980 9985 9990

Ser Glu Met Thr Thr Leu Met Ser Arg Ser Pro Glu Asn Pro Ser
9995 10000 10005

Trp Lys Ser Ser Leu Phe Val Glu Lys Thr Ser Ser Ser Ser Ser
10010 10015 10020

DFY-038W0_SL.TXT

Leu	Leu	Ser	Leu	Pro	Val	Thr	Thr	Ser	Pro	Ser	Val	Ser	Ser	Thr
10025						10030					10035			
Leu	Pro	Gln	Ser	Ile	Pro	Ser	Ser	Ser	Phe	Ser	Val	Thr	Ser	Leu
10040						10045					10050			
Leu	Thr	Pro	Gly	Met	Val	Lys	Thr	Thr	Asp	Thr	Ser	Thr	Glu	Pro
10055						10060					10065			
Gly	Thr	Ser	Leu	Ser	Pro	Asn	Leu	Ser	Gly	Thr	Ser	Val	Glu	Ile
10070						10075					10080			
Leu	Ala	Ala	Ser	Glu	Val	Thr	Thr	Asp	Thr	Glu	Lys	Ile	His	Pro
10085						10090					10095			
Ser	Ser	Ser	Met	Ala	Val	Thr	Asn	Val	Gly	Thr	Thr	Ser	Ser	Gly
10100						10105					10110			
His	Glu	Leu	Tyr	Ser	Ser	Val	Ser	Ile	His	Ser	Glu	Pro	Ser	Lys
10115						10120					10125			
Ala	Thr	Tyr	Pro	Val	Gly	Thr	Pro	Ser	Ser	Met	Ala	Glu	Thr	Ser
10130						10135					10140			
Ile	Ser	Thr	Ser	Met	Pro	Ala	Asn	Phe	Glu	Thr	Thr	Gly	Phe	Glu
10145						10150					10155			
Ala	Glu	Pro	Phe	Ser	His	Leu	Thr	Ser	Gly	Phe	Arg	Lys	Thr	Asn
10160						10165					10170			
Met	Ser	Leu	Asp	Thr	Ser	Ser	Val	Thr	Pro	Thr	Asn	Thr	Pro	Ser
10175						10180					10185			
Ser	Pro	Gly	Ser	Thr	His	Leu	Leu	Gln	Ser	Ser	Lys	Thr	Asp	Phe
10190						10195					10200			
Thr	Ser	Ser	Ala	Lys	Thr	Ser	Ser	Pro	Asp	Trp	Pro	Pro	Ala	Ser
10205						10210					10215			

DFY-038W0_SL.TXT

Gln Tyr 10220	Thr Glu Ile Pro Val 10225	Asp Ile Ile Thr Pro 10230	Phe Asn Ala
Ser Pro 10235	Ser Ile Thr Glu Ser 10240	Thr Gly Ile Thr Ser 10245	Phe Pro Glu
Ser Arg 10250	Phe Thr Met Ser Val 10255	Thr Glu Ser Thr His 10260	His Leu Ser
Thr Asp 10265	Leu Leu Pro Ser Ala 10270	Glu Thr Ile Ser Thr 10275	Gly Thr Val
Met Pro 10280	Ser Leu Ser Glu Ala 10285	Met Thr Ser Phe Ala 10290	Thr Thr Gly
Val Pro 10295	Arg Ala Ile Ser Gly 10300	Ser Gly Ser Pro Phe 10305	Ser Arg Thr
Glu Ser 10310	Gly Pro Gly Asp Ala 10315	Thr Leu Ser Thr Ile 10320	Ala Glu Ser
Leu Pro 10325	Ser Ser Thr Pro Val 10330	Pro Phe Ser Ser Ser 10335	Thr Phe Thr
Thr Thr 10340	Asp Ser Ser Thr Ile 10345	Pro Ala Leu His Glu 10350	Ile Thr Ser
Ser Ser 10355	Ala Thr Pro Tyr Arg 10360	Val Asp Thr Ser Leu 10365	Gly Thr Glu
Ser Ser 10370	Thr Thr Glu Gly Arg 10375	Leu Val Met Val Ser 10380	Thr Leu Asp
Thr Ser 10385	Ser Gln Pro Gly Arg 10390	Thr Ser Ser Ser Pro 10395	Ile Leu Asp
Thr Arg 10400	Met Thr Glu Ser Val 10405	Glu Leu Gly Thr Val 10410	Thr Ser Ala

DFY-038W0_SL.TXT

Tyr	Gln	Val	Pro	Ser	Leu	Ser	Thr	Arg	Leu	Thr	Arg	Thr	Asp	Gly
10415						10420					10425			
Ile	Met	Glu	His	Ile	Thr	Lys	Ile	Pro	Asn	Glu	Ala	Ala	His	Arg
10430						10435					10440			
Gly	Thr	Ile	Arg	Pro	Val	Lys	Gly	Pro	Gln	Thr	Ser	Thr	Ser	Pro
10445						10450					10455			
Ala	Ser	Pro	Lys	Gly	Leu	His	Thr	Gly	Gly	Thr	Lys	Arg	Met	Glu
10460						10465					10470			
Thr	Thr	Thr	Thr	Ala	Leu	Lys	Thr	Thr	Thr	Thr	Ala	Leu	Lys	Thr
10475						10480					10485			
Thr	Ser	Arg	Ala	Thr	Leu	Thr	Thr	Ser	Val	Tyr	Thr	Pro	Thr	Leu
10490						10495					10500			
Gly	Thr	Leu	Thr	Pro	Leu	Asn	Ala	Ser	Met	Gln	Met	Ala	Ser	Thr
10505						10510					10515			
Ile	Pro	Thr	Glu	Met	Met	Ile	Thr	Thr	Pro	Tyr	Val	Phe	Pro	Asp
10520						10525					10530			
Val	Pro	Glu	Thr	Thr	Ser	Ser	Leu	Ala	Thr	Ser	Leu	Gly	Ala	Glu
10535						10540					10545			
Thr	Ser	Thr	Ala	Leu	Pro	Arg	Thr	Thr	Pro	Ser	Val	Phe	Asn	Arg
10550						10555					10560			
Glu	Ser	Glu	Thr	Thr	Ala	Ser	Leu	Val	Ser	Arg	Ser	Gly	Ala	Glu
10565						10570					10575			
Arg	Ser	Pro	Val	Ile	Gln	Thr	Leu	Asp	Val	Ser	Ser	Ser	Glu	Pro
10580						10585					10590			
Asp	Thr	Thr	Ala	Ser	Trp	Val	Ile	His	Pro	Ala	Glu	Thr	Ile	Pro
10595						10600					10605			

DFY-038W0_SL.TXT

Thr	Val	Ser	Lys	Thr	Thr	Pro	Asn	Phe	Phe	His	Ser	Glu	Leu	Asp
10610						10615					10620			
Thr	Val	Ser	Ser	Thr	Ala	Thr	Ser	His	Gly	Ala	Asp	Val	Ser	Ser
10625						10630					10635			
Ala	Ile	Pro	Thr	Asn	Ile	Ser	Pro	Ser	Glu	Leu	Asp	Ala	Leu	Thr
10640						10645					10650			
Pro	Leu	Val	Thr	Ile	Ser	Gly	Thr	Asp	Thr	Ser	Thr	Thr	Phe	Pro
10655						10660					10665			
Thr	Leu	Thr	Lys	Ser	Pro	His	Glu	Thr	Glu	Thr	Arg	Thr	Thr	Trp
10670						10675					10680			
Leu	Thr	His	Pro	Ala	Glu	Thr	Ser	Ser	Thr	Ile	Pro	Arg	Thr	Ile
10685						10690					10695			
Pro	Asn	Phe	Ser	His	His	Glu	Ser	Asp	Ala	Thr	Pro	Ser	Ile	Ala
10700						10705					10710			
Thr	Ser	Pro	Gly	Ala	Glu	Thr	Ser	Ser	Ala	Ile	Pro	Ile	Met	Thr
10715						10720					10725			
Val	Ser	Pro	Gly	Ala	Glu	Asp	Leu	Val	Thr	Ser	Gln	Val	Thr	Ser
10730						10735					10740			
Ser	Gly	Thr	Asp	Arg	Asn	Met	Thr	Ile	Pro	Thr	Leu	Thr	Leu	Ser
10745						10750					10755			
Pro	Gly	Glu	Pro	Lys	Thr	Ile	Ala	Ser	Leu	Val	Thr	His	Pro	Glu
10760						10765					10770			
Ala	Gln	Thr	Ser	Ser	Ala	Ile	Pro	Thr	Ser	Thr	Ile	Ser	Pro	Ala
10775						10780					10785			
Val	Ser	Arg	Leu	Val	Thr	Ser	Met	Val	Thr	Ser	Leu	Ala	Ala	Lys
10790						10795					10800			

DFY-038W0_SL.TXT

Thr 10805	Ser	Thr Thr	Asn Arg	Ala 10810	Leu Thr	Asn Ser	Pro 10815	Gly Glu	Pro
Ala 10820	Thr	Thr Val	Ser Leu	Val 10825	Thr His	Pro Ala	Gln 10830	Thr Ser	Pro
Thr 10835	Val	Pro Trp	Thr Thr	Ser 10840	Ile Phe	Phe His	Ser 10845	Lys Ser	Asp
Thr 10850	Thr	Pro Ser	Met Thr	Thr 10855	Ser His	Gly Ala	Glu 10860	Ser Ser	Ser
Ala 10865	Val	Pro Thr	Pro Thr	Val 10870	Ser Thr	Glu Val	Pro 10875	Gly Val	Val
Thr 10880	Pro	Leu Val	Thr Ser	Ser 10885	Arg Ala	Val Ile	Ser 10890	Thr Thr	Ile
Pro 10895	Ile	Leu Thr	Leu Ser	Pro 10900	Gly Glu	Pro Glu	Thr 10905	Thr Pro	Ser
Met 10910	Ala	Thr Ser	His Gly	Glu 10915	Glu Ala	Ser Ser	Ala 10920	Ile Pro	Thr
Pro 10925	Thr	Val Ser	Pro Gly	Val 10930	Pro Gly	Val Val	Thr 10935	Ser Leu	Val
Thr 10940	Ser	Ser Arg	Ala Val	Thr 10945	Ser Thr	Thr Ile	Pro 10950	Ile Leu	Thr
Phe 10955	Ser	Leu Gly	Glu Pro	Glu 10960	Thr Thr	Pro Ser	Met 10965	Ala Thr	Ser
His 10970	Gly	Thr Glu	Ala Gly	Ser 10975	Ala Val	Pro Thr	Val 10980	Leu Pro	Glu
Val 10985	Pro	Gly Met	Val Thr	Ser 10990	Leu Val	Ala Ser	Ser 10995	Arg Ala	Val

DFY-038W0_SL.TXT

Thr 11000	Ser	Thr Thr Leu Pro	Thr 11005	Leu Thr Leu Ser	Pro 11010	Gly Glu Pro
Glu 11015	Thr	Thr Pro Ser Met	Ala 11020	Thr Ser His Gly	Ala 11025	Glu Ala Ser
Ser 11030	Thr	Val Pro Thr Val	Ser 11035	Pro Glu Val Pro	Gly 11040	Val Val Thr
Ser 11045	Leu	Val Thr Ser Ser	Ser 11050	Gly Val Asn Ser	Thr 11055	Ser Ile Pro
Thr 11060	Leu	Ile Leu Ser Pro	Gly 11065	Glu Leu Glu Thr	Thr 11070	Pro Ser Met
Ala 11075	Thr	Ser His Gly Ala	Glu 11080	Ala Ser Ser Ala	Val 11085	Pro Thr Pro
Thr 11090	Val	Ser Pro Gly Val	Ser 11095	Gly Val Val Thr	Pro 11100	Leu Val Thr
Ser 11105	Ser	Arg Ala Val Thr	Ser 11110	Thr Thr Ile Pro	Ile 11115	Leu Thr Leu
Ser 11120	Ser	Ser Glu Pro Glu	Thr 11125	Thr Pro Ser Met	Ala 11130	Thr Ser His
Gly 11135	Val	Glu Ala Ser Ser	Ala 11140	Val Leu Thr Val	Ser 11145	Pro Glu Val
Pro 11150	Gly	Met Val Thr Ser	Leu 11155	Val Thr Ser Ser	Arg 11160	Ala Val Thr
Ser 11165	Thr	Thr Ile Pro Thr	Leu 11170	Thr Ile Ser Ser	Asp 11175	Glu Pro Glu
Thr 11180	Thr	Thr Ser Leu Val	Thr 11185	His Ser Glu Ala	Lys 11190	Met Ile Ser

DFY-038W0_SL.TXT

Ala Ile 11195	Pro Thr Leu	Ala Val 11200	Ser Pro Thr Val 11205	Gln Gly Leu Val
Thr Ser 11210	Leu Val Thr Ser	Ser 11215	Gly Ser Glu Thr	Ser Ala Phe Ser 11220
Asn Leu 11225	Thr Val Ala Ser	Ser 11230	Gln Pro Glu Thr	Ile Asp Ser Trp 11235
Val Ala 11240	His Pro Gly Thr	Glu 11245	Ala Ser Ser Val	Val Pro Thr Leu 11250
Thr Val 11255	Ser Thr Gly Glu	Pro 11260	Phe Thr Asn Ile	Ser Leu Val Thr 11265
His Pro 11270	Ala Glu Ser Ser	Ser 11275	Thr Leu Pro Arg	Thr Thr Ser Arg 11280
Phe Ser 11285	His Ser Glu Leu	Asp 11290	Thr Met Pro Ser	Thr Val Thr Ser 11295
Pro Glu 11300	Ala Glu Ser Ser	Ser 11305	Ala Ile Ser Thr	Thr Ile Ser Pro 11310
Gly Ile 11315	Pro Gly Val Leu	Thr 11320	Ser Leu Val Thr	Ser Ser Gly Arg 11325
Asp Ile 11330	Ser Ala Thr Phe	Pro 11335	Thr Val Pro Glu	Ser Pro His Glu 11340
Ser Glu 11345	Ala Thr Ala Ser	Trp 11350	Val Thr His Pro	Ala Val Thr Ser 11355
Thr Thr 11360	Val Pro Arg Thr	Thr 11365	Pro Asn Tyr Ser	His Ser Glu Pro 11370
Asp Thr 11375	Thr Pro Ser Ile	Ala 11380	Thr Ser Pro Gly	Ala Glu Ala Thr 11385

DFY-038W0_SL.TXT

Ser	Asp	Phe	Pro	Thr	Ile	Thr	Val	Ser	Pro	Asp	Val	Pro	Asp	Met
11390						11395					11400			
Val	Thr	Ser	Gln	Val	Thr	Ser	Ser	Gly	Thr	Asp	Thr	Ser	Ile	Thr
11405						11410					11415			
Ile	Pro	Thr	Leu	Thr	Leu	Ser	Ser	Gly	Glu	Pro	Glu	Thr	Thr	Thr
11420						11425					11430			
Ser	Phe	Ile	Thr	Tyr	Ser	Glu	Thr	His	Thr	Ser	Ser	Ala	Ile	Pro
11435						11440					11445			
Thr	Leu	Pro	Val	Ser	Pro	Gly	Ala	Ser	Lys	Met	Leu	Thr	Ser	Leu
11450						11455					11460			
Val	Ile	Ser	Ser	Gly	Thr	Asp	Ser	Thr	Thr	Thr	Phe	Pro	Thr	Leu
11465						11470					11475			
Thr	Glu	Thr	Pro	Tyr	Glu	Pro	Glu	Thr	Thr	Ala	Ile	Gln	Leu	Ile
11480						11485					11490			
His	Pro	Ala	Glu	Thr	Asn	Thr	Met	Val	Pro	Arg	Thr	Thr	Pro	Lys
11495						11500					11505			
Phe	Ser	His	Ser	Lys	Ser	Asp	Thr	Thr	Leu	Pro	Val	Ala	Ile	Thr
11510						11515					11520			
Ser	Pro	Gly	Pro	Glu	Ala	Ser	Ser	Ala	Val	Ser	Thr	Thr	Thr	Ile
11525						11530					11535			
Ser	Pro	Asp	Met	Ser	Asp	Leu	Val	Thr	Ser	Leu	Val	Pro	Ser	Ser
11540						11545					11550			
Gly	Thr	Asp	Thr	Ser	Thr	Thr	Phe	Pro	Thr	Leu	Ser	Glu	Thr	Pro
11555						11560					11565			
Tyr	Glu	Pro	Glu	Thr	Thr	Ala	Thr	Trp	Leu	Thr	His	Pro	Ala	Glu
11570						11575					11580			

DFY-038W0_SL.TXT

Thr 11585	Ser	Thr Thr Val Ser	Gly 11590	Thr Ile Pro Asn Phe	Ser His Arg 11595
Gly 11600	Ser	Asp Thr Ala Pro	Ser 11605	Met Val Thr Ser	Pro Gly Val Asp 11610
Thr 11615	Arg	Ser Gly Val Pro	Thr 11620	Thr Thr Ile Pro	Pro Ser Ile Pro 11625
Gly 11630	Val	Val Thr Ser Gln	Val 11635	Thr Ser Ser Ala	Thr Asp Thr Ser 11640
Thr 11645	Ala	Ile Pro Thr Leu	Thr 11650	Pro Ser Pro Gly	Glu Pro Glu Thr 11655
Thr 11660	Ala	Ser Ser Ala Thr	His 11665	Pro Gly Thr Gln	Thr Gly Phe Thr 11670
Val 11675	Pro	Ile Arg Thr Val	Pro 11680	Ser Ser Glu Pro	Asp Thr Met Ala 11685
Ser 11690	Trp	Val Thr His Pro	Pro 11695	Gln Thr Ser Thr	Pro Val Ser Arg 11700
Thr 11705	Thr	Ser Ser Phe Ser	His 11710	Ser Ser Pro Asp	Ala Thr Pro Val 11715
Met 11720	Ala	Thr Ser Pro Arg	Thr 11725	Glu Ala Ser Ser	Ala Val Leu Thr 11730
Thr 11735	Ile	Ser Pro Gly Ala	Pro 11740	Glu Met Val Thr	Ser Gln Ile Thr 11745
Ser 11750	Ser	Gly Ala Ala Thr	Ser 11755	Thr Thr Val Pro	Thr Leu Thr His 11760
Ser 11765	Pro	Gly Met Pro Glu	Thr 11770	Thr Ala Leu Leu	Ser Thr His Pro 11775

DFY-038W0_SL.TXT

Arg Thr 11780	Glu Thr Ser Lys Thr 11785	Phe Pro Ala Ser Thr 11790	Val Phe Pro
Gln Val 11795	Ser Glu Thr Thr Ala 11800	Ser Leu Thr Ile Arg 11805	Pro Gly Ala
Glu Thr 11810	Ser Thr Ala Leu Pro 11815	Thr Gln Thr Thr Ser 11820	Ser Leu Phe
Thr Leu 11825	Leu Val Thr Gly Thr 11830	Ser Arg Val Asp Leu 11835	Ser Pro Thr
Ala Ser 11840	Pro Gly Val Ser Ala 11845	Lys Thr Ala Pro Leu 11850	Ser Thr His
Pro Gly 11855	Thr Glu Thr Ser Thr 11860	Met Ile Pro Thr Ser 11865	Thr Leu Ser
Leu Gly 11870	Leu Leu Glu Thr Thr 11875	Gly Leu Leu Ala Thr 11880	Ser Ser Ser
Ala Glu 11885	Thr Ser Thr Ser Thr 11890	Leu Thr Leu Thr Val 11895	Ser Pro Ala
Val Ser 11900	Gly Leu Ser Ser Ala 11905	Ser Ile Thr Thr Asp 11910	Lys Pro Gln
Thr Val 11915	Thr Ser Trp Asn Thr 11920	Glu Thr Ser Pro Ser 11925	Val Thr Ser
Val Gly 11930	Pro Pro Glu Phe Ser 11935	Arg Thr Val Thr Gly 11940	Thr Thr Met
Thr Leu 11945	Ile Pro Ser Glu Met 11950	Pro Thr Pro Pro Lys 11955	Thr Ser His
Gly Glu 11960	Gly Val Ser Pro Thr 11965	Thr Ile Leu Arg Thr 11970	Thr Met Val

DFY-038W0_SL.TXT

Glu	Ala	Thr	Asn	Leu	Ala	Thr	Thr	Gly	Ser	Ser	Pro	Thr	Val	Ala
11975						11980					11985			
Lys	Thr	Thr	Thr	Phe	Asn	Thr	Leu	Ala	Gly	Ser	Leu	Phe	Thr	
11990					11995					12000				
Pro	Leu	Thr	Thr	Pro	Gly	Met	Ser	Thr	Leu	Ala	Ser	Glu	Ser	Val
12005					12010						12015			
Thr	Ser	Arg	Thr	Ser	Tyr	Asn	His	Arg	Ser	Trp	Ile	Ser	Thr	Thr
12020						12025					12030			
Ser	Ser	Tyr	Asn	Arg	Arg	Tyr	Trp	Thr	Pro	Ala	Thr	Ser	Thr	Pro
12035						12040					12045			
Val	Thr	Ser	Thr	Phe	Ser	Pro	Gly	Ile	Ser	Thr	Ser	Ser	Ile	Pro
12050						12055					12060			
Ser	Ser	Thr	Ala	Ala	Thr	Val	Pro	Phe	Met	Val	Pro	Phe	Thr	Leu
12065						12070					12075			
Asn	Phe	Thr	Ile	Thr	Asn	Leu	Gln	Tyr	Glu	Glu	Asp	Met	Arg	His
12080						12085					12090			
Pro	Gly	Ser	Arg	Lys	Phe	Asn	Ala	Thr	Glu	Arg	Glu	Leu	Gln	Gly
12095						12100					12105			
Leu	Leu	Lys	Pro	Leu	Phe	Arg	Asn	Ser	Ser	Leu	Glu	Tyr	Leu	Tyr
12110						12115					12120			
Ser	Gly	Cys	Arg	Leu	Ala	Ser	Leu	Arg	Pro	Glu	Lys	Asp	Ser	Ser
12125						12130					12135			
Ala	Thr	Ala	Val	Asp	Ala	Ile	Cys	Thr	His	Arg	Pro	Asp	Pro	Glu
12140						12145					12150			
Asp	Leu	Gly	Leu	Asp	Arg	Glu	Arg	Leu	Tyr	Trp	Glu	Leu	Ser	Asn
12155						12160					12165			

DFY-038W0_SL.TXT

Leu Thr 12170	Asn Gly Ile Gln Glu 12175	Leu Gly Pro Tyr Thr 12180	Leu Asp Arg
Asn Ser 12185	Leu Tyr Val Asn Gly 12190	Phe Thr His Arg Ser 12195	Ser Met Pro
Thr Thr 12200	Ser Thr Pro Gly Thr 12205	Ser Thr Val Asp Val 12210	Gly Thr Ser
Gly Thr 12215	Pro Ser Ser Ser Pro 12220	Ser Pro Thr Thr Ala 12225	Gly Pro Leu
Leu Met 12230	Pro Phe Thr Leu Asn 12235	Phe Thr Ile Thr Asn 12240	Leu Gln Tyr
Glu Glu 12245	Asp Met Arg Arg Thr 12250	Gly Ser Arg Lys Phe 12255	Asn Thr Met
Glu Ser 12260	Val Leu Gln Gly Leu 12265	Leu Lys Pro Leu Phe 12270	Lys Asn Thr
Ser Val 12275	Gly Pro Leu Tyr Ser 12280	Gly Cys Arg Leu Thr 12285	Leu Leu Arg
Pro Glu 12290	Lys Asp Gly Ala Ala 12295	Thr Gly Val Asp Ala 12300	Ile Cys Thr
His Arg 12305	Leu Asp Pro Lys Ser 12310	Pro Gly Leu Asn Arg 12315	Glu Gln Leu
Tyr Trp 12320	Glu Leu Ser Lys Leu 12325	Thr Asn Asp Ile Glu 12330	Glu Leu Gly
Pro Tyr 12335	Thr Leu Asp Arg Asn 12340	Ser Leu Tyr Val Asn 12345	Gly Phe Thr
His Gln 12350	Ser Ser Val Ser Thr 12355	Thr Ser Thr Pro Gly 12360	Thr Ser Thr

DFY-038W0_SL.TXT

Val	Asp	Leu	Arg	Thr	Ser	Gly	Thr	Pro	Ser	Ser	Leu	Ser	Ser	Pro
	12365					12370					12375			
Thr	Ile	Met	Ala	Ala	Gly	Pro	Leu	Leu	Val	Pro	Phe	Thr	Leu	Asn
	12380					12385					12390			
Phe	Thr	Ile	Thr	Asn	Leu	Gln	Tyr	Gly	Glu	Asp	Met	Gly	His	Pro
	12395					12400					12405			
Gly	Ser	Arg	Lys	Phe	Asn	Thr	Thr	Glu	Arg	Val	Leu	Gln	Gly	Leu
	12410					12415					12420			
Leu	Gly	Pro	Ile	Phe	Lys	Asn	Thr	Ser	Val	Gly	Pro	Leu	Tyr	Ser
	12425					12430					12435			
Gly	Cys	Arg	Leu	Thr	Ser	Leu	Arg	Ser	Glu	Lys	Asp	Gly	Ala	Ala
	12440					12445					12450			
Thr	Gly	Val	Asp	Ala	Ile	Cys	Ile	His	His	Leu	Asp	Pro	Lys	Ser
	12455					12460					12465			
Pro	Gly	Leu	Asn	Arg	Glu	Arg	Leu	Tyr	Trp	Glu	Leu	Ser	Gln	Leu
	12470					12475					12480			
Thr	Asn	Gly	Ile	Lys	Glu	Leu	Gly	Pro	Tyr	Thr	Leu	Asp	Arg	Asn
	12485					12490					12495			
Ser	Leu	Tyr	Val	Asn	Gly	Phe	Thr	His	Arg	Thr	Ser	Val	Pro	Thr
	12500					12505					12510			
Ser	Ser	Thr	Pro	Gly	Thr	Ser	Thr	Val	Asp	Leu	Gly	Thr	Ser	Gly
	12515					12520					12525			
Thr	Pro	Phe	Ser	Leu	Pro	Ser	Pro	Ala	Thr	Ala	Gly	Pro	Leu	Leu
	12530					12535					12540			
Val	Leu	Phe	Thr	Leu	Asn	Phe	Thr	Ile	Thr	Asn	Leu	Lys	Tyr	Glu
	12545					12550					12555			

DFY-038W0_SL.TXT

Glu	Asp	Met	His	Arg	Pro	Gly	Ser	Arg	Lys	Phe	Asn	Thr	Thr	Glu
12560						12565					12570			
Arg	Val	Leu	Gln	Thr	Leu	Leu	Gly	Pro	Met	Phe	Lys	Asn	Thr	Ser
12575						12580					12585			
Val	Gly	Leu	Leu	Tyr	Ser	Gly	Cys	Arg	Leu	Thr	Leu	Leu	Arg	Ser
12590						12595					12600			
Glu	Lys	Asp	Gly	Ala	Ala	Thr	Gly	Val	Asp	Ala	Ile	Cys	Thr	His
12605						12610					12615			
Arg	Leu	Asp	Pro	Lys	Ser	Pro	Gly	Val	Asp	Arg	Glu	Gln	Leu	Tyr
12620						12625					12630			
Trp	Glu	Leu	Ser	Gln	Leu	Thr	Asn	Gly	Ile	Lys	Glu	Leu	Gly	Pro
12635						12640					12645			
Tyr	Thr	Leu	Asp	Arg	Asn	Ser	Leu	Tyr	Val	Asn	Gly	Phe	Thr	His
12650						12655					12660			
Trp	Ile	Pro	Val	Pro	Thr	Ser	Ser	Thr	Pro	Gly	Thr	Ser	Thr	Val
12665						12670					12675			
Asp	Leu	Gly	Ser	Gly	Thr	Pro	Ser	Ser	Leu	Pro	Ser	Pro	Thr	Thr
12680						12685					12690			
Ala	Gly	Pro	Leu	Leu	Val	Pro	Phe	Thr	Leu	Asn	Phe	Thr	Ile	Thr
12695						12700					12705			
Asn	Leu	Lys	Tyr	Glu	Glu	Asp	Met	His	Cys	Pro	Gly	Ser	Arg	Lys
12710						12715					12720			
Phe	Asn	Thr	Thr	Glu	Arg	Val	Leu	Gln	Ser	Leu	Leu	Gly	Pro	Met
12725						12730					12735			
Phe	Lys	Asn	Thr	Ser	Val	Gly	Pro	Leu	Tyr	Ser	Gly	Cys	Arg	Leu
12740						12745					12750			

DFY-038W0_SL.TXT

Thr	Leu	Leu	Arg	Ser	Glu	Lys	Asp	Gly	Ala	Ala	Thr	Gly	Val	Asp
12755						12760					12765			
Ala	Ile	Cys	Thr	His	Arg	Leu	Asp	Pro	Lys	Ser	Pro	Gly	Val	Asp
12770						12775					12780			
Arg	Glu	Gln	Leu	Tyr	Trp	Glu	Leu	Ser	Gln	Leu	Thr	Asn	Gly	Ile
12785						12790					12795			
Lys	Glu	Leu	Gly	Pro	Tyr	Thr	Leu	Asp	Arg	Asn	Ser	Leu	Tyr	Val
12800						12805					12810			
Asn	Gly	Phe	Thr	His	Gln	Thr	Ser	Ala	Pro	Asn	Thr	Ser	Thr	Pro
12815						12820					12825			
Gly	Thr	Ser	Thr	Val	Asp	Leu	Gly	Thr	Ser	Gly	Thr	Pro	Ser	Ser
12830						12835					12840			
Leu	Pro	Ser	Pro	Thr	Ser	Ala	Gly	Pro	Leu	Leu	Val	Pro	Phe	Thr
12845						12850					12855			
Leu	Asn	Phe	Thr	Ile	Thr	Asn	Leu	Gln	Tyr	Glu	Glu	Asp	Met	His
12860						12865					12870			
His	Pro	Gly	Ser	Arg	Lys	Phe	Asn	Thr	Thr	Glu	Arg	Val	Leu	Gln
12875						12880					12885			
Gly	Leu	Leu	Gly	Pro	Met	Phe	Lys	Asn	Thr	Ser	Val	Gly	Leu	Leu
12890						12895					12900			
Tyr	Ser	Gly	Cys	Arg	Leu	Thr	Leu	Leu	Arg	Pro	Glu	Lys	Asn	Gly
12905						12910					12915			
Ala	Ala	Thr	Gly	Met	Asp	Ala	Ile	Cys	Ser	His	Arg	Leu	Asp	Pro
12920						12925					12930			
Lys	Ser	Pro	Gly	Leu	Asn	Arg	Glu	Gln	Leu	Tyr	Trp	Glu	Leu	Ser
12935						12940					12945			

DFY-038W0_SL.TXT

Gln	Leu	Thr	His	Gly	Ile	Lys	Glu	Leu	Gly	Pro	Tyr	Thr	Leu	Asp
12950						12955					12960			
Arg	Asn	Ser	Leu	Tyr	Val	Asn	Gly	Phe	Thr	His	Arg	Ser	Ser	Val
12965						12970					12975			
Ala	Pro	Thr	Ser	Thr	Pro	Gly	Thr	Ser	Thr	Val	Asp	Leu	Gly	Thr
12980						12985					12990			
Ser	Gly	Thr	Pro	Ser	Ser	Leu	Pro	Ser	Pro	Thr	Thr	Ala	Val	Pro
12995						13000					13005			
Leu	Leu	Val	Pro	Phe	Thr	Leu	Asn	Phe	Thr	Ile	Thr	Asn	Leu	Gln
13010						13015					13020			
Tyr	Gly	Glu	Asp	Met	Arg	His	Pro	Gly	Ser	Arg	Lys	Phe	Asn	Thr
13025						13030					13035			
Thr	Glu	Arg	Val	Leu	Gln	Gly	Leu	Leu	Gly	Pro	Leu	Phe	Lys	Asn
13040						13045					13050			
Ser	Ser	Val	Gly	Pro	Leu	Tyr	Ser	Gly	Cys	Arg	Leu	Ile	Ser	Leu
13055						13060					13065			
Arg	Ser	Glu	Lys	Asp	Gly	Ala	Ala	Thr	Gly	Val	Asp	Ala	Ile	Cys
13070						13075					13080			
Thr	His	His	Leu	Asn	Pro	Gln	Ser	Pro	Gly	Leu	Asp	Arg	Glu	Gln
13085						13090					13095			
Leu	Tyr	Trp	Gln	Leu	Ser	Gln	Met	Thr	Asn	Gly	Ile	Lys	Glu	Leu
13100						13105					13110			
Gly	Pro	Tyr	Thr	Leu	Asp	Arg	Asn	Ser	Leu	Tyr	Val	Asn	Gly	Phe
13115						13120					13125			
Thr	His	Arg	Ser	Ser	Gly	Leu	Thr	Thr	Ser	Thr	Pro	Trp	Thr	Ser
13130						13135					13140			

DFY-038W0_SL.TXT

Thr Val 13145	Asp Leu Gly Thr Ser 13150	Gly Thr Pro Ser Pro 13155	Val Pro Ser
Pro Thr 13160	Thr Thr Gly Pro Leu 13165	Leu Val Pro Phe Thr 13170	Leu Asn Phe
Thr Ile 13175	Thr Asn Leu Gln Tyr 13180	Glu Glu Asn Met Gly 13185	His Pro Gly
Ser Arg 13190	Lys Phe Asn Ile Thr 13195	Glu Ser Val Leu Gln 13200	Gly Leu Leu
Lys Pro 13205	Leu Phe Lys Ser Thr 13210	Ser Val Gly Pro Leu 13215	Tyr Ser Gly
Cys Arg 13220	Leu Thr Leu Leu Arg 13225	Pro Glu Lys Asp Gly 13230	Val Ala Thr
Arg Val 13235	Asp Ala Ile Cys Thr 13240	His Arg Pro Asp Pro 13245	Lys Ile Pro
Gly Leu 13250	Asp Arg Gln Gln Leu 13255	Tyr Trp Glu Leu Ser 13260	Gln Leu Thr
His Ser 13265	Ile Thr Glu Leu Gly 13270	Pro Tyr Thr Leu Asp 13275	Arg Asp Ser
Leu Tyr 13280	Val Asn Gly Phe Thr 13285	Gln Arg Ser Ser Val 13290	Pro Thr Thr
Ser Thr 13295	Pro Gly Thr Phe Thr 13300	Val Gln Pro Glu Thr 13305	Ser Glu Thr
Pro Ser 13310	Ser Leu Pro Gly Pro 13315	Thr Ala Thr Gly Pro 13320	Val Leu Leu
Pro Phe 13325	Thr Leu Asn Phe Thr 13330	Ile Thr Asn Leu Gln 13335	Tyr Glu Glu

DFY-038W0_SL.TXT

Asp	Met	Arg	Arg	Pro	Gly	Ser	Arg	Lys	Phe	Asn	Thr	Thr	Glu	Arg
13340						13345					13350			
Val	Leu	Gln	Gly	Leu	Leu	Met	Pro	Leu	Phe	Lys	Asn	Thr	Ser	Val
13355						13360					13365			
Ser	Ser	Leu	Tyr	Ser	Gly	Cys	Arg	Leu	Thr	Leu	Leu	Arg	Pro	Glu
13370						13375					13380			
Lys	Asp	Gly	Ala	Ala	Thr	Arg	Val	Asp	Ala	Val	Cys	Thr	His	Arg
13385						13390					13395			
Pro	Asp	Pro	Lys	Ser	Pro	Gly	Leu	Asp	Arg	Glu	Arg	Leu	Tyr	Trp
13400						13405					13410			
Lys	Leu	Ser	Gln	Leu	Thr	His	Gly	Ile	Thr	Glu	Leu	Gly	Pro	Tyr
13415						13420					13425			
Thr	Leu	Asp	Arg	His	Ser	Leu	Tyr	Val	Asn	Gly	Phe	Thr	His	Gln
13430						13435					13440			
Ser	Ser	Met	Thr	Thr	Thr	Arg	Thr	Pro	Asp	Thr	Ser	Thr	Met	His
13445						13450					13455			
Leu	Ala	Thr	Ser	Arg	Thr	Pro	Ala	Ser	Leu	Ser	Gly	Pro	Met	Thr
13460						13465					13470			
Ala	Ser	Pro	Leu	Leu	Val	Leu	Phe	Thr	Ile	Asn	Phe	Thr	Ile	Thr
13475						13480					13485			
Asn	Leu	Arg	Tyr	Glu	Glu	Asn	Met	His	His	Pro	Gly	Ser	Arg	Lys
13490						13495					13500			
Phe	Asn	Thr	Thr	Glu	Arg	Val	Leu	Gln	Gly	Leu	Leu	Arg	Pro	Val
13505						13510					13515			
Phe	Lys	Asn	Thr	Ser	Val	Gly	Pro	Leu	Tyr	Ser	Gly	Cys	Arg	Leu
13520						13525					13530			

DFY-038W0_SL.TXT

Thr	Leu	Leu	Arg	Pro	Lys	Lys	Asp	Gly	Ala	Ala	Thr	Lys	Val	Asp
13535						13540					13545			
Ala	Ile	Cys	Thr	Tyr	Arg	Pro	Asp	Pro	Lys	Ser	Pro	Gly	Leu	Asp
13550						13555					13560			
Arg	Glu	Gln	Leu	Tyr	Trp	Glu	Leu	Ser	Gln	Leu	Thr	His	Ser	Ile
13565						13570					13575			
Thr	Glu	Leu	Gly	Pro	Tyr	Thr	Leu	Asp	Arg	Asp	Ser	Leu	Tyr	Val
13580						13585					13590			
Asn	Gly	Phe	Thr	Gln	Arg	Ser	Ser	Val	Pro	Thr	Thr	Ser	Ile	Pro
13595						13600					13605			
Gly	Thr	Pro	Thr	Val	Asp	Leu	Gly	Thr	Ser	Gly	Thr	Pro	Val	Ser
13610						13615					13620			
Lys	Pro	Gly	Pro	Ser	Ala	Ala	Ser	Pro	Leu	Leu	Val	Leu	Phe	Thr
13625						13630					13635			
Leu	Asn	Phe	Thr	Ile	Thr	Asn	Leu	Arg	Tyr	Glu	Glu	Asn	Met	Gln
13640						13645					13650			
His	Pro	Gly	Ser	Arg	Lys	Phe	Asn	Thr	Thr	Glu	Arg	Val	Leu	Gln
13655						13660					13665			
Gly	Leu	Leu	Arg	Ser	Leu	Phe	Lys	Ser	Thr	Ser	Val	Gly	Pro	Leu
13670						13675					13680			
Tyr	Ser	Gly	Cys	Arg	Leu	Thr	Leu	Leu	Arg	Pro	Glu	Lys	Asp	Gly
13685						13690					13695			
Thr	Ala	Thr	Gly	Val	Asp	Ala	Ile	Cys	Thr	His	His	Pro	Asp	Pro
13700						13705					13710			
Lys	Ser	Pro	Arg	Leu	Asp	Arg	Glu	Gln	Leu	Tyr	Trp	Glu	Leu	Ser
13715						13720					13725			

DFY-038W0_SL.TXT

Gln	Leu	Thr	His	Asn	Ile	Thr	Glu	Leu	Gly	Pro	Tyr	Ala	Leu	Asp
13730						13735					13740			
Asn	Asp	Ser	Leu	Phe	Val	Asn	Gly	Phe	Thr	His	Arg	Ser	Ser	Val
13745						13750					13755			
Ser	Thr	Thr	Ser	Thr	Pro	Gly	Thr	Pro	Thr	Val	Tyr	Leu	Gly	Ala
13760						13765					13770			
Ser	Lys	Thr	Pro	Ala	Ser	Ile	Phe	Gly	Pro	Ser	Ala	Ala	Ser	His
13775						13780					13785			
Leu	Leu	Ile	Leu	Phe	Thr	Leu	Asn	Phe	Thr	Ile	Thr	Asn	Leu	Arg
13790						13795					13800			
Tyr	Glu	Glu	Asn	Met	Trp	Pro	Gly	Ser	Arg	Lys	Phe	Asn	Thr	Thr
13805						13810					13815			
Glu	Arg	Val	Leu	Gln	Gly	Leu	Leu	Arg	Pro	Leu	Phe	Lys	Asn	Thr
13820						13825					13830			
Ser	Val	Gly	Pro	Leu	Tyr	Ser	Gly	Cys	Arg	Leu	Thr	Leu	Leu	Arg
13835						13840					13845			
Pro	Glu	Lys	Asp	Gly	Glu	Ala	Thr	Gly	Val	Asp	Ala	Ile	Cys	Thr
13850						13855					13860			
His	Arg	Pro	Asp	Pro	Thr	Gly	Pro	Gly	Leu	Asp	Arg	Glu	Gln	Leu
13865						13870					13875			
Tyr	Leu	Glu	Leu	Ser	Gln	Leu	Thr	His	Ser	Ile	Thr	Glu	Leu	Gly
13880						13885					13890			
Pro	Tyr	Thr	Leu	Asp	Arg	Asp	Ser	Leu	Tyr	Val	Asn	Gly	Phe	Thr
13895						13900					13905			
His	Arg	Ser	Ser	Val	Pro	Thr	Thr	Ser	Thr	Gly	Val	Val	Ser	Glu
13910						13915					13920			

DFY-038W0_SL.TXT

Glu	Pro	Phe	Thr	Leu	Asn	Phe	Thr	Ile	Asn	Asn	Leu	Arg	Tyr	Met
	13925					13930					13935			
Ala	Asp	Met	Gly	Gln	Pro	Gly	Ser	Leu	Lys	Phe	Asn	Ile	Thr	Asp
	13940					13945					13950			
Asn	Val	Met	Gln	His	Leu	Leu	Ser	Pro	Leu	Phe	Gln	Arg	Ser	Ser
	13955					13960					13965			
Leu	Gly	Ala	Arg	Tyr	Thr	Gly	Cys	Arg	Val	Ile	Ala	Leu	Arg	Ser
	13970					13975					13980			
Val	Lys	Asn	Gly	Ala	Glu	Thr	Arg	Val	Asp	Leu	Leu	Cys	Thr	Tyr
	13985					13990					13995			
Leu	Gln	Pro	Leu	Ser	Gly	Pro	Gly	Leu	Pro	Ile	Lys	Gln	Val	Phe
	14000					14005					14010			
His	Glu	Leu	Ser	Gln	Gln	Thr	His	Gly	Ile	Thr	Arg	Leu	Gly	Pro
	14015					14020					14025			
Tyr	Ser	Leu	Asp	Lys	Asp	Ser	Leu	Tyr	Leu	Asn	Gly	Tyr	Asn	Glu
	14030					14035					14040			
Pro	Gly	Pro	Asp	Glu	Pro	Pro	Thr	Thr	Pro	Lys	Pro	Ala	Thr	Thr
	14045					14050					14055			
Phe	Leu	Pro	Pro	Leu	Ser	Glu	Ala	Thr	Thr	Ala	Met	Gly	Tyr	His
	14060					14065					14070			
Leu	Lys	Thr	Leu	Thr	Leu	Asn	Phe	Thr	Ile	Ser	Asn	Leu	Gln	Tyr
	14075					14080					14085			
Ser	Pro	Asp	Met	Gly	Lys	Gly	Ser	Ala	Thr	Phe	Asn	Ser	Thr	Glu
	14090					14095					14100			
Gly	Val	Leu	Gln	His	Leu	Leu	Arg	Pro	Leu	Phe	Gln	Lys	Ser	Ser
	14105					14110					14115			

DFY-038W0_SL.TXT

Met	Gly	Pro	Phe	Tyr	Leu	Gly	Cys	Gln	Leu	Ile	Ser	Leu	Arg	Pro
	14120					14125					14130			
Glu	Lys	Asp	Gly	Ala	Ala	Thr	Gly	Val	Asp	Thr	Thr	Cys	Thr	Tyr
	14135					14140					14145			
His	Pro	Asp	Pro	Val	Gly	Pro	Gly	Leu	Asp	Ile	Gln	Gln	Leu	Tyr
	14150					14155					14160			
Trp	Glu	Leu	Ser	Gln	Leu	Thr	His	Gly	Val	Thr	Gln	Leu	Gly	Phe
	14165					14170					14175			
Tyr	Val	Leu	Asp	Arg	Asp	Ser	Leu	Phe	Ile	Asn	Gly	Tyr	Ala	Pro
	14180					14185					14190			
Gln	Asn	Leu	Ser	Ile	Arg	Gly	Glu	Tyr	Gln	Ile	Asn	Phe	His	Ile
	14195					14200					14205			
Val	Asn	Trp	Asn	Leu	Ser	Asn	Pro	Asp	Pro	Thr	Ser	Ser	Glu	Tyr
	14210					14215					14220			
Ile	Thr	Leu	Leu	Arg	Asp	Ile	Gln	Asp	Lys	Val	Thr	Thr	Leu	Tyr
	14225					14230					14235			
Lys	Gly	Ser	Gln	Leu	His	Asp	Thr	Phe	Arg	Phe	Cys	Leu	Val	Thr
	14240					14245					14250			
Asn	Leu	Thr	Met	Asp	Ser	Val	Leu	Val	Thr	Val	Lys	Ala	Leu	Phe
	14255					14260					14265			
Ser	Ser	Asn	Leu	Asp	Pro	Ser	Leu	Val	Glu	Gln	Val	Phe	Leu	Asp
	14270					14275					14280			
Lys	Thr	Leu	Asn	Ala	Ser	Phe	His	Trp	Leu	Gly	Ser	Thr	Tyr	Gln
	14285					14290					14295			
Leu	Val	Asp	Ile	His	Val	Thr	Glu	Met	Glu	Ser	Ser	Val	Tyr	Gln
	14300					14305					14310			

DFY-038W0_SL.TXT

Pro Thr 14315	Ser Ser Ser Ser	Thr 14320	Gln His Phe Tyr Leu 14325	Asn Phe Thr
Ile Thr 14330	Asn Leu Pro Tyr	Ser 14335	Gln Asp Lys Ala Gln 14340	Pro Gly Thr
Thr Asn 14345	Tyr Gln Arg Asn	Lys 14350	Arg Asn Ile Glu Asp 14355	Ala Leu Asn
Gln Leu 14360	Phe Arg Asn Ser	Ser 14365	Ile Lys Ser Tyr Phe 14370	Ser Asp Cys
Gln Val 14375	Ser Thr Phe Arg	Ser 14380	Val Pro Asn Arg His 14385	His Thr Gly
Val Asp 14390	Ser Leu Cys Asn	Phe 14395	Ser Pro Leu Ala Arg 14400	Arg Val Asp
Arg Val 14405	Ala Ile Tyr Glu	Glu 14410	Phe Leu Arg Met Thr 14415	Arg Asn Gly
Thr Gln 14420	Leu Gln Asn Phe	Thr 14425	Leu Asp Arg Ser Ser 14430	Val Leu Val
Asp Gly 14435	Tyr Ser Pro Asn	Arg 14440	Asn Glu Pro Leu Thr 14445	Gly Asn Ser
Asp Leu 14450	Pro Phe Trp Ala	Val 14455	Ile Leu Ile Gly Leu 14460	Ala Gly Leu
Leu Gly 14465	Val Ile Thr Cys	Leu 14470	Ile Cys Gly Val Leu 14475	Val Thr Thr
Arg Arg 14480	Arg Lys Lys Glu	Gly 14485	Glu Tyr Asn Val Gln 14490	Gln Gln Cys
Pro Gly 14495	Tyr Tyr Gln Ser	His 14500	Leu Asp Leu Glu Asp 14505	Leu Gln

<210> 149
 <211> 690
 <212> PRT
 <213> Homo sapiens

<400> 149

Met Ala Pro Trp Pro Glu Leu Gly Asp Ala Gln Pro Asn Pro Asp Lys
 1 5 10 15

Tyr Leu Glu Gly Ala Ala Gly Gln Gln Pro Thr Ala Pro Asp Lys Ser
 20 25 30

Lys Glu Thr Asn Lys Thr Asp Asn Thr Glu Ala Pro Val Thr Lys Ile
 35 40 45

Glu Leu Leu Pro Ser Tyr Ser Thr Ala Thr Leu Ile Asp Glu Pro Thr
 50 55 60

Glu Val Asp Asp Pro Trp Asn Leu Pro Thr Leu Gln Asp Ser Gly Ile
 65 70 75 80

Lys Trp Ser Glu Arg Asp Thr Lys Gly Lys Ile Leu Cys Phe Phe Gln
 85 90 95

Gly Ile Gly Arg Leu Ile Leu Leu Leu Gly Phe Leu Tyr Phe Phe Val
 100 105 110

Cys Ser Leu Asp Ile Leu Ser Ser Ala Phe Gln Leu Val Gly Gly Lys
 115 120 125

Met Ala Gly Gln Phe Phe Ser Asn Ser Ser Ile Met Ser Asn Pro Leu
 130 135 140

Leu Gly Leu Val Ile Gly Val Leu Val Thr Val Leu Val Gln Ser Ser
 145 150 155 160

Ser Thr Ser Thr Ser Ile Val Val Ser Met Val Ser Ser Ser Leu Leu
 165 170 175

Thr Val Arg Ala Ala Ile Pro Ile Ile Met Gly Ala Asn Ile Gly Thr

180

185

190

Ser Ile Thr Asn Thr Ile Val Ala Leu Met Gln Val Gly Asp Arg Ser
 195 200 205

Glu Phe Arg Arg Ala Phe Ala Gly Ala Thr Val His Asp Phe Phe Asn
 210 215 220

Trp Leu Ser Val Leu Val Leu Leu Pro Val Glu Val Ala Thr His Tyr
 225 230 235 240

Leu Glu Ile Ile Thr Gln Leu Ile Val Glu Ser Phe His Phe Lys Asn
 245 250 255

Gly Glu Asp Ala Pro Asp Leu Leu Lys Val Ile Thr Lys Pro Phe Thr
 260 265 270

Lys Leu Ile Val Gln Leu Asp Lys Lys Val Ile Ser Gln Ile Ala Met
 275 280 285

Asn Asp Glu Lys Ala Lys Asn Lys Ser Leu Val Lys Ile Trp Cys Lys
 290 295 300

Thr Phe Thr Asn Lys Thr Gln Ile Asn Val Thr Val Pro Ser Thr Ala
 305 310 315 320

Asn Cys Thr Ser Pro Ser Leu Cys Trp Thr Asp Gly Ile Gln Asn Trp
 325 330 335

Thr Met Lys Asn Val Thr Tyr Lys Glu Asn Ile Ala Lys Cys Gln His
 340 345 350

Ile Phe Val Asn Phe His Leu Pro Asp Leu Ala Val Gly Thr Ile Leu
 355 360 365

Leu Ile Leu Ser Leu Leu Val Leu Cys Gly Cys Leu Ile Met Ile Val
 370 375 380

Lys Ile Leu Gly Ser Val Leu Lys Gly Gln Val Ala Thr Val Ile Lys

```

385                               390                               395                               400

Lys Thr Ile Asn Thr Asp Phe Pro Phe Pro Phe Ala Trp Leu Thr Gly
      405                               410                               415

Tyr Leu Ala Ile Leu Val Gly Ala Gly Met Thr Phe Ile Val Gln Ser
      420                               425                               430

Ser Ser Val Phe Thr Ser Ala Leu Thr Pro Leu Ile Gly Ile Gly Val
      435                               440                               445

Ile Thr Ile Glu Arg Ala Tyr Pro Leu Thr Leu Gly Ser Asn Ile Gly
      450                               455                               460

Thr Thr Thr Thr Ala Ile Leu Ala Ala Leu Ala Ser Pro Gly Asn Ala
465                               470                               475                               480

Leu Arg Ser Ser Leu Gln Ile Ala Leu Cys His Phe Phe Phe Asn Ile
      485                               490                               495

Ser Gly Ile Leu Leu Trp Tyr Pro Ile Pro Phe Thr Arg Leu Pro Ile
      500                               505                               510

Arg Met Ala Lys Gly Leu Gly Asn Ile Ser Ala Lys Tyr Arg Trp Phe
      515                               520                               525

Ala Val Phe Tyr Leu Ile Ile Phe Phe Phe Leu Ile Pro Leu Thr Val
      530                               535                               540

Phe Gly Leu Ser Leu Ala Gly Trp Arg Val Leu Val Gly Val Gly Val
545                               550                               555                               560

Pro Val Val Phe Ile Ile Ile Leu Val Leu Cys Leu Arg Leu Leu Gln
      565                               570                               575

Ser Arg Cys Pro Arg Val Leu Pro Lys Lys Leu Gln Asn Trp Asn Phe
      580                               585                               590

Leu Pro Leu Trp Met Arg Ser Leu Lys Pro Trp Asp Ala Val Val Ser

```

595

600

605

Lys Phe Thr Gly Cys Phe Gln Met Arg Cys Cys Cys Cys Cys Arg Val
 610 615 620

Cys Cys Arg Ala Cys Cys Leu Leu Cys Asp Cys Pro Lys Cys Cys Arg
 625 630 635 640

Cys Ser Lys Cys Cys Glu Asp Leu Glu Glu Ala Gln Glu Gly Gln Asp
 645 650 655

Val Pro Val Lys Ala Pro Glu Thr Phe Asp Asn Ile Thr Ile Ser Arg
 660 665 670

Glu Ala Gln Gly Glu Val Pro Ala Ser Asp Ser Lys Thr Glu Cys Thr
 675 680 685

Ala Leu
 690

<210> 150
 <211> 510
 <212> PRT
 <213> Homo sapiens

<400> 150

Met Pro Leu Ser Leu Gly Ala Glu Met Trp Gly Pro Glu Ala Trp Leu
 1 5 10 15

Leu Leu Leu Leu Leu Leu Ala Ser Phe Thr Gly Arg Cys Pro Ala Gly
 20 25 30

Glu Leu Glu Thr Ser Asp Val Val Thr Val Val Leu Gly Gln Asp Ala
 35 40 45

Lys Leu Pro Cys Phe Tyr Arg Gly Asp Ser Gly Glu Gln Val Gly Gln
 50 55 60

Val Ala Trp Ala Arg Val Asp Ala Gly Glu Gly Ala Gln Glu Leu Ala
 65 70 75 80

Leu Leu His Ser Lys Tyr Gly Leu His Val Ser Pro Ala Tyr Glu Gly
85 90 95

Arg Val Glu Gln Pro Pro Pro Pro Arg Asn Pro Leu Asp Gly Ser Val
100 105 110

Leu Leu Arg Asn Ala Val Gln Ala Asp Glu Gly Glu Tyr Glu Cys Arg
115 120 125

Val Ser Thr Phe Pro Ala Gly Ser Phe Gln Ala Arg Leu Arg Leu Arg
130 135 140

Val Leu Val Pro Pro Leu Pro Ser Leu Asn Pro Gly Pro Ala Leu Glu
145 150 155 160

Glu Gly Gln Gly Leu Thr Leu Ala Ala Ser Cys Thr Ala Glu Gly Ser
165 170 175

Pro Ala Pro Ser Val Thr Trp Asp Thr Glu Val Lys Gly Thr Thr Ser
180 185 190

Ser Arg Ser Phe Lys His Ser Arg Ser Ala Ala Val Thr Ser Glu Phe
195 200 205

His Leu Val Pro Ser Arg Ser Met Asn Gly Gln Pro Leu Thr Cys Val
210 215 220

Val Ser His Pro Gly Leu Leu Gln Asp Gln Arg Ile Thr His Ile Leu
225 230 235 240

His Val Ser Phe Leu Ala Glu Ala Ser Val Arg Gly Leu Glu Asp Gln
245 250 255

Asn Leu Trp His Ile Gly Arg Glu Gly Ala Met Leu Lys Cys Leu Ser
260 265 270

Glu Gly Gln Pro Pro Pro Ser Tyr Asn Trp Thr Arg Leu Asp Gly Pro
275 280 285

Leu Pro Ser Gly Val Arg Val Asp Gly Asp Thr Leu Gly Phe Pro Pro
 290 295 300

Leu Thr Thr Glu His Ser Gly Ile Tyr Val Cys His Val Ser Asn Glu
 305 310 315 320

Phe Ser Ser Arg Asp Ser Gln Val Thr Val Asp Val Leu Asp Pro Gln
 325 330 335

Glu Asp Ser Gly Lys Gln Val Asp Leu Val Ser Ala Ser Val Val Val
 340 345 350

Val Gly Val Ile Ala Ala Leu Leu Phe Cys Leu Leu Val Val Val Val
 355 360 365

Val Leu Met Ser Arg Tyr His Arg Arg Lys Ala Gln Gln Met Thr Gln
 370 375 380

Lys Tyr Glu Glu Glu Leu Thr Leu Thr Arg Glu Asn Ser Ile Arg Arg
 385 390 395 400

Leu His Ser His His Thr Asp Pro Arg Ser Gln Pro Glu Glu Ser Val
 405 410 415

Gly Leu Arg Ala Glu Gly His Pro Asp Ser Leu Lys Asp Asn Ser Ser
 420 425 430

Cys Ser Val Met Ser Glu Glu Pro Glu Gly Arg Ser Tyr Ser Thr Leu
 435 440 445

Thr Thr Val Arg Glu Ile Glu Thr Gln Thr Glu Leu Leu Ser Pro Gly
 450 455 460

Ser Gly Arg Ala Glu Glu Glu Glu Asp Gln Asp Glu Gly Ile Lys Gln
 465 470 475 480

Ala Met Asn His Phe Val Gln Glu Asn Gly Thr Leu Arg Ala Lys Pro
 485 490 495

Thr Gly Asn Gly Ile Tyr Ile Asn Gly Arg Gly His Leu Val
500 505 510

<210> 151
<211> 764
<212> PRT
<213> Homo sapiens

<400> 151

Leu Gly Ala Thr Gly His Asn Phe Thr Leu His Leu Arg Lys Asn Arg
1 5 10 15

Asp Leu Leu Gly Ser Gly Tyr Thr Glu Thr Tyr Thr Ala Ala Asn Gly
20 25 30

Ser Glu Val Thr Glu Gln Pro Arg Gly Gln Asp His Cys Phe Tyr Gln
35 40 45

Gly His Val Glu Gly Tyr Pro Asp Ser Ala Ala Ser Leu Ser Thr Cys
50 55 60

Ala Gly Leu Arg Gly Phe Phe Gln Val Gly Ser Asp Leu His Leu Ile
65 70 75 80

Glu Pro Leu Asp Glu Gly Gly Glu Gly Gly Arg His Ala Val Tyr Gln
85 90 95

Ala Glu His Leu Leu Gln Thr Ala Gly Thr Cys Gly Val Ser Asp Asp
100 105 110

Ser Leu Gly Ser Leu Leu Gly Pro Arg Thr Ala Ala Val Phe Arg Pro
115 120 125

Arg Pro Gly Asp Ser Leu Pro Ser Arg Glu Thr Arg Tyr Val Glu Leu
130 135 140

Tyr Val Val Val Asp Asn Ala Glu Phe Gln Met Leu Gly Ser Glu Ala
145 150 155 160

DFY-038W0_SL.TXT

Ala Val Arg His Arg Val Leu Glu Val Val Asn His Val Asp Lys Leu
165 170 175

Tyr Gln Lys Leu Asn Phe Arg Val Val Leu Val Gly Leu Glu Ile Trp
180 185 190

Asn Ser Gln Asp Arg Phe His Val Ser Pro Asp Pro Ser Val Thr Leu
195 200 205

Glu Asn Leu Leu Thr Trp Gln Ala Arg Gln Arg Thr Arg Arg His Leu
210 215 220

His Asp Asn Val Gln Leu Ile Thr Gly Val Asp Phe Thr Gly Thr Thr
225 230 235 240

Val Gly Phe Ala Arg Val Ser Ala Met Cys Ser His Ser Ser Gly Ala
245 250 255

Val Asn Gln Asp His Ser Lys Asn Pro Val Gly Val Ala Cys Thr Met
260 265 270

Ala His Glu Met Gly His Asn Leu Gly Met Asp His Asp Glu Asn Val
275 280 285

Gln Gly Cys Arg Cys Gln Glu Arg Phe Glu Ala Gly Arg Cys Ile Met
290 295 300

Ala Gly Ser Ile Gly Ser Ser Phe Pro Arg Met Phe Ser Asp Cys Ser
305 310 315 320

Gln Ala Tyr Leu Glu Ser Phe Leu Glu Arg Pro Gln Ser Val Cys Leu
325 330 335

Ala Asn Ala Pro Asp Leu Ser His Leu Val Gly Gly Pro Val Cys Gly
340 345 350

Asn Leu Phe Val Glu Arg Gly Glu Gln Cys Asp Cys Gly Pro Pro Glu
355 360 365

DFY-038W0_SL.TXT

Asp Cys Arg Asn Arg Cys Cys Asn Ser Thr Thr Cys Gln Leu Ala Glu
370 375 380

Gly Ala Gln Cys Ala His Gly Thr Cys Cys Gln Glu Cys Lys Val Lys
385 390 395 400

Pro Ala Gly Glu Leu Cys Arg Pro Lys Lys Asp Met Cys Asp Leu Glu
405 410 415

Glu Phe Cys Asp Gly Arg His Pro Glu Cys Pro Glu Asp Ala Phe Gln
420 425 430

Glu Asn Gly Thr Pro Cys Ser Gly Gly Tyr Cys Tyr Asn Gly Ala Cys
435 440 445

Pro Thr Leu Ala Gln Gln Cys Gln Ala Phe Trp Gly Pro Gly Gly Gln
450 455 460

Ala Ala Glu Glu Ser Cys Phe Ser Tyr Asp Ile Leu Pro Gly Cys Lys
465 470 475 480

Ala Ser Arg Tyr Arg Ala Asp Met Cys Gly Val Leu Gln Cys Lys Gly
485 490 495

Gly Gln Gln Pro Leu Gly Arg Ala Ile Cys Ile Val Asp Val Cys His
500 505 510

Ala Leu Thr Thr Glu Asp Gly Thr Ala Tyr Glu Pro Val Pro Glu Gly
515 520 525

Thr Arg Cys Gly Pro Glu Lys Val Cys Trp Lys Gly Arg Cys Gln Asp
530 535 540

Leu His Val Tyr Arg Ser Ser Asn Cys Ser Ala Gln Cys His Asn His
545 550 555 560

Gly Val Cys Asn His Lys Gln Glu Cys His Cys His Ala Gly Trp Ala
565 570 575

DFY-038W0_SL.TXT

Pro Pro His Cys Ala Lys Leu Leu Thr Glu Val His Ala Ala Ser Gly
580 585 590

Ser Leu Pro Val Phe Val Val Val Val Leu Val Leu Leu Ala Val Val
595 600 605

Leu Val Thr Leu Ala Gly Ile Ile Val Tyr Arg Lys Ala Arg Ser Arg
610 615 620

Ile Leu Ser Arg Asn Val Ala Pro Lys Thr Thr Met Gly Arg Ser Asn
625 630 635 640

Pro Leu Phe His Gln Ala Ala Ser Arg Val Pro Ala Lys Gly Gly Ala
645 650 655

Pro Ala Pro Ser Arg Gly Pro Gln Glu Leu Val Pro Thr Thr His Pro
660 665 670

Gly Gln Pro Ala Arg His Pro Ala Ser Ser Val Ala Leu Lys Arg Pro
675 680 685

Pro Pro Ala Pro Pro Val Thr Val Ser Ser Pro Pro Phe Pro Val Pro
690 695 700

Val Tyr Thr Arg Gln Ala Pro Lys Gln Val Ile Lys Pro Thr Phe Ala
705 710 715 720

Pro Pro Val Pro Pro Val Lys Pro Gly Ala Gly Ala Ala Asn Pro Gly
725 730 735

Pro Ala Glu Gly Ala Val Gly Pro Lys Val Ala Leu Lys Pro Pro Ile
740 745 750

Gln Arg Lys Gln Gly Ala Gly Ala Pro Thr Ala Pro
755 760

<210> 152

<211> 819

<212> PRT

<213> Homo sapiens

<400> 152

Met Gly Ser Gly Ala Arg Phe Pro Ser Gly Thr Leu Arg Val Arg Trp
 1 5 10 15

Leu Leu Leu Leu Gly Leu Val Gly Pro Val Leu Gly Ala Ala Arg Pro
 20 25 30

Gly Phe Gln Gln Thr Ser His Leu Ser Ser Tyr Glu Ile Ile Thr Pro
 35 40 45

Trp Arg Leu Thr Arg Glu Arg Arg Glu Ala Pro Arg Pro Tyr Ser Lys
 50 55 60

Gln Val Ser Tyr Val Ile Gln Ala Glu Gly Lys Glu His Ile Ile His
 65 70 75 80

Leu Glu Arg Asn Lys Asp Leu Leu Pro Glu Asp Phe Val Val Tyr Thr
 85 90 95

Tyr Asn Lys Glu Gly Thr Leu Ile Thr Asp His Pro Asn Ile Gln Asn
 100 105 110

His Cys His Tyr Arg Gly Tyr Val Glu Gly Val His Asn Ser Ser Ile
 115 120 125

Ala Leu Ser Asp Cys Phe Gly Leu Arg Gly Leu Leu His Leu Glu Asn
 130 135 140

Ala Ser Tyr Gly Ile Glu Pro Leu Gln Asn Ser Ser His Phe Glu His
 145 150 155 160

Ile Ile Tyr Arg Met Asp Asp Val Tyr Lys Glu Pro Leu Lys Cys Gly
 165 170 175

Val Ser Asn Lys Asp Ile Glu Lys Glu Thr Ala Lys Asp Glu Glu Glu
 180 185 190

DFY-038W0_SL.TXT

Glu Pro Pro Ser Met Thr Gln Leu Leu Arg Arg Arg Arg Ala Val Leu
195 200 205

Pro Gln Thr Arg Tyr Val Glu Leu Phe Ile Val Val Asp Lys Glu Arg
210 215 220

Tyr Asp Met Met Gly Arg Asn Gln Thr Ala Val Arg Glu Glu Met Ile
225 230 235 240

Leu Leu Ala Asn Tyr Leu Asp Ser Met Tyr Ile Met Leu Asn Ile Arg
245 250 255

Ile Val Leu Val Gly Leu Glu Ile Trp Thr Asn Gly Asn Leu Ile Asn
260 265 270

Ile Val Gly Gly Ala Gly Asp Val Leu Gly Asn Phe Val Gln Trp Arg
275 280 285

Glu Lys Phe Leu Ile Thr Arg Arg Arg His Asp Ser Ala Gln Leu Val
290 295 300

Leu Lys Lys Gly Phe Gly Gly Thr Ala Gly Met Ala Phe Val Gly Thr
305 310 315 320

Val Cys Ser Arg Ser His Ala Gly Gly Ile Asn Val Phe Gly Gln Ile
325 330 335

Thr Val Glu Thr Phe Ala Ser Ile Val Ala His Glu Leu Gly His Asn
340 345 350

Leu Gly Met Asn His Asp Asp Gly Arg Asp Cys Ser Cys Gly Ala Lys
355 360 365

Ser Cys Ile Met Asn Ser Gly Ala Ser Gly Ser Arg Asn Phe Ser Ser
370 375 380

Cys Ser Ala Glu Asp Phe Glu Lys Leu Thr Leu Asn Lys Gly Gly Asn
385 390 395 400

DFY-038W0_SL.TXT

Cys Leu Leu Asn Ile Pro Lys Pro Asp Glu Ala Tyr Ser Ala Pro Ser
405 410 415

Cys Gly Asn Lys Leu Val Asp Ala Gly Glu Glu Cys Asp Cys Gly Thr
420 425 430

Pro Lys Glu Cys Glu Leu Asp Pro Cys Cys Glu Gly Ser Thr Cys Lys
435 440 445

Leu Lys Ser Phe Ala Glu Cys Ala Tyr Gly Asp Cys Cys Lys Asp Cys
450 455 460

Arg Phe Leu Pro Gly Gly Thr Leu Cys Arg Gly Lys Thr Ser Glu Cys
465 470 475 480

Asp Val Pro Glu Tyr Cys Asn Gly Ser Ser Gln Phe Cys Gln Pro Asp
485 490 495

Val Phe Ile Gln Asn Gly Tyr Pro Cys Gln Asn Asn Lys Ala Tyr Cys
500 505 510

Tyr Asn Gly Met Cys Gln Tyr Tyr Asp Ala Gln Cys Gln Val Ile Phe
515 520 525

Gly Ser Lys Ala Lys Ala Ala Pro Lys Asp Cys Phe Ile Glu Val Asn
530 535 540

Ser Lys Gly Asp Arg Phe Gly Asn Cys Gly Phe Ser Gly Asn Glu Tyr
545 550 555 560

Lys Lys Cys Ala Thr Gly Asn Ala Leu Cys Gly Lys Leu Gln Cys Glu
565 570 575

Asn Val Gln Glu Ile Pro Val Phe Gly Ile Val Pro Ala Ile Ile Gln
580 585 590

Thr Pro Ser Arg Gly Thr Lys Cys Trp Gly Val Asp Phe Gln Leu Gly
595 600 605

DFY-038W0_SL.TXT

Ser Asp Val Pro Asp Pro Gly Met Val Asn Glu Gly Thr Lys Cys Gly
610 615 620

Ala Gly Lys Ile Cys Arg Asn Phe Gln Cys Val Asp Ala Ser Val Leu
625 630 635 640

Asn Tyr Asp Cys Asp Val Gln Lys Lys Cys His Gly His Gly Val Cys
645 650 655

Asn Ser Asn Lys Asn Cys His Cys Glu Asn Gly Trp Ala Pro Pro Asn
660 665 670

Cys Glu Thr Lys Gly Tyr Gly Gly Ser Val Asp Ser Gly Pro Thr Tyr
675 680 685

Asn Glu Met Asn Thr Ala Leu Arg Asp Gly Leu Leu Val Phe Phe Phe
690 695 700

Leu Ile Val Pro Leu Ile Val Cys Ala Ile Phe Ile Phe Ile Lys Arg
705 710 715 720

Asp Gln Leu Trp Arg Ser Tyr Phe Arg Lys Lys Arg Ser Gln Thr Tyr
725 730 735

Glu Ser Asp Gly Lys Asn Gln Ala Asn Pro Ser Arg Gln Pro Gly Ser
740 745 750

Val Pro Arg His Val Ser Pro Val Thr Pro Pro Arg Glu Val Pro Ile
755 760 765

Tyr Ala Asn Arg Phe Ala Val Pro Thr Tyr Ala Ala Lys Gln Pro Gln
770 775 780

Gln Phe Pro Ser Arg Pro Pro Pro Pro Gln Pro Lys Val Ser Ser Gln
785 790 795 800

Gly Asn Leu Ile Pro Ala Arg Pro Ala Pro Ala Pro Pro Leu Tyr Ser
805 810 815

Ser Leu Thr

<210> 153
 <211> 710
 <212> PRT
 <213> Homo sapiens

<400> 153

Met Gly Gly Lys Gln Arg Asp Glu Asp Asp Glu Ala Tyr Gly Lys Pro
 1 5 10 15

Val Lys Tyr Asp Pro Ser Phe Arg Gly Pro Ile Lys Asn Arg Ser Cys
 20 25 30

Thr Asp Val Ile Cys Cys Val Leu Phe Leu Leu Phe Ile Leu Gly Tyr
 35 40 45

Ile Val Val Gly Ile Val Ala Trp Leu Tyr Gly Asp Pro Arg Gln Val
 50 55 60

Leu Tyr Pro Arg Asn Ser Thr Gly Ala Tyr Cys Gly Met Gly Glu Asn
 65 70 75 80

Lys Asp Lys Pro Tyr Leu Leu Tyr Phe Asn Ile Phe Ser Cys Ile Leu
 85 90 95

Ser Ser Asn Ile Ile Ser Val Ala Glu Asn Gly Leu Gln Cys Pro Thr
 100 105 110

Pro Gln Val Cys Val Ser Ser Cys Pro Glu Asp Pro Trp Thr Val Gly
 115 120 125

Lys Asn Glu Phe Ser Gln Thr Val Gly Glu Val Phe Tyr Thr Lys Asn
 130 135 140

Arg Asn Phe Cys Leu Pro Gly Val Pro Trp Asn Met Thr Val Ile Thr
 145 150 155 160

Ser Leu Gln Gln Glu Leu Cys Pro Ser Phe Leu Leu Pro Ser Ala Pro

165

170

175

Ala Leu Gly Arg Cys Phe Pro Trp Thr Asn Val Thr Pro Pro Ala Leu
 180 185 190

Pro Gly Ile Thr Asn Asp Thr Thr Ile Gln Gln Gly Ile Ser Gly Leu
 195 200 205

Ile Asp Ser Leu Asn Ala Arg Asp Ile Ser Val Lys Ile Phe Glu Asp
 210 215 220

Phe Ala Gln Ser Trp Tyr Trp Ile Leu Val Ala Leu Gly Val Ala Leu
 225 230 235 240

Val Leu Ser Leu Leu Phe Ile Leu Leu Leu Arg Leu Val Ala Gly Pro
 245 250 255

Leu Val Leu Val Leu Ile Leu Gly Val Leu Gly Val Leu Ala Tyr Gly
 260 265 270

Ile Tyr Tyr Cys Trp Glu Glu Tyr Arg Val Leu Arg Asp Lys Gly Ala
 275 280 285

Ser Ile Ser Gln Leu Gly Phe Thr Thr Asn Leu Ser Ala Tyr Gln Ser
 290 295 300

Val Gln Glu Thr Trp Leu Ala Ala Leu Ile Val Leu Ala Val Leu Glu
 305 310 315 320

Ala Ile Leu Leu Leu Met Leu Ile Phe Leu Arg Gln Arg Ile Arg Ile
 325 330 335

Ala Ile Ala Leu Leu Lys Glu Ala Ser Lys Ala Val Gly Gln Met Met
 340 345 350

Ser Thr Met Phe Tyr Pro Leu Val Thr Phe Val Leu Leu Leu Ile Cys
 355 360 365

Ile Ala Tyr Trp Ala Met Thr Ala Leu Tyr Leu Ala Thr Ser Gly Gln

370

375

380

Pro Gln Tyr Val Leu Trp Ala Ser Asn Ile Ser Ser Pro Gly Cys Glu
 385 390 395 400

Lys Val Pro Ile Asn Thr Ser Cys Asn Pro Thr Ala His Leu Val Asn
 405 410 415

Ser Ser Cys Pro Gly Leu Met Cys Val Phe Gln Gly Tyr Ser Ser Lys
 420 425 430

Gly Leu Ile Gln Arg Ser Val Phe Asn Leu Gln Ile Tyr Gly Val Leu
 435 440 445

Gly Leu Phe Trp Thr Leu Asn Trp Val Leu Ala Leu Gly Gln Cys Val
 450 455 460

Leu Ala Gly Ala Phe Ala Ser Phe Tyr Trp Ala Phe His Lys Pro Gln
 465 470 475 480

Asp Ile Pro Thr Phe Pro Leu Ile Ser Ala Phe Ile Arg Thr Leu Arg
 485 490 495

Tyr His Thr Gly Ser Leu Ala Phe Gly Ala Leu Ile Leu Thr Leu Val
 500 505 510

Gln Ile Ala Arg Val Ile Leu Glu Tyr Ile Asp His Lys Leu Arg Gly
 515 520 525

Val Gln Asn Pro Val Ala Arg Cys Ile Met Cys Cys Phe Lys Cys Cys
 530 535 540

Leu Trp Cys Leu Glu Lys Phe Ile Lys Phe Leu Asn Arg Asn Ala Tyr
 545 550 555 560

Ile Met Ile Ala Ile Tyr Gly Lys Asn Phe Cys Val Ser Ala Lys Asn
 565 570 575

Ala Phe Met Leu Leu Met Arg Asn Ile Val Arg Val Val Val Leu Asp

580

585

590

Lys Val Thr Asp Leu Leu Leu Phe Phe Gly Lys Leu Leu Val Val Gly
 595 600 605

Gly Val Gly Val Leu Ser Phe Phe Phe Phe Ser Gly Arg Ile Pro Gly
 610 615 620

Leu Gly Lys Asp Phe Lys Ser Pro His Leu Asn Tyr Tyr Trp Leu Pro
 625 630 635 640

Ile Met Thr Ser Ile Leu Gly Ala Tyr Val Ile Ala Ser Gly Phe Phe
 645 650 655

Ser Val Phe Gly Met Cys Val Asp Thr Leu Phe Leu Cys Phe Leu Glu
 660 665 670

Asp Leu Glu Arg Asn Asn Gly Ser Leu Asp Arg Pro Tyr Tyr Met Ser
 675 680 685

Lys Ser Leu Leu Lys Ile Leu Gly Lys Lys Asn Glu Ala Pro Pro Asp
 690 695 700

Asn Lys Lys Arg Lys Lys
 705 710

<210> 154
 <211> 333
 <212> PRT
 <213> Homo sapiens

<400> 154

Met Ala Cys Ser Arg Pro Pro Ser Gln Cys Glu Pro Thr Ser Leu Pro
 1 5 10 15

Pro Gly Pro Pro Ala Gly Arg Arg His Leu Pro Leu Ser Arg Arg Arg
 20 25 30

Arg Glu Met Ser Ser Asn Lys Glu Gln Arg Ser Ala Val Phe Val Ile
 35 40 45

Leu Phe Ala Leu Ile Thr Ile Leu Ile Leu Tyr Ser Ser Asn Ser Ala
50 55 60

Asn Glu Val Phe His Tyr Gly Ser Leu Arg Gly Arg Ser Arg Arg Pro
65 70 75 80

Val Asn Leu Lys Lys Trp Ser Ile Thr Asp Gly Tyr Val Pro Ile Leu
85 90 95

Gly Asn Lys Thr Leu Pro Ser Arg Cys His Gln Cys Val Ile Val Ser
100 105 110

Ser Ser Ser His Leu Leu Gly Thr Lys Leu Gly Pro Glu Ile Glu Arg
115 120 125

Ala Glu Cys Thr Ile Arg Met Asn Asp Ala Pro Thr Thr Gly Tyr Ser
130 135 140

Ala Asp Val Gly Asn Lys Thr Thr Tyr Arg Val Val Ala His Ser Ser
145 150 155 160

Val Phe Arg Val Leu Arg Arg Pro Gln Glu Phe Val Asn Arg Thr Pro
165 170 175

Glu Thr Val Phe Ile Phe Trp Gly Pro Pro Ser Lys Met Gln Lys Pro
180 185 190

Gln Gly Ser Leu Val Arg Val Ile Gln Arg Ala Gly Leu Val Phe Pro
195 200 205

Asn Met Glu Ala Tyr Ala Val Ser Pro Gly Arg Met Arg Gln Phe Asp
210 215 220

Asp Leu Phe Arg Gly Glu Thr Gly Lys Asp Arg Glu Lys Ser His Ser
225 230 235 240

Trp Leu Ser Thr Gly Trp Phe Thr Met Val Ile Ala Val Glu Leu Cys
245 250 255

Asp His Val His Val Tyr Gly Met Val Pro Pro Asn Tyr Cys Ser Gln
260 265 270

Arg Pro Arg Leu Gln Arg Met Pro Tyr His Tyr Tyr Glu Pro Lys Gly
275 280 285

Pro Asp Glu Cys Val Thr Tyr Ile Gln Asn Glu His Ser Arg Lys Gly
290 295 300

Asn His His Arg Phe Ile Thr Glu Lys Arg Val Phe Ser Ser Trp Ala
305 310 315 320

Gln Leu Tyr Gly Ile Thr Phe Ser His Pro Ser Trp Thr
325 330

<210> 155

<211> 120

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Synthetic polypeptide

<400> 155

Gln Val Lys Leu Gln Glu Ser Gly Ala Glu Leu Ala Arg Pro Gly Ala
1 5 10 15

Ser Val Lys Leu Ser Cys Lys Ala Ser Gly Tyr Thr Phe Thr Asn Tyr
20 25 30

Trp Met Gln Trp Val Lys Gln Arg Pro Gly Gln Gly Leu Asp Trp Ile
35 40 45

Gly Ala Ile Tyr Pro Gly Asp Gly Asn Thr Arg Tyr Thr His Lys Phe
50 55 60

Lys Gly Lys Ala Thr Leu Thr Ala Asp Lys Ser Ser Ser Thr Ala Tyr
65 70 75 80

DFY-038W0_SL.TXT

Met Gln Leu Ser Ser Leu Ala Ser Glu Asp Ser Gly Val Tyr Tyr Cys
85 90 95

Ala Arg Gly Glu Gly Asn Tyr Ala Trp Phe Ala Tyr Trp Gly Gln Gly
100 105 110

Thr Thr Val Thr Val Ser Ser Ala
115 120

<210> 156
<211> 7
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: Synthetic peptide

<400> 156

Gly Tyr Thr Phe Thr Asn Tyr
1 5

<210> 157
<211> 6
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: Synthetic peptide

<400> 157

Tyr Pro Gly Asp Gly Asn
1 5

<210> 158
<211> 10
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: Synthetic peptide

<400> 158

Gly Glu Gly Asn Tyr Ala Trp Phe Ala Tyr
1 5 10

<210> 159
 <211> 108
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Description of Artificial Sequence: Synthetic polypeptide

<400> 159

Asp Ile Glu Leu Thr Gln Ser Pro Ala Ser Leu Ser Ala Ser Val Gly
 1 5 10 15

Glu Thr Val Thr Ile Thr Cys Gln Ala Ser Glu Asn Ile Tyr Ser Tyr
 20 25 30

Leu Ala Trp His Gln Gln Lys Gln Gly Lys Ser Pro Gln Leu Leu Val
 35 40 45

Tyr Asn Ala Lys Thr Leu Ala Gly Gly Val Ser Ser Arg Phe Ser Gly
 50 55 60

Ser Gly Ser Gly Thr His Phe Ser Leu Lys Ile Lys Ser Leu Gln Pro
 65 70 75 80

Glu Asp Phe Gly Ile Tyr Tyr Cys Gln His His Tyr Gly Ile Leu Pro
 85 90 95

Thr Phe Gly Gly Gly Thr Lys Leu Glu Ile Lys Arg
 100 105

<210> 160
 <211> 8
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Description of Artificial Sequence: Synthetic peptide

<400> 160

Glu Asn Ile Tyr Ser Tyr Leu Ala
 1 5

<210> 161
 <211> 7
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Description of Artificial Sequence: Synthetic peptide

<400> 161

Asn Ala Lys Thr Leu Ala Gly
 1 5

<210> 162
 <211> 9
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Description of Artificial Sequence: Synthetic peptide

<400> 162

Gln His His Tyr Gly Ile Leu Pro Thr
 1 5

<210> 163
 <211> 117
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Description of Artificial Sequence: Synthetic polypeptide

<400> 163

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
 1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Tyr Ser Ile Thr Asn Asp
 20 25 30

Tyr Ala Trp Asn Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp
 35 40 45

DFY-038W0_SL.TXT

Val Gly Tyr Ile Ser Tyr Ser Gly Tyr Thr Thr Tyr Asn Pro Ser Leu
50 55 60

Lys Ser Arg Phe Thr Ile Ser Arg Asp Thr Ser Lys Asn Thr Leu Tyr
65 70 75 80

Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Arg Trp Thr Ser Gly Leu Asp Tyr Trp Gly Gln Gly Thr Leu Val
100 105 110

Thr Val Ser Ser Ala
115

<210> 164
<211> 8
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: Synthetic peptide

<400> 164

Gly Tyr Ser Ile Thr Asn Asp Tyr
1 5

<210> 165
<211> 5
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: Synthetic peptide

<400> 165

Ser Tyr Ser Gly Tyr
1 5

<210> 166
<211> 7
<212> PRT
<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Synthetic peptide

<400> 166

Trp Thr Ser Gly Leu Asp Tyr
1 5

<210> 167

<211> 108

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Synthetic polypeptide

<400> 167

Asp Ile Gln Met Thr Gln Ser Pro Ser Ser Leu Ser Ala Ser Val Gly
1 5 10 15

Asp Arg Val Thr Ile Thr Cys Lys Ala Ser Asp Leu Ile His Asn Trp
20 25 30

Leu Ala Trp Tyr Gln Gln Lys Pro Gly Lys Ala Pro Lys Leu Leu Ile
35 40 45

Tyr Gly Ala Thr Ser Leu Glu Thr Gly Val Pro Ser Arg Phe Ser Gly
50 55 60

Ser Gly Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Ser Leu Gln Pro
65 70 75 80

Glu Asp Phe Ala Thr Tyr Tyr Cys Gln Gln Tyr Trp Thr Thr Pro Phe
85 90 95

Thr Phe Gly Gln Gly Thr Lys Val Glu Ile Lys Arg
100 105

<210> 168

<211> 8

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Synthetic peptide

<400> 168

Asp Leu Ile His Asn Trp Leu Ala
1 5

<210> 169

<211> 7

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Synthetic peptide

<400> 169

Gly Ala Thr Ser Leu Glu Thr
1 5

<210> 170

<211> 9

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Synthetic peptide

<400> 170

Gln Gln Tyr Trp Thr Thr Pro Phe Thr
1 5

<210> 171

<211> 121

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Synthetic polypeptide

<400> 171

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15

DFY-038W0_SL.TXT

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Ser Phe Ser Asp Phe
20 25 30

Ala Met Ser Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
35 40 45

Ala Thr Ile Gly Arg Val Ala Phe His Thr Tyr Tyr Pro Asp Ser Met
50 55 60

Lys Gly Arg Phe Thr Ile Ser Arg Asp Asn Ser Lys Asn Thr Leu Tyr
65 70 75 80

Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Arg His Arg Gly Phe Asp Val Gly His Phe Asp Phe Trp Gly Gln
100 105 110

Gly Thr Leu Val Thr Val Ser Ser Ala
115 120

<210> 172
<211> 7
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: Synthetic peptide

<400> 172

Gly Phe Ser Phe Ser Asp Phe
1 5

<210> 173
<211> 6
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: Synthetic peptide

<400> 173

Gly Arg Val Ala Phe His
1 5

<210> 174
<211> 11
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: Synthetic peptide

<400> 174

His Arg Gly Phe Asp Val Gly His Phe Asp Phe
1 5 10

<210> 175
<211> 113
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: Synthetic polypeptide

<400> 175

Asp Ile Gln Met Thr Gln Ser Pro Ser Ser Leu Ser Ala Ser Val Gly
1 5 10 15

Asp Arg Val Thr Ile Thr Cys Arg Ser Ser Glu Thr Leu Val His Ser
20 25 30

Ser Gly Asn Thr Tyr Leu Glu Trp Tyr Gln Gln Lys Pro Gly Lys Ala
35 40 45

Pro Lys Leu Leu Ile Tyr Arg Val Ser Asn Arg Phe Ser Gly Val Pro
50 55 60

Ser Arg Phe Ser Gly Ser Gly Ser Gly Thr Asp Phe Thr Leu Thr Ile
65 70 75 80

Ser Ser Leu Gln Pro Glu Asp Phe Ala Thr Tyr Tyr Cys Phe Gln Gly
85 90 95

DFY-038W0_SL.TXT

Ser Phe Asn Pro Leu Thr Phe Gly Gln Gly Thr Lys Val Glu Ile Lys
100 105 110

Arg

<210> 176
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: Synthetic peptide

<400> 176

Glu Thr Leu Val His Ser Ser Gly Asn Thr Tyr Leu Glu
1 5 10

<210> 177
<211> 7
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: Synthetic peptide

<400> 177

Arg Val Ser Asn Arg Phe Ser
1 5

<210> 178
<211> 9
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: Synthetic peptide

<400> 178

Phe Gln Gly Ser Phe Asn Pro Leu Thr
1 5

<210> 179
<211> 118

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Synthetic polypeptide

<400> 179

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Phe Ser Ser Tyr
20 25 30

Asn Met Asn Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
35 40 45

Ser Tyr Ile Ser Ser Ser Ser Ser Thr Ile Tyr Tyr Ala Asp Ser Val
50 55 60

Lys Gly Arg Phe Thr Ile Ser Arg Asp Asn Ala Lys Asn Ser Leu Ser
65 70 75 80

Leu Gln Met Asn Ser Leu Arg Asp Glu Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Arg Ala Tyr Tyr Tyr Gly Met Asp Val Trp Gly Gln Gly Thr Thr
100 105 110

Val Thr Val Ser Ser Ala
115

<210> 180

<211> 7

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Synthetic peptide

<400> 180

Gly Phe Thr Phe Ser Ser Tyr
1 5

<210> 181
 <211> 6
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Description of Artificial Sequence: Synthetic peptide

<400> 181

Ser Ser Ser Ser Ser Thr
 1 5

<210> 182
 <211> 8
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Description of Artificial Sequence: Synthetic peptide

<400> 182

Ala Tyr Tyr Tyr Gly Met Asp Val
 1 5

<210> 183
 <211> 108
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Description of Artificial Sequence: Synthetic polypeptide

<400> 183

Asp Ile Gln Met Thr Gln Ser Pro Ser Ser Val Ser Ala Ser Val Gly
 1 5 10 15

Asp Arg Val Thr Ile Thr Cys Arg Ala Ser Gln Gly Ile Ser Gly Trp
 20 25 30

Leu Ala Trp Tyr Gln Gln Lys Pro Gly Lys Ala Pro Lys Phe Leu Ile
 35 40 45

DFY-038W0_SL.TXT

Tyr Ala Ala Ser Thr Leu Gln Ser Gly Val Pro Ser Arg Phe Ser Gly
50 55 60

Ser Gly Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Ser Leu Gln Pro
65 70 75 80

Glu Asp Phe Ala Thr Tyr Tyr Cys Gln Gln Ala Asn Ser Phe Pro Pro
85 90 95

Thr Phe Gly Gly Gly Thr Lys Val Glu Ile Lys Arg
100 105

<210> 184
<211> 8
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: Synthetic peptide

<400> 184

Gln Gly Ile Ser Gly Trp Leu Ala
1 5

<210> 185
<211> 7
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: Synthetic peptide

<400> 185

Ala Ala Ser Thr Leu Gln Ser
1 5

<210> 186
<211> 9
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: Synthetic peptide

<400> 186

Gln Gln Ala Asn Ser Phe Pro Pro Thr
 1 5

<210> 187

<211> 122

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Synthetic polypeptide

<400> 187

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Ser Val Gln Pro Gly Glu
 1 5 10 15

Ser Leu Arg Leu Ser Cys Val Ala Ser Gly Phe Thr Phe Ser Arg Tyr
 20 25 30

Lys Met Asn Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
 35 40 45

Ser Tyr Ile Ser Arg Ser Gly Arg Asp Ile Tyr Tyr Ala Asp Ser Val
 50 55 60

Lys Gly Arg Phe Thr Ile Ser Arg Asp Asn Ala Lys Asn Ser Leu Tyr
 65 70 75 80

Leu Gln Met Asn Ser Leu Arg Asp Glu Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

Ala Gly Thr Val Thr Thr Tyr Tyr Tyr Asp Phe Gly Met Asp Val Trp
 100 105 110

Gly Gln Gly Thr Thr Val Thr Val Ser Ser
 115 120

<210> 188

<211> 7

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Synthetic peptide

<400> 188

Gly Phe Thr Phe Ser Arg Tyr
1 5

<210> 189

<211> 6

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Synthetic peptide

<400> 189

Ser Arg Ser Gly Arg Asp
1 5

<210> 190

<211> 13

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Synthetic peptide

<400> 190

Thr Val Thr Thr Tyr Tyr Tyr Asp Phe Gly Met Asp Val
1 5 10

<210> 191

<211> 107

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Synthetic polypeptide

<400> 191

Asp Ile Gln Met Thr Gln Ser Pro Ser Ser Leu Ser Ala Ser Val Gly
1 5 10 15

DFY-038W0_SL.TXT

Asp Arg Val Thr Ile Thr Cys Arg Ala Ser Gln Gly Ile Ser Ser Trp
20 25 30

Leu Ala Trp Tyr Gln Gln Lys Pro Glu Lys Ala Pro Lys Ser Leu Ile
35 40 45

Tyr Ala Ala Ser Ser Leu Gln Ser Gly Val Pro Ser Arg Phe Ser Gly
50 55 60

Ser Gly Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Ser Leu Gln Pro
65 70 75 80

Glu Asp Phe Ala Thr Tyr Tyr Cys Gln Gln Tyr Asn Ser Tyr Pro Pro
85 90 95

Thr Phe Gly Gly Gly Thr Lys Val Glu Ile Lys
100 105

<210> 192
<211> 8
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: Synthetic peptide

<400> 192

Gln Gly Ile Ser Ser Trp Leu Ala
1 5

<210> 193
<211> 7
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: Synthetic peptide

<400> 193

Ala Ala Ser Ser Leu Gln Ser
1 5

<210> 194
 <211> 9
 <212> PRT
 <213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Synthetic peptide

<400> 194

Gln Gln Tyr Asn Ser Tyr Pro Pro Thr
 1 5

<210> 195
 <211> 125
 <212> PRT
 <213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Synthetic polypeptide

<400> 195

Gln Val Gln Leu Val Glu Ser Gly Gly Gly Val Val Gln Pro Gly Arg
 1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Phe Ser Ser Tyr
 20 25 30

Gly Met His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
 35 40 45

Ala Val Met Ser Tyr Asp Gly Ser Lys Lys Phe Tyr Thr Asp Ser Val
 50 55 60

Lys Gly Arg Phe Thr Ile Ser Arg Asp Asn Ser Lys Asn Thr Leu Tyr
 65 70 75 80

Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

Ala Arg Asp Gly Gly Asp Tyr Val Arg Tyr His Tyr Tyr Gly Met Asp
 100 105 110

Val	Trp	Gly	Gln	Gly	Thr	Thr	Val	Thr	Val	Ser	Ser	Ala
		115					120					125

<210> 196
 <211> 7
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Description of Artificial Sequence: Synthetic peptide

<400> 196

Gly	Phe	Thr	Phe	Ser	Ser	Tyr
1				5		

<210> 197
 <211> 6
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Description of Artificial Sequence: Synthetic peptide

<400> 197

Ser	Tyr	Asp	Gly	Ser	Lys
1				5	

<210> 198
 <211> 15
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Description of Artificial Sequence: Synthetic peptide

<400> 198

Asp	Gly	Gly	Asp	Tyr	Val	Arg	Tyr	His	Tyr	Tyr	Gly	Met	Asp	Val
1				5					10					15

<210> 199
 <211> 108
 <212> PRT
 <213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Synthetic polypeptide

<400> 199

Asp Ile Gln Met Thr Gln Ser Pro Ser Thr Leu Ser Ala Ser Ile Gly
1 5 10 15

Asp Arg Val Thr Ile Thr Cys Arg Ala Ser Gln Gly Ile Ser Tyr Tyr
20 25 30

Leu Ala Trp Tyr Gln Gln Lys Pro Gly Lys Ile Pro Lys Leu Leu Ile
35 40 45

Tyr Asp Thr Ser Ser Leu Gln Ser Gly Val Pro Ser Arg Phe Ser Gly
50 55 60

Ser Arg Ser Gly Thr Asp Leu Ser Leu Thr Ile Ser Ser Leu Gln Pro
65 70 75 80

Glu Asp Val Ala Thr Tyr Tyr Cys Gln Arg Tyr Asp Ser Ala Pro Leu
85 90 95

Thr Phe Gly Gly Gly Thr Lys Val Glu Ile Lys Arg
100 105

<210> 200

<211> 8

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Synthetic peptide

<400> 200

Gln Gly Ile Ser Tyr Tyr Leu Ala
1 5

<210> 201

<211> 7

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Synthetic peptide

<400> 201

Asp Thr Ser Ser Leu Gln Ser
1 5

<210> 202

<211> 9

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Synthetic peptide

<400> 202

Gln Arg Tyr Asp Ser Ala Pro Leu Thr
1 5

<210> 203

<211> 706

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Synthetic polypeptide

<400> 203

Glu Val Gln Leu Leu Glu Gln Ser Gly Ala Glu Leu Val Arg Pro Gly
1 5 10 15

Thr Ser Val Lys Ile Ser Cys Lys Ala Ser Gly Tyr Ala Phe Thr Asn
20 25 30

Tyr Trp Leu Gly Trp Val Lys Gln Arg Pro Gly His Gly Leu Glu Trp
35 40 45

Ile Gly Asp Ile Phe Pro Gly Ser Gly Asn Ile His Tyr Asn Glu Lys
50 55 60

Phe Lys Gly Lys Ala Thr Leu Thr Ala Asp Lys Ser Ser Ser Thr Ala
65 70 75 80

DFY-038W0_SL.TXT

Tyr Met Gln Leu Ser Ser Leu Thr Phe Glu Asp Ser Ala Val Tyr Phe
85 90 95

Cys Ala Arg Leu Arg Asn Trp Asp Glu Pro Met Asp Tyr Trp Gly Gln
100 105 110

Gly Thr Thr Val Thr Val Ser Ser Ala Ser Thr Lys Gly Pro Ser Val
115 120 125

Phe Pro Leu Ala Pro Ser Ser Lys Ser Thr Ser Gly Gly Thr Ala Ala
130 135 140

Leu Gly Cys Leu Val Lys Asp Tyr Phe Pro Glu Pro Val Thr Val Ser
145 150 155 160

Trp Asn Ser Gly Ala Leu Thr Ser Gly Val His Thr Phe Pro Ala Val
165 170 175

Leu Gln Ser Ser Gly Leu Tyr Ser Leu Ser Ser Val Val Thr Val Pro
180 185 190

Ser Ser Ser Leu Gly Thr Gln Thr Tyr Ile Cys Asn Val Asn His Lys
195 200 205

Pro Ser Asn Thr Lys Val Asp Lys Lys Val Glu Pro Lys Ser Cys Asp
210 215 220

Lys Thr His Thr Cys Pro Pro Cys Pro Ala Pro Glu Leu Leu Gly Gly
225 230 235 240

Pro Ser Val Phe Leu Phe Pro Pro Lys Pro Lys Asp Thr Leu Met Ile
245 250 255

Ser Arg Thr Pro Glu Val Thr Cys Val Val Val Asp Val Ser His Glu
260 265 270

Asp Pro Glu Val Lys Phe Asn Trp Tyr Val Asp Gly Val Glu Val His
275 280 285

DFY-038W0_SL.TXT

Asn Ala Lys Thr Lys Pro Arg Glu Glu Gln Tyr Asn Ser Thr Tyr Arg
290 295 300

Val Val Ser Val Leu Thr Val Leu His Gln Asp Trp Leu Asn Gly Lys
305 310 315 320

Glu Tyr Lys Cys Lys Val Ser Asn Lys Ala Leu Pro Ala Pro Ile Glu
325 330 335

Lys Thr Ile Ser Lys Ala Lys Gly Gln Pro Arg Glu Pro Arg Val Tyr
340 345 350

Thr Leu Pro Pro Cys Arg Asp Glu Leu Thr Lys Asn Gln Val Ser Leu
355 360 365

Thr Cys Leu Val Lys Gly Phe Tyr Pro Ser Asp Ile Ala Val Glu Trp
370 375 380

Glu Ser Asn Gly Gln Pro Glu Asn Asn Tyr Lys Thr Thr Pro Pro Val
385 390 395 400

Leu Val Ser Asp Gly Ser Phe Thr Leu Tyr Ser Lys Leu Thr Val Asp
405 410 415

Lys Ser Arg Trp Gln Gln Gly Asn Val Phe Ser Cys Ser Val Met His
420 425 430

Glu Ala Leu His Asn His Tyr Thr Gln Lys Ser Leu Ser Leu Ser Pro
435 440 445

Gly Ser Gly Ser Gly Gly Gly Gly Ser Asp Ile Gln Met Thr Gln Ser
450 455 460

Pro Ser Ser Val Ser Ala Ser Val Gly Asp Arg Val Thr Ile Thr Cys
465 470 475 480

Arg Ala Ser Gln Gly Ile Ser Ser Trp Leu Ala Trp Tyr Gln Gln Lys
485 490 495

DFY-038W0_SL.TXT

Pro Gly Lys Ala Pro Lys Leu Leu Ile Tyr Ala Ala Ser Ser Leu Gln
500 505 510

Ser Gly Val Pro Ser Arg Phe Ser Gly Ser Gly Ser Gly Thr Asp Phe
515 520 525

Thr Leu Thr Ile Ser Ser Leu Gln Pro Glu Asp Phe Ala Thr Tyr Tyr
530 535 540

Cys Gln Gln Gly Val Ser Phe Pro Arg Thr Phe Gly Cys Gly Thr Lys
545 550 555 560

Val Glu Ile Lys Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Gly Gly
565 570 575

Gly Gly Ser Gly Gly Gly Gly Ser Glu Val Gln Leu Val Glu Ser Gly
580 585 590

Gly Gly Leu Val Lys Pro Gly Gly Ser Leu Arg Leu Ser Cys Ala Ala
595 600 605

Ser Gly Phe Thr Phe Ser Ser Tyr Ser Met Asn Trp Val Arg Gln Ala
610 615 620

Pro Gly Lys Cys Leu Glu Trp Val Ser Ser Ile Ser Ser Ser Ser Ser
625 630 635 640

Tyr Ile Tyr Tyr Ala Asp Ser Val Lys Gly Arg Phe Thr Ile Ser Arg
645 650 655

Asp Asn Ala Lys Asn Ser Leu Tyr Leu Gln Met Asn Ser Leu Arg Ala
660 665 670

Glu Asp Thr Ala Val Tyr Tyr Cys Ala Arg Gly Ala Pro Met Gly Ala
675 680 685

Ala Ala Gly Trp Phe Asp Pro Trp Gly Gln Gly Thr Leu Val Thr Val
690 695 700

Ser Ser
705

<210> 204
<211> 449
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: Synthetic polypeptide

<400> 204

Glu Val Gln Leu Leu Glu Gln Ser Gly Ala Glu Leu Val Arg Pro Gly
1 5 10 15

Thr Ser Val Lys Ile Ser Cys Lys Ala Ser Gly Tyr Ala Phe Thr Asn
20 25 30

Tyr Trp Leu Gly Trp Val Lys Gln Arg Pro Gly His Gly Leu Glu Trp
35 40 45

Ile Gly Asp Ile Phe Pro Gly Ser Gly Asn Ile His Tyr Asn Glu Lys
50 55 60

Phe Lys Gly Lys Ala Thr Leu Thr Ala Asp Lys Ser Ser Ser Thr Ala
65 70 75 80

Tyr Met Gln Leu Ser Ser Leu Thr Phe Glu Asp Ser Ala Val Tyr Phe
85 90 95

Cys Ala Arg Leu Arg Asn Trp Asp Glu Pro Met Asp Tyr Trp Gly Gln
100 105 110

Gly Thr Thr Val Thr Val Ser Ser Ala Ser Thr Lys Gly Pro Ser Val
115 120 125

Phe Pro Leu Ala Pro Ser Ser Lys Ser Thr Ser Gly Gly Thr Ala Ala
130 135 140

Leu Gly Cys Leu Val Lys Asp Tyr Phe Pro Glu Pro Val Thr Val Ser
145 150 155 160

Trp Asn Ser Gly Ala Leu Thr Ser Gly Val His Thr Phe Pro Ala Val
 165 170 175

Leu Gln Ser Ser Gly Leu Tyr Ser Leu Ser Ser Val Val Thr Val Pro
 180 185 190

Ser Ser Ser Leu Gly Thr Gln Thr Tyr Ile Cys Asn Val Asn His Lys
 195 200 205

Pro Ser Asn Thr Lys Val Asp Lys Lys Val Glu Pro Lys Ser Cys Asp
 210 215 220

Lys Thr His Thr Cys Pro Pro Cys Pro Ala Pro Glu Leu Leu Gly Gly
 225 230 235 240

Pro Ser Val Phe Leu Phe Pro Pro Lys Pro Lys Asp Thr Leu Met Ile
 245 250 255

Ser Arg Thr Pro Glu Val Thr Cys Val Val Val Asp Val Ser His Glu
 260 265 270

Asp Pro Glu Val Lys Phe Asn Trp Tyr Val Asp Gly Val Glu Val His
 275 280 285

Asn Ala Lys Thr Lys Pro Arg Glu Glu Gln Tyr Asn Ser Thr Tyr Arg
 290 295 300

Val Val Ser Val Leu Thr Val Leu His Gln Asp Trp Leu Asn Gly Lys
 305 310 315 320

Glu Tyr Lys Cys Lys Val Ser Asn Lys Ala Leu Pro Ala Pro Ile Glu
 325 330 335

Lys Thr Ile Ser Lys Ala Lys Gly Gln Pro Arg Glu Pro Gln Val Cys
 340 345 350

Thr Leu Pro Pro Ser Arg Asp Glu Leu Thr Glu Asn Gln Val Ser Leu
 355 360 365

Thr Cys Leu Val Lys Gly Phe Tyr Pro Ser Asp Ile Ala Val Glu Trp
370 375 380

Glu Ser Asn Gly Gln Pro Glu Asn Asn Tyr Lys Thr Thr Pro Pro Val
385 390 395 400

Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser Trp Leu Thr Val Asp
405 410 415

Lys Ser Arg Trp Gln Gln Gly Asn Val Phe Ser Cys Ser Val Met His
420 425 430

Glu Ala Leu His Asn His Tyr Thr Gln Lys Ser Leu Ser Leu Ser Pro
435 440 445

Gly

<210> 205

<211> 249

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Synthetic polypeptide

<400> 205

Asp Ile Gln Met Thr Gln Ser Pro Ser Ser Val Ser Ala Ser Val Gly
1 5 10 15

Asp Arg Val Thr Ile Thr Cys Arg Ala Ser Gln Gly Ile Ser Ser Trp
20 25 30

Leu Ala Trp Tyr Gln Gln Lys Pro Gly Lys Ala Pro Lys Leu Leu Ile
35 40 45

Tyr Ala Ala Ser Ser Leu Gln Ser Gly Val Pro Ser Arg Phe Ser Gly
50 55 60

DFY-038W0_SL.TXT

Ser Gly Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Ser Leu Gln Pro
65 70 75 80

Glu Asp Phe Ala Thr Tyr Tyr Cys Gln Gln Gly Val Ser Phe Pro Arg
85 90 95

Thr Phe Gly Cys Gly Thr Lys Val Glu Ile Lys Gly Gly Gly Gly Ser
100 105 110

Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Glu
115 120 125

Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Lys Pro Gly Gly Ser
130 135 140

Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Phe Ser Ser Tyr Ser
145 150 155 160

Met Asn Trp Val Arg Gln Ala Pro Gly Lys Cys Leu Glu Trp Val Ser
165 170 175

Ser Ile Ser Ser Ser Ser Ser Tyr Ile Tyr Tyr Ala Asp Ser Val Lys
180 185 190

Gly Arg Phe Thr Ile Ser Arg Asp Asn Ala Lys Asn Ser Leu Tyr Leu
195 200 205

Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys Ala
210 215 220

Arg Gly Ala Pro Met Gly Ala Ala Ala Gly Trp Phe Asp Pro Trp Gly
225 230 235 240

Gln Gly Thr Leu Val Thr Val Ser Ser
245

<210> 206
<211> 20
<212> PRT
<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Synthetic peptide

<400> 206

Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Gly
1 5 10 15

Gly Gly Gly Ser
20

<210> 207

<211> 8

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Synthetic peptide

<400> 207

Ser Gly Ser Gly Gly Gly Gly Ser
1 5

<210> 208

<211> 253

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Synthetic polypeptide

<400> 208

Glu Leu Val Met Thr Gln Ser Pro Ser Ser Leu Thr Val Thr Ala Gly
1 5 10 15

Glu Lys Val Thr Met Ser Cys Lys Ser Ser Gln Ser Leu Leu Asn Ser
20 25 30

Gly Asn Gln Lys Asn Tyr Leu Thr Trp Tyr Gln Gln Lys Pro Gly Gln
35 40 45

Pro Pro Lys Leu Leu Ile Tyr Trp Ala Ser Thr Arg Glu Ser Gly Val
50 55 60

DFY-038W0_SL.TXT

Pro Asp Arg Phe Thr Gly Ser Gly Ser Gly Thr Asp Phe Thr Leu Thr
65 70 75 80

Ile Ser Ser Val Gln Ala Glu Asp Leu Ala Val Tyr Tyr Cys Gln Asn
85 90 95

Asp Tyr Ser Tyr Pro Leu Thr Phe Gly Cys Gly Thr Lys Leu Glu Ile
100 105 110

Lys Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser
115 120 125

Gly Gly Gly Gly Ser Glu Val Gln Leu Leu Glu Gln Ser Gly Ala Glu
130 135 140

Leu Val Arg Pro Gly Thr Ser Val Lys Ile Ser Cys Lys Ala Ser Gly
145 150 155 160

Tyr Ala Phe Thr Asn Tyr Trp Leu Gly Trp Val Lys Gln Arg Pro Gly
165 170 175

His Cys Leu Glu Trp Ile Gly Asp Ile Phe Pro Gly Ser Gly Asn Ile
180 185 190

His Tyr Asn Glu Lys Phe Lys Gly Lys Ala Thr Leu Thr Ala Asp Lys
195 200 205

Ser Ser Ser Thr Ala Tyr Met Gln Leu Ser Ser Leu Thr Phe Glu Asp
210 215 220

Ser Ala Val Tyr Phe Cys Ala Arg Leu Arg Asn Trp Asp Glu Pro Met
225 230 235 240

Asp Tyr Trp Gly Gln Gly Thr Thr Val Thr Val Ser Ser
245 250

<210> 209

<211> 253

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Synthetic polypeptide

<400> 209

Glu Val Gln Leu Leu Glu Gln Ser Gly Ala Glu Leu Val Arg Pro Gly
 1 5 10 15

Thr Ser Val Lys Ile Ser Cys Lys Ala Ser Gly Tyr Ala Phe Thr Asn
 20 25 30

Tyr Trp Leu Gly Trp Val Lys Gln Arg Pro Gly His Cys Leu Glu Trp
 35 40 45

Ile Gly Asp Ile Phe Pro Gly Ser Gly Asn Ile His Tyr Asn Glu Lys
 50 55 60

Phe Lys Gly Lys Ala Thr Leu Thr Ala Asp Lys Ser Ser Ser Thr Ala
 65 70 75 80

Tyr Met Gln Leu Ser Ser Leu Thr Phe Glu Asp Ser Ala Val Tyr Phe
 85 90 95

Cys Ala Arg Leu Arg Asn Trp Asp Glu Pro Met Asp Tyr Trp Gly Gln
 100 105 110

Gly Thr Thr Val Thr Val Ser Ser Gly Gly Gly Gly Ser Gly Gly Gly
 115 120 125

Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Glu Leu Val Met
 130 135 140

Thr Gln Ser Pro Ser Ser Leu Thr Val Thr Ala Gly Glu Lys Val Thr
 145 150 155 160

Met Ser Cys Lys Ser Ser Gln Ser Leu Leu Asn Ser Gly Asn Gln Lys
 165 170 175

DFY-038W0_SL.TXT

Asn Tyr Leu Thr Trp Tyr Gln Gln Lys Pro Gly Gln Pro Pro Lys Leu
180 185 190

Leu Ile Tyr Trp Ala Ser Thr Arg Glu Ser Gly Val Pro Asp Arg Phe
195 200 205

Thr Gly Ser Gly Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Ser Val
210 215 220

Gln Ala Glu Asp Leu Ala Val Tyr Tyr Cys Gln Asn Asp Tyr Ser Tyr
225 230 235 240

Pro Leu Thr Phe Gly Cys Gly Thr Lys Leu Glu Ile Lys
245 250

<210> 210
<211> 482
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: Synthetic polypeptide

<400> 210

Glu Leu Val Met Thr Gln Ser Pro Ser Ser Leu Thr Val Thr Ala Gly
1 5 10 15

Glu Lys Val Thr Met Ser Cys Lys Ser Ser Gln Ser Leu Leu Asn Ser
20 25 30

Gly Asn Gln Lys Asn Tyr Leu Thr Trp Tyr Gln Gln Lys Pro Gly Gln
35 40 45

Pro Pro Lys Leu Leu Ile Tyr Trp Ala Ser Thr Arg Glu Ser Gly Val
50 55 60

Pro Asp Arg Phe Thr Gly Ser Gly Ser Gly Thr Asp Phe Thr Leu Thr
65 70 75 80

Ile Ser Ser Val Gln Ala Glu Asp Leu Ala Val Tyr Tyr Cys Gln Asn
85 90 95

Asp Tyr Ser Tyr Pro Leu Thr Phe Gly Cys Gly Thr Lys Leu Glu Ile
100 105 110

Lys Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser
115 120 125

Gly Gly Gly Gly Ser Glu Val Gln Leu Leu Glu Gln Ser Gly Ala Glu
130 135 140

Leu Val Arg Pro Gly Thr Ser Val Lys Ile Ser Cys Lys Ala Ser Gly
145 150 155 160

Tyr Ala Phe Thr Asn Tyr Trp Leu Gly Trp Val Lys Gln Arg Pro Gly
165 170 175

His Cys Leu Glu Trp Ile Gly Asp Ile Phe Pro Gly Ser Gly Asn Ile
180 185 190

His Tyr Asn Glu Lys Phe Lys Gly Lys Ala Thr Leu Thr Ala Asp Lys
195 200 205

Ser Ser Ser Thr Ala Tyr Met Gln Leu Ser Ser Leu Thr Phe Glu Asp
210 215 220

Ser Ala Val Tyr Phe Cys Ala Arg Leu Arg Asn Trp Asp Glu Pro Met
225 230 235 240

Asp Tyr Trp Gly Gln Gly Thr Thr Val Thr Val Ser Ser Gly Ala Ser
245 250 255

Asp Lys Thr His Thr Cys Pro Pro Cys Pro Ala Pro Glu Leu Leu Gly
260 265 270

Gly Pro Ser Val Phe Leu Phe Pro Pro Lys Pro Lys Asp Thr Leu Met
275 280 285

Ile Ser Arg Thr Pro Glu Val Thr Cys Val Val Val Asp Val Ser His
290 295 300

DFY-038W0_SL.TXT

Glu Asp Pro Glu Val Lys Phe Asn Trp Tyr Val Asp Gly Val Glu Val
305 310 315 320

His Asn Ala Lys Thr Lys Pro Arg Glu Glu Gln Tyr Asn Ser Thr Tyr
325 330 335

Arg Val Val Ser Val Leu Thr Val Leu His Gln Asp Trp Leu Asn Gly
340 345 350

Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys Ala Leu Pro Ala Pro Ile
355 360 365

Glu Lys Thr Ile Ser Lys Ala Lys Gly Gln Pro Arg Glu Pro Arg Val
370 375 380

Tyr Thr Leu Pro Pro Cys Arg Asp Glu Leu Thr Lys Asn Gln Val Ser
385 390 395 400

Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro Ser Asp Ile Ala Val Glu
405 410 415

Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn Tyr Lys Thr Thr Pro Pro
420 425 430

Val Leu Val Ser Asp Gly Ser Phe Thr Leu Tyr Ser Lys Leu Thr Val
435 440 445

Asp Lys Ser Arg Trp Gln Gln Gly Asn Val Phe Ser Cys Ser Val Met
450 455 460

His Glu Ala Leu His Asn His Tyr Thr Gln Lys Ser Leu Ser Leu Ser
465 470 475 480

Pro Gly

<210> 211

<211> 482

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Synthetic polypeptide

<400> 211

Glu	Val	Gln	Leu	Leu	Glu	Gln	Ser	Gly	Ala	Glu	Leu	Val	Arg	Pro	Gly
1				5					10					15	

Thr	Ser	Val	Lys	Ile	Ser	Cys	Lys	Ala	Ser	Gly	Tyr	Ala	Phe	Thr	Asn
			20					25					30		

Tyr	Trp	Leu	Gly	Trp	Val	Lys	Gln	Arg	Pro	Gly	His	Cys	Leu	Glu	Trp
		35					40					45			

Ile	Gly	Asp	Ile	Phe	Pro	Gly	Ser	Gly	Asn	Ile	His	Tyr	Asn	Glu	Lys
	50					55					60				

Phe	Lys	Gly	Lys	Ala	Thr	Leu	Thr	Ala	Asp	Lys	Ser	Ser	Ser	Thr	Ala
65					70					75					80

Tyr	Met	Gln	Leu	Ser	Ser	Leu	Thr	Phe	Glu	Asp	Ser	Ala	Val	Tyr	Phe
				85					90					95	

Cys	Ala	Arg	Leu	Arg	Asn	Trp	Asp	Glu	Pro	Met	Asp	Tyr	Trp	Gly	Gln
			100					105						110	

Gly	Thr	Thr	Val	Thr	Val	Ser	Ser	Gly	Gly	Gly	Gly	Ser	Gly	Gly	Gly
		115					120					125			

Gly	Ser	Gly	Gly	Gly	Gly	Ser	Gly	Gly	Gly	Gly	Ser	Glu	Leu	Val	Met
	130					135					140				

Thr	Gln	Ser	Pro	Ser	Ser	Leu	Thr	Val	Thr	Ala	Gly	Glu	Lys	Val	Thr
145					150					155					160

Met	Ser	Cys	Lys	Ser	Ser	Gln	Ser	Leu	Leu	Asn	Ser	Gly	Asn	Gln	Lys
				165					170					175	

DFY-038W0_SL.TXT

Asn Tyr Leu Thr Trp Tyr Gln Gln Lys Pro Gly Gln Pro Pro Lys Leu
180 185 190

Leu Ile Tyr Trp Ala Ser Thr Arg Glu Ser Gly Val Pro Asp Arg Phe
195 200 205

Thr Gly Ser Gly Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Ser Val
210 215 220

Gln Ala Glu Asp Leu Ala Val Tyr Tyr Cys Gln Asn Asp Tyr Ser Tyr
225 230 235 240

Pro Leu Thr Phe Gly Cys Gly Thr Lys Leu Glu Ile Lys Gly Ala Ser
245 250 255

Asp Lys Thr His Thr Cys Pro Pro Cys Pro Ala Pro Glu Leu Leu Gly
260 265 270

Gly Pro Ser Val Phe Leu Phe Pro Pro Lys Pro Lys Asp Thr Leu Met
275 280 285

Ile Ser Arg Thr Pro Glu Val Thr Cys Val Val Val Asp Val Ser His
290 295 300

Glu Asp Pro Glu Val Lys Phe Asn Trp Tyr Val Asp Gly Val Glu Val
305 310 315 320

His Asn Ala Lys Thr Lys Pro Arg Glu Glu Gln Tyr Asn Ser Thr Tyr
325 330 335

Arg Val Val Ser Val Leu Thr Val Leu His Gln Asp Trp Leu Asn Gly
340 345 350

Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys Ala Leu Pro Ala Pro Ile
355 360 365

Glu Lys Thr Ile Ser Lys Ala Lys Gly Gln Pro Arg Glu Pro Arg Val
370 375 380

DFY-038W0_SL.TXT

Tyr Thr Leu Pro Pro Cys Arg Asp Glu Leu Thr Lys Asn Gln Val Ser
385 390 395 400

Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro Ser Asp Ile Ala Val Glu
405 410 415

Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn Tyr Lys Thr Thr Pro Pro
420 425 430

Val Leu Val Ser Asp Gly Ser Phe Thr Leu Tyr Ser Lys Leu Thr Val
435 440 445

Asp Lys Ser Arg Trp Gln Gln Gly Asn Val Phe Ser Cys Ser Val Met
450 455 460

His Glu Ala Leu His Asn His Tyr Thr Gln Lys Ser Leu Ser Leu Ser
465 470 475 480

Pro Gly

<210> 212
<211> 451
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: Synthetic polypeptide

<400> 212

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Lys Pro Gly Gly
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Phe Ser Ser Tyr
20 25 30

Ser Met Asn Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
35 40 45

Ser Ser Ile Ser Ser Ser Ser Ser Tyr Ile Tyr Tyr Ala Asp Ser Val
50 55 60

Lys Gly Arg Phe Thr Ile Ser Arg Asp Asn Ala Lys Asn Ser Leu Tyr
65 70 75 80

Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Arg Gly Ala Pro Met Gly Ala Ala Ala Gly Trp Phe Asp Pro Trp
100 105 110

Gly Gln Gly Thr Leu Val Thr Val Ser Ser Ala Ser Thr Lys Gly Pro
115 120 125

Ser Val Phe Pro Leu Ala Pro Ser Ser Lys Ser Thr Ser Gly Gly Thr
130 135 140

Ala Ala Leu Gly Cys Leu Val Lys Asp Tyr Phe Pro Glu Pro Val Thr
145 150 155 160

Val Ser Trp Asn Ser Gly Ala Leu Thr Ser Gly Val His Thr Phe Pro
165 170 175

Ala Val Leu Gln Ser Ser Gly Leu Tyr Ser Leu Ser Ser Val Val Thr
180 185 190

Val Pro Ser Ser Ser Leu Gly Thr Gln Thr Tyr Ile Cys Asn Val Asn
195 200 205

His Lys Pro Ser Asn Thr Lys Val Asp Lys Lys Val Glu Pro Lys Ser
210 215 220

Cys Asp Lys Thr His Thr Cys Pro Pro Cys Pro Ala Pro Glu Leu Leu
225 230 235 240

Gly Gly Pro Ser Val Phe Leu Phe Pro Pro Lys Pro Lys Asp Thr Leu
245 250 255

Met Ile Ser Arg Thr Pro Glu Val Thr Cys Val Val Val Asp Val Ser
260 265 270

His Glu Asp Pro Glu Val Lys Phe Asn Trp Tyr Val Asp Gly Val Glu
275 280 285

Val His Asn Ala Lys Thr Lys Pro Arg Glu Glu Gln Tyr Asn Ser Thr
290 295 300

Tyr Arg Val Val Ser Val Leu Thr Val Leu His Gln Asp Trp Leu Asn
305 310 315 320

Gly Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys Ala Leu Pro Ala Pro
325 330 335

Ile Glu Lys Thr Ile Ser Lys Ala Lys Gly Gln Pro Arg Glu Pro Gln
340 345 350

Val Cys Thr Leu Pro Pro Ser Arg Asp Glu Leu Thr Glu Asn Gln Val
355 360 365

Ser Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro Ser Asp Ile Ala Val
370 375 380

Glu Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn Tyr Lys Thr Thr Pro
385 390 395 400

Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser Trp Leu Thr
405 410 415

Val Asp Lys Ser Arg Trp Gln Gln Gly Asn Val Phe Ser Cys Ser Val
420 425 430

Met His Glu Ala Leu His Asn His Tyr Thr Gln Lys Ser Leu Ser Leu
435 440 445

Ser Pro Gly
450

<210> 213

<211> 210

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Synthetic polypeptide

<400> 213

Asp Ile Gln Met Thr Gln Ser Pro Ser Ser Val Ser Ala Ser Val Gly
 1 5 10 15

Asp Arg Val Thr Ile Thr Cys Arg Ala Ser Gln Gly Ile Ser Ser Trp
 20 25 30

Leu Ala Trp Tyr Gln Gln Lys Pro Gly Lys Ala Pro Lys Leu Leu Ile
 35 40 45

Tyr Ala Ala Ser Ser Leu Gln Ser Gly Val Pro Ser Arg Phe Ser Gly
 50 55 60

Ser Gly Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Ser Leu Gln Pro
 65 70 75 80

Glu Asp Phe Ala Thr Tyr Tyr Cys Gln Gln Gly Val Ser Phe Pro Arg
 85 90 95

Thr Phe Gly Gly Gly Thr Lys Val Glu Ile Lys Arg Thr Val Ala Ala
 100 105 110

Pro Ser Pro Pro Ser Asp Glu Gln Leu Lys Ser Gly Thr Ala Ser Val
 115 120 125

Val Cys Leu Leu Asn Asn Phe Tyr Pro Arg Glu Ala Lys Val Gln Trp
 130 135 140

Lys Val Asp Asn Ala Leu Gln Ser Gly Asn Ser Gln Glu Ser Val Thr
 145 150 155 160

Glu Gln Asp Ser Lys Asp Ser Thr Tyr Ser Leu Ser Ser Thr Leu Thr
 165 170 175

DFY-038W0_SL.TXT

Leu Ser Lys Ala Asp Tyr Glu Lys His Lys Val Tyr Ala Cys Glu Val
180 185 190

Thr His Gln Gly Leu Ser Ser Pro Val Thr Lys Ser Phe Asn Arg Gly
195 200 205

Glu Cys
210

<210> 214
<211> 221
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: Synthetic polypeptide

<400> 214

Glu Leu Val Met Thr Gln Ser Pro Ser Ser Leu Thr Val Thr Ala Gly
1 5 10 15

Glu Lys Val Thr Met Ser Cys Lys Ser Ser Gln Ser Leu Leu Asn Ser
20 25 30

Gly Asn Gln Lys Asn Tyr Leu Thr Trp Tyr Gln Gln Lys Pro Gly Gln
35 40 45

Pro Pro Lys Leu Leu Ile Tyr Trp Ala Ser Thr Arg Glu Ser Gly Val
50 55 60

Pro Asp Arg Phe Thr Gly Ser Gly Ser Gly Thr Asp Phe Thr Leu Thr
65 70 75 80

Ile Ser Ser Val Gln Ala Glu Asp Leu Ala Val Tyr Tyr Cys Gln Asn
85 90 95

Asp Tyr Ser Tyr Pro Leu Thr Phe Gly Ala Gly Thr Lys Leu Glu Ile
100 105 110

Lys Gly Arg Thr Val Ala Ala Pro Ser Val Phe Ile Phe Pro Pro Ser
115 120 125

DFY-038W0_SL.TXT

Asp Glu Gln Leu Lys Ser Gly Thr Ala Ser Val Val Cys Leu Leu Asn
 130 135 140

Asn Phe Tyr Pro Arg Glu Ala Lys Val Gln Trp Lys Val Asp Asn Ala
 145 150 155 160

Leu Gln Ser Gly Asn Ser Gln Glu Ser Val Thr Glu Gln Asp Ser Lys
 165 170 175

Asp Ser Thr Tyr Ser Leu Ser Ser Thr Leu Thr Leu Ser Lys Ala Asp
 180 185 190

Tyr Glu Lys His Lys Val Tyr Ala Cys Glu Val Thr His Gln Gly Leu
 195 200 205

Ser Ser Pro Val Thr Lys Ser Phe Asn Arg Gly Glu Cys
 210 215 220