



US00D435390S

United States Patent [19]
Mittmann

[11] **Patent Number:** **Des. 435,390**
[45] **Date of Patent:** **** Dec. 26, 2000**

[54] **PAN CORNER**

[75] Inventor: **Jeffrey C. Mittmann**, Plymouth, Wis.

[73] Assignee: **The Vollrath Company, L.L.C.**,
Sheboygan, Wis.

[**] Term: **14 Years**

[21] Appl. No.: **29/108,839**

[22] Filed: **Aug. 4, 1999**

Related U.S. Application Data

[62] Division of application No. 29/085,301, Mar. 19, 1998.

[51] **LOC (7) Cl.** **07-02**

[52] **U.S. Cl.** **D7/354**

[58] **Field of Search** D7/354–361; D8/18,
D8/34; D9/345, 415, 423–426, 434, 435;
206/216, 427, 459.5, 508, 515, 518, 564,
592, 593; 220/4.21, 200, 212, 309.1, 309.2,
256, 380, 780–788, 790, 801, 912; 229/406

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 191,565	10/1961	Wolf et al. .	
D. 202,964	11/1965	Benes et al. .	
D. 277,993	3/1985	Sinchok .	
D. 282,520	2/1986	Schrage .	
D. 291,526	8/1987	Heaney et al. .	
D. 365,273	12/1995	Indekeu	D9/434
D. 387,986	12/1997	Hayes et al.	D9/435
2,170,040	8/1939	Stuart .	
2,605,929	8/1952	Bloomfield .	
2,656,066	10/1953	Riemenschneider .	
2,673,003	3/1954	Stewart .	
2,738,915	3/1956	Clair .	
2,814,427	11/1957	Emery .	
3,064,849	11/1962	Ferm .	
3,098,597	7/1963	Johnson et al. .	
3,326,408	6/1967	Ringlen .	
3,420,431	1/1969	Donovan .	
3,442,377	5/1969	Angelus	220/801
3,451,588	6/1969	Weber .	
3,539,552	11/1970	Mounts et al. .	
3,558,002	1/1971	Lindgren .	

3,563,445	2/1971	Clayton .
3,583,623	6/1971	Golner et al. .
3,700,096	10/1972	Reifers .

(List continued on next page.)

FOREIGN PATENT DOCUMENTS

1253019	12/1960	France .
267337	11/1988	France .

(List continued on next page.)

Primary Examiner—Caron D. Veynar
Attorney, Agent, or Firm—Foley & Lardner


[57] **CLAIM**

The ornamental design for a pan corner, as shown.

DESCRIPTION

FIG. 1 is a top perspective view of a pan corner showing my new design;
FIG. 2 is a top plan view thereof; the bottom plan view being a mirror image thereof;
FIG. 3 is a front elevational view thereof;
FIG. 4 is an auxiliary elevational view thereof taken along lines 4—4 of Fig. 2;
FIG. 5 is a right side elevational view thereof;
FIG. 6 is a sectional view thereof taken along lines 6—6 of FIG. 2;
FIG. 7 is a top perspective view of a second embodiment of my new design;
FIG. 8 is a top plan view of the second embodiment; the bottom plan view being a mirror image thereof;
FIG. 9 is a front elevational view of the second embodiment;
FIG. 10 is an auxiliary elevational view of the second embodiment taken along lines 10—10 of FIG. 8;
FIG. 11 is a right side elevational view of the second embodiment; and
FIG. 12 is a sectional view of the second embodiment taken along lines 12—12 of FIG. 8.
One of the broken lines in FIGS. 1–5 and 7–11 indicates indeterminate length while the other broken lines are for illustrative purposes only and forms no part of the claimed design.

1 Claim, 4 Drawing Sheets





U.S. PATENT DOCUMENTS

3,938,727	2/1976	Andersson .	
4,113,095	9/1978	Dietz et al. .	
4,183,435	1/1980	Thompson et al. .	
4,494,650	1/1985	Cullen .	
5,035,327	7/1991	Denzin et al.	206/518
5,244,094	9/1993	Graff, Jr. et al.	206/564
5,375,719	12/1994	Mittmann et al.	206/518
5,377,860	1/1995	Littlejohn et al. .	
5,641,090	6/1997	Kowalski et al.	220/782

FOREIGN PATENT DOCUMENTS

0348866	9/1993	France .
0348867	9/1993	France .
0348868	9/1993	France .
0348869	9/1993	France .
0348870	9/1993	France .
0348871	9/1993	France .
0348872	9/1993	France .
0348873	9/1993	France .
DM 038746	1/1997	Germany .









FIG. 1






FIG. 7




FIG. 12



FIG. 9




FIG. 10




FIG. 11

