



(51) International Patent Classification:

A01N 59/06 (2006.01) A01P 7/04 (2006.01)

C05B 1/00 (2006.01) A01P 19/00 (2006.01)

A01N 25/00 (2006.01) C05D 3/02 (2006.01)

A01N 25/04 (2006.01)

(21) International Application Number:

PCT/EP2019/087130

(22) International Filing Date:

30 December 2019 (30.12.2019)

(25) Filing Language:

English

(26) Publication Language:

English

(30) Priority Data:

19382016.4 11 January 2019 (11.01.2019) EP

(71) Applicant: S.A. REVERTÉ PRODUCTOS MINERALES [ES/ES]; Afores s/n, 08729 Castellet I La Gornal (Barcelona) (ES).

(72) Inventor: PRIETO GIGÓ, Arcadio; S.A. Reverté Productos Minerales, Afores s/n, 08729 Castellet I La Gornal (Barcelona) (ES).

(74) Agent: UNGRÍA LÓPEZ, Javier; Avda. Ramón y Cajal, 78, 28043 MADRID (ES).

(81) Designated States (unless otherwise indicated, for every kind of national protection available): AE, AG, AL, AM,

AO, AT, AU, AZ, BA, BB, BG, BH, BN, BR, BW, BY, BZ, CA, CH, CL, CN, CO, CR, CU, CZ, DE, DJ, DK, DM, DO, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, GT, HN, HR, HU, ID, IL, IN, IR, IS, JO, JP, KE, KG, KH, KN, KP, KR, KW, KZ, LA, LC, LK, LR, LS, LU, LY, MA, MD, ME, MG, MK, MN, MW, MX, MY, MZ, NA, NG, NI, NO, NZ, OM, PA, PE, PG, PH, PL, PT, QA, RO, RS, RU, RW, SA, SC, SD, SE, SG, SK, SL, SM, ST, SV, SY, TH, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, ZA, ZM, ZW.

(84) Designated States (unless otherwise indicated, for every kind of regional protection available): ARIPO (BW, GH, GM, KE, LR, LS, MW, MZ, NA, RW, SD, SL, ST, SZ, TZ, UG, ZM, ZW), Eurasian (AM, AZ, BY, KG, KZ, RU, TJ, TM), European (AL, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HR, HU, IE, IS, IT, LT, LU, LV, MC, MK, MT, NL, NO, PL, PT, RO, RS, SE, SI, SK, SM, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, KM, ML, MR, NE, SN, TD, TG).

Published:

— with international search report (Art. 21(3))

(54) Title: PERMANENT ECO-FERTILIZER AGAINST FRUIT PHYSIOLOGICAL DISORDERS AND PESTS




FIG. 1

(57) Abstract: The present invention refers to a permanent solid calcium fertilizer suitable against fruit physiological disorders and pests, characterized in that it comprises more than 98.5% weight of calcium carbonate. It is also an object of the invention the use of this fertilizer for the protection of agricultural crops against pests and preferably for the protection of pear and/or apple crops.



**PERMANENT ECO-FERTILIZER AGAINST FRUIT PHYSIOLOGICAL DISORDERS
AND PESTS**

DESCRIPTION

5

FIELD OF THE INVENTION

The present invention relates to the field of chemistry and in particular to a new calcium fertilizer suitable against fruit physiological disorders and pests.

10

BACKGROUND OF THE INVENTION

During the last decades, chemical pesticides have played an important role in the protection of plants and control of pests. However, these chemical pesticides are known for the risks and impacts associated with their use on human health and the environment. In order to reduce these risks, a common legal framework (Directive
15 2009/128/EC) was established for achieving a sustainable use of pesticides. This directive minimized or prohibited the use of chemical pesticides in certain areas.

Directive 2009/128/EC encouraged the development of alternative approaches or techniques in order to reduce dependency on the use of pesticides. Therefore, it created the need for developing new natural products suitable for the control of
20 agricultural pests, as an alternative to the synthetic pesticides that played an important role during the past decades.

In this context, the present invention refers to a new natural fertilizer having a protecting activity against crop pests. It has been surprisingly found that in addition to the control of pests, this new product has extraordinary fertilizing properties, as well as
25 the capacity of avoiding fruit physiological disorders.

Although in recent years there has been an important increase in the development of new insecticidal treatments, up until today no effective solution has been found for a product having the capacity to protect agricultural crops against pests and, at the same time, being able to achieve a foliar nourishment of plants, including
30 the diffusion of the nutrients across the plant.

The present invention refers to a new formulation based on calcium carbonate which has a surprising synergistic effect both as a protective agent against pests and as calcium fertilizer.

In the state of the art, different inventions have been disclosed referred to the use
35 of calcium carbonate as a plant fertilizer and protective agent against pests.

AU7601491 refers to a liquid fertilizer composition comprising a deposit lime which is composed of shell, coral, etc. and which is found in cliffs, along rivers and creek beds or other places where such lime may have been deposited. The amount of calcium carbonate disclosed in the examples is of 84.30%, 83.75% or 81.8%.

DE10021029 discloses a process for preparing an agent for improving plant growth and/or for reducing pesticide residues obtained by stirring limestone powder with at least one binder and optionally other additives.

JP2013087091 refers to a controlling agent for safely and economically controlling codling moths. The controlling agent is applied to the surface of the fruits to prevent the codling moths from depositing eggs. The product comprises calcium carbonate or magnesium carbonate and a fixing agent for fixing the agent to the surface of the fruit. The average particle size of the inorganic powder is in the range of 0.1 to 3 μm .

EP3033944 discloses the use of calcium carbonate as a plant protection agent against pests during plant growth. The calcium carbonate is used in the form of particles having a particle size between 0.1 and 200 μm .

WO9838867 discloses a method for protecting surfaces from arthropod infestation which involves treating the surfaces with an effective amount of finely divided calcined kaolins, hydrophobic calcined kaolins, hydrous kaolins, hydrophobic hydrous kaolins, hydrophobic calcium carbonates, calcium carbonates or mixtures thereof.

Finally, JPH0680511 refers to a product against insect pests comprising powdery calcium carbonate.

Based on the inventions disclosed in the state of the art, it can be concluded that even if calcium carbonate has been described as an effective fertilizer, the already known and currently available fertilizing products have different drawbacks such as their short permanence in the crops or the risks associated with their application methods. The short permanence is an important disadvantage since it implies that the composition is lost each time there are bad weather conditions such as heavy winds, dew or rain. This has important economic consequences, requiring applying the composition each time it is lost, with the consequent costs. The product object of the present invention solves this problem and avoids the need of applying the composition to the crops in multiple applications. The present invention offers the advantage that, with only one application, the composition is able to remain in the crops even after bad

weather conditions.

In addition, the alternatives known in the state of the art have the disadvantage of affecting the physical appearance of the fruits, remaining as white spots after having been harvested. The present invention solves this problem, since it controls the pests
5 affecting agricultural crops without adversely affecting the appearance of the fruits.

More in particular, the new product gives solution to the following problems:

- the permanence of the product, avoiding the need of applying it in multiple applications, and especially after bad weather conditions;
- its application does not affect the physical appearance of the fruits, avoiding any
10 remaining residues in the form of white spots;
- the fertilizing capacity, nourishing the agricultural crops whilst protecting them against pests. In particular, it is even more effective than the liquid fertilizer most commonly used (calcium chloride, CaCl_2), providing calcium in a continuous way under humidity conditions. Therefore, the product object of the present invention
15 allows reducing the number of applications required for achieving the fertilizing activity.

DESCRIPTION OF THE INVENTION

With the aim of giving solution to the above-identified problems and avoiding the
20 drawbacks associated with the fertilizers known in the state of the art, the present invention refers to a new solid calcium fertilizer suitable against fruit physiological disorders and pests characterized in that it comprises more than 98.5% weight of calcium carbonate.

The main advantage of the product object of the invention is that it is an effective
25 solid ecological fertilizer suitable for nourishing the crops with calcium at a foliar level and, in the case of fruit crops, across the cuticle of the fruits. It is also characterized by having a long permanence in the crops, due to the solid condition of the fertilizer. This is an important advantage as compared with other fertilizers of the state of the art, which achieve the fertilizing effect through the roots of the plants or trees.

30 It is also the object of the invention the use of this fertilizer for the protection of crops against agricultural pests. In order to achieve this objective, the product is applied during all the stages of the agricultural cycle.

In a preferred embodiment of the invention, the fertilizer will be used in eco
friendly agriculture and more preferably for the control of pests and diseases affecting
35 pear and apple crops.

The application method is characterized in that it comprises applying between 1% and 12% weight, and more preferably between 2% and 6% weight, of the fertilizer dispersed in an aqueous suspension. In particular, the amount of calcium bioavailable in a 12% aqueous suspension of the fertilizer can range between 62 ppm and 132 ppm, and more preferably this amount can be of 92 ppm.

It has been demonstrated that the new fertilizer is able to achieve a reduction of the pests affecting the fruit trees in more than 80%.

In a preferred embodiment of the invention, the fertilizer will be used to protect pear crops against psila.

In another preferred embodiment of the invention, the fertilizer will be used to protect apple crops against carpocapsa (*Cydia pomonella*).

The main advantages of the fertilizer object of the invention are the following ones:

- its permanence, allowing a continuous fertilizing and protection action during the whole agricultural cycle. This reduces the costs associated with the treatment of the agricultural crops, reducing the number of applications required, as well as the consumption of phytochemical products;
- its positioning in the crops: it penetrates inside the leaf stomates and it is also distributed along the whole fruit epidermis. Thus, it is an effective alternative to calcium agrochemicals such as calcium chloride and allows reducing the costs associated with the amount of fertilizers and protection agents against pests required per hectare;
- the surface activity of the fertilizer particles: it allows providing calcium in a continuous way and in solid state. It also has a high ionic surface activity during humidity conditions (dew, rain) and allows increasing the calcium bioavailability at the fruit pulp; and
- it allows a dual action, both as a permanent foliar calcium fertilizer and as a protection agent against pests.

BRIEF DESCRIPTION OF THE DRAWINGS

- Figure 1 shows the distribution of the fertilizer in the crops. In particular, it shows how the calcium particles are distributed inside the stomata of the leaves on which the fertilizer is applied. This is an important advantage of the fertilizer as claimed as compared with other fertilizers known in the art that, due to their size, cannot penetrate inside the stomates of the plant;

- Figure 2 shows the distribution of the calcium particles in the guard cells of the stomates of a leaf;
- Figure 3 shows the distribution of the calcium particles on the cuticle and the epidermis of Golden apples;
- 5 • Figure 4 is a detailed view of the calcium particles penetrating inside the epidermis of a Golden apple;
- Figure 5 shows a detailed view of the calcium particles distributed on the cuticle of a Conference pear.

10 DETAILED DESCRIPTION OF THE INVENTION

One of the main advantages of the fertilizer object of the present invention, as compared to other calcium fertilizers known in the state of the art, is its high permanence in the crops under all weather conditions and during the whole agricultural cycle. Therefore, one of its main benefits is that it works as a continuous calcium pump.


15 This avoids the need of applying calcium in multiple foliar applications as it is required when using calcium liquid fertilizers such as calcium chloride.

This advantageous effect of the new fertilizer is due to the surface chemical composition of the fertilizer, which in addition to Ca^{2+} or CO_3^{2-} comprises other ionic species such as CaOH^+ , CO_3H^- or CO_3CaOH^- (confirmed by XPS or TOF-SIMS measurements). All of them are activated under humidity conditions (rain, dew) and allow increasing the calcium bioavailability. In particular, it has been surprisingly found that the effective amount of calcium provided by the fertilizer object of the invention is much higher than the calcium provided by other fertilizers of the state of the art. It was indeed unexpected obtaining a surprisingly high synergistic fertilizing effect, achieving

20 a calcium bioavailability in the range of 62 ppm to 132 ppm.

The chemical mechanisms involved in the continuous supply of calcium of the fertilizer as claimed are the following ones:


- a) firstly, the ionic species Ca^{2+} and CO_3^{2-} of the surface of the solid calcium compound are activated and liberated in the aqueous suspension:



- b) the liberated CO_3^{2-} is then hydrolyzed and transformed into CO_3H^- :




- c) finally, the bicarbonate anion CO_3H^- is transformed into CO_2 in the aqueous medium:



The high surface activity of the fertilizer as claimed allows obtaining a continuous supply of Ca^{2+} and CO_2 since these ionic species are liberated under humidity conditions (rain or dew) and they are transported across the xylem of the crops until reaching the pulp of the fruits. The CO_2 absorption by the crops shifts the equilibrium
5 towards a higher production of CO_3H^- , which at the same time is transformed into Ca^{2+} and CO_2 .

Thus, the application of the fertilizer onto the surface of the crops (stem, leaves and fruits) and the effect of the rain or dew increases the production of calcium bicarbonate, which is then broken down into Ca^{2+} and CO_2 in the aqueous solution:



It is also an object of the invention the use of the fertilizer as claimed in agricultural crops for the protection against pests. The distribution of the fertilizer on the surface of the leaves/fruits is essential for the subsequent activity as a calcium
15 fertilizer: its deposition forming a thin monolayer structure maximizes the coverage effect of the fertilizer.

Besides, this allows increasing the contact surface area of the fertilizer particles in the tree trunks, the stem of the plants, the leaves or the fruits that are treated with the fertilizer. In this way, the permanence of the fertilizer is guaranteed under all
20 weather conditions (rain, dew or wind).

In addition to the fertilizing activity, the fertilizer is suitable against agricultural pests. In particular, the new fertilizer protects both the trees and fruits against sunburn and pests. It has been demonstrated that the new fertilizer is able to reduce the pests affecting the trees in more than 80%. This is due to the way the fertilizer is distributed
25 on the surface of the tree as well as to its long permanence.

Therefore, it is also an object of the invention the application of the fertilizer to agricultural crops, during the whole agricultural cycle. The deposition of the fertilizer is achieved by micro-pulverization at high pressures (preferably, between 7 bar and 10 bar) of an aqueous suspension of the fertilizer, generating a spray of micro-droplets
30 preferably having a diameter equal to or smaller than 80 μm . The subsequent evaporation of the water contained in the particles distribute them forming a uniform layer on the surface of the fruits or leaves on which the fertilizer is applied, maximizing the covering effect of the fertilizer.

35 EXPERIMENTS

In order to prove the effectiveness of the product as claimed, different experiments were carried out consisting of treating pear and apple crops.

The fertilizing treatments were carried out in the last week of April, using a 6% weight suspension of the fertilizer in water (60 kg fertilizer/Ha) and pulverizing it at a pressure
5 of 8 bar.

Figures 1 and 2 show the distribution of the fertilizer on the leaves. In particular, the figures show how the fertilizer is able to penetrate inside the leaf stomata (Figure 1) or how it is distributed surrounding the stomatal pores, on the guard cells located in the leaf epidermis (Figure 2).

10 Figures 3 to 5 show the distribution of the fertilizer on the fruits.

Figure 3 shows how the fertilizer particles are distributed on the cuticle and the epidermis of Golden Apples.

Figure 4 shows how some fertilizer particles penetrate inside the polygonal cells of the epidermis of Golden apples. Similar experiments were carried out using
15 Conference pears, having a thicker cuticle than the cuticle of Golden apples. The cells of the Conference pears are not polygonal. They have a rounded shape and have a less ordered distribution than the apple cells.

Figure 5 shows how other fertilizer particles are distributed along the whole cuticle surface of the pears, close to the cuticle pores that connect the cells with the
20 epidermis cells of Conference pears, in a disordered multi-layer structure. Below the epidermis is the periderm and below it, the pulp, which is formed by parenchyma cells.

Under humidity conditions (dew or rain), the fertilizer can liberate more Ca^{2+} , which is available for the fruit and accumulates in the pulp. Thus, under humidity conditions, the fertilizer favours the supply of Ca^{2+} and CO_2 "in situ" in the epidermis
25 and, from epidermis to the pulp.

The experiments carried out also demonstrated a synergetic effect due to the characteristics of the fertilizer as claimed. In particular, due to the high dosis of Ca^{2+} fed to the fruits, the fertilizer allows reducing the physiological disorders of the fruits such as the bitter pit or the lenticel blotch pit, whilst maintaining the firmness of the fruits.

30 An additional advantage of the fertilizer as claimed is that it is easily removed from the fruit after having been harvested. Therefore, it does not adversely affect the physical appearance of the fruit, as compared with other well known fertilizers such as calcined kaolin.

The application of the new fertilizer can be carried out during the whole
35 agricultural cycle and it allows both nourishing the crops with an effective amount of

calcium and protecting the crops against agricultural pests. The treatments can be carried out at different moments during the agricultural cycle, depending on the weather conditions.

5 In a preferred embodiment of the invention, this treatment can be carried out as follows:

- Dormant treatment (winter):
 - Pre-harvest protection of fruit trees: First treatment in January consisting of applying a 5% (w/w) aqueous suspension of the fertilizer in an amount of 50 kg/Ha;
- 10 • Spring, summer and fall treatments:
 - Foliar fertilization of the fruit with Ca and CO₂, including fruit protection against sunburn and pests in a second treatment from the end of April until the beginning of May consisting of applying a 6% (w/w) aqueous suspension of the fertilizer in an amount of 60 kg/Ha;
 - 15 - Cuticular fertilization of the fruit with Ca and CO₂, including fruit protection against sunburn and pests in a third treatment in June consisting of applying a 2% (w/w) aqueous suspension of the fertilizer in an amount of 20 kg/Ha and an additional application in July consisting of applying a 1% (w/w) aqueous suspension of the fertilizer in an amount of 10 kg/Ha;
 - 20 - Post-harvest protection of the fruit tree against pests in a fourth treatment from October to November consisting of applying a 1% (w/w) aqueous suspension of the fertilizer in an amount of 10 kg/Ha.

25 Although this is a preferred embodiment, it will be possible to vary the time of the year when the fertilizer is applied to the crops, depending on the weather conditions of the location of the crops.

However, since the calcium is more easily absorbed, in a continuous way, coinciding with the fruit cell division (during the period of 6 to 8 weeks after bloom), the first foliar treatments of the pulp of the fruit are preferably carried out during this period.

30 Besides, there exists a strong competence between the leaves and the fruits for the calcium available in the crops. For this reason, in a preferred embodiment of the invention the new fertilizer as claimed is applied in multiple foliar applications in order for the calcium to directly penetrate inside the pulp, across the cuticle and epidermis of the plant or tree.

35 When the fruit, when growing, reaches a diameter of approximately 6 to 8 cm, in

a preferred embodiment of the invention the process will comprise applying the fertilizer once more, at a lower concentration of 10 kg/Ha to 30 kg/Ha, to reinforce the supply of calcium (both foliar and cuticular) to the pulp of the fruit.

The fertilizer object of the invention has also the advantage of providing a
5 fertilizing activity without the side effects associated with an increase in the salt index, which are common when applying the liquid fertilizers available in the state of the art (such as CaCl_2 , which is the most commonly used). The new fertilizer has a low salinity, and therefore it avoids the increase in the pH of the soil associated with the use of calcium salts such as calcium chloride. Thus, whilst the “salt index” of calcium
10 chloride is 87, the “salt index” of the new fertilizer is of 0.8. This is an important advantage, since it avoids increasing the osmotic pressure of the soil.

Experiment 1. Foliar fertilization of the pulp of Golden apples

A first experiment was carried out to measure the foliar fertilization of Golden
15 apples.

The treatment was carried out the last week of April using a 3% weight suspension of the fertilizer as claimed in water (30 kg/1000 l water/Ha). The reference treatment (blank) was 3% CaCl_2 solution (30 kg/1000 l water/Ha).

The fertilizer as claimed proved to be 50% more effective in the supply of calcium
20 to the pulp as compared with the supply of calcium achieved with a CaCl_2 treatment.

The results of this first experiment are shown in table 1 below:

Tabla 1

Sample	Treatment	Dry matter	Calcium
Golden apple pulp	CaCl_2 (30kg/Ha)	14.3%	24 ppm
Golden apple pulp	Fertilizer as claimed (30kg/Ha)	15.2%	36 ppm

25 This experiment demonstrates that the new fertilizer as claimed is more effective than the most commonly used fertilizer (CaCl_2). In particular, it has been demonstrated that when the fertilizer as claimed is applied at a concentration of 3% in water (30kg fertilizer/ 1.000 l water/Ha) on a Golden apples, the supply of calcium to the pulp is
30 50% higher as compared with the supply of calcium achieved with a CaCl_2 treatment.

Experiment 2. Foliar fertilization of the pulp of Conference pears

A second experiment was carried out to measure the foliar fertilization of Conference pears.

The treatment was carried out the last week of April using a 3% weight suspension of the fertilizer in water (30 kg/1000 l water/ Ha). The blank was the non-treated fruit.

As compared with the blank (the fruit without treatment), the fertilizer as claimed
5 proved to be 24% more effective in the supply of calcium to the pulp.

The results of this second experiment are shown in table 2 below:

Tabla 2

Sample	Treatment	Dry matter	Calcium
Conference pear pulp	No treatment	18.4%	76 ppm
Conference pear pulp	Fertilizer as claimed (30 kg/Ha)	19.3%	94 ppm

10 Additional experiments were carried out to demonstrate the effectiveness of the fertilizer in the protection of crops against pests.

A comparison test was carried out treating pear trees against psila with the new fertilizer. The percentage of psila occupation was calculated by visual inspection of 200 tree suckers sampled from a total crop area of 1 Ha. These trees had only a 5%
15 affection of psila, as compared with non-treated trees, which had a 45% affection of psila.

An additional comparison test was carried out treating pear trees against the green aphid with the new fertilizer. The percentage of green aphid occupation was calculated by visual inspection of 200 tree suckers sampled from a total crop area of 1
20 Ha. These trees were not infected, as compared with non-treated trees, which were infected in a percentage of 60%.

CLAIMS

1. A solid calcium fertilizer suitable against fruit physiological disorders and pests characterized in that it comprises more than 98.5% weight of calcium carbonate.
5
2. Use of the fertilizer as claimed in claim 1 for the protection of agricultural crops against pests.
3. Use of the fertilizer according to claim 2, wherein the agricultural crops are pear
10 and/or apple crops.
4. Use of the fertilizer according to claim 2 or 3, wherein said use comprises applying to the crops between 1% and 12% weight of the fertilizer dispersed in an aqueous suspension.
15
5. Use of the fertilizer according to claim 4, wherein the application of the fertilizer is by micro-pulverization at a pressure between 7 and 10 bar, generating a spray of micro-droplets having a diameter equal to or smaller than 80 μm .
- 20 6. Use of the fertilizer according to any one of claims 2 to 5, wherein the fertilizer is applied during the whole agricultural cycle.
7. Use of the fertilizer according to claim 6, wherein the application comprises:
 - a) a first treatment in January consisting of applying to the crops a 5% w/w aqueous
25 suspension of the fertilizer in an amount of 50 kg/Ha;
 - b) a second treatment from the end of April until the beginning of May consisting of applying to the crops a 6% w/w aqueous suspension of the fertilizer in an amount of 60 kg/Ha;
 - c) a third treatment in June consisting of applying to the crops a 2% w/w aqueous
30 suspension of the fertilizer in an amount of 20 kg/Ha and an additional application in July consisting of applying to the crops a 1% w/w aqueous suspension of the fertilizer in an amount of 10 kg/Ha;
 - d) a fourth treatment from October to November consisting of applying to the crops
35 a 1% w/w aqueous suspension of the fertilizer in an amount of 10 kg/Ha.

1/3




FIG. 1




FIG. 2

2/3




FIG. 3




FIG. 4

3/3




FIG. 5

INTERNATIONAL SEARCH REPORT

International application No
PCT/EP2019/087130

A. CLASSIFICATION OF SUBJECT MATTER INV. A01N59/06 C05B1/00 A01N25/00 A01N25/04 A01P7/04 A01P19/00 C05D3/02 ADD.																	
According to International Patent Classification (IPC) or to both national classification and IPC																	
B. FIELDS SEARCHED Minimum documentation searched (classification system followed by classification symbols) A01N C05G C05B C05D Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched Electronic data base consulted during the international search (name of data base and, where practicable, search terms used) EPO-Internal, BIOSIS, CHEM ABS Data, WPI Data																	
C. DOCUMENTS CONSIDERED TO BE RELEVANT <table border="1"> <thead> <tr> <th>Category*</th> <th>Citation of document, with indication, where appropriate, of the relevant passages</th> <th>Relevant to claim No.</th> </tr> </thead> <tbody> <tr> <td>Y</td> <td>US 6 069 112 A (GLENN DAVID MICHAEL [US] ET AL) 30 May 2000 (2000-05-30) claims 1,2,7,8,19,20 example 1</td> <td>1-7</td> </tr> <tr> <td>Y</td> <td>NZ 280 358 A (MURDOCH GAVIN FRANK) 27 July 1997 (1997-07-27) claims 1-15</td> <td>1-7</td> </tr> <tr> <td>Y</td> <td>WO 98/38867 A1 (ENGELHARD CORP [US]; US AGRICULTURE [US]) 11 September 1998 (1998-09-11) cited in the application claims 1-9 examples III-IV</td> <td>1-7</td> </tr> <tr> <td></td> <td style="text-align: center;">----- -/-</td> <td></td> </tr> </tbody> </table>			Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.	Y	US 6 069 112 A (GLENN DAVID MICHAEL [US] ET AL) 30 May 2000 (2000-05-30) claims 1,2,7,8,19,20 example 1	1-7	Y	NZ 280 358 A (MURDOCH GAVIN FRANK) 27 July 1997 (1997-07-27) claims 1-15	1-7	Y	WO 98/38867 A1 (ENGELHARD CORP [US]; US AGRICULTURE [US]) 11 September 1998 (1998-09-11) cited in the application claims 1-9 examples III-IV	1-7		----- -/-	
Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.															
Y	US 6 069 112 A (GLENN DAVID MICHAEL [US] ET AL) 30 May 2000 (2000-05-30) claims 1,2,7,8,19,20 example 1	1-7															
Y	NZ 280 358 A (MURDOCH GAVIN FRANK) 27 July 1997 (1997-07-27) claims 1-15	1-7															
Y	WO 98/38867 A1 (ENGELHARD CORP [US]; US AGRICULTURE [US]) 11 September 1998 (1998-09-11) cited in the application claims 1-9 examples III-IV	1-7															
	----- -/-																
☒ Further documents are listed in the continuation of Box C. ☒ See patent family annex.																	
* Special categories of cited documents : "A" document defining the general state of the art which is not considered to be of particular relevance "E" earlier application or patent but published on or after the international filing date "L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified) "O" document referring to an oral disclosure, use, exhibition or other means "P" document published prior to the international filing date but later than the priority date claimed "T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention "X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone "Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art "&" document member of the same patent family																	
Date of the actual completion of the international search		Date of mailing of the international search report															
5 February 2020		17/02/2020															
Name and mailing address of the ISA/ European Patent Office, P.B. 5818 Patentlaan 2 NL - 2280 HV Rijswijk Tel. (+31-70) 340-2040, Fax: (+31-70) 340-3016		Authorized officer Marie, Gérald															

INTERNATIONAL SEARCH REPORT

International application No

PCT/EP2019/087130

C(Continuation). DOCUMENTS CONSIDERED TO BE RELEVANT		
Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
Y	EP 3 033 944 A1 (OMYA INT AG [CH]) 22 June 2016 (2016-06-22) cited in the application claims 1-15 paragraph [0005] -----	1-7

INTERNATIONAL SEARCH REPORT

Information on patent family members

International application No

PCT/EP2019/087130

Patent document cited in search report		Publication date	Patent family member(s)		Publication date
US 6069112	A	30-05-2000	AR	053078 A1	25-04-2007
			AT	319311 T	15-03-2006
			BR	9915935 A	21-08-2001
			CA	2352876 A1	08-06-2000
			CN	1332607 A	23-01-2002
			CO	5231179 A1	27-12-2002
			DE	69930317 T2	02-11-2006
			EP	1139763 A2	10-10-2001
			EP	1652434 A1	03-05-2006
			ES	2259246 T3	16-09-2006
			IL	143435 A	31-12-2006
			JP	2002530125 A	17-09-2002
			NZ	511994 A	29-08-2003
			PE	20001045 A1	15-10-2000
			PT	1139763 E	31-05-2006
			TR	200101545 T2	21-01-2002
			TR	200200867 T2	21-06-2002
			US	6069112 A	30-05-2000
			WO	0032046 A2	08-06-2000

NZ 280358	A	27-07-1997	NONE		

WO 9838867	A1	11-09-1998	AT	268991 T	15-07-2004
			AU	747461 B2	16-05-2002
			BR	9812287 A	18-07-2000
			CA	2282544 A1	11-09-1998
			CN	1249663 A	05-04-2000
			DE	69824559 T2	18-08-2005
			DK	0969725 T3	18-10-2004
			EP	0969725 A1	12-01-2000
			ES	2222575 T3	01-02-2005
			IL	131473 A	24-06-2003
			JP	2001524946 A	04-12-2001
			NZ	337205 A	25-08-2000
			PT	969725 E	30-09-2004
			TR	199902119 T2	21-12-1999
			TW	529906 B	01-05-2003
			WO	9838867 A1	11-09-1998

EP 3033944	A1	22-06-2016	AR	103033 A1	12-04-2017
			AU	2015367695 A1	27-07-2017
			BR	112017012475 A2	27-02-2018
			CL	2017001546 A1	09-02-2018
			CR	20170254 A	19-09-2017
			EP	3033944 A1	22-06-2016
			EP	3232791 A1	25-10-2017
			ES	2668688 T3	21-05-2018
			JP	2017537956 A	21-12-2017
			KR	20170097122 A	25-08-2017
			MA	40656 A1	29-12-2017
			MX	356950 B	21-06-2018
			NO	3033944 T3	14-07-2018
			PE	20171101 A1	07-08-2017
			PH	12017501082 A1	18-10-2017
			PL	3033944 T3	31-07-2018
			PT	3033944 T	14-05-2018
			RU	2667752 C1	24-09-2018
			SI	3033944 T1	29-06-2018

INTERNATIONAL SEARCH REPORT

Information on patent family members

International application No

PCT/EP2019/087130

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
		TN 2017000236 A1	19-10-2018
		US 2017360046 A1	21-12-2017
		UY 36427 A	29-07-2016
		WO 2016096907 A1	23-06-2016
