




(22) Date de dépôt/Filing Date: 2005/04/29
 (41) Mise à la disp. pub./Open to Public Insp.: 2005/11/17
 (45) Date de délivrance/Issue Date: 2023/11/28
 (62) Demande originale/Original Application: 2 564 455
 (30) Priorité/Priority: 2004/04/29 (US10/836,958)

(51) Cl.Int./Int.Cl. *G06Q 50/34* (2012.01),
G07F 17/32 (2006.01)
 (72) Inventeurs/Inventors:
ASHER, JOSEPH M., US;
LUTNICK, HOWARD W., US
 (73) Propriétaire/Owner:
CFPH, LLC, US
 (74) Agent: KIRBY EADES GALE BAKER

(54) Titre : SYSTEME ET PROCEDURE DE JEU PARI-MUTUEL D'APRES DES RESULTATS D'EVENEMENTS SPORTIFS
 (54) Title: SYSTEM AND METHOD FOR PARI-MUTUEL GAMING BASED ON SPORTING EVENT RESULTS



(57) **Abrégé/Abstract:**

A method of pari-mutuel betting is provided. Bets regarding the result of a game, such as a casino game for example, are received from a number of users. Each bet has a unit stake. One or more inputs for the game are determined based on event results from a sporting event. A result of the game is determined for a particular bet based at least on a set of rules associated with the game and the one or more determined inputs. If the particular bet is determined to be a winning bet based on the result of the game for the particular bet, a payout is determined for the particular bet based at least on the unit stake associated with the particular bet and the value of the pari-mutuel wager pool that includes at least a portion of the total of the unit stakes of the plurality of received bets.

ABSTRACT OF THE DISCLOSURE

5 A method of pari-mutuel betting is provided. Bets regarding the result of a game, such as
a casino game for example, are received from a number of users. Each bet has a unit stake. One
or more inputs for the game are determined based on event results from a sporting event. A
result of the game is determined for a particular bet based at least on a set of rules associated
with the game and the one or more determined inputs. If the particular bet is determined to be a
winning bet based on the result of the game for the particular bet, a payout is determined for the
10 particular bet based at least on the unit stake associated with the particular bet and the value of
the pari-mutuel wager pool that includes at least a portion of the total of the unit stakes of the
plurality of received bets.

SYSTEM AND METHOD FOR PARI-MUTUEL GAMING BASED ON SPORTING EVENT RESULTS

This is a division of co-pending Canadian Patent Application 2,564,455 filed April 29,
5 2005 (PCT/US2005/015004).

TECHNICAL FIELD OF THE INVENTION

This invention relates in general to gaming systems and methods and, more particularly, to systems and methods for pari-mutuel gaming based on sporting event results.

BACKGROUND OF THE INVENTION

10 Wagering in casinos, online, at racetracks, and at off-track betting (“OTB”) parlors is a large and growing industry throughout the world. Various types of betting products and systems exist that facilitate betting on the outcome of a particular game. For example, a patron in a casino or a person using an online betting service may bet on a hand of blackjack, a spin on a slot machine, a roll of the dice, etc. The result of each bet, such as whether the bet is a winning bet, a
15 losing bet, or a “push” (i.e., a tie) is determined based on a number of inputs. For example, inputs for a blackjack game include the cards dealt to each player and the dealer, inputs for a craps game include each roll of the dice, and inputs for a roulette game include the each spin of the roulette wheel. Such inputs are typically determined by chance or by some combination of skill and chance. For example, in a roulette game, each spin of the roulette wheel is determined
20 by chance. However, in a blackjack game, the cards dealt to each player are determined by a combination of skill and chance: the player does not know which cards will be dealt from the deck but has some control over how many cards he wishes to draw for his hand.

In certain games, such as blackjack, craps and roulette, the payout for each winning bet is determined based on odds predetermined by the casino or online betting service provider. For
25 example, in roulette, a winning bet on red or black typically pays 1-1 odds to the bettor, while a winning bet on a single number typically pays 35-1 odds to the bettor. For other types of betting, such as betting on horse races or dog races for example, the payout for each winning bet may be determined in a pari-mutuel manner. In a pari-mutuel betting system, all bets regarding a particular event are aggregated, a commission (or “take-out”) is taken by the track, and the
30 remainder is distributed among the winning bettors in proportion to the amount of

each winning bet. Pari-mutuel betting systems are commonly used in North America (and other various places throughout the world) for betting on horse races.

5 Gambling machines, Gaming machines, or amusement machines, or amusement-with-prizes machines, are well known. They range from slot machines, “fruit machines”, and other large, immobile, machines housed in a housing or carcass, to hand-held computer game machines, such as GAMEBOY™ machines. Other known betting, gaming and amusement apparatus include Internet gaming systems. Making and selling, and otherwise providing, gaming, gambling, and betting machines is a large industry.

10 It is also known that players of games, or people who bet on gambling machines, can be interested in new experiences. The very novelty of a new machine, and the functionality/game provided by the machine, can attract certain players. Machines with enhanced player-appeal are desirable. Gaming machines and Internet based gambling systems, are known to have an initial flurry of interest when people play them a lot, and their frequency of use can then tail-off as people lose interest and move onto another new machine/experience. It is known to move slot machines/fruit machines from venue to venue, so that at each particular venue, they are new, and exciting, to the players that frequent that venue. The industry that provides gambling/gaming and amusement machines strives to provide machines with added interest for the player. Providing a new machine or system that provides a player with a new user-experience is a problem for the industry. Many gambling machines are played by customers simply because they offer new experiences. A new machine/offering is attractive to customers. Manufacturers and the owners of gambling venues therefore try to appeal to customers by having forever-new games to play. What might be thought as “gimmicks” by some are actually improvements in player interest, and player engagement with the game experience, and are added value enhancements to the machines and systems that offer them. One reason why some people bet is for the entertainment/interest: not necessarily just to win money. After all, most people know in their minds that statistically the house wins, but emotionally still enjoy the betting experience, and there is of course the chance of winning as well, which is part of the experience.

30 An alternative, new, machine with extra interest for a player is sought by the industry. An aim of some embodiments of the invention is to provide a machine or

system with increased player appeal, and/or to provide a new playing experience to the user.

5 Problems faced by the industry include how to engage and retain player interest and how to provide machines that do that. The invention, in some embodiments at least, resides in providing an alternative solution to these known problems.

10 Another problem of some gambling or amusement machines is that they determine whether a player has won or lost, and the winning score/reel set of symbols/event internally, e.g. using a random number generator. This allows the possibility of the owner of the premises where the machine is located (or some other person) to tamper with the random number generator and cheat. Random number generators may therefore need to be tamper-proof and/or tamper-evident, which adds to their cost and increases complications to the machine. Moreover, if the random number generator goes wrong the machine is inoperative, tying up space in the premises uselessly until an engineer can be called to fix it.

15 Some random number generators are not actually that at all. They produce a number that is very difficult to predict, but perhaps not impossible to predict. For big money jackpots pots (e.g. \$1m) it can be worth people trying to cheat. Some random number generators have an algorithm which takes an input, e.g. a clock and generates a number (e.g. generating a large number using the algorithm from the clock input and selecting the n th and $n + 1$ digits, as a hypothetical example). They actually produce a number that is possible to predict if you know the algorithm and the position in a very long number sequence that has already been reached, for example. A “very difficult to predict number generator” might be another way at looking at some random number generators. No human can press the gamble button of the system with the timing (to milliseconds) necessary to achieve a predictable outcome, even if they know what time they need to press it to win. However, it is conceivable that for very big money prizes someone may make a machine that presses the gamble button, knows when, exactly, it was pressed, knows the reel symbols that were produced, and can repeat this a large number of times until it deduces the algorithm and/or the position in a large number sequence, and can deduce exactly when to press the button to win, and can control the timing of the actuation of the button to win. Also, inside help from the manufacturer of a gambling system cannot be ruled out.

SUMMARY OF THE INVENTION

In one embodiment, a method of pari-mutuel gaming is provided. A plurality of bets regarding the result of a game for each of a plurality of users are received. Each bet has an associated unit stake and the result of the game for each user is based on a set of rules and one or more inputs. Each received bet is assigned to one of a plurality of sporting events, each corresponding to one of a plurality of pari-mutuel wager pools. For a particular sporting event corresponding to a particular one of the plurality of pari-mutuel wager pools, the value of the particular pari-mutuel wager pool is determined. The value comprises at least a portion of the total of the unit stakes of the received bets assigned to the particular sporting event. For each received bet assigned to the particular sporting event, one or more inputs for the game are determined based on event results from the particular sporting event, a result of the game is determined based at least on the set of rules and the one or more determined inputs for that bet, and it is determined whether the bet is a winning bet based on the result of the game for that bet. A payout is determined for each winning bet based at least on the unit stake associated with that bet, the total unit stake associated with all determined winning bets, and the value of the particular pari-mutuel wager pool for the particular sporting event.

Various embodiments of the present invention may benefit from numerous advantages. It should be noted that one or more embodiments may benefit from some, none, or all of the advantages discussed below.

One advantage is that systems and methods provide bettors pari-mutuel gaming based on sporting event results. Thus, a bettor may place a bet on a game, (such as blackjack, craps or roulette, for example) in which the inputs for the game (such as the cards, dice roll, or roulette spin, for example) are determined based on the results of a sporting event (such as the finishing positions of each horse in a horse race, for example). The amount that the bettor wagers is entered into a pari-mutuel pool that is distributed (at least partially) in a pari-mutuel manner to all winning bettors. A pari-mutuel gaming provider may offer such gaming as an alternative to, or in addition to, traditional pari-mutuel gaming, such as traditional pari-mutuel betting on horse racing.

Another advantage is that such pari-mutuel gaming based on sporting event results may be provided online such that bettors may place bets through one or more

websites associated with a betting provider. The, bettors need not travel to a casino, track or OTB parlor to place such bets. Another advantage is that systems and methods provide rules for each game for mapping results from a sporting event (such as the finishing positions of each horse in a horse race, for example) to various inputs used in a game (such as the cards in a blackjack hand or a roll of each die in a craps game, for example). For a particular game, a number of sets of such mapping rules may be provided, each corresponding to a particular number of participants in a sporting event. Thus, for example, one set of rules may be used to determine a roll of the dice for a craps game based on the finishing positions of horses in an eight-horse race, while a different set of rules may be used to determine a roll of the dice for the craps game based on the finishing positions of horses in a twelve-horse race. Thus, inputs for games may be determined from various sporting events regardless of the number of participants in such sporting events.

Yet another advantage is that an indication of the progress of a sporting event to which a bettor's bet is assigned may be communicated to the bettor via a communication network. In certain embodiments, a video feed of all or portions of the sporting event (such as a horse race, for example) may be communicated to the bettor via the Internet. In some embodiments, the indication of the progress of the sporting event may be communicated to the bettor in real time or substantially in real time. For example, in particular embodiments, a video feed of the sporting event is communicated to the bettor in real time or substantially in real time. Thus, the bettor may witness the sporting event that will be used to determine the result of his bet.

Some embodiments of the invention remove the need for a random number generator in the machine. The problems of the random number generator being accessible to people for them to interfere with it are overcome, as are those associated with the possibility of being able to predict when to press the systems actuator button to achieve a win.

Providing an external source of input when determining the values of the reels, or other game elements, makes it harder for a casino owner, for example, to rig the machines: it is unlikely that they could rig sporting event results. There is no inside person able to reveal a secret number – generator algorithm. It is difficult to fix the result of sporting events. If the particular sporting event that will be selected to

control the game result is not known in advance it is impossible to know what sporting event to try to control if one were trying to cheat.

Furthermore, problems associated with the random number generator going wrong, and thereby rendering the machine inoperative are overcome. There is no “in-machine” random number generator to go wrong.

One advantage of some embodiments of the invention is that since the results of the sporting event can be mapped to a corresponding result of a game or game component, it permits flexibility, and a degree of control, in determining the probability of certain game results. For example if a particular more probable sporting event outcomes are mapped to particular game event outcomes, that will enhance the probability of these game outcomes actually being realised (e.g. if the favourite horse of a race winning is mapped to the next card being a king then the next card being a king will have a greater probability than if the next card being a king were to be mapped to a 200-1 outsider horse in a race).

This allows the probability of certain game events to be controlled by controlling the mappings, including the probability of winning the game.

Embodiments of the invention therefore provide an alternative way of a games system designer providing control over the statistical probability of particular game outcomes occurring.

If a player knows what sporting event outcome he needs to win a game (and the system may tell or show him that, possibly in advance of the sporting event concluding), they can see that the game result is not “fixed”, and that they have a real chance of winning the game. This feeling can assist in enjoyment of the experience. Watching (or listening to) the result of the sports event, possibly even having presented to them at least a part (e.g. the end period) of the sports event (e.g. on a display) also assists in ensuring that the game is seen as being fair. The sports event may be displayed to the user in real time, or close to real time.

Using different rules allocating sports events to particular games, or game element, outcomes, can alter the probability of a particular game outcome occurring. Thus there may be better chances of winning the game at one time than another. There may even be a “happy hour” concept where for a set, predetermined time, typically advertised to users in advance (and not necessarily an hour) the chances of

winning are enhanced. This can encourage people to frequent a particular establishment at a particular time.

5 In some embodiments the user may be able to influence the result of the game by exercising skill and judgment in how they select the sporting event outcome/which sporting event outcome they select. The user may be able to operate user-selection input means adapted to select the sporting event, or the participant, or the result/placing, or any combination of these, that will influence the game outcome. Alternatively, the system may do the selecting possibly with no user input.

10 The game may be prolonged in time, adding to perceived value, by linking game results with sports events, for example those that take place in the near future. A database of available sporting events and their timings may exist and may be accessible by a system processor, and the database may be updated in time.

15 Some embodiments of the invention give added user interest by enabling a user to use a sports event that contributes to the value of an input to the game. Some allow the user to select the sports event that contributes. Some allow the user to select a participant in the sports event that will contribute. The user can, in some embodiments, feel that they have a chance of influencing the result of the game by their selections.

20 Another advantage of embodiments of the present invention is that it is possible to change the source or identity of the sporting event that influences the game input. This can be useful if one sports event (e.g. a baseball match) has finished and another, e.g. (a baseball game) is still playing. Input can be provided by the as yet unknown-result source available at any point in time. If for whatever reason there is an interruption in the supply of data from one source the systems or machine, in some
25 embodiments, may switch to obtaining data from another source, another sporting event source.

30 The ability to switch sources of input data (that will determine the game outcome) makes it harder for a cheat to control the input data source. It is not attractive to a cheat to invest a lot in trying to control one input source if the machine switches to using a different input source of data. This has an enhanced security effect.

In some embodiments the user may be informed by the machine what is the source of external input data, e.g. sporting event data, or that a source of sporting data

(or other external source) is used to control the game outcome, and possibly what sporting event (or other source) is relevant to determining the game outcome, possibly for specific game elements (e.g. reels of a machine, or dice, or cards, or roulette spin or the like). The user may be informed of this before, during, or after a game. The user may be informed by a visual display, or audio or both.

Embodiments of the invention allow for the same non-random, non-predictable, input source to provide an input to a plurality of systems or machines so as to influence the results of bets placed on a plurality of machines. This can save cost and verification logistics in comparison with having a plurality of independent random number generators which each need buying, installing when the machine is being made, and optionally periodic checks to ensure that their integrity has not yet been compromised.

The results of sporting events, especially some sporting events that are expected to be both contested with the result in doubt, can provide an input that is non-predictable, but that is not produced by a random number generator. The result is not truly random, but is unpredictable enough to be used to control the outcome of a bet on a game where the value/identity of the game element is influenced by the outcome of the sporting event result.

Pari-mutuel betting has attractions for users who think that they have the skill, or luck, to see things that other bettors do not. The fewer the winners, the larger the share of the pari-mutuel pot that each winner gets. This knowledge that if you win an unusual bet you will win more is an added interest to some players.

Another advantage of some embodiments of the present invention is the ability to play against/with bettors who are using other bet input machines, possibly at other geographical or physical areas.

In a pari-mutuel betting system this can have attractions to players. For example, if a sports team from New York was playing a sports team from Dallas the bettors in Dallas may, statistically, be likely to bet on Dallas winning, or doing better in a spread bet, than bettors from New York, who may bet on their own home team to do better. It may enhance the bettor/player experience to know that if you selected a sporting event result that favored your home team, and won the game/bet to which that sporting event was making a game-controlling contribution, that you are probably taking, on average, the money of the other team's fans. Psychologically, not only

were you right that your team was better than the other team, but you are taking the pari-mutuel payment from the supporters of the other team. This can enhance player appeal, and therefore usage of the system.

5 In some embodiments the mapping of game results, or game element results (e.g. the symbols on the reels or the roll of a die) to the sporting event results may vary or be modified from game to game (or between some games). This can improve security since a knowledge of the mapping, and how it changes with time, is now necessary to even attempt to rig the outcome.

10 Furthermore, the mapping between sporting event results and game element results can be the same for a plurality of machines (e.g. all of the machines at one physical site, or at different sites), or it can be different. This also allows better security since even if a way of rigging one machine is found, other machines will have different mappings and the “cheat” may not work on other machines.

In some scenarios, local legislation may prohibit random number generators but allow systems that have the present invention.

15 In some embodiments, the user may be able to select which external source of input is used to influence the bet, possibly with a knowledge of what were the available input sources from which they can select. This may enhance a feeling of control, or skill mattering, and may improve the entertainment value of the experience for the user.

20 Whilst the input being a sporting event result has great appeal, not least because such events are not easily susceptible to being “fixed”, some aspects of the invention could use a different source, optionally known to the player, that provides a non-truly random, but not predictable, value or input. This can enhance the player-appeal of the game/bet and provide a new experience. Seeking an external input to the system may, sometimes, take time (or be presented to the user as taking time) and may prolong the game/bet experience, enhancing perceived value.

25 The input parameter (e.g. sporting event result), may be displayed to the user, at least at certain times. The user may be able to see it moving, possibly not in real time, possibly in real time, or close to real time.

30 Other advantages will be readily apparent to one having ordinary skill in the art from the following figures and description.

BRIEF DESCRIPTION OF THE DRAWINGS

For a more complete understanding of the present invention and for further features and advantages, reference is now made to the following description, taken in conjunction with the accompanying drawings, in which:

5 FIGURE 1 illustrates an example system for providing pari-mutuel gaming based on results from sporting events in accordance with an embodiment of the present invention;

 FIGURE 2 is a chart illustrating several examples of game inputs for various games in accordance with one embodiment of the present invention;

10 FIGURE 3 illustrates example rules for determining game inputs for a craps game based on results from a horse race according to one embodiment of the invention;

 FIGURE 4 illustrates example rules for determining inputs for a blackjack game based on results from a horse race and selected finishing positions according to one embodiment of the invention;

15 FIGURE 5 illustrates example rules for determining inputs for card games in general based on results from a horse race according to one embodiment of the invention;

 FIGURES 6A-6B illustrate example rules for determining inputs for a slots game based on results from a horse race and selected finishing positions according to one embodiment of the invention; and

20 FIGURE 7 illustrates an example method of providing pari-mutuel gaming based on results from a sporting event in accordance with the system of FIGURE 1.

25 DETAILED DESCRIPTION OF EXAMPLE EMBODIMENTS OF THE INVENTION

 FIGURE 1 illustrates an example system 10 for providing pari-mutuel gaming based on results from a sporting event in accordance with an embodiment of the present invention. In general, system 10 allows users to place bets for which the results of such bets are determined at least in part by the results of sporting events, such as, for example, a horse race, a dog race, an auto race, a jai alai game, a baseball game, a football game, a soccer game, a hockey game, a basketball game, or a cricket match. Users of system 10 may place bets on various games, such as standard casino

games. In one embodiment, each bet is assigned to one of a number of sporting events, such as horse races or dog races. Funds associated with each bet are included in a wager pool associated with the sporting event to which that bet is assigned. The outcome of each bet is determined based at least in part on the results of the sporting event to which that bet is assigned, such as the finishing positions of horses participating in a horse race, for example. For each winning bet, a payout is determined in a pari-mutuel manner from the wager pool associated with the sporting event to which that winning bet was assigned.

System 10 includes a betting system platform 12, a plurality of clients 14, and one or more pari-mutuel wager pool hosts 16. Clients 14 may be coupled to betting system platform 12 via a communication network 18 to provide users 20 access to betting system platform 12. Betting system platform 12 may be generally operable to manage bets 26 received from users 20 of clients 14. Pari-mutuel wager pool hosts 16 may be coupled to betting system platform 12 via a communication network 22 and may host one or more pari-mutuel wager pools 30. In some embodiments, betting system platform 12 functions as an Internet betting provider that provides Internet account wagering by providing online betting accounts to clients 14. Using an online betting account, a client 14 may interface with one or more websites associated with betting system platform 12 in order to fund the account, view betting information regarding betting events, and place bets 26. Such online betting accounts may include one or more various types of accounts, such as deposit accounts, credit accounts, stop-loss accounts, and hybrid accounts, for example.

Communication network 18 couples and facilitates wireless or wireline communication between clients 14 and betting system platform 12, while communication network 22 couples and facilitates wireless or wireline communication between pool hosts 16 and betting system platform 12. Each communication network 18 and 22 may include one or more servers, routers, switches, repeaters, backbones, links and/or any other appropriate type of communication devices coupled by links such as wireline, optical, wireless, or other appropriate links. In general, each communication network 18 or 22 may include any interconnection found on any communication network, such as a local area network (LAN), metropolitan area network (MAN), wide area network (WAN), the Internet, portions of the Internet, or any other data exchange system. In certain embodiments,

communication networks 18 and 22 may be completely distinct, partially overlapping or integrated, or completely overlapping or integrated.

Pool hosts 16 may include any entity suitable to host a pari-mutuel wager pool 30. For example, in the embodiment shown in FIGURE 1, pool hosts 16 include one or more sporting event locations 44, such as one or more horse tracks or dogs tracks, for example, and one or more off track betting (OTB) entities 46, such as one or more OTB parlors or casinos, for example. As shown in FIGURE 1, each pool host 16 may maintain one or more pari-mutuel wager pools 30, as well as sporting event information 66 for each sporting event associated with that pool host 16. Each pari-mutuel wager pool 30 is a pool of the funds associated with bets 26 assigned to a particular sporting event that is distributed in an at least partially pari-mutuel manner to users 20 who placed winning bets 26.

Sporting event information 66 includes various information regarding sporting events scheduled to occur at each sporting event location 44 or associated with each OTB entity 46, such as the type of the sporting event, the number of participants (such as the number of horses or dogs, for example) in the event, information regarding each participant in the event (such as the jersey number of each player or the number of each horse or dog, for example), the scheduled time for the start of the event, and an approximate duration of the event, for example. Each pool host 16 may communicate sporting event information 66 to betting system platform 12 at various times. For example, in certain embodiments, each pool host 16 may communicate sporting event information 66 to betting system platform 12 at the beginning of each day and send real-time or substantially real-time updates for such sporting event information 66 to betting system platform 12 throughout the day and night.

In some embodiments, pari-mutuel wager pools 30 are hosted by betting system platform 12 such that the funds associated with bets 26 are not transferred between betting system platform 12 and sporting event locations 44 or OTB entities 46. In other embodiments, pari-mutuel wager pools 30 are hosted by both betting system platform 12 and one or more pool hosts 16 such as one or more sporting event locations 44 or OTB entities 46.

As discussed above, betting system platform 12 may be generally operable to manage bets 26 received from clients 14 via communication network 18. Each bet 26 is defined by one or more bet parameters 28 such as the identity of the user 20 who

placed the bet 26, a unit stake 29 of the bet 26, the time the bet was placed, the game associated with the bet, the particular type of bet, and one or more selected finishing positions 31, for example. The unit stake 29 of a bet 26 represents the amount that the user 20 placing the bet wishes to wager on the bet 26. The unit stake 29 may be defined as a monetary value, such as in dollars or pounds for example, as a number of betting credits, or in any other suitable manner.

System 10 may offer bets 26 regarding any number of games that have one or more game inputs 34 that are typically determined based at least in part on luck or by chance. Games offered by system 10 may include casino games (such as craps, blackjack, roulette, slots, keno, baccarat, war, money wheel, poker, pai gow poker, and hold 'em, for example), games that are similar to, or based on, such casino games, and other games having one or more game inputs 34. As discussed above, game inputs 34 include one or more inputs for a game that are typically determined at least in part on luck or by chance. FIGURE 2 is a chart illustrating several examples of game inputs 34 for various games offered by system 10 in accordance with one embodiment of the present invention.

One or more types of bets may be available for various games offered to users 20 by betting system platform 12. Some of such types of bets may be similar or identical to types of bets offered by a casino or other betting provider, while other types of bets may not. For example, for a craps game, example types of bets 26 may include a 7 or 11 bet, a field bet, a place bet, or a hardways bet. As another example, for a roulette game, example types of bets 26 may include a bet on black or red, a bet on odd or even, a straight bet (a bet on an individual number), a two-number bet, a three-number bet, a four-number bet, a column bet, and a dozen bet. Thus, in such situations in which more than one type of bet 26 is available for a particular game, parameters 28 for each bet 26 on that game may define the type of that bet 26.

In some embodiments, such as where sporting events include races (such as horses races, dog races or auto races, for example), one or more selected finishing positions 31 are associated with certain bets 26. Each selected finishing position 31 represents a particular finishing position in a race event, such as, for example, the winning position, the 4th place position, or the 9th place position. As discussed in greater detail below, the selected finishing positions 31 associated with a bet 26 are used to determine one or more game inputs 34 for that bet 26 based on the number of

the participant in the race event that finishes in each selected finishing position 31. For example, if the selected finishing positions 31 of “2nd” and “4th” are associated with a particular bet 26, and the bet 26 is assigned to a particular horse race, the numbers of the horses finishing “2nd” and “4th” in the particular horse race may be used in determining one or more game inputs 34 for the particular bet 26. In certain embodiments, selected finishing positions 31 are selected automatically for various bets 26 received from users 20. For example, selected finishing positions 31 may be determined randomly for each bet 26. In other embodiments, a user 20 may select, or have the option to select, one or more finishing positions 31 for bets 26 placed by that user 20.

In some embodiments, the one or more finishing positions 31 associated with each bet 26 assigned to a particular sporting event, or for each bet 26 on a particular type of game, are the same. In other embodiments, different bets 26 assigned to a particular sporting event, or different bets 26 on a particular type of game, may have different associated finishing positions 31. For example, if two bettors place bets 26 that are assigned to the same particular horse race, one of the bettors may have selected finishing positions 31 of 1st, 4th and 6th for his bet 26, while the other bettor may have selected finishing positions 31 of 2nd, 3rd and 4th for his bet 26. In this example, suppose that the one or more game inputs 34 for each bet 26 are determined based on the horses that finish in each of the selected finishing positions 31 associated with that bet 26. Thus, the two bets 26 may have different game inputs 34, as well as different bet results 40.

Betting system platform 12 may include a processor 50 coupled to a memory 52 and is generally operable to manage bets 26 received from users 20 of clients 14. Processor 50 is generally operable to execute various algorithms or calculations to determine various data such as game inputs 34, bet results 40, pool values 53 of each pari-mutuel wager pool 30, and payouts 42, for example. Processor 50 may comprise any suitable processor that executes a betting system software application 54 or other computer instructions, such as a central processing unit (CPU) or other microprocessor, and may include any suitable number of processors working together.

Memory 52 may comprise one or more memory devices suitable to facilitate execution of the computer instructions, such as one or more random access memories (RAMs), read-only memories (ROMs), dynamic random access memories (DRAMs),

fast cycle RAMs (FCRAMs), static RAM (SRAMs), field-programmable gate arrays (FPGAs), erasable programmable read-only memories (EPROMs), electrically erasable programmable read-only memories (EEPROMs), microcontrollers, or microprocessors.

5 Memory 52 is generally operable to store various information that may be used by processor 50 in determining game inputs 34, bet results 40, pool values 53 of each pari-mutuel wager pool 30, and payouts 42. For example, memory 52 may comprise any suitable number of databases, which may be co-located or physically and/or geographically distributed. In the example shown in FIGURE 1, memory 52
10 may store any or all of the following: account information 60 for users 20; bet information 62 regarding bets 26 received from users 20; sporting event information 66; event results 32; game inputs 34; a set of rules 36 for each game offered by betting system platform 12; bet results 40; payouts 42; and pool values 53 of pari-mutuel wager pools 30 hosted by pool hosts 16.

15 Account information 60 may include various information regarding one or more accounts maintained for each user 20 of system 10, such as, for example, personal information regarding the user 20, an account ID, a user password, the type of each account maintained for the user 20, and an account balance 64 for each account. In certain embodiments, account information 60 for each user 20 may be
20 managed by betting system platform 12. For example, betting system platform 12 may manage the account balance 64 for each account associated with a user 20, which may include, for example, adding funds received from users 20, moving funds between accounts and pari-mutuel wager pools 30 as appropriate, and allowing users 20 to withdraw funds from their accounts.

25 Bet information 62 regarding received bets 26 may include the parameters 28 defining each bet 26 received from a user 20, such as the identity of the user 20 who placed the bet 26, the unit stake 29 of the bet 26, the time the bet was received by betting system platform 12, the game associated with the bet, the particular type of bet, and one or more selected finishing positions 31, for example. In addition, bet
30 information 62 regarding each bet 26 may identify other information regarding the bet 26, such as the pari-mutuel wager pool 30 (if any) to which the bet 26 is assigned by betting system platform 12; the status of the bet 26, such as whether the bet 26 is pending, completed or cancelled, and if the bet 26 was completed, the bet result 40 of

the bet 26 (for example, whether the bet 26 was determined a win, loss, or push); and the status of the funds associated with the bet 26, for example.

As discussed above, sporting event information 66 includes various information regarding various sporting events. Betting system platform 12 may receive sporting event information 66 from race hosts 16 at various times. For example, as discussed above, in certain embodiments, betting system platform 12 may receive sporting event information 66 from each pool host 16 at the beginning of each day, as well as receive real-time or substantially real-time updates to such sporting event information 66 throughout the day and night. Thus, sporting event information 66 maintained by betting system platform 12 may be kept substantially updated.

Event results 32 may include results from various types of sporting events, such as a horse race, a dog race, an auto race, a jai alai game, a baseball game, a football game, a soccer game, a hockey game, a basketball game, or a cricket match, for example. Event results 32 may include results of completed events or in some embodiments, results of events within the duration of a sporting event. Event results 32 for a horse race, a dog race, or an auto race may include, for example, the finishing position of each participant (such as the finishing position of each horse, dog or automobile, for example) in the race event, the number or other indicia assigned to each participant (such as each horse, dog, or automobile) in the race event, the position of particular participants at a certain point within the race event (such as the leading car at the end of a particular lap in an auto race, for example), the time of the finish of the race event, and the time of the official results for the race event. In certain embodiments, event results 32 for race events are received from a sporting event location 44 and/or OTB entity 46 after the completion of the race event or after the results of the race event have been made official.

Event results 32 for a baseball game may include, for example, whether the next pitch is a ball or a strike, or the outcome of the next at-bat in the game. Event results 32 for a football game may include, for example, the result of the next play from scrimmage (such as the number of yards gained or lost, or the number of the player who carries the ball or makes a tackle, for example), the score at the end of a quarter, or the score at the end of the game. Event results 32 for a jai alai game may include, for example, points scored by particular players. Event results 32 for a soccer game may include, for example, the number of the player who scores the next

goal, takes the next shot or commits the next foul, or the time of the next goal scored, the next foul, or the next corner kick. Event results 32 for a hockey game may include, for example, the number of the player who scores the next goal, takes the next shot or commits the next penalty, or the time of the next goal scored, the next penalty, or the next whistle. Event results 32 for a basketball game may include, for example, the score at the end of the game, the score at a particular point in the game (such as at the end of a quarter or half), the number of the player who scores the next basket, or the number of points scored in a particular period of time. Event results 32 for a cricket match may include, for example, the number of runs or innings.

As discussed above, game inputs 34 include one or more inputs for a game that are typically determined at least in part on luck or by chance, and FIGURE 2 illustrates a table 90 defining example game inputs 34 for various games in accordance with one embodiment of the present invention. Table 90 includes a first column 92, a second column 94 and a number of rows 96. First column 92 indicates various games, while second column 94 indicates one or more game inputs 34 for each game listed in column 92. Each row 96 associates a particular game with one or more one or more game inputs 34 for that game. For example, row 96a indicates that example game inputs 34 for a roulette game may be (1) the numerical result of a simulated roulette spin – a single number from 1 to 36, or 0 or 00; or (2) the color of the result of a simulated roulette spin – either black, red or green.

Rules 36 for Determining Inputs 34 for Games and Bet Results 40 for Bets 26

The one or more set of rules 36 for each game offered by betting system platform 12 may include any rules suitable to define that game. The rules 36 for each game may be identical, similar, or different from the rules used to define such game by a particular betting services provider, such as a casino or online gambling service, for example. In addition, the rules 36 for each game define how to determine game inputs 34 from event results 32 and/or parameters 28 of bets 26, such as selected finishing positions 31, for example.

FIGURES 3-6 illustrate several example sets of rules 36 for various games that define how to determine game inputs 34 for such games based on (1) event results 32 from horse races and, in some cases, (2) selected finishing positions 31 for each bet 26. Multiple sets of rules 36 are provided for each game such that each set of

rules 36 for a particular game corresponds to one or more particular numbers of horses in the relevant horse race. In some embodiments, a different set of rules 36 may be provided for each anticipated number of horses in a horse race that may be used for determining game inputs 34. It should be noted that although FIGURES 3-6 illustrate a first set of rules 36 for a horse race having 8 horses and a second set of rules 36 for a horse race having 12 horses, additional sets of rules 36 may be provided for each game for horse races having other numbers (i.e., other than 8 or 12) of participating horses.

FIGURE 3 illustrates example sets of rules 36 for determining inputs 34 for a craps game based on received event results 32 from horse races having either 8 or 12 horses according to one embodiment of the invention. FIGURE 4 illustrates example rules 36 for determining inputs 34 for a blackjack game based on (1) received event results 32 from horse races having either 8 or 12 horses and (2) selected finishing positions 31 according to one embodiment of the invention. FIGURE 5 illustrates example rules 36 for determining inputs 34 for card games in general based on received event results 32 from horse races having either 8 or 12 horses according to one embodiment of the invention. FIGURES 6A-6B illustrate example rules 36 for determining inputs 34 for a slots game based on (1) received event results 32 from horse races having either 8 or 12 horses and (2) selected finishing positions 31 according to one embodiment of the invention. It should be understood that rules 36 shown in FIGURES 3-6 are merely examples. Rules 36 may be similarly provided for determining game inputs 34 for other types of games, as well as for determining game inputs 34 from event results 32 of other types of sporting events, such a horse race, a dog race, an auto race, a jai alai game, a baseball game, a football game, a soccer game, a hockey game, a basketball game, or a cricket match, for example.

Rules 36 may also define how to determine a bet result 40 for each bet 26 based on game inputs 34 determined from event results 32 and/or parameters 28 of bets 26, such as the type of each bet 26. For example, rules 36 for a blackjack game may define that (1) if the total value of the cards determined as inputs 34 for that bet 26 is between 18 and 21 (including 18 and 21), the bet 26 is a “win”; (2) if the total value of the cards determined as inputs 34 is less than 17 or greater than 21, the bet 26 is a “loss”; and (3) if the total value of the cards determined as inputs 34 is equal to 17, the bet 26 is a “push.”

In some embodiments, rules 36 may also define how to determine payouts 42 for winning bets 26. Rules 36 for certain games may define that payouts 42 per unit stake 29 for winning bets 26 on a particular game may be based on (1) the type of each winning bet 26 and/or (2) the one or more inputs 34 determined for each winning bet 26. Thus, rules 36 may prescribe different payouts 42 for two winning bets 26 having the same unit stake 29 if (1) the bets 26 were different types of bets 26, as indicated by parameters 28 of each bet 26 and/or (2) one or more different inputs 34 were determined for each bet 26. For example, suppose a slots game in which the inputs 34 (the spin of each of three reels) are determined from event results 32 using the example rules 36 shown in FIGURES 6A-6B above. Rules 36 may also define various payouts for different combinations of inputs 34 for winning bets 26. For example, suppose that rules 36 define that a bet 26 is a winning bet if the three inputs 34 are either (1) three cherries, (2) three lemons, (3) three oranges or (4) three bars, and all bets having any other combination of inputs 34 are losing bets. Rules 36 may further define, for example, that the payout 42 for winning bets 26 having three cherries as inputs 34 will be three times the payout 42 for winning bets 26 having three lemons, three oranges, or three bars as inputs 34. Thus, in this example, the payout 42 for a \$10 bet 26 for which three cherries are determined as inputs 34 will be twice the amount of a \$10 bet 26 for which three oranges are determined as inputs 34. Other variations of rules 36 may be implemented in other examples to achieve different results.

Bet results 40 include results of each bet 26, which may be determined by betting system platform 12 based at least on the set of rules 36 for the particular game and one or more game inputs 34 determined for that bet 26. In certain embodiments, bet results 40 may comprise one or more of the following: “win,” “loss,” “push,” or “no action.”

Determining Pari-Mutuel Payouts 42 for Winning Bets 26

Pool values 53 of each pari-mutuel wager pool 30 represent the current value of funds within each pari-mutuel wager pool 30. Betting system platform 12 may communicate with each pool host 16 in order to maintain pool values 53 current for each pari-mutuel wager pool 30. In certain embodiments, betting system platform 12

may use pool values 53 for determining other data, such as payouts 42 for winning bets 26, for example.

5 Payouts 42 may be determined in a pari-mutuel manner by betting system platform 12 for each winning bet 26. For example, payouts 42 for each winning bet 26 for a particular sporting event are determined based on the unit stake 29 associated with that bet 26, the total of the unit stakes 29 associated with all winning bets 26, the value of the pari-mutuel wager pool 30 associated with the particular sporting event and/or rules 36 regarding the game that are relevant to determining payouts 42 for winning bets 26. As discussed above, betting system platform 12 may use a pool value 53 corresponding with the pari-mutuel wager pool 30 for determining payouts 42. In certain embodiments, one or more values may be subtracted from the value of the pari-mutuel wager pool 30 before payouts 42 are determined for winning bets 26. For example, the unit stakes 29 of “push” bets 26 and/or “no action” bets 26 may be subtracted from the value of the pari-mutuel wager pool 30 before payouts 42 are determined. In addition, a take-out may be subtracted from the pari-mutuel wager pool 30 before payouts 42 are determined. In certain embodiments, the take-out is a predetermined percentage of the pari-mutuel wager pool 30. In a particular embodiment, the take-out is 10% of the pari-mutuel wager pool 30. The take-out for a pari-mutuel wager pool 30 may be associated with the pool host that hosts that pari-mutuel wager pool 30. For example, a sporting event location 44 that hosts a pari-mutuel wager pool 30 for a horse race occurring at that sporting event location 44 may subtract and keep at least a portion of a take-out from the pari-mutuel wager pool 30. In certain embodiments, the take-out may be distributed between a pool host 16 and betting system platform 12 according to some predetermined arrangement.

25 Thus, in certain embodiments, the payout for winning bets 26 for a particular sporting event may be calculated as follows. First, “push” bets 26 and/or “no action” bets 26 are subtracted from the pool value 53 corresponding to the pari-mutuel wager pool 30 for the particular sporting event. Next, a take-out, which is a predetermined percentage of the remaining pool value 53, is subtracted from the remaining pool value 53. The remaining pool value 53 may then be divided among all winning bets 30 26, in proportion to the unit stake 29 of each winning bet 26.

For example, suppose that the unit stakes 29 of winning bets 26 placed by Client A and Client B for a particular horse race are \$50 and \$100, respectively.

Further suppose that the pool value 53 corresponding to the pari-mutuel wager pool 30 for the particular horse race is \$5,000, the total unit stake 29 of all “push” bets 26 is \$2,000, the total unit stake 29 of all winning bets 26 is \$1,000, and the take-out is 10%. To determine the payout 42 for Clients A and B, first the \$2,000 for the “push” bets 26 is subtracted from the \$5,000 pool value, leaving a pool value of \$3,000. Next the 10% take-out (\$300) is removed, leaving a pool value of \$2,700. The remaining \$2,700 is then divided among all winning bets 26 in proportion to the unit stake 29 of each winning bet 26. Since the unit stake 29 of Client B’s winning bet 26 (\$100) accounts for 1/10 of the total unit stake 29 of all winning bets 26 (\$1,000), the payout 42 for Client B’s bet 26 will be $(1/10)*(\$2,700) = \270 . Similarly, since the unit stake 29 of Client A’s winning bet 26 (\$50) accounts for 1/20 of the total unit stake 29 of all winning bets 26 (\$1,000), the payout 42 for Client A’s bet 26 will be $(1/20)*(\$2,700) = \135 .

In certain embodiments, betting system platform 12 may be associated with or comprise one or more web servers 56 operable to store websites and/or website information 58 in order to host one or more web pages 72. Web servers 56 may be coupled to communication networks 18 or 22 and may be partially or completely integrated with, or distinct from, betting system platform 12. Each client 14 may include a browser application 74 operable to provide an interface to web pages 72 hosted by web servers 56 such that users 20 may communicate information to, and receive information from, betting system platform 12 via communication network 18. For example, one or more web pages 72 may allow a user 20 to select various parameters for a bet 26, such as the type of game, the type of the bet 26, the unit stake 29 for the bet 26 and/or one or more selected finishing positions 31, for example, and to submit the bet 26 having such selected parameters.

One or more web pages 72 may be operable to communicate various information to the user 20, such as, for example, various account information 62, information regarding available bets 26 that may be placed by user 20 (such as the current pari-mutuel wager pool 30 for a particular sporting event or the amount wagered by all users 20 on particular types of bets 26, for example), information regarding the status of bets 26 placed by the user 20 (such as the sporting event to which each bet 26 is assigned, and the current pari-mutuel wager pool 30 for that

sporting event, and the amount wagered by all users 20 on particular types of bets 26 for that sporting event, for example).

Assigning Bets 26 to Sporting Events and/or Pari-Mutuel Wager Pools 30

5 As discussed above, betting system platform 12 manages the assignment of each received bet 26 to a particular sporting event and submits the funds associated with that bet 26 to a pari-mutuel wager pool 30 corresponding to that sporting event. The management of this assignment of bets 26 to pari-mutuel wager pools 30 may be done in any suitable manner. In certain embodiments, betting system platform 12
10 may determine the particular sporting event (and corresponding pari-mutuel wager pool 30) to which to assign each bet 26 based on various sporting event information 66 regarding sporting events scheduled to occur around the time that the bet 26 was received by betting system platform 12. Such sporting event information 66 for a particular sporting event may include, for example, the type of the sporting event, the
15 number of participants in the sporting event, information regarding the participants in the sporting event, the scheduled time of the sporting event, and an approximate duration of the sporting event. In some embodiments, betting system platform 12 may execute one or more suitable algorithms to manage the assignment of bets 26 to pari-mutuel wager pools 30 based on such sporting event information 66 and/or
20 various other information.

Betting system platform 12 may also take into account one or more bet parameters 28 associated with each bet 26 in determining the sporting event and/or pari-mutuel wager pool 30 to which to assign each bet 26. For example, in some
25 embodiments, only bets 26 on a particular game (for example, craps, blackjack or roulette), or particular types of bets on a particular game (for example, bets on red or black, but not bets on individual numbers, in a roulette game), are assigned to a particular sporting event. In other embodiments, more than one pari-mutuel wager pool 30 may correspond with each sporting event. For example, for a particular sporting event, different pari-mutuel wager pools 30 may be used for bets 26 on
30 different games (for example, separate pools 30 for bets 26 on craps, bets 26 on blackjack, and bets 26 on roulette), or for particular types of bets on a particular game (for example, a first pool 30 for bets 26 on red/black in a roulette game and a second pool 30 for bets 26 on individual numbers in a roulette game). In such embodiments,

betting system platform 12 may determine for each bet 26 both (1) the sporting event to which to assign the bet 26, and (2) the appropriate one of the one or more pari-mutuel wager pools 30 corresponding to that sporting event, based on the bet parameters 28 of the bet 26. In other embodiments, a pari-mutuel wager pool 30 is provided for each sporting event and is used for all bets 26 assigned to that sporting event, regardless of the game (for example, craps, blackjack or roulette) or the type of each bet 26.

In some embodiments, betting system platform 12 determines (or attempts to determine) which sporting event will be the next in time – such as the next race to begin, the next race for which the betting will be closed, the next race to finish, or the next race for which official results will be posted, for example – and assigns particular received bets 26 to that sporting event. In other embodiments, betting system platform 12 assigns particular bets 26 to the sporting event that is (a) determined to be next in time and (b) that meets one or more other criteria for the bet 26. For example, suppose that according to the set of rules 36 for blackjack games, game inputs 34 (card values) can only be determined from event results 32 of a race (such as a horse race, a dog race or an auto race, for example) having at least 8 race participants. In such instance, betting system platform 12 assigns each received bet 26 for a blackjack game to the next race that has at least 8 participants.

Communicating Progress Data 80 Regarding Sporting Events to Users 20

In some embodiments, betting system platform 12 may also receive progress data 80 from one or more sporting event locations 44 and/or OTB entities 46 via communication network 22 regarding the progress of particular sporting events. Progress data 80 may include for example, an indication of the respective positions of each participant in a sporting event as the sporting event progresses. In certain embodiments, progress data 80 includes a video of a sporting event, and in a particular embodiment, progress data 80 includes a live (or substantially live) video feed of a sporting event.

Betting system platform 12 may communicate such progress data 80 to users 20 via communication network 18. In certain embodiments, betting system platform 12 may communicate such progress data 80 to users 20 via one or more web pages 72 that may be viewed using browser application 74. For example, betting system

platform 12 may communicate to a user 20 one or more web pages 72 indicating progress data 80 regarding a sporting event to which a bet 26 placed by that user 20 has been assigned such that the user 20 may track the progress of the sporting event. In certain embodiments in which progress data 80 includes a video of a sporting event, betting system platform 12 may communicate such video to a client 14 via communication network 18. In a particular embodiment, betting system platform 12 may communicate a live (or substantially live) video feed of the sporting event to client 14 via communication network 18. In various embodiments, betting system platform 12 may communicate progress data 80 to users 20 in real-time, substantially in real-time, or with some delay.

General Operation of System 10

As discussed above, in operation, betting system platform 12 may allow users 20 to place bets 26 in which the results of the bets 26 are determined at least in part by the results of sporting events, such as a horse race, a dog race, an auto race, a jai alai game, a baseball game, a football game, a soccer game, a hockey game, a basketball game, or a cricket match, for example. Each bet 26 is defined by one or more bet parameters 28 such as the identity of the user 20 who placed the bet 26, the unit stake 29 of the bet 26, the time of the bet, the game associated with the bet, the particular type of bet, and in some instances, one or more selected finishing positions 31, for example. Bets 26 received by betting system platform 12 from various users 20 within a particular time period are assigned to a particular sporting event and the unit stake 29 of the bet 26 is included in a pari-mutuel wager pool 30 corresponding to the particular sporting event.

After the sporting event is completed, event results 32 of the sporting event may be received by betting system platform 12. For example, if the sporting event is a horse race, event results 32 may include the number of the horse finishing in each position in the race. Betting system platform 12 may then determine for each bet 26 one or more game inputs 34 for the game. In situations or embodiments in which game inputs 34 are the same for each bet 26, betting system platform 12 may determine the one or more game inputs 34 based at least on (1) the received event results 32; and (2) relevant rules 36 regarding the game. For example, assuming the sporting event is a horse race, in an embodiment in which betting system platform 12

uses the rules 36 for craps shown in FIGURE 3, betting system platform 12 may determine as game inputs 34 for a craps game a first simulated die roll and a second simulated die roll based on (1) the received results 32 of the horse race and (2) the rules 36 shown in FIGURE 3. In using the rules 36 shown in FIGURE 3, betting system platform 12 may select the appropriate set of rules corresponding to the number of participants in the race. The determined first simulated die roll and a second simulated die roll are used for each bet 26.

Alternatively, in situations or embodiments in which different game inputs 34 are used for different bets 26, betting system platform 12 may determine the one or more game inputs 34 for each bet 26 based at least on (1) the received event results 32; (2) relevant rules 36 regarding the game; and, in some instances, (3) one or more bet parameters 28 of that bet 26. For example, again assuming the sporting event is a horse race, suppose an embodiment in which each bet 26 for a slots game has three finishing positions 31 randomly assigned to that bet 26. Betting system platform 12 may determine as game inputs 34 for each slots bet 26 the results of a simulated spin of a first slot machine reel, a second slot machine reel, and a third slot machine reel based on (1) the received results 32 of the horse race; (2) the rules 36 shown in FIGURES 6A-6B; and (3) the three finishing positions 31 assigned to that bet. In particular, for each bet 26, betting system platform 12 may use rules 36 to map the numbers of the horse that finish in the three finishing positions 31 to the results of simulated spins of a first, second, and third slot machine reel, which results are used as game inputs 34 for that bet 26. Since different finishing positions 31 may be assigned to different bets 26, the results of the simulated spins of the first, second, and third slot machine reels may be different for different bets 26.

After determining the game input(s) 34 for each bet 26, betting system platform 12 may then determine a bet result 40 of the game for each bet 26 assigned to the particular race based at least on (1) relevant rules 36 regarding the game; (2) the determined game input(s) 34; and, in some instances, (3) one or more parameters 28 of that bet 26. In some embodiments, betting system platform 12 may determine a bet result 40 of "win," "loss," or in some cases, "push," for each bet 26. For example, in the craps example discussed above, the parameters 28 associated with each bet 26 may define the type of the bet, such as a "7 or 11" bet, a "field" bet, or a "place" bet on a particular number, for example. A "7 or 11" bet 26 is determined a "win" if the

total value of the two simulated dice rolls equals 7 or 11. A “field” bet 26 is determined a “win” if the total value of the two simulated dice rolls equals 2, 3, 4, 9, 10, 11, or 12. A “place” bet 26 is determined a “win” if the total value of the two simulated dice rolls equals a number selected by the user who placed the bet 26 (which selected number may be stored as a bet parameter 28 for that bet 26).

After determining the bet result 40 for each bet 26, betting system platform 12 may then determine how to distribute the pari-mutuel wager pool 30, or at least a portion of the pari-mutuel wager pool 30, in a pari-mutuel manner. For example, betting system platform 12 may determine a distribution of at least a portion of the pari-mutuel wager pool 30 among all winning bets 26, including determining a payout 42 for each winning bet 26 based at least on (1) the portion of the pari-mutuel wager pool 30 to be distributed among winning bets 26; (2) the total of the unit stakes of all winning bets 26; (3) the unit stake of that winning bet 26; and, in some situations, (4) payout odds based on the type of that bet 26. In some situations, one or more bets 26 may be determined to be “pushes.” For example, in a particular embodiment, a blackjack bet 26 in which the cards (i.e., game inputs 34) determined for the user total 17 is determined a “push.” In certain embodiments, the unit stake of all bets 26 determined to be “pushes,” if any, may be withheld in the pari-mutuel wager pool 30 (i.e., not distributed) and carried over to a subsequent race or other sporting event.

Example Management of Craps Bets

As a more particular example of the operation of system 10, suppose the game is craps, the particular sporting event is a particular horse race having eight horses, and the game inputs 34 for the craps game are two die rolls determined according to the rules 36 shown in FIGURE 3. Further suppose that according to the rules 36 for the craps game, the types of bets 26 available to users 20 may include the following:

(1) a “pass line bet” – the user 20 wins if the total of the two dice equals 7 or 11; the user 20 loses if the total of the two dice equals 2, 3 or 12; and the user 20 pushes if the total of the two dice will equals any other number;

(2) a “field bet” – the user 20 wins if the total of the two dice equals 3, 4, 9, 10, or 11; the user 20 wins enhanced odds if the total of the two dice equals 2 or 12; and the user 20 loses if the total of the two dice equals 5, 6, 7 or 8; and

(3) a “place bet” – the user 20 selects a number from 2-12 and wins enhanced odds if the total of the two dice equals the selected number; the user 20 loses if the total of the two dice equals any other number.

5 Further suppose that a number of bets 26 are received from various users 20 and assigned to the particular horse race. The bets assigned to the particular horse race include first bet 26 defined by bet parameters 28 as a “pass line bet,” a second bet 26 defined by bet parameters 28 as a “field bet,” and a third bet 26 defined by bet parameters 28 as a “place bet on the number 4.” Further suppose that the horse race is run and the horses finish in the following order: horse #2 (win), horse #8 (place),
10 horse #7 (show), horse #4, horse #1, horse #3, horse #5, horse #6.

Betting system platform 12 first determines the appropriate set of rules 36 based on the number of horses in the race. Thus, betting system platform 12 selects from the rules 36 shown in FIGURE 3 the set of rules 36 corresponding to a horse race having eight horses. Betting system platform 12 then determines the game inputs
15 34 for the craps game – namely, the first and second simulated die rolls. According to the rules 36 shown in FIGURE 3 for an eight-horse race, since the winning horse is horse #2, the first simulated die roll is a 2. Further, since the 2nd place horse is horse #8, betting system platform 12 looks at the 3rd place horse to determine the second simulated die roll. Since the 3rd place horse is horse #7, the second simulated die roll
20 is the same as the first simulated die roll – namely, a die roll of 2. Thus, the total of the first and second simulated die rolls equals 4.

Betting system platform 12 then determines a bet result 40 of the craps game for each bet 26 assigned to the particular horse race. The first bet 26 (the “pass line bet”) is determined a “push” based on the rules discussed above for a “pass line bet”
25 and a total two-dice roll of 4. Thus, the unit stake 29 for the first bet 26 (along with the unit stake 29 for all other bets 26 determined to be “pushes”) is assigned to a carry-over pool. The carry-over pool is withheld in the pari-mutuel wager pool 30 (i.e., not distributed) and carried over to a subsequent race or other sporting event. After the unit stakes 29 for all “push” bets 26 are assigned to the carry-over pool, a
30 take-out may be determined and withdrawn from the remaining value of pari-mutuel wager pool 30. For example, in one embodiment, 10% of the remaining value of the pari-mutuel wager pool 30 may be removed as a take-out.

The second bet 26 (the “field bet”) is determined a “win” based on the rules discussed above for a “field bet” and a total two-dice roll of 4. The third bet 26 (the “place bet on the number 4”) is also determined a “win” since the total of the dice roll is 4. Payouts 42 from the remaining portion of the pari-mutuel wager pool 30 (i.e., the portion remaining after the take-out and the unit stakes of all “pushes” are subtracted) are then be determined for each winning bet 26, including the second bet 26 and third bet 26, in a pari-mutuel manner. The payout 42 for the winning second bet 26 may be determined by dividing the unit stake 29 of the second bet 26 by the total of the unit stakes 29 of all winning bets 26, and multiplying the quotient by the remaining portion of the pari-mutuel wager pool 30. The payout 42 for the winning third bet 26 may be determined by dividing the unit stake 29 of the third bet 26 by the total of the unit stakes 29 of all winning bets 26, multiplying the quotient by the remaining portion of the pari-mutuel wager pool 30, and doubling the resulting product. The payout 42 for the winning third bet 26 is doubled since the rules 36 discussed above indicate that the user 20 wins enhanced odds for winning “place bets.”

FIGURE 7 illustrates an example method of providing casino game betting based on pari-mutuel racing in accordance with the system of FIGURE 1. At step 100, web pages 72 providing various betting information and offering one or more types of bets 26 for various games are communicated from betting system platform 12 to clients 14 and displayed by browser applications 74. At step 102, a user 20A of system 10 interacts with one or more web pages 72 to define and submit a bet 26A to betting system platform 12. Bet 26A is at least partially defined by a number of parameters 28 selected by user 20A. The parameters 28 for bet 26A include the identity of user 20A, the unit stake 29, the time that the bet was submitted, the particular game (such as craps, blackjack, slots or roulette, for example), the particular type of bet, and for certain games, one or more selected finishing positions 31.

At step 104, betting system platform 12 receives sporting event information 66 for various horse races and dog races from one or more sporting event locations 44 and/or OTB entities 46. The sporting event information 66 for each race includes at least the type of the race, the number of participants in the race, the number assigned to each participant in the race, the scheduled time for the start of the race, and an approximate duration of the race.

At step 106, betting system platform 12 executes a set of algorithms to determine how to assign bet 26A to a particular race based on various sporting event information 66 received at step 104, including the number of horses or dogs participating in each race and the scheduled time for the start of the each race. In this embodiment, betting system platform 12 assigns bet 26A to the race that is (a) determined to be next in time and (b) that has a sufficient number of participants for the type of bet 26A. At step 108, betting system platform 12 transfers funds in the amount of the selected unit stake 29 for bet 26A into a pari-mutuel wager pool 30 corresponding with a particular horse race to which bet 26A was assigned. At step 110, betting system platform 12 adds the unit stake 29 of bet 26A to the pool value 53 corresponding with the pari-mutuel wager pool 30, and subtracts the unit stake 29 of bet 26A from an account balance 64 maintained for user 20A. As discussed above, in some embodiments, betting system platform 12 may also take into account one or more bet parameters 28 associated with bet 26A in determining the race and/or pari-mutuel wager pool 30 to which to assign bet 26A. For example, in some embodiments, betting system platform 12 may assign bet 26A to a particular pari-mutuel wager pool 30 that corresponds to the particular game (for example, craps, blackjack or roulette) of bet 26A and/or the type of bets on that particular game (for example, a bet on red or black in a roulette game).

At step 112, betting system platform 12 closes the betting for the particular horse race, thus assigning no more bets 26 to the particular horse race. At step 114, the particular horse race begins. At step 116, progress data 80 indicating the progress of the particular horse race is communicated from the sporting event location 44 hosting the particular horse race to betting system platform 12 and to client 14 being used by user 20A such that user 20A can track the progress of the particular horse race in real-time or substantially in real-time. As discussed above, progress data 80 may include a live or substantially live streaming video feed of the particular horse race.

At step 118, after the completion of the particular horse race, event results 32 are determined at sporting event location 44 and communicated to betting system platform 12. Event results 32 include the assigned number and finishing position of each horse in the particular horse race. At step 120, betting system platform 12 selects a set of rules 36 from a plurality of sets of rules 36 associated with the

particular game (such as craps, blackjack, slots or roulette, for example) for which bet 26A regards. In certain embodiments, betting system platform 12 maintains, for each type of game, different sets of rules 36 for different numbers of race participants and at step 120, selects the set of rules 36 corresponding to the number of horses in the particular horse race to which bet 26A was assigned.

At step 122, betting system platform 12 uses the set of rules 36 selected at step 120 to determine one or more game inputs 34 for bet 26A based on event results 32 and/or parameters 28 of bet 26A, such as finishing positions 31 selected by user 20A at step 102. Game inputs 34 for each other bet 26 assigned to the particular horse race are also determined. At step 124, betting system platform 12 uses the set of rules 36 selected at step 120 to determine the bet result 40 of bet 26A, as well as the bet results 40 of each other bet 26 assigned to the particular horse race. In this embodiment, the bet result 40 for bet 26A is either “win,” “lose,” or “push.”

If bet 26A is determined a “win” at step 124, a payout 42 is determined for bet 26A, as well as for each other winning bet 26 assigned to the particular horse race, by betting system platform 12 at step 126. The payout 42 for bet 26A is determined based on the unit stake 29 of bet 26A, the total of the unit stakes 29 of all winning bets 26 (including bet 26A) assigned to the particular horse race, the value of the pari-mutuel wager pool 30 and/or rules 36 that are relevant to determining payouts 42 for winning bets 26. As discussed above, the payouts 42 for each winning bet 26, including bet 26A, may be determined in a pari-mutuel manner after removing (1) the total unit stake 29 for all “push” bets 26 that were assigned to the particular horse race and (2) a take-out. At step 128, the payout 42 determined for bet 26A is added to the account balance 64 associated with user 20A.

If bet 26A is determined a “loss” at step 122, no payout 42 is determined for bet 26A at step 130. If bet 26A is determined a “push” or “no action” at step 124, no payout 42 is determined for bet 26A at step 132, but the funds for bet 26A (in the amount of the unit stake 29) are entered into a carry-over pool (along with the funds for each other “push” bet 26). The funds in the carry-over pool are maintained within pari-mutuel wager pool 30 and the method returns to step 114 such that bet 26A (along with each other “push” bet 26) is kept alive for the next race or other sporting event. In other embodiments, the funds in the carry-over pool are removed from pari-mutuel wager pool 30 and the method returns to step 106 to reassign the funds in the

carry-over pool to one or more other pari-mutuel wager pools 30, as appropriate. Thus, user 20A does not need to wait until the next horse race hosted by the same sporting event location 44 that hosted the particular horse race.

5 It should be understood that in alternative embodiments, the present invention contemplates using methods with additional steps, fewer steps, different steps, or steps in different sequential order so long as the steps remain appropriate for providing and managing casino game betting based on pari-mutuel racing.

10 Although embodiments of the invention and their advantages are described in detail, a person skilled in the art could make various alterations, additions, and omissions without departing from the spirit and scope of the present invention as defined by the appended claims.

Embodiment 1. A method of pari-mutuel gaming, comprising:

15 receiving a plurality of bets regarding the result of a game for each of a plurality of users, wherein each bet has an associated unit stake and wherein the result of the game for each user is based on a set of rules and one or more inputs;

 assigning each received bet to one of a plurality of sporting events, each sporting event corresponding to one of a plurality of pari-mutuel wager pools; and

20 for a particular sporting event corresponding to a particular one of the plurality of pari-mutuel wager pools:

 determining the value of the particular pari-mutuel wager pool, the value comprising at least a portion of the total of the unit stakes of the received bets assigned to the particular sporting event;

25 for each received bet assigned to the particular sporting event, determining one or more inputs for the game based on event results from the particular sporting event;

 for each received bet assigned to the particular sporting event, determining a result of the game based at least on the set of rules and the one or more determined inputs for that bet;

30 for each received bet assigned to the particular sporting event, determining whether the bet is a winning bet based on the result of the game for that bet; and

for each determined winning bet, determining an amount of a payout based at least on the unit stake associated with that bet, the total unit stake associated with all determined winning bets, and the value of the particular pari-mutuel wager pool for the particular sporting event.

5

Embodiment 2. The method of embodiment 1, wherein the game comprises one of the following casino games:

craps;

blackjack;

10

roulette;

slots;

keno;

baccarat;

war;

15

money wheel; and

poker.

Embodiment 3. The method of embodiment 1, wherein:

the particular sporting event comprises a race event having a plurality of participants; and

20

the event results comprise the finishing position of at least one of the plurality of participants in the race event.

Embodiment 4. The method of embodiment 1, wherein each pari-mutuel wager pool is hosted by one of a plurality of pool hosts.

25

Embodiment 5. The method of embodiment 4, wherein each of one or more of the plurality of pool hosts comprises a different sporting event location.

Embodiment 6. The method of embodiment 3, wherein the race event comprises a horse race.

30

Embodiment 7. The method of embodiment 3, wherein the race event comprises a dog race.

5 Embodiment 8. The method of embodiment 3, wherein the race event comprises a jai alai game.

Embodiment 9. The method of embodiment 3, wherein:
each of the participants in the race event has a numerical identifier;
the game comprises craps; and
10 determining one or more inputs for the game for each bet comprises determining a simulated die roll based on the numerical identifier of one or more participants finishing in one or more particular positions.

Embodiment 10. The method of embodiment 3, wherein:
15 each of the participants in the race event has a numerical identifier;
the game comprises a card game; and
determining one or more inputs for the game for each bet comprises determining the value of one or more simulated cards based on the numerical identifier of one or more participants finishing in one or more particular positions.

20 Embodiment 11. The method of embodiment 3, wherein:
each of the participants in the race event has a numerical identifier;
the game comprises roulette; and
determining one or more inputs for the game for each bet comprises determining a result
25 of a simulated roulette spin based on the numerical identifier of one or more participants finishing in one or more particular positions.

Embodiment 12. The method of embodiment 3, wherein:
each of the participants in the race event has a numerical identifier;
30 the game comprises slots; and

determining one or more inputs for the game for each bet comprises determining a result of a simulated spin of a slot machine based on the numerical identifiers of each of a plurality of participants finishing in a plurality of particular positions.

5 Embodiment 13. The method of embodiment 1, wherein determining one or more inputs for the game for a particular one of the bets assigned to the particular sporting event comprises determining one or more inputs for the game for the particular bet based on event results from the particular sporting event and one or more bet parameters associated with the particular bet.

10 Embodiment 14. The method of embodiment 13, wherein the one or more bet parameters associated with the particular bet are selected by the user from whom the particular bet is received.

15 Embodiment 15. The method of embodiment 13, wherein the one or more bet parameters associated with the particular bet are determined randomly.

Embodiment 16. The method of embodiment 13, wherein:
the particular sporting event comprises a race event having a plurality of participants;
each of the participants in the race event has a numerical identifier;
20 the one or more bet parameters associated with the particular bet comprise an indication of one or more finishing positions in the race event;
the event results comprise the numerical identifier of the participant finishing in one or more finishing positions in the race event; and
determining the one or more inputs for the game for the particular bet comprises
25 determining based on the event results the participant that finished in each of the one or more finishing positions indicated by the one or more bet parameters associated with the particular bet.

30 Embodiment 17. The method of embodiment 1, wherein determining the value of the particular pari-mutuel wager pool for a particular race event comprises at least adding the total of the unit stakes of the received bets assigned to the particular race event with a carryover wager pool, at least a portion of the carryover wager pool comprising the unit stakes of bets that were

assigned to a race event prior to the particular race event but carried over to the particular race event.

Embodiment 18. The method of embodiment 1, further comprising:

5 for each bet assigned to the particular sporting event, determining whether the bet is a push;

for each determined push, including the unit stake associated with the push in a carryover wager pool; and

10 including the carryover wager pool in the pari-mutuel wager pool for a subsequent sporting event corresponding to the particular pari-mutuel wager pool.

Embodiment 19. The method of embodiment 1, further comprising for each bet assigned to the particular sporting event, determining whether the bet is a losing bet based on the result of the game for that bet, and if the bet is determined a losing bet, determining a zero payout for that bet.

15

Embodiment 20. The method of embodiment 1, wherein the particular pari-mutuel wager pool is closed before the beginning of the particular sporting event such that no bets are assigned to the particular sporting event after the beginning of the particular sporting event.

20

Embodiment 21. The method of embodiment 1, wherein the particular pari-mutuel wager pool remains open during at least a portion of the occurrence of the sporting event such that unit stakes of one or more bets may be assigned to the particular pari-mutuel wager pool during the at least a portion of the occurrence of the sporting event.

25

Embodiment 22. The method of embodiment 1, further comprising communicating to a client from which a particular bet assigned to the particular sporting event was received an indication of the progress of the particular sporting event.

Embodiment 23. The method of embodiment 22, wherein communicating to the client an indication of the progress of the particular sporting event comprises communicating to the client streaming video of the particular sporting event.

5 Embodiment 24. The method of embodiment 23, wherein the streaming video of the particular sporting event is communicated to the client substantially in real time.

Embodiment 25. The method of embodiment 1, wherein the identity of the particular sporting event to which a user's bet is assigned is not made available to the user before the bet is
10 received from the user.

Embodiment 26. A method of pari-mutuel gaming, comprising:

receiving a plurality of bets regarding the result of a game for each of a plurality of users, wherein each bet has an associated unit stake and wherein the result of the game for each user is
15 based on a set of rules and one or more inputs;

determining one or more inputs for the game based on event results from a sporting event;

determining a result of the game for a particular bet received from a particular user based at least on the set of rules and the one or more determined inputs;

20 determining whether the particular bet is a winning bet based on the result of the game for the particular bet; and

if the particular bet is determined a winning bet, determining an amount of a payout for the particular bet based at least on the unit stake associated with the particular bet and the value of a pari-mutuel wager pool, the value of the pari-mutuel wager pool comprising at least a
25 portion of the total of the unit stakes of the plurality of received bets.

Embodiment 27. The method of embodiment 26, wherein the game comprises one of the following casino games:

craps;

30 blackjack;

roulette;

slots;
 keno;
 baccarat;
 war;
 5 money wheel; and
 poker.

Embodiment 28. The method of embodiment 26, wherein:

the sporting event comprises a race event having a plurality of participants; and

10 the event results comprise the finishing position of at least one of the plurality of
 participants in the race event.

Embodiment 29. The method of embodiment 28, wherein the race event comprises a horse
 race and the plurality of participants comprises a plurality of horses in the horse race.

15

Embodiment 30. The method of embodiment 28, wherein the race event comprises a dog
 race and the plurality of participants comprises a plurality of dogs in the dog race.

Embodiment 31. The method of embodiment 28, wherein the race event comprises a jai alai
 20 game.

Embodiment 32. The method of embodiment 28, wherein:

each of the participants in the race event has a numerical identifier;

the game comprises craps; and

25 determining one or more inputs for the game based on the results of the race event
 comprises determining a simulated die roll based on the numerical identifier of one or more
 participants finishing in one or more particular positions.

Embodiment 33. The method of embodiment 28, wherein:

30 each of the participants in the race event has a numerical identifier;

the game comprises a card game; and

determining one or more inputs for the game based on the results of the race event comprises determining the value of one or more simulated cards based on the numerical identifier of one or more participants finishing in one or more particular positions.

5 Embodiment 34. The method of embodiment 28, wherein:
 each of the participants in the race event has a numerical identifier;
 the game comprises roulette; and
 determining one or more inputs for the game based on the results of the race event
 comprises determining a result of a simulated roulette spin based on the numerical identifier of
 10 one or more participants finishing in one or more particular positions.

Embodiment 35. The method of embodiment 28, wherein:
 each of the participants in the race event has a numerical identifier;
 the game comprises slots; and
 15 determining one or more inputs for the game based on the results of the race event
 comprises determining a result of a simulated spin of a slot machine based on the numerical
 identifiers of each of a plurality of participants finishing in a plurality of particular positions.

Embodiment 36. The method of embodiment 26, wherein determining one or more inputs
 20 for the game based on event results from a sporting event comprises determining one or more
 inputs for the game for the particular bet based on event results from the sporting event and one
 or more bet parameters associated with the particular bet.

Embodiment 37. The method of embodiment 36, wherein the one or more bet parameters
 25 associated with the particular bet are selected by the particular user.

Embodiment 38. The method of embodiment 36, wherein the one or more bet parameters
 associated with the particular bet are determined randomly.

30 Embodiment 39. The method of embodiment 36, wherein:
 the sporting event comprises a race event having a plurality of participants;

each of the participants in the race event has a numerical identifier;

the one or more bet parameters associated with the particular bet comprise an indication of one or more finishing positions in the race event;

the event results comprise the numerical identifier of the participant finishing in one or more finishing positions in the race event; and

determining the one or more inputs for the game comprises determining based on the event results the participant that finished in each of the one or more finishing positions indicated by the one or more bet parameters associated with the particular bet.

10 Embodiment 40 The method of embodiment 26, further comprising:

determining whether the particular bet is a losing bet based on the result of the game for that bet; and

if the bet is determined a losing bet, determining a zero payout for the particular bet.

15 Embodiment 41. The method of embodiment 26, wherein the pari-mutuel wager pool is closed before the beginning of the sporting event.

Embodiment 42. The method of embodiment 26, wherein the pari-mutuel wager pool remains open during at least a portion of the occurrence of the sporting event such that unit stakes of one or more bets may be assigned to the pari-mutuel wager pool during the at least a portion of the occurrence of the sporting event.

Embodiment 43. The method of embodiment 26, further comprising communicating to a client associated with the particular user an indication of the progress of the sporting event.

25 Embodiment 44. The method of embodiment 43, wherein communicating to a client associated with the particular user an indication of the progress of the sporting event comprises communicating to the client streaming video of the sporting event.

30 Embodiment 45. The method of embodiment 44, wherein the streaming video of the sporting event is communicated to the client substantially in real time.

Embodiment 46. The method of embodiment 26, wherein:

the sporting event comprises a particular one of a plurality of race events; and

the identity of the particular race event is not made available to the particular user before
5 the particular bet is received from the particular user.

Embodiment 47. The method of embodiment 26, further comprising:

determining whether the particular bet is a push based on the result of the game for the
particular bet; and

10 if the particular bet is determined a push:

including the unit stake associated with the particular bet in a carryover wager
pool; and

determining an updated value of the pari-mutuel wager pool for a subsequent
sporting event, the updated value comprising at least a portion of the total of the unit stakes of a
15 plurality of subsequent bets and the carryover wager pool.

Embodiment 48. The method of embodiment 26, further comprising:

determining whether the particular bet is a push based on the result of the game for the
particular bet; and

20 if the particular bet is determined a push:

including the unit stake associated with the particular bet in a carryover wager
pool;

receiving from each of one or more subsequent users a subsequent bet regarding
the result of the game for that user, each subsequent bet having an associated unit stake;

25 determining an updated value of the pari-mutuel wager pool comprising at least a
portion of the total of the unit stakes of the plurality of subsequent bets and the carryover wager
pool;

determining one or more subsequent inputs for the game based on event results
from a subsequent sporting event;

30 determining a subsequent result of the game for the particular bet based at least on
the set of rules and the one or more determined subsequent inputs;

making a subsequent determination of whether the particular bet is a winning bet based on the subsequent result of the game for the particular bet; and

5 if the particular bet is a winning bet according to the subsequent determination, determining an amount of a payout for the particular bet based at least on the unit stake associated with the particular bet and the updated value of the pari-mutuel wager pool.

Embodiment 49. The method of embodiment 26, further comprising:

for each bet received from the plurality of users:

10 determining one or more inputs for the game based on event results from the sporting event;

determining a result of the game for that bet based at least on the set of rules and the one or more determined inputs; and

determining whether that bet is a winning bet based on the result of the game for that bet; and

15 if none of the bets received from the plurality of users are determined winning bets, including the unit stake associated with the particular bet in a subsequent pari-mutuel wager pool associated with a subsequent sporting event.

Embodiment 50. A system for pari-mutuel gaming, comprising:

20 a memory operable to store a plurality of bets regarding the result of a game for each of a plurality of users, wherein each bet has an associated unit stake and wherein the result of the game for each user is based on a set of rules and one or more inputs; and

a processor operable to:

25 assign each received bet to one of a plurality of sporting events, each sporting event corresponding to one of a plurality of pari-mutuel wager pools; and

for a particular sporting event corresponding to a particular one of the plurality of pari-mutuel wager pools:

receive event results from the particular sporting event;

30 determine the value of the particular pari-mutuel wager pool, the value comprising at least a portion of the total of the unit stakes of the received bets assigned to the particular sporting event;

for each received bet assigned to the particular sporting event, determine one or more inputs for the game based on received event results;

5 for each received bet assigned to the particular sporting event, determine a result of the game based at least on the set of rules and the one or more determined inputs for that bet;

for each received bet assigned to the particular sporting event, determine whether the bet is a winning bet based on the result of the game for that bet; and

10 for each determined winning bet, determine an amount of a payout based at least on the unit stake associated with that bet, the total unit stake associated with all determined winning bets, and the value of the particular pari-mutuel wager pool for the particular sporting event.

Embodiment 51. The system of embodiment 50, wherein the game comprises one of the following casino games:

15 craps;
blackjack;
roulette;
slots;
keno;
20 baccarat;
war;
money wheel; and
poker.

25 Embodiment 52. The system of embodiment 50, wherein:
the particular sporting event comprises a race event having a plurality of participants; and
the event results comprise the finishing position of at least one of the plurality of participants in the race event.

30 Embodiment 53. The system of embodiment 50, wherein each pari-mutuel wager pool is hosted by one of a plurality of pool hosts.

Embodiment 54. The system of embodiment 53, wherein each of one or more of the plurality of pool hosts comprises a different sporting event location.

5 Embodiment 55. The system of embodiment 52, wherein the race event comprises a horse race.

Embodiment 56. The system of embodiment 52, wherein the race event comprises a dog race.

10

Embodiment 57. The system of embodiment 52, wherein the race event comprises a jai alai game.

Embodiment 58. The system of embodiment 52, wherein:

15

each of the participants in the race event has a numerical identifier;
the game comprises craps; and

determining one or more inputs for the game for each bet comprises determining a simulated die roll based on the numerical identifier of one or more participants finishing in one or more particular positions.

20

Embodiment 59. The system of embodiment 52, wherein:

each of the participants in the race event has a numerical identifier;
the game comprises a card game; and

25

determining one or more inputs for the game for each bet comprises determining the value of one or more simulated cards based on the numerical identifier of one or more participants finishing in one or more particular positions.

Embodiment 60. The system of embodiment 52, wherein:

30

each of the participants in the race event has a numerical identifier;
the game comprises roulette; and

determining one or more inputs for the game for each bet comprises determining a result of a simulated roulette spin based on the numerical identifier of one or more participants finishing in one or more particular positions.

5 Embodiment 61. The system of embodiment 52, wherein:
each of the participants in the race event has a numerical identifier;
the game comprises slots; and
determining one or more inputs for the game for each bet comprises determining a result
of a simulated spin of a slot machine based on the numerical identifiers of each of a plurality of
10 participants finishing in a plurality of particular positions.

Embodiment 62. The system of embodiment 50, wherein determining one or more inputs
for the game for a particular one of the bets assigned to the particular sporting event comprises
determining one or more inputs for the game for the particular bet based on event results from
15 the particular sporting event and one or more bet parameters associated with the particular bet.

Embodiment 63. The system of embodiment 62, wherein the one or more bet parameters
associated with the particular bet are selected by the user from whom the particular bet is
received.

20 Embodiment 64. The system of embodiment 62, wherein the one or more bet parameters
associated with the particular bet are determined randomly.

Embodiment 65. The system of embodiment 62, wherein:
25 the particular sporting event comprises a race event having a plurality of participants;
each of the participants in the race event has a numerical identifier;
the one or more bet parameters associated with the particular bet comprise an indication
of one or more finishing positions in the race event;
the event results comprise the numerical identifier of the participant finishing in one or
30 more finishing positions in the race event; and

determining the one or more inputs for the game for the particular bet comprises determining based on the event results the participant that finished in each of the one or more finishing positions indicated by the one or more bet parameters associated with the particular bet.

5 Embodiment 66. The system of embodiment 50, wherein determining the value of the particular pari-mutuel wager pool for a particular race event comprises at least adding the total of the unit stakes of the received bets assigned to the particular race event with a carryover wager pool, the carryover wager pool comprising the unit stakes of bets that were assigned to a race event prior to the particular race event but carried over to the particular race event.

10

Embodiment 67. The system of embodiment 50, wherein the processor is further operable to:

for each bet assigned to the particular sporting event, determine whether the bet is a push;

for each determined push, include the unit stake associated with the push in a carryover

15

wager pool; and

include the carryover wager pool in the pari-mutuel wager pool for a subsequent sporting event corresponding to the particular pari-mutuel wager pool.

Embodiment 68. The system of embodiment 50, wherein the processor is further operable
20 to, for each bet assigned to the particular sporting event, determine whether the bet is a losing bet based on the result of the game for that bet, and if the bet is determined a losing bet, determining a zero payout for that bet.

Embodiment 69. The system of embodiment 50, wherein the processor is further operable
25 to close the particular pari-mutuel wager pool before the beginning of the particular sporting event such that no bets are assigned to the particular sporting event after the beginning of the particular sporting event.

Embodiment 70. The system of embodiment 50, wherein the particular pari-mutuel wager
30 pool remains open during at least a portion of the occurrence of the sporting event such that

processor may assign the unit stakes of one or more bets to the particular pari-mutuel wager pool during the at least a portion of the occurrence of the sporting event.

5 Embodiment 71. The system of embodiment 50, wherein the processor is further operable to communicate to a client from which a particular bet assigned to the particular sporting event was received an indication of the progress of the particular sporting event.

10 Embodiment 72. The system of embodiment 71, wherein communicating to the client an indication of the progress of the particular sporting event comprises communicating to the client streaming video of the particular sporting event.

Embodiment 73. The system of embodiment 72, wherein the streaming video of the particular sporting event is communicated to the client substantially in real time.

15 Embodiment 74. The system of embodiment 50, wherein the identity of the particular sporting event to which a user's bet is assigned is not made available to the user before the bet is received from the user.

20 Embodiment 75. A system for pari-mutuel gaming, comprising:
 a memory operable to store a plurality of bets regarding the result of a game for each of a plurality of users, wherein each bet has an associated unit stake and wherein the result of the game for each user is based on a set of rules and one or more inputs; and

a processor operable to:

receive event results from a sporting event;

25 determine one or more inputs for the game based on the received event results;

determine a result of the game for a particular bet received from a particular user based at least on the set of rules and the one or more determined inputs;

determine whether the particular bet is a winning bet based on the result of the game for the particular bet; and

30 if the particular bet is determined a winning bet, determine an amount of a payout for the particular bet based at least on the unit stake associated with the particular bet and the

value of a pari-mutuel wager pool that comprises at least a portion of the total of the unit stakes of the plurality of received bets.

5 Embodiment 76. The system of embodiment 75, wherein the game comprises one of the following casino games:

craps;

blackjack;

roulette;

slots;

10 keno;

baccarat;

war;

money wheel; and

poker.

15

Embodiment 77. The system of embodiment 75, wherein:

the sporting event comprises a race event having a plurality of participants; and

the event results comprise the finishing position of at least one of the plurality of participants in the race event.

20

Embodiment 78. The system of embodiment 77, wherein the race event comprises a horse race and the plurality of participants comprises a plurality of horses in the horse race.

25 Embodiment 79. The system of embodiment 77, wherein the race event comprises a dog race and the plurality of participants comprises a plurality of dogs in the dog race.

Embodiment 80. The system of embodiment 77, wherein the race event comprises a jai alai game.

30 Embodiment 81. The system of embodiment 77, wherein:
each of the participants in the race event has a numerical identifier;

the game comprises craps; and

determining one or more inputs for the game based on the results of the race event comprises determining a simulated die roll based on the numerical identifier of one or more participants finishing in one or more particular positions.

5

Embodiment 82. The system of embodiment 77, wherein:

each of the participants in the race event has a numerical identifier;

the game comprises a card game; and

determining one or more inputs for the game based on the results of the race event

10 comprises determining the value of one or more simulated cards based on the numerical identifier of one or more participants finishing in one or more particular positions.

Embodiment 83. The system of embodiment 77, wherein:

each of the participants in the race event has a numerical identifier;

15 the game comprises roulette; and

determining one or more inputs for the game based on the results of the race event

comprises determining a result of a simulated roulette spin based on the numerical identifier of one or more participants finishing in one or more particular positions.

20 Embodiment 84. The system of embodiment 77, wherein:

each of the participants in the race event has a numerical identifier;

the game comprises slots; and

determining one or more inputs for the game based on the results of the race event

25 comprises determining a result of a simulated spin of a slot machine based on the numerical identifiers of each of a plurality of participants finishing in a plurality of particular positions.

Embodiment 85. The system of embodiment 75, wherein determining one or more inputs for the game based on event results from a sporting event comprises determining one or more inputs for the game for the particular bet based on event results from the sporting event and one or more bet parameters associated with the particular bet.

30

Embodiment 86. The system of embodiment 85, wherein the one or more bet parameters associated with the particular bet are selected by the particular user.

5 Embodiment 87. The system of embodiment 85, wherein the one or more bet parameters associated with the particular bet are determined randomly.

Embodiment 88. The system of embodiment 85, wherein:

the sporting event comprises a race event having a plurality of participants;

each of the participants in the race event has a numerical identifier;

10 the one or more bet parameters associated with the particular bet comprise an indication of one or more finishing positions in the race event;

the event results comprise the numerical identifier of the participant finishing in one or more finishing positions in the race event; and

15 determining the one or more inputs for the game comprises determining based on the event results the participant that finished in each of the one or more finishing positions indicated by the one or more bet parameters associated with the particular bet.

Embodiment 89. The system of embodiment 75, wherein the processor is further operable to:

20 determine whether the particular bet is a losing bet based on the result of the game for that bet; and

if the bet is determined a losing bet, determine a zero payout for the particular bet.

25 Embodiment 90. The system of embodiment 75, wherein the processor is further operable to close the pari-mutuel wager pool before the beginning of the sporting event.

30 Embodiment 91. The system of embodiment 75, wherein the pari-mutuel wager pool remains open during at least a portion of the occurrence of the sporting event such that the processor may assign the unit stakes of one or more bets to the pari-mutuel wager pool during the at least a portion of the occurrence of the sporting event.

Embodiment 92. The system of embodiment 75, wherein the processor is further operable to communicate to a client associated with the particular user an indication of the progress of the sporting event.

5 Embodiment 93. The system of embodiment 92, wherein communicating to a client associated with the particular user an indication of the progress of the sporting event comprises communicating to the client streaming video of the sporting event.

10 Embodiment 94. The system of embodiment 93, wherein the streaming video of the sporting event is communicated to the client substantially in real time.

Embodiment 95. The system of embodiment 75, wherein:
the sporting event comprises a particular one of a plurality of race events; and
the identity of the particular race event is not made available to the particular user before
15 the particular bet is received from the particular user.

Embodiment 96. The system of embodiment 75, wherein the processor is further operable to:
determine whether the particular bet is a push based on the result of the game for the
20 particular bet; and
if the particular bet is determined a push:
include the unit stake associated with the particular bet in a carryover wager pool;
and
determine an updated value of the pari-mutuel wager pool for a subsequent
25 sporting event, the updated value comprising at least a portion of the total of the unit stakes of a
plurality of subsequent bets and the carryover wager pool.

Embodiment 97. The system of embodiment 75, wherein the processor is further operable to:
30 determine whether the particular bet is a push based on the result of the game for the
particular bet; and

if the particular bet is determined a push:

include the unit stake associated with the particular bet in a carryover wager pool;

receive from each of one or more subsequent users a subsequent bet regarding the result of the game for that user, each subsequent bet having an associated unit stake;

5 determine an updated value of the pari-mutuel wager pool comprising at least a portion of the total of the unit stakes of the plurality of subsequent bets and the carryover wager pool;

determine one or more subsequent inputs for the game based on event results from a subsequent sporting event;

10 determine a subsequent result of the game for the particular bet based at least on the set of rules and the one or more determined subsequent inputs;

make a subsequent determination of whether the particular bet is a winning bet based on the subsequent result of the game for the particular bet; and

15 if the particular bet is a winning bet according to the subsequent determination, determine an amount of a payout for the particular bet based at least on the unit stake associated with the particular bet and the updated value of the pari-mutuel wager pool.

Embodiment 98. The system of embodiment 75, wherein the processor is further operable to:

20 for each bet received from the plurality of users:

determine one or more inputs for the game based on event results from the sporting event;

determine a result of the game for that bet based at least on the set of rules and the one or more determined inputs; and

25 determine whether that bet is a winning bet based on the result of the game for that bet; and

if none of the bets received from the plurality of users are determined winning bets, include the unit stake associated with the particular bet in a subsequent pari-mutuel wager pool associated with a subsequent sporting event.

WHAT IS CLAIMED IS:

1. A computer system comprising

5 a memory operable to store a plurality of bets regarding a result of a game for each of a plurality of users, wherein each bet has an associated unit stake and wherein the result of the game for each user is based on a set of rules and one or more inputs;

a network interface for communicating with a communications network;

a processor for operating the computer system to:

10 assign each of the plurality of bets to one of a plurality of sporting events, each sporting event corresponding to one of a plurality of pari-mutuel wager pools;

for a particular sporting event corresponding to a particular one of the plurality of pari-mutuel wager pools:

receive event results from the particular sporting event via the network interface from the communications network;

15 determine a value of the particular pari-mutuel wager pool, the value comprising at least a portion of the total of the unit stakes of bets from the plurality of bets that are assigned to the particular sporting event;

for each of the plurality of bets assigned to the particular sporting event, determine one or more inputs for the game based on received event results;

20 for each of the plurality of bets assigned to the particular sporting event, determine a result of the game based at least on the set of rules and the one or more determined inputs for that bet;

25 for each of the plurality of bets assigned to the particular sporting event, determine whether the bet is a winning bet based on the result of the game for that bet; and

for each determined winning bet, determine an amount of a payout based at least on the unit stake associated with that bet, the total unit stake associated with all determined winning bets, and the value of the particular pari-mutuel wager pool for the particular sporting event.

30

2. The computer system of claim 1, wherein the game comprises one of the following casino games:

craps;

blackjack;

5 roulette;

slots;

keno;

baccarat;

war;

10 money wheel; and

poker.

3. The computer system of claim 1, wherein:

the particular sporting event comprises a race event having a plurality of participants; and

15 the event results comprise the finishing position of at least one of the plurality of participants in the race event.

4. The computer system of claim 1, wherein each pari-mutuel wager pool is hosted by one of a plurality of pool hosts.

20

5. The computer system of claim 4, wherein each of one or more of the plurality of pool hosts comprises a different sporting event location.

6. The computer system of claim 3, wherein the race event comprises a horse race.

25

7. The computer system of claim 3, wherein the race event comprises a dog race.

8. The computer system of claim 3, wherein the race event comprises a jai alai game.

30 9. The computer system of claim 3, wherein:

each of the participants in the race event has a numerical identifier;

the game comprises craps; and

determining one or more inputs for the game for each bet comprises determining a simulated die roll based on the numerical identifier of one or more participants finishing in one or more particular positions.

5

10. The computer system of claim 3, wherein:

each of the participants in the race event has a numerical identifier;

the game comprises a card game; and

10 determining one or more inputs for the game for each bet comprises determining the value of one or more simulated cards based on the numerical identifier of one or more participants finishing in one or more particular positions.

11. The computer system of claim 3, wherein:

each of the participants in the race event has a numerical identifier;

15

the game comprises roulette; and

determining one or more inputs for the game for each bet comprises determining a result of a simulated roulette spin based on the numerical identifier of one or more participants finishing in one or more particular positions.

20

12. The computer system of claim 3, wherein:

each of the participants in the race event has a numerical identifier;

the game comprises slots; and

25 determining one or more inputs for the game for each bet comprises determining a result of a simulated spin of a slot machine based on the numerical identifiers of each of a plurality of participants finishing in a plurality of particular positions.

30

13. The computer system of claim 1, wherein determining one or more inputs for the game for a particular one of the bets assigned to the particular sporting event comprises determining one or more inputs for the game for the particular bet based on event results from the particular sporting event and one or more bet parameters associated with the particular bet.

14. The computer system of claim 13, wherein the one or more bet parameters associated with the particular bet are selected by the user from whom the particular bet is received.

5 15. The computer system of claim 13, wherein the one or more bet parameters associated with the particular bet are determined randomly.

16. The computer system of claim 13, wherein:
the particular sporting event comprises a race event having a plurality of participants;
each of the participants in the race event has a numerical identifier;
10 the one or more bet parameters associated with the particular bet comprise an indication of one or more finishing positions in the race event;
the event results comprise the numerical identifier of the participant finishing in one or more finishing positions in the race event; and
determining the one or more inputs for the game for the particular bet comprises
15 determining based on the event results the participant that finished in each of the one or more finishing positions indicated by the one or more bet parameters associated with the particular bet.

17. The computer system of claim 1, wherein determining the value of the particular pari-mutuel wager pool for a particular race event comprises at least adding the total of the unit stakes
20 of the bets from the plurality of bets that are assigned to the particular race event with a carryover wager pool, the carryover wager pool comprising the unit stakes of bets that were assigned to a race event prior to the particular race event but carried over to the particular race event.

25 18. The computer system of claim 1, wherein the processor is further operable to:
for each bet assigned to the particular sporting event, determine whether the bet is a push;
for each determined push, include the unit stake associated with the push in a carryover
wager pool; and
include the carryover wager pool in the pari-mutuel wager pool for a subsequent sporting
30 event corresponding to the particular pari-mutuel wager pool.

19. The computer system of claim 1, wherein the processor is further operable to, for each bet assigned to the particular sporting event, determine whether the bet is a losing bet based on the result of the game for that bet, and if the bet is determined a losing bet, determining a zero payout for that bet.

5

20. The computer system of claim 1, wherein the processor is further operable to close the particular pari-mutuel wager pool before the beginning of the particular sporting event such that no bets are assigned to the particular sporting event after the beginning of the particular sporting event.

10

21. The computer system of claim 1, wherein the particular pari-mutuel wager pool remains open during at least a portion of the occurrence of the sporting event such that processor may assign the unit stakes of one or more bets to the particular pari-mutuel wager pool during the at least a portion of the occurrence of the sporting event.

15

22. The computer system of claim 1, wherein the processor is further operable to communicate to a client from which a particular bet assigned to the particular sporting event was received an indication of the progress of the particular sporting event.

20

23. The computer system of claim 22, wherein communicating to the client an indication of the progress of the particular sporting event comprises communicating to the client streaming video of the particular sporting event.

25

24. The computer system of claim 23, wherein the streaming video of the particular sporting event is communicated to the client substantially in real time.

30

25. The computer system of claim 1, wherein the identity of the particular sporting event to which a user's bet is assigned is not made available to the user before the bet is received from the user.

26. A computer system for pari-mutuel gaming, comprising:

a memory operable to store a plurality of bets regarding a result of a game for each of a plurality of users, wherein each bet has an associated unit stake and wherein the result of the game for each user is based on a set of rules and one or more inputs; and

5 a network interface for communicating with a communications network;
a processor for operating the computer system to:

receive event results from a sporting event via the network interface from the communications network;

determine one or more inputs for the game based on the received event results;

10 determine a result of the game for a particular bet received from a particular user based at least on the set of rules and the one or more determined inputs;

determine whether the particular bet is a winning bet based on the result of the game for the particular bet; and

15 if the particular bet is determined a winning bet, determine an amount of a payout for the particular bet based at least on the unit stake associated with the particular bet and a value of a pari-mutuel wager pool that comprises at least a portion of the total of the unit stakes of the plurality of received bets.

27. The computer system of claim 26, wherein the game comprises one of the following casino games:

craps;

blackjack;

roulette;

slots;

25 keno;

baccarat;

war;

money wheel; and

poker.

30

28. The computer system of claim 26, wherein:
the sporting event comprises a race event having a plurality of participants; and
the event results comprise the finishing position of at least one of the plurality of
participants in the race event.

5

29. The computer system of claim 28, wherein the race event comprises a horse race and the
plurality of participants comprises a plurality of horses in the horse race.

10

30. The computer system of claim 28, wherein the race event comprises a dog race and the
plurality of participants comprises a plurality of dogs in the dog race.

31. The computer system of claim 28, wherein the race event comprises a jai alai game.

15

32. The computer system of claim 28, wherein:
each of the participants in the race event has a numerical identifier;
the game comprises craps; and
determining one or more inputs for the game based on the results of the race event
comprises determining a simulated die roll based on the numerical identifier of one or more
participants finishing in one or more particular positions.

20

33. The computer system of claim 28, wherein:
each of the participants in the race event has a numerical identifier;
the game comprises a card game; and
determining one or more inputs for the game based on the results of the race event
comprises determining the value of one or more simulated cards based on the numerical
identifier of one or more participants finishing in one or more particular positions.

25

34. The computer system of claim 28, wherein:
each of the participants in the race event has a numerical identifier;
the game comprises roulette; and

30

determining one or more inputs for the game based on the results of the race event comprises determining a result of a simulated roulette spin based on the numerical identifier of one or more participants finishing in one or more particular positions.

5 35. The computer system of claim 28, wherein:
each of the participants in the race event has a numerical identifier;
the game comprises slots; and
determining one or more inputs for the game based on the results of the race event
comprises determining a result of a simulated spin of a slot machine based on the numerical
10 identifiers of each of a plurality of participants finishing in a plurality of particular positions.

36. The computer system of claim 26, wherein determining one or more inputs for the game
based on event results from a sporting event comprises determining one or more inputs for the
game for the particular bet based on event results from the sporting event and one or more bet
15 parameters associated with the particular bet.

37. The computer system of claim 36, wherein the one or more bet parameters associated
with the particular bet are selected by the particular user.

20 38. The computer system of claim 36, wherein the one or more bet parameters associated
with the particular bet are determined randomly.

39. The computer system of claim 36, wherein:
the sporting event comprises a race event having a plurality of participants;
25 each of the participants in the race event has a numerical identifier;
the one or more bet parameters associated with the particular bet comprise an indication
of one or more finishing positions in the race event;
the event results comprise the numerical identifier of the participant finishing in one or
more finishing positions in the race event; and

determining the one or more inputs for the game comprises determining based on the event results the participant that finished in each of the one or more finishing positions indicated by the one or more bet parameters associated with the particular bet.

- 5 40. The computer system of claim 26, wherein the processor is further operable to:
determine whether the particular bet is a losing bet based on the result of the game for
that bet; and
if the bet is determined a losing bet, determine a zero payout for the particular bet.
- 10 41. The computer system of claim 26, wherein the processor is further operable to close the
pari-mutuel wager pool before the beginning of the sporting event.
42. The computer system of claim 26, wherein the pari-mutuel wager pool remains open
during at least a portion of the occurrence of the sporting event such that the processor may
15 assign the unit stakes of one or more bets to the pari-mutuel wager pool during the at least a
portion of the occurrence of the sporting event.
43. The computer system of claim 26, wherein the processor is further operable to
communicate to a client associated with the particular user an indication of the progress of the
20 sporting event.
44. The computer system of claim 43, wherein communicating to a client associated with the
particular user an indication of the progress of the sporting event comprises communicating to
the client streaming video of the sporting event.
- 25 45. The computer system of claim 44, wherein the streaming video of the sporting event is
communicated to the client substantially in real time.
46. The computer system of claim 26, wherein:
30 the sporting event comprises a particular one of a plurality of race events; and

the identity of the particular race event is not made available to the particular user before the particular bet is received from the particular user.

47. The computer system of claim 26, wherein the processor is further operable to:
5 determine whether the particular bet is a push based on the result of the game for the particular bet; and

if the particular bet is determined a push:

include the unit stake associated with the particular bet in a carryover wager pool;
and

10 determine an updated value of the pari-mutuel wager pool for a subsequent sporting event, the updated value comprising at least a portion of the total of the unit stakes of a plurality of subsequent bets and the carryover wager pool.

15 48. The computer system of claim 26, wherein the processor is further operable to:
determine whether the particular bet is a push based on the result of the game for the particular bet; and

if the particular bet is determined a push:

include the unit stake associated with the particular bet in a carryover wager pool;

20 receive from each of one or more subsequent users a subsequent bet regarding the result of the game for that user, each subsequent bet having an associated unit stake;

determine an updated value of the pari-mutuel wager pool comprising at least a portion of the total of the unit stakes of the plurality of subsequent bets and the carryover wager pool;

25 determine one or more subsequent inputs for the game based on event results from a subsequent sporting event;

determine a subsequent result of the game for the particular bet based at least on the set of rules and the one or more determined subsequent inputs;

30 make a subsequent determination of whether the particular bet is a winning bet based on the subsequent result of the game for the particular bet; and

if the particular bet is a winning bet according to the subsequent determination, determine an amount of a payout for the particular bet based at least on the unit stake associated with the particular bet and the updated value of the pari-mutuel wager pool.

- 5 49. The computer system of claim 26, wherein the processor is further operable to:
for each bet received from the plurality of users:
- determine one or more inputs for the game based on event results from the sporting event;
- determine a result of the game for that bet based at least on the set of rules and the
10 one or more determined inputs; and
- determine whether that bet is a winning bet based on the result of the game for that bet; and
- if none of the bets received from the plurality of users are determined winning bets, include the unit stake associated with the particular bet in a subsequent pari-mutuel
15 wager pool associated with a subsequent sporting event.




FIG. 1

	92	90	94
	GAME	EXAMPLE GAME INPUTS 34	
96	CRAPS	INDIVIDUAL DIE ROLL	
		COMBINED ROLL OF TWO DICE	
96	CARD GAMES (FOR EXAMPLE, BLACKJACK, POKER, BACCARAT, PAI GOW POKER, POKER, WAS, HOLD 'EM)	VALUE OF ONE OR MORE CARDS DEALT FROM THE DECK	
		SUIT OF ONE OR MORE CARDS DEALT FROM THE DECK	
96	SLOTS	SPIN OF A SINGLE SLOT MACHINE REEL	
		COMBINATION OF SPIN OF MULTIPLE SLOT MACHINE REELS	
96A	ROULETTE	RESULT OF A SPIN: SINGLE NUMBER FROM 1-36 OR 0 OR 00	
		RESULT OF A SPIN: BLACK, RED, OR GREEN	
96	MONEY WHEEL	RESULT OF A SPIN OF THE MONEY WHEEL	
96	KENO	NUMBER OF BALL SELECTED FROM HOPPER	

FIG. 2

GAME INPUT 34	NUMBER OF HORSES IN RACE	EXAMPLE RULES 36 FOR DETERMINING GAME INPUTS 34 FROM EVENT RESULTS 32
TOTAL VALUE OF CARDS IN USER'S HAND	12	FOR EACH BET 26, THE TOTAL VALUE OF CARDS IN THE USER'S HAND = THE SUM OF THE NUMBERS OF THE HORSES FINISHING IN THE SELECTED FINISHING POSITIONS 31 FOR THAT BET 26
TOTAL VALUE OF CARDS IN USER'S HAND	8	FOR EACH BET 26, THE TOTAL VALUE OF CARDS IN THE USER'S HAND = THE SUM OF THE NUMBERS OF THE HORSES FINISHING IN THE SELECTED FINISHING POSITIONS 31 FOR THAT BET 26

FIG. 4

GAME INPUT 34	NUMBER OF HORSES IN RACE	EXAMPLE RULES 36 FOR DETERMINING GAME INPUTS 34 FROM EVENT RESULTS 32
SINGLE ROLL OF TWO DICE, INDIVIDUAL DIE RESULTS	12	USING THE WINNING HORSE FOR DIE #1, AND THE SECOND PLACE HORSE FOR DIE #2: IF WINNING HORSE IS HORSE 1 OR 2, DIE #1 = 1; IF WINNING HORSE IS HORSE 3 OR 4, DIE #1 = 2; IF WINNING HORSE IS HORSE 5 OR 6, DIE #1 = 3; IF WINNING HORSE IS HORSE 7 OR 8, DIE #1 = 4; IF WINNING HORSE IS HORSE 9 OR 10, DIE #1 = 5; IF WINNING HORSE IS HORSE 11 OR 12, DIE #1 = 6; IF SECOND PLACE HORSE IS HORSE 1 OR 2, DIE #2 = 1; IF SECOND PLACE HORSE IS HORSE 3 OR 4, DIE #2 = 2; IF SECOND PLACE HORSE IS HORSE 5 OR 6, DIE #2 = 3; IF SECOND PLACE HORSE IS HORSE 7 OR 8, DIE #2 = 4; IF SECOND PLACE HORSE IS HORSE 9 OR 10, DIE #2 = 5; IF SECOND PLACE HORSE IS HORSE 11 OR 12, DIE #2 = 6.
SINGLE ROLL OF TWO DICE, INDIVIDUAL DIE RESULTS	8	DIE #1 = THE NUMBER OF THE HIGHEST FINISHING HORSE THAT IS NOT HORSE 7 OR 8. FOR DIE #2, LOOK AT THE HORSE FINISHING NEXT AFTER THE HORSE USED FOR DIE #1: IF THAT HORSE IS HORSE 1, DIE #2 = 1; IF THAT HORSE IS HORSE 2, DIE #2 = 2; IF THAT HORSE IS HORSE 3, DIE #2 = 3; IF THAT HORSE IS HORSE 4, DIE #2 = 4; IF THAT HORSE IS HORSE 5, DIE #2 = 5; IF THAT HORSE IS HORSE 6, DIE #2 = 6; IF THAT HORSE IS HORSE 7, DIE #2 = SAME AS DIE #1; IF THAT HORSE IS HORSE 8, REPEAT THE PROCESS FOR DIE #2 USING THE NEXT FINISHING HORSE.
SINGLE ROLL OF TWO DICE, COMBINED TOTAL OF DICE	12	IF HORSE 1-11 IS THE WINNING HORSE, THE COMBINED TOTAL OF DICE = NUMBER OF WINNING HORSE + 1; IF HORSE 12 IS THE WINNING HORSE, THE COMBINED TOTAL OF DICE = NUMBER OF SECOND PLACE HORSE + 1.
SINGLE ROLL OF TWO DICE, COMBINED TOTAL OF DICE	8	THE COMBINED TOTAL OF DICE = THE SUM OF THE NUMBERS OF THE HIGHEST TWO CONSECUTIVELY FINISHING HORSES WHOSE SUM OF THE NUMBERS IS LESS THAN OR EQUAL TO 12.

FIG. 3

GAME INPUT 34	NUMBER OF HORSES IN RACE	EXAMPLE RULES 36 FOR DETERMINING GAME INPUTS 34 FROM EVENT RESULTS 32
VALUE OF NEXT CARD DEALT FROM DECK	12	DETERMINE THE SUM OF THE NUMBERS OF THE HIGHEST THREE CONSECUTIVELY FINISHING HORSES WHOSE SUM OF THE NUMBERS IS LESS THAN OR EQUAL TO 31: IF THE SUM IS 6-7, CARD VALUE = A; IF THE SUM IS 8-9, CARD VALUE = 2; IF THE SUM IS 10-11, CARD VALUE = 3; IF THE SUM IS 12-13, CARD VALUE = 4; IF THE SUM IS 14-15, CARD VALUE = 5; IF THE SUM IS 16-17, CARD VALUE = 6; IF THE SUM IS 18-19, CARD VALUE = 7; IF THE SUM IS 20-21, CARD VALUE = 8; IF THE SUM IS 22-23, CARD VALUE = 9; IF THE SUM IS 24-25, CARD VALUE = 10; IF THE SUM IS 26-27, CARD VALUE = J; IF THE SUM IS 28-29, CARD VALUE = Q; IF THE SUM IS 30-31, CARD VALUE = K.
VALUE OF NEXT CARD DEALT FROM DECK	8	DETERMINE THE SUM OF THE NUMBERS OF THE TOP TWO FINISHING HORSES: IF THE SUM IS 3, CARD VALUE = A; IF THE SUM IS 4, CARD VALUE = 2; IF THE SUM IS 5, CARD VALUE = 3; IF THE SUM IS 6, CARD VALUE = 4; IF THE SUM IS 7, CARD VALUE = 5; IF THE SUM IS 8, CARD VALUE = 6; IF THE SUM IS 9, CARD VALUE = 7; IF THE SUM IS 10, CARD VALUE = 8; IF THE SUM IS 11, CARD VALUE = 9; IF THE SUM IS 12, CARD VALUE = 10; IF THE SUM IS 13, CARD VALUE = J; IF THE SUM IS 14, CARD VALUE = Q; IF THE SUM IS 15, CARD VALUE = K.
SUIT OF NEXT CARD DEALT FROM DECK	12	IF SECOND PLACE HORSE IS HORSE 1-3, SUIT = HEARTS; IF SECOND PLACE HORSE IS HORSE 4-6, SUIT = DIAMONDS; IF SECOND PLACE HORSE IS HORSE 7-9, SUIT = CLUBS; IF SECOND PLACE HORSE IS HORSE 10-12, SUIT = SPADES.
SUIT OF NEXT CARD DEALT FROM DECK	8	IF SECOND PLACE HORSE IS HORSE 1-2, SUIT = HEARTS; IF SECOND PLACE HORSE IS HORSE 3-4, SUIT = DIAMONDS; IF SECOND PLACE HORSE IS HORSE 5-6, SUIT = CLUBS; IF SECOND PLACE HORSE IS HORSE 7-8, SUIT = SPADES.

FIG. 5

FIG. 6A

GAME INPUT 34	NUMBER OF HORSES IN RACE	EXAMPLE RULES 36 FOR DETERMINING GAME INPUTS 34 FROM EVENT RESULTS 32
SINGLE SPIN OF THREE REELS	12	<p>EACH BET 26 DEFINES THREE SELECTED FINISHING POSITIONS 31. FOR EACH BET 26:</p> <p>1. DETERMINE THE NUMBER OF THE HORSE FINISHING IN THE FIRST SELECTED FINISHING POSITION 31:</p> <ul style="list-style-type: none"> - IF THAT HORSE IS HORSE 1 OR 2, FIRST REEL = CHERRY; - IF THAT HORSE IS HORSE 3 OR 4, FIRST REEL = BLANK; - IF THAT HORSE IS HORSE 5 OR 6, FIRST REEL = LEMON; - IF THAT HORSE IS HORSE 7 OR 8, FIRST REEL = BLANK; - IF THAT HORSE IS HORSE 9 OR 10, FIRST REEL = ORANGE; - IF THAT HORSE IS HORSE 11 OR 12, FIRST REEL = BAR. <p>2. DETERMINE THE NUMBER OF THE HORSE FINISHING IN THE SECOND SELECTED FINISHING POSITION 31:</p> <ul style="list-style-type: none"> - IF THAT HORSE IS HORSE 1 OR 2, SECOND REEL = BAR; - IF THAT HORSE IS HORSE 3 OR 4, SECOND REEL = CHERRY; - IF THAT HORSE IS HORSE 5 OR 6, SECOND REEL = BLANK; - IF THAT HORSE IS HORSE 7 OR 8, SECOND REEL = LEMON; - IF THAT HORSE IS HORSE 9 OR 10, SECOND REEL = BLANK; - IF THAT HORSE IS HORSE 11 OR 12, SECOND REEL = ORANGE. <p>3. DETERMINE THE NUMBER OF THE HORSE FINISHING IN THE THIRD SELECTED FINISHING POSITION 31:</p> <ul style="list-style-type: none"> - IF THAT HORSE IS HORSE 1 OR 2, THIRD REEL = ORANGE; - IF THAT HORSE IS HORSE 3 OR 4, THIRD REEL = BAR; - IF THAT HORSE IS HORSE 5 OR 6, THIRD REEL = CHERRY; - IF THAT HORSE IS HORSE 7 OR 8, THIRD REEL = BLANK; - IF THAT HORSE IS HORSE 9 OR 10, THIRD REEL = LEMON; - IF THAT HORSE IS HORSE 11 OR 12, THIRD REEL = BLANK.

TO FIG. 6B

FROM FIG. 6A

SINGLE SPIN OF THREE REELS	8	<p>EACH BET 26 DEFINES THREE SELECTED FINISHING POSITIONS 31. FOR EACH BET 26:</p> <p>1. DETERMINE THE NUMBER OF THE HORSE FINISHING IN THE FIRST SELECTED FINISHING POSITION 31:</p> <ul style="list-style-type: none"> - IF THAT HORSE IS HORSE 1, FIRST REEL = CHERRY; - IF THAT HORSE IS HORSE 2, FIRST REEL = BLANK; - IF THAT HORSE IS HORSE 3, FIRST REEL = LEMON; - IF THAT HORSE IS HORSE 4, FIRST REEL = BLANK; - IF THAT HORSE IS HORSE 5, FIRST REEL = LEMON; - IF THAT HORSE IS HORSE 6, FIRST REEL = BLANK; - IF THAT HORSE IS HORSE 7, FIRST REEL = BAR; - IF THAT HORSE IS HORSE 8, FIRST REEL = BLANK. <p>2. DETERMINE THE NUMBER OF THE HORSE FINISHING IN THE SECOND SELECTED FINISHING POSITION 31:</p> <ul style="list-style-type: none"> - IF THAT HORSE IS HORSE 1, SECOND REEL = BLANK; - IF THAT HORSE IS HORSE 2, SECOND REEL = CHERRY; - IF THAT HORSE IS HORSE 3, SECOND REEL = BLANK; - IF THAT HORSE IS HORSE 4, SECOND REEL = LEMON; - IF THAT HORSE IS HORSE 5, SECOND REEL = BLANK; - IF THAT HORSE IS HORSE 6, SECOND REEL = LEMON; - IF THAT HORSE IS HORSE 7, SECOND REEL = BLANK; - IF THAT HORSE IS HORSE 8, SECOND REEL = BAR. <p>3. DETERMINE THE NUMBER OF THE HORSE FINISHING IN THE THIRD SELECTED FINISHING POSITION 31:</p> <ul style="list-style-type: none"> - IF THAT HORSE IS HORSE 1, THIRD REEL = BAR; - IF THAT HORSE IS HORSE 2, THIRD REEL = BLANK; - IF THAT HORSE IS HORSE 3, THIRD REEL = CHERRY; - IF THAT HORSE IS HORSE 4, THIRD REEL = BLANK; - IF THAT HORSE IS HORSE 5, THIRD REEL = LEMON; - IF THAT HORSE IS HORSE 6, THIRD REEL = BLANK; - IF THAT HORSE IS HORSE 7, THIRD REEL = LEMON; - IF THAT HORSE IS HORSE 8, THIRD REEL = BLANK.
-------------------------------------	---	--

FIG. 6B

FIG. 7

