



US00D720729S

(12) **United States Design Patent**
Escaro

(10) **Patent No.:** **US D720,729 S**
(45) **Date of Patent:** **** Jan. 6, 2015**

- (54) **NON-CONTACT DATA CARRIERS**
- (71) Applicant: **Rodly Escaro**, Tokyo (JP)
- (72) Inventor: **Rodly Escaro**, Tokyo (JP)
- (73) Assignee: **Sato Holdings Kabushikikaisha**, Tokyo (JP)
- (**) Term: **14 Years**
- (21) Appl. No.: **29/477,064**
- (22) Filed: **Dec. 19, 2013**

- (30) **Foreign Application Priority Data**
Jun. 26, 2013 (JP) 2013-014463
- (51) **LOC (10) CI.** **14-03**
- (52) **U.S. CI.**
USPC **D14/230**
- (58) **Field of Classification Search**
USPC D14/138, 230-238, 299, 358; D12/42, D12/43; 343/700 MS, 700 R-705, 711-713, 343/735, 736, 741, 748, 767, 795, 819, 840, 343/846, 866, 871-908; 455/90.2, 90.3, 91, 455/128, 269, 344, 347, 562.1; D10/106.9
See application file for complete search history.

- (56) **References Cited**
U.S. PATENT DOCUMENTS
- | | | | | | | |
|-----------|----|---|---------|-------------------|-------|---------|
| 2,990,547 | A | * | 6/1961 | McDougal | | 343/767 |
| 6,081,242 | A | * | 6/2000 | Wingo | | 343/860 |
| 6,417,816 | B2 | * | 7/2002 | Sadler et al. | | 343/795 |
| D573,589 | S | * | 7/2008 | Montgomery et al. | | D14/230 |
| D581,400 | S | * | 11/2008 | Montgomery | | D14/230 |
| D590,379 | S | * | 4/2009 | Deguchi et al. | | D14/230 |
| D602,010 | S | * | 10/2009 | Yakubo | | D14/230 |
| D608,770 | S | * | 1/2010 | Deguchi et al. | | D14/230 |
| D611,039 | S | * | 3/2010 | Deguchi et al. | | D14/230 |
| D620,484 | S | * | 7/2010 | Oliver | | D14/230 |

- | | | | | | | |
|--------------|----|---|--------|----------------|-------|------------|
| D685,352 | S | * | 7/2013 | Wei | | D14/230 |
| D704,171 | S | * | 5/2014 | Forster | | D14/230 |
| D706,247 | S | * | 6/2014 | Zheng et al. | | D14/230 |
| D708,601 | S | * | 7/2014 | Forster | | D14/230 |
| D709,052 | S | * | 7/2014 | Forster | | D14/230 |
| D709,863 | S | * | 7/2014 | Forster | | D14/230 |
| D710,338 | S | * | 8/2014 | Forster | | D14/230 |
| D710,835 | S | * | 8/2014 | Forster et al. | | D14/230 |
| 2007/0024503 | A1 | * | 2/2007 | Tsai et al. | | 343/700 MS |
| 2008/0007463 | A1 | * | 1/2008 | Chen | | 343/702 |
| 2008/0204329 | A1 | * | 8/2008 | Taki et al. | | 343/700 MS |

* cited by examiner

Primary Examiner — John Windmuller
(74) *Attorney, Agent, or Firm* — Andrew F. Young, Esq.; Lackenbach Siegel, LLP

(57) **CLAIM**
The ornamental design for non-contact data carriers, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of the present invention.
 FIG. 2 is a front elevation view of FIG. 1.
 FIG. 3 is a rear elevation view of FIG. 1.
 FIG. 4 is a right side elevation view of FIG. 1, the left side elevation being a mirror image thereof.
 FIG. 5 is a top plan view of FIG. 1.
 FIG. 6 is a bottom plan view of FIG. 1.
 FIG. 7 is a front perspective view of the present invention in an alternate environment.
 FIG. 8 is a front elevation view of FIG. 7.
 FIG. 9 is a rear elevation view of FIG. 7.
 FIG. 10 is a right side elevation view of FIG. 7, the right side elevation being a mirror image thereof.
 FIG. 11 is a top plan view of FIG. 7; and,
 FIG. 12 is a bottom plan view of FIG. 7.
 The broken lines in the figures depict environment only and form no part of the claimed design.

1 Claim, 12 Drawing Sheets




FIG. 1




FIG. 2




FIG. 3




FIG. 4



FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10



FIG. 11



FIG. 12

