



US00D790444S

(12) **United States Design Patent**
Zhu et al.

(10) **Patent No.:** **US D790,444 S**
(45) **Date of Patent:** **** Jun. 27, 2017**

(54) **TIRE TREAD**

(71) Applicants: **COMPAGNIE GENERALE DES
ETABLISSEMENTS MICHELIN**,
Clermont-Ferrand (FR); **MICHELIN
RECHERCHE et TECHNIQUE S.A.**,
Granges-Paccot (CH)

(72) Inventors: **Fang Zhu**, Greer, SC (US); **Terence
Wallace**, Fountain Inn, SC (US); **Kai
Chun Yang**, McLean, VA (US); **Lee
Montgomery**, Piedmont, SC (US);
Stefan Voss, Greer, SC (US)

(73) Assignees: **MICHELIN RECHERCHE et
TECHNIQUE S.A.**, Granges-Paccot
(CH); **COMPAGNIE GENERALE
DES ETABLISSEMENTS
MICHELIN**, Clermont-Ferrand (FR)

(**) Term: **14 Years**

(21) Appl. No.: **29/525,397**

(22) Filed: **Apr. 29, 2015**

(51) **LOC (10) Cl.** **12-15**

(52) **U.S. Cl.**
USPC **D12/566**

(58) **Field of Classification Search**

USPC D12/533-567
CPC B60C 1/0016; B60C 11/0306; B60C
11/0302; B60C 3/06; B60C 9/17
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D391,203 S *	2/1998	Gillard	D12/596
D414,446 S	9/1999	Kemp, Jr.	
D454,535 S *	3/2002	Kemp, Jr.	D12/583
D472,202 S *	3/2003	Gillard	D12/583
D555,078 S	11/2007	Radulescu et al.	
D612,323 S *	3/2010	Parmentier	D12/548

D612,325 S *	3/2010	Haga	D12/566
D613,676 S *	4/2010	Nicolas	D12/567
D666,965 S *	9/2012	Aoki	D12/553
D668,206 S	10/2012	Moore et al.	
D712,342 S	9/2014	Zhu et al.	
D721,643 S	1/2015	Barrett et al.	

(Continued)

FOREIGN PATENT DOCUMENTS

EP 2 570 272 3/2013

OTHER PUBLICATIONS

X Multi Energy D, Michelin Tire, www.michelinman.com, at least
as early as Jan. 20, 2015, 2 pages.

(Continued)

Primary Examiner — Robert M Spear

Assistant Examiner — John Voytek

(74) *Attorney, Agent, or Firm* — Dority & Manning, P.A.

(57) **CLAIM**

The ornamental design for a tire tread, as shown and
described.

DESCRIPTION

FIG. 1 is a perspective view of a tire tread showing our new
design, it being understood that the tread pattern repeats
uniformly throughout the outer circumference and shoulder
of the tire, the opposite side perspective being identical
thereto;

FIG. 2 is a front elevation view thereof;


FIG. 3 is a side elevation view of the right side thereof;

FIG. 4 is a side elevation view of the left side thereof; and,

FIG. 5 is a cross-sectional view taken along line A-A of FIG.
2.

In the drawings, the broken line disclosure of the tire
sidewall and inner bead depicts environmental structure and
forms no part of the claimed design.

1 Claim, 5 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D724,007	S	*	3/2015	Belarbi	D12/564
D758,287	S	*	6/2016	Zivkovic	D12/549
D758,289	S	*	6/2016	Cagneaux	D12/564

OTHER PUBLICATIONS

Previously filed design U.S. Appl. No. 29/472,396, filed Nov. 12, 2013.

Previously filed design U.S. Appl. No. 29/472,404, filed Nov. 12, 2013.

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5