

[54] COMBINED SPOUT AND FLOW CONTROL LEVER

[75] Inventor: Axel Enthoven, Wijnegem, Belgium

[73] Assignee: American Standard Inc., New York, N.Y.

[\*\*] Term: 14 Years

[21] Appl. No.: 104,310

[22] Filed: Oct. 5, 1987

Related U.S. Application Data

[62] Division of Ser. No. 735,927, May 20, 1985.

[30] Foreign Application Priority Data

Nov. 20, 1984 [XB] Benelux ..... 03457/01-05  
 [52] U.S. Cl. .... D23/257  
 [58] Field of Search ..... D23/238-243,  
 D23/255-257; 4/191, 192; 137/801

[56] References Cited

U.S. PATENT DOCUMENTS

D. 31,824	11/1899	Jones	.....	D23/255
D. 77,334	12/1928	Thompson	.....	D23/255
D. 268,950	5/1983	Thompson	.....	D23/255
D. 287,271	12/1986	Piesco	.....	D23/255
D. 288,117	2/1987	Paul	.....	D23/255
D. 289,916	5/1987	Delepine	.....	D23/255
D. 290,644	6/1987	Paul	.....	D23/255


Primary Examiner—James R. Largen  
Attorney, Agent, or Firm—Robert G. Crooks; James J. Salerno, Jr.; John P. Sinnott


[57] CLAIM

The ornamental design for combined spout and flow control lever, as shown and described.


DESCRIPTION

FIG. 1 is a left side elevational view of a combined spout and flow control lever showing my new design, the right side being a mirror image of the left side shown;  
 FIG. 2 is a top plan view thereof;  
 FIG. 3 is a bottom plan view thereof;  
 FIG. 4 is a front elevational view thereof; and  
 FIG. 5 is a rear elevational view thereof;





*FIG. 1*



*FIG. 2*




FIG. 3




FIG. 4




FIG. 5