

(19) World Intellectual Property Organization  
International Bureau



(43) International Publication Date  
27 December 2007 (27.12.2007)

PCT


(10) International Publication Number  
**WO 2007/148090 A1**

- (51) International Patent Classification:  
A61B 18/20 (2006.01)
- (21) International Application Number:  
PCT/GB2007/002305
- (22) International Filing Date: 21 June 2007 (21.06.2007)
- (25) Filing Language: English
- (26) Publication Language: English
- (30) Priority Data:  
0612391.3 22 June 2006 (22.06.2006) GB
- (71) Applicant (for all designated States except US): **THE DEZAC GROUP LIMITED** [GB/GB]; Dezac House, Montpellier Street, Cheltenham, Gloucestershire GL50 1SS (GB).
- (72) Inventors; and
- (75) Inventors/Applicants (for US only): **BITTER, Ahmed** [GB/GB]; 38 Bourne Terrace, Warwick Estate, London W2 6PP (GB). **GRANT, Antony** [GB/GB]; 5 The Stirrup, Cashes Green, Stroud, Gloucestershire GL5 4SG

- (GB). **WOLSKI, Alex** [GB/GB]; 109 Stonechat Avenue, Gloucester GL4 4XG (GB). **MILLS, Desmond** [GB/GB]; 93 Pittville Lawn, Cheltenham, Gloucestershire GL52 2BP (GB). **HERBERT, Kevin** [GB/GB]; 34 Springbank Grove, Cheltenham, Gloucestershire GL51 0PQ (GB).
- (74) Agents: **NEWELL, W., J.** et al.; Wynne-Jones, Laine & James LLP, 22 Rodney Road, Cheltenham, Gloucestershire GL50 1JJ (GB).
- (81) Designated States (unless otherwise indicated, for every kind of national protection available): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BH, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DO, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, GT, HN, HR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KN, KP, KR, KZ, LA, LC, LK, LR, LS, LT, LU, LY, MA, MD, MG, MK, MN, MW, MX, MY, MZ, NA, NG, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RS, RU, SC, SD, SE, SG, SK, SL, SM, SV, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, ZA, ZM, ZW.
- (84) Designated States (unless otherwise indicated, for every kind of regional protection available): ARIPO (BW, GH,

[Continued on next page]

(54) Title: APPARATUS AND METHODS FOR SKIN TREATMENT



(57) Abstract: A hair treatment device for the treatment of the human or animal skin by laser radiation to prevent or reduce hair growth, which device comprises a laser radiation source for emitting a laser radiation beam; beam deflecting means for deflecting said radiation beam across the skin, said deflecting means comprising a lens through which said beam of laser radiation passes, and means for moving said lens to effect deflection of said beam.

WO 2007/148090 A1



GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, LV, MC, MT, NL, PL, PT, RO, SE, SI, SK, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

**Published:**

— *with international search report*

*For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.*

## **Apparatus and Methods for Skin Treatment**

This invention relates to apparatus and methods for skin treatment and in particular, but not exclusively, to the treatment of human or animal skin using laser radiation to effect a cosmetic and/or therapeutic treatment, for example hair removal.

It is already known to use laser treatment for hair removal. Laser radiation is directed towards the skin with the radiation being absorbed in the hair follicle and on the skin surface. The wavelength of the laser radiation is selected so as to be absorbed by melanin in the follicle so that the hair is heated to a temperature which causes it to stop growth. Although incidence of the laser radiation on the skin can also cause local skin heating, the heating of the hair follicle is much more acute.

Laser removal targeting one hair at a time with a narrowly focused laser beam is relatively inefficient and time consuming. To improve the time for treatment, many modern laser hair removal devices perform hair removal by focusing a number of lasers onto an area so as to treat a number of hair follicles simultaneously. However, the laser emitter is usually the most expensive component of a laser hair remover and so provision of several laser emitters in a device makes it expensive to manufacture and therefore unsuitable for the general domestic market.

Accordingly there is a need for a hair removal device that is cost effective to manufacture but which still allows a region somewhat larger than a single beam spot to be treated.

A further consideration is that the life of generally available laser emitters

may be reduced if their routine operation requires repeated switching on and off of the emitter during treatment. It is therefore desirable, though not essential, for the hair device not to require repeated switching whilst treatment is being carried out.

Accordingly, in one particular aspect this invention provides a hair treatment device for the treatment of the human or animal skin by laser radiation to prevent or reduce hair growth, which device comprises:

a laser radiation source for emitting a laser radiation beam;

beam deflecting means for deflecting said radiation beam across the skin, said deflecting means comprising an optical element such as e.g. a lens through which said beam of laser radiation passes, and means for effecting relative movement of said optical element and said source to effect deflection of said beam.

It will of course be appreciated that, instead of having the laser radiation source relatively fixed with the lens moving relative to the source, the opposite arrangement is also possible whereby the lens is kept relatively stationary whilst the laser is moved. Still further, it would be possible to effect relative movement by moving both the lens and the laser source, for example if there was a constraint on the movement of either due to the size of the device.

In another aspect, this invention provides a device for the treatment of the human or animal skin, which comprises:

a radiation source for emitting a radiation beam;

movement means for moving said radiation beam in a predetermined pattern across the skin.

The treatment effected thereby may be exclusively cosmetic treatment, exclusively therapeutic treatment or a mixture thereof. For example, the treatment may comprise one or more of:

removal of hair

removal of tattoos or other skin pigmentation

treatment of visible capillaries such as port wine stains or surface veins, rosacea and similar discolourations

treatment to reduce the appearance of cellulite.

Preferably, said radiation source comprises a laser radiation source. The laser radiation source may take many forms, but in one arrangement may be a laser diode. The laser radiation source is preferably selected to emit radiation at a predetermined wavelength selected according to the nature of the treatment. In the case of laser treatment for hair removal the laser radiation source preferably has a wavelength of between 750nm and 850nm and more preferably about 808nm. Again, the fluence of the laser radiation will be selected according to the nature of the particular treatment but for hair removal the fluence of the laser at the target site is preferably greater than  $15\text{J}/\text{cm}^2$ , and more preferably greater than about  $20\text{J}/\text{cm}^2$ .

In order to increase the operating life of the device, it is preferred that the radiation source emits a generally continuous beam once activated. However we do not exclude arrangements where the radiation source emits a pulsed beam.

The movement means may take many forms such as a mirror or other reflector, but it is preferably in the form of a refracting means and, more specifically, a lens, mounted for movement, with there being drive means for

effecting relative movement of the refracting means relative to the laser to deflect the beam axis. In one arrangement, the drive means is operable to shift the lens linearly in at least one direction generally transverse to the axis of the radiation beam emitted from the radiation source. More particularly, the drive means is preferably operable to shift said lens linearly in two generally orthogonal directions relative to the axis of the radiation beam. In this manner, taking a coordinate system in which the radiation beam is the Z axis, the beam may be deflected in the X and Y directions by corresponding shifting of the lens.

In another arrangement, the drive means may be operable to tilt the lens about at least one axis transverse to the beam axis and, more preferably, about two generally orthogonal axes.

The drive means may take many different forms but is preferably electromagnetic comprising a permanent magnet and a coil with a current being passed through the coil to exert movement. However, other types of operation such as a piezo-electric device, an electric motor or a mechanical movement or a combination of these. In a mechanical arrangement the movement may be affected by providing a roller or other suitable element on the end of the device, which rotates as the device is drawn across the skin, the rotary motion of the roller being transmitted via a suitable transmission mechanism to effect said drive.

The device preferably includes control means operable to control the drive means to deflect said radiation beam. The control means may be operable to cause said beam to execute a scan pattern with a generally continuously moving scan spot. Alternatively, the control means may cause the beam to

execute a scan pattern with discrete movements of a scan spot interspersed with dwell periods during which the spot is generally stationary. The extent of movement between dwell periods and/or the length of the dwell periods in a scan may be adjusted in accordance with the extent of deflection of the beam from its equilibrium position, so as to compensate for an increase or decrease in scan spot size as it moves.

In one arrangement, the control means is operable to dither the scan spot between selected regions so that selected regions receive multiple sequential exposures.

Whilst the invention has been described above it extends to any inventive combination as set out above or in the following description or claims.

The invention may be performed in various ways, and an embodiment thereof will now be described by way of example only, reference being made to the accompanying drawings, in which:

Figure 1 is a perspective part cutaway view of a laser and deflector assembly for a hair treatment device in accordance with this invention;

Figures 2 to 5 are further views of the assembly of Figure 1;

Figure 6 is a schematic view of the optical arrangement showing movement of the lens to deflect the laser beam, and

Figure 7 is a schematic view showing the mounting of the lens.

The embodiment illustrated in the Figures discloses an apparatus in which a single laser beam is moved across the surface of the skin to be treated so as to sequentially target and destroy hair follicles. The apparatus consists of a laser emitter, a focussing element (here a lens) which ensures that the beam

delivers targeted energy to the target site, and a drive. In the various embodiments, the beam may be continuous so that it 'sweeps' the skin surface or it may be pulsed so that it moves in discrete steps. The movement of the beam may be controlled by one or more of the following: movement of a lens (as in the illustrated embodiment to be described below); movement of a mirror; and movement of the laser emitter. The movement may be achieved by means of an induction motor (as in the illustrated embodiment); a piezo-electric means, an electric motor mechanism with a transmission drive; a mechanical drive or any combination of the above.

In the embodiment described below, a laser emitter is used which passes the laser beam through a moveable lens. As the beam passes through the lens, it is subject to differing optical properties which result in the exiting laser beam passing through a different angle depending on which part of the lens it entered. Although the use of mirrors is not excluded, the use of a lens is preferred because reflective mirrors are generally expensive to manufacture; they are highly subject to optical degradation due to shock, moisture, heat and debris within the device, and moreover the commercial implementation requires use of a lens to focus the beam and so an existing component can be used thereby reducing the number of additional components that might otherwise compromise the reliability of the device.

Referring now to the illustrated embodiment, the device consists of a laser emitter 10, mounted in a suitable heat sink block 12, and a focusing lens 14 housed within a moveable support ring 16. The support ring is connected via a stub 18 to a printed circuit board (PCB) 20. The PCB is resiliently mounted for

movement in two perpendicular directions in the plane of the lens by means of suitable X and Y flexural mountings 22 (only one set of which is seen in Figure 2). The PCB has two drive coils, an X drive coil and a Y drive coil (neither shown). The PCB 20 is supported between two permanent magnets 24. The X and Y coils on the PCB 20 and the permanent magnets 24 therefore operate similarly to the voice coils in a loudspeaker. The X direction coil moves the lens from left to right when viewed as in Figure 5 and the Y direction coil moves the lens in and out as seen in that view. The applied voltage (negative or positive) to the coils determines the direction and amount of movement of the lens in either the X and Y direction. The voltages to the coils are controlled by a scan controller 26 shown schematically in Figure 1.

In use, the controller 26 passes current through the X plane coil in PCB 20 so as to cause the lens to move in the X direction and this has the effect of causing the beam to track along the X plane of the skin as shown schematically in Figure 6. When the beam is at a predetermined limit, the Y plane coil is also energised causing the beam to move in the Y direction. The X plane coil may then be de-energised causing the beam to retrace its movement, this time at a different Y position. Thus with coordinated control, the laser beam can be tracked across the skin in both the X and Y planes to scan a shaped treatment area.

In a preferred embodiment, the laser moves in steps equivalent to the diameter of the laser beam or scan spot, so as to uniformly treat an area of skin. Once the beam reaches the furthest extent of the X direction, the Y coil is energised and the beam moved by one laser diameter in the Y direction so as to

provide a stepped form of raster scan. Scan movements may be pre-programmed or may be as a result of a sensory feedback from the skin surface indicating that the treatment in that area is complete. This could be by means of a suitable detector (such as an IR detector) detecting the temperature and determining that treatment in that area is complete.

Where the controller applies a stepped scan pattern, the controller may adjust the magnitude of the steps, decreasing with increasing angle of incidence, to take into account the divergence of the laser beam as the angle to the skin's normal becomes greater; it will be noted that the beam tends to diverge as this angle increases.

In another scan pattern, the controller moves the laser to scan it rapidly between two adjacent target sites. In this manner, the target sites experience a series of repeated exposures, somewhat similar to a fixed pulsed beam. By adjusting the duration and delay of the exposures the target site may receive sufficient repeated applications of energy to cause the hair to progressively heat up and prevent growth, whilst the temperature of the skin does not appreciably rise, because of the differing heating times and heating absorption/emission characteristics of the hairs and the surrounding tissue. Due to the relative melanin contents, hair absorbs laser energy more rapidly than the surrounding skin tissue and thus heats quicker. Furthermore, due to the geometry and anatomy of the hair compared to the surrounding tissue it loses heat slower. Thus by repeatedly subjecting the target area to discrete exposures to radiation it is possible to heat the hair follicle whilst keeping the surrounding skin at a nominal temperature. In the above embodiment, the effect similar to a pulse

beam with radiation, is actually achieved by rapidly scanning between two adjacent target sites whilst the laser is continually powered in the avoidance of rapidly switching the laser on and off, thereby prolonging its operational life.

CLAIMS

1. A hair treatment device for the treatment of the human or animal skin by laser radiation to prevent or reduce hair growth, which device comprises:
  - a laser radiation source for emitting a laser radiation beam;
  - beam deflecting means for deflecting said radiation beam across the skin, said deflecting means comprising an optical element through which said beam of laser radiation passes, and means for effecting relative movement of said optical element and said source to effect deflection of said beam.
2. A device for the treatment of the human or animal skin, which comprises:
  - a radiation source for emitting a beam of radiation;
  - movement means for moving said radiation beam in a predetermined pattern across the skin.
3. A device according to Claim 1 or Claim 2, wherein said treatment comprises cosmetic treatment.
4. A device according to Claim 3, wherein said treatment comprises therapeutic treatment.
5. A device according to Claims 3 or 4, wherein said cosmetic treatment is effective for the removal of hair.
6. A device according to Claims 3 or 4, wherein said treatment is effective for the removal of tattoos or other pigmentation.
7. A device according to Claims 3 or 4, wherein said treatment is effective for treatment of blood vessels.

8. A device according to Claims 3 or 4, wherein said treatment is effective for the treatment of cellulite.

9. A device according to Claims 1 to 8, wherein said source of radiation comprises a source of laser radiation.

10. A device according to Claim 9, wherein said source of laser radiation comprises a laser diode.

11. A device according to Claims 8 or 9, wherein said laser radiation has a wavelength of between 750nm and 850nm.

12. A device according to any of Claims 9 to 11, wherein said laser beam has a fluence of greater than  $15\text{J}/\text{cm}^2$ .

13. A device according to any preceding Claims, wherein said radiation source emits a generally continuous beam.

14. A device according to any of Claims 1 to 12, wherein said radiation source emits a pulsed beam.

15. A device according to any of the preceding Claims, wherein said movement means comprises a lens mounted for movement and drive means for moving said lens to deflect the beam axis.

16. A device according to Claim 15, wherein said drive means is operable to shift said lens linearly in at least one direction generally transverse to the axis of the beam emitted from said radiation source.

17. A device according to Claim 16, wherein said drive means is operable to shift said lens linearly in two generally orthogonal directions relative to the axis of said beam.

18. A device according to Claim 15, wherein said drive means is

operable to tilt said lens about at least one axis generally transverse to the axis of the beam emitted from said radiation source.

19. A device according to Claim 18, wherein said drive means is operable to tilt said lens about two generally orthogonal axes relative to the axis of said beam.

20. A device according to any of Claims 1 to 14, wherein said movement means comprises a deflector mounted for movement and drive means for moving said deflector to deflect the beam axis.

21. A device according to Claim 20, wherein said drive means is operable to tilt said deflector about at least one axis generally transverse to the axis of the beam emitted from said radiation source.

22. A device according to any of Claims 1 to 14, wherein said movement means comprises an emitter mounted for movement and drive means for moving said emitter to translate the beam axis.

23. A device according to Claim 22, wherein said drive means is operable to shift said emitter linearly in at least one direction generally transverse to the axis of the beam emitted from said radiation source.

24. A device according to Claim 23, wherein said drive means is operable to shift said emitter linearly in two generally orthogonal directions relating to the axis of said beam.

25. A device according to Claim 22, wherein said drive means is operable to tilt said emitter about at least one axis generally transverse to the axis of the beam emitted from said radiation source.

26. A device according to any of Claims 15 to 25, further including

control means operable to control said drive means to deflect said beam.


27. A device according to Claim 26, wherein said control means is operable to cause said beam to execute a scan pattern with a generally continuously moving spot.

28. A device according to Claim 26, wherein said control means is operable to cause said scan to execute a scan pattern with discrete movements of a scan spot interspersed with dwell periods.

29. A device according to Claim 28, wherein said control means is operable to adjust the length of the dwell period, or the extent of each discrete movement, in accordance with the magnitude of the beam deflection.


30. A device according to Claims 28 or 29, wherein said control means is operable to dither the scan spot between selected regions.

31. A method of skin treatment, wherein a source of radiation generates a beam which passes via a deflecting means to be incident on the skin, wherein said deflecting means moves said beam across the skin in a predetermined pattern.



*Fig. 2*

*Fig. 1*




*Fig. 5*


*Fig. 4*

*Fig. 3*

3/3



*Fig. 7*



*Fig. 6*

## INTERNATIONAL SEARCH REPORT

International application No

PCT/GB2007/002305

A. CLASSIFICATION OF SUBJECT MATTER  
INV. A61B18/20

According to International Patent Classification (IPC) or to both national classification and IPC

## B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)  
A61B

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

EPO-Internal, WPI Data

## C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	WO 00/53261 A (ASAH MEDICO A S [DK]; ASAH BJARNE [DK]; BALLE PETERSEN OLAV [DK]; DOLL) 14 September 2000 (2000-09-14)	1-14, 20, 21, 26-30
Y	abstract  page 3, line 1 - page 6, line 27 page 10, line 6 - page 17, line 7 page 19, line 17 - page 24, line 34 page 25, line 33 - page 27, line 30 page 32, line 12 - page 33, line 33	15-19, 22-25
Y	US 5 827 266 A (HAREL ALEX [IL] ET AL) 27 October 1998 (1998-10-27) abstract column 1, line 17 - column 2, line 24 column 3, line 21 - column 6, line 39 ----- -/--	15-17



Further documents are listed in the continuation of Box C.



See patent family annex.

\* Special categories of cited documents :

- \*A\* document defining the general state of the art which is not considered to be of particular relevance
- \*E\* earlier document but published on or after the international filing date
- \*L\* document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
- \*O\* document referring to an oral disclosure, use, exhibition or other means
- \*P\* document published prior to the international filing date but later than the priority date claimed

- \*T\* later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
- \*X\* document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
- \*Y\* document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.
- \*&\* document member of the same patent family

Date of the actual completion of the international search

21 September 2007

Date of mailing of the international search report

08/10/2007

Name and mailing address of the ISA/

European Patent Office, P.B. 5818 Patentlaan 2  
NL - 2280 HV Rijswijk  
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,  
Fax: (+31-70) 340-3016

Authorized officer

Beck, Ewa

## INTERNATIONAL SEARCH REPORT

International application No  
PCT/GB2007/002305

C(Continuation). DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
Y	WO 00/71045 A (SHARON UZI [IL]) 30 November 2000 (2000-11-30) abstract page 15, line 14 - page 17, line 12 -----	18,19
Y	WO 2006/013567 A (ISRAEL HENRY M [IL]) 9 February 2006 (2006-02-09) abstract page 2, paragraph 4 - paragraph 5 page 3, paragraph 1 - page 4, paragraph 2 -----	22-25
X	WO 2004/007022 A (ASAH MEDICO AS [DK]; DOLLERIS CASPER [CA]) 22 January 2004 (2004-01-22) abstract page 1, line 23 - page 24, line 38 page 25, line 36 - page 28, line 35 -----	1-14,20, 21,26-30
A	US 3 643 015 A (DAVIDOVITS PAUL ET AL) 15 February 1972 (1972-02-15) abstract column 5, line 24 - line 45 -----	15-17
A	US 4 642 651 A (KUHN DONALD H [US]) 10 February 1987 (1987-02-10) abstract -----	18,19
A	WO 00/66022 A1 (VISX INC [US]) 9 November 2000 (2000-11-09) page 15, line 19 - page 16, line 3 -----	15-21
A	WO 2006/005038 A2 (OPTIMEDICA CORP [US]; ANDERSEN DAN E [US]; MORDAUNT DAVID H [US]; WILT) 12 January 2006 (2006-01-12) page 9, line 29 - page 10, line 10 -----	15-21

# INTERNATIONAL SEARCH REPORT

International application No.  
PCT/GB2007/002305

## Box II Observations where certain claims were found unsearchable (Continuation of item 2 of first sheet)

This International Search Report has not been established in respect of certain claims under Article 17(2)(a) for the following reasons:

1.  Claims Nos.: 31  
because they relate to subject matter not required to be searched by this Authority, namely:  
Rule 39.1(iv) PCT - Method for treatment of the human or animal body by therapy and surgery
2.  Claims Nos.:  
because they relate to parts of the International Application that do not comply with the prescribed requirements to such an extent that no meaningful International Search can be carried out, specifically:
3.  Claims Nos.:  
because they are dependent claims and are not drafted in accordance with the second and third sentences of Rule 6.4(a).

## Box III Observations where unity of invention is lacking (Continuation of item 3 of first sheet)

This International Searching Authority found multiple inventions in this international application, as follows:

1.  As all required additional search fees were timely paid by the applicant, this International Search Report covers all searchable claims.
2.  As all searchable claims could be searched without effort justifying an additional fee, this Authority did not invite payment of any additional fee.
3.  As only some of the required additional search fees were timely paid by the applicant, this International Search Report covers only those claims for which fees were paid, specifically claims Nos.:
4.  No required additional search fees were timely paid by the applicant. Consequently, this International Search Report is restricted to the invention first mentioned in the claims; it is covered by claims Nos.:

### Remark on Protest

- The additional search fees were accompanied by the applicant's protest.
- No protest accompanied the payment of additional search fees.

## INTERNATIONAL SEARCH REPORT

International application No  
PCT/GB2007/002305

Patent document cited in search report		Publication date	Patent family member(s)	Publication date
WO 0053261	A	14-09-2000	AU 3147200 A	28-09-2000
			US 6676654 B1	13-01-2004
			US RE38670 E1	14-12-2004
-----				
US 5827266	A	27-10-1998	NONE	
-----				
WO 0071045	A	30-11-2000	AU 3953299 A	12-12-2000
			US 7101365 B1	05-09-2006
-----				
WO 2006013567	A	09-02-2006	AU 2005268431 A1	09-02-2006
			CA 2576077 A1	09-02-2006
			EP 1824406 A1	29-08-2007
			US 2006029341 A1	09-02-2006
-----				
WO 2004007022	A	22-01-2004	AU 2003242515 A1	02-02-2004
			EP 1523371 A1	20-04-2005
			US 2006116669 A1	01-06-2006
-----				
US 3643015	A	15-02-1972	NONE	
-----				
US 4642651	A	10-02-1987	NONE	
-----				
WO 0066022	A1	09-11-2000	AU 3612300 A	17-11-2000
			CA 2368228 A1	09-11-2000
			EP 1180981 A1	27-02-2002
			JP 2002542877 T	17-12-2002
			MX PA01010867 A	06-05-2002
			US 2002151878 A1	17-10-2002
-----				
WO 2006005038	A2	12-01-2006	AU 2005260743 A1	12-01-2006
			EP 1771140 A2	11-04-2007
-----				