


June 10, 1930.

R. A. KRATOCHWILL

1,762,869

UMBRELLA HANDLE

Filed Aug. 25, 1928



WITNESS
Quym Spring

INVENTOR.
RUDOLPH A. KRATOCHWILL

BY

Irving L. McEachran
ATTORNEY

UNITED STATES PATENT OFFICE

RUDOLPH A. KRATOCHWILL, OF GREENVILLE, TENNESSEE

UMBRELLA HANDLE

Application filed August 25, 1928. Serial No. 302,097.

This invention relates to umbrellas and parasols and more particularly to a novel handle therefor.

One of the primary objects of the present invention is to provide a handle for umbrellas, parasols and the like, having associated therewith means for carrying accessories for a lady's toilet, such as rouge, powder, lipstick, and the like.

Another important object of the invention is the provision of an umbrella or parasol handle having a knob or head formed on one end thereof constructed to provide a receptacle for the reception of a suitable vanity box or the like, the knob forming a hinged cover for the receptacle and being provided with a mirror.

A further object of the invention is the provision of novel receptacles arranged in the opposite sides of the handle for the reception respectively, of a lipstick and eyebrow pencil, the receptacles being provided with novel hinged closures forming a decorative part of the handle.

A still further object of the invention is to provide a novel handle for umbrellas and the like of the above character, which will be durable and efficient in use, one that will be simple and easy to manufacture and one which can be placed upon the market and readily associated with an umbrella or parasol.

With these and other objects in view, the invention consists in the novel construction, arrangement and formation of parts, as will be hereinafter more specifically described, claimed, and illustrated in the accompanying drawing, in which drawing:—

Figure 1 is a side elevation of the handle.
Figure 2 is a horizontal section through the improved handle taken on the line 2—2 of Figure 1, looking in the direction of the arrows.

Figure 3 is a longitudinal section through the handle taken on the line 3—3 of Figure 2, looking in the direction of the arrows.

Figure 4 is a similar section taken on the line 4—4 of Figure 1, looking in the direction of the arrows.

Referring to the drawings in detail, where-

in similar reference characters designate corresponding parts throughout the several views, the letter A generally indicates my improved handle for a conventional umbrella or parasol, and this handle can be constructed from wood or any other desired material and is preferably of a solid construction and provided with a longitudinally extending bore 5 for the reception of the usual umbrella staff 6. The lower end of the handle can be reduced in cross section, if so desired, and provided with a metal ferrule 7 which can have associated therewith a ring 8 whereby a pocketbook or small bag can be conveniently connected with the handle.

In accordance with this invention, the opposite sides of the handle are provided with longitudinally extending grooves 9 which can form receptacles, but as shown, I prefer to secure in the grooves, a suitable metal box or lining 10.

If desired the opposite sides of the handle A surrounding the grooves 9 can be provided with ornamental face plates 11 which can be secured in position by the use of suitable rivets 12, screws, or the like. Each of the face plates 11 carry hinged doors 13 which form a part of the handle and doors or closures for the receptacle 10. Any desired type of catch 14 can be used for normally holding the closures 13 in closed position.

The receptacles 10 can be used for any desired purpose, but I prefer to use one receptacle for the reception of a lipstick 15 and the other for the reception of an eyebrow pencil 16.

The upper end of the handle A can be provided with a suitable head or knob 17 which can be made integral with the body portion of the handle and hollowed out to provide a receptacle, or as shown, the head can be made of metal and secured to the body portion of the handle. In the present instance the head 17 includes a hollow body portion 18 and a depending flange or collar 19 which is secured to the body portion of the handle and if desired the face plates 11 can be made integral with the said flange or collar. The

upper end of the receptacle 18 can be provided with a hinged closure 20 which can be made in any desired ornamental way and provided with a suitable catch 21 for holding the same in closed position. The receptacle provided, can be used for the reception of a suitable compact 22 which can carry both rouge and face powder.

The hinged closure 20 can have the inner face thereof provided with a suitable mirror 23 if preferred.

While not forming an essential part of this invention, the upper end of the handle can be provided with a transverse bore 24 for the reception of a carrying loop 25.

From the foregoing description, it can be seen that I have provided a novel umbrella handle which is so formed as to permit the convenient carrying of the necessary appliances for a lady's toilet.

Changes in details may be made without departing from the spirit or the scope of this invention, but:—

What I claim as new is:—

25 1. A device of the character described comprising a body formed with pockets opening through its sides, a head open at its upper end, a lid movable into and out of closing relation to the upper end of said head, a neck extending downwardly from said head and fitting about the upper end of said body, strips extending downwardly from said neck and secured against said body in covering relation to the pockets and
35 formed with openings registering with the pockets, and closures for the pockets hinged to said strips and movable into and out of closing relation to the openings formed therein.

40 2. A device of the character described comprising a body formed with pockets in its sides, a head for said body, a neck extending downwardly from said head and fitting about the upper end of said body, strips
45 extending from said neck against said body in covering relation to said pockets and formed with openings registering with the pockets, and closures for said openings hinged to said strips.

50 In testimony whereof I affix my signature.

RUDOLPH A. KRATOCHWILL.

55

60

65