



(19) **United States**

(12) **Patent Application Publication**
Wong et al.

(10) **Pub. No.: US 2003/0104782 A1**

(43) **Pub. Date: Jun. 5, 2003**

(54) **OBJECT TAGGING SYSTEM AND METHOD**

(22) Filed: **Nov. 30, 2001**

(75) Inventors: **Yoon Kean Wong**, Redwood City, CA (US); **David Kammer**, Seattle, WA (US); **Russell Y. Webb**, San Jose, CA (US); **Steven C. Lemke**, Sunnyvale, CA (US)

Publication Classification

(51) **Int. Cl.⁷ H04B 5/00**

(52) **U.S. Cl. 455/41; 455/500; 455/503**

Correspondence Address:


FOLEY & LARDNER
777 EAST WISCONSIN AVENUE
SUITE 3800
MILWAUKEE, WI 53202-5308 (US)

(57) **ABSTRACT**

A method of indexing information stored on a portable electronic device. The method includes receiving an association signal by the portable electronic device the association signal providing an indication of adjacent resources, accessing a database including a table storing relationships between data stored on the portable electronic device and the association signal, and indexing the data based on the relationships accessed in the database.

(73) Assignee: **Palm, Inc.**

(21) Appl. No.: **09/998,079**






FIG. 1




FIG. 2




FIG. 3




FIG. 4

OBJECT TAGGING SYSTEM AND METHOD

BACKGROUND

[0001] Handheld computers and other portable electronic devices typically contain various types of information including phone lists, to do lists, calendars, notes, personal interest lists, graphics files, video files, audio files, maps, directions, applications, etc. During use of a mobile device a user may typically desire access to different information or different types of information when they carry the device near certain known objects, such as but not limited to landmarks, access points, and/or other physical objects. Accordingly, when the device is near certain known objects, the user may desire access to specific information whenever that known object is encountered. Therefore, it would be desirable for the portable device to access or provide simplified and/or automatic access to information which was assumed to be desired based on the encounter with the known object.

[0002] Accordingly, there is a need for a method to associate information on a portable electronic device with certain known objects. There is also a need for a system in which certain data on the portable electronic device is automatically associated with the known object. Further, there is a need for a program running on a portable electronic device that allows for the association and indexing of information stored on the device based on an encounter with a known object.

[0003] It would be desirable to provide a system and/or method that provides one or more of these or other advantageous features. Other features and advantages will be made apparent from the present specification. The teachings disclosed extend to those embodiments which fall within the scope of the appended claims, regardless of whether they accomplish one or more of the above-mentioned needs.

SUMMARY

[0004] One embodiment of the invention relates to a method of indexing information stored on a portable electronic device. The method includes receiving an association signal by the portable electronic device the association signal providing an indication of adjacent resources, accessing a database including a table storing relationships between data stored on the portable electronic device and the association signal, and indexing the database on the relationships accessed in the database.

[0005] Another embodiment of the invention relates to a portable electronic device. The portable electronic device includes a processor, a transceiver coupled to the processor, the transceiver configured to receive and transmit communication signals, a memory coupled to the processor, and a program stored in the memory and running on the processor configured to receive an association signal by the transceiver, the association signal providing an indication of adjacent resources, the program further configured to access a database including a table storing relationships between data stored on the portable electronic device and the association signal, and the program configured to index the data based on the relationships accessed in the database.

[0006] Yet another embodiment of the invention relates to a handheld computer. The handheld computer includes a

processor, a memory coupled to the processor, a display coupled to the processor, and a program running on the processor and configured to identify an adjacent known object and configured to index information stored in the memory of the device based on the known object.

[0007] Alternative exemplary embodiments relate to other features and combination of features as may be generally recited in the claims.

BRIEF DESCRIPTION OF THE DRAWINGS

[0008] The invention will become more fully understood from the following detailed description, taken in conjunction with the accompanying drawings, wherein like reference numerals refer to like elements, in which:

[0009] FIG. 1 is a block diagram of a wireless portable electronic device object identification and association system;

[0010] FIG. 2 is a block diagram of a process for associating data with objects;

[0011] FIG. 3 is an exemplary diagram of a portable electronic device and data association system; and

[0012] FIG. 4 is an exemplary embodiment of a handheld computer.

DETAILED DESCRIPTION OF THE EXEMPLARY EMBODIMENTS

[0013] Referring to FIG. 4, a portable electronic device, shown as, but not limited to, handheld computer 100 is depicted according to an exemplary embodiment. Handheld computer 100 may include palm style computers manufactured by Palm, Inc., of Santa Clara, Calif. Other exemplary embodiments may include Windows CE handheld computers, or other handheld computers and personal digital assistants, as well as mobile telephones, and other mobile computing devices.

[0014] Preferably, handheld computer 100 includes memory, a processor, and interactive hardware and software that performs functions such as, but not limited to maintaining calendars, phone lists, task lists, notepads, calculator applications, spreadsheets, games, and other applications capable of running on a computing device. Further, handheld computer 100 may be configured for such functions as voice memo recording and playback, as well as communications network connectivity, internet connectivity, wireless telephony, among others.

[0015] Handheld computer 100, depicted in FIG. 4 includes a plurality of input function keys 112 and a display 114 having graphical user interface features. Display 114 may be provided with a touch screen interface that allows a user to select and alter displayed content using a pointer, such as, but not limited to, a stylus, a pen tip, a fingertip, or other pointing devices.

[0016] Handheld computer 100 may also include local area wireless technology to permit wireless communication with other portable electronic devices and computing devices that have compatible communication technology. The local area wireless technology may be Bluetooth or IEEE 802.11 compatible, or may support any of a variety of other wireless communication protocols.

[0017] To support local area wireless communications, handheld computer **100** may include wireless connectivity software integrated into the operating system or stored in memory of handheld computer **100** or further added via an expansion card or transferred from another computer or computer system. Further, to effectuate local area communications, handheld computer **100** may include an RF transceiver **124**, or other electromagnetic reception and transmission device. RF transceiver **124** may be provided on handheld computer **100** as part of an expansion card or may alternatively be integrated into handheld computer **100**. Referring to **FIG. 4**, handheld computer **100** may alternatively transmit and receive local area wireless communications via infrared port **120**. Expansion card **124**, including an RF transceiver, may be installed in handheld computer **100** via an expansion slot **122** used to house expansion cards such as, but not limited to, secured digital (SD) cards. One such expansion card **124** may be disposed in an expansion card slot in handheld computer **100**. An installed expansion card **124** may be used for local area wireless communications. RF transceiver **124** may be a Bluetooth transceiver and IEEE 802.11 transceiver, or any of a variety of other RF, VHF, UHF, ultrasonic, or other wireless transceiver devices.

[0018] Referring to **FIG. 3**, handheld computer **310** may be capable of communicating with other electronic devices within a local area. For example, handheld computer **310** may be able to communicate with various other local devices such as, but not limited to, an individual's mobile telephone **320**. Mobile telephone **320** may include a Bluetooth transceiver or other transceivers. Phone **320** may broadcast a unique identifier (ID) associated with phone **320**. In another exemplary embodiment, a person's shoe **340** may include a wireless transceiver device such as a Bluetooth transceiver. Such a shoe may indicate any of a variety of information, such as, but not limited to, the wearer of the shoe, for example, or any other unique identifier. Further still, in an exemplary embodiment, a networking access point, such as a Bluetooth access point **330** may be in communication with handheld computer **310**. Bluetooth access point **330** may be configured to broadcast a unique identifier. Further, access point **330** may be associated with a specific location, for example, access point **330** may be located in the handheld user's home or any other home, office, or building. In such a case, handheld computer **310** may associate access point **330** with not only the network to which it is connected but also to the location at which access point **330** is located. In further exemplary embodiments, any of a variety of other known objects or access points may include, but are not limited to, other computing devices having wireless communication capability, such as soda machines, other handheld computing devices, laptop computers, cellular telephones, local area network access points, automated teller machines (ATMs), etc.

[0019] Referring now to **FIG. 1**, a handheld computer or other portable electronic device **100** is depicted. Handheld computer **100** includes a processor **110** which may be any of a variety of conventional processing devices. A memory **120** is coupled to processor **110**. Memory **120** may be any of a variety of memory devices including, but not limited to read only memory (ROM), random access memory (RAM), flash memory, etc. Memory **120** may be utilized to store programs running on processor **110**, and/or may be used to store other types of information. A transceiver **130** is coupled to processor **110**. Transceiver **130** may be any of a variety of

wireless transceivers including, but not limited to RF or other electromagnetic transceiver devices, and/or infrared or ultrasonic devices, among others. In an exemplary embodiment, transceiver **130** includes an antenna **135** for transmitting and receiving communication signals. Handheld computer **100** also includes a display **140**. Display **140** may be any of a variety of displays including, but not limited to an LCD touch screen display. Display **140** may be used to display information to a user of handheld computer **100**. A database **150** may be stored on handheld computer **100**. Database **150** may be stored in memory **120** or may be stored in any of a variety of other storage devices including peripheral devices such as a disk drive or memory card. Further, in an alternative embodiment, database **150** may be stored on a server computer which is accessed over a wireless communication link using transceiver **130**.

[0020] Because of the portability and ease of use and access to handheld computer **100**, it is often desirable for a user of handheld computer **100** to take and/or share notes about a particular person, place, and/or thing, and further to access these notes at a time when the known object, person, or item is present. In systems of the prior art, it is required that the user remember that such notes are available and, further, remembers how to access them. As wireless networking environments become even more data rich, this problem becomes more evident. In a data rich environment, the user of handheld computer **100** may be unaware of exactly what data is available on the portable device. Thus, a method to automatically pull up relevant data when a known object is nearby is desirable.

[0021] Referring again to **FIG. 1**, known objects **160**, **170**, and **180** may be in nearby proximity to handheld computer **100**, such that they are in wireless communications with handheld computer **100**. Information that is collected by handheld computer **100** or is input by a user of handheld computer **100** may be associated with a unique, detectable identifier, that is associated with each of individual objects **160**, **170**, and/or **180**. The information that is collected or input relating to each object may be stored on handheld computer **100** and an association and/or relationship of the object to the data may be stored in database **150**. In an alternative embodiment, the data and the association and/or relationship may be stored in database **150**. There may be many ways to provide unique identifiers for objects encountered by handheld computer **100**. For example, biometric information may be used about people, or location information about places and/or stationary objects. Further, known objects, people, or locations may be associated with a unique wireless identifier (for example, a Bluetooth device address or alias), that the known object may advertise or broadcast. In the case that objects **160**, **170**, and **180** are broadcasting unique identifiers or association signals, the handheld computer may then access database **150** and identify relationships between stored data on handheld computer **100** and the association signals being received. The data may then be indexed based on the relationships accessed in the database. Once the relevant data is indexed, the data may be prioritized based on any of a number of factors including, but not limited to distance from each of the objects, importance of the objects, etc. Once the data is prioritized, the relevant data may be retrieved from storage on handheld computer **100**.

[0022] Referring now to **FIG. 2**, an exemplary process for associating and/or relating data with objects and accessing

the data **200** is depicted. A handheld computer or other electronic portable device receives association signals (step **210**). When association signals or object identifiers are received by the handheld computer, a database is accessed, the database including relationships between data sets and association signals or identifiers (step **220**). Based on the relationships retrieved from the database, the data is indexed (step **230**). In an alternative embodiment, the data may be prioritized based on the index and/or based on any of a variety of other types of information, including distance and/or location (step **240**). Further, in an alternative embodiment, data is then accessed on a handheld computer by the user automatically based on the prioritization (step **250**).

[0023] Referring again to **FIG. 3**, a user of handheld computer **310** may approach a person carrying a phone **320**. As the person is approached, the phone broadcasts an identifier which is received by handheld computer **310**. Handheld computer **310** associates the received signal with the particular person and accesses information about the person. For example, handheld computer **310** may access calendar information associated with the person such as, the person's birthday is today, or any of a variety of other messages or lists, etc.

[0024] While the detailed drawings, specific examples and particular formulations given describe preferred and exemplary embodiments, they serve the purpose of illustration only. The inventions disclosed are not limited to the specific forms shown. For example, the methods may be performed in any of a variety of sequence of steps. The hardware and software configurations shown and described may differ depending on the chosen performance characteristics and physical characteristics of the computing devices. For example, the type of computing device, communications bus, or processor used may differ. The systems and methods depicted and described are not limited to the precise details and conditions disclosed. Furthermore, other substitutions, modifications, changes, and omissions may be made in the design, operating conditions, and arrangement of the exemplary embodiments without departing from the scope of the invention as expressed in the appended claims.

What is claimed is:

1. A method of indexing information stored on a portable electronic device, comprising:

receiving an association signal by the portable electronic device the association signal providing an indication of adjacent resources;

accessing a database including a table storing relationships between data stored on the portable electronic device and the association signal; and

indexing the data based on the relationships accessed in the database.

2. The method of claim 1, further comprising:

prioritizing the indexed data.

3. The method of claim 1, wherein the association signal includes a signal from a wireless access point.

4. The method of claim 1, wherein the association signal includes a Bluetooth signal.

5. The method of claim 1, wherein the association signal includes an IEEE 802.11 signal.

6. The method of claim 1, wherein the association signal includes a biometric signal.

7. The method of claim 1, wherein the association signal includes a wireless access point signal.

8. The method of claim 1, wherein the association signal includes an infrared signal.

9. The method of claim 1, further comprising:

retrieving data stored on the portable electronic device and related to the associating signal.

10. The method of claim 9, further comprising:

displaying the data retrieved.

11. A portable electronic device, comprising:

a processor;

a transceiver coupled to the processor, the transceiver configured to receive and transmit communication signals;

a memory coupled to the processor; and

a program stored in the memory and running on the processor configured to receive an association signal by the transceiver, the association signal providing an indication of adjacent resources, the program further configured to access a database including a table storing relationships between data stored on the portable electronic device and the association signal, and the program configured to index the data based on the relationships accessed in the database.

12. The system of claim 11, wherein the program is configured to prioritize the indexed data.

13. The system of claim 11, wherein the association signal includes a signal from a wireless access point.

14. The system of claim 11, wherein the association signal includes a Bluetooth signal.

15. The system of claim 11, wherein the association signal includes an IEEE 802.11 signal.

16. The system of claim 11, wherein the association signal includes an infrared signal.

17. The system of claim 11, wherein the association signal includes a biometric signal.

18. The system of claim 11, wherein the association signal includes a wireless access point signal.

19. The system of claim 11, wherein the indexed data is retrieved by the program.

20. The system of claim 19, wherein the retrieved data is displayed on the portable electronic device.

21. A handheld computer, comprising:

a processor;

a memory coupled to the processor;

a display coupled to the processor; and

a program running on the processor and configured to identify an adjacent known object and configured to index information stored in the memory of the device based on the known object.

22. The handheld computer of claim 21, wherein the program is configured to prioritize the indexed information.

23. The handheld computer of claim 21, wherein the identity of the known object is associated with a signal from a wireless access point.

24. The handheld computer of claim 21, wherein the identity of the known object is associated with a Bluetooth signal.

25. The handheld computer of claim 21, wherein the identity of the known object is associated with an IEEE 802.11 signal.

26. The handheld computer of claim 21, wherein the identity of the known object is associated with an infrared signal.

27. The handheld computer of claim 21, wherein the identity of the known object is associated with a biometric signal.

28. The handheld computer of claim 21, wherein information associated with the known object is retrieved from memory of the device.

29. The handheld computer of claim 28, wherein the retrieved information is displayed on the display.

* * * * *