



US00D680027S

(12) **United States Design Patent**
Haas

(10) **Patent No.:** **US D680,027 S**

(45) **Date of Patent:** **** Apr. 16, 2013**

(54) **LANYARD CLASP FOR IDENTIFICATION BADGES**

(71) Applicant: **David J. Haas**, Suffern, NY (US)

(72) Inventor: **David J. Haas**, Suffern, NY (US)

(73) Assignee: **Tecco, Inc.**, Suffern, NY (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/437,547**

(22) Filed: **Nov. 18, 2012**

(51) **LOC (9) Cl.** **02-07**

(52) **U.S. Cl.**
USPC **D11/201**

(58) **Field of Classification Search** D11/1-2,
D11/200-201, 206-210, 214-218, 3, 7; 24/163 R,
24/169-171, 173, 177-179, 191, 194-195,
24/197, 200, 614-616, 625, 198; D3/215,
D3/327; D8/356, 395; 40/1.5
See application file for complete search history.

6,752,305 B2 *	6/2004	Shattuck	224/603
6,848,207 B1	2/2005	Powell		
7,015,815 B1	3/2006	Feibelman		
7,137,216 B2	11/2006	Ali et al.		
7,520,079 B2	4/2009	Stallings et al.		
7,575,137 B1	8/2009	Lederer et al.		
D612,765 S *	3/2010	Fildan et al.	D11/218
7,774,969 B1	8/2010	Silverman		
D631,737 S	2/2011	Haas		
D631,738 S	2/2011	Haas		
D632,610 S	2/2011	Corrado		
8,001,710 B2	8/2011	McKye		
D666,525 S	9/2012	Anderson et al.		
8,266,770 B2	9/2012	Haas		
D672,279 S *	12/2012	Kalbach	D11/201
2002/0153400 A1	10/2002	Chase et al.		
2003/0213826 A1	11/2003	Jacobs		
2009/0020571 A1	1/2009	Toman		
2012/0125958 A1	5/2012	Waltersdorf		

FOREIGN PATENT DOCUMENTS

FR 2 392 896 12/1978

* cited by examiner

Primary Examiner — Ralf Seifert

(74) *Attorney, Agent, or Firm* — Michael E. Zall

(56) **References Cited**

U.S. PATENT DOCUMENTS

1,153,094 A	9/1915	McGiwty		
2,212,862 A	8/1940	Hirsh		
2,341,773 A	2/1944	Hanson		
3,529,329 A	11/1968	Burleson		
D214,825 S	8/1969	Czapar et al.		
3,467,246 A	9/1970	Long et al.		
4,030,385 A	6/1977	Scholin et al.		
D252,355 S	7/1979	Uber		
D271,986 S	12/1983	Belser		
5,027,477 A	7/1991	Seron		
5,279,057 A	1/1994	Melin et al.		
D386,215 S	11/1997	White et al.		
5,791,076 A *	8/1998	Gailliard	40/1.5
5,799,426 A	9/1998	Peterson		
D410,411 S	6/1999	Fildan		
5,986,562 A	11/1999	Nikolich et al.		
D445,723 S	7/2001	Kim		
6,276,029 B1	8/2001	Buettell		
6,539,588 B1	4/2003	Brososky et al.		
D479,647 S	9/2003	Paura et al.		
6,704,979 B1	3/2004	de Riz et al.		

(57) **CLAIM**

I claim the ornamental design for a lanyard clasp for identification badges, as shown.

DESCRIPTION

FIG. 1 is a front perspective view of a lanyard clasp for identification badges shown in a position of use, the broken line showing of a figure is for illustrative purposes only and forms no part of the claimed design;

FIG. 2 is a front perspective view;

FIG. 3 is a top view;

FIG. 4 is a front plan view;

FIG. 5 is a right side view;

FIG. 6 is a bottom view;

FIG. 7 is a rear plan view;

FIG. 8 is a left side view;

FIG. 9 is a front perspective view of a lanyard clasp for identification badges showing a second embodiment of my new design;




FIG. 10 is a top view of FIG. 9;
FIG. 11 is a front plan view of FIG. 9;
FIG. 12 is a right side view of FIG. 9;
FIG. 13 is a bottom view of FIG. 9;
FIG. 14 is a rear plan view of FIG. 9;
FIG. 15 is a left side view of FIG. 9;
FIG. 16 is a front perspective view of a lanyard clasp for identification badges showing a third embodiment of my new design;
FIG. 17 is a top view of FIG. 16;
FIG. 18 is a front plan view of FIG. 16;
FIG. 19 is a right side view of FIG. 16;
FIG. 20 is a bottom view of FIG. 16;
FIG. 21 is a rear plan view of FIG. 16;
FIG. 22 is a left side view of FIG. 16;
FIG. 23 is a front perspective view of a lanyard clasp for identification badges showing a fourth embodiment of my new design;
FIG. 24 is a top view of FIG. 23;
FIG. 25 is a front plan view of FIG. 23;
FIG. 26 is a right side view of FIG. 23;
FIG. 27 is a bottom view of FIG. 23;

FIG. 28 is a rear plan view of FIG. 23;
FIG. 29 is a left side view of FIG. 23;
FIG. 30 is a front perspective view of a lanyard clasp for identification badges showing a fifth embodiment of my new design;
FIG. 31 is a top view of FIG. 30;
FIG. 32 is a front plan view of FIG. 30;
FIG. 33 is a right side view of FIG. 30;
FIG. 34 is a bottom view of FIG. 30;
FIG. 35 is a rear plan of FIG. 30;
FIG. 36 is a left side view of FIG. 30;
FIG. 37 is a front perspective view of a lanyard clasp for identification badges showing a sixth embodiment of my new design;
FIG. 38 is a top view of FIG. 37;
FIG. 39 is a front plan view of FIG. 37;
FIG. 40 is a right side view of FIG. 37;
FIG. 41 is a bottom view of FIG. 37;
FIG. 42 is a rear plan view of FIG. 37; and,
FIG. 43 is a left side view of FIG. 37.

1 Claim, 19 Drawing Sheets

FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18




FIG. 19




FIG. 20




FIG. 21




FIG. 22




FIG. 23




FIG. 24




FIG. 25




FIG. 26




FIG. 27




FIG. 28




FIG. 29




FIG. 30




FIG. 31




FIG. 32




FIG. 33




FIG. 34




FIG. 35




FIG. 36




FIG. 37




FIG. 38




FIG. 39




FIG. 40




FIG. 41




FIG. 42




FIG. 43

