

(43) International Publication Date
12 September 2014 (12.09.2014)

(51) International Patent Classification:

A61P 7/04 (2006.01) A61F 13/00 (2006.01)
A61K 49/00 (2006.01)

(21) International Application Number:

PCT/US2014/022039

(22) International Filing Date:

7 March 2014 (07.03.2014)

(25) Filing Language:

English

(26) Publication Language:

English

(30) Priority Data:

61/775,354 8 March 2013 (08.03.2013) US

(71) Applicants: **THE REGENTS OF THE UNIVERSITY OF CALIFORNIA** [US/US]; 1111 Franlin Street, Twelfth Floor, Oakland, California 94607-5200 (US). **THE BOARD OF TRUSTEES OF THE UNIVERSITY OF ILLINOIS** [US/US]; 352 Henry Administration Building, 506 South Wright Street, Urbana, Illinois 61801 (US).

(72) Inventors: **KUDELA, Damien**; 128 W Arrellaga St., Santa Barbara, California 93101 (US). **STUCKY, Galen D.**; 973 West Campus Lane, Santa Barbara, California 93117 (US). **MAY-MASNOU, Anna**; c/ les Roques, 4, Sant Julia de Vilatorra, E-08504 Barcelona, Catalunya (ES). **BRAUN, Gary Bernard**; 1659 Bacon St., San Diego, California 92107 (US). **MORRISSEY, James H.**; 2605 Willoughby Rd., Champaign, Illinois 61822 (US). **SMITH, Stephanie A.**; 323 Roger Adams Lab, MC-712, 600 S. Mathews Ave., Urbana, Illinois 61801 (US).

(74) Agent: **NG, Rudy J.**; Bozicevic, Field & Francis LLP, 1900 University Avenue, Suite 200, East Palo Alto, California 94303 (US).

(81) Designated States (unless otherwise indicated, for every kind of national protection available): AE, AG, AL, AM, AO, AT, AU, AZ, BA, BB, BG, BH, BN, BR, BW, BY, BZ, CA, CH, CL, CN, CO, CR, CU, CZ, DE, DK, DM, DO, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, GT, HN, HR, HU, ID, IL, IN, IR, IS, JP, KE, KG, KN, KP, KR, KZ, LA, LC, LK, LR, LS, LT, LU, LY, MA, MD, ME, MG, MK, MN, MW, MX, MY, MZ, NA, NG, NI, NO, NZ, OM, PA, PE, PG, PH, PL, PT, QA, RO, RS, RU, RW, SA, SC, SD, SE, SG, SK, SL, SM, ST, SV, SY, TH, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, ZA, ZM, ZW.

(84) Designated States (unless otherwise indicated, for every kind of regional protection available): ARIPO (BW, GH, GM, KE, LR, LS, MW, MZ, NA, RW, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian (AM, AZ, BY, KG, KZ, RU, TJ, TM), European (AL, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HR, HU, IE, IS, IT, LT, LU, LV, MC, MK, MT, NL, NO, PL, PT, RO, RS, SE, SI, SK, SM, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, KM, ML, MR, NE, SN, TD, TG).

Published:

- with international search report (Art. 21(3))
- before the expiration of the time limit for amending the claims and to be republished in the event of receipt of amendments (Rule 48.2(h))

(54) Title: POLYPHOSPHATE-FUNCTIONALIZED INORGANIC NANOPARTICLES AS HEMOSTATIC COMPOSITIONS AND METHODS OF USE




FIG. 14

(57) Abstract: A hemostatic composition is provided. The hemostatic composition includes a hemostatically effective amount of a hemostatic agent that includes a nanoparticle and a polyphosphate polymer attached to the nanoparticle. Also provided are medical devices and methods of use to promote blood clotting.

POLYPHOSPHATE-FUNCTIONALIZED INORGANIC NANOPARTICLES AS HEMOSTATIC COMPOSITIONS AND METHODS OF USE

CROSS-REFERENCE TO RELATED APPLICATION

[0001] Pursuant to 35 U.S.C. § 119(e), this application claims priority to the filing date of U.S. Provisional Application No. 61/775,354, filed March 8, 2013, the disclosure of which is incorporated herein by reference.

GOVERNMENT SUPPORT

[0002] This invention was made with Government support under Grant No. W81XWH-11-2-0021 awarded by the Defense Advanced Research Projects Agency (DARPA) and Grant No. W911NF-10-2-0114 awarded by the Army Research Office (ARO). The Government has certain rights in the invention.

INTRODUCTION

[0003] Treatment of bleeding wounds, particularly severely bleeding wounds, can require immediate attention to bring the bleeding under control. Severe bleeding poses a very real risk of death to the casualty if not treated quickly. Although loss of about 10-15% of total blood volume can be endured without clinical sequelae in a healthy person, if a laceration or penetrating trauma (e.g., knife or gun wound) is severe enough or involves critical arteries or veins, this volume of blood can be lost in a matter of minutes. The bleeding must be slowed immediately or irreversible damage to organs and mortality can result.

[0004] Bleeding wounds, even those that may be less severe, can pose serious difficulties and risks when a severe wound is inflicted in a remote area or other situations (such as found in a battlefield) where full medical assistance may be not immediately available. In such circumstances it can be critical to undertake measures to slow or stop bleeding so that the subject can be transported to a medical facility.

[0005] Various methods and hemostatic compositions for promoting blood clotting have been developed, and can be applied to help control bleeding in such situations. The field continues to develop additional hemostatic compositions that provide for, for example, rapid initiation of blood clotting, increased rate of blood clotting, sufficient blood clot strength, and/or reduced adverse side effects. Of interest are such hemostatic compositions that can be rapidly and safely applied in an

emergency situation, such as on the battlefield or at the scene of an accident, without the need for intensive training or equipment.

SUMMARY

[0006] A hemostatic composition is provided. The hemostatic composition includes a hemostatically effective amount of a hemostatic agent that includes a nanoparticle and a polyphosphate polymer attached to the nanoparticle. Also provided are medical devices and methods of use to promote blood clotting.

[0007] Aspects of the present disclosure include a hemostatic composition that includes a hemostatically effective amount of a hemostatic agent that includes a nanoparticle and a polyphosphate polymer attached to the nanoparticle.

[0008] In some embodiments, the polyphosphate polymer includes 20 or more phosphate monomers. In some embodiments, the polyphosphate polymer includes 70 or more phosphate monomers.

[0009] In some embodiments, the hemostatic agent has a polyphosphate polymer to nanoparticle mass ratio of 1:2 or more. In some embodiments, the hemostatic agent has a polyphosphate polymer to nanoparticle mass ratio of 1:1 or more.

[0010] In some embodiments, the nanoparticle includes a material such as silica, diatomaceous earth, titanium dioxide, iron oxide and calcium hydroxyapatite. In some embodiments, the nanoparticle includes silica.

[0011] In some embodiments, the nanoparticle has an average diameter of 100 nm or less.

[0012] In some embodiments, the hemostatic agent further includes a protecting agent attached to the hemostatic agent by an enzymatically-cleavable linking group. In some embodiments, the protecting agent includes a polyethylene glycol polymer. In some embodiments, the polyethylene glycol polymer has a molecular mass of 1000 Da or more.

[0013] Aspects of the present disclosure include a medical device that includes a hemostatic composition and a sterile substrate on which the hemostatic composition is disposed. The hemostatic composition includes a nanoparticle and a polyphosphate polymer attached to the nanoparticle.

[0014] In some embodiments, the substrate is adapted for delivery of the hemostatic composition to a bleeding wound. In some embodiments, the substrate is a bandage, gauze, or sponge.

[0015] In some embodiments, the medical device includes a sealed package containing the hemostatic composition.

[0016] Aspects of the present disclosure include a method of promoting blood clotting at a hemorrhage site. The method includes administering to a hemorrhage site in a subject the hemostatic composition as described herein for a period of time sufficient to at least initiate blood clotting at the hemorrhage site.

[0017] In some embodiments, the hemorrhage site is an external hemorrhage site. In some embodiments, the administering includes applying the hemostatic composition to the external hemorrhage site.

[0018] In some embodiments, the hemorrhage site is an internal hemorrhage site, and the hemostatic composition is a hemostatic composition includes a protecting agent attached to the hemostatic agent by an enzymatically-cleavable linking group. In some embodiments, the administering includes intravenously administering the hemostatic composition to the subject.

[0019] These and other embodiments of the invention will be readily apparent to the ordinarily skilled artisan upon reading the present specification.

BRIEF DESCRIPTION OF THE DRAWINGS

[0020] FIG. 1 shows a graph of average particle size (nm) vs. amount of NH_4OH (%) added to a reaction to produce silica nanoparticles, according to embodiments of the present disclosure.

[0021] FIG. 2 shows a graph of the yield (%) vs. amount of NH_4OH (%) added to a reaction to produce silica nanoparticles, according to embodiments of the present disclosure.

[0022] FIG. 3 shows a graph of R value (min) vs. concentration (mg/mL) of silica nanoparticles (SNP) and silica nanoparticles functionalized with polyphosphate polymer (SNP-P70) (70 monomer chain length) at 37 °C and 10.8 mM Ca^{2+} , according to embodiments of the present disclosure.

[0023] FIG. 4 shows TEM micrographs of silica nanoparticles of 55 nm average size, according to embodiments of the present disclosure.

[0024] FIG. 5 shows a graph of clotting time, R, for SNP-P70 and lipidated tissue factor (LTF) at various dilutions of pooled normal plasma (PNP) at 37°C and 10.8 mM Ca^{2+} , according to embodiments of the present disclosure.

[0025] FIG. 6 shows a graph of clotting time (R) for various conditions using FXII deficient plasma, according to embodiments of the present disclosure. SNP-P70 showed the smallest and

most consistent R value. The last bar in the graph was a control using lipidated tissue factor (LTF) in pooled normal plasma (PNP).

[0026] FIG. 7 shows a graph of coagulation index (CI) for various conditions using FXII deficient plasma (higher index indicates increased clotting), according to embodiments of the present disclosure. SNP-P70 had the highest and most consistent CI value. The last bar in the graph was a control using lipidated tissue factor (LTF) in pooled normal plasma (PNP).

[0027] FIG. 8 shows a graph of clotting time, R, for various different polyphosphate (P700) to SNP ratios (0.2, 0.4, 0.6, and 1), according to embodiments of the present disclosure.

[0028] FIG. 9 shows fluorescence microscope images of a thrombin-specific blue coumarin dye experiment to qualitatively determine the coagulation threshold response, according to embodiments of the present disclosure. FIG. 9(left) shows an image of the blue coumarin dye experiment at time 0 min, and FIG. 9(right) shows an image of the blue coumarin dye experiment at time 20 min.

[0029] FIG. 10 shows a graph of fluorescence intensity (a.u.) vs. time for various concentrations of SNP and SNP-P70 (see FIG. 10(a)), and a graph of clot time (half-time, s) vs. concentration (mg/mL) for SNP and SNP-P70 (see FIG. 10(b)), according to embodiments of the present disclosure.

[0030] FIG. 11(a) shows a graph of clotting time, R, (min) vs. % of pooled normal plasma (PNP) for experiments to determine hemostatic activity in diluted samples, according to embodiments of the present disclosure. FIG. 11(b) shows a graph of clot size, MA, (mm) vs. % of pooled normal plasma (PNP), according to embodiments of the present disclosure.

[0031] FIG. 12(a) shows a graph of fluorescence vs. time (sec) for thrombin generation times from 100% plasma to 25% plasma (i.e., 100% plasma is 100% plasma and 0% dilutant) with no SNP-P70 added. FIG. 12(b) shows a graph of fluorescence vs. time (sec) for thrombin generation times at various dilution conditions for samples with SNP-P70 added, according to embodiments of the present disclosure.

[0032] FIG. 13(a) shows a graph of clotting time, R, (min) vs. temperature (°C) for experiments to determine hemostatic activity of SNP-P70 under hypothermic conditions, according to embodiments of the present disclosure. FIG. 13(b) shows a graph of coagulation index (CI) vs. temperature (°C) for SNP-P70 under hypothermic conditions, according to embodiments of the present disclosure.

[0033] FIG. 14 shows a schematic of a silica nanoparticle that includes PEG attached to the nanoparticle through a cleavable peptide linking group that may be cleaved by Factor Xa, thrombin or other enzymes, according to embodiments of the present disclosure.

[0034] FIG. 15 shows a graph of clotting time, R, vs. 3-aminopropyl triethoxysilane (APTES) to SNP ratio, according to embodiments of the present disclosure.

[0035] FIG. 16 shows a graph of clotting time, R, for unfunctionalized SNP and various functionalized SNPs (Pep: peptide; SPDP: succinimidyl 3-(2-pyridyldithio)propionate; PEG used was 2kDa), according to embodiments of the present disclosure.

[0036] FIG. 17 shows graphs of the size-dependence of a phosphate polymer's (polyP's) procoagulant activities, according to embodiments of the present disclosure. Data are plotted as % maximal activities versus phosphate polymer (polyP) polymer length.

[0037] FIG. 18 shows a graph of the efficiency of dendrimer-polyP conjugation at different pH, temperature and time conditions, according to embodiments of the present disclosure.

[0038] FIG. 19 shows a graph of the stability of polyP at 37 °C and various pH conditions, according to embodiments of the present disclosure.

[0039] FIG. 20 shows a graph of dendrimer running through the Econo-Pac 10 DG Columns, according to embodiments of the present disclosure. The running phase was DI water.

[0040] FIG. 21 shows a graph of dendrimer running through the Econo-Pac 10 DG Columns, according to embodiments of the present disclosure. The running phase was 25 mM borate acid buffer at pH 9.

[0041] FIG. 22 shows a graph of dendrimer-polyP running through the Econo-Pac 10 DG Columns, according to embodiments of the present disclosure. The running phase was borate acid buffer. The reading was for dendrimer.

[0042] FIG. 23 shows a graph of dendrimer-polyP running through the Econo-Pac 10 DG Columns, according to embodiments of the present disclosure. The running phase was borate acid buffer. The reading was for polyP.

[0043] FIG. 24 shows a graph of dendrimer-polyP running through the BG P-10 Gel packed columns, according to embodiments of the present disclosure. The running phase was 1M LiCl. The reading was for dendrimer.

[0044] FIG. 25 shows a graph of dendrimer-polyP running through the BG P-10 Gel packed columns, according to embodiments of the present disclosure. The running phase was 1M LiCl. The reading was for PolyP.

[0045] FIG. 26 shows a graph of PolyP concentration before and after glass milk assay performed on two previous reactions, according to embodiments of the present disclosure.

[0046] FIG. 27 shows a graph of the concentration of primary amine and PolyP before and after glass milk separation assay, according to embodiments of the present disclosure.

[0047] FIG. 28 shows a graph of a blood clotting test for Dendrimer-PolyP conjugation, according to embodiments of the present disclosure.

[0048] FIG. 29 shows a graph of PS-polyP conjugation, according to embodiments of the present disclosure. The reaction conditions were at room temperature, pH4, and 24 hours.

[0049] FIG. 30 shows a graph of the amount of amine exposed on the surface of the PS particles at pH 4, according to embodiments of the present disclosure.

[0050] FIG. 31 shows a graph of 24 and 48 hour primary amine concentration of a ligand polyP reaction vs. control under conditions without EDAC (1-ethyl-3-[3-dimethylamino)propyl]carbodiimide), according to embodiments of the present disclosure.

[0051] FIG. 32 shows a calibration curve of primary amine concentration at excitation and emission wavelengths of 410 and 480 nm, respectively, according to embodiments of the present disclosure.

[0052] FIG. 33 shows a graph of primary amine concentration after the amine-thiol ligand reacted with polyP, according to embodiments of the present disclosure.

[0053] FIG. 34A shows the gold nanoparticles ligand mixture before centrifugation, according to embodiments of the present disclosure. FIG. 34B shows gold particle pellet after centrifugation, according to embodiments of the present disclosure.

[0054] FIG. 35A and 35B show a schematic of the PLGA-based silica nanoparticle synthesis, according to embodiments of the present disclosure. As shown in FIG. 35A, samples are inserted into the dispersing channel. The inlet channel contains sol-gel silica, which precipitates upon contact with the media to form spherical nanoparticles. FIG. 35B shows a side view of the schematic, which illustrates how the spherical nanoparticles form. Particle sizes for PLGA averaged about 125 nm.

[0055] FIG. 36 shows a graph of zeta potentials of FMSnf, FMS-nf loaded with polyP, and FMS-nf loaded with APTES particles, according to embodiments of the present disclosure.

[0056] FIG. 37 shows scanning electron microscopy (SEM) images of silica nanoparticles (NPs), e.g., mesocellular foam, prepared using the PLGA system, according to embodiments of the present disclosure. Average particle diameter was 125 +/- 25 nm as determined by dynamic light

scattering. The conjoined nature of the separate particles occurred due to sputtering for SEM imaging.

[0057] FIG. 38 shows a graph of pore size distribution of mesocellular foams calculated desorption branch by BJH method, according to embodiments of the present disclosure.

[0058] FIG. 39 shows a graph of pore size distribution of porous silica calculated desorption branch by BJH method, according to embodiments of the present disclosure.

[0059] FIG. 40 shows SEM images of TiO₂ synthesized via the phosphoric acid pathway, according to embodiments of the present disclosure. The conjoined nature of the separate particles occurred due to sputtering for SEM imaging.

[0060] FIG. 41 shows a FT-IR spectrum of unmodified and APTES-modified titania nanoparticles, according to embodiments of the present disclosure. C-H, N-H, and Si-O-Si bands indicated successful attachment of APTES to TiO₂ molecules.

[0061] FIG. 42 shows a graph of zeta potential titration of unmodified and modified titania nanoparticles, according to embodiments of the present disclosure.

[0062] FIG. 43, left, shows images of the uptake of various samples by HUVEC (Human Umbilical Vein Endothelial Cells), with Ag NP concentration of 10 µg/ml; Kaolin concentration of 10 µg/ml; and MCF-26 concentration of 100 µg/ml. FIG. 43, right, shows images of the uptake of various samples by HDFs, with Ag NP concentration of 20 µg/ml; Kaolin concentration of 20 µg/ml; and MCF-26 concentration of 100 µg/ml.

[0063] FIG. 44 shows a mechanism for attaching thrombin to solid silica using a protein cross-linker, according to embodiments of the present disclosure.

[0064] FIG. 45 shows a process work flow and image of a thiol sensing colorimetric assay to verify hydroxylamine deprotection of solid silica nanoparticles, according to embodiments of the present disclosure.

[0065] FIG. 46 shows a graph of clotting time (R, min) versus particle size (nm) of silica nanoparticles at a concentration of 0.68 mg/mL, according to embodiments of the present disclosure. Experimental conditions: 37 °C, 22 mM Ca²⁺.

[0066] FIG. 47 shows a graph of clotting time (R, min) versus final concentration (mg/mL) of silica nanoparticles of 55 nm size in the TEG, according to embodiments of the present disclosure. 0.68 to 1.35 mg/mL was deemed optimal, with the threshold being ~0.5 mg/mL. Experimental conditions: 37 °C, 11 mM Ca²⁺.

[0067] FIG. 48 shows a graph of particle size and polydispersity index (PDI) versus concentration of the silica nanoparticles, according to embodiments of the present disclosure. The

particles were stable across the range of experimental concentrations. Experimental conditions: 20 °C, pH 6.8.

[0068] FIG. 49 shows a graph of clotting time (R, min) versus the concentration of silica nanoparticles with and without polyphosphate, according to embodiments of the present disclosure. Experimental conditions: 37 °C, weight ratio SiO₂:P-70 = 1:1, 116 nm, 11 mM Ca²⁺.

[0069] FIG. 50 shows a graph of the relationship between zeta potential and pH for silica particles ones coated with APTES, according to embodiments of the present disclosure. Experimental conditions: 20 °C, 12.5 mg/mL, 112 nm diameter, batch was low-amine coated particles.

[0070] FIG. 51 shows a graph of clotting time (R, min) of the silica particles coated with APTES, with and without amine PEGylation, according to embodiments of the present disclosure. Delta R was optimal at the low amine density. Experimental conditions: 37 °C, 1.35 mg/mL, 112 nm.

[0071] FIG. 52 shows a graph of the effects of polyP45-Au nanoparticles (10nm) on Factor Xa-mediated clotting time, according to embodiments of the present disclosure. The phosphate concentration was kept at 9.8 µM.

[0072] FIG. 53 shows a graph of clot time versus polyphosphate concentration, according to embodiments of the present disclosure. Nanoparticle concentration was 12.9 nM.

[0073] FIG. 54 shows TEM micrographs of SNP of ~55 nm size, according to embodiments of the present disclosure.

[0074] FIG. 55 shows a graph of particle size of SNP based on % NH₄OH added, according to embodiments of the present disclosure.

[0075] FIG. 56 shows a graph of silica yield based on % NH₄OH added, according to embodiments of the present disclosure.

[0076] FIG. 57 shows TEM micrographs of Ag@SNP and a schematic of the particle: silver (Ag) core and silica (SiO₂) shell, according to embodiments of the present disclosure.

[0077] FIG. 58 shows a graph of clotting time (R, min) versus stock concentration (mg/mL) of the silica nanoparticles of different sizes, according to embodiments of the present disclosure. 50 mg/mL corresponds to 1.35 mg/mL in TEG cup. Experimental conditions: 37 °C, 11 mM Ca²⁺.

[0078] FIG. 59(a) shows a graph of clotting time of SNP with and without polyphosphate (P70) as a function of concentration; and FIG. 59(b) shows a graph of clotting time of different samples, including SNP, SNP-P70 and Kaolin, according to embodiments of the present disclosure.

[0079] FIG. 60 shows a graph of clotting time (R) for various conditions using FXII deficient plasma, according to embodiments of the present disclosure. SiO₂-P70 had the smallest and most consistent R value. Last bar was a control using pooled normal plasma.

[0080] FIG. 61 shows a graph of coagulation Index (CI) for various conditions using FXII deficient plasma, according to embodiments of the present disclosure. SiO₂-P70 had the highest and most consistent CI value. Last bar was a control using pooled normal plasma.

[0081] FIG. 62 shows a graph of clotting time (R) vs. APTES/SNP ($\mu\text{L/g}$) for APTES, 5k PEG and 20k PEG SNPs, according to embodiments of the present disclosure.

[0082] FIG. 63 shows a schematic of FXa (found in the wound site) that recognizes peptide sequence (IEGR) and cleaves PEG off the TSP to selectively activate coagulation, according to embodiments of the present disclosure.

[0083] FIG. 64 shows a graph of clotting times of functionalized silica particles, according to embodiments of the present disclosure. (Pep: peptide, PEG used is 2k).

[0084] FIG. 65 shows a graph of clotting time (R) of various anatase titania synthesis at different stock concentrations, according to embodiments of the present disclosure. Experimental conditions: 37 °C, 11 mM Ca²⁺.

[0085] FIG. 66 shows a graph of clotting times of TNP with and without polyphosphate (P70) at a concentration of 100 mg/mL (stock), according to embodiments of the present disclosure.

[0086] FIG. 67 shows a graph of clotting times for PEGylated TNP, according to embodiments of the present disclosure.

[0087] FIG. 68 shows a graph of the pH dependent hydrolysis of P-N bond of polyP-cystamine conjugate, according to embodiments of the present disclosure.

[0088] FIG. 69 shows graphs of the clotting data for the gold particles presented in Table 8 when assayed for the ability to activate the contact pathway, according to embodiments of the present disclosure.

[0089] FIG. 70 shows images of: (Left) Blue coumarin dye experiment at time 0 min; and (Right) Blue coumarin experiment at time 20 min, according to embodiments of the present disclosure.

[0090] FIG. 71 shows an image of polyacrylamide gel electrophoresis (PAGE) of material acquired during time course of hydrolysis with unbuffered LiCl, according to embodiments of the present disclosure.

[0091] FIG. 72 shows an image of PAGE material acquired during time course of hydrolysis with alkaline LiCl, according to embodiments of the present disclosure.

[0092] FIG. 73 shows an image of PAGE of size fractionated high yield polyP, according to embodiments of the present disclosure.

[0093] FIG. 74 shows graphs of size distribution of gold nanoparticles measured by DLS, according to embodiments of the present disclosure. Molar ratio of citrate to gold was (A) 4:1 (B) 3:1 and (C) 1:1.

[0094] FIG. 75A and FIG. 75B show schematics of the process of synthesizing gold nanoparticles conjugated with polyP, according to embodiments of the present disclosure. FIG. 75A shows polyP conjugated to cystamine, and FIG. 75B shows polyP-cystamine attached to the surface of gold nanoparticles.

[0095] FIG. 76 shows a schematic of the determination of the minimum and maximum radius based on the geometry of a centrifuge, according to embodiments of the present disclosure.

[0096] FIG. 77 shows a graph of cumulative clotting activity for 10nm, 15nm, and 50nm polyP45-gold nanoparticles (refer to Table 13 for sample information), according to embodiments of the present disclosure.

[0097] FIG. 78 shows a graph of cumulative clotting activity for 10nm, 15nm, and 50nm polyP70-gold nanoparticles (refer to Tables 14 and 15 for sample information), according to embodiments of the present disclosure.

[0098] FIG. 79 shows a graph of contact pathway activation of polyP70-50nm gold nanoparticles (refer to Table 14 for sample information) at a constant gold particle concentration, according to embodiments of the present disclosure.

[0099] FIG. 80 shows contact pathway activation data for polyP70-50nm gold nanoparticles (refer to Table 14 for sample information) at constant phosphate concentration, according to embodiments of the present disclosure.

[00100] FIG. 81 shows contact pathway activation data for polyP70-Peg (3:1)-50nm gold nanoparticles (refer to Table 15 for sample information) at constant gold nanoparticle concentration, according to embodiments of the present disclosure.

[00101] FIG. 82 shows a graph of fluorescent measurements for induction of the contact pathway with aqueous polyP45 using a fluorogenic thrombin substrate, according to embodiments of the present disclosure.

[00102] FIGS. 83A-83D show the assembly and disassembly of inter-molecular hydrogen bonding between PAAc and PAAm, according to embodiments of the present disclosure. FIG. 83A shows a schematic representation. FIG. 83B shows an image of PAAc and PAAm aqueous

solutions were mixed thoroughly at 20 °C. FIG. 83C shows an image of a mixture that was heated to 40 °C. FIG. 83D shows an image of a solution that was cooled back to 20 °C.

[00103] FIGS. 84A and 84B show schematics of the process of synthesizing gold nanoparticles conjugated with the thermosensitive polymers, according to embodiments of the present disclosure. FIG. 84A shows a reaction for the conjugation of PAAc or PAAM to cystamine or DDA. FIG. 84B shows PAAc-cystamine or PAAM-DDA attached to the surface of gold nanoparticles.

[00104] FIG. 85 shows a graph of the size distribution of the nanoparticles after mixing PAAc_10nm_polyP(13) with PAAM_10nm_polyP(13) at a 1:1 ratio at 25 °C, 33 °C and 37 °C, according to embodiments of the present disclosure.

[00105] FIG. 86 shows a graph of the size distribution of the nanoparticles after mixing PAAc_10nm_polyP(11) with PAAM_10nm_polyP(11) at a 1:1 ratio at 25 °C and 37 °C, according to embodiments of the present disclosure.

[00106] FIG. 87 shows a graph of particle size of SNP based on %NH₄OH added, according to embodiments of the present disclosure.

[00107] FIG. 88 shows a graph of silica yield based on % NH₄OH added, according to embodiments of the present disclosure.

[00108] FIG. 89 shows a graph of clotting time for SNP-P70, which had a shorter clotting time (R, min) at half the concentration than bare silica, according to embodiments of the present disclosure. Experimental conditions: 37 °C, 11 mM Ca²⁺.

[00109] FIG. 90 shows a graph of clot time for various ratios of P700:SNP (0.2, 0.4, 0.6, and 1), according to embodiments of the present disclosure.

[00110] FIG. 91 shows a graph of fluorescence intensity over time, which shows that SNP-P70 generated thrombin quicker than SNP, according to embodiments of the present disclosure.

[00111] FIG. 92 shows a graph of the same fluorescence data as in FIG. 91, presented in terms of clot time.

[00112] FIG. 93 shows a graph of thrombin generation times from 100 % plasma to 25 % plasma; i.e.: 100 % is 100 % plasma and 0 % dilutant, according to embodiments of the present disclosure.

[00113] FIG. 94 shows a graph of fluorescence over time, which indicated that adding SNP-P70 generated thrombin quickly even under severe plasma dilution, according to embodiments of the present disclosure.

[00114] FIG. 95 shows a graph of clot time vs. temperature, which indicated that SNP-P70 TSPs initiated clots quicker under hypothermia, according to embodiments of the present disclosure.

[00115] FIG. 96 shows a graph of Coagulation index (CI) vs. temperature, which indicated that SNP-P70 improved clot formation compared to lipidated tissue factor (LTF), according to embodiments of the present disclosure.

[00116] FIG. 97 shows a graph of clotting times for various SNPs, according to embodiments of the present disclosure.

[00117] FIG. 98 shows a graph of the relationship between zeta potential and clotting time for SNP with and without APTES, according to embodiments of the present disclosure.

[00118] FIG. 99 shows a graph of zeta potential vs. the ratio of APTES/TEOS used in the synthesis of SNPs, according to embodiments of the present disclosure.

[00119] FIG. 100 shows a graph of zeta potential vs. the ratio of APTES/TEOS for calcined and not calcined SNPs, according to embodiments of the present disclosure.

[00120] FIG. 101 shows a graph of clotting time vs. zeta potential for calcined and not calcined SNPs, according to embodiments of the present disclosure.

[00121] FIG. 102 shows a schematic of the polyphosphate “corona”, according to embodiments of the present disclosure. The polyphosphate covers the nanoparticle surface, rendering the polyphosphate the sole active agent.

[00122] FIG. 103 shows a graph of zeta potential vs. total counts for SNP functionalized with APTES only (top) and SNP functionalized with polyP “corona” (bottom), according to embodiments of the present disclosure.

[00123] FIG. 104 shows a graph of clotting time vs. agent used, according to embodiments of the present disclosure. LTF stands for lipidated tissue factor. NP stands for the SNP-polyP “corona.”

[00124] FIG. 105 shows a graph of size distribution vs. intensity for the SNP-polyP “corona” nanoparticle, according to embodiments of the present disclosure.

[00125] FIG. 106 shows a graph of clotting time vs. delivery mechanism of SNP-polyP “corona” synthesized via ester formation, according to embodiments of the present disclosure. From left to right, particles were suspended in water (H₂O), phospholipid solution (PL), phospholipid solution and lipidated tissue factor (PL+LTF) and with lipidated tissue factor only in water (LTF only).

[00126] FIG. 107 shows a TEM image of iron oxide nanoparticles synthesized with oleylamine, according to embodiments of the present disclosure.

[00127] FIG. 108 shows a graph of zeta potential vs. total counts for bare iron oxide nanoparticles and iron oxide nanoparticles capped with polyP using an ester linkage, according to embodiments of the present disclosure.

[00128] FIG. 109 shows a graph of clotting times comparing bare iron oxide nanoparticles to polyP capped iron oxide nanoparticles at different concentrations, according to embodiments of the present disclosure.

[00129] FIG. 110 shows a graph of zeta potential vs. total counts for iron oxide nanoparticles functionalized with PAAc, according to embodiments of the present disclosure.

[00130] FIG. 111 shows a graph of clotting times comparing PAA capped iron oxide nanoparticles and recalcified plasma (no agent), according to embodiments of the present disclosure.

[00131] FIG. 112 shows a graph of clotting times comparing polyP capped SNP particles 1 week after synthesis to the same particles after 9 months to show the particle's stability at standard room temperature and pressure, according to embodiments of the present disclosure.

DEFINITIONS

[00132] A "hemostatic agent" refers to an agent which promotes blood clotting, e.g., following administration to hemorrhage site (e.g., an external or internal wound). Hemostatic agents encompass, for example, inorganic materials (e.g., silica nanoparticles, polyphosphate, and the like, as described herein), as well as biologically active ions (e.g., ions that act as cofactors in the clotting cascade (e.g., by serving as an ionic bridge)), and/or facilitated colloid precipitation (e.g., red blood cell precipitation), clotting factor proteins (e.g., thrombin, etc.), combinations thereof, and the like.

[00133] A "hemostatic composition" refers to a composition that includes at least one hemostatic agent. A hemostatic composition may further include one or more additional components, which may be hemostatically active (e.g., promote blood clotting or promote activity of the hemostatic agent in the hemostatic composition in blood clotting). Hemostatic compositions can also contain agents that are hemostatically inert.

[00134] The term "hemostasis" as used herein refers to inhibition of bleeding, including the arrest of bleeding, which is accompanied by blood clot formation.

[00135] A "hemostatically effective amount" refers to an amount of a hemostatic composition which, following application to a hemorrhage site, is effective to facilitate blood clotting (e.g., as compared to time to clot formation in the absence of the hemostatic agent), increase blood clotting rate as compared to a blood clotting rate in the absence of the hemostatic agent, and/or improve blood clot strength as compared to blood clot strength in the absence of the hemostatic agent. Clot

strength can be measured by Thrombelastograph® (TEG) measurements. Assays for assessing hemostatic activity are known in the art, with exemplary methods described herein.

[00136] The term “isolated” means the compound is present in an environment other than that in which it is found in nature. “Isolated” is meant to include compounds that are within samples that are substantially enriched for the compound of interest and/or in which the compound of interest is partially or substantially purified.

[00137] As used herein, the term “purified” refers to a compound that is removed from its natural environment and is at least 60% free, such as 75% or more free, or 90% or more free from other components with which it is naturally associated.

[00138] The terms “individual,” “subject,” “host,” and “patient,” used interchangeably herein, refer to any subject in need to treatment, e.g., mammals, including, but not limited to, humans, simians, felines, canines, equines, bovines, mammalian farm animals, mammalian sport animals, and mammalian pets. Human subjects in need of treatment are of interest.

[00139] The terms “polypeptide,” “peptide,” and “protein” are used interchangeably herein to refer to a polymeric form of amino acids of any length. Unless specifically indicated otherwise, “polypeptide,” “peptide,” and “protein” can include genetically coded and non-coded amino acids, chemically or biochemically modified or derivatized amino acids, and polypeptides having modified peptide backbones. The term includes fusion proteins, including, but not limited to, fusion proteins with a heterologous amino acid sequence, fusions with heterologous and homologous leader sequences, proteins which contain at least one N-terminal methionine residue (e.g., to facilitate production in a recombinant bacterial host cell); immunologically tagged proteins; and the like.

[00140] Before the present invention is further described, it is to be understood that this invention is not limited to particular embodiments described, as such may, of course, vary. It is also to be understood that the terminology used herein is for the purpose of describing particular embodiments only, and is not intended to be limiting, since the scope of the present invention will be limited only by the appended claims.

[00141] Where a range of values is provided, it is understood that each intervening value, to the tenth of the unit of the lower limit unless the context clearly dictates otherwise, between the upper and lower limit of that range and any other stated or intervening value in that stated range, is encompassed within the invention. The upper and lower limits of these smaller ranges may independently be included in the smaller ranges, and are also encompassed within the invention, subject to any specifically excluded limit in the stated range. Where the stated range includes one

or both of the limits, ranges excluding either or both of those included limits are also included in the invention.

[00142] Unless defined otherwise, all technical and scientific terms used herein have the same meaning as commonly understood by one of ordinary skill in the art to which this invention belongs. Although any methods and materials similar or equivalent to those described herein can also be used in the practice or testing of the present invention, the preferred methods and materials are now described. All publications mentioned herein are incorporated herein by reference to disclose and describe the methods and/or materials in connection with which the publications are cited.

[00143] It must be noted that as used herein and in the appended claims, the singular forms “a,” “and,” and “the” include plural referents unless the context clearly dictates otherwise. Thus, for example, reference to “a hemostatic agent” includes a plurality of such agents and reference to “the hemostatic agent” includes reference to one or more agents and equivalents thereof known to those skilled in the art, and so forth. It is further noted that the claims may be drafted to exclude any optional element. As such, this statement is intended to serve as antecedent basis for use of such exclusive terminology as “solely,” “only” and the like in connection with the recitation of claim elements, or use of a “negative” limitation. Moreover any positively recited element of the disclosure provides basis for a negative limitation to exclude that element from the claims.

[00144] The publications discussed herein are provided solely for their disclosure prior to the filing date of the present application. Nothing herein is to be construed as an admission that the present invention is not entitled to antedate such publication by virtue of prior invention. Further, the dates of publication provided may be different from the actual publication dates which may need to be independently confirmed.

DETAILED DESCRIPTION

[00145] Embodiments of the present disclosure relate to hemostatic compositions that include a hemostatically effective amount of a hemostatic agent that includes a nanoparticle and a polyphosphate polymer attached to the nanoparticle. Also provided are medical devices and methods of use to promote blood clotting.

HEMOSTATIC AGENTS

[00146] Aspects of the present disclosure include biologically active agents configured to promote blood clotting. These hemostatic agents include a nanoparticle and a polyphosphate

polymer attached to the nanoparticle. By “nanoparticle” is meant a particle that has dimensions in the nanometer scale, such as dimensions of 1000 nm or less, such as 750 nm or less, including 500 nm or less, or 250 nm or less, or 200 nm or less, or 150 nm or less, or 100 nm or less, or 50 nm or less, or 40 nm or less, or 30 nm or less, or 25 nm or less, or 20 nm or less, or 15 nm or less, or 10 nm or less, or 5 nm or less. In some instances, the nanoparticle has dimensions of 100 nm or less. The term “average” as used herein is meant to be the arithmetic mean.

[00147] In certain embodiments, the nanoparticle is spherical in shape, although in other embodiments, other shapes of the nanoparticle may also be included. For example, some embodiments of the nanoparticle have a shape such as, but not limited to, an ellipsoid, a rod, a cone, a cube, a cuboid (e.g., a rectangular box), a pyramid, an irregular shape, etc. In certain instances, combinations of different shapes of nanoparticles may be included. As indicated above, the nanoparticle may be substantially spherical in shape, and thus may have dimensions measured as a diameter of the sphere, such as an average diameter of 1000 nm or less, such as 750 nm or less, including 500 nm or less, or 250 nm or less, or 200 nm or less, or 150 nm or less, or 100 nm or less, or 50 nm or less, or 40 nm or less, or 30 nm or less, or 25 nm or less, or 20 nm or less, or 15 nm or less, or 10 nm or less, or 5 nm or less. In some instances, a substantially spherical nanoparticle has an average diameter of 100 nm or less.

[00148] In certain embodiments, the nanoparticle is non-porous. By “non-porous” is meant that the nanoparticle is substantially solid, such that the accessible surface (e.g., solvent accessible surface, such as an exterior surface of the particle that may be contacted by a surrounding fluid) of the nanoparticle is the exterior surface of the nanoparticle. In some instances, a non-porous nanoparticle does not have pores exposed on the surface of the nanoparticle. In other embodiments, the nanoparticle is porous. A porous nanoparticle may have one or more pores exposed on the surface of the nanoparticle, such that the accessible surface of the nanoparticle includes the exterior surface of the nanoparticle and the interior surfaces of the one or more pores within the nanoparticle. In certain cases, a porous nanoparticle has a greater accessible surface area than a non-porous nanoparticle of the same shape and average dimensions.

[00149] The pore size of a porous nanoparticle can be selected to provide for desired clot-promoting activity (e.g., clotting rate, clotting time, clot strength, etc.). Average pore size is generally determined by the BET-BJH calculation of N₂ desorption/adsorption isotherm data. In some embodiments, the average pore size of a porous nanoparticle ranges from 1 to 100 nm, such as 1 nm to 75 nm, including 1 nm to 50 nm, or 5 nm to 50 nm, or 5 nm to 40 nm, or 5 nm to 30 nm, or 10 nm to 30 nm. In certain cases, the average pore size of the porous nanoparticle is from 10 nm

to 30 nm. In some embodiments, the porous nanoparticle has an average pore size of 1 nm or more, such as 5 nm or more, including 10 nm or more, or 15 nm or more, or 20 nm or more, or 25 nm or more, or 30 nm or more, or 35 nm or more, or 40 nm or more, or 45 nm or more, or 50 nm or more, with the proviso that the average pore size is 100 nm or less. In certain embodiments, the porous nanoparticle has an average pore size of 10 nm or more. In some embodiments, the porous nanoparticle may have an average pore size of 50 nm or less, such as 45 nm or less, including 40 nm or less, or 35 nm or less, or 30 nm or less, or 25 nm or less, or 20 nm or less, or 15 nm or less, or 10 nm or less, or 5 nm or less, or 1 nm or less. In certain embodiments, the porous nanoparticle may have an average pore size of 30 nm or less.

[00150] In certain embodiments, the nanoparticle is composed of an oxide of silicon, aluminum, a transition metal (e.g., titanium, zirconium, and the like), aluminosilicate, or combination thereof. Exemplary materials for the nanoparticle include, but are not limited to, silicon dioxide (e.g., silica), titanium dioxide, silicon-aluminum-oxide, aluminum oxide, iron oxide, polymers (e.g., polystyrene), metals (e.g., gold), and the like. In some instances, the nanoparticle is composed of other inorganic materials, such as, but not limited to, diatomaceous earth, calcium hydroxyapatite, and the like. Combinations of the above materials may also be included.

[00151] In certain embodiments, the nanoparticle is a thermal treated nanoparticle. For example, the nanoparticle may be treated at high temperature, such as in a calcination process. In some instances, the nanoparticles are treated (e.g., calcined) at a temperature of 200 °C or more, such as 250 °C or more, or 300 °C or more, or 350 °C or more, or 400 °C or more, or 450 °C or more, or 500 °C or more, or 550 °C or more, or 600 °C or more, or 650 °C or more, or 700 °C or more, or 750 °C or more. In certain embodiments, the nanoparticles are treated (e.g., calcined) at a temperature of 250 °C. In certain embodiments, the nanoparticles are treated (e.g., calcined) at a temperature of 550 °C. In some instances, thermal treatment of the nanoparticles facilitates a reduction in the zeta potential of the nanoparticles. In some instances, a hemostatic agent with a lower zeta potential has increased hemostatic activity. In some cases, the hemostatic agent has a zeta potential of 0 mV or less, such as -1 mV or less, or -5 mV or less, or -10 mV or less, or -15 mV or less, or -20 mV or less, or -25 mV or less, or -30 mV or less. In certain embodiments, the hemostatic agent has a zeta potential of -15 mV or less.

[00152] In certain embodiments, the nanoparticle may have hemostatic activity, such that the nanoparticle promotes blood clotting (e.g., as compared to blood clotting in the absence of the hemostatic agent). As such, a nanoparticle with hemostatic activity may be described as being hemostatically effective. For example, without being limited to any particular theory, the

nanoparticle may have a negative surface charge in body fluid (e.g., blood), which may facilitate activation of the coagulation cascade by activating Factor XII. The promotion of blood clotting may be described by one or more of the following factors: (1) reduction in initial time for blood clot formation (R, min); (2) increase in the rate of clot formation (α , deg); (3) increase in clot strength or maximum amplitude (MA, mm); and (4) reduction in time until clot reaches 20 mm (K, min).

[00153] As described above, in certain embodiments, the hemostatic agent includes a polyphosphate polymer (polyP) attached to the nanoparticle. In certain instances, the polyphosphate polymer is hemostatically effective to promote blood clotting (e.g., as compared to blood clotting in the absence of the hemostatic agent). For example, without being limited to any particular theory, the polyphosphate polymer may facilitate activation of the coagulation cascade through activation of Factor Xa. As such, the polyphosphate polymer may facilitate blood clotting through activation of a different target (e.g., enzyme or zymogen) in the coagulation cascade than the nanoparticle.

[00154] In some cases, a hemostatic agent that includes a polyphosphate polymer attached to a nanoparticle has a greater hemostatic activity than the nanoparticle itself. For instance, a hemostatic agent that includes a polyphosphate polymer attached to a nanoparticle may have a clotting time, R, (e.g., time until first evidence of a clot is detected) as measured by thrombelastography that is less than the clotting time of the nanoparticle itself. In some cases, a hemostatic agent that includes a polyphosphate polymer attached to a nanoparticle has a clotting time, R, of 15 min or less, such as 10 min or less, or 5 min or less, or 4.5 min or less, or 4 min or less, or 3.5 min or less, or 3 min or less, or 2.5 min or less, or 2 min or less, or 1.5 min or less, or 1 min or less, or 0.5 min or less. In some embodiments, a hemostatic agent that includes a polyphosphate polymer attached to a nanoparticle has a clotting time, R, of 3 min or less. In some embodiments, a hemostatic agent that includes a polyphosphate polymer attached to a nanoparticle has a clotting time, R, of 2.5 min or less. In some embodiments, a hemostatic agent that includes a polyphosphate polymer attached to a nanoparticle has a clotting time, R, of 2 min or less. In some embodiments, a hemostatic agent that includes a polyphosphate polymer attached to a nanoparticle has a clotting time, R, of 1.5 min or less. In some embodiments, a hemostatic agent that includes a polyphosphate polymer attached to a nanoparticle has a clotting time, R, of 1 min or less.

[00155] In certain embodiments, a hemostatic agent that includes a polyphosphate polymer attached to a nanoparticle has a greater hemostatic activity than the polyphosphate polymer itself. For example, a hemostatic agent that includes a polyphosphate polymer attached to a nanoparticle may have a clotting time, R, (as described above) which is less than the clotting time of the

polyphosphate itself. In some instances, a hemostatic agent that includes a polyphosphate polymer attached to a nanoparticle may promote blood clotting with a shorter polyphosphate polymer length as compared to polyphosphate alone (i.e., a free polyphosphate polymer). For instance, a hemostatic agent that includes a short (e.g., 100mer or less, such as 70mer) polyphosphate polymer attached to a nanoparticle may produce a significant reduction in clotting time as compared to a short polyphosphate polymer alone. In some instances, the clotting time of a hemostatic agent that includes a short (e.g., 100mer or less, such as 70mer) polyphosphate polymer attached to a nanoparticle may be less than or equal to the clotting time of a long (e.g., 500mer or greater) polyphosphate polymer alone.

[00156] The polyphosphate polymer may be composed of two or more phosphate monomers attached together to form the polyphosphate polymer. For example, the polyphosphate polymer may include 2 or more monomers, such as 5 or more, including 10 or more, or 20 or more, or 30 or more, or 40 or more, or 50 or more, or 60 or more, or 70 or more, or 80 or more, or 90 or more, or 100 or more, or 150 or more, or 200 or more, or 250 or more, or more, or 300 or more, or 400 or more, or 500 or more, or 600 or more, or 700 or more, or 800 or more, or 900 or more, or 1000 or more, or 1100 or more, or 1200 or more, or 1300 or more, or 1400 or more, or 1500 or more phosphate monomers. In certain cases, the polyphosphate polymer composition includes an average of 70 phosphate monomers per polymer. In other embodiments, the polyphosphate polymer composition includes an average of 700 phosphate monomers per polymer. Combinations of different sized phosphate polymers may also be included. For instance, the polyphosphate polymer composition may have from 2 to 200 phosphate monomers per polymer, such as from 5 to 200, including from 10 to 200, or from 10 to 150, or from 10 to 100, of from 20 to 100, or from 30 to 100, or from 40 to 100, or from 50 to 100 phosphate monomers per polymer. In other instances, the polyphosphate polymer composition may have from 100 to 1500 phosphate monomers per polymer, such as from 100 to 1400, or from 100 to 1300, or from 200 to 1300 phosphate monomers per polymer.

[00157] In certain embodiments, the polyphosphate polymer is attached to the nanoparticle. For example, the polyphosphate polymer may be adsorbed on the surface of the nanoparticle. The binding interaction can be based on one or more of a variety of binding interactions between the polyphosphate polymer and the nanoparticle, such as, but not limited to, covalent bonds, ionic bonds, electrostatic interactions, hydrophobic interactions, hydrogen bonds, van der Waals forces (e.g., London dispersion forces), dipole-dipole interactions, combinations thereof, and the like. The polyphosphate polymer may be attached to the nanoparticle through a linking group between the

nanoparticle surface or pores and the polyphosphate polymer. The binding interactions may be substantially permanent (e.g., requiring a relatively large amount of energy to overcome the binding interaction, such as with covalent bonds) or may be reversible (e.g., requiring a relatively low amount of energy to disrupt the binding interaction, such as with dipole-dipole interactions). For example, the polyphosphate polymer may be attached to the nanoparticle via a phosphoramidate bond, ester linkage, carboxylic acid linkage, or another form of linkage. In certain embodiments, bonds may be altered in strength depending on factors present or arising in the body (e.g., enzymes, fibrin, etc.), or affected by externally applied fields (e.g., magnetic, etc.), or by injection of a modifier agent directed at the polyphosphate polymer, linkage, or nanoparticle.

[00158] Embodiments of the hemostatic agent include a nanoparticle and a polyphosphate polymer, as described above. In certain embodiments, the hemostatic agent has a composition with a particular mass ratio of the polyphosphate polymer to the nanoparticle. For instance, the hemostatic agent may have a polyphosphate polymer to nanoparticle mass ratio of 1:10 or more, such as 1:9 or more, including 1:8 or more, or 1:7 or more, or 1:6 or more, or 1:5 or more, or 1:4 or more, or 1:3 or more, or 1:2 or more, or 1:1 or more, or 2:1 or more, or 3:1 or more, or 4:1 or more, or 5:1 or more. In some embodiments, the hemostatic agent has a polyphosphate polymer to nanoparticle mass ratio of 1:2 or more, such as 1:2. In some embodiments, the hemostatic agent has a polyphosphate polymer to nanoparticle mass ratio of 1:1 or more, such as 1:1.

[00159] In certain embodiments, the hemostatic agent includes a protecting agent. The protecting agent may be substantially unreactive in the body, such as substantially unreactive towards elements of the coagulation cascade. The protecting agent may be configured to reduce or inhibit the hemostatic activity of the hemostatic agent. For example, in certain instances, the protecting agent may be configured to block or cover the accessible surface of the polyphosphate polymer, such that interactions between the polyphosphate polymer and its target (e.g., enzyme or zymogen or fibrin surfaces) are reduced or inhibited. This reduction or inhibition in the interaction between the polyphosphate polymer and its target may be sufficient to facilitate a reduction in the activation of the target as compared to when the protecting agent is not present. For example, a hemostatic agent that includes a protecting agent may have substantially no hemostatic activity, such that the hemostatic agent that includes a protecting agent does not significantly promote blood clotting as compared to blood clotting in the absence of the hemostatic agent.

[00160] In certain embodiments, the protecting agent is attached to the hemostatic agent. In some cases, the protecting agent is removably attached to the hemostatic agent. In these embodiments, the protecting group may be attached to the hemostatic agent and then may be

subsequently detached (e.g., cleaved) from the hemostatic agent to release the hemostatic agent from the protecting agent. When the protecting agent is removed from the hemostatic agent, the polyphosphate polymer attached to the surface of the nanoparticle may be exposed, and thus may be accessible for interactions with its target as described above. In these embodiments, a removable protecting agent may facilitate activation of the hemostatic agent at a desired site of action, e.g., a hemorrhage site, such as an internal hemorrhage site in a subject. For example, removal of the protecting group from the hemostatic agent may produce a free hemostatic agent that has hemostatic activity, such that the free hemostatic agent promotes blood clotting as compared to blood clotting in the presence of the hemostatic agent attached to the protecting group (or as compared to blood clotting in the absence of the hemostatic agent).

[00161] In certain embodiments, the protecting agent is attached to the nanoparticle. In some instances, the protecting agent is attached to the polyphosphate polymer. The protecting agent may be attached to the end of the polyphosphate polymer, or attached to a fraction of the phosphate oxygen atoms in the polyphosphate polymer. In certain cases, the protecting agent is attached to the hemostatic agent at a combination of sites including the nanoparticle and the polyphosphate polymer (e.g., the end of the polyphosphate polymer and/or an internal binding site). The protecting group can be covalently or non-covalently associated to the hemostatic agent using a mediator having affinity to the nanoparticle (e.g., silica) or polyphosphate (e.g., phosphoramidate linkage). The mediator may be cleaved by one or more proteases. The mediator can be composed of alternating repeats of affinity parts, linkers, and cleavable parts. In certain instances, the summary affinity (avidity) is stronger than any partially cleaved product. The mediator can also be crosslinked to other mediators in the hemostatic agent, either covalently or non-covalently.

[00162] In certain instances, the protecting agent is composed of a polymer. The polymer may be configured to be substantially unreactive in the body, such as substantially unreactive towards elements of the coagulation cascade. As such, the polymer may be configured to reduce or inhibit the hemostatic activity of the hemostatic agent as described above. In some instances, the protecting agent includes a polyethylene glycol (PEG) polymer. The PEG polymer may be branched or unbranched as desired, as long as the function of the PEG polymer is maintained as described above. In some cases, the PEG polymer has an average molecular mass of 1000 Da or more, such as 1500 Da or more, including 2000 Da or more, or 3000 Da or more, or 4000 Da or more, or 5000 Da or more, or 6000 Da or more, or 7000 Da or more, or 8000 Da or more, or 9000 Da or more, or 10,000 Da or more, or 15,000 Da or more, or 20,000 Da or more. In certain

instances, the PEG polymer has an average molecular mass of 2000 Da. In certain instances, the PEG polymer has an average molecular mass of 1000 Da.

[00163] In certain embodiments, the mass ratio of PEG to polyphosphate ranges from 1:1000 to 1000:1, such as from 1:900 to 900:1, including from 1:800 to 800:1, or from 1:700 to 700:1, or from 1:600 to 600:1, or from 1:500 to 500:1, or from 1:400 to 400:1, or from 1:300 to 300:1, or from 1:200 to 200:1, or from 1:100 to 100:1, or from 1:75 to 75:1, or from 1:50 to 50:1, or from 1:25 to 25:1, or from 1:10 to 10:1, or from 1:5 to 5:1. In some instances, the mass ratio of PEG to polyphosphate ranges from 1:50 to 50:1. In certain embodiments, the protecting agent is composed of one or more of the following: PEG; polyvinylpyrrolidone (PVP); poly(lactic-co-glycolic acid) (PLGA); polypropylene glycol; poly(carboxybetaine); poly(sulfobetaine); poly(carboxybetaine methacrylate) (PCBMA); polyoxamers; polypeptides; biodegradable materials such as polylactonic acid and its derivatives, collagens, albumin, gelatin, hyaluronic acid, starch, cellulose (e.g., methylcellulose, hydroxypropylcellulose, hydroxypropylmethylcellulose, carboxymethylcellulosephthalat, casein, dextrane, polysaccharides, fibrinogen, poly(D,L-lactide), poly(D,L-lactide-co-glycolide), and the like; polyurethanes; poly(ethylene vinyl acetate); silicones; acrylic polymers like polyacrylic acids, polymethylacrylic acid, polyacrylcianoacrylate; polyethylene; polypropylene; polyamide; poly(ester urethane); poly(ether urethane); poly(ester urea); polyethers such as polyethylene oxide, polypropylene oxide, pluronics, polytetramethylene glycol; vinyl polymers such as polyvinylpyrrolidone, poly(vinyl alcohol), poly(vinylacetatephthalate); parylenes; polyurethane; poly(hydroxybutylate); poly(alkyl carbonates); poly(orthoesters); polyesters; poly(hydroxyvaleric acid); polydioxanone; poly(ethylene terephthalate); poly(malic acid); poly(tartronic acid); polyanhydrides; polyphosphohazenes; and the like, or copolymers thereof. Polymer variations are further described in EP 1830902 A2, the disclosure of which is incorporated herein by reference.

[00164] In certain embodiments, the protecting agent is attached to the hemostatic agent by a linking group. In some cases, the linking group is an enzymatically-cleavable linking group. For example, the linking group may be an enzymatically-cleavable peptide linking group. The cleavable peptide linking group may be configured such that it is specifically recognized and cleaved by a target enzyme. For instance, the target enzyme may be an enzyme that has an activity localized to a particular area(s) in a subject, such as a particular target site of action for the hemostatic agent. In some cases, the target enzyme may have an activity localized to a hemorrhage site in a subject, such as an internal hemorrhage site in a subject or an external hemorrhage site in a subject. For example, the enzymatically-cleavable linking group may be configured such that it is

specifically cleaved by one or more enzymes involved in the coagulation cascade, such as, but not limited to, thrombin (Factor IIa), Factor VIIa, Factor IXa, Factor Xa, FactorXia, Factor Xia, Factor XIIa, Factor XIIIa, tissue plasminogen activator (tPA), urokinase plasminogen activator (uPA), activated protein C, plasmin, and the like.

[00165] In these embodiments, the corresponding protected hemostatic agent provides post administration-activated, controlled release of the hemostatic agent, because it requires enzymatic cleavage to initiate release of the hemostatic agent from the protecting group. In certain instances, the rate of release of the hemostatic agent depends upon the rate of enzymatic cleavage at the target site of action. Accordingly, the protected hemostatic agent can be configured such that it does not provide significant plasma levels of the active hemostatic agent and is not readily decomposed to afford the biologically active hemostatic agent other than by enzymatic cleavage at the target site of action.

[00166] The enzyme capable of cleaving the enzymatically-cleavable linking group may be a peptidase – the enzymatically-cleavable linking group being linked to the hemostatic agent through an amide (e.g., a peptide: -NHCO-) bond. In some embodiments, the enzyme is a peptidase such as those involved in the coagulation cascade. Examples include Factor Xa, FactorXia, Factor VIIa, and thrombin, and the like.

[00167] The enzymatically-cleavable linking group attached to the hemostatic agent through an amide bond may be, for example, a residue of an amino acid or a peptide. The peptide may contain, for example, up to 10 amino acid residues. For example, it may be a dipeptide or tripeptide. In certain embodiments, each amino acid is an L-amino acid. Examples of naturally occurring amino acids are alanine, arginine, asparagine, aspartic acid, cysteine, glycine, glutamine, glutamic acid, histidine, isoleucine, leucine, methionine, phenylalanine, proline, serine, threonine, tryptophan, tyrosine, lysine and valine. Accordingly, examples of enzymatically-cleavable linking groups include residues of the L-amino acids listed above and dipeptides and tripeptides, or longer peptides, formed from the L-amino acids listed above.

[00168] In certain embodiments, the enzymatically-cleavable linking group is attached to the nanoparticle, such as covalently bound to the nanoparticle. The enzymatically-cleavable linking group may be covalently bound to the surface of the nanoparticle using any of a variety of compounds typically used to functionalize the surface of molecules, such as, but not limited to, silanization reagents, such as an aminosilane, e.g., (3-aminopropyl)triethoxysilane (APTES), and the like. In certain embodiments, the ratio of silanization reagent (e.g., APTES) to nanoparticle is 1.5 $\mu\text{L/g}$ or more, such as 1.6 $\mu\text{L/g}$ or more, including 1.7 $\mu\text{L/g}$ or more, or 1.8 $\mu\text{L/g}$ or more, or

1.9 $\mu\text{L/g}$ or more, or 2 $\mu\text{L/g}$ or more. In some cases, the ratio of silanization reagent (e.g., APTES) to nanoparticle ranges from 1.5 $\mu\text{L/g}$ to 2 $\mu\text{L/g}$, such as from 1.6 $\mu\text{L/g}$ to 2 $\mu\text{L/g}$.

[00169] In certain embodiments, the hemostatic agent may include a specific binding agent. A specific binding agent can be any molecule that specifically binds to a protein or nucleic acid sequence or biomacromolecule that is being targeted (e.g., a target located at a target site of interest, such as a hemorrhage site). Depending on the nature of the target, a specific binding agent can be, but is not limited to, an antibody against an epitope of a peptide target, or any recognition molecule, such as a member of a specific binding pair. For example, suitable specific binding pairs include, but are not limited to: a member of a receptor/ligand pair; a ligand-binding portion of a receptor; a member of an antibody/antigen pair; an antigen-binding fragment of an antibody; a hapten; a member of a lectin/carbohydrate pair; a member of an enzyme/substrate pair; biotin/avidin; biotin/streptavidin; digoxin/antidigoxin; a member of a peptide aptamer binding pair; and the like. For example, a specific binding agent may be a part of the protecting agent, which may be configured to bind to cells or surfaces in the blood, or vessel walls, or tissues, thereby altering the dispersement or concentration of the hemostatic agent in the subject. Affinity may be derived from groups within or attached to the protecting agent (e.g., on the end of PEG), or may be derived from the polyphosphate component, or a specific binding agent separate from the protecting agent (e.g., separately bound to the nanoparticle or the polyphosphate polymer).

[00170] Examples of a specific binding agent include, but are not limited to: a fibrin binding ligand (e.g., a fibrin binding peptide such as CREKA, a fibrin binding aptamer, a fibrin binding protein, a fibrin binding antibody, etc.); a collagen binding peptide (e.g., KLWVLPK); an affinity ligand for activated platelets, thrombomodulin/thrombin complexes, specific endothelial cells (e.g., activatable peptide from thrombin-activatable fibrinolysis inhibitor (TAFI), tissue factor, lipid membranes, and the like; an enzyme with an exposed fibrin binding motif; a ligand configured to form a covalent bond to fibrin (e.g., alpha2AP N-terminal peptide H-NQEQVSPLTGLK-NH₂); a thrombin binding ligand (e.g., a thrombin binding aptamer or peptide); antibody domains; inhibitors (e.g., peptides with a reactive ketone, etc.); combinations thereof, and the like.

[00171] In certain embodiments for internal use, the nanoparticle surface is protected to reduce or prevent premature activation of the coagulation cascade. As described above, in some instances, PEG and a cleavable peptide is used to target activation of the hemostatic agent at a wound site. In certain embodiments, the nanoparticle surface is covered with a hemostatic agent (e.g., polyP) that accelerates coagulation. This strategy is referred to as the “corona” as the hemostatic agent covers the surface, resulting in the surface being protected from activating the coagulation cascade. See

FIG. 102. The polyP corona facilitates targeting injury sites if polyP covers the particle surface and acts as the sole agent. Coverage may refer to full coverage of the particle or to where enough of the particle's surface is covered to render the surface's hemostatic activity nonfunctional. This corona effect can facilitate the use of the hemostatic agent internally to improve the agent's targeting by reducing or preventing premature activation of the coagulation cascade.

[00172] In certain embodiments, the polyP covers substantially the entire surface of the nanoparticle. In some cases, the polyP covers 75% or more, or 80% or more, or 85% or more, or 90% or more, or 95% or more, or 97% or more, or 99% or more of the surface of the nanoparticle.

[00173] The polyP corona can be produced via polyP capping strategies. For example, the APTES bridge strategy described herein may be used to link the polyP to the nanoparticle. In certain cases, the polyP "corona" effect can be produced using an APTES linkage, 1-ethyl-3-[3-dimethylamino)propyl]carbodiimide (EDAC) ester linkage, carboxylic acid linkage or other forms of linkages to attach the polyP to the surface of the nanoparticle.

ADDITIONAL AGENTS FOR USE WITH THE HEMOSTATIC AGENT IN A HEMOSTATIC COMPOSITION

[00174] The hemostatic agents disclosed herein can be provided alone as a hemostatic composition or can be provided in combination with one or more additional biologically active agents (e.g., hemostatic agents, antibiotics, ions (e.g., calcium, potassium, etc.) and the like) in a hemostatic composition. In general, optionally additional agents can include components which may be active or inert with respect to the activity of the hemostatic composition in promoting blood clotting, or may provide for an additional or different biological activity (e.g., antibacterial, anti-inflammatory, and the like). Such additional agent(s) can be provided in admixture (e.g., in dry or hydrated (e.g., solution)) with the hemostatic agent (e.g., in a slurry) or provided on the surface (e.g., for a non-porous hemostatic agent) or loaded into the hemostatic agent structure itself (e.g., for a porous hemostatic agent).

[00175] In some embodiments, the hemostatic composition includes an additional biologically active agent that can facilitate blood clotting, wound healing, and/or reduce the risk of infection. Such exemplary additional agents can include an agent with hemostatic activity, an antibiotic, a growth factor, a cytokine, and the like, which can promote wound healing and/or reduce the risk of infection. Such components can be from any suitable source, e.g., a recombinant source of the same or different animal origin as the subject to be treated (e.g., human, bovine, etc.). The hemostatic agent can be loaded with the biologically active agent to provide for biological activity as a varying weight percent of the hemostatic composition, e.g., 1% or more, 2% or more, 5% or more, 10% or

more, 15% or more, 20% or more, 25% or more, or even greater weight percentages, depending on the biologically effective amount needed to produce the desired effect in the subject.

[00176] In some embodiments, the hemostatic composition includes a clot-promoting factor in addition to the hemostatic agent described herein. For example, the hemostatic composition can include a clotting factor or platelet activating agent. Exemplary agents include thrombin, Factor VII, Factor VIIa, serotonin, collagen, thromboxane A₂, and ADP, combinations thereof, and the like. Such components can be from a recombinant source of the same or different animal origin as the subject to be treated (e.g., human, bovine, etc.).

[00177] In some embodiments, the hemostatic agent in the hemostatic composition is modified to include a bound biologically active agent, which may be a protein, an ion, or the like. Agents that have hemostatic activity are of interest. For example, a surface (e.g., external and/or internal surface) of the hemostatic agent may be modified to provide for a bound clot-promoting factor (e.g., thrombin, recombinant Factor VIIa, etc.), an antibiotic (e.g., silver ions), and the like. “Bound” as used in this context (which may be used interchangeably with the term “loaded”) is meant to encompass covalent and non-covalent binding, including van der Waals forces, hydrogen bonds, chemisorption, physisorption, electrostatic forces, physical trapping within pores and/or channels of the hemostatic agent, and the like. Thus an agent that is “bound” to a surface of the hemostatic agent includes binding by absorption, adsorption, adhesion, covalent linkage, and the like.

[00178] Biologically active agent-loaded hemostatic agent can be produced by a variety of different methods. For example, the hemostatic agent can be soaked in a solution containing one or more agents of interest to provide for adsorption of the agent(s) onto a surface (e.g., external and/or internal surface) of the hemostatic agent. Following soaking for a desired period of time (e.g., to provide for a desired amount of agent loaded on and/or into the hemostatic agent), the biologically active agent-loaded hemostatic agent can then be washed to remove unbound material. The loaded hemostatic agent can then be dried or stored in hydrated or partially hydrated form, as may be desired according to the biologically active agent used.

[00179] In another example, the hemostatic agent can be heat treated to present a hydroxylated surface for condensation attachment of an oxo- or hydro-group expressing biologically active agents. This production method can provide for covalent binding of biologically active agent (e.g., protein, polyphosphate, silanizing agent, hydroxyl-PEG) to an external and/or internal surface of the hemostatic agent.

[00180] In another example, the surface of the hemostatic agent may be functionalized with, e.g., organosilanes, amino acids, carboxylic acids, esters and/or phosphate groups, to promote the non-covalent or covalent binding of an active agent. For example, the hemostatic agent can be functionalized with amine groups (e.g., primary, secondary or tertiary) to express a positive surface charge capable of electrostatically attracting negatively charged substituents in solution.

Alternatively, the hemostatic agent can be functionalized with carboxylate groups to express a negative surface charge capable of electrostatically attracting positively charged substituents in solution. Other chemical groups that increase, decrease, or neutralize surface charge may be employed.

[00181] In another example, the oxide surface of the hemostatic agent can be functionalized with, e.g., organosilanes, amino acids, amines, carboxylic acids, and/or phosphate groups, to promote the attachment of biologically active materials. For example, silicon dioxide may express a negative surface charge when immersed in a solution with a pH greater than the isoelectric point of silicon dioxide. However, if silicon dioxide is first functionalized by attaching amine groups to the surface of silicon dioxide, the effective surface charge may be positive as a consequence of the positively charged amine groups on the periphery. Amine functionalized silica may electrostatically attract negatively charged substituents. Negatively charged silica, absent amine functional groups, may electrostatically repel negatively charged substituents.

[00182] Biologically active agents that find use in the hemostatic composition of the present disclosure, and which may be used to provide a biologically active agent-loaded hemostatic agent can be selected from a variety of different active agents. Exemplary active agents include, but are not limited to, polypeptides (e.g., enzymes (including zymogens and activated enzymes), glycoproteins, peptides, and the like), phospholipids, ions, such as ions that act as cofactors in the clotting cascade (e.g., by serving as an ionic bridge) and/or ions that facilitate colloid precipitation (e.g., red blood cell precipitation), and/or ions that have antibiotic activity (e.g., silver ions), and the like), and other active agents that have a biological activity of interest (e.g., clot-promoting agents, antibiotics, anti-inflammatories, and the like). Where the active agent is a polypeptide or nucleic acid, the agent may be recombinant or synthetic (e.g., produced by non-genetic methods). Of interest are active agents that have activity in promoting blood clotting (e.g., thrombin) and/or antibacterial activity (e.g., silver ions). Biologically active agents, such as polypeptides, can be of any suitable origin, e.g., human, bovine, etc.

[00183] Exemplary biologically active polypeptide agents include, but are not limited to, prothrombin, thrombin, Factor VII, Factor VIIa, Factor X, Factor Xa, Factor XI, Factor XIa, Factor

XII, Factor XIIa, Factor XIII, Factor XIIIa, fibrin, collagen, fibrinogen, growth factors (e.g., vascular endothelial growth factor (VEGF), epidermal growth factors, fibroblast growth factors, transforming growth factors, and the like), prekallikrein, high molecular weight-kininogen, protein concentrates (e.g., clotting factor concentrates (e.g., alphanate FVIII concentrate, bioclote FVIII concentrate, monoclate-P FVIII concentrate, haemate P FVIII, von Willebrand Factor concentrate, helixate FVIII concentrate, hemophil-M FVIII concentrate, humate-P FVIII concentrate, hyante-CTM, Porcine FVIII concentrate, koate HP FVIII concentrate, kogenate FVIII concentrate, FVIII concentrate, mononine FIX concentrate, fibrogammin p FXIII concentrate, and the like), combinations thereof, and biologically active fragments thereof. It should be noted that the term “biologically active polypeptide agents” is meant to encompass active (e.g., processed) as well as activatable forms (e.g., zymogen) forms of polypeptides (e.g., where the polypeptides is an enzyme).

[00184] Exemplary ions that find use as a biologically active agent include, but are not necessarily limited to, Ca^{2+} , Mg^{2+} , Ag^+ , Na^+ , K^+ , Zn^{2+} , PO_4^{3-} , SO_4^{2-} , NO_3^- , and the like. Such ions can be provided in the form of a salt, e.g., a salt-loaded hemostatic agent.

[00185] Exemplary salts that find use in the hemostatic compositions include, but are not limited to, aluminum sulfate, silver nitrate, calcium chloride, magnesium chloride, and the like. In certain embodiments, the hemostatic composition may include silver nitrate.

[00186] Exemplary anti-inflammatory agents that find use in the hemostatic compositions disclosed herein include, but are not necessarily limited to, leukocyte migration preventing agents, silver sulfadiazine, acetylsalicylic acid, indomethacin, nafazatrom, and the like.

[00187] Other biologically active agents that can find use in the hemostatic compositions disclosed herein include, but are not limited to, antibiotics (e.g., bacteriocides, bacteristatics, fungicides, antivirals, and the like). Examples of such active agents include, but are not limited to, Ag^+ ions, which may be provided as a silver salt, e.g. AgNO_3 ; β -lactams, cefoxitin, n-formamidoyl thienamycin, thienamycin derivatives, neomycin, metronidazole, gramicidin, bacitracin, sulfonamides, aminoglycosides such as gentamycin, kanamycin, amikacin, sisomicin, or tobramycin, nalidixic acids and analogs such as norfloxacin, combinations of fluoroalanine/pentizidone, nitrofurazones, combinations thereof, and the like. Such antibiotics are generally selected so as to be compatible with the site of delivery (e.g., type of hemorrhage site to be treated, the site of the wound, and the like), and the microbial infection to be prevented and/or treated.

[00188] Further exemplary biologically active agents may include analgesics, anesthetics, steroids, vasoconstrictors, lymphokines, cytokines, vitamins, and the like.

HEMOSTATIC COMPOSITIONS AND DEVICES

[00189] As noted above, the hemostatic agent can be provided alone or in combination with one or more additional biologically active agents. Where the hemostatic composition is composed of a hemostatic agent with one or more additional biologically active agents, such hemostatic compositions may be provided in a variety of formats. For example, the biologically active agents of the hemostatic composition may be provided as a mixture (e.g., blended or admixed), may be provided as a coating on a substrate (e.g., where one or both of the biologically active agent and/or hemostatic agent is provided as a coating adhered to a substrate), or may be provided in a single package in the same or separate compartments of the package. The hemostatic agent and the additional biologically active agent(s) may also be provided in two or more packages that are to be opened and administered simultaneously (e.g., concurrently or consecutively) to a hemorrhage site.

[00190] In certain embodiments, the hemostatic composition includes a hemostatic agent, as described herein. In some instances, the hemostatic agent includes a nanoparticle and a polyphosphate polymer attached to the nanoparticle, as described herein. In some instances, the hemostatic agent includes a nanoparticle, a polyphosphate polymer attached to the nanoparticle, and a protecting agent attached to the nanoparticle or polyphosphate polymer by an enzymatically-cleavable linking group, as described herein. In some instances, the hemostatic composition includes a first hemostatic agent that includes a nanoparticle and a polyphosphate polymer attached to the nanoparticle, and a second hemostatic agent that includes a nanoparticle, a polyphosphate polymer attached to the nanoparticle, and a protecting agent attached to the nanoparticle or polyphosphate polymer by an enzymatically-cleavable linking group.

[00191] In general, a hemostatic composition can be provided as a sterile composition, and as such are generally provided in a sealed, sterile container which maintains the sterility of the hemostatic composition until use. Where desired, the container can further provide for maintenance of a hydration state of the hemostatic composition, e.g., through use of materials that provide a water vapor-resistant barrier (e.g., mylar, plastic, etc.). For example, the hemostatic composition can be provided in a sterile container in the form of a sealable mylar foil bag.

[00192] The hemostatic composition may further include fillers (e.g., aluminum sulfate) or thickening agents that facilitate the selective application of the hemostatic composition in various forms (e.g., as a paste, gel, powder, spray, aerosol, cement, or erodable (e.g., biodegradable) solid

member). For example, in certain embodiments, the hemostatic composition may be configured for administration to an external hemorrhage site, and thus may be in various forms, such as a paste, gel, powder, spray, aerosol, cement, or erodible composition as described above. In other embodiments, the hemostatic agent may be configured for administration to an internal hemorrhage site. In these instances, the hemostatic composition may be administered in a form compatible to intravenous administration of the hemostatic composition, such as an aqueous, injectable formulation (e.g., a solution, a suspension, and the like).

Dosage Forms and Carriers

[00193] The hemostatic composition of the present disclosure can be provided in a variety of dosage forms, and, optionally, can be provided in combination with a variety of different, compatible carriers. Exemplary carriers include those which facilitate application to a hemorrhage site, such as an external wound, e.g., by facilitating delivery of the hemostatic composition from its packaging to a wound, facilitating application and/or maintenance at a wound site, and the like. Accordingly, the hemostatic composition, where compatible with the hemostatic activity of the hemostatic composition, can be provided as a dry formulation (e.g., a powder or other formulation that does not contain a liquid as a carrier), a paste, gel, or the like. In some embodiments, the hemostatic composition is provided as a dry, flowable dosage form that can be dispensed from a container (e.g., from a pouch or other sealed container). The hemostatic composition can also be provided in aerosol form, and thus can be provided in a sterile spray (e.g., which can be provided in combination with a propellant, or in a sprayable solution). Hemostatic compositions can be stored in a suitable sterile container, e.g., in a water vapor- resistant container, optionally under an air-tight and/or vacuum seal. In other embodiments, where the hemostatic composition is configured for administration to an internal hemorrhage site, the dosage form may include a carrier suitable for intravenous administration of the hemostatic composition, such as an aqueous solution, saline solution, buffer solution, blood substitute, and the like.

Hemostatic Devices

[00194] The hemostatic composition disclosed herein can be provided in connection with a device adapted for storage and/or delivery of a hemostatic composition to a hemorrhage site. As discussed above, the hemostatic composition is generally provided in a sterile container, which may further provide a water and/or vapor resistant barrier to prevent hydration of the hemostatic composition, as may be desired.

[00195] The container can be in the form of a pouch (e.g., a mylar pouch), canister, tube, or other container. The container can include a frangible portion to facilitate rapid opening of the

container to provide for quick access to and delivery of the hemostatic composition contained therein. For solution-based formulations, the container may include a bag, pouch, vial, bottle, or other container suitable for containing a liquid formulation. For example, the container may include an IV bag configured for intravenous administration of the hemostatic composition, or a sealed vial from which a desired dose of the hemostatic composition may be withdrawn, e.g., via a syringe, for administration to the subject.

[00196] The hemostatic composition can be provided in conjunction with a variety of different devices, which can be adapted to facilitate administration of the hemostatic composition to a hemorrhage site. For example, the hemostatic composition can be packaged in the same or separate container with one or more of a sterile sponge, gauze, bandage, swab, spray, aerosol, gel, cement, compression bandage, pillow (e.g., to facilitate application to a head wound), sleeve (e.g., for covering a wound on a limb), and the like. In some embodiments, the device serves as a substrate for the hemostatic composition, where the hemostatic agent in the hemostatic composition can be adhered to the device. For example, the hemostatic composition can be provided on a blood-accessible surface of the device (e.g., as a surface coating), and/or within the device (e.g., permeating at least a portion of an absorbent material, such as gauze). It is to be understood that a “coating” is at least on the surface of the substrate to which it is applied, and may permeate beyond the surface, such as where the substrate is an absorbent material.

[00197] Where the hemostatic composition contains the hemostatic agent and one or more additional biologically active agent, the hemostatic agent and other agent(s) may be present as a loose mixture (e.g., as in a pouch to be opened prior to use). In certain embodiments, one or more biologically active agents are loaded on a hemostatic agent in the hemostatic composition. In other embodiments, the hemostatic composition is provided as a coating on a substrate, where the hemostatic agent may be optionally loaded with a biologically active agent (e.g., thrombin). Alternatively or in addition, the hemostatic agent may be provided as a coating on a substrate (e.g., bandage or sponge) and a second biologically active agent may be provided loose and in the same sealed packaging as the substrate.

[00198] Where the hemostatic composition is configured for administration to an internal hemorrhage site, the hemostatic composition may include the hemostatic agent and one or more additional biologically active agents, where the hemostatic agent and other agent(s) may be present in the same solution (or suspension). In certain embodiments, one or more biologically active agents are loaded on a hemostatic agent in the hemostatic composition, and thus may be provided in a single solution (or suspension). In other embodiments, the other active agent(s) may be

provided in separate containers from the hemostatic composition and may be administered simultaneously (e.g., concurrently or consecutively) to the subject.

METHODS OF USE OF HEMOSTATIC COMPOSITIONS AND DEVICES

[00199] The hemostatic compositions disclosed herein can be used to facilitate clotting of an internal or external bleeding wound. As such, the hemostatic compositions can be used to enhance blood clotting at a hemorrhage site of a subject in need thereof, and at least temporarily stabilize a wound (e.g., at least temporarily stabilize a patient that might otherwise have died as a result of exsanguinations). Such methods generally involve contacting a hemostatic composition disclosed herein to a bleeding external or internal wound of a subject for a time sufficient to promote blood clot formation. As such, the method may include administering to a hemorrhage site in a subject the hemostatic composition as described herein for a period of time sufficient to at least initiate blood clotting at the hemorrhage site.

[00200] The hemostatic composition can be contacted with a wound that is externally accessible by, for example, accessing the wound and pouring the hemostatic composition onto the wound. Alternatively or in addition, the hemostatic composition can be delivered to an external wound by applying a hemostatic device to the wound, where the device includes a hemostatic composition coated on a substrate. Contact can be maintained through application of pressure, and may be held in place either by hand and/or through use of a bandage. Contact may be maintained at least until blood flow from the wound has slowed or has detectably ceased, i.e., until the wound is stabilized through formation of a clot. Once the clot is formed, the hemostatic composition can be removed from the wound. Where necessary, the wound can be irrigated to remove any loose hemostatic agent in the wound.

[00201] Where the hemostatic composition is configured for administration to an internal hemorrhage site, the method may include intravenously administering the hemostatic composition to the subject. As such, the method may include locating an appropriate intravenous site on the subject and injecting the hemostatic composition into the subject at the intravenous site. In certain embodiments, as described herein, the hemostatic agent may include a protecting agent that is configured to reduce or inhibit the hemostatic activity of the hemostatic agent. Upon injection of the protected hemostatic agent into the subject, the hemostatic agent may circulate through the body of the subject until activated at a target site (e.g., a target internal hemorrhage site). As described above, the protecting agent may be removed from the hemostatic agent through cleavage of a cleavable linking group by an enzyme localized at the target site, thus restoring the hemostatic

activity of the hemostatic agent at the desired target site. In certain embodiments, the protecting agent is not significantly removed at other non-specific sites in the subject, such that the protected hemostatic agent does not have detectable non-specific hemostatic activity at other sites in the subject, and thus only has detectable hemostatic activity when specifically activated at the desired target site (e.g., the desired target internal hemorrhage site).

[00202] These methods are applicable to a variety of different types of wounds, which may have been inflicted intentionally or through accident and at any portion of the body amenable to application of a hemostatic composition disclosed herein. The hemostatic composition finds use in wounds of all degrees of severity ranging from bleeding skin surface wounds to wounds involving laceration of the femoral artery or other major artery or vein.

[00203] Subjects include any subject in need of treatment at an external or internal hemorrhage site, and can include both human and veterinary applications (e.g., mammals such as dogs, cats, livestock (e.g., cattle, horses, sheep, goats, etc.), and the like).

UTILITY

[00204] The subject hemostatic compositions, devices and methods find use in a variety of different applications where the treatment of an external or internal hemorrhage site in a subject is desired. In some instances, the wound may be an external hemorrhage site. In other embodiments, the wound may be an internal hemorrhage site. In some instances, the wound may include both external and internal hemorrhage sites. The wound may be a surgical wound or a trauma wound, such as, but not limited to, a surgical or traumatic soft tissue wound.

[00205] As described herein, the subject hemostatic compositions, devices and methods find use in promoting blood clotting at a hemorrhage site, whether an external or internal hemorrhage site. In certain embodiments, the subject hemostatic compositions, devices and methods find use in promoting blood clotting at a hemorrhage site under conditions of coagulopathy. By “coagulopathy” is meant a condition where clot formation in a subject is impaired, such as a condition where the subject’s coagulation cascade is impaired. Coagulopathy may include one or more of a subset of conditions, such as dilution, hypothermia and acidosis. As such, the subject hemostatic compositions, devices and methods find use in promoting blood clotting at a hemorrhage site when a subject’s coagulation cascade is impaired, such as under one or more coagulopathy conditions, such as dilution, hypothermia and acidosis.

[00206] For example, the subject hemostatic compositions, devices and methods find use in promoting blood clotting at a hemorrhage site under a dilution condition, e.g., the subject

hemostatic compositions, devices and methods are hemostatically effective even when the concentration of procoagulant factors at the hemorrhage site is insufficient to have a significant hemostatic effect, as may occur as the result of trauma and/or loss of blood. Similarly, in certain embodiments, the subject hemostatic compositions, devices and methods find use in promoting blood clotting at a hemorrhage site under a condition of hypothermia, e.g., the subject hemostatic compositions, devices and methods are hemostatically effective even when the subject's body temperature drops below 37 °C, as may occur as the result of trauma and/or loss of blood. In addition, in some embodiments, the subject hemostatic compositions, devices and methods find use in promoting blood clotting at a hemorrhage site under a condition of acidosis, e.g., the subject hemostatic compositions, devices and methods are hemostatically effective even when the pH of blood is below its typical value of pH 7.4, as may occur as the result of trauma. In certain embodiments, the subject hemostatic compositions, devices and methods find use in promoting blood clotting at a hemorrhage site under one, or a combination of two or more, coagulopathy conditions.

EXAMPLES

[00207] The following examples are put forth so as to provide those of ordinary skill in the art with a complete disclosure and description of how to make and use the present invention, and are not intended to limit the scope of what the inventors regard as their invention nor are they intended to represent that the experiments below are all or the only experiments performed. Efforts have been made to ensure accuracy with respect to numbers used (e.g. amounts, temperature, etc.) but some experimental errors and deviations should be accounted for. Unless indicated otherwise, parts are parts by weight, molecular weight is average molecular weight, temperature is in degrees Celsius, and pressure is at or near atmospheric.

EXAMPLE 1

Materials

[00208] Ethanol (99 %), tetraorthosilicate (TEOS), ammonia NH₄OH (28 %), (3-aminopropyl)triethoxysilane (APTES) were supplied by Sigma Aldrich. Deionized water was obtained using a Milli-Q water purification system. Frozen pooled normal plasma (PNP) and Factor XII-deficient plasma were purchased from George King Biomedical (Overland Park, KS) and handled according to package inserts. Phospholipid solutions in chloroform were purchased in Avanti Polar Lipids: L-alpha-phosphatidylcholine (PC) and L-alpha-phosphatidylserine (PS).

Sodium chloride, potassium chloride, sodium phosphate, dibasic and potassium phosphate –for Phosphate Buffer Saline (PBS), were supplied by Sigma Aldrich.

Synthesis of Silica Nanoparticles

[00209] Silica nanoparticles (SNP) were synthesized following a modified Stöber method. (W. Stöber, A. Fink, E. Bohn, Controlled growth of monodisperse silica spheres in the micron size range, *Journal of Colloid and Interface Science*. 26 (1968) 62–69). For the synthesis of silica nanoparticles, tetraethoxysilane (TEOS) and ammonia were added dropwise and consecutively into 57 mL of ethanol while stirring at 300 rpm at room temperature. The stirring was continued for 24 h. pH and particle size was measured after synthesis. The material was recovered by centrifugation (14 k, 30 min), washed with ethanol to remove ammonia and unreacted TEOS (3 times). After redispersing the material in ethanol by sonication (FS20 Fisher Scientific), the products were dried overnight at 60 °C and once homogenized, calcined at 550 °C during 4 h. Different amounts of TEOS (0.5 – 4 mL) and ammonia (0.5 – 4 mL) were used to produce different particle sizes.

[00210] Particles above 10 nm were synthesized following the modified Stöber method and recovered using centrifugation as described above. Different nanoparticle sizes were obtained by varying the amounts of TEOS and ammonia (NH₄OH). FIG. 1 shows a graph of average particle size (nm) of the silica nanoparticles vs. amount of NH₄OH (%) added to the reaction. The average size increased as the amount of NH₄OH added increased. Sigma Aldrich supplied Ludox silica nanoparticles for nanoparticles with average sizes below 10 nm. Silica nanoparticles below 50 nm were isolated by ultrafiltration and ultracentrifugation to provide a stock for coagulation and functionalization experiments. FIG. 2 shows a graph of the yield (%) of silica nanoparticles vs. amount of NH₄OH (%) added to the reaction. The yield increased significantly for NH₄OH of 4% or more. Syntheses below 4 % NH₄OH produced a yield below 40 %. In some instances, a low amount of ammonia may slow catalysis of the TEOS hydrolysis reaction.

Preparation of Polyphosphate Polymer

[00211] Medium chain polyphosphate (30-130mer, “P70” was purified from commercially available industrial source phosphate glass (“P70”, BK Guilini GMBh, Germany). Long chain polyphosphate (“P700”), was solubilized from phosphate glass, practical grade, water insoluble (Sigma Aldrich) in 250 mM LiCl + 50 mM LiOH, pH 10.5 at 100°C. The material was then

precipitated with 50 mM NaCl in 2 times the volume of isopropanol, and resuspended in double distilled H₂O.

[00212] Two different sizes of polyphosphate polymer were used: P70, with an average chain length of 70 monomers, and P700, with a size range between 200 and 1300 monomers and a peak concentration at about 700 monomers.

Synthesis Silica-Polyphosphate Nanoparticles

[00213] The synthesized polyphosphate was used to functionalize the silica nanoparticles. The silica nanoparticles were dispersed by sonication in Milli-Q water and placed at 30 °C. Then polyphosphate was added under vigorous stirring. The stirring was continued for 12 h. The functionalized nanoparticles were recovered after two centrifugation steps (14 k, 30 min), washing with ethanol, redispersing by sonication in ethanol and finally drying overnight at 60 °C. Successful functionalization of the nanoparticles was identified using a dynamic light scattering (DLS) instrument.

Characterization of the Nanoparticles

Zeta Potential and Particle Size Determination

[00214] Zeta potential and particle size were measured by laser diffractometry using a Zetasizer Nano ZS instrument (ZEN 3600, Malvern Instruments) at 20 °C with an incident wavelength of 633 nm and 173° backscattering angle. Zeta potential was measured in water at different pH and in PBS buffer (137 mM NaCl, 2.7 mM KCl, 12 mM phosphate). Disposable cells were cleaned with ethanol and water prior to sample loading. Particle size was measured just after the particles were synthesized (with ethanol as a solvent) and after the calcination step, redispersed by sonication in water at 1 mg/mL. Disposable cells were cleaned with each respective solvent before sample loading.

[00215] Zeta potential tests showed that SNPs had a negative charge in simulated body fluid, which may facilitate activation of the intrinsic pathway by activating Factor XII. Zeta potential exhibited no systematic change in coagulation with respect to size or pH.

[00216] FIG. 97 shows a graph of clotting times for various SNPs (e.g., SNP, SNP+APTES, SNP+linker, SNP+APTES+linker; SNP+peptide, SNP+APTES+peptide, SNP+PEG, and SNP+APTES+PEG; see examples below for a description of the linker and peptide). Zeta potentials for each type of particle are also indicated on the graph. SNP+PEG and SNP+APTES+PEG had zeta potentials that were less negative than other particles, which

corresponded to longer clotting times, R. The relationship between zeta potential and clotting time for SNP with and without 3-aminopropyl-triethoxysilane (APTES) is shown in FIG. 98.

[00217] FIG. 99 shows a graph of zeta potential vs. the ratio of APTES/TEOS used in the synthesis of SNPs. A more positive zeta potential indicated the presence of amino groups on the particle surface. FIG. 100 shows a graph of zeta potential vs. the ratio of APTES/TEOS for calcined and not calcined SNPs. With calcination, the amino group decomposed and the zeta potential was more negative. FIG. 101 shows a graph of clotting time vs. zeta potential for calcined and not calcined SNPs. A negative zeta potential produced a lower clotting time.

Morphology and structure of the particles

[00218] The morphology, structure and particle size of the nanoparticles were determined via transmission electron microscopy (TEM). TEM micrographs were obtained on a FEI Tecnai G2 Sphera electron microscope with an accelerating voltage of 200kV.

[00219] P70 directly adsorbed to silica was found to only slightly increase the particle size (by several nm). FIG. 4 shows TEM micrographs of silica nanoparticles of 55 nm average size.

Quantification of the Polyphosphate

[00220] The polyphosphate content on the particles was quantified by hydrolysis to monophosphate using calf intestinal alkaline phosphatase, followed by phosphate analysis using a malachite green assay.

Determination of Clotting Activity

[00221] The clotting activity was determined by two different methods: standard coagulometry and rotational thromboelastometry (TEG) in a thrombelastograph (TEG® 5000, Haemonetics). These tests measure several parameters that are relevant to coagulation, such as initial time for clot formation (R, min), rate of clot formation (α , deg), time until clot reaches 20 mm (K, min) and clot strength or maximum amplitude (MA, mm). For the tests, the particles were dispersed in HBS containing phospholipid vesicles and sonicated. The phospholipids were 80% phosphatidylcholine (PC) and 20% phosphatidylserine (PS) and were prepared by sonication from the commercial solutions in chloroform. The subsequent dilutions were made by diluting the stock dispersion in this same solvent.

[00222] For the coagulometry tests, 50 μ L of the particles were placed into a pre-warmed coagulometer cuvette followed by 50 μ L of pooled normal plasma (PNP). After incubating for 33

minutes at 37 °C, to activate the contact pathway and allow the mixture to reach the proper temperature, 50 µL of pre-warmed 25 mM CaCl₂ was added into the cuvette. The results were the average values of duplicate tests.

[00223] In the TEG tests, first 340 µL of pooled normal plasma (PNP) and 10 µL of the clotting agent were added in the TEG cup and incubated at 37 °C. After 3 minutes, 20 µL of 0.2 M CaCl₂ was added to the cup and the test was started immediately after. The results shown were the average value of, typically, 4 to 6 replicates. Concentration- and size-dependent analyses were done.

Results and Discussion

[00224] Experiments were performed with silica nanoparticles (SNPs) and polyphosphate-functionalized silica nanoparticles (SNP-P70) to measure the effect of the silica particles' size and concentration on coagulation. Clotting experiments compared the silica particles at either a fixed concentration of 0.68 mg/mL (25 mg/mL stock solution) or at a fixed size of 55 nm to determine high activity range boundaries. Each particle formed an initial clot (R) between 3 and 5 min. The threshold for minimum R value occurred at a particle size of ~30 nm. Experiments in which particles below 20 nm were synthesized exhibited a bimodal size distribution when measured using DLS, which may be attributed to an amount of ammonia that was too low for the catalysis of the TEOS hydrolysis reaction.

[00225] TEG experiments were performed to determine clotting time, R, vs. concentration (mg/mL) of silica nanoparticles (SNP) and silica nanoparticles functionalized with polyphosphate polymer (SNP-P70) (70 monomer chain length) at 37 °C and 10.8 mM Ca²⁺. As shown in FIG. 3, the concentration dependence of R for SNP and SNP-P70 was examined. P70 was a polyphosphate chain that was approximately 70 monomers in length. At low particle concentrations, the R value was relatively high (e.g., clotting time was long). As the particle concentration increased, R decreased until a minimum R value was obtained. For bare (i.e., unfunctionalized) silica, the minimum R value occurred at 0.54 mg/ml. SNP-P70 reached a minimum R value at a concentration of 0.27 mg/ml, half that of bare SNP. SNP-P70 also improved clotting time when compared to P70 added directly to plasma.

[00226] TEG experiments were performed to determine clotting time, R, for SNP-P70 and lipidated tissue factor (LTF), a protein initiator of the extrinsic pathway, at various dilutions of pooled normal plasma (PNP) at 37°C and 10.8 mM Ca²⁺. The concentration of LTF used was 0.5

ng/mL and the concentration of SNP-P70 used was 0.27 mg/mL. As shown in FIG. 5, when compared with LTF, SNP-P70 induced rapid coagulation even under conditions of hemodilution.

[00227] Experiments were performed to determine the mechanism by which P70-bound nanoparticles induce clotting by determining clotting times using FXII deficient plasma (FIGS. 6 and 7). As they activate clotting through FXII activation and the intrinsic pathway, the bare nanoparticles could not induce clotting. With the intrinsic pathway blocked, coagulation only occurred through the addition of tissue factor (TF) and the extrinsic pathway. Since P70 accelerated coagulation through FXa, a combination of TF and P70-bound silica improved clotting. Various mixtures of TF and nanoparticles were tested. The two lowest clotting times (R) occurred as a result of either 1 ng/mL TF or 0.5 ng/mL TF mixed with 0.676 mg/mL SNP-P70 (FIG. 6). Although the two conditions shared a similar clotting time, the P70-bound silica rapidly accelerated clot growth as shown by the significantly larger coagulation index (CI) score (FIG. 7). The P70-bound silica also exhibited the best reproducibility of all the conditions, which may facilitate a reduction in adverse side-effects. The tissue factor formed a small clot upon addition to plasma, but the clot grew at a slow rate. These tests showed that the P70 bound particles increased clotting through mediating FXa and thrombin, which may facilitate treating hemorrhage.

[00228] Experiments were performed to determine clotting time, R, for various different polyphosphate to SNP ratios. Polyphosphate that included about 700 monomer polyphosphate (P700) was used in the experiments. Polyphosphate with a size range above 500mers was shown to accelerate the contact or intrinsic pathway by activating FXII. The P700 was attached to the SNP using the same methods described above. Four different ratios of P700:SNP were tested – 0.2, 0.4, 0.6, and 1. Similar to P70, clotting assays showed that clot time decreased with a ratio of P700:SNP above 0.5. As shown in FIG. 8, a 1:1 ratio of P700:SNP minimized clot time.

[00229] Experiments were performed to determine the effect the amount of polyphosphate in the functionalized SNP had on coagulation. 200-mg samples of SNP, SNP-P70, and SNP- P700 nanoparticles were tested for polyphosphate quantification and coagulation tests. These tests showed that SNP-P70 particles with a concentration of 25 nmol PO₄/mg SNP (quantified by hydrolysis) exhibited higher procoagulant activity than SNP-P70 particles with a higher nmol PO₄/mg SNP concentration.

[00230] In addition to TEG, the coagulation threshold response was also observed using a thrombin-specific blue coumarin dye. These experiments used a method developed by the Ismagilov group (Kastrup, C J, Shen, F, Runyon, M K, et al. (2007). Characterization of the threshold response of initiation of blood clotting to stimulus patch size. *Biophysical Journal*, 93(8),

2969-77). A small concentration of dye was added to recalcified plasma. As clotting progressed and thrombin was produced, the thrombin cleaved the coumarin dye which caused the solution to fluoresce. Signified by rapid fluorescence, the thrombin burst quickly led to clot formation. A fluorescence microscope captured the qualitative change as shown in FIG. 9.

[00231] Thrombin generation was also monitored using a plate reader. By reading fluorescence every 10 seconds, the thrombin burst was identified. As clotting occurred near the rapid rise section of the thrombin burst, the clot time was determined from the fluorescence data plot. FIG. 10 shows a graph of fluorescence intensity (a.u.) vs. time for various concentrations of SNP and SNP-P70 (see FIG. 10(a)), and a graph of clot time (half-time, s) vs. concentration (mg/mL) for SNP and SNP-P70 (see FIG. 10(b)).

[00232] Experiments were performed to determine hemostatic activity at various coagulopathy conditions, such as dilution, hypothermia and acidosis. A dilution condition was tested using a phosphate buffered solution (PBS). Hypothermia was tested by incubating plasma below the usual 37 °C, which created a hypothermic condition. Acidosis was tested using a dilute phosphoric acid solution to acidify the plasma below a pH of 7.1. The experiments utilized a set concentration of lipidated tissue factor (LTF) – 0.5 ng/ml for TEG tests, 0.185 ng/ml for fluorescence dye tests – to ensure timely initiation of the coagulation cascade through the extrinsic pathway and the body's main response to vessel injury. The SNP-P70 was tested at 0.25mg/ml without LTF to compare its ability to form clots.

[00233] Using TEG and dye fluorescence, a dilution baseline was established. SNP-P70 was added at the threshold concentration (i.e., concentration that resulted in a minimum clotting time, R) of 0.25mg/ml identified in the TEG experiments above. As shown in FIG. 11(a), SNP- P70 lowered clotting time in diluted samples. FIG. 11(b) shows a graph of clot size, MA, (mm) vs. % of pooled normal plasma (PNP). Results of the dye fluorescence experiments at various dilution conditions are shown in FIGS. 12(a) and 12(b). FIG. 12(a) shows a graph of fluorescence vs. time (sec) for thrombin generation times from 100% plasma to 25% plasma (i.e., 100% plasma is 100% plasma and 0% dilutant) with no SNP-P70 added. FIG. 12(b) shows a graph of fluorescence vs. time (sec) for thrombin generation times at various dilution conditions for samples with SNP-P70 added. As shown in FIG. 12(b), the addition of SNP-P70 generated thrombin quickly even under plasma dilution conditions.

[00234] Hypothermia occurs when the body temperature drops below 37 °C. The drop in temperature may lead to a decreased rate in the kinetics of many of the coagulation factors, such as formation of the tissue factor – FVIIa (TF-FVIIa) complex during the initiation phase of

coagulation. FIG. 13(a) shows a graph of clotting time, R, (min) vs. temperature (°C) for experiments to determine hemostatic activity of SNP-P70 under hypothermic conditions. FIG. 13(b) shows a graph of coagulation index (CI) vs. temperature (°C) for SNP-P70 under hypothermic conditions. The addition of SNP-P70 to hypothermic plasma resulted in improved coagulation across all TEG parameters, including a decrease in clotting time and an increase in coagulation index. The coagulation index (CI) showed that SNP-P70 had significant procoagulant activity. The coagulation index (CI) combines all four TEG facets – R, K, alpha, and MA – into a single value; the more positive the CI, the stronger the procoagulant.

[00235] The experiments described above show that SNP-P70 has significantly greater hemostatic activity than bare SNP and LTF in lowering clot times while forming strong clots. Experiments on FXII deficient plasma showed that SNP-P70 initiated clotting through the FXa coagulation pathway. SNP-P70 also decreased clot time and quickened thrombin generation under coagulopathic conditions, such as dilution and hypothermia.

PEGylated Nanoparticles

Experimental Protocols

Functionalization of SNP with APTES

[00236] 0.5 g of SNP and 50 ml ethanol were added to a flask and sonicated. 1 μ L of APTES was added while stirring vigorously. The mixture was stirred 24 hours at RT. After 24 hours, the mixture was put in centrifuge tubes and spun for 30 min at 14k. Supernatant was discarded, ethanol was added and the mixture was sonicated. The mixture was centrifuged for 30 min at 14k. Supernatant was discarded, ethanol was added and the mixture was sonicated. The resulting SNP-APTES was dried overnight at 60 °C.

PEGylation of SNP to Produce SNP-APTES-PEG-OCH₃

[00237] 12.5 mg of SNP-APTES was prepared in 250 μ L 1mM NaOH (50 mg/mL). 2 mg of NHS-PEG-OCH₃ was prepared in 25 μ L DMSO (2kDa, 5kDa, 20kDa). 25 μ L PEG-solution per 250 μ L SNP-APTES was added to the SNP-APTES. The mixture was sonicated and incubated 15 min at RT. The mixture was centrifuged 2x for 5 min at 3.5k, and cleaned with DI. The volume was brought to 250 μ L, and the mixture was sonicated.

Adding Linking Group to SNP-APTES

[00238] Four different linkers were used.

Linker	MW (g/mol)
--------	------------

SPDP-PEG8-NHS	735.87
SPDP-PEG16-NHS	1087.30
SPDP-PEG2k-NHS	2000
SPDP-NHS	312

[00239] 50 mg/mL of the SNP-APTES particles were dispersed in 10 mM NaOH (e.g., 25 mg in 495 μ L DI and 5 μ L 0.1 M NaOH). The mixture was sonicated. 5 μ L of the linker in DMSO (10 mM) was added per 500 μ L of SNP-APTES, pH 7-8 (100 μ M final linker). The mixture was sonicated. The mixture was incubated 30 min to 2 hours at RT. The mixture was centrifuged 2x for 10 min at 6k, and cleaned with DI, pH 5-8. The volume was brought to 500 μ L with Milli-Q water.

Adding Peptide to SNP-APTES-Linker

[00240] The following peptides were used.

Long name	Short name	Use	MW
Ac- CGGIEGRGG SGGKG-NH ₂	C-IE-GK (CG-14)	This peptide included: a Cys, to attach to the OPSS linker; an IEGR sequence for being recognized by FXa; and a Lys, where the PEG was attached.	1232.34
Ac- CGGIEGRGG K(FAM)GGKG -NH ₂	C-IE-FK (CG-14)	This peptide included a Cys for binding to the linker; an IEGR sequence for cleavage; a fluorescein dye (FAM) used to monitor cleavage; and a Lys for NHS-PEG attachment. The fluorescein (FAM) was to the right side of the cleavage site, which resulted in fluorescein in the supernatant after cleavage by FXa.	1631.78
FAM-x- CGGIEGRGG SGGKG-NH ₂	CF-IE-GK (CG-14)	This peptide included a Cys for binding to the linker; an IEGR sequence for cleavage; a dye used to monitor cleavage; and a Lys for NHS-PEG attachment. The fluorescein (FAM) was to the left side of the cleavage site, which resulted in fluorescein remaining on the particle after cleavage by FXa.	1661.79

FAM-x- CGGERGIGG SGGKG-NH₂	CF-Ersc-GK (CG-14)	This peptide included a Cys for binding to the linker; a dye used to monitor cleavage; and a Lys for NHS-PEG attachment. The peptide does not include the IEGR sequence necessary for cleavage by FXa.	1661.79
--	-------------------------------	--	---------

[00241] Peptide solutions were prepared in Milli-Q water, e.g. 0.75 mM. Concentrations of peptide used were: (a) 1.1 mg/mL C-IE-GK, (b) 2 mg/mL C-IE-FK, (c) 2.1 mg/mL CF-IE- GK, and (d) 2.1 mg/mL CF-Ersc-GK. 50 μ L of the peptide solution was added to 500 μ L particle solution (50 mg/mL particles). The mixture was incubated for 10 min at RT, and then centrifuged 10 min at 6k. Supernatant was removed and reaction product was washed with DI, and the volume was brought to 500 μ L. Spinning and washing were repeated, and the volume was brought to 500 μ L with Milli-Q water.

Functionalization of SNP through SPDP

[00242] Nanoparticles were prepared with the following structure: SNP-APTES-SPDP- cysPep-K-PEG-OCH₃.

[00243] SNP was prepared by adding dropwise 7.6 mL of TEOS into a stirred solution 280 mL of ethanol. 11.4 mL NH₄OH (28 %) was added dropwise and the mixture was stirred for 24 hours. The mixture was centrifuged 3x for 30 min at 13k, and washed with ethanol. SNPs were dried overnight at 60 °C. SNPs were calcined at 550 °C for 4 hours.

[00244] SNP-APTES was prepared by adding 0.5 g of SNP in 50 mL ethanol and sonicating. APTES was added while stirring vigorously. The mixture was stirred for 24 hours, and then centrifuged 2x for 30 min at 13k, and cleaned with ethanol. The SNP-APTES was dried at 60 °C overnight and then ground with a mortar.

[00245] Succinimidyl 3-(2-pyridyldithio)propionate (SPDP) was added as follows. 50 mg/mL of SNP-APTES was dispersed in 10 mM NaOH (e.g., 25 mg in 495 μ L DI and 5 μ L 0.1 M NaOH) and sonicated. 3.1 mg/mL SPDP in DMSO (MW 312) (10 mM stock) (e.g., 1 mg in 320 mL) was prepared. 5 μ L SPDP per 500 μ L of SNP-APTES, pH 7-8 (100 μ M final SPDP) was added and the mixture was sonicated. The mixture was incubated 30 min to 2 hours at RT. The mixture was centrifuged 2x for 10 min at 6k, and cleaned with DI, pH 5-8. The volume was brought to 500 μ L.

[00246] A peptide was added as follows. 50 μ L of 2 mg/mL cys-peptide-K (e.g., biotin-x-CDGSRPARSGR"SAGGKDA-OH) was added to the above solution and incubated 10 min at RT.

The mixture was centrifuged 2x for 5 min at 6k, and cleaned with DI. The volume was brought to 500 μ L.

[00247] SNP-APTES-SPDP-cysPep-K was PEGylated as follows. 4 mg of NHS-PEG- OCH₃ in 50 μ L DMSO (2k PEG or larger) was prepared. 50 μ L PEG solution per 500 μ L SNP- APTES-SPDP-cysPep-K was added and the mixture was incubate 10 min at RT. The mixture was centrifuged 2x for 10 min at 6k, and cleaned with DI. The volume was brought to 500 μ L.

[00248] The resulting structure was SNP-APTES-SPDP-cysPep-K-PEG-OCH₃. The PEG protected nanoparticle were non-coagulating.

[00249] The cleavable peptide linker was cleaved by adding an enzyme as follows. To 50 μ L of SNP-APTES-SPDP-cysPep-K-PEG-OCH₃ was added 50 μ L of uPA enzyme (urokinase plasminogen activator) or trypsin, and the mixture was sonicated, 10-60 min (e.g., 30 min) at 37 °C. The mixture was centrifuged, washed and volume adjusted to 50 μ L with DI.


[00250] The structure was now SNP-APTES-SPDP-cysPepR-OH, and was hemostatically active.

SNP-APTES Conversion to PEG-OPSS and Coupling to Biomolecule

[00251] Reactions:



[00252] OPSS is S-S-Pyridyl, which reacts with thiols to form a disulfide product:



where R₁ is the nanoparticle, R₂ is the biomolecule

[00253] SNP-APTES 0.1g (220 nm diameter) was dispersed in 5 mL DI with sonication. NHS-PEG-OPSS 5kDa, 10mg, was dissolved in DMSO (0.5 mL). The PEG solution was added to the SNP-APTES solution and the mixture was sonicated. pH was adjusted to pH 7 with HEPES buffer. The mixture was sonicated and incubated 1 hour. The mixture was centrifuged and cleaned 2-3x with washing buffer. The volume was brought to 5 mL. The coupling reaction to a thiol-containing biomolecule was performed by adding together 200 μ L SNP-linker-PEG- OPSS, 200 μ L buffer (1M Hepes), and 20 μ L 1mg/ml peptide in 1M Hepes. The mixture was incubated at room temperature for 1 hour, cleaned 3 times, and stored at 4 °C.

Results and Discussion

[00254] PEGylated nanoparticles were prepared that included a cleavable peptide linking group with an IEGR sequence that connected the nanoparticle to the PEG (FIG. 14). Activated Factor X (FXa) cleaved the peptide at the IEGR sequence, removing the PEG and leaving the activated SNP.

[00255] FIG. 15 shows a graph of clotting time, R, vs. 3-aminopropyl triethoxysilane (APTES) to SNP ratio, according to embodiments of the present disclosure. FIG. 16 shows a graph of clotting time, R, for unfunctionalized SNP and various functionalized SNPs (Pep: peptide; SPDP: succinimidyl 3-(2-pyridyldithio)propionate; PEG used was 2kDa), according to embodiments of the present disclosure.

[00256] When bound to the nanoparticle surface, cross-linkers such as 3-aminopropyl triethoxysilane (APTES) reduced the active surface for coagulation (FIGS. 15 and 16). The ratio of APTES to silica was decreased to obtain a PEG-linker-APTES-silica SNP that would retain a dual nature – inert in healthy blood vessels while converting to procoagulant when activated by a linker-specific protease. When functionalized solely with APTES, at low coverage, the SNP retained its procoagulant nature. When PEG attached to these nanoparticles via the APTES, the SNP became protected. Coupling PEG (2 kDa or more, e.g., 5kDa) increased clotting times back to that of normal recalcified plasma. Removing PEG activated the procoagulant activity of the SNP.

EXAMPLE 2**Particle Design and Tests**

[00257] Experiments were performed to conjugate polyP onto the surfaces of organic and inorganic particles to investigate the effects of particle surface properties (i.e. surface charges and ligands) and particle sizes. Hybrid particles were generated with thermal sensitive or chemically responding polymers and polyP at the surface. Under the switch conditions (such as, lower temperature or over expressed chemicals), the polymer brushes were extended or folded to either shield or expose the surface ligands such as polyP.

[00258] In certain embodiments, polyP activates and accelerates the clotting cascade. In some instances, steps in clotting are enhanced by polyP. Size dependence of polyP's procoagulant activities showed that shorter polyP polymers accelerated the activation of factors V and XI, while longer polyP polymers initiated clotting via the contact pathway (FIG. 17). In some cases, the specific procoagulant activity of polyP-containing nanoparticles may be tailored by varying the polyP polymer lengths used, as well as by controlling the amount of polyP per particle. The polyP particles may have the capacity to induce clotting in a controlled and directed manner, compared to

free polyP. Without being limited to any particular theory, in some instances, polyP particles may interact with blood plasma and cause a series of events, including the adsorption of albumin, IgG and fibrinogen, platelet adhesion and activation, and thrombosis. PolyP may shorten the clotting time, depending on the concentration, size and surface properties of the particles.

[00259] Experiments were performed for covalently attaching polyP to primary amines, which facilitated polyP-nanoparticle assembly. This reaction used the zero-length cross-linking reagent, EDAC (1-ethyl-3-[3-dimethylamino]propyl]carbodiimide), to promote the formation of stable phosphoramidate linkages between primary amines and the terminal phosphates of polyP. Other functional groups may be used at the termini of polyP, in order to broaden the types of coupling reactions that may be used. Nearly 80% end labeling was achieved using polyamines such as spermine and spermidine. The reaction product contained primary amines attached to the ends of the polyP polymers, which reacted with a wide variety of derivatizing reagents that target primary amines. Free sulfhydryl groups may also be introduced onto the termini of the labeled polyP polymers, in order to use sulfhydryl-labeling chemistries.

[00260] Multiple terminal amine surface groups may also be used to conjugate a controlled number of polyP with these surface amines. G4Poly(amido amine) (PAMAM) dendrimers associated tightly with polyP and may serve as a platform for assembling polyP-containing nanoparticles. PolyP conjugation to three types of particles (e.g., G4Poly(amido amine) (PAMAM) dendrimers, amino polystyrene, and amine ligands bound to gold nanoparticles) were investigated to verify three hypothesis: (1) plasma clotting kinetics and mechanism was affected by the size (or curvature) of the particles and an optimized condition could be selected; (2) the choice of the biocompatible core material would not have significant effects on the plasma clotting kinetics or mechanism; and (3) the functionalities of the particles was determined by the surface properties (e.g., neutral vs. charged and the chain length of polyPs).

[00261] In certain embodiments, the total number of polyP chains affected clotting of plasma. In some cases, the mechanism and time to clot changed with free chains of polyP. Three control groups were selected to compare with the particles-polyP conjugates: (1) free polyP with the same molecular weight at the same concentration; (2) linear polyP with the molecular weight equivalent to the summation of polyP the molecular weight attached on a single particle (e.g., polyP molecular weight times the conjugation number); and (3) particles without polyP.

Dendrimer-polyP conjugation

[00262] PolyP (45-mer) was conjugated to the G4 PAMAM dendrimer, which had 64 primary amines on the surface. The zero-length cross linking reagent, EDAC was used to couple primary amines to phosphates via phosphoramidate linkages. The separation of free polyP and dendrimer-polyP conjugate was done by employing size exclusive columns. The plasma clotting efficiency was tested by using a viscosity based coagulometer.

[00263] To find out the optimized conditions for conjugation, various conditions, such as the temperature, pH and reaction time were tested. The fluorescamine assay was used to test the amount of the unreacted primary amines on dendrimer, which indicated the conjugation efficiency.

[00264] The conjugation efficiency under various conditions was tested and shown in FIG. 18. The reactions were more efficient at low pH conditions. The amine concentration before the reaction was about 3400 nM. In some cases, there was a higher amine concentration after reaction as compared to the control, which was due to the degradation of the dendrimer (discussed below). The optimized condition was selected as 4 hours at 37 °C and pH 4, after which >80% of the primary amine on dendrimer had reacted with polyP.

Dendrimer and polyP Stability

[00265] The stability of polyP at 37 °C after 24 hours was tested as a function of pH (FIG. 19). Compared to the sample at pH 7.4, there was no increase of free phosphate, which indicated little degradation. Therefore, polyP was stable for the first 24 hours at 37 °C and as low as pH 2. The stability of dendrimer at various conditions was also tested. Below pH 4 and above 32 °C, more than 25% dendrimer degraded within 4 hours. At 20 °C and pH 4, the dendrimer was stable for the first 4 hours and about 10% degradation happened at 24 hours. Separation Econo-Pac 10DG Columns were first used to separate the free polyP and dendrimer-polyP conjugates. Recovery of dendrimer was highly depend on the running phase. When purified water was used as the running phase, as shown in FIG. 20, the dendrimer eluted in the 9th fraction but recovery of dendrimer was only about 5%. In some cases, the dendrimer may have been trapped in the column because of ionic interactions. Therefore, in later experiments, buffers with at least 20 mM salt concentration were used to eliminate the effect of ionic interactions between the gel and the solute. As an example, with 25 mM borate acid buffer at pH 9, dendrimer eluted at the 4th fraction and recovery rate was above 85% (FIG. 21). Dendrimer-polyP conjugate was then separated on the column (FIGS. 22 and 23). The dendrimers eluted at the 6th fraction, while the peak of polyP was from the 5th fraction to

the 7th fraction. Therefore, separation of free polyP from the conjugate through the Econo-Pac 10 DG Column was not achieved.

[00266] Size exclusion columns packed with Bio-Gel® P-10 gel were then used for the separation of conjugated polyP from the un-reacted polyP. Bio-Gel® P-10 Gel with a molecular weight (MW) fractionation range from 1,500-20,000 was selected, which was suitable to separate the polyP-dendrimer conjugation (MW>20,000) from the un-reacted ones (MW<13,700). The dendrimer eluted at the 10th fraction and the polyP came out at the 9th fraction (FIGS. 24 and 25), which was deemed insufficient separation.

[00267] Another separation method tested was with “glass milk”, which consisted of silica particles in aqueous solution. 1 µL of glass milk was added to 500 µL of dendrimer-polyP reaction. The glass milk and reaction was then mixed for 30 minutes with occasional vortexing. After mixing, the solution was then centrifuged for 10 minutes at 3,500 RPM. The purified supernatant was collected and the malachite green assay (which quantified phosphate following acid digestion of polyP) was performed to quantify polyP concentration against the same reaction that had not undergone glass milk purification. FIG. 26 shows a decrease in phosphate concentration of over 90% before and after the glass milk separation.

[00268] The glass milk assay was performed again and both the malachite green and fluorescamine assays were performed to ensure that only free polyP was removed by the glass milk and that the dendrimer remained in solution. The results in FIG. 27 indicated less efficient separation of polyP than the previous experiment as well as a similar decrease in primary amine and polyP concentrations before and after the glass milk assay. The concentration of primary amine in the control reaction increased from the initial amount expected before reaction, which may have been due to degradation of the reacted dendrimer over time.

Clotting tests

[00269] Plasma clotting times were tested by using a coagulometer. The sample was dendrimer-polyP conjugate which reacted at 37 °C, pH 4 for 24 hours. The clotting time for this sample was 143.8 seconds (FIG. 28).

Polystyrene (PS)-polyP conjugation

[00270] Experiments were performed for making a polystyrene (PS)-polyP conjugation. The general procedure for making the PS-polyP conjugation was as follows:

- 1-2 mL reactions were setup using conditions previously described in amine polyP reactions.

- 250 mM of 45-mer polyP was added from an aqueous bulk solution made from sodium phosphate glass purchased from Sigma Aldrich.
- 100 mM pH 4 MES buffer was added to the reaction.
- 300 mM of EDAC was added to the reaction to activate the reaction between polyP and primary amine.
- The amount of primary amine on the surface of the PS particle was characterized using fluorescamine assay. 0.21 mM of primary amine was added to the solution. This was approximately 5 times less than the concentration of polyP chains.
- The reaction was brought up to volume with DI water.
- The reaction was allowed to proceed for up to 24 hours with vigorous stirring with the concentrations of primary amine consumed tested at various time points.

[00271] Polystyrene beads (diameter of 50 nm) with primary amine as the surface functional group were used to conjugate polyP. The reaction condition was 20 °C and pH 4. After 24 hours, more than 60% of the primary amine was reacted with polyP (FIG. 29).

[00272] The stability of PS beads was tested. As shown in FIG. 30, the amount of amine was stable at 20 °C, but increased at 37 °C. In some cases, this may be due to that at higher temperature and low pH, amine groups buried inside the particles could be exposed on the surface, which may result in an underestimation of the reaction efficiency.

Gold nanoparticle-polyP conjugation

[00273] Experiments were performed for making a gold nanoparticle-polyP conjugation. The general procedure for making the gold nanoparticle-polyP conjugation is shown below.

General Reaction Mechanism:

A. A bulk solution of the thiol-amine ligands of 10.2 mM was made in water and stored at 4 °C.

B. PolyP and amine ligands were reacted as previously described with a ratio of 5:1 excess of polyP. Reactions were performed in pH 4 MES Buffer at 37°C and at ambient temperature (25°C).

C. The amount of reacted ligand was determined using the fluorescamine assay.

D. Thiol-reacted ligands were bound to 5 nm citrate-coated gold nanoparticles by adding a 20x dilution of the ligand reaction with an excess of 50:1 thiol ligand to gold nanoparticles.

About 12-16 ligands were bound to each nanoparticle based on studies that found that 130 ligands were normally bound to 15nm gold nanoparticles.

E. The mixture was periodically vortexed and continuously mixed for 8 hours.

F. The gold nanoparticle mixture was centrifuged at 13,500 RPM for 20 minutes to remove excess polyP and unbound ligands.

G. The supernatant was removed and the pellet was washed and resuspended with 450 μ L DI water.

H. The centrifuging and washing was repeated twice.

I. UV spectroscopy, malachite green assays, and fluorescamine assays were performed to quantify the number of polyP chains bound the surface of the gold nanoparticle.

[00274] A preliminary study of the reaction of amine ligands with polyP at 37°C demonstrated that primary amine levels decreased around 75% after 24 hours of reaction, indicating a 75% reaction completion of amine with polyP. However, the level of primary amine increased to approximately half of its control concentration after 48 hours which suggested that bonds may have hydrolyzed. The concentration of amine in the control at 37°C did not substantially change, which may indicate that the difference in the reaction amine concentration cannot be explained by the assay itself (FIG. 31). A calibration curve of primary amine concentration at excitation and emission wavelengths of 410 and 480 nm, respectively, is shown in FIG. 32.

[00275] The thiol-amine ligand reaction with polyP at room temperature was shown to have been completed between 75% to 80% of the ligands in solution. FIG. 33 details the results of the reaction optimization. The concentrations in the above reaction scheme except with a 0.42 mM concentration of amine bound ligand, yielded approximately a 5:1 ratio of polyP chains to amine. Comparing the reactions performed at 37°C with the ones performed at room temperature indicated that the bonds of the amine-polyP hydrolyzed at 37°C over time. Therefore, both reactions had similar efficiencies and after 72 hours at room temperature more than 75% amine was consumed.

[00276] Different ratios of polyP to amine were tested, which may affect the final ratios of amine-thiol ligand to the polyP-thiol ligand. The completed reactions mixed with gold nanoparticles were pelleted after centrifugation (FIG. 34).

[00277] Modification of the gold nanoparticles may also be performed, such as, but not limited to: (1) producing various particle sizes; (2) modifying with other reaction mechanisms; and (3) separation and purification. To demonstrate that the core material does not substantially affect the

clotting kinetics, experiments may be performed to: (1) compare the gold-polyP conjugates with other particles, and (2) crosslink a thin polymer layer and then dissolve the gold.

Particle Design and Tests

[00278] Experiments were performed to design and synthesize solid and porous nanoparticle materials that exhibit biocompatibility and rapid thrombus formation. In certain embodiments, the nanoparticles restricted activity to a local region of above-threshold coagulation activity. Experiments were performed on two nanoparticles – procoagulant silica and medical implant compatible titania. The nanoparticle scaffolds were functionalized with a procoagulant compound – thrombin, tissue factor, or polyP – to form a threshold-switchable particle (TSP) that further promoted clot formation. Thrombin, a protein in the coagulation cascade, has a hydrodynamic radius of roughly 8.4 nm. A porous nanoparticle with a minimum pore size of 10 nm can be loaded thrombin. Characterization of the particles included microscopy, zeta potential, dynamic light scattering, and other tests. Thromboelastography (TEG) plasma clotting experiments were used to study the procoagulant activity of functionalized and un-functionalized nanoparticles introduced to recalcified pooled normal plasma (PNP).

Silica Nanoparticle Synthesis – Mesocellular Foam

[00279] Experiments were performed to synthesize a porous nanoparticle with a diameter smaller than 200 nm and a pore size greater than 20 nm. A nanoparticle of this size may facilitate a reduction in organ damage, while being able to transport and deliver thrombin and other coagulation factors.

[00280] Experiments were performed to synthesize a mesoporous mesocellular foam with a 26 nm pore size (MCF-26) and particle diameter below 1 μm . Mesocellular foams (MCF) with pore sizes of 11.2 nm, 24.3 nm, and 30.9 nm pore size were created. The foams were characterized using BET. Window size was determined from desorption isotherms using the Broekhoff- de Boer (BdB) method; pore size from the adsorption isotherm using the same BdB method. Particle diameters were measured using scanning electron microscopy (SEM) imaging. The experiments demonstrated the ability to precisely define pore sizes in the range desired for enzyme and large biomolecule delivery using a particle size < 200 nm, which may be useful for cardiovascular delivery.

[00281] A second synthesis procedure was used for the synthesis of flocculated mesoporous silica (FMS) particles with nanofiber or nanosphere morphology (FMS-nf, FMS-ns). FMS-nf and FMS-ns were chosen to synthesize nanoparticles under 200 nm. Dynamic light scattering indicated

a particle size of 250 +/- 50 nm. Capping and coagulation experiments were carried out using FMS silica nanoparticles.

[00282] These two procedures used solution sol gel or colloidal silica precursors. The silica synthesis methodology was based on the poly(lactic-co-glycolic acid) (PLGA) method for drug delivery as shown in FIG. 35A and 35B. The silica synthesis procedure used trimethylbenzene (TMB) and NH_4F used in the MCF synthesis; and a triblock copolymer, P123, combined with a cationic surfactant, CTAB, to create a liquid silica precursor. Using this approach, silica particles with average nanoparticle diameters of 125 +/- 25 nm were synthesized. The 18.2 nm pore size was sufficient for embedding thrombin.

[00283] Nitrogen adsorption/desorption isotherms and pore size distribution for all three mesocellular foams were analyzed. FIG. 36 shows the x-ray diffraction pattern and FIG. 37 shows the scanning electron microscopy images for MCF-24. FIG. 38 shows a graph of pore size distribution of mesocellular foams calculated desorption branch by BJH method. FIG. 39 shows a graph of pore size distribution of porous silica calculated desorption branch by BJH method. Finally, Table 1 lists the properties for all three mesocellular foams.

Table 1 – Textual properties of synthesized mesocellular foams

MCF Sample	BJH Window Size (nm)	BJH Cell Size (nm)	BET Surface Area (m^2/g)	Pore Volume (cm^3/g)
MCF-11	11.2	19.3	591.7	1.7
MCF-24	24.3	39.3	321.0	2.4
MCF-31	30.9	42.4	222.4	1.6

Titania Nanoparticle Synthesis

[00284] The use of solid silica and titania nanoparticles as carriers may also facilitate a restriction of coagulation activity to a localized threshold region. Solid silica nanoparticles with particle diameters between 5-100 nm may be synthesized. Capping procedures can be used to bind polyP and coagulation factor proteins to the nanoparticle surface. Solid silica nanoparticles with defined system residence times, polyP and thrombin loadings may facilitate a restriction of their activity to a local region of above-threshold coagulation activity.

[00285] Titania nanoparticles were synthesized via a phosphoric acid pathway and characterized using SEM and X-ray diffraction. The particle diameters averaged 225 +/- 50 nm. Along with the silica FMS, titania particles were used in functionalization studies.

[00286] FIG. 40 shows SEM images of TiO₂ synthesized via the phosphoric acid pathway. The conjoined nature of the separate particles occurred due to sputtering for SEM imaging.

Iron Oxide

[00287] The use of iron oxide nanoparticles as carriers may also facilitate a restriction of coagulation activity to a localized threshold region as well improve identification of particle distribution throughout the cardiovascular system. Capping procedures can be used to bind polyP and coagulation factor proteins to the nanoparticle surface. Solid silica nanoparticles with defined system residence times, polyP and thrombin loadings may facilitate a restriction of their activity to a local region of above-threshold coagulation activity.

[00288] Solid iron oxide nanoparticles with particle diameters between 5-500 nm may be synthesized by reacting tris(acetylacetonato) iron(III) (Fe(acac)₃) in organic solvents such as oleylamine and oleic acid, benzoic acid or another solvent to make hydrophobic iron oxide. The hydrophobic particles can be converted to hydrophilic by functionalizing the surface with poly(acrylic acid) (PAAc) in diethylene glycol (DEG) at high temperatures above 100°C. The iron oxide particles functionalized with PAAc can be Hydrophilic iron oxide particles may be synthesized in aqueous solutions using iron (III) chloride and iron (II) chloride as a precursor.

PolyP Capping

[00289] Experiments were performed on two polyP capping pathways. The first pathway utilized the Lewis acid properties of both silica and titania. The process of Lorenz et al., *Anal. Biochem.*, 1994, 216:118-26, was adapted by replacing zirconia with either silica or titania. The negative shift in zeta potential illustrated in FIG. 36 indicated that polyP successfully bound to its target.

[00290] The second pathway used (3-aminopropyl)-triethoxysilane (APTES) to form a bridge between the nanoparticle and the procoagulant material. The primary amine terminus of APTES bound with proteins or EDAC-modified polyP. PolyP bound to amine surface strip wells using EDAC, polyP, APTES-modified silica, and 2-(N-morpholino)ethanesulfonic acid (MES). Zeta potential and Fourier transform infrared (FTIR) spectroscopy showed that the nanoparticles had been functionalized with APTES. Zeta potential measurements were used to determine that the polyP bound to the particles. FIG. 41 shows a FT-IR spectrum of unmodified and APTES-modified titania nanoparticles. C-H, N-H, and Si-O-Si bands indicated successful attachment of APTES to

TiO₂ molecules. FIG. 42 shows a graph of zeta potential titration of unmodified and modified titania nanoparticles.

[00291] Capping polyP to the nanoparticle surface via APTES can result in a polyP “corona” effect where the polyP covers the particle surface and acts as the sole agent. Coverage may refer to full coverage of the particle or to where enough of the particle’s surface is covered to render the surface’s activity nonfunctional. This corona effect can improve the agent’s viability for use internally to improve the agent’s targeting. The polyP “corona” effect can be induced using APTES linkage, EDAC ester linkage, carboxylic acid linkage or other forms of linkage to attach the polyP to the surface of the nanoparticle.

[00292] A third pathway used EDAC to form an ester linkage between polyP and inorganic oxide nanoparticle surfaces. Nanoparticles such as silica or iron oxide were dispersed in deionized water at 70°C. A solution of polyP and EDAC in deionized water was added to the nanoparticle solution. The resulting solution was stirred at 70°C for 75 minutes. Solid nanoparticles were recovered through centrifugation and drying overnight.

[00293] PolyP can also be capped to nanoparticles using PAAc as an intermediary. Attaching PAAc to a particle such as iron oxide can make the particle more stable in water and thus more amenable to polyP capping.

Protein Capping

[00294] Experiments were performed for capping solid nanoparticles with thrombin using the APTES mechanism described above. The mechanism involved binding a slowly deprotected thiol on the APTES-nanoparticle scaffold to the thiol-reactive group on the protein. This pathway may minimize aggregation of particles and proteins due to a fast reaction rate that would result in one particle binding to one protein.

[00295] Other active agents can be integrated with the nanoparticles to treat internal wounds. For example, a tissue factor (TF)-Nanodisc agent can be used to initiate coagulation. In addition, delivering additional fibrinogen to a wound site can replenish the fibrinogen concentration and may lead to a stronger clot.

Thromboelastography

[00296] Several silica samples – both naked and polyP capped – were tested for procoagulant activity using plasma in a thromboelastograph (TEG) instrument. The TEG measurement focused on four coagulant parameters: R, time until first clot; K, time from initial clot formation to 20 mm

clot diameter; α , clot formation speed; MA, clot strength. As listed in Table 2, these data indicated that the polyP-capped silica decreased the time and speed of clot formation.

Table 2 - TEG measurements for controlled pooled normal plasma, FMS-ns, and polyphosphate-modified FMS-ns.

Run	R(min)	K(min)	Angle(deg)	MA(mm)
Control Average	13.40	3.70	55.63	37.77
Control St. Dev.	1.28	0.36	7.75	8.35
FMS-ns Average	7.98	1.98	63.93	31.25
FMS-ns St. Dev.	0.67	0.95	12.19	6.43
FMS-ns-PolyP Average	7.03	1.30	77.63	28.43
FMS-ns-PolyP St. Dev.	0.50	0.46	3.52	2.32

Biocompatibility

[00297] Experiments were performed to examine the cytotoxicity of MCF-26 on human cells. Experiments were performed to test MCF-26 absorption by HUVEC (Human Umbilical Vein Endothelial Cells), HEK-a (Human Embryonic Kidney), HDF-a (Human Dermal Fibroblast), HPTC (Human Renal Proximal Tubule), HK-2 (Human Kidney 2), and NIH-3T3 fibroblast cells. The cytotoxicity studies showed that MCF-26 nanoparticles are not toxic, even at high concentrations. Typically, silica particles have IC₅₀ values in the $\mu\text{g/ml}$ concentration range. Even for the highly sensitive HUVEC cells, MCF-26 IC₅₀ values ranged between 0.7-6.3 mg/ml. Cells did not readily absorb MCF-26 particles until the concentrations reached the mg/ml scale. FIG. 43, left, shows images of the uptake of various samples by HUVEC (Human Umbilical Vein Endothelial Cells), with Ag NP concentration of 10 $\mu\text{g/ml}$; Kaolin concentration of 10 $\mu\text{g/ml}$; and MCF-26 concentration of 100 $\mu\text{g/ml}$. FIG. 43, right, shows images of the uptake of various samples by HDFs, with Ag NP concentration of 20 $\mu\text{g/ml}$; Kaolin concentration of 20 $\mu\text{g/ml}$; and MCF-26 concentration of 100 $\mu\text{g/ml}$. Table 3 shows IC₅₀ (mg/ml) and % viability values of neural red uptake assay of MCF-26.

Table 3 – Neural red uptake assay values for MCF-26.

Cell Type	IC ₅₀ (mg/ml)	% Viability at C _{max} = 7 mg/ml
HUVEC 5117	6.3 $\pm$ 0.2	50% $\pm$ 3.4 %
HUVEC 5025	2.1 $\pm$ 0.8	26.6 % $\pm$ 6.7 %

HUVEC 3516	0.7 ± 0.0	$20.8 \% \pm 2.0\%$
HDF-a (ScienCell)	2.0 ± 0.2	$13.4 \% \pm 2.8 \%$
HDF-a (PromoCell)	5.6 ± 1.4	$39.5 \% \pm 8.0 \%$
HDF-a (ATCC)	5.0 ± 0.7	$41.4 \% \pm 3.1 \%$
HEK-a 6940	> 7.0	$91.9 \pm 8.6 \%$
HEK-a 6937	> 7.0	$59.8 \% \pm 4.4 \%$
HEK-a 6539	> 7.0	$77.5 \% \pm 3.1 \%$

[00298] In summary, the above experiments demonstrated: clotting was stimulated up to 4-fold by activating pairs of clotting factors, with no further stimulation using three activating pairs of clotting factor; PAMAM dendrimer-based, polyP-containing procoagulant nanoparticles were synthesized and tested for stability and activity; polyP-containing polystyrene procoagulant nanoparticles were synthesized and tested for stability and activity; polyP-containing gold procoagulant nanoparticles were synthesized and tested for stability and activity; the synthesized nanoparticles had a 125 ± 25 nm particle diameter and 18.2 nm pore size; porous silica was determined to be biocompatible with human cells; particle synthesis procedures for delivery of thrombin, which has a hydrodynamic radius of 8.4 nm, were developed; titania particles with 225 ± 50 nm average diameter were synthesized; polyP chains were attached to silica and titania nanoparticles using Lewis acid-base chemistry and APTES-EDAC mechanism; and procoagulant activity of silica and polyP-bound silica were quantified.

EXAMPLE 3

[00299] Experiments were performed on solid silica nanoparticles ranging from 10-150 nm in diameter. The silica acted as a scaffold upon which the procoagulant agents attached. Particles of this size can flow through small vessels in the blood stream.

[00300] Gold nanoparticles of 10nm and 15nm diameter were selected as base particles in addition to the 5nm gold nanoparticles that were initially investigated. The maximum numbers of polyphosphate chains that can be added to each particle based on theoretical analysis are: 64 and 144 for the 10nm and 15 nm gold particle, respectively. The different size particles contained distinct, known numbers of polyphosphate chains. In certain embodiments, nanoparticles bigger than a threshold size with conjugated polyphosphate more than the critical number triggered blood clotting.

[00301] Experiments were performed on solid silica nanoparticles under 200 nm as the delivery agent. Polyphosphate was attached to a silica scaffold using the Lewis acid-base properties of silica and polyphosphate. 70 mer length polyphosphate (P70) was used, as this length roughly correlates to the size of polyphosphate secreted by human platelets during clotting.

[00302] Additionally, thrombin was attached to solid silica using a protein cross-linker. The mechanism for attachment is shown in FIG. 44. By functionalizing silica with 3-Aminopropyltriethoxysilane (APTES), the silica acted as a protein for cross-linking purposes.

[00303] Experiments were performed to test solid silica nanoparticles with covalent linkages to the coating. The first system was polyphosphate attached datively to bare oxide or covalently to aminopropyl terminated silica nanoparticles. The second was a linker system for protein and/or peptide coupling. The coupling results used a protected thioacetyl coating on the particles and a thiol reactive ortho-pyridyl disulfide (OPSS) carried on lysines of the protein. Hydroxylamine deprotection of the particles was verified using the thiol sensing colorimetric assay (FIG. 45). OPSS-thrombin and dye-labeled albumin-OPSS serve as model proteins (FIG. 44). Silica-thioacetyl was prepared in two steps from silica. Thiol deprotection was verified by 5,5'-Dithiobis(2-nitrobenzoic acid) (DTNB). Sample D had reagents but no silica, and in sample E, silica-SATP generated intense color indicating successful deprotection.

[00304] Polyphosphate polymers of a wide variety of polymer lengths were prepared by large-scale preparative electrophoresis for size-fractionating polyphosphate. These materials were used as one of the procoagulant payloads for the nanoparticles. In some instances, the procoagulant activity may depend on the polyphosphate polymer lengths. Linking chemistries for covalently attaching polyphosphate to targeting molecules and nanoparticles included indirect coupling by first attaching polyamines to the terminal phosphates, and then using amine-reactive probes to link to the terminal amino groups.

[00305] The same reaction scheme was used to conjugate polyphosphate onto gold nanoparticles. Ratios of the reactants (thiol-polyphosphate to gold nanoparticles) and gradients of solution ionic strength were varied to produce maximum conjugation of polyP onto gold particles (5nm, 10nm, and 15nm). Separation of the conjugates from free polyphosphate was performed by centrifugation. Centrifugation was tested at various polyP and gold nanoparticle concentrations to (1) remove free polyphosphate efficiently; (2) prevent particle aggregation; and (3) to minimize loss of gold nanoparticles. After the reaction between thio-bound polyphosphate and gold nanoparticles, as well as after centrifuging, TEM images were taken to determine whether smaller

non-visible aggregates had formed. The images indicated that aggregation pre-centrifugation was minimal with a small percentage of 2 and 3 particle clusters.

[00306] Experiments showed that a roughly 250 nm solid silica nanoparticle bound to polyphosphate accelerated clotting compared to recalcified plasma using thromboelastography (TEG). Experiments were performed to further quantify the procoagulant activities of silica, polyphosphate, and polyphosphate bound to silica. Various sizes and concentrations of silica were tested. P70 was bound onto a smaller silica scaffold. Even at a mg lower concentration, the silica-P70 TSP showed a decrease in R time by about 0.5 min.

[00307] Experiments were performed to test the procoagulant activity of polyphosphate in solid and solution phases without a scaffold attachment. The tests showed increased clotting times and weakened clot strength when compared to recalcified plasma, which indicated that the polyphosphate of relatively short polymer sizes may be attached to a scaffold to function as a procoagulant. Attaching multiple copies of these shorter polymers to the same nanoparticle may allow a localized assembly of multiple clotting proteins similar to what would be observed with a single, long polyphosphate polymer.

EXAMPLE 4

[00308] Experiments were performed on silica nanoparticles (SNPs). The silica acted as a scaffold upon which the procoagulant agents attached. Particles of the studied size can flow through the smallest vessels in the blood stream. Silica nanoparticles between 1-10 nm and 50-150 nm were tested.

[00309] The effect of the silica particles' size and concentration on coagulation was measured. Particles above 50 nm were synthesized in the laboratory following a modified Stöber method (Stober W., et al., *J. Colloid & Interface Sci.*, 26(1), 62-69) and recovered using centrifugation. The different nanoparticle sizes were obtained by varying the amounts of tetraethoxysilane (TEOS) and ammonia. Sigma Aldrich supplied Ludox silica nanoparticles below 10 nm. Silica nanoparticles below 50 nm were isolated by ultrafiltration and ultracentrifugation.

[00310] Size-dependent clotting experiments were performed to compare the various silica particles at a fixed concentration of 0.68 mg/mL, which was defined in other experiments to be in the range of high activity (FIG. 46). A minimum R value, the time to initial clot formation, occurred at a particle size of 55 nm. The 55-nm particles showed an R value of 3 min (FIG. 47), which was suitable for testing surface-attached polyphosphate.

[00311] Concentration experiments focused on 55-nm silica particles, tested at concentrations of 0.14 mg/ml, 0.34 mg/ml, 0.68 mg/ml, 1.35 mg/ml, and 2.70 mg/ml. The resulting data (FIG. 47) identified ~0.6 mg/ml bare silica as the threshold for a minimization of R. At this concentration, the R value averaged 3 min. The R value remained near 3 min for double the silica (1.35 mg/ml) and then rose slightly to 3.5 min at 2.70 mg/ml. High concentration may result in aggregation or dilution of plasma factors over the surface area. The particles were stable over a wide concentration range (FIG. 48) and were testing in buffers and high-salt, serum conditions.

[00312] The R value was dependent on concentration until the threshold condition was met, over which R remains low and stable.

[00313] PolyP45-labeled gold nanoparticles (5 nm, 10 nm, 15 nm, and 50 nm) were separated from free polyP45 by centrifugation. More than 90% of the polyP-labeled gold nanoparticles were recovered and 99% of the polyP45 that was not covalently bound to the particles was removed.

[00314] As shown in FIG. 47, silica-based surfaces enhanced clotting above a threshold concentration. Different types of coatings were tested. APTES- functionalized silica was used to link with a variety of compounds. Amine functionalization of the surface was used and clotting effects were compared provide a pro-coagulant surface while introducing conjugate handles for attachment of polymers, peptides, or proteins.

[00315] Silica Nanoparticles (SNP) (FIGS. 46-48)

- 1) -polyphosphate (FIG. 49)
- 2) -APTES; Low to high (FIGS. 50 and 51)
 - a. -APTES-polyphosphate
 - b. -APTES-PEG (FIG. 49)
 - c. -APTES-PEG-Peptide
 - d. -APTES-link-Peptide
 - e. -APTES-link-Peptide-PEG

[00316] The polyphosphate used in FIG. 49 was a ~70-mer length (P70) that was chosen for its similarity to the size of polyphosphate secreted by human platelets during clotting. P70 directly adsorbed to silica was found to slightly increase the particle size (by several nm). Polyphosphate may be attached to silica via an APTES bridge, based on the covalent derivatization technology for polyphosphate. Silica nanoparticles with APTES are shown in FIGS. 50 and 51. APTES-specific anchoring may yield higher surface density or an improved conformation, e.g., brush anchored by only terminal phosphates.

[00317] FIG. 50 shows the clotting factor R for a series of APTES-Silica (SNP- NH₂). The polyphosphate can be coupled using EDC, and pH-dependent zeta potential can be monitored relative to the SNP-NH₂ starting material as in FIG. 50. The same APTES strategy can be used as a point for attaching PEG, peptides for targeting or enzyme activation, and/or proteins. Reactive linkers can be employed, for example amine reactive NHS- linker-Maleimide or NHS-linker-OPSS for subsequent thiol attachment. Thiols can be carried on the dye-labeled peptides or introduced into proteins using 2-iminothiolane or N-Succinimidyl S-Acetylthiopropionate (SATP).

[00318] In certain embodiments, a protease-sensitive coating can be removed once above-threshold conditions are met, e.g., a prothrombinase-sensitive IEGR peptide linker sequence. The coating may include large-molecular-weight PEGs attached through peptide linkers to a shared silica core nanoparticle, whose surface activity is reduced by the presence of the PEG. Fluorescein-labeled peptides can be used for quantification after coupling. PEG or other passivating polymers may be used to (i) increase the half-life of silica in the blood stream, (ii) reduce cellular uptake, and (iii) reduce protein adsorption to the active, yet hidden surface.

[00319] Experiments were performed to test SNPs with and without adsorbed polyp. The SNPs with attached polyP had increased procoagulant activity compared to SNPs without polyP.

[00320] Cystamine (a disulfide compound with two terminal primary amines) was conjugated with polyP45 at reaction efficiencies of 90% by buffering the reaction at pH 9 with MES and allowing the reaction to proceed at room temperature for 24 hours. The binding of polyphosphate to cystamine occurred via phosphoramidate bond formation between the terminal phosphate and the primary amine. Next, dialysis (MWCO 2000) was used to remove the unreacted cystamine. The conjugate was then added to the gold nanoparticles to replace the citrate. By controlling the reaction time and ionic strength of the suspension, the number of polyP chains conjugated to one nanoparticle can be varied. The following polyP45-Au nanoparticles were synthesized and tested on a coagulometer to measure Factor X-mediated clotting activities, as outlined in Table 4, below:

Table 4 - polyP45-Au nanoparticles

Sample Name	NP Diameter (nm)	Contains PEG	MonoP (μM)	Au (nM)	Agg. #	Volume (uL)
56_10	10	No	19.48	15.5	28	700
57_10	10	No	20.3	14.7	30.8	500
59_10	10	No	31.4	12.9	54.2	380

M9_10	10	No	10.6	6.1	38.7	930
M9_15	15	No	12.6	4.95	56.6	700
10_A1D	10	No	10.9	11.3	21.6	210
10_A1D- 2:1peg	10	Yes	9.8	16.2	13.4	250
15_A1D	15	No	4.96	2.61	42.2	600
50_A1D	50	No	6.93	0.245	628	100
10_10	10	No	53.5	17.4	68	500
16_10	10	No	9.8	14.7	14	700
9_5	5	No	56	56	22	640
14_5	5	No	4.59	78	1	940

[00321] Based on the tests of the above samples: (1) there was no correlation between clotting time and aggregation number for 10 nm particles at constant phosphate concentration (9.8 μ M) (FIG. 52); and (2) Clotting time depended on phosphate concentration (FIG. 53).

[00322] Experiments were performed on mechanisms for attaching polyphosphate (P70) to the surface of solid silica nanoparticles. APTES was used to attach the P70. Conjugation of PEG to the amines modulated the R value. In certain embodiments, proteolytic cleavage could unmask and expose the pro-coagulant surface. For example, enzyme-recognition peptides may be used to hold the PEG to a low-APTES silica. In a reverse orientation, where peptide is on the outer tip of the PEG, the damaged vascular surface, activated cell surfaces, or fibrin may be targeted. Proteins such as thrombin and tissue factor similarly masked by PEG may be carried in a protected form by nanoparticles to the site of interest.

[00323] Bare silica was tested to determine clotting values based on size and concentration (FIGS. 46-48). The same were used on P70-bound silica nanoparticles to identify thresholds that induced coagulation (FIG. 49). In certain embodiments, the short clotting times of P70-bound silica may facilitate treatments that target an internal wound. For example, particles whose concentrations are below the threshold level may be used to prevent undesired general clotting when in the general circulation. Materials may be spatially targeted to specific surfaces (e.g., wounded endothelial) to concentrate the material to above-threshold clotting behavior. Protecting the particles with PEG, which is cleaved off by factors present at the target site, may facilitate control over the location where coagulation is initiated.

EXAMPLE 5

[00324] Experiments were performed on the conjugation reaction to attach polyphosphate on gold nanoparticles and the purification procedure. The purification process of gold nanoparticles involved the removal of excess, free floating polyphosphate left in the solution. A micro centrifuge (Labnet Spectrafuge 16M Microcentrifuge, Labnet International, NJ) was used to purify the samples. The centrifuging studies were done first to obtain the conditions for the removal of ~99% free floating polyP and recovering most of the gold particles (~90%) without causing aggregation. Depending on the size of the gold nanoparticles, the following conditions were used (Table 5):

Table 5. Size-dependent centrifugation conditions.

Au NPs size	Rpm	G force	Time to pellet	Centrifuge
10nm	8600	6000	100 min	3x
15nm	10000	8176	30min	2x
50nm	8000	5223	10min	3x

[00325] The pelleting time, t , was calculated using the following equation, (1)

$$t = \frac{k}{S} \quad (1)$$

[00326] where k is the pelleting efficiency of the rotor and S is the sedimentation coefficient. The pelleting efficiency (k) was calculated by using the equation 2 below,

$$k = \frac{2.53 \times 10^{11} (\ln(\frac{r_{max}}{r_{min}}))}{(RPM)^2} \quad (2)$$

where r_{max} and r_{min} are the maximum and minimum radii of the centrifuge respectively, and RPM is the speed in revolutions per minute. The r_{max} and r_{min} values were measured based on the type of the centrifuge used.

[00327] The sedimentation coefficient, S , can be calculated by using equation,

$$S = \frac{2(\rho_s - \rho_l)}{9\eta} \left(\frac{d}{2}\right)^2 \quad (3)$$

where ρ_s and ρ_l are the densities of gold nanoparticles and water, respectively, η is the viscosity of water, and d is the diameter of gold nanoparticles.

[00328] After each centrifugation, the supernatant containing free-floating polyP was removed and the pellets were re-suspended with 2 mM MES at pH 9 to ensure the stability of the polyP-

cystamine ligand. The pH of the samples affected the P-N bond hydrolysis. As such, the particles were resuspended with the buffer at the pH higher than 7. The resuspended samples were vortexed for 30 seconds and the centrifugation was repeated as specified in Table 6.

Table 6. Size-dependent centrifugation conditions.

Au NPs size	Rpm	G force	Time to pellet	Centrifuge repeat
10nm	8600	6000	100 min	3x
15nm	10000	8176	30min	2x
50nm	8000	5223	10min	3x

[00329] Experiments were performed on multifunctionalized silica nanoparticles (SNPs) as well as titania (TNP) and silica coated silver nanoparticles (Ag@SNP). The inorganic materials acted as the scaffold upon which the procoagulant agents attached. Nanometer-scale particles can flow through small vessels in the blood stream. Selective covalent PEGylation may be used to minimize adverse effects. FIG. 54 shows representative TEM images of the SNP synthesized with mean diameter dimensions in the range of sub-100 nm.

[00330] The effect of the silica particles' size and concentration on coagulation were measured. Particles above 10 nm in mean diameter were selective-size synthesized following a modified Stöber method and recovered using centrifugation. The different nanoparticle sizes were selectively obtained by varying the amounts of tetraethoxysilane (TEOS) and ammonia (NH₄OH). FIG. 55 shows the particle size as a function of the NH₄OH percentage at fixed TEOS and ethanol concentrations. Ludox silica nanoparticles below 10 nm (Sigma-Aldrich) were also examined. Silica nanoparticles below 50 nm were isolated by ultrafiltration and ultracentrifugation. Yields were over 50% for syntheses using more than 4 % NH₄OH (FIG. 56). The smaller amount of ammonia used to make the smallest particles may inhibit catalysis of the TEOS in the hydrolysis reaction. Experiments synthesizing particles below 20 nm also exhibited a bimodal size distribution when measured using DLS. The bimodal sizes distribution may be due to the low concentration of ammonia.

[00331] Tracking the delivery of nanoparticles to the wound using imaging may be facilitated by using silver nanoparticles coated with silica of about 10nm thickness (Ag@SNP, FIG. 57). Initial experiments using Ag@SNP showed a delayed average R value of 13.8 ± 1.3 min. In some

instances, a thicker silica shell may be used to increase the concentration in the clotting essays. In addition to silver, magnetic nanoparticles may also be used for imaging as well as cluster control.

[00332] In addition to solid non-porous nanoparticles, high surface area (500-1000 m²/g), large-pore mesoporous nanospheres (MSN) may be used to deliver procoagulant proteins such as thrombin or tissue factor, or prothrombin to wounds.

[00333] Anatase titania particles were synthesized by the sol-gel method and by varying the amount of acid catalyst added to each synthesis. The resulting titania nanoparticles were tested using X-ray diffraction and DLS to determine the form (amorphous, anatase or rutile) and size of the titania.

[00334] PolyP45-labeled gold nanoparticles (5 nm, 10 nm, 15 nm, and 50 nm) were separated from free polyP45 by centrifugation. More than 90% of the polyP-labeled gold nanoparticles were recovered and 99% of the polyP45 that was not covalently bound to the particles were removed.

[00335] High MW polyphosphate (also known as “insoluble phosphate glass”) was used as the starting material for preparing polyphosphate fractions of the desired polymer lengths. The high MW polyphosphate was largely insoluble in water, as it consisted mostly of polymers that were thousands of phosphate units long. Suspending the material in an unbuffered LiCl solution and heating to 100°C for several hours with constant stirring resulted in the majority of the polyphosphate going into solution. A time-dependent shortening of the average polymer length of the polyphosphates during heating was observed. The slightly acidic pH of the polyphosphate solutions resulted in a mild acid hydrolysis of the polymers. The speed of hydrolysis appeared to increase with time, which was the result of the gradual acidification of the solution as the polyphosphate polymers were being hydrolyzed. The gradual acidification of the polyphosphate solution therefore gradually accelerated the rate of polyphosphate hydrolysis.

[00336] Hydrolysis of the phosphoanhydride bonds in polyphosphate can also be hydrolyzed by base, and as such the gradual acidification of the solution may gradually slow the rate of hydrolysis, in contrast to acid hydrolysis whose rate increased with time. Experiments were performed by adding varying amounts of LiOH to the LiCl solutions in which polyphosphate was stirred at 100°C. A gradual, time-dependent shortening of polyphosphate chains as a function of the starting LiOH concentration was observed. As such, MW polyphosphate was suspended, with stirring, in a combination of LiCl and LiOH at 100°C until the desired mean polymer lengths were obtained. This method was robust and reproducible, and was scalable to gram quantities of polyphosphate and higher.

[00337] The conditions for solubilizing and partially hydrolyzing polyphosphate with LiOH/LiCl were adjusted to yield the desired mean polymer lengths. In some instances, the method resulted in polyphosphate preparations with heterogeneous sizes. Differential precipitation of the polyphosphates using varying combinations of acetone and salt (e.g., NaCl, KCl and LiCl) concentrations may be used. In addition, combinations of varying concentrations of isopropanol and NaCl produced relatively narrow size fractions of polyphosphate, starting with high MW polyphosphate that had previously been solubilized and partially hydrolyzed using the LiOH/LiCl procedure outlined above. Using these conditions polyphosphate, from ~40 to ~1500 phosphate units long, in gram quantities and above was obtained.

[00338] Functionalizing the silica and anatase titania nanoparticles with polyphosphate or thrombin may enhance the procoagulant nature of the particles. Polyphosphate readily attached to the surface of inorganic nanoparticles to create a more potent agent. In addition to polyphosphate, thrombin may be attached to silica nanoparticles through the use of 3-aminopropyl triethoxysilane (APTES) and protein cross-linkers. Types of coatings that may be used include:

- SNP (FIGS. 54-56 and 58)
 - 3)–polyphosphate; different size (FIGS. 59-61)
 - 4)–APTES; low to high (FIG. 62)
 - a. –APTES-polyphosphate
 - b. –APTES-link-PEG (FIG. 62)
 - c. –APTES-PEG-Peptide
 - d. –APTES-link-Peptide
 - e. –APTES-link-Peptide-PEG (FIGS. 63-64)
- TNP (FIG. 65)
 - 1)–polyphosphate; different size (FIG. 66)
 - 2)–APTES; low to high (same a to e) (FIG. 67)
- Ag@SNP (FIG. 57)
- MSN

[00339] In comparison to external hemorrhage, internal hemorrhages are not directly accessible and should be accurately targeted. The particles are designed to be injected into the bloodstream and to only target and deliver at the bleeding sites. A second functionalization may be used to protect the nanoparticles from initiating clotting in healthy vessels. Nanoparticles designed for drug delivery may be coated with polyethylene glycol (PEG) to prevent unwanted activation. PEGylated

nanoparticles increased the half-life of silica in the blood stream, limited cellular uptake, and limited protein adsorption to the active, yet hidden surface. At the wound, the particle may release the PEG and initiate clotting. A peptide with an IEGR sequence that connects the particle to the PEG (FIG. 63) may be used. Activated Factor X (FXa) cleaves the peptide at the IEGR sequence, removing the PEG and leaving the activated TSP. As FXa only exists above threshold at bleeding sites, the targeting mechanism ensures that the TSP activates only where necessary.

[00340] A reverse orientation where the peptide is on the outer tip of the PEG may be used to target a damaged vascular surface, activated cell surfaces, or fibrin, for example. Thrombin and tissue factor similarly masked by PEG may be used if they can be carried in a protected form by nanoparticles to the site of interest.

[00341] Polyphosphate was attached to its nanoparticle scaffold via an APTES bridge, based on the covalent derivatization technology for polyphosphate. APTES-specific anchoring of polyphosphate may yield a higher surface density and an improved conformation. The polyphosphate coating may increase biocompatibility and specificity, conjugation versatility, and overall targetability relative to bare silica.

[00342] Experiments were performed on nanoparticles where a polyphosphate with a ~70-mer length (P70) was bound to silica in order to identify thresholds to induce coagulation. Short clotting times of P70-bound silica may facilitate targeting an internal wound. Particles whose concentrations are below the threshold level may be used in order to prevent undesired general clotting when in the general circulation. Spatially targeting the materials to the specific surfaces (e.g., wounded endothelial) may be used to concentrate the material to above-threshold clotting behavior. Protecting the particles with PEG, which is cleaved off by factors present at the target site, would add an additional level of control.

[00343] Experiments were performed to test procoagulant nanoparticles with and without adsorbed polyP, and to quantify the procoagulant activity of the nanoparticles with regard to their ability to trigger the contact pathway of blood clotting (clot initiation) as well as their activity toward accelerating the ability of FXa to clot plasma (clot propagation).

[00344] PolyP70 was used to synthesize a polyP-disulfide conjugate to covalently attach to gold nanoparticles. The binding of polyphosphate to cystamine occurred via phosphoramidite (P-N) bond formation between the terminal phosphate and the primary amine. The hydrolysis study of the P-N bond was performed to test for the stability of the polyP-cystamine ligand. The pH of the reaction was adjusted to look at the pH effect on the hydrolysis. The stability was quantified by the fluorescamine assay which detected the amount of unreacted cystamine. The increase in the amount

of unreacted cystamine indicated that hydrolysis had occurred, indicating that the polyphosphate moiety was cleaved from cystamine. Based on the results as shown in FIG. 68, the P-N bond hydrolyzed in acidic conditions at pH 6.02. It was stable above pH 7.

[00345] This hydrolysis study of the polyP-cystamine ligand was used to optimize the conditions for the gold-polyP reactions. The pH of these reactions was adjusted to be higher than 7 by adjusting them with 500mM MES buffer at pH 9. In addition, the purification process was also optimized. The nanoparticles were resuspended with 2mM MES buffer at pH 9 to ensure that the polyP was still attached to gold nanoparticles via the cystamine linker. The above conditions were used to synthesize both polyP45- and polyP70-gold nanoparticles with various aggregation numbers. The volumes of the gold- polyP reactions were also increased to obtain higher monophosphate concentration in order to increase the sensitivity of the blood clotting measurements.

[00346] The following polyP45-Au (10nm,15nm, 50nm) nanoparticles were synthesized and tested on a coagulometer to measure clotting time using human plasma.

Table 7. The sample conditions for polyP45 conjugated to gold nanoparticles (10nm, 15nm, and 50nm).

Sample	PolyP Type	MonP conc. (uM)	Au particle conc. (nM)	Aggregation #	UV-vis Peak for bulk Au	UV-vis Peak after centrifuging	Volume (uL)
10_1	45	80.00	104.7	16.98	519	523	240
10_2	45	80.00	90.34	19.68	519	524	320
15_1	45	80.00	29.29	60.70	521	523	290
15_2	45	80.00	37.33	47.62	521	523	340
50_1	45	80.00	3.74	475.34	533	533	390
50_2	45	80.00	2.03	875.75	533	533	390

[00347] The following polyP70-Au nanoparticles were synthesized (Table 8) and were tested for procoagulant activities.

Table 8. The sample conditions for polyP70 conjugated to gold nanoparticles (10nm, 15nm, and 50nm).

Sample	PolyP Type	MonoP Conc. (uM)	Gold Particle Conc. (nM)	Aggregation #	UV-vis Peak for Bulk Gold	Peak After Centrifuging	Volume (uL)
MS_26_10 nm	70	307.37	131.09	33.50	519	524	300
MS_27_15 nm	70	311.63	67.08	66.37	521	522	250
MS_28_50 nm	70	312.63	8.62	518.05	532	533	200

[00348] Results (FIG. 69) using the particles in Table 8 showed that 50 nm gold particles with the highest aggregation number had the highest procoagulant activities (i.e., shortest clot times when tested at ~6.5 uM phosphate). These results demonstrated that the procoagulant activity of the gold particles was modulated by the number of polyphosphate molecules/particle.

[00349] Attaching polyphosphate P70 to the surface of solid silica nanoparticles through APTES may facilitate specific functionalization of threshold-switchable particles, TSP, which induce clotting solely at the desired wound site.

[00350] In addition to P70, longer chain polyphosphates (~700-mer, P700) may be used. Polyphosphate with a size range above 500-mers initiated the contact or intrinsic pathway of blood clotting. The P700 can be attached to the scaffolds using the same methods described above.

[00351] Clotting experiments described above compared the silica particles at either a fixed concentration of 0.68 mg/mL (25 mg/mL stock solution) or at a fixed size of 55 nm to determine high activity range boundaries. Each particle formed an initial clot (R) between 3 and 5 min. The threshold for minimum R value occurred at a particle size of ~30 nm.

[00352] Using 55-nm silica particles, ~0.6 mg/ml (30 mg/mL stock) bare silica was identified as the threshold required to minimize R. At this concentration, the R value averaged 3 min (compared to 12-16 minutes without silica). The R value remained near 3 min for double the silica (1.35 mg/ml) and then rose slightly to 3.5 min at 2.70 mg/ml. The increase in R at high concentrations may have occurred as a result of particle aggregation or dilution of plasma factors over the particle's surface area. Regardless of concentration, DLS tests confirmed that the particles maintain stability and size. At low particle concentrations, the R value was high. As the particle concentration increased, R decreased until the threshold condition was met. At this point, R remained low and stable until the particle concentration became high enough to inhibit clotting. FIG. 58 shows a narrow range of concentrations near the optimum value for different particle size

SNP. In addition to the clotting time (R) other parameters were also evaluated, such as rate of clot formation, and clot size, since the agents attached on the particle might not affect the initial clot formation time, but could accelerate the clotting when initiated or could result in the formation of a bigger clot.

[00353] The polyphosphate used in the assays was a ~70-mer length (P70) chosen for its similarity to the size of polyphosphate secreted by human platelets during clotting, and which activate FV. P70 directly adsorbed to silica was found to slightly increase the particle size (by several nm). Samples of bare and P70-bound 55-nm silica nanoparticles were tested for polyphosphate quantification and coagulation. The results are shown in FIG. 59(a) and 59(b), which show that P70-bound SNPs significantly decreased clotting time when compared to bare SNP.

[00354] The clotting properties of the anatase titania were also tested. The clotting times of the four acid-catalyzed syntheses shared similar clotting times. The titania formed at neutral pH exhibited a lower clotting time (T4 in FIG. 65). Concentration-dependent experiments also confirmed that when diluted, the clotting activity diminished. When functionalized with P70, the T4 samples further reduced clotting time (FIG. 66).

[00355] Clotting tests were performed using FXII deficient plasma (FIG. 60) to study the mechanism by which P70-bound nanoparticles induce clotting. As they activate clotting through FXII activation and the intrinsic pathway, the bare nanoparticles do not induce clotting in the FXII deficient plasma. With the intrinsic pathway blocked, coagulation only occurred through the addition of tissue factor (TF) and the extrinsic pathway. Since P70 accelerated coagulation through FVa, a combination of TF and P70-bound silica improved clotting via the ability of polyphosphate to accelerate the propagation phase of blood clotting. Various mixtures of TF and nanoparticles were compared. The two lowest clotting times occurred as a result of either 1 ng/mL TF or 0.5 ng/mL TF mixed with 0.676 mg/mL P70-bound silica. Though the two conditions shared a similar clotting time, the P70-bound silica rapidly accelerated clot growth as illustrated by the larger coagulation index score (FIG. 61). The P70-bound silica also gave reproducible conditions, which may facilitate a reduction in adverse side-effects. The tissue factor formed a small clot rapidly upon addition to plasma, but the clot grew at a slow pace. These tests showed that even under adverse conditions the P70 bound particles quickly increased clotting through mediating FXa and thrombin. As such, polyphosphate can accelerate thrombin production at an in progress bleed and thus limit blood loss.

[00356] When bound to the nanoparticle surface, APTES and other cross-linkers reduced the active surface for coagulation (FIGS. 62 and 64). Experiments were performed to vary the ratio of APTES to silica in order to optimize a TSP that would retain a dual nature – inert in healthy blood vessels and procoagulant when activated. When functionalized solely with APTES, the TSP retained its procoagulant nature. When PEG attached to the TSP via the APTES bridge, the TSP was protected. Using 5k or 20k sized PEG decreased clotting times so that they were comparable to that obtained using recalcified plasma. Replacing silica with titania as the scaffold resulted in similar clotting times (FIG. 67).

[00357] A TSP was prepared that remained unactivated in healthy blood vessels, while being activated at a wound site in order to obtain an effective internal bleeding therapeutic agent that is only active at the bleeding site while remaining unactivated in healthy blood vessels. FIG. 64 shows that, apart from the APTES, the nanoparticles remained active even when the SPDP linker and the peptide were attached, since the clotting time remained low. When the PEG was attached the clotting time was comparable to that of recalcified plasma without the particles, thus establishing that the PEGylated nanoparticles with PEG molecular weight greater than 5k were non-coagulant. Enzymes may be used to cleave the peptide and release the PEG. For example, an IEGR sequence in the peptide and FXa as the enzyme may be used. The proteolytic activity of the enzyme can be quantified by fluorescence and its reaction rate (enzyme kinetics) compared with TCEP, a potent versatile reducing agent.

[00358] In addition to TEG, the coagulation threshold response was tested using a thrombin-specific blue coumarin dye. A small concentration of dye was added to the recalcified plasma. As clotting progressed and thrombin activated, the thrombin cleaved the coumarin dye causing the solution to fluoresce. For instance, the thrombin burst signified by the fluorescence may indicate clot formation. A fluorescence microscope captured the qualitative change as shown in FIG. 70. A microscope and/or a plate reader was used to monitor clotting through the dye's fluorescence. The plate reader can measure up to 96 samples at the same time. This allowed the study of several TSPs along with a standard thrombin concentration concurrently to determine the most active TSP. Particles clustered together as well as those that are finely dispersed in plasma can be studied.

EXAMPLE 6

Threshold-Switchable Particles (TSP)

[00359] Experiments were performed to develop targeted delivery of nanoparticles functionalized with controlled amounts of polyP. These tunable particles are able to selectively

target sites of injury in response to appropriate stimuli such as a drop in temperature without the induction of clotting at other locations in the body.

[00360] High MW polyP preparation (also known as “insoluble sodium phosphate glass”) was used as the starting material for preparing polyP fractions of the desired polymer lengths. High MW polyP was largely insoluble in water, as it consisted mostly of polymers that were thousands of phosphate units long. High MW polyP was suspended in nonbuffered 100 °C 0.25 M LiCl solution with constant stirring, and resulted in the majority of the polyP solubilizing and going into solution. A time-dependent shortening of the average polymer length of the polyPs during heating was observed (FIG. 71). The slightly acidic pH of the polyP solutions resulted in a mild acid hydrolysis of the polymers. The speed of hydrolysis appeared to increase with time, which was the result of the gradual acidification of the solution as the polyP polymers were being hydrolyzed. The gradual acidification of the polyP solution gradually accelerated the rate of polyP hydrolysis.

[00361] Hydrolysis of the phosphoanhydride bonds in polyP was also catalyzed under basic conditions, and the gradual acidification of the solution during polyP hydrolysis gradually slowed the rate of hydrolysis, in contrast to acid hydrolysis whose rate increased with time. Varying amounts of LiOH were added to the LiCl solutions in which polyP was stirred at 100°C. A gradual, time-dependent shortening of polyP chains as a function of the starting LiOH concentration was observed, which was accompanied by the “insoluble” polyP polymers becoming water-soluble (FIG. 72). High MW polyP was suspended, with stirring, in a combination of LiCl and LiOH at 100°C until the desired mean polymer lengths were obtained and essentially 100% of the material was solubilized. This method was robust and reproducible, and scalable to gram quantities of polyP and higher.

[00362] The conditions for solubilizing and partially hydrolyzing polyP with LiOH/LiCl were adjusted to yield the desired mean polymer lengths. In some instances, the method resulted in polyP preparations of heterogeneous sizes. Experiments were performed to further size-fractionate polyP after base hydrolysis. Differential precipitation of polyP using varying combinations of acetone and salt concentrations (e.g., NaCl, KCl and LiCl) were tested. In addition, varying concentrations of isopropanol and NaCl allowed the production of relatively narrow size fractions of polyP, starting with high MW polyP that had previously been solubilized and partially hydrolyzed using the LiOH/LiCl procedure outlined above (see FIG. 73 for an example). The above conditions were used to obtain size ranges of polyP from ~40 to ~1500 phosphate units long, in gram quantities and above.

Citrate gold nanoparticle synthesis

[00363] Gold nanoparticles with an average diameter of 10nm, 15nm, and 50nm were synthesized by using the Turkevich Method. The average size and size distribution of the gold nanoparticles were confirmed by dynamic light scattering (DLS) and UV-vis absorbance (Table 9 and FIG. 74).

Table 9 – Comparison of 10nm, 15nm, 50nm gold nanoparticles and commercial samples with their UV-vis peak, DLS-measured particles size and polydispersity

	Mole ratio (Cg : Cc)	Gold Concentration	Reaction Temperature	UV Peak	Size	Polydispersity
Reaction A	1:4	0.4mM	95°C	520nm	13.6nm	0.175
			60°C	522nm	14.7nm	0.25
Reaction B	1:3	0.4mM	95°C	522nm	17.2nm	0.178
			60°C	522nm	19.3nm	0.227
Reaction C	1:1	0.4mM	95°C	533nm	35.7nm	0.196
			60°C	534nm	37.9nm	0.256
Commercial_10		0.29mM		519nm	11.3nm	0.24
Commercial_15		0.24mM		521nm	15.6nm	0.19
Commercial_50		2.89mM		532nm	42.1nm	0.11

PolyP-gold nanoparticle conjugates

[00364] Attachment of polyP to gold nanoparticles was achieved by two-stage reactions. (1) PolyP was allowed to react with cystamine; (2) PolyP-cystamine conjugates were then reacted with gold particles via displacement of the citrate groups (FIGS. 75A and 75B). The primary amine-containing compounds like polyethylenimine, amine-PEG₂-biotyn, and spermidine were used to covalently attach primary amine groups with the terminal phosphates of polyP via EDAC-mediated reaction. This method was used for the coupling of polyP with cystamine – a disulfide molecule containing two primary amine groups. The disulfide moiety in cystamine then allowed for the attachment to gold. Various conditions (including temperature, reaction time, pH, and buffer solutions) were tested in order to optimize the reaction efficiency and yield.

[00365] The effects of polyP-gold nanoparticles (with different sizes and polyP aggregation numbers) on blood clotting kinetics were tested. The following control groups were selected to compare with polyP-gold nanoparticle conjugates: (1) free polyP with the same molecular weight at the same concentrations; (2) citrate gold nanoparticles without polyP; and (3) PEGylated gold

nanoparticles. Various aggregation numbers of polyP on gold nanoparticles were achieved by adding PEG thiol to compete with polyP-cystamine for ligand replacement.

PolyP-cystamine conjugation reaction

[00366] Various conditions (including temperature, reaction time, pH, and buffer solutions) were tested for the coupling reaction of polyP with cystamine. PolyP was allowed to react with cystamine at room temperature for 48 to 72hrs. The pH for the reaction was about 8. A fluorescamine assay was used to test the amount of the unreacted primary amines on cystamine, which indicated the conjugation efficiency. The yield of the reaction was approximately 90% as seen in (Table 10).

Table 10 – Conjugation efficiency of polyP and cystamine at various pH conditions.

Buffer	pH of reaction	Efficiency (24h)	Efficiency (48h)	Efficiency (72h)
MOPS (100 mM)	7.1	61.5%	65.0%	71.1%
MOPS(100 mM)	7.6	72.7%	74.3%	78.7%
MOPS(100 mM)	8.1	79.6%	87.3%	88.1%
MOPS(100 mM)	8.5	83.5%	87.3%	88.6%
MES(100 mM)	7.8	81.4%	89.5%	-

[00367] The hydrolysis study of the P-N bond was carried out to test the stability of the polyPcystamine ligand. After 72 hours of reaction, the fluorescamine assay was performed to detect the concentration of the unreacted cystamine. An increase of free cystamine concentration after the pH adjustment of reactions indicated the hydrolysis of the P-N bond. The samples were tested for two weeks and quantified by the fluorescamine assay. The P-N bond hydrolyzed in acidic conditions at pH 6.02. It was stable above pH 7 as seen in Table 11 below.

Table 11 – Free cystamine concentration (μM) before and after pH adjustment

pH	Primary amine concentration (μM)				
	Before pH adjustment	After 1 day	After 5 days	After 8 days	After 13 days
6.02	16.4	30.0	26.4	27.6	37.18
7.07	16.4	18.6	14.5	12.9	13.72
9.05	16.4	17.1	14.8	14.2	15.31
10.01	16.4	17.2	14.8	12.7	14.73

Reaction of polyP-cystamine with gold nanoparticles

[00368] The polyP-cystamine conjugate was allowed to react with gold nanoparticles of various sizes (10nm, 15nm, 50nm) by displacing the citrate group. After 24hrs of reaction the salt addition was initiated to increase the coverage of the surface of the gold nanoparticle with polyP. The slow increase in the salt concentration in the reaction over a period of four days (0.1M NaCl final concentration) allowed for the already attached polyP to extend, creating more space for the unreacted ligands to access the gold surface and thus resulting in an increase in the aggregation number.

[00369] The purification process of gold nanoparticles involved the removal of excess, free floating polyP left in the solution. Centrifugation was used to remove ~99% free floating polyP and recover most of the gold particles (~90%) without causing aggregation. Depending on the size of the gold nanoparticles, the following conditions were found (Table 12).

Table 12 – Size-dependent centrifugation conditions

Au NPs size	RPM	G force	Time to pellet	Centrifuge repeat
10 nm	10000	8176	60 min	3x
15 nm	10000	8176	30 min	2x
50 nm	8000	5223	10 min	3x

[00370] The pelleting time, t , was calculated using the following Equation 1:

$$t = \frac{k}{S} \quad (1)$$

[00371] where k is the pelleting efficiency of the rotor and S is the sedimentation coefficient.

The pelleting efficiency (k) was calculated by using Equation 2 below:

$$k = \frac{2.53 \times 10^{11} (\ln(\frac{r_{max}}{r_{min}}))}{(RPM)^2} \quad (2)$$

[00372] r_{max} and r_{min} are the maximum and minimum radii of the centrifuge respectively, and RPM is the speed in revolutions per minute. The r_{max} and r_{min} values can be measured as shown in FIG. 76 based on the type of centrifuge used.

[00373] The sedimentation coefficient, S , can be calculated by using Equation 3:

$$S = \frac{2(\rho_s - \rho_l)}{9\eta} \left(\frac{d}{2}\right)^2 \quad (3)$$

[00374] where ρ_s and ρ_l are the densities of gold nanoparticles and water, respectively, η is the viscosity of water, and d is the diameter of gold nanoparticles.

[00375] After each centrifugation, the supernatant was removed and the pellets were re-suspended in a buffer of pH 7.4 to ensure the stability of the polyP-cystamine ligand. As the hydrolysis study showed, the pH of the samples affected P-N bond hydrolysis. Therefore, the particles were resuspended with a buffer at a pH higher than 7.

[00376] Dynamic light scattering (DLS) and UV-vis spectroscopy were used to characterize the size and size distribution of the particles. After purification/separation using centrifugation, concentrations of polyP were measured using malachite green assay and concentrations of gold nanoparticles were obtained by UV-vis. Then aggregation numbers of polyP on the surface of gold nanoparticles were calculated based on the above measurements. The following polyP-gold nanoparticles (Tables 13-15) were synthesized and characterized.

Table 13 – Synthesized polyP45-gold nanoparticles

Sample	PolyP size (# of repeating units)	MonoP Conc. (μ M)	Gold Particle Conc. (nM)	Aggregation #	UV-vis peak for bulk gold	Peak after centrifuging
P45_10nm_1	45	80.00	104.7	16.98	519	523
P45_10nm_2	45	80.00	90.34	19.68	519	524
P45_15nm_1	45	80.00	29.29	60.70	521	523
P45_15nm_2	45	80.00	37.33	47.62	521	523
P45_50nm_1	45	80.00	3.74	475.34	533	533
P45_50nm_2	45	80.00	2.03	675.75	533	533

Table 14 – Synthesized polyP70-gold nanoparticles

Sample	PolyP size	MonoP Conc. (μ M)	Gold Particle Conc. (nM)	Aggregation #	UV-vis peak for bulk gold	Peak after centrifuging
P70_10nm_1	70	75.00	31.98	33.50	519	524
P70_10nm_2	70	75.00	153.50	6.98	519	528
P70_15nm_1	70	75.00	16.14	66.39	521	522
P70_15nm_2	70	75.00	32.05	33.43	521	522
P70_50nm_1	70	75.00	2.068	519.09	532	533
P70_50nm_2	70	75.00	2.010	533.05	532	533

Table 15 – Synthesized polyP-PEG (3:1)-gold nanoparticles

Sample	PolyP	MonoP Conc. (μ M)	Gold Particle Conc. (nM)	Aggregation #	UV-vis peak for bulk gold	Peak after centrifuging
P70_Peg_10nm_1	70	75.00	76.00	14.1	519	525
P70_Peg_15nm_1	70	75.00	34.69	30.88	521	521
P70_Peg_50nm_1	70	75.00	3.83	279.7	532	533
P45_Peg_10nm_2	45	75.00	73.14	22.78	519	523
P45_Peg_15nm_2	45	75.0	35.50	46.95	521	525

Effects of polyP-gold nanoparticle on blood coagulation kinetics – measured by coagulometry.

[00377] The samples presented in the section above were tested for clotting using coagulometry. The experiments performed focused on contact pathway activation. The activation of the contact pathway by polyP- gold nanoparticles was expressed in terms of equivalent long-chain polyP concentrations (FIGS. 77 and 78). Long-chain polyP, which was a heterogeneous mixture of polymers greater than 500 repeating units, induced the intrinsic contact pathway of blood coagulation. The results indicated that the polyP45- gold nanoparticle samples had increased procoagulant activity compared to free-floating polyP45 of the same concentration in solution (FIG. 77). For each particle diameter of the polyP45- gold nanoparticle samples that were synthesized, there was a direct correlation between aggregation number and increased procoagulant activity. An increased activity of some 10 nm and 15 nm samples when compared to 50nm may be due to agglomeration of smaller size gold nanoparticles as indicated by the UV-vis peak shift after purification. In some instances, coagulation may depend on the surface density of the procoagulant ligand polyP and the total surface area of the gold. The citrate gold nanoparticles also acted as contact pathway initiators due to their negative surface charges, but to a lesser extent than the polyP-gold nanoparticle conjugates.

[00378] The initial contact pathway activation coagulometry experiments for polyP70- gold nanoparticles showed an increased activity of 50nm polyP70-gold samples when compared to free floating polyP70 in solution. There was no significant difference between the 10nm and 15nm polyP70-gold nanoparticles and corresponding aqueous polyP70 (FIG. 78). The increased activity of the 50nm polyP70-gold nanoparticle is shown in FIGS. 79-81. The fully PEGylated 50nm gold nanoparticle as a negative control did not show procoagulant activity (FIG. 81). The partially PEGylated 50 nm polyP70-gold nanoparticle (with less polyP conjugated to gold nanoparticles)

showed reduced procoagulant activity as expected, which was still more active than free-floating polyP70 at the same concentration.

[00379] The results indicate that the polyP-functionalized gold particles are more procoagulant than aqueous polyP of the same polymer length. 50nm particles induced blood coagulation.

Blood coagulation kinetics – measured by microplate-based florescent assays

[00380] Activation of the intrinsic pathway of blood coagulation was assessed by using a fluorogenic thrombin substrate. A negative control containing no Ca^{2+} , and a positive control containing no polyP were also run to validate the experiment. To find the clotting time, the data were fitted to a sigmoidal function. The rate of thrombin substrate cleavage was found by taking the time derivative of the fluorescence intensity of the fitted curve, and the clotting time was defined in the relevant samples to be one-half the maximum rate of substrate cleavage. Clotting kinetics was first measured using free polyP45. Clotting induction occurred only in the presence of calcium cations (FIG. 82).

Controlled particle aggregation by using thermosensitive polymers

[00381] Controlled aggregation of smaller nanoparticles (~15nm) into bigger ones (>50nm) may trigger blood coagulation rapidly via contact pathway initiation as well as FV at the site of vessel or organ damage, while not significantly activating coagulation at other locations. Body temperature drop at the local trauma site due to the lack of blood and oxygen may be used to initiate controlled coagulation at the local trauma site. Poly(acrylic acid) (PAAc) and polyacrylamide (PAAm) were conjugated to gold nanoparticles through disulfide bonds. PAAc and PAAm are thermosensitive polymers with an upper critical solution temperature (UCST) around 33-35 °C. When the temperature was below the UCST, PAAc and PAAm formed inter-molecular hydrogen bonding, which increased the hydrophobicity of the polymers and resulted in aggregation of the particles and phase separation (FIG. 83A). The process was reversible. When the temperature was above the UCST, the hydrogen bonding disassembled and the phase separation disappeared.

Reversible hydrogen bonding

[00382] The assembly and disassembly of inter-molecular hydrogen bonding between PAAc and PAAm were observed (FIGS. 83B-83D). A mixture of 10 wt% PAAc and 10 wt% PAAm was prepared at room temperature (~ 20°C), which was below the UCST. Hydrogen bonding formed immediately and resulted in turbidity of the solution, which indicated phase separation between the

polymers and water (FIG. 83B). The sample was then heated up to 40°C in a water bath. The solution turned clear, which indicated the disassembly of hydrogen bonding (FIG. 83C). The sample became turbid again when it was cooled back to room temperature, which indicated the reformation of hydrogen bonding and the reversibility of the process (FIG. 83D).

Conjugation reaction and particle characterization

[00383] Three steps were involved in synthesizing and characterizing the nanoparticles conjugated with the thermosensitive polymers, as shown in FIG. 84. (1) PAAc and PAAm were conjugated to cystamine and 3,3'-dithiodipropionic acid (DDA) respectively which contain disulfide bonds. (2) PAAc-cystamine or PAAm-DDA was attached to the surface of gold particles through the disulfide bond. (3) The particles were separated from the unreacted molecules by using centrifugation and characterized by using dynamic light scattering (DLS) and UV-vis spectroscopy.

[00384] PAAc was conjugated to cystamine using the zero-length cross-linking reagent, EDAC (1-ethyl-3-[3-(dimethylamino)propyl]carbodiimide). Different pH conditions were used to test the conjugation efficiency between PAAc and cystamine. An excess amount of PAAc was used to ensure the complete reaction of cystamine. The fluorescamine assay was utilized to test the amount of the unreacted primary amines on cystamine, which indicated the conjugation efficiency. The results are shown in Table 16. The reactions were efficient at neutral and slightly basic conditions. Conjugation efficiencies above 95% were consistently achieved for all the samples. Similar reaction conditions were used for the reaction of PAAm with DDA.

Table 16 – Conjugation efficiency of PAAc-cystamine at various pH conditions

	pH	Efficiency (24h)	Efficiency (48h)
MES_pH4	7.2	96.1%	96.6%
MES_pH6	8.0	97.7%	95.5%
MES_pH8	9.1	96.5%	97.8%

PAAc-gold and PAAm-gold conjugation

[00385] Disulfide bonds on PAAc-cystamine and PAAm-DDA were used to replace the citrate on the surface of the gold nanoparticles through ligand exchange. PAAc-cystamine or PAAm-DDA was mixed with citrate gold nanoparticles in DI water for 24 hours. Next, 10 µL of 5M NaCl was

added for four consecutive days to increase the ionic strength of the solution so that more ligands could access the gold surface. Centrifugation was used to remove unreacted polymers and reagents in the suspensions. UV-visible spectroscopy and DLS were used to confirm the sizes of PAAc-gold and PAAm-gold conjugations. The shift of the absorbance peak indicated the aggregation of the gold nanoparticles.

[00386] Various conditions were tested to generate stable PAAc-gold conjugation, as shown in Table 17. C-N linkage showed good stability in a broad pH range from pH 4 to pH 9. The initial ligand replacement was tested with and without buffers.

Table 17 – Stability of gold nanoparticles conjugated with PAAc

Sample ID	Gold particle size (nm)	PAAc-cystamine (0.1mM)	polyP-cystamine (0.1mM)	Buffer	UV (AS)	UV (AP)	Stability
PAAc_10nm_polyP(13)	10	7.5 μ L	22.5 μ L	MES (0.5 M) 120 μ L	519.5	522	yes
PAAc_10nm_polyP(11)	10	15 μ L	15 μ L	MES (0.5 M) 120 μ L	520	522	yes
PAAc_10nm_30_MES	10	30 μ L	-	MES (0.5 M) 120 μ L	527	-	no
PAAc_10nm_30_BA	10	30 μ L	-	BA (0.25 M) 30 μ L	608	-	no
PAAc_10nm_20_BA	10	20 μ L	-	BA (0.25 M) 30 μ L	617.5	-	no
PAAc_10nm_30	10	30 μ L	-	-	535.5	-	no
PAAc_10nm_20	10	20 μ L	-	-	533	-	no
PAAc_10nm_15	10	15 μ L	-	-	534.5	-	no
PAAc_15nm_15	15	15 μ L	-	-	522	523	yes
Abbreviations used in the table: AS – after salt addition, and AP – after purification							

[00387] Conjugation of PAAm-DDA with gold nanoparticles to form PAAm-gold was characterized and summarized in Table 18.

Table 18 – Stability of gold nanoparticles conjugated with PAAm

Sample ID	Gold particle size (nm)	PAAm-DDA (0.1mM)	polyP-cystamine (0.1mM)	Buffer	UV (AS)	UV (AP)	Stability
PAAm_10nm_polyP(13)	10	7.5 μ L	22.5 μ L	MES (0.5 M) 120 μ L	520.5	521	yes
PAAm_10nm_polyP(11)	10	15 μ L	15 μ L	MES	518.5	521.5	yes

				(0.5 M) 120 μ L			
PAAm_10nm_30_MES	10	30 μ L	-	MES (0.5 M) 120 μ L	527	526.5	no
PAAm_10nm_30_BA	10	30 μ L	-	BA (0.25 M) 30 μ L	521	524	yes
PAAm_10nm_20_BA	10	20 μ L	-	BA (0.25 M) 30 μ L	519.5	521	yes
PAAm_15nm_15	15	15 μ L	-	-	530	-	no
PAAm_15nm_15_BA	15	15 μ L	-	BA (0.25 M) 30 μ L	533	-	no
PAAc_15nm_7.5_BA	15	7.5 μ L	-	BA (0.25 M) 30 μ L	525.5	525.5	yes
Abbreviations used in the table: AS – after salt addition, and AP – after purification							

Reversible particle aggregation upon temperature change

[00388] PAAc_10nm_polyP(13) and PAAm_10nm_polyP(13) were mixed at a 1:1 volume ratio. DLS and UV-visible absorbance were used to test the size of gold nanoparticles at different temperatures. The absorbance peaks of PAAc_10nm_polyP(13) and PAAm_10nm_polyP(13) were 523.5 and 522, respectively. After mixing PAAc_10nm_polyP(13) and PAAm_10nm_polyP(13) at a 1:1 ratio at 20°C, the absorbance peak was 524 nm, which showed no significant increase. The aggregation of PAAc_10nm_polyP(13) and PAAm_10nm_polyP(13), if any, was caused by the formation of intermolecular hydrogen bonding between PAAc and PAAm, which may not induce any significant peak shift since the hard core of the particles may be still sufficiently separated.

[00389] DLS was also used to test the size distribution of gold nanoparticles at different temperatures. The size of PAAc_10nm_polyP(13) and PAAm_10nm_polyP(13) peaked at 9 nm consistently at 25 °C and 37 °C.

[00390] The size and size distribution of the mixture of PAAc_10nm_polyP(13) and PAAm_10nm_polyP(13) at 25 °C, 33 °C and 37 °C are shown in FIG. 85. Aggregation was observed at 25 °C and 33 °C. The size of PAAcm_10nm_polyP(13) at 25 °C and 33 °C was 15.2 nm and 14 nm respectively, while the original size of the gold nanoparticles by DLS was about 9 nm. When the temperature was increased to 37 °C, which was above the UCST of PAAc and PAAm, the hydrogen bonding disassembled and the size of the gold nanoparticles reduced back to about 9 nm.

[00391] A mixture of PAAc_10nm_polyP(11) and PAAm_10nm_polyP(11) at a 1:1 ratio also showed similar results of particle aggregation (FIG. 86). At 25 °C, average size measured by DLS was 17.5 nm. When the temperature was increased to 37 °C, a small peak at 8 nm appeared which indicated the disassembly of the inter-molecular hydrogen bonding between PAAc and PAAm.

[00392] PAAc_10nm_polyP(11) or PAAm_10nm_polyP(11) had more PAAc or PAAm and less polyP on the surface of the gold nanoparticles as compared to PAAc_10nm_polyP(13) or PAAm_10nm_polyP(13). Thus, it was relatively more difficult to disassemble all the hydrogen bonding and resuspend the nanoparticles back to their original size.

[00393] In order to generate bigger aggregation, PAAc or PAAm was conjugated to the surface of gold nanoparticles alone without polyP. However, when mixing PAAc_15nm_15 and PAAm_10nm_20_BA at a 1:1 ratio, aggregation was not found.

Silica Nanoparticle (SNP) synthesis

[00394] Experiments were performed with silica nanoparticles (SNPs) and polyP-functionalized silica nanoparticles (SNP-P70) to measure the effect of the silica particles' size and concentration on coagulation. Particles above 10nm were synthesized following a modified Stöber method and recovered using centrifugation. The different nanoparticle sizes were obtained by varying the amounts of tetraethoxysilane (TEOS) and ammonia (NH₄OH) (FIG. 87). Ludox silica nanoparticles below 10 nm (Sigma Aldrich) were also tested. Silica nanoparticles below 50 nm were isolated by ultrafiltration and ultracentrifugation for coagulation and functionalization experiments. Yield of greater than 40% was achieved using greater than 4 % NH₄OH. Syntheses below 4 % NH₄OH produced a yield below 40 % (FIG. 88). The lack of ammonia may have reduced catalysis of the TEOS hydrolysis reaction. Zeta potential tests showed that SNPs had a negative charge in simulated body fluid, which facilitated activation of the intrinsic pathway by activating FXII. Zeta potential did not show a significant systematic change in coagulation with respect to size or pH.

[00395] Clotting experiments described above compared the silica particles at either a fixed concentration of 0.68 mg/mL (25 mg/mL stock solution) or at a fixed size of 55 nm to determine high activity range boundaries. Each particle formed an initial clot (R) between 3 and 5 min. The threshold for minimum R value occurred at a particle size of ~30 nm. Experiments in which particles below 20 nm were synthesized exhibited a bimodal size distribution when measured using DLS. The bimodal size distribution may be a result of a lack of ammonia.

[00396] Utilizing phospholipids which increase coagulation through FXa, R was minimized to less than two minutes. In FIG. 89, the concentration dependence of R for two SNP and SNP-P70

was examined. P70 was a polyP chain that was approximately 70mer in length, which was roughly the same size as polyP produced by activated platelets as part of the coagulation cascade. At low particle concentrations, the R value was high (clotting time was long). As the particle concentration increased, R decreased until the threshold condition was met. For bare silica, the threshold concentration occurred at 0.54 mg/ml. SNP-P70 reached a threshold at a concentration of 0.27 mg/ml, half that of bare SNP. Above the threshold concentration the R value remained low, until at much higher concentration the particles may inhibit clotting due to particle aggregation or dilution of plasma factors over the particle's surface area.

[00397] Other parameters may also be evaluated, such as rate of clot formation, and clot size, since the agents attached to the particle may affect the initial clot formation time, but could accelerate the clotting when initiated or result in the formation of a bigger clot. Tests confirmed that the particles maintained stability and size, at all concentrations, indicating particle sizes varied due to synthesis conditions.

[00398] In addition to solid non-porous nanoparticles, large-pore mesoporous nanospheres (MSN) may be used to deliver procoagulant proteins such as thrombin, prothombin or tissue factor to wounds. The large pore size and increased accessible surface may increase coagulation by allowing proteins to adsorb to the surface and activate. For example, ordered mesoporous nanoparticles in the 50-200 nm range size with a pore size between 10-30 nm may be used.

[00399] Functionalizing the nanoparticles with polyP or prothrombin may enhance the procoagulant nature of the particles. The polyP used was a ~70-mer length (P70) that was similar in size to polyP secreted by human platelets during clotting. P70 directly adsorbed to silica was found to increase the particle size by several nm. SNPs were tested with and without adsorbed polyP and found that P70-bound SNPs significantly decreased clotting time when compared to bare SNP (FIG. 89). SNP-P70 also improved clotting time when compared to P70 added directly to plasma. The SNP scaffold thus served as a mechanism to deliver the P70 triggering agent to the wound to initiate clotting.

[00400] Experiments were performed using longer polyPs chains, such as ~700-mer polyP (P700). PolyP with a size range above 500mers was shown to accelerate the contact or intrinsic pathway by activating FXII. The P700 was attached to the scaffolds using the same methods described above. Four different ratios of P700:SNP were tested – 0.2, 0.4, 0.6, and 1. Similar to P70, clotting assays suggested that clot time decreased with a ratio of P700:SNP above 0.5. A 1:1 ratio minimized clot time (FIG. 90).

[00401] Samples of SNP, SNP-P70, and SNP-P700 nanoparticles were used for polyP quantification and further coagulation tests. These tests revealed that SNP-P70 particles with a concentration of roughly 25 nmol PO₄/mg SNP (quantified by hydrolysis) exhibited higher procoagulant activity than SNP-P70 particles with a higher nmol PO₄/mg SNP concentration.

[00402] In addition to TEG, the coagulation threshold response was also tested using a thrombinspecific blue coumarin dye. A small concentration of dye was added to the recalcified plasma. As clotting progressed and thrombin was produced, the thrombin cleaved the coumarin dye causing the solution to fluoresce. Rapid fluorescence signified the thrombin burst, which led to clot formation. A fluorescence microscope captured the qualitative change as shown in FIG. 70.

[00403] Thrombin generation was also monitored using a plate reader. By reading fluorescence every 10 seconds, the thrombin burst was identified. As clotting occurred near the rapid rise section of the thrombin burst, the clot time was determined from the fluorescence data plot.

[00404] After determining the procoagulant activity of SNP-P70 under normal conditions as discussed above, the SNP-P70 TSPs were applied under traumatic conditions. A traumatic injury can quickly develop into coagulopathy, the fundamental breakdown of the human coagulation cascade. Though coagulopathy can exist either as a hypercoagulant or hypocoagulant form, as used herein coagulopathy is the fundamental breakdown of the coagulation cascade that impairs clot formation. In the presence of trauma, the coagulopathic body becomes weakened such that anticoagulant pathways take over and a clot cannot form.

[00405] Coagulopathy exists in three states known as the “lethal triad” - dilution, hypothermia, and acidosis. Each damages the cascade in a specific way. In a coagulopathic state, all three states combine to inhibit clot formation. In these experiments, dilution was mimicked using a phosphate buffered solution (PBS). Incubating plasma below the usual 37°C was used to create hypothermic conditions. A dilute phosphoric acid solution was used to acidify the plasma below a pH of 7.1 to create an acidosis condition. The experiments utilized a set concentration of lipidated tissue factor (LTF) – 0.5 ng/ml for TEG tests, 0.185 ng/ml for fluorescence dye tests – to produce timely initiation of the coagulation cascade through the extrinsic pathway and the body’s main response to vessel injury. The SNP-P70 TSP was tested at 0.25mg/ml without LTF to compare its ability to form clots.

[00406] Due to the loss of both procoagulant and anticoagulant factors from blood loss, dilution begins to significantly inhibit clotting at the ~50 % level. Using TEG and dye fluorescence, a dilution baseline was established. SNP-P70 (at the threshold concentration of ~ 0.25mg/ml identified in our TEG experiments) was used to reverse the coagulopathic conditions. SNP-P70

successfully hastened thrombin burst and clot formation. (FIGS. 91 and 92). FIG. 93 shows a graph of thrombin generation times from 100 % plasma to 25 % plasma; i.e.: 100 % is 100 % plasma and 0 % dilutant. FIG. 94 shows a graph of fluorescence over time, which indicated that adding SNP-P70 generated thrombin quickly even under severe plasma dilution.

[00407] Hypothermia, the second member of the lethal triad, occurs when the body temperature drops below 37°C. The drop in temperature leads to a decreased rate in the kinetics of many of the coagulation factors, especially formation of the tissue factor – FVIIa (TF-FVIIa) complex during the initiation phase of coagulation. Unlike dilution where fibrinogen deficit triggers the drop in clotting, hypothermia slows coagulation but does not prevent it. The addition of SNP-P70 to hypothermic plasma resulted in improved coagulation across all TEG parameters. A coagulation index formula was used to show the procoagulant nature of the SNP-P70 TSP at sub-normal body temperature. Coagulation index (CI) combines all four TEG facets – R, K, alpha, and MA – into a single value; the more positive the CI, the stronger the procoagulant. FIG. 95 shows a graph of clot time vs. temperature, which indicated that SNP-P70 TSPs initiated clots quicker under hypothermia. FIG. 96 shows a graph of Coagulation index (CI) vs. temperature, which indicated that SNP-P70 improved clot formation compared to lipidated tissue factor (LTF).

[00408] The above experiments showed that SNP-P70 lowered clot times while forming strong clots as compared to bare SNP and LTF. Studies on FXII deficient plasma showed that SNP-P70 initiated clotting through FXa coagulation pathway. Finally, SNP-P70 was shown to decrease clot time and quicken thrombin generation under coagulopathic conditions often found in patients who have suffered a traumatic wound (e.g., dilution and hypothermia).

EXAMPLE 7

PolyP “Corona”

[00409] Nanoparticles with a polyP corona attached using an APTES linkage were produced according to the examples discussed above. The particles were tested using DLS to measure size and surface charge and on the TEG to determine clotting activity.

[00410] FIG. 103 shows a graph of zeta potential vs. total counts for SNP functionalized with APTES only (top) and SNP functionalized with polyP “corona” (bottom). The SNP functionalized with polyP “corona” showed a negative shift in zeta potential as compared to the SNP functionalized with APTES only. FIG. 104 shows a graph of clotting time vs. agent used. LTF stands for lipidated tissue factor. NP stands for the SNP-polyP “corona.” FIG. 105 shows a graph of size distribution vs. intensity for the SNP-polyP “corona” nanoparticle.

EXAMPLE 8**PolyP Capping**

[00411] Experiments were performed using EDAC to form an ester linkage between polyP and inorganic oxide nanoparticle surfaces. 0.2 g of a nanoparticle (e.g., silica or iron oxide) were dispersed in deionized water at 70°C. A solution of 0.1 g polyP and 150 mM (0.2888g) EDAC in deionized water was added to the nanoparticle solution. The total volume of the solution was 10 ml. The resulting solution was stirred at 70°C for 75 minutes. After the reaction was completed, the particles were cooled to room temperature. Solid nanoparticles were recovered through centrifugation and dried overnight. The particles were tested using DLS to measure size and surface charge and on the TEG to determine clotting activity.

[00412] FIG. 106 shows a graph of clotting time vs. delivery mechanism of SNP-polyP “corona” synthesized via ester formation as described above. From left to right, particles were suspended in water (H₂O), phospholipid solution (PL), phospholipid solution and lipidated tissue factor (PL+LTF) and with lipidated tissue factor only in water (LTF only).

EXAMPLE 9**Iron Oxide Nanoparticles**

[00413] Iron oxide nanoparticles may also be used as carriers, which may also facilitate a restriction of coagulation activity to a localized threshold region, as well improve identification of particle distribution throughout the cardiovascular system. Capping procedures can be used to bind polyP and coagulation factor proteins to the nanoparticle surface. Solid silica nanoparticles with defined system residence times, polyP and thrombin loadings may facilitate a restriction of their activity to a local region of above-threshold coagulation activity.

[00414] Solid iron oxide nanoparticles with particle diameters between 5-500 nm were synthesized by reacting tris(acetylacetonato) iron(III) (Fe(acac)₃) in organic solvents such as oleylamine and oleic acid, benzoic acid or another solvent to make hydrophobic iron oxide. Fe(acac)₃, oleic acid and oleylamine were supplied by Sigma Aldrich. 0.2 g Fe(acac)₃ were added to 2 ml oleic acid and 3 ml oleylamine. The solution was heated to 60°C until the Fe(acac)₃ dissolved. The mixture was then reacted in a microwave for 10 min at 100°C and 60 min at 180°C. The resulting product was washed in a mixture of ethanol and cyclohexane at a ratio of 9 ml ethanol per 1 ml cyclohexane. The resulting hydrophobic iron oxide particles functionalized with oleic acid were suspended in cyclohexane.

[00415] The hydrophobic particles were converted to hydrophilic particles by functionalizing the surface with poly(acrylic acid) (PAAc) in diethylene glycol (DEG) at temperatures above 100°C. 0.5 g PAAc was added to 8 ml DEG. The mixture was heated to 110°C until the PAAc dissolved. The temperature was raised to 150°C and 2 ml hydrophobic iron oxide particles in cyclohexane was added. After 1 hour, the solution turned a clear brown color. After cooling the solution to room temperature, the particles were centrifuged and washed with ethanol once. The particles were washed with deionized water three times and resuspended in water. Iron oxide particles functionalized with PAAc were hydrophilic. The particles were tested using DLS to measure size and surface charge and on the TEG to determine clotting activity.

[00416] PolyP can also be capped to nanoparticles using PAAc as an intermediary. Attaching PAAc to a particle such as iron oxide can make the particle more stable in water and thus more amenable to polyP capping. Iron oxide particles may be synthesized in aqueous solutions using iron (III) chloride and iron (II) chloride as a precursor.

[00417] FIG. 107 shows a TEM image of iron oxide nanoparticles synthesized with oleylamine as described above. FIG. 108 shows a graph of zeta potential vs. total counts for bare iron oxide nanoparticles and iron oxide nanoparticles capped with polyP using an ester linkage. Iron oxide nanoparticles capped with polyP using an ester linkage had a more negative zeta potential as compared to bare iron oxide nanoparticles. FIG. 109 shows a graph of clotting times comparing bare iron oxide nanoparticles to polyP capped iron oxide nanoparticles at different concentrations. The polyP capped iron oxide nanoparticles had significantly lower clot times as compared to bare iron oxide nanoparticles. FIG. 110 shows a graph of zeta potential vs. total counts for iron oxide nanoparticles functionalized with PAAc. FIG. 111 shows a graph of clotting times comparing PAA capped iron oxide nanoparticles and recalcified plasma (no agent).

EXAMPLE 10

Degradation Studies

[00418] Developing an agent that is stable for extended periods of time at room temperature is an attribute for clotting agents that may facilitate storage of the clotting agent for an extended period of time. Proteins, plasma and other treatments may require refrigeration to prevent degradation. PolyP by itself is typically stored at -20°C to minimize degradation. The polyP nanoparticles were tested using TEG to determine possible clotting activity degradation at ambient conditions. After storage on the bench for 1 week, the particle remained a strong procoagulant. After 9 months, the same particle retained its procoagulant nature. As such, the hemostatic agent

was amenable to storage at ambient temperatures. The particle can be lyophilized to further preserve the particle's activity. The product can be delivered via mechanisms such as sterile sponge, gauze, bandage, swab, spray, aerosol, gel, cement, compression bandage, pillow (e.g., to facilitate application to a head wound), sleeve (e.g., for covering a wound on a limb), and the like, as described herein.

[00419] While the present invention has been described with reference to the specific embodiments thereof, it should be understood by those skilled in the art that various changes may be made and equivalents may be substituted without departing from the true spirit and scope of the invention. In addition, many modifications may be made to adapt a particular situation, material, composition of matter, process, process step or steps, to the objective, spirit and scope of the present invention. All such modifications are intended to be within the scope of the claims appended hereto.

WHAT IS CLAIMED IS:

1. A hemostatic composition comprising a hemostatically effective amount of a hemostatic agent comprising:
a nanoparticle; and
a polyphosphate polymer attached to the nanoparticle.
2. The hemostatic composition of claim 1, wherein the polyphosphate polymer comprises 20 or more phosphate monomers.
3. The hemostatic composition of claim 2, wherein the polyphosphate polymer comprises 70 or more phosphate monomers.
4. The hemostatic composition of claim 1, wherein the hemostatic agent has a polyphosphate polymer to nanoparticle mass ratio of 1:2 or more.
5. The hemostatic composition of claim 1, wherein the hemostatic agent has a polyphosphate polymer to nanoparticle mass ratio of 1:1 or more.
6. The hemostatic composition of claim 1, wherein the nanoparticle comprises a material selected from the group consisting of silica, diatomaceous earth, titanium dioxide, and calcium hydroxyapatite.
7. The hemostatic composition of claim 6, wherein the nanoparticle comprises silica.
8. The hemostatic composition of claim 7, wherein the nanoparticle has an average diameter of 100 nm or less.
9. The hemostatic composition of claim 1, wherein the hemostatic agent further comprises a protecting agent attached to the hemostatic agent by an enzymatically-cleavable linking group.

10. The hemostatic composition of claim 9, wherein the protecting agent comprises a polyethylene glycol polymer.
11. The hemostatic composition of claim 10, wherein the polyethylene glycol polymer has a molecular mass of 1000 Da or more.
12. A medical device comprising:
a hemostatic composition comprising:
a nanoparticle; and
a polyphosphate polymer attached to the nanoparticle; and
a sterile substrate on which the hemostatic composition is disposed.
13. The device of claim 12, wherein the substrate is adapted for delivery of the hemostatic composition to a bleeding wound.
14. The device of claim 13, wherein the substrate is a bandage, gauze, or sponge.
15. The device of claim 12, further comprising a sealed package containing the hemostatic composition.
16. A method of promoting blood clotting at a hemorrhage site, comprising:
administering to a hemorrhage site in a subject the hemostatic composition of claim 1 or 9
for a period of time sufficient to at least initiate blood clotting at the hemorrhage site.
17. The method of claim 16, wherein the hemorrhage site is an external hemorrhage site.
18. The method of claim 17, wherein the administering comprises applying the hemostatic composition to the external hemorrhage site.
19. The method of claim 16, wherein the hemorrhage site is an internal hemorrhage site, and the hemostatic composition is a hemostatic composition of claim 9.

20. The method of claim 19, wherein the administering comprises intravenously administering the hemostatic composition to the subject.

1/64




FIG. 1




FIG. 2

2/64




FIG. 3

3/64




FIG. 4




FIG. 5

4/64




FIG. 6




FIG. 7

5/64




FIG. 8




FIG. 9

6/64




FIG. 10(a)




FIG. 10(b)




FIG. 11(a)




FIG. 11(b)




FIG. 12(a)




FIG. 12(b)




FIG. 13(a)




FIG. 13(b)

10/64




FIG. 14




FIG. 15

11/64




FIG. 16




FIG. 17

12/64




FIG. 18




FIG. 19

13/64




FIG. 20




FIG. 21

14/64




FIG. 22




FIG. 23

15/64




FIG. 24




FIG. 25

16/64




FIG. 26




FIG. 27

17/64




FIG. 28




FIG. 29

18/64




FIG. 30




FIG. 31

19/64




FIG. 32




FIG. 33




FIG. 34

21/64


PLGA Methodology

FIG. 35


FMS NPs

FIG. 36

22/64




FIG. 37

23/64




FIG. 38




FIG. 39

24/64




FIG. 40




FIG. 41

25/64




FIG. 42




FIG. 43

26/64




FIG. 44

A) SiO₂ → SiO₂-amine; using aminopropylsilane
 SiO₂-amine → SiO₂-thioacetyl; using SATP

B) Deprotection:
 SiO₂-thioacetyl → SiO₂-SH; using NH₂OH

C) Assay:
 SiO₂-SH + DTNB → yellow product




FIG. 45

27/64




FIG. 46




FIG. 47

28/64




FIG. 48




FIG. 49

29/64




FIG. 50




FIG. 51

30/64




FIG. 52




FIG. 53

31/64




FIG. 54




FIG. 55

32/64




FIG. 56




FIG. 57

33/64






FIG. 58



(a)



(b)

FIG. 59

34/64




FIG. 60




FIG. 61

35/64




FIG. 62




FIG. 63

36/64




FIG. 64




FIG. 65

37/64




FIG. 66




FIG. 67

38/64




FIG. 68

39/64




FIG. 69




FIG. 70




FIG. 71




FIG. 72




FIG. 73




FIG. 74

42/64




FIG. 75




FIG. 76

43/64




FIG. 77




FIG. 78




FIG. 79




FIG. 80

45/64




FIG. 81




FIG. 82

46/64




FIG. 83

47/64




FIG. 84

48/64




FIG. 85




FIG. 86

49/64




FIG. 87




FIG. 88

50/64




FIG. 89




FIG. 90




FIG. 91




FIG. 92

52/64




FIG. 93




FIG. 94




FIG. 95




FIG. 96

54/64




FIG. 97

55/64




FIG. 98

56/64




FIG. 99




FIG. 100

57/64




FIG. 101




FIG. 102

58/64




FIG. 103

59/64




FIG. 104

	Size {d.nm}:	% Intensity:	St Dev {d.nm}:
Z-Average {d.nm}: 201.7	Peak 1: 132.5	100.0	24.94
Pdi: 0.540	Peak 2: 0.000	0.0	0.000
Intercept: 0.934	Peak 3: 0.000	0.0	0.000
Result quality : Good			




FIG. 105

60/64




FIG. 106

61/64




FIG. 107

62/64




FIG. 108




FIG. 109

63/64

	Mean (mV)	Area (%)	St Dev (mV)
Zeta Potential (mV): -20.6	Peak 1: -20.6	100.0	5.32
Zeta Deviation (mV): 5.32	Peak 2: 0.00	0.0	0.00
Conductivity (mS/cm): 0.0111	Peak 3: 0.00	0.0	0.00
Result quality : Good			




FIG. 110




FIG. 111

64/64




FIG. 112

INTERNATIONAL SEARCH REPORT

International application No.
PCT/US14/22039

A. CLASSIFICATION OF SUBJECT MATTER

IPC(8) - A61P 7/04; A61K 49/00; A61F 13/00 (2014.01)

USPC - 602/43, 48; 424/78.02, 78.06, 497, 601; 514/802

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC(8) - A61K 9/16, 9/50, 31/7052, 38/00, 38/02, 38/54, 39/395, 47/30, 49/00; A61F 13/00; A61P 35/00, 7/04; C12Q 1/68 (2014.01)

USPC - 4/9.1, 78.02, 78.06, 93.3, 130.1, 497, 499, 600, 601; 435/6; 506/7; 514/1.1, 12, 44 R, 44 A, 777, 802; 602/43, 44, 45, 48

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)

MicroPatent (US-G, US-A, EP-A, EP-B, WO, JP-bib, DE-C,B, DE-A, DE-T, DE-U, GB-A, FR-A); Google; Google Scholar; PubMed;
'hemostatic agent (composition),' polyphosphate, nanoparticle, silica, 'polyethylene glycol (PEG),' 'bleeding wound,' hemorrhage, device,
bandage, gauze, 'sterile package,' topical, surface, intravenous

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X --- Y	US 2011/0059162 A1 (REED, JD et al.) March 10, 2011; figures 6, 7, 13, 22, 23; paragraphs [0005], [0010]-[0016], [0048], [0057], [0073], [0075], [0080], [0083], [0085], [0092], [0093], [0095], [0104], [0105], [0107], [0108], [0110], [0111], [0116], [0130]	1, 4-8, 12-14, 15, 16/1, 17/16/1, 18/17/16/1 ----- 2, 3, 9-11, 16/9, 17/16/9, 18/17/16/9, 20
Y	MORRISSEY, JH et al. Polyphosphate: An Ancient Molecule That Links Platelets, Coagulation, And Inflammation. Blood. 21 June 2012. Vol. 119, No. 25: pages 5972-5979; abstract; page 5974, column 1, paragraph 3; page 5977, column 1, paragraph 3.	2, 3
Y	SUZAWA, T et al. Synthesis And HPLC Analysis Of Enzymatically Cleavable Linker Consisting Of Poly(Ethylene Glycol) And Dipeptide For The Development Of Immunoconjugate. J. Control Release. 03 October 2000. Vol. 69, No. 1: pages 27-41; abstract; page 28, column 1, paragraphs 1-2; page 29, column 1, paragraph 3.	9-11, 16/9, 17/16/9, 18/17/16/9, 20
Y	US 7927629 B2 (SIMONE, E et al.) April 19, 2011; column 1, lines 23-26; column 9, lines 63-65	11

☐ Further documents are listed in the continuation of Box C.


* Special categories of cited documents:

"A" document defining the general state of the art which is not considered to be of particular relevance

"E" earlier application or patent but published on or after the international filing date

"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)

"O" document referring to an oral disclosure, use, exhibition or other means

"P" document published prior to the international filing date but later than the priority date claimed

"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art

"&" document member of the same patent family

Date of the actual completion of the international search

24 June 2014 (24.06.2014)

Date of mailing of the international search report

18 JUL 2014

Name and mailing address of the ISA/US

Mail Stop PCT, Attn: ISA/US, Commissioner for Patents
P.O. Box 1450, Alexandria, Virginia 22313-1450
Facsimile No. 571-273-3201

Authorized officer:

Shane Thomas

PCT Helpdesk: 571-272-4300
PCT OSP: 571-272-7774

INTERNATIONAL SEARCH REPORT

International application No.

PCT/US14/22039

Box No. II Observations where certain claims were found unsearchable (Continuation of item 2 of first sheet)

This international search report has not been established in respect of certain claims under Article 17(2)(a) for the following reasons:

1. ☐ Claims Nos.:
because they relate to subject matter not required to be searched by this Authority, namely:
2. ☐ Claims Nos.:
because they relate to parts of the international application that do not comply with the prescribed requirements to such an extent that no meaningful international search can be carried out, specifically:
3. ☒ Claims Nos.: 19
because they are dependent claims and are not drafted in accordance with the second and third sentences of Rule 6.4(a).

Box No. III Observations where unity of invention is lacking (Continuation of item 3 of first sheet)

This International Searching Authority found multiple inventions in this international application, as follows:

1. ☐ As all required additional search fees were timely paid by the applicant, this international search report covers all searchable claims.
2. ☐ As all searchable claims could be searched without effort justifying additional fees, this Authority did not invite payment of additional fees.
3. ☐ As only some of the required additional search fees were timely paid by the applicant, this international search report covers only those claims for which fees were paid, specifically claims Nos.:
4. ☐ No required additional search fees were timely paid by the applicant. Consequently, this international search report is restricted to the invention first mentioned in the claims; it is covered by claims Nos.:

Remark on Protest

- ☐ The additional search fees were accompanied by the applicant's protest and, where applicable, the payment of a protest fee.
- ☐ The additional search fees were accompanied by the applicant's protest but the applicable protest fee was not paid within the time limit specified in the invitation.
- ☐ No protest accompanied the payment of additional search fees.