

**(12) STANDARD PATENT**  
**(19) AUSTRALIAN PATENT OFFICE**

(11) Application No. **AU 2003304020 B2**

(54) Title  
**Pillow suitable for women's body**

(51) International Patent Classification(s)  
**A47G 9/10** (2006.01) **A47C 20/02** (2006.01)

(21) Application No: **2003304020** (22) Date of Filing: **2003.03.25**

(87) WIPO No: **WO04/084684**

(43) Publication Date: **2004.10.18**

(43) Publication Journal Date: **2004.11.18**

(44) Accepted Journal Date: **2008.07.03**

(71) Applicant(s)  
**Cecilia Dazzi**

(72) Inventor(s)  
**Dazzi, Cecilia**

(74) Agent / Attorney  
**Spruson & Ferguson, Level 35 St Martins Tower 31 Market Street, Sydney, NSW, 2000**

(56) Related Art  
**US D220823 S**  
**US 5095569 A**  
**US 3967335 A**  
**US 4596384 A**

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property  
Organization  
International Bureau



(43) International Publication Date  
7 October 2004 (07.10.2004)

PCT

(10) International Publication Number  
WO 2004/084684 A1

(51) International Patent Classification<sup>7</sup>: A47G 9/10

CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NI, NO, NZ, OM, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SI, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW.

(21) International Application Number:  
PCT/IT2003/000178

(22) International Filing Date: 25 March 2003 (25.03.2003)

(25) Filing Language: Italian

(26) Publication Language: English

(71) Applicant and  
(72) Inventor: DAZZI, Cecilia [IT/TT]; Arco S. Margherita, 1, I-00186 Roma (IT).

(84) Designated States (regional): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).


(74) Agents: LEONE, Mario et al.; Società Italiana Brevetti S.p.A., Piazza di Pietra, 39, I-00186 Roma (IT).

Published:  
— with international search report

(81) Designated States (national): AE, AG, AL, AM, AI, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU,

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(54) Title: PILLOW SUITABLE FOR WOMEN'S BODY



(57) Abstract: Pillow (1) suitable for women's body, allowing an easy resting an easy resting to women's chest, keeping breasts separated therebetween and raised, unflattened by the body. The pillow has a donut shape additionally allowing an effective body side support, and it comprises: a substantially oval annular pillow main body (2), having a central opening allowing breast insertion and a resting surface (3) for the chest area surrounding the breast; a pillow secondary body (4) of elongate shape, located transversely to the opening of the main body (2) so as to position itself between the breasts, at the sternum.

WO 2004/084684 A1

- 1 -

## PILLOW SUITABLE FOR WOMEN'S BODY

DESCRIPTION

The present invention relates to a pillow suitable for women's body, i.e. of a type provided with a specific  
5 shaping, allowing to rest with the body lying face downwards, i.e. in the 'belly-down' position.

The option of assuming a correct lying position when at rest is of fundamental importance for the psychophysical wellbeing. In particular, the prone position is healthy  
10 as it allows the spine to arrange itself according to an adequate posture, forcing vertebrae alignment on a near-horizontal plane.

Moreover, many, who on their own accord adopt it as the more natural and restful, habitually assume this  
15 position. Others, for the above reasons, adopt it in search of a posture apt to prevent or cure spine dislocation defects, or since it alleviates cervical, spinal or lumbar pains and pathologies.

Contrarily to its positive indications, a prone position  
20 might prove inconvenient to women, entailing a breast flattening under the chest weight. This problem assumes greater relevance with the increase in breast size, without however being necessarily related thereto, as it possesses a subjective character.

25 In fact, the inconvenience may be related to other factors, like e.g. mastopathies, irritations due to breast-feeding or to the menstrual cycle, after-effects of plastic surgery on breast, of mastectomy or of any other occurrence in the chest area.

30 In some cases the prone position is absolutely prevented; in other cases a woman tending to fall asleep in such a position senses a discomfort, forcing her to assume a different position, with an entailed marked disturbance

- 2 -

of the half asleep and sleeping states that may even partly thwart the effects of rest.

Another drawback is related to breast flattening, leading to the premature formation of wrinkles at the breast side, mainly at the sternum, a blemish that may be  
5 evident even with a standard neckline.

In order to at least partially overcome these drawbacks, in some cases there has been adopted a positioning of a normal pillow or of two pillows so as to keep raised the  
10 central portion of the torso. This contrivance, while failing to prevent discomfort, leads to a postural deformation of the spine thwarting the benefits related to the prone position. The same drawback occurred with the use of roll-shaped reduced-section pillows to be  
15 placed below the breast.

The state of the art also foresees the use of small-size pillows to be placed between the two breasts in a sternal position, kept thereat by a strap system. Apart from the inherent discomfort, said pillow, designed to prevent  
20 flattening blemishes, is ineffective when the body at rest tilts on one side, entailing the flattening of one breast and the raising of the other breast and determining an inconvenient pressure onto the sternum that hinders breathing.

25 Another known pillow shape provides a butterfly- or X-shaped configuration, attainable inflating a suitably shaped flexible container. The center of the X is placed between the breasts, and the arms of the X support the chest.

30 As in the previous example, there is a drawback related to the shape allowing the body at rest to tilt sideways, anyhow leading to the flattening of one breast. Moreover, the sensation of complete support provided by a traditional pillow is missing.

Other solutions to the problem outlined above envisage specific resting plane or mattress shapes. These examples, mainly adopted for hospital care on surgical patients, are obviously not employable in everyday life.

5 In US-3 967 335-A, a mattress for sun bathes is shaped so as to have holes at the position of the mammary glands.

The technical problem underlying the present invention is that of providing a pillow suitable for women's body allowing to overcome the drawbacks mentioned with reference  
10 to the known art.

Such a problem is solved by a pillow as above specified, comprising:

\* a pillow main body, having a central opening allowing breast insertion and a resting surface for the chest area surrounding the breast;

15 \* a pillow secondary body of elongate shape, located transversely to the opening of the main body so as to position itself between the breasts, at the sternum, characterised in that said pillow main body is of oval annular shape, and in that said pillow secondary body, being anchored onto its respective ends to said pillow main body, is adapted to work as a structural element for keeping said oval shape.

20 The main advantage of the pillow according to the invention lies in allowing an easy resting to women's chest, keeping breasts separated therebetween and raised, unflattened by the body. The donut shape of the main body additionally allows an effective body side support.

25 Advantageously, in a preferred embodiment of the invention, during use said resting surface is raised at the chest diaphragm with respect to the resting surface at the neck zone, in order to decrease the pressure onto the top section of the sternum, thereby facilitating breathing functions. This raising is attained by virtue of a greater thickness of  
30 the main body at the diaphragm.

The present invention will hereinafter be described with reference to an embodiment thereof, given by way of example and without limitative purposes and making reference to the annexed drawings, wherein :

- 4 -

\* Figure 1 is a perspective view of a pillow suitable for women's body according to the invention;

\* Figure 2 is a perspective view illustrating the employ of the pillow of Figure 1;

5 \* Figure 3 is a top plan view of the pillow of Figure 1;

\* Figure 3A is a cross-sectional view, taken along line A-A of Figure 3, of the pillow of Figure 1; and

10 \* Figure 3B is a cross-sectional view, taken along line B-B of Figure 3, of the pillow of Figure 1.

With reference to the figures, 1 generally indicates a pillow suitable for women's body. It is substantially 8-shaped or donut-shaped, having a pillow main body 2, of substantially oval annular shape, with a central opening  
15 allowing breast insertion and a resting surface 3 for the breast-surrounding chest area.

The pillow 1 further comprises a secondary pillow body 4 of elongate shape, located transversely to said opening of the main body 2 so as to position itself between the  
20 breasts at the sternum and determining, in cooperation with the contour of the main body 2, two recesses 5 meant to receive a respective breast.

As it may be appreciated from the section (figure 3B), it is provided that, during use of the pillow 1, said  
25 resting surface 3 be raised at the chest diaphragm with respect to the resting surface at the neck zone.

This effect is attainable, e.g., graduating the softness of the various sections forming the main body, or even merely providing that the main body 2 have a thickness at  
30 the diaphragm that is greater with respect to the thickness at the neck zone.

- 5 -

With reference to the pillow structure, it has a covering preferably made of an anallergic and breathable cloth, in order to ensure maximum comfort.

5 In a preferred variant embodiment, the covering may be made of a natural fiber, e.g. of cotton, providing the required anallergic and transpiring features.

Moreover, there is provided a padding 9 that may be made of any suitable material known to a person skilled in the art.

10 This structure, common to all pillows, makes the pillow 1 substantially deformable, soft and elastic. In order to keep a substantially oval shape, said main body 2 has a structural element for keeping the oval shape.

15 This structural element may be obtained in various shapes. In particular, it may have a rigidity greater than that of the remaining portion of the main body.

20 According to the present embodiment, said structural element consists of an annular core 7 internal to the pillow main body 2 and located onto the section of the latter in a location substantially central or optionally shifted toward the resting base, indicated by 8. This annular core may be made of a rope-shaped or tubular element, and it may be merely ring-shaped or it may also comprise a cross-joint 10 crossing the secondary body 4.

25 Alternatively, the structural element comprises an annular layer of greater rigidity, located at a base portion of the main body. In any case, also the secondary body, it being anchored onto its respective ends to said pillow main body, may work as structural element for  
30 keeping said oval shape, optionally in cooperation with said annular core 7.

According to a further embodiment, the pillow 1 may also have, in the pillow main body 2, an elasticity and/or a

- 6 -

softness decreasing from the chest-resting surface to the base portion.

In the present embodiment, the pillow secondary body 4 forms, with the pillow main body 2, a homogeneous resting surface 3 for the chest and a homogeneous base surface 8, without asperities or steps.

Moreover, during use, said resting surface is raised at the chest sides with respect to the resting surface at the neck zone. This effect may be attained in various ways, among which e.g. by providing that the main body 2 have a greater thickness at its side portions with respect to the thickness at the neck zone.

Moreover, in the present embodiment, the recesses 5 determined by the pillow main body 2 and secondary body 4 internally have concave side surfaces 11, producing for each recess 5 a cup shape, such as to naturally receive a breast shape.

Figure 2 illustrates the employ of the abovedescribed pillow: positioned below the chest, it allows the inserting of a breast in the respective recess, and then the resting thereon assuming a prone position.

With this configuration, the body rests on the edges of the pillow main body 2 and, to a lesser extent, onto the secondary body. Thus, a woman's body assumes a correct posture, with the spine aligned on a horizontal plane. The slight level difference between diaphragm and top portion of the sternum allows unencumbered and comfortable breathing.

The breast assumes a natural position, unflattened and without stresses apt to cause discomfort or pain, in particular in the case of irritations, mastopathies, post-surgical hospitalization, as well as in everyday life.

- 7 -

It is understood that the abovedescribed pillow may be provided in different sizes, with particular reference to height and width, in order to fit different breast sizes and chest widths.

5 Among the variants within the reach of a person skilled in the art, it is worth mentioning a totally or partially inflatable embodiment, optionally with the employ of self-inflatable cells.

10 Moreover, a removable and easily washable covering may be provided.

In the light of the above, it is understood that a person skilled in the art could effect countless structural variants falling within the protective scope set forth by the following claims.

15

**The claims defining the invention are as follows:**

1. A pillow (1) suitable for women's body, comprising:  
a pillow main body (2), having a central opening allowing breast insertion and a resting surface (3) for the chest area surrounding the breast;  
5 a pillow secondary body (4) of elongate shape, located transversely to the opening of the main body (2) so as to position itself between the breasts, at the sternum, characterised in that said pillow main body (2) is of oval annular shape, and in that said pillow secondary body (4), being anchored onto its respective ends to said pillow main body (2), is adapted to work as a structural element for keeping said oval shape.  
10
2. The pillow (1) according to claim 1, wherein, during use said resting surface (3) is raised at the chest diaphragm with respect to the resting surface (3) at the neck zone.
- 15 3. The pillow (1) according to claim 1 or 2, wherein the main body (2) has a thickness at the diaphragm that is greater with respect to the thickness at the neck zone.
4. The pillow (1) according to claim 1, wherein the main body (2) has a structural element, said structural element having a rigidity greater than that of the  
20 remaining portion of the main body (2).
5. The pillow (1) according to claim 4, wherein said structural element consists of an annular core (7) internal to the pillow main body (2) and located onto the section of the latter in a substantially central location.  
25
6. The pillow (1) according to claim 5, wherein said annular core (7) comprises a rope-shaped or tubular element.
7. The pillow (1) according to claim 4, wherein said structural element  
30 comprises an annular layer of greater rigidity, located at a base portion of the main body (2).
8. The pillow (1) according to any one of the preceding claims, wherein, in the pillow main body (2), the elasticity and/or the softness decreases from the chest  
35 resting surface (3) to the base portion (8).

9. The pillow (1) according to any one of the preceding claims, wherein the pillow secondary body (4) forms, with the pillow main body (2), a homogeneous resting surface (3) for the chest and a homogenous base surface (8).

5 10. The pillow (1) according to any one of the preceding claims, wherein, during use, said resting surface (3) is raised at the chest sides with respect to the resting surface (3) at the neck zone.

10 11. The pillow (1) according to any one of the preceding claims, wherein the main body (2) has a greater thickness at its side portions with respect to the thickness at the neck zone.

15 12. The pillow (1) according to any one of the preceding claims, wherein the recesses (5) determined by the pillow main body and secondary body internally have concave side surfaces (11), producing for each recess a cup shape.

20 13. The pillow (1) according to any one of the preceding claims, wherein said main body (2) and said secondary body (4) are covered with a substantially anallergic fabric.

25 14. The pillow (1) according to any one of the preceding claims, wherein said main body (2) and said secondary body (4) are covered with a substantially transpiring fabric.

15. The pillow (1) according to any one of the preceding claims, wherein said main body (2) and said secondary body (4) are covered with a substantially natural fiber-based fabric.

30 16. The pillow (1) according to claim 15, wherein said fabric is cotton.

**Dated 8 May 2007**

**Cecilia Dazzi**

**Patent Attorneys for the Applicant/Nominated Person**

**SPRUSON & FERGUSON**

35




Fig. 1




Fig 2




Fig. 3




Fig. 3a




Fig. 3b