



TZ, UG, ZM, ZW), Eurasian (AM, AZ, BY, KG, KZ, RU, TJ, TM), European (AL, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HR, HU, IE, IS, IT, LT, LU, LV, MC, MK, MT, NL, NO, PL, PT, RO, RS, SE, SI, SK, SM, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, KM, ML, MR, NE, SN, TD, TG).

Published:

— *with international search report (Art. 21(3))*

ORAL CARE IMPLEMENT

BACKGROUND

[0001] A toothbrush is used to clean the teeth by removing plaque and debris from the tooth surfaces. Toothbrushes have a handle for gripping and a head which is inserted into a user's mouth for tooth and oral surface cleaning. The head typically has bristles formed of nylon and sometimes also cleaning elements formed from elastomeric materials to perform the cleaning function. Furthermore, some toothbrushes have been developed that include a tongue or soft tissue cleanser formed of an elastomeric material on the opposite surface of the head relative to the bristles. Conventional toothbrushes may also include a handle and/or thumb grip that is formed with elastomeric materials for ease and comfort during handling and use. There are countless different toothbrushes that are available to consumers for purchase, and thus a great deal of innovation goes into the design of each toothbrush in order to capture the attention of consumers while also attempting to improve the effectiveness of the toothbrush at performing its cleaning function. Thus, a need exists for a toothbrush or other oral care implement that has aesthetically pleasing and attractive features while still being effective at removing bacteria from a user's teeth and other oral surfaces.

BRIEF SUMMARY

[0002] Exemplary embodiments according to the present disclosure are directed to an oral care implement that may include a handle and a head coupled thereto. The head has a front surface and an opposite rear surface. The oral care implement includes an elastomeric soft tissue cleanser comprising a plurality of protuberances extending from the rear surface of the head and a plurality of tooth cleaning elements extending from the front surface of the head. The free ends of the protuberances collectively define a convex longitudinal profile and comprise at least one convex transverse top profile. The free ends of the tooth cleaning elements collectively define a concave longitudinal side profile and comprise at least one concave transverse top profile.

[0003] In one aspect, the invention can be an oral care implement comprising a handle; a head coupled to the handle, the head comprising a front surface and a rear surface opposite the front surface, the head extending from a proximal end to a distal end along a longitudinal axis; an elastomeric soft tissue cleanser comprising a plurality of protuberances extending from the rear

surface of the head and terminating in free ends, the free ends of the protuberances collectively defining a convex longitudinal side profile and comprising at least one convex transverse top profile; and a plurality of tooth cleaning elements extending from the front surface of the head and terminating in free ends, the free ends of the tooth cleaning elements collectively defining a concave longitudinal side profile and comprising at least one concave transverse top profile.

[0004] In another aspect, the invention can be an oral care implement comprising a handle; a head coupled to the handle, the head comprising a front surface, a rear surface opposite the front surface, a longitudinal axis extending from a proximal end to a distal end, and a central transverse plane, the longitudinal axis intersecting and orthogonal to the central transverse plane; an elastomeric soft tissue cleanser comprising a plurality of protuberances extending from the rear surface of the head and terminating in free ends, the free ends of the protuberances collectively forming a longitudinal side profile having a height, measured from the rear surface of the head, that decreases with longitudinal distance from the central transverse plane, and the free ends of the protuberances comprising at least one transverse top profile having a height, measured from the rear surface of the head, that decreases with transverse distance from the longitudinal axis; and a plurality of tooth cleaning elements extending from the front surface of the head and terminating in free ends, the free ends of the tooth cleaning elements collectively defining a longitudinal side profile having a height, measured from the front surface of the head, that increases with longitudinal distance from the central transverse plane, and the free ends of the tooth cleaning elements comprising at least one transverse top profile having a height, measured from the front surface of the head, that increases with transverse distance from the longitudinal axis.

[0005] In yet another aspect, the invention can be an oral care implement comprising a handle; a head coupled to the handle, the head comprising a front surface and a rear surface opposite the front surface, the head extending from a proximal end of the head to a distal end of the head along a longitudinal axis; an elastomeric soft tissue cleanser comprising a plurality of protuberances extending from the rear surface of the head and terminating in free ends, each of the protuberances having a height measured from the rear surface of the head to its free end, and wherein the free ends of the protuberances comprise at least one convex transverse top profile formed by a variation in the heights of the protuberances along a first transverse plane that intersects and is substantially orthogonal to the longitudinal axis; and a plurality of tooth

cleaning elements extending from the front surface of the head and terminating in free ends, each of the tooth cleaning elements having a height measured from the front surface of the head to its free end, the free ends of the tooth cleaning elements comprising at least one concave transverse top profile formed by a variation in the heights of the tooth cleaning elements along a second transverse plane that intersects and is substantially orthogonal to the longitudinal axis.

[0006] Further areas of applicability of the present invention will become apparent from the detailed description provided hereinafter. It should be understood that the detailed description and specific examples, while indicating the preferred embodiment of the invention, are intended for purposes of illustration only and are not intended to limit the scope of the invention.

BRIEF DESCRIPTION OF THE DRAWINGS

[0007] The present invention will become more fully understood from the detailed description and the accompanying drawings, wherein:

[0008] Figure 1 is front perspective view of an oral care implement in accordance with an embodiment of the present invention.

[0009] Figure 2 is a rear perspective view of the oral care implement of FIG. 1.

[0010] Figure 3 is a close-up front view of a head of the oral care implement of FIG. 1.

[0011] Figure 4 is a top view of the head of the oral care implement of FIG. 1.

[0012] Figure 5 is a side view of the head of the oral care implement of FIG. 1.

[0013] Figure 6 is a cross-section taken along line VI-VI of FIG. 3.

[0014] Figure 7 is a cross-section taken along line VII-VII of FIG. 3.

[0015] Figure 8 is a rear view of the head of the oral care implement of FIG. 1.

DETAILED DESCRIPTION

[0016] The following description of the preferred embodiment(s) is merely exemplary in nature and is in no way intended to limit the invention, its application, or uses.

[0017] The description of illustrative embodiments according to principles of the present invention is intended to be read in connection with the accompanying drawings, which are to be considered part of the entire written description. In the description of embodiments of the invention disclosed herein, any reference to direction or orientation is merely intended for convenience of description and is not intended in any way to limit the scope of the present invention. Relative terms such as “lower,” “upper,” “horizontal,” “vertical,” “above,” “below,”

“up,” “down,” “top” and “bottom” as well as derivatives thereof (e.g., “horizontally,” “downwardly,” “upwardly,” etc.) should be construed to refer to the orientation as then described or as shown in the drawing under discussion. These relative terms are for convenience of description only and do not require that the apparatus be constructed or operated in a particular orientation unless explicitly indicated as such. Terms such as “attached,” “affixed,” “connected,” “coupled,” “interconnected,” and similar refer to a relationship wherein structures are secured or attached to one another either directly or indirectly through intervening structures, as well as both movable or rigid attachments or relationships, unless expressly described otherwise. Moreover, the features and benefits of the invention are illustrated by reference to the exemplified embodiments. Accordingly, the invention expressly should not be limited to such exemplary embodiments illustrating some possible non-limiting combination of features that may exist alone or in other combinations of features; the scope of the invention being defined by the claims appended hereto.

[0018] As used throughout, ranges are used as shorthand for describing each and every value that is within the range. Any value within the range can be selected as the terminus of the range. In addition, all references cited herein are hereby incorporated by reference in their entireties. In the event of a conflict in a definition in the present disclosure and that of a cited reference, the present disclosure controls.

[0019] Referring first to FIGS. 1 and 2 concurrently, an oral care implement 100 is illustrated in accordance with one embodiment of the present invention. In the exemplified embodiment, the oral care implement 100 is in the form of a manual toothbrush. However, in certain other embodiments the oral care implement 100 can take on other forms such as being a powered toothbrush, a tongue scraper, a gum and soft tissue cleanser, a water pick, an interdental device, a tooth polisher, a specially designed ansate implement having tooth engaging elements, or any other type of implement that is commonly used for oral care. Thus, it is to be understood that the inventive concepts discussed herein can be applied to any type of oral care implement unless a specific type of oral care implement is specified in the claims.

[0020] The oral care implement 100, which generally comprises a head 110 and a handle 120, extends from a proximal end 101 to a distal end 102 along a longitudinal axis A-A. The head 110 extends from a proximal end 118 to a distal end 119 along a longitudinal axis that is coextensive with the longitudinal axis A-A of the oral care implement 100. Furthermore, in the

exemplified embodiment the distal end 102 of the oral care implement 100 is the same as the distal end 119 of the head 110.

[0021] The handle 120 is an elongated structure that provides the mechanism by which the user can hold and manipulate the oral care implement 100 during use. In the exemplified embodiment, the handle 120 is generically depicted having various contours for user comfort. Of course, the invention is not to be limited by the specific shape illustrated for the handle 120 in all embodiments and in certain other embodiments the handle 120 can take on a wide variety of shapes, contours, and configurations, none of which are limiting of the present invention unless so specified in the claims.

[0022] In the exemplified embodiment, the handle 120 is formed of a hard or rigid plastic material, such as for example without limitation polymers and copolymers of ethylene, propylene, butadiene, vinyl compounds, and polyesters such as polyethylene terephthalate. The handle 120 also includes a grip 121 that is formed of a resilient/elastomeric material. In the exemplified embodiment the grip 121 is molded over a portion of the handle 120 that is typically gripped by a user's thumb and forefinger during use. Furthermore, it should be appreciated that additional regions of the handle 120 can be overmolded with the resilient/elastomeric material to enhance the gripability of the handle 120 during use. For example, portions of the handle 120 that are typically gripped by a user's palm during use may be overmolded with a thermoplastic elastomer or other resilient material to further increase comfort to a user. Furthermore, materials other than those noted above can be used to form the handle 120, including metal, wood, or any other desired material that has sufficient structural rigidity to permit a user to grip the handle 120 and manipulate the oral care implement 100 during toothbrushing.

[0023] The head 110 of the oral care implement 100 is coupled to the handle 120 and comprises a front surface 111 and an opposing rear surface 112. In the exemplified embodiment the front surface 111 is a continuous and planar surface of the head 110. Furthermore, the head 110 comprises a peripheral surface 113 extending between the rear surface 112 and the front surface 111. The peripheral surface 113 of the head 110 includes a first lateral side 104 and a second lateral side 105. In the exemplified embodiment, the head 110 is formed integrally with the handle 120 as a single unitary structure using a molding, milling, machining, or other suitable process. However, in other embodiments the handle 120 and the head 110 may be formed as separate components which are operably connected at a later stage of the manufacturing process

by any suitable technique known in the art, including without limitation thermal or ultrasonic welding, a tight-fit assembly, a coupling sleeve, threaded engagement, adhesion, or fasteners. Thus, the head 110 may, in certain embodiments, be formed of any of the rigid plastic materials described above as being used for forming the handle 120, although the invention is not to be so limited in all embodiments and other materials that are commonly used during toothbrush head manufacture may also be used.

[0024] The oral care implement 100 also comprises a plurality of tooth cleaning elements 115 extending from the front surface 111 of the head 110. The invention is not to be limited by the structure, pattern, orientation, and material of the tooth cleaning elements 115 in all embodiments. Furthermore, where it does not conflict with the other disclosure provided herein or the claims, it should be appreciated that the term "tooth cleaning elements" may be used in a generic sense to refer to any structure that can be used to clean, polish, or wipe the teeth and/or soft oral tissue (e.g. tongue, cheek, gums, etc.) through relative surface contact. Common examples of "tooth cleaning elements" include, without limitation, bristle tufts, filament bristles, fiber bristles, nylon bristles, polybutylene terephthalate (PBT) bristles, spiral bristles, rubber bristles, elastomeric protrusions, flexible polymer protrusions, combinations thereof, and/or structures containing such materials or combinations. Thus, any combination of these tooth cleaning elements may be used within the tooth cleaning element field in some embodiments. Furthermore, where bristles are used for one or more of the tooth cleaning elements 115, such bristles can be tapered, end-rounded, spiral, or the like.

[0025] In embodiments that use elastomeric materials to form one or more of the tooth cleaning elements 115, suitable elastomeric materials may include any biocompatible resilient material suitable for uses in an oral hygiene apparatus. To provide optimum comfort as well as cleaning benefits, the elastomeric material of any such tooth cleaning element may have a hardness property in the range of A10 to A70 Shore hardness in one embodiment, or A8 to A25 Shore hardness in another embodiment. One suitable elastomeric material is styrene-ethylene/butylene-styrene block copolymer (SEBS) manufactured by GLS Corporation. Nevertheless, SEBS material from other manufacturers or other materials within and outside the noted hardness range could be used.

[0026] The tooth cleaning elements 115 may be coupled to the head 110 in any manner known in the art, including staples, in-mold tufting (IMT), anchor-free tufting (AFT), or a modified AFT

known as AMR. Referring briefly to FIGS. 6 and 7, one manner in which the tooth cleaning elements 115 are secured to the head 110 via AFT will be described. Specifically, in the exemplified embodiment the tooth cleaning elements 115 are formed as a cleaning element assembly on a head plate 130 such that one or more of the tooth cleaning elements 115 are mounted onto the head plate 130 and then the head plate 130 is coupled to the head 110. In such an embodiment, the head plate 130 is a separate and distinct component from the head 110 of the oral care implement 100. However, the head plate 130 is connected to the head 110 at a later stage of the manufacturing process by any suitable technique known in the art, including without limitation thermal or ultrasonic welding, any fusion techniques such as thermal fusion, melting, a tight-fit assembly, a coupling sleeve, threaded engagement, adhesion, or fasteners. Thus, the head plate 130 and the head 110 are separately formed components that are secured together during manufacture of the oral care implement 100.

[0027] In certain embodiments, the head plate 130 may comprise an upper surface 133 and a lower surface 132. The upper surface 133 of the head plate 130 forms a portion of the front surface 111 of the head 110 when the head plate 130 is coupled to the head 110 as discussed herein. The head plate 130 comprises a plurality of holes 131 formed therethrough from the upper surface 133 to the lower surface 132, and the tooth cleaning elements 115 may be mounted to the head plate 130 within the holes 131. Specifically, in AFT a plate or membrane (i.e., the head plate 130) is created separately from the head 110. The tooth cleaning elements 115 (such as bristles, elastomeric elements, and combinations thereof) are positioned into the head plate 130 so as to extend through the holes 131 of the head plate 130. Free ends 117 of the tooth cleaning elements 115 on one side of the head plate 130 perform the cleaning function. Anchor portions 116 of the tooth cleaning elements 115 on the other side of the head plate 130 are melted together by heat to be anchored in place. As the tooth cleaning elements 115 are melted together, a melt matte 106 is formed. The melt matte 106 is a thin layer of plastic that is formed by melting the anchor portions 116 of the tooth cleaning elements 115 so that the anchor portions 116 of the tooth cleaning elements transition into a liquid, at which point the liquid of the anchor portions 116 of the tooth cleaning elements combine together into a single layer of liquid plastic that at least partially covers the lower surface 132 of the head plate 130. After the heat is no longer applied, the melted anchor portions 116 of the bristles solidify/harden to form the melt matte 106 or thin layer of plastic.

[0028] After the tooth cleaning elements 115 are secured to the head plate 130, the head plate 130 is secured to the head 110 such as by ultrasonic welding or mechanical techniques (i.e., snap-fit, interference fit, slot-and-tab, or the like) so that the upper surface 133 of the head plate 130 forms at least a portion of the front surface 111 of the head 110. When the head plate 130 is coupled to the head 110, the melt matte 106 is located between the lower surface 132 of the head plate 130 and a floor 107 of a basin 108 of the head 110 in which the head plate 130 is disposed. The melt matte 106, which is coupled directly to and in fact forms a part of the tooth cleaning elements 115, prevents the tooth cleaning elements 115 from being pulled through the holes 131 in the head plate 130 to ensure that the tooth cleaning elements 115 remain attached to the head plate 130 during use of the oral care implement 100.

[0029] As noted above, in another embodiment the tooth cleaning elements may be connected to the head 110 using a technique known in the art as AMR. In this technique, the handle is formed integrally with the head plate as a one-piece structure. After the handle and the head plate are formed, the bristles are inserted into holes in the head plate so that the free/cleaning ends of the bristles extend from the front surface of the head plate and the bottom ends of the bristles are adjacent to the rear surface of the head plate. After the bristles are inserted into the holes in the head plate, the bottom ends of the bristles are melted together by applying heat thereto, thereby forming a melt matte at the rear surface of the head plate. The melt matte is a thin layer of plastic that is formed by melting the bottom ends of the bristles so that the bottom ends of the bristles transition into a liquid, at which point the liquid of the bottom ends of the bristles combine together into a single layer of liquid plastic that at least partially covers the rear surface of the head plate. After the heat is no longer applied, the melted bottom ends of the bristles solidify/harden to form the melt matte/thin layer of plastic. In some embodiments, after formation of the melt matte, a tissue cleanser is injection molded onto the rear surface of the head plate, thereby trapping the melt matte between the tissue cleanser and the rear surface of the head plate. In other embodiments, other structures may be coupled to the rear surface of the head plate to trap the melt matte between the rear surface of the head plate and such structure without the structure necessarily being a tissue cleanser (the structure can just be a plastic material that is used to form a smooth rear surface of the head, or the like).

[0030] Of course, techniques other than AFT and AMR can be used for mounting the tooth cleaning elements 115 to the head 110, such as widely known and used stapling techniques or the

like. In such embodiments the head plate 130 may be omitted and the tooth cleaning elements 115 may be coupled directly to the head 110. Furthermore, in a further modified version of the AFT and AMR processes discussed above, the head plate 130 may be formed by positioning the tooth cleaning elements 115 within a mold, and then molding the head plate 130 around the tooth cleaning elements 115 via an injection molding process.

[0031] Referring now to FIGS. 1-5 concurrently, in the exemplified embodiment the plurality of tooth cleaning elements 115 includes a plurality of separate tufts of bristles 114 and a plurality of elastomeric tooth cleaning elements 103. Although illustrated herein as having a specific arrangement and shape, in certain embodiments the arrangement of the tufts of bristles 114 and elastomeric tooth cleaning elements 103 as well as the shapes thereof can be modified from that which is depicted in the figures within the bounds of the disclosure set forth herein. Specifically, the pattern, orientation, and positioning of the tufts of bristles 114 and the elastomeric tooth cleaning elements 103 may be modified from that which is depicted in the figures so long as the various concave and convex profiles formed by the tooth cleaning elements as described herein below remain.

[0032] The head 110 of the oral care implement 100 comprises a base 144 that is formed of a hard plastic material, such as any of the materials noted above for forming the handle 120 (including polypropylene and the like). Furthermore, the head 110 comprises an elastomeric soft tissue cleanser 150 and a bumper 180 that are coupled to the base 144. Each of the elastomeric soft tissue cleanser 150 and the bumper 180 are formed of a resilient and flexible elastomeric material, such as a thermoplastic elastomer. The elastomeric soft tissue cleanser 150 and the bumper 180 serve to clean the user's tongue and soft tissue surfaces and to protect the user's gums during toothbrushing. Specifically, the bumper 180 is positioned on the peripheral surface 113 of the head 110 and thus reduces the impact of the hard plastic of the base 144 against the user's gums during use of the toothbrush. The bumper 180 also includes raised features 181 that protrude beyond the rear surface 112 of the head 110 and can also be used for cleaning/scraping a user's tongue. The elastomeric soft tissue cleanser 150 is positioned on the rear surface 112 (and in fact forms a part of the rear surface) of the head 110 and can be used to clean and scrub a user's tongue and other soft tissue surfaces. The combination of the bumper and the elastomeric soft tissue cleanser 150, 180 also results in a highly desirable aesthetic appearance for the oral care implement 100.

[0033] Referring briefly to FIGS. 4-7, the elastomeric soft tissue cleanser 150 generally comprises a pad 151 and a plurality of protuberances 152 that extend from the pad 151. In the exemplified embodiment, each of the plurality of protuberances 152 is in the form of a nub. As used herein a “nub” generally refers to a column-like protrusion (without limitation to the cross-sectional shape of the protrusion) which is upstanding from a base surface. In the exemplified embodiment, the protuberances 152 are nubs comprising a cylindrical body portion and a tapered tip portion. In a general sense, the protuberances 152 in the preferred construction have a height that is greater than the width at the base of the protuberance 152 (as measured in the longest direction). Nevertheless, protuberances or nubs could include projections wherein the widths and heights are roughly the same or wherein the heights are somewhat smaller than the base widths. Moreover, in some circumstances (e.g., where the protuberances taper to a tip or include a base portion that narrows to a smaller projection), the base width can be substantially larger than the height. Furthermore, in the exemplified embodiment the plurality of protuberances 152 have varying heights such that some of the protuberances 152 are taller than other of the protuberances 152. The varying heights of the protuberances 152 results in the protuberances 152 forming convex profiles depending on the viewing angle as described in more detail below.

[0034] The base 144 of the head 110 comprises a basin 190 formed therein. The basin 190 is defined by a floor 191 that is recessed relative to the rear surface 112 of the head 110 and a sidewall 192 that extends from the floor 191 to the rear surface 112 of the head 110. The elastomeric soft tissue cleanser 150 is positioned within the basin 190. More specifically, the pad 151 of the elastomeric soft tissue cleanser 150 is disposed within the basin 190 so that an exposed surface 153 of the pad 151 is flush or substantially flush with the portion of the rear surface 112 of the head 110 that is formed by the base 144 (substantially flush can be the exposed surface 153 of the pad 151 either extending beyond or being recessed relative to the rear surface 112 of the base 144 of the head 110 by between approximately 0.1 mm and 1.0 mm). The exposed surface 153 of the pad 151 thus forms a part of the rear surface 112 of the head 110. Furthermore, the plurality of protuberances 152 extend from the rear surface 112 of the head 110 for contact with a user's soft tissue surfaces. The elastomeric soft tissue cleanser 150 may be coupled to the head via an injection molding process (i.e., by injection molding an elastomeric material directly into the basin 190 while the head 110 is positioned within a mold). In certain embodiments the head 110 may include one or more peg members 193 that extend upwardly

from the floor 191 of the basin 190 to assist in retaining the elastomeric soft tissue cleanser 150 within the basin 190.

[0035] Referring briefly to FIG. 8, in the exemplified embodiment the protuberances 152 of the elastomeric soft tissue cleanser 150 are arranged in a particular pattern on the rear surface 112 of the head 110. Specifically, the protuberances 152 are arranged to form a first set of concentric rings 199 and a second set of concentric rings 198. The first set of concentric rings 199 are positioned on the upper half of the rear surface 112 of the head 110 and the second set of concentric rings 198 are positioned on the lower half of the rear surface 112 of the head 110. The upper and lower halves of the rear surface 112 of the head 110 (and the first and second sets of concentric rings 199, 198) are separated by a single transverse row 197 of the protuberances 152 (although more than one transverse row may be included in alternative embodiments). The first set of concentric rings 199 comprises a first ring 196a that surrounds one of the peg members 193, a second ring 196b that surrounds the first ring 196a, and a third ring 196c that surrounds the second ring 196b. The second set of concentric rings 198 comprises a first ring 193a that surrounds one of the peg members 193, a second ring 193b that surrounds the first ring 193a, and a third ring 193c that surrounds the second ring 193b.

[0036] Furthermore, the protuberances 154 form three arcuate rows 195a-c positioned between the first set of concentric rings 199 and the transverse row 197. Each of three arcuate rows 195a-c has a concave surface facing the first set of concentric rings 199 and a convex surface facing the transverse row 197. The protuberances 154 also form three arcuate rows 194a-c positioned between the transverse row 197 and the second set of concentric rings 199. Each of the three arcuate rows 194a-c has a concave surface facing the second set of concentric rings 198 and a convex surface facing the transverse row 197. Finally, the protuberances 154 form a fourth arcuate row 192 adjacent to the third ring 193c and three substantially transverse rows 191a-c between the fourth arcuate row 192 and the proximal end 118 of the head 110. Each of the various rings, arcuate rows, and transverse rows described above are formed by a plurality of the protuberances 152 that are arranged in a spaced-apart manner. Each of the various rings, arcuate rows, and transverse rows is delineated with a dotted line for ease of understanding of the description herein above.

[0037] The elastomeric soft tissue cleanser 150 is symmetric about a plane that intersects and extends along the transverse row 197 from the third ring 196c of the first set of concentric rings

199 to the third ring 193c of the second set of concentric rings 198. The elastomeric soft tissue cleanser 150 in its entirety is asymmetric about the plane that intersects and extends along the transverse row 197 due to the additional rows 192, 191a-c located between the third ring 193c of the second set of concentric rings 198 and the proximal end 118 of the head 110.

[0038] Referring now to FIGS. 5-7, the oral care implement 100 will be further described. As noted above, the elastomeric soft tissue cleanser 150 comprises the plurality of protuberances 152 that extend from the rear surface 112 of the head 110. Each of the protuberances 152 of the elastomeric soft tissue cleanser 150 terminates in a free end 154. The free ends 154 of the protuberances 152 collectively define a convex longitudinal side profile 155. Thus, when viewed from the side of the head 110 as depicted in FIG. 5, the convex longitudinal side profile 155 is formed by the free ends 154 of the protuberances 152. The convex longitudinal side profile 155 is delineated with a dashed line for ease of understanding.

[0039] The convex longitudinal side profile 155 defined by the free ends 154 of the protuberances 152 is achieved due to a variation in the heights of the protuberances 152 as measured from the rear surface 112 of the head 110 to the free ends 154 of the protuberances 152. More specifically, each of the protuberances 152 has a height measured from the rear surface 112 of the head 110 to its free end 154. The relative heights of the protuberances 152 increases in a direction of the longitudinal axis A-A from a proximal-most one 156 of the protuberances 152 to a tallest one 158 of the protuberances 152 and then decreases in the direction of the longitudinal axis A-A from the tallest one 158 of the protuberances 152 to a distal-most one 157 of the protuberances 152. The protuberances 152 can be broken down into longitudinal columns (each column being formed by substantially aligned protuberances that extend from the proximal end 118 of the head 110 to the distal end 119 of the head 110 along the longitudinal axis A-A or along an axis that is parallel to the longitudinal axis A-A). The protuberances 152 in each longitudinal column increase in height from the protuberance within that column that is located nearest to the proximal end 118 of the head 110 to a central transverse plane B-B (or some other transverse plane located at the peak height of the protuberances 152). The protuberances 152 in each longitudinal column also increase in height from the protuberance within that column that is located nearest to the distal end 119 of the head 110 to the central transverse plane B-B (or some other transverse plane located at the peak height of the protuberances 152).

[0040] In the exemplified embodiment, the head 110 comprises the central transverse plane B-B, which is a plane that extends orthogonally to and intersects the longitudinal axis A-A and which is located approximately centrally on the head 110 between the proximal and distal ends 118, 119 of the head 110. In certain embodiments, the tallest one (or ones) 158 of the protuberances 154 is positioned so as to be intersected by the central transverse plane B-B. In such embodiments the heights of the protuberances 152 decrease with longitudinal distance from the central transverse plane B-B towards the proximal and distal ends 118, 119 of the head 110. The decrease in height may be gradual and continuous in some embodiments, or stepped in other embodiments.

[0041] In addition to the convex longitudinal side profile 155, the free ends 154 of the protuberances 152 also comprise at least one convex transverse top profile 159. Thus, when viewed along at least one transverse plane that intersects and is substantially orthogonal to the longitudinal axis A-A (such as the view provided in FIG. 6, for example), the free ends 154 of the protuberances 152 form a convex profile. The convex transverse top profile 159 is delineated in dotted lines in FIGS. 4 and 6 for ease of understanding. The term top profile is intended to mean the profile that is seen by a viewer who is viewing the toothbrush from the distal end 119 of the head 110 or from a transverse plane that is substantially orthogonal to and intersects the longitudinal axis A-A and that is taken through the head 110 from the first lateral side 104 to the second lateral side 105.

[0042] FIG. 6 illustrates a cross-sectional view of the head taken along one such transverse plane. As can be seen, the convex transverse top profile 159 of the free ends 154 of the protuberances 152 is formed along the transverse plane due to a variation in the heights of the protuberances 152 along the transverse plane. Thus, in the exemplified embodiment the heights of the protuberances 154 decrease along the transverse plane with distance from the longitudinal axis A-A towards the first and second lateral sides 104, 105 of the head 110. Stated another way, along the transverse plane the protuberances 152 nearest to the first and second lateral sides 104, 105 of the head 110 are shortest, and the heights of the protuberances 154 gradually increase from the protuberances 152 nearest to the first and second lateral sides 104, 105 of the head 110 to the protuberance 152 that is aligned with the longitudinal axis A-A.

[0043] Thus, the free ends 154 of the protuberances 152 collectively define the convex longitudinal side profile 155 (see FIG. 5) and the free ends 154 of the protuberances 152

comprise at least one convex top profile 159 (see FIG. 6). Although the convex top profile 159 is only depicted along one transverse plane that intersects and is substantially orthogonal to the longitudinal axis A-A, the free ends 154 of the protuberances 152 may comprise multiple convex top profiles taken at multiple different transverse planes that intersect and are substantially orthogonal to the longitudinal axis A-A.

[0044] Still referring to FIGS. 5-7, in addition to the free ends 154 of the protuberances 152 forming the convex longitudinal side profile 155 and comprising the at least one convex transverse top profile 159, the tooth cleaning elements 115 form concave profiles. More specifically, the plurality of tooth cleaning elements 115 terminate in free ends 160. The free ends 160 of the tooth cleaning elements 115 collectively define a concave longitudinal side profile 161 (delineated in dashed lines). In the exemplified embodiment, the concave longitudinal side profile 161 is formed due to a variation in height of the tooth cleaning elements 115 as measured from the front surface 111 of the head 110 to the free ends 160 of the tooth cleaning elements 115. The height of the tooth cleaning elements 115 (and also of the concave longitudinal side profile 161) gradually and continuously increases from the central transverse plane B-B to proximal-most 163 and distal-most 164 ones of the tooth cleaning elements 115 (i.e., towards the proximal and distal ends 118, 119 of the head 110). Although described herein as forming a convex longitudinal side profile, it should be understood that in certain embodiments although the terminal ends 160 of the tooth cleaning elements 115 generally form a concave shape, there may be some tooth cleaning elements that extend beyond or above the general concave shaped-profile. Thus, every single tooth cleaning element 115 need not follow the contours of the concave profile. Rather, some of the tooth cleaning elements 115 may extend beyond the concave profile while the terminal ends 160 of the tooth cleaning elements 115 still form a readily visible concave longitudinal side profile 161.

[0045] In addition, the free ends 160 of the tooth cleaning elements 115 comprise at least one concave transverse top profile 162 (delineated in dashed lines for reference). Thus, when viewed along at least one transverse plane that intersects and is substantially orthogonal to the longitudinal axis A-A (such as the view provided in FIG. 6, for example), the free ends 160 of the tooth cleaning elements 115 form a concave profile. In the exemplified embodiment the at least one transverse plane is the central transverse plane B-B. However, there may be other transverse planes at which the free ends 160 of the tooth cleaning elements 115 form a concave

transverse top profile. As can be seen in FIG. 6, the concave transverse top profile 162 is formed due to the heights of the tooth cleaning elements 115 increasing with distance from the longitudinal axis A-A towards the lateral sides 104, 105 of the head 110 along the transverse plane. Although described herein as forming the concave transverse top profile 162, it should be understood that in certain embodiments although the terminal ends 160 of the tooth cleaning elements 115 generally form the concave shape of the concave transverse top profile 162, there may be some tooth cleaning elements that extend beyond or above the general concave shaped profile. Thus, every single tooth cleaning element 115 need not follow the contours of the concave transverse top profile 162. Rather, some of the tooth cleaning elements 115 may extend beyond the concave transverse top profile 162 while the terminal ends 160 of the tooth cleaning elements 115 still form a readily visible concave transverse top profile 161.

[0046] As seen in FIG. 6, in the exemplified embodiment the free ends 160 of the tooth cleaning elements 115 comprise the concave transverse top profile 161 and the free ends 154 of the protuberances 152 comprise the convex transverse top profile 159 along the same transverse plane (i.e., the central transverse plane B-B). Thus, in the exemplified embodiment when the toothbrush is viewed at the location of the central transverse plane B-B, the free ends 160 of the tooth cleaning elements 115 form the concave transverse top profile 161 and the free ends 154 of the protuberances 152 form the convex transverse top profile 159.

[0047] However, in certain embodiments the convex transverse top profile 159 of the protuberances 152 may be formed along a first transverse plane that intersects and is substantially orthogonal to the longitudinal axis A-A and the concave transverse top profile 162 of the tooth cleaning elements 115 may be formed along a second transverse plane that intersects and is substantially orthogonal to the longitudinal axis A-A. In some embodiments the first and second transverse planes may be the same as noted herein above (i.e., the central transverse plane B-B). In other embodiments the first and second transverse planes may be different. In one particular embodiment, the first transverse plane may be positioned closer to the distal end 119 of the head 110 than the second transverse plane 118. In another particular embodiment the first transverse plane may be positioned closer to the proximal end 118 of the head 110 than the second transverse plane 118. In still other embodiments convex transverse top profiles may be formed by the protuberances 152 along transverse planes located on opposite sides of the

transverse plane along which the concave transverse top profile is formed by the tooth cleaning elements 115.

[0048] Furthermore, in some embodiments the convex longitudinal side profile 155 formed by the free ends 154 of the protuberances 152 has a maximum height at the central transverse plane B-B and the concave longitudinal side profile 161 formed by the free ends 160 of the tooth cleaning elements 115 has a minimum height at the central transverse plane B-B. However, in the exemplified embodiment, the convex longitudinal side profile 155 formed by the free ends 154 of the protuberances 152 has a maximum height that is offset from a minimum height of the concave longitudinal side profile 161 formed by the free ends 160 of the tooth cleaning elements 115. More specifically, the maximum height of the convex longitudinal side profile 155 (formed by the tallest protuberance 158) is located closer to the distal end 119 of the head 110 than the minimum height of the concave longitudinal side profile 161 (see FIG. 5).

[0049] Furthermore, in the exemplified embodiment the longitudinal side profile 155 formed by the free ends 154 of the protuberances 152 has a longitudinal center point CP1 that is longitudinally offset (i.e., spaced apart in the longitudinal direction) from the central transverse plane B-B. More specifically, the longitudinal center point CP1 of the convex longitudinal side profile 155 is located between the central transverse plane B-B and the proximal end 118 of the head 110. Thus, the convex longitudinal side profile 155 formed by the free ends 154 of the protuberances 152 is asymmetric about the central transverse plane B-B. The concave longitudinal side profile 161 formed by the free ends 160 of the tooth cleaning elements 115 has a longitudinal center point CP2 that is located on the central transverse plane B-B. Thus, the concave longitudinal side profile 161 formed by the free ends 160 of the tooth cleaning elements 115 is symmetric about the central transverse plane B-B.

[0050] Thus, the tooth cleaning elements 115 collectively form the concave longitudinal side profile 161 and comprise the at least one concave transverse top profile 162 and the protuberances 152 collectively form the convex longitudinal side profile 155 and comprise the at least one convex transverse top profile 159. In certain embodiments, the radius of curvature of the concave longitudinal side profile 161 and the convex longitudinal side profile 155 may be the same to enhance the aesthetic, although this is not required in all embodiments. Furthermore, in certain embodiments the radius of curvature of the at least one concave transverse top profile 162

and the at least one convex transverse top profile 159 may be the same, although this is not required in all embodiments.

[0051] In the exemplified embodiment, the elastomeric soft tissue cleanser 150 has a first length L1 measured from the free end 154 of the distal-most one 157 of the protuberances 152 to the free end 154 of the proximal-most one 158 of the protuberances 152. Furthermore, the tooth cleaning elements 115 form a tooth cleaning element field having a second length L2 measured from a distal-most portion 167 of the distal-most one 164 of the tooth cleaning elements 115 to a proximal-most portion 166 of the proximal-most one 163 of the tooth cleaning elements 115. In the exemplified embodiment, the first length L1 is greater than the second length L2. However, the invention is not to be so limited in all embodiments and in certain other embodiments the first and second lengths L1, L2 may be equal, and in still other embodiments the second length L2 may be greater than the first length L1.

[0052] Furthermore, in the exemplified embodiment the free end 154 of the distal-most one 157 of the protuberances 152 is longitudinally offset from the distal-most portion 167 of the distal-most one 164 of the tooth cleaning elements 115. More specifically, the distal-most portion 167 of the distal-most one 164 of the tooth cleaning elements 115 is positioned closer to the distal end 119 of the head 110 than the distal-most one 157 of the protuberances 152. Additionally, the proximal-most portion 166 of the free end 160 of the proximal-most one 163 of the tooth cleaning elements 115 is longitudinally offset from the free end 154 of the proximal-most one 156 of the protuberances 152. Most specifically, the free end 154 of the proximal-most one 156 of the protuberances 152 is positioned closer to the proximal end 118 of the head 110 than the proximal-most portion 166 of the proximal-most one 163 of the tooth cleaning elements 115.

[0053] While the invention has been described with respect to specific examples including presently preferred modes of carrying out the invention, those skilled in the art will appreciate that there are numerous variations and permutations of the above described systems and techniques. It is to be understood that other embodiments may be utilized and structural and functional modifications may be made without departing from the scope of the present invention. Thus, the spirit and scope of the invention should be construed broadly as set forth in the appended claims.

CLAIMS

WHAT IS CLAIMED IS:

1. An oral care implement comprising:
 - a handle;
 - a head coupled to the handle, the head comprising a front surface and a rear surface opposite the front surface, the head extending from a proximal end to a distal end along a longitudinal axis;
 - an elastomeric soft tissue cleanser comprising a plurality of protuberances extending from the rear surface of the head and terminating in free ends, the free ends of the protuberances collectively defining a convex longitudinal side profile and comprising at least one convex transverse top profile; and
 - a plurality of tooth cleaning elements extending from the front surface of the head and terminating in free ends, the free ends of the tooth cleaning elements collectively defining a concave longitudinal side profile and comprising at least one concave transverse top profile.
2. The oral care implement according to claim 1 wherein each of the plurality of protuberances has a height measured from the rear surface of the head to its free end, wherein the convex longitudinal side profile defined by the free ends of the protuberances is formed due to a variation in the heights of the protuberances in a direction of the longitudinal axis, and wherein the convex transverse top profile of the free ends of the protuberances is formed due to a variation in the heights of the protuberances along at least one transverse plane that intersects and is substantially orthogonal to the longitudinal axis.
3. The oral care implement according to claim 2 wherein the head comprises a first lateral side and a second lateral side, and wherein the heights of the protuberances decrease with distance from the longitudinal axis towards the first and second lateral sides of the head.
4. The oral care implement according to any one of claims 2 to 3 further comprising:
 - the head comprising a central transverse plane, the longitudinal axis intersecting and orthogonal to the central transverse plane; and

wherein the heights of the protuberances decrease with longitudinal distance from the central transverse plane towards the proximal and distal ends of the head.

5. The oral care implement according to claim 4 wherein the concave longitudinal side profile formed by the free ends of the tooth cleaning elements has a height measured from the front surface of the head to the free ends of the tooth cleaning elements that increases with longitudinal distance from the central transverse plane towards the proximal and distal ends of the head.
6. The oral care implement according to any one of claims 4 to 5 wherein the convex longitudinal side profile formed by the free ends of the protuberances has a maximum height at the central transverse plane and the concave longitudinal side profile formed by the free ends of the tooth cleaning elements has a minimum height at the central transverse plane.
7. The oral care implement according to any one of claims 4 to 5 wherein the convex longitudinal side profile formed by the free ends of the protuberances has a maximum height that is offset from a minimum height of the concave longitudinal side profile formed by the free ends of the tooth cleaning elements.
8. The oral care implement according to any one of claims 4 to 7 wherein the convex longitudinal side profile defined by the free ends of the protuberances has a longitudinal center point that is longitudinally offset from the central transverse plane.
9. The oral care implement according to claim 8 wherein the longitudinal center point of the convex longitudinal side profile is located between the central transverse plane and the proximal end of the head.
10. The oral care implement according to any one of claims 4 to 9 wherein the concave longitudinal side profile formed by the free ends of the tooth cleaning elements has a longitudinal center point that is located on the central transverse plane.
11. The oral care implement according to any one of claims 4 to 10 wherein the concave longitudinal side profile formed by the free ends of the tooth cleaning elements is symmetric about the central transverse plane and the convex longitudinal side profile

formed by the free ends of the protuberances is asymmetric about the central transverse plane.

12. The oral care implement according to any one of claims 1 to 11 wherein the convex longitudinal side profile defined by the free ends of the protuberances extends from a distal-most one of the protuberances to a proximal-most one of the protuberances.
13. The oral care implement according to any one of claims 1 to 12 wherein the concave longitudinal side profile defined by the free ends of the tooth cleaning elements extends from a distal-most one of the tooth cleaning elements to a proximal-most one of the tooth cleaning elements.
14. The oral care implement according to any one of claims 1 to 13 wherein the protuberances are nubs comprising a cylindrical body portion and a tapered tip portion.
15. The oral care implement according to any one of claims 1 to 14 wherein the elastomeric soft tissue cleanser has a first length measured from the free end of a distal-most one of the protuberances to the free end of a proximal-most one of the protuberances; wherein the tooth cleaning elements form a tooth cleaning element field having a second length measured from a distal-most portion of the free end of a distal-most one of the tooth cleaning elements to a proximal-most portion of the free end of a proximal-most one of the tooth cleaning elements; and wherein the first length is greater than the second length.
16. The oral care implement according to claim 15 wherein the distal-most portion of the free end of the distal-most one of the protuberances is longitudinally offset from the free end of the distal-most one of the tooth cleaning elements, and the proximal-most portion of the free end of the proximal-most one of the protuberances is longitudinally offset from the free end of the proximal-most one of the tooth cleaning elements.
17. The oral care implement according to any one of claims 1 to 16 wherein the front surface of the head is a planar surface.
18. The oral care implement according to any one of claims 1 to 17 wherein the head comprises a base that is formed integrally with the handle and a head plate that is formed separately from the base, the tooth cleaning elements being coupled to the head plate and

the head plate being coupled to the base so that a melt matte of the tooth cleaning elements is located between the head plate and the base.

19. An oral care implement comprising:

a handle;

a head coupled to the handle, the head comprising a front surface, a rear surface opposite the front surface, a longitudinal axis extending from a proximal end to a distal end, and a central transverse plane, the longitudinal axis intersecting and orthogonal to the central transverse plane;

an elastomeric soft tissue cleanser comprising a plurality of protuberances extending from the rear surface of the head and terminating in free ends, the free ends of the protuberances collectively forming a longitudinal side profile having a height, measured from the rear surface of the head, that decreases with longitudinal distance from the central transverse plane, and the free ends of the protuberances comprising at least one transverse top profile having a height, measured from the rear surface of the head, that decreases with transverse distance from the longitudinal axis; and

a plurality of tooth cleaning elements extending from the front surface of the head and terminating in free ends, the free ends of the tooth cleaning elements collectively defining a longitudinal side profile having a height, measured from the front surface of the head, that increases with longitudinal distance from the central transverse plane, and the free ends of the tooth cleaning elements comprising at least one transverse top profile having a height, measured from the front surface of the head, that increases with transverse distance from the longitudinal axis.

20. The oral care implement according to claim 19 wherein the height of the longitudinal side profile of the elastomeric soft tissue cleanser continuously decreases with distance from the central transverse plane and from the longitudinal axis.

21. The oral care implement according to any one of claims 19 to 20 wherein at least one of the longitudinal side profile of the tooth cleaning elements and the longitudinal side profile of the elastomeric soft tissue cleanser is symmetric about the central transverse plane.

22. The oral care implement according to any one of claims 19 to 21 wherein the elastomeric soft tissue cleanser has a first length measured from a distal-most one of the protuberances to a proximal-most one of the protuberances; and wherein the tooth cleaning elements form a tooth cleaning element field having a second length measured from a distal-most one of the tooth cleaning elements to a proximal-most one of the tooth cleaning elements; and wherein the first length is greater than the second length.
23. An oral care implement comprising:
- a handle;
 - a head coupled to the handle, the head comprising a front surface and a rear surface opposite the front surface, the head extending from a proximal end of the head to a distal end of the head along a longitudinal axis;
 - an elastomeric soft tissue cleanser comprising a plurality of protuberances extending from the rear surface of the head and terminating in free ends, each of the protuberances having a height measured from the rear surface of the head to its free end, and wherein the free ends of the protuberances comprise at least one convex transverse top profile formed by a variation in the heights of the protuberances along a first transverse plane that intersects and is substantially orthogonal to the longitudinal axis; and
 - a plurality of tooth cleaning elements extending from the front surface of the head and terminating in free ends, each of the tooth cleaning elements having a height measured from the front surface of the head to its free end, the free ends of the tooth cleaning elements comprising at least one concave transverse top profile formed by a variation in the heights of the tooth cleaning elements along a second transverse plane that intersects and is substantially orthogonal to the longitudinal axis.
24. The oral care implement according to claim 23 wherein the first and second transverse planes are the same.
25. The oral care implement according to claim 23 wherein the first transverse plane is positioned closer to the distal end of the head than the second transverse plane.

1/8




FIG. 1

2/8




FIG. 2

3/8




FIG. 3

4/8




FIG. 4

5/8




FIG. 5

6/8




FIG. 6

7/8




FIG. 7

8/8




FIG. 8

INTERNATIONAL SEARCH REPORT

International application No
PCT/US2014/072075

A. CLASSIFICATION OF SUBJECT MATTER
INV. A46B9/06 A46B9/02 A46B9/04 A46D3/04 A46B15/00
ADD.

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)
A46B A46D

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)

EPO-Internal, WPI Data

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
Y	US 2009/025165 A1 (MOSKOVICH ROBERT [US] ET AL) 29 January 2009 (2009-01-29) abstract; figures 5, 10, 13, 26, 29 paragraph [0105] - paragraph [0107] -----	1-25
Y	US 2004/117934 A1 (PFENNIGER PHILIPP [CH] ET AL) 24 June 2004 (2004-06-24) paragraph [0039]; figures 1a,b -----	1-25
A	US 6 219 874 B1 (VAN GELDER MARIA [GB] ET AL) 24 April 2001 (2001-04-24) column 5, line 29 - line 54 -----	1,19,23
A	US 2011/152909 A1 (JIMENEZ EDUARDO [US] ET AL) 23 June 2011 (2011-06-23) paragraph [0031]; figure 3 ----- -/-	1,19,23



Further documents are listed in the continuation of Box C.



See patent family annex.

* Special categories of cited documents :

"A" document defining the general state of the art which is not considered to be of particular relevance

"E" earlier application or patent but published on or after the international filing date

"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)

"O" document referring to an oral disclosure, use, exhibition or other means

"P" document published prior to the international filing date but later than the priority date claimed

"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art

"&" document member of the same patent family

Date of the actual completion of the international search

4 September 2015

Date of mailing of the international search report

15/09/2015

Name and mailing address of the ISA/

European Patent Office, P.B. 5818 Patentlaan 2
NL - 2280 HV Rijswijk
Tel. (+31-70) 340-2040,
Fax: (+31-70) 340-3016

Authorized officer

Moers, Roelof

INTERNATIONAL SEARCH REPORT

International application No

PCT/US2014/072075

C(Continuation). DOCUMENTS CONSIDERED TO BE RELEVANT		
Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	US 5 655 249 A (LI JIAN-REN [CA]) 12 August 1997 (1997-08-12) abstract; figure 1 -----	1,19,23
A	US 1 369 966 A (ARTHUR COSENS ET AL) 1 March 1921 (1921-03-01) page 1, line 39 - line 59; figure 1 -----	1,19,23

INTERNATIONAL SEARCH REPORT

Information on patent family members

International application No

PCT/US2014/072075

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
US 2009025165	A1	29-01-2009	
		AU 2008358381 A1	30-12-2009
		BR PI0822825 A2	23-06-2015
		CA 2728657 A1	30-12-2009
		CA 2833838 A1	30-12-2009
		CA 2833839 A1	30-12-2009
		CN 102076244 A	25-05-2011
		CN 104323571 A	04-02-2015
		CN 104323572 A	04-02-2015
		CO 6351700 A2	20-12-2011
		EP 2291098 A1	09-03-2011
		RU 2011102774 A	10-08-2012
		RU 2012132196 A	10-02-2014
		RU 2013156632 A	10-04-2015
		TW 201014550 A	16-04-2010
		US 2009025165 A1	29-01-2009
		WO 2009157955 A1	30-12-2009

US 2004117934	A1	24-06-2004	
		AU 2003293588 A1	14-07-2004
		AU 2011200832 A1	17-03-2011
		BR 0317399 A	16-11-2005
		CA 2503778 A1	08-07-2004
		CN 1713838 A	28-12-2005
		CN 101332012 A	31-12-2008
		DE 10259723 A1	01-07-2004
		EP 1571945 A1	14-09-2005
		EP 2292118 A1	09-03-2011
		EP 2298126 A1	23-03-2011
		HK 1082393 A1	11-12-2009
		KR 20050084431 A	26-08-2005
		MX PA05005332 A	16-08-2005
		RU 2334445 C2	27-09-2008
		US 2004117934 A1	24-06-2004
		US 2006080795 A1	20-04-2006
		US 2007094824 A1	03-05-2007
		US 2009193604 A1	06-08-2009
		US 2011010881 A1	20-01-2011
		US 2011258797 A1	27-10-2011
		US 2013180069 A1	18-07-2013
		US 2014075696 A1	20-03-2014
		WO 2004056235 A1	08-07-2004

US 6219874	B1	24-04-2001	
		US 6219874 B1	24-04-2001
		US 2001013151 A1	16-08-2001
		US 2003084533 A1	08-05-2003

US 2011152909	A1	23-06-2011	
		TW 201143673 A	16-12-2011
		TW 201436736 A	01-10-2014
		US 2011152909 A1	23-06-2011
		US 2013307187 A1	21-11-2013

US 5655249	A	12-08-1997	NONE

US 1369966	A	01-03-1921	NONE
