




## INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

<b>(51) International Patent Classification <sup>6</sup> :</b> <b>G07D 9/00</b>	<b>A1</b>	<b>(11) International Publication Number:</b> <b>WO 98/05006</b> <b>(43) International Publication Date:</b> 5 February 1998 (05.02.98)
<b>(21) International Application Number:</b> PCT/US97/14073 <b>(22) International Filing Date:</b> 22 July 1997 (22.07.97)  <b>(30) Priority Data:</b> 08/688,743                      31 July 1996 (31.07.96)                      US  <b>(71) Applicant:</b> CURRENCY SYSTEMS INTERNATIONAL [US/US]; 6401 Commerce Drive, Irving, TX 75063 (US).  <b>(72) Inventors:</b> KAYANI, Sohail; Apartment 3056, 6314 MacArthur, Irving, TX 75039 (US). SCHILD, Jeffrey, Wayne; 3814 Bremertown Street, Irving, TX 75062 (US).  <b>(74) Agent:</b> CAHOON, Colin, P.; Jackson & Walker, L.L.P., Suite 6000, 901 Main Street, Dallas, TX 75202 (US).		<b>(81) Designated States:</b> AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GE, HU, IL, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, TJ, TM, TR, TT, UA, UG, UZ, VN, European patent (AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE).  <b>Published</b> <i>With international search report.</i> <i>Before the expiration of the time limit for amending the</i> <i>claims and to be republished in the event of the receipt of</i> <i>amendments.</i>

**(54) Title:** METHOD FOR SEMI-CONTINUOUS CURRENCY PROCESSING USING SEPARATOR CARDS



**(57) Abstract**

A method of semi-continuous currency processing using separator cards to separate currency stacks in a batch of currency fed into a currency processing machine. This currency processing method uses separator cards that facilitate the continuous processing of individual currency stacks without the necessity of stopping the process between each currency stack. The separator cards used contain features that allow for a positive delineation between individual currency stacks and the association of account data with each individual currency stack and its accompanying separator card as it is processed by the currency processing machine.

**FOR THE PURPOSES OF INFORMATION ONLY**

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav Republic of Macedonia	TM	Turkmenistan
BF	Burkina Faso	GR	Greece			TR	Turkey
BG	Bulgaria	HU	Hungary	ML	Mali	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MN	Mongolia	UA	Ukraine
BR	Brazil	IL	Israel	MR	Mauritania	UG	Uganda
BY	Belarus	IS	Iceland	MW	Malawi	US	United States of America
CA	Canada	IT	Italy	MX	Mexico	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NE	Niger	VN	Viet Nam
CG	Congo	KE	Kenya	NL	Netherlands	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NO	Norway	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's Republic of Korea	NZ	New Zealand		
CM	Cameroon			PL	Poland		
CN	China	KR	Republic of Korea	PT	Portugal		
CU	Cuba	KZ	Kazakstan	RO	Romania		
CZ	Czech Republic	LC	Saint Lucia	RU	Russian Federation		
DE	Germany	LI	Liechtenstein	SD	Sudan		
DK	Denmark	LK	Sri Lanka	SE	Sweden		
EE	Estonia	LR	Liberia	SG	Singapore		

## **METHOD FOR SEMI-CONTINUOUS CURRENCY PROCESSING USING SEPARATOR CARDS**

### **TECHNICAL FIELD OF THE INVENTION**

The field of this invention relates to high-volume currency processing using  
5 currency processing machines.

### **BACKGROUND OF THE INVENTION**

Automated, high-volume currency processing is a growing international industry affecting numerous aspects of the distribution, collection, and accounting of paper currency. Currency processing presents unique labor task issues that are intertwined with  
10 security considerations. Currency processing requires numerous individual tasks, for example: the collection of single notes by a cashier or bank teller, the accounting of individual commercial deposits or bank teller pay-in accounts, the assimilation and shipment of individual deposits or accounts to a central processing facility, the handling and accounting of a currency shipment after it arrives at a processing facility, and the  
15 processing of individual accounts through automated processing machines. Any step in the process that can be automated, thereby eliminating the need for a human labor task, saves both the labor requirements for processing currency and increases the security of the entire process. Security is increased when instituting automated processes by eliminating opportunities for theft, inadvertent loss, or mishandling of currency and increasing  
20 accounting accuracy.

A highly automated, high-volume processing system is essential to numerous levels of currency distribution and collection networks. Several designs of high-volume processing machines are available in the prior art and used by such varied interests as national central banks, independent currency transporting companies, currency printing  
25 facilities, and individual banks. In general, currency processing machines utilize a conveyer system which transports individual notes past a series of detectors. By way of example, a note may be passed through a series of electrical transducers designed to measure the note's width, length, and thickness. The next set of sensors could be optical sensors recording the note's color patterns. Detectors can likewise be used to detect  
30 specific magnetic or other physical characteristics of individual notes.

High volume currency processing machines typically pull individual notes from a stack of currency through a mechanical conveyer past several different detectors in order

to facilitate the sorting of the individual notes and the accumulation of data regarding each note fed through the machine. For example, a currency processing machine can perform the simple tasks of processing a stack of currency in order to ensure that it is all of one denomination with proper fitness characteristics while simultaneously counting the stack  
5 to confirm a previous accounting. A slightly more complex task of separating a stack of currency into individual denominations while simultaneously counting the currency can be accomplished as well. On the more complex end of prior art currency processing machines, a stack of currency consisting of various denominations can be fed into the machine for a processing that results in the separation of each denomination, a rejection  
10 of any currency that does not meet fitness specifications, the identification of counterfeit bills, and the tracking of individual notes by serial number.

Prior art high-volume currency processing machines are loaded with one single stack of currency, identified to a single set of accounting parameters, before executing the sort process. For example, a stack of currency associated with a specific commercial  
15 deposit at a bank may be loaded at the beginning of the currency processing cycle. The currency is then fed into the currency processing machine and sorted based on the needs of the customer. Data obtained from the sort process, for example the number of each denomination note that was detected during the procedure and the total deposit amount, is then compared to the same data identified to the stack of currency prior to the  
20 processing cycle. However, a need exists for a currency processing method that reduces the labor involved in loading the currency processing machine and improves the security involved in this step. Specifically, a need exists for a method which can process numerous stacks of currency identified to individual accounting parameters one after another without having to wait to reload or stop the machine in order review data collected on each  
25 individual account. It is this need which is addressed by the present invention.

## SUMMARY OF INVENTION

This invention relates to a method of semi-continuous processing of currency using uniquely designed separator cards defining individual accounting subsets of currency within a larger volume batch feed of currency. This invention relates to an improved method of processing currency with high-speed and high-volume currency processing machines such as those presently manufactured and marketed by Currency Systems International of Irving, Texas. The present state of the art utilizes such currency processing machines in batch process feeds of currency. A single stack of currency, identified to a particular set of accounting parameters, is placed into the currency processing machine manually and then processed and sorted by the currency processing machine. For example, one stack of currency may represent a commercial deposit of a single day's cash collection for a single retail store that was deposited to the retail store's local bank. The single stack could also be identified to an individual teller's shift pay-in collections from a single bank after this teller's collections are shipped to a central bank for processing. Data obtained from the currency processing machine sort of a single stack of currency is then retrieved from the machine and the next batch of currency is placed into the machine for the next sorting run. The data retrieved might include the number of each denomination of note processed and the total deposit amount for comparison with the deposit thought to have been made by an individual retail store or associated with an individual teller's collections.

The present invention eliminates the need for individual batch feedings of stacks of currency. With the present invention, individual batch runs of currency can be consolidated into a much larger batch with accounting subsets, such as the single currency stack examples given above, delineated by separator cards with special features. As a result, currency relating to individual accounts can be stacked, without the need for bundling, to make up a much larger batch of currency to be processed. This step can be performed before the currency is even shipped to a central processing location. For example, individual tellers' shift collections for a single branch bank can be stacked into one single batch of currency with each teller's shift account separated by separator cards. Each separator card can be encoded with detailed account information about the stack of currency with which it is associated, or bar code information from the separator card can be identified to the account information of the accompanying stack of currency. The entire batch can now be transported to a central banking location or processing facility. When the currency, now in a large batch, arrives at the processing facility, the currency

processing machine operator can load the entire batch into the currency processing machine in one step, rather than loading each teller's account individually. Data assimilated regarding each accounting subset can also be obtained continuously and compared with the detailed account information encoded on or identified to the separator cards without stopping the machine between each currency batch feed. As a result, the proposed invention greatly increases both security and labor savings for high-volume currency sorting operations by eliminating steps in the currency processing system.

Critical goals of this invention include the use of separator cards which a currency processing machine can both easily distinguish from currency and readily identify as a specific separator card associated with a specific stack of currency. The first critical goal, ensuring that the currency processing machine easily and consistently distinguishes between separator cards and currency, is important to maintaining distinct separations between individual accounts as they are fed through the currency processing machine. If a currency processing machine fails to identify a separator card as a break between one currency stack and another, the co-mingling of the currency between the two accounts would be fatal to the accuracy of the processing cycle. Difficult accounting problems could likewise surface if a currency processing machine mistakenly identifies a currency note as a separator card. Another particularly difficult quality control problem involves the misfeed of one or more currency notes simultaneously with a separator card, resulting in the currency and separator card entering the machine while stacked together. The notes in this misfed stack could mask the separator card from many of the detectors that would otherwise distinguish the card from currency. Therefore, in order to accomplish the first goal of consistent distinction between a separator card and currency, the separator card of the present invention is designed with unique characteristics which allow for the detection of the separator card even when misfed with currency notes.

The second critical goal of this invention, that of being able to identify specific account information to each separator card, is a requirement of the semi-continuous processing method described above. When individual account information for a single currency stack can be identified to an individual separator card, either by encoding the separator card with this information or by identifying the information to a unique identifier for each card (such as a unique bar code sequence), individual currency stacks in the batch feed of the currency processing machine can be tracked without the necessity of attempting to identify data accumulated on each stack to the position of the stack in the larger batch feed.

In order to accomplish the two critical goals described above, the present invention utilizes separator cards with several unique characteristics. The two most important of these characteristics are magnetic strips and a means for identifying individual currency stacks to individual separator cards. This identification means may include  
5 encoded magnetic strips or bar codes. Other identifying means could include a specific optical pattern sequence, a sequence of holes or slots cut in the card like computer key punch cards, identifying slots or grooves cut into the side of each card, or any other number of means for identifying a specific card by a unique sequence of identifiable characteristics.

10 Magnetic strips, aside from their use for encoding account information, allow for the currency processing machine to identify a separator card even when the separator card is masked by a misfed note of currency. This is because the magnetic signature of the strips can be read through notes masking all of the other physical characteristics of the card. The magnetic strips can additionally be encoded with account information or a  
15 specific magnetic signature can be recorded prior to the currency processing cycle and identified to accounting data for the accompanying currency stack. Likewise, this latter function of the magnetic strip can be accomplished by the use of bar codes or one of the other means of identifying individual currency stacks to specific separator cards. For example, the accounting data accumulated on a single stack of currency can be identified  
20 to a unique bar code number for a specific separator card. This specific separator card can then be placed with that currency stack prior to placing this single accounting subset into the larger batch of currency for processing by a currency processing machine. The separator card can be placed either above the stack of currency as a header card, or below the stack of currency as a trailer card, or both. Once the currency processing cycle has  
25 been completed, the currency processing machine can, in turn, identify specific accounting information to the unique bar code number of a specific separator card. This information can be compared to the account information associated with that bar code number prior to the currency processing cycle.

Additional unique characteristics of the separator cards used in the present  
30 invention can include separator cards designed with a unique size or dimension, a given thickness, and unique colors or optical patterns. These additional card characteristics provide for redundant confirmation of separator card features versus currency. Once a currency processing machine is configured to detect the several unique characteristics of unique separator cards, the machine can easily distinguish between separator cards and any

type of currency. In addition, the currency processing machine can track each individual piece of currency through the detection, imaging, and sorting processing and provide a report on each individual piece of currency correlated to accounting and other data which has been identified to a single separator card.

- 5           This present invention is a substantial improvement over the prior art in providing increased speed, accuracy, security, and data management in high-volume currency processing.



**BRIEF DESCRIPTION OF THE DRAWINGS**

Further objects and advantages of the present invention will become apparent from the following detailed description when read in conjunction with the accompanying drawings, in which:

5           Figure 1 is a perspective view of a currency processing machine loaded with a stack of currency and separator cards;

            Figure 2 is a perspective view of a stack of currency divided by separator cards;

            Figure 3A is a perspective view of the front of an exemplar separator card;

            Figure 3B is a perspective view of the back of an exemplar separator card;

10           Figure 4 is a flow cart of a method for processing currency utilizing separator cards; and,

            Figure 5 is a flow chart of a method for identifying separator cards used by currency processing machines.

**DETAILED DESCRIPTION OF PREFERRED EMBODIMENT**

Figure 1 shows a currency processing machine 10 embodying the present invention and loaded with a batch feed of currency 12 prior to starting the currency processing cycle. This batch feed of currency 12 is fed into the currency processing machine one single note at a time. Single notes then travel on a conveyer past several different detectors before being deposited in one of the sort bins 14. Typically, a single sort bin is used to accumulate a single denomination of note at the end of the sort process.

Figure 2 shows a currency batch 12 having several individual currency stacks. The currency batch 12 illustrated consists of a first stack of currency 16, a second stack of currency 20, and a third stack of currency 24. Each stack of currency is accompanied with a separator card 18, 22, 26. In this embodiment, the separator cards 18, 22, 26 are shown as header cards where a first separator card 18 is stacked on top of the first stack of currency 16 and would identify the first stack of currency 16 during the currency processing cycle. Likewise, a second separator card 22 is stacked on top of a second stack of currency 20 and identifies the second stack of currency during the currency processing cycle. It is understood that the present invention contemplates that numerous currency stacks 16, 20, 24 such as the three depicted can be successively stacked to form a large batch feed 12 prior to insertion in the currency processing machine 10. It is also understood that an alternative embodiment from that depicted in Figure 2 could use separator cards 18, 22, 26 at the end of each stack of currency 16, 20, 24, called trailer cards. A third embodiment could use both header cards and trailer cards to separate the currency stacks 16, 20, 24.

Figures 3A and 3B depict an exemplar separator card 18 of the present invention. Figure 3A shows the first side 28 of the separator card 18, while Figure 3B shows the second side 30 of the separator card 18. In the embodiment shown by Figures 3A and 3B, the first side 28 is overlaid with a first magnetic strip 32 and a second magnetic strip 34. The second side 30 is imprinted with a bar code 36. As will be described in more detail below, this embodiment allows for accurate identification of a separator card 18 primarily by detection of the two magnetic strips 32, 34, while accounting data on an individual stack of currency can be identified to a specific bar code number encoded on the bar code 36 of the separator card 18.

Figure 4 shows a flow chart of a method of processing currency utilizing separator cards. Using the same exemplar batch of currency 12 shown in Figure 2, Figure 4 shows three individual currency stacks 16, 20, 24. Account data 56, 58, 60 associated

with each currency stack 16, 20, 24 is first recorded for each account. This account data 56, 58, 60 might include the number of individual currency notes, the total currency value, and the identity of the currency stack to a single commercial deposit or bank teller's shift. The account data 56, 58, 60 is then associated with a separator card 18, 22, 26, which will  
5 accompany an individual currency stack 16, 20, 24. This account data can be identified to a separator card by either identifying a bar code number unique to the specific separator card to the account data or by encoding the account data information directly on to the separator card. The physical combination of separator cards 18, 22, 26 and the currency stacks 16, 20, 24 form what is shown as single accounting subsets 68, 70, 72. These  
10 accounting subsets 68, 70, 72 can then be stacked into a currency batch 12. This currency batch 12 is fed into a currency processing machine 10.

During the currency processing cycle individual notes from each accounting subset 68, 70, 72 are sorted into sort bins 82, 84, 86, 88, 90, 92. Typically, these sort bins are used to bundle individual denomination notes. For example, the first sort bin 82  
15 may be designated to accumulate \$1.00 notes, while the second sort bin 84 may be designated to accumulate \$5.00 notes. Figure 4 shows a separate bin 94 for a rejected sort with the separator cards. This rejected sort bin 94 could be designated to hold any counterfeit currency detected during the currency sort process. By depositing the counterfeit currency with the separator cards 18, 22, 26, a quick physical check can be  
20 made to determine which single accounting subset 68, 70, 72 is associated with the counterfeit notes found to follow a specific separator card 18, 22, 26.

Account data 96 for each accounting subset 68, 70, 72 is accumulated during the currency processing cycle. This account data 96 can then be compared with similar account data 56, 58, 60 which was originally collected for each individual currency stack  
25 16, 20, 24. For example, while processing the first accounting subset 68, the currency processing machine can accumulate information on the number of each denomination of note processed and the total currency value of the notes associated with the first accounting subset 68. This account data 96 accumulated on the first accounting subset 68 can then be compared to the account data 56 associated with the first currency stack 16 prior to the  
30 consolidation of the accounting subset 68 70, 72 into the currency batch 12.

Figure 5 shows a flow chart of a method for identifying separator cards used by currency processing machines. Figure 5 starts with the single accounting subset 68, 70, 72, that are likewise shown on Figure 4. These accounting subsets 68, 70, 72 are stacked to form a currency batch 12. This currency batch is then loaded into the currency

processing machine 98. The top item off of the currency batch 12, whether it is a separator card 80 or currency 100, is then pulled into a conveyer past several detectors.

The first detector shown in Figure 5 is a magnetic field detector 102. This magnetic field detector can detect a unique magnetic strip on a separator card 80 in order to assist the currency processing machine in delineating between separator cards 80 and currency 100. This can be accomplished even in the event of a misfeed which results in a currency note 100 masking other physical features of the separator card 80, since the magnetic field of the separator card 80 can be read through the masking currency 100. The currency processing machine can be designed to read the individual serial number on the note masking what it detects to be a concurrently stacked separator card 80. The information obtained by the magnetic field detector on the separator card, as well as information obtained on the masking note throughout the following detectors, allows for a reconstruction of the misfeed and avoids co-mingling of the accounting subsets 68, 70, 72 during the currency processing cycle.

The next detector depicted in Figure 5 is a bar code reader 104. This bar code reader identifies the specific bar code number for each individual separator card 80 read. The bar code number is then identified by the currency processing machine with the currency 100 that follows the specific separator card 80. The separator card 80 or currency 100 then passes through one or more detectors designed to measure the thickness and size of the item on the conveyer, as depicted in Figure 5 by a thickness detector 106 and a size detector 108. This information can be of additional use to the currency processing machine in distinguishing between a separator card 80 and currency 100. The final detector shown on Figure 5 is an optical pattern detector 110. This optical pattern detector 110 can likewise assist in the process of delineating between a separator card 80 and currency 100, both having unique color characteristics and patterns.

It is understood that the order and type of detectors shown in Figure 5 represent only one example of a preferred embodiment for the method described. The detectors used in the present invention could be arranged in many different sequences. In addition, other types of detectors can be used to record various characteristics of currency and separator cards.

After passing through the currency processing machine, the currency 100 is deposited in the appropriate sort bin 82, 84, 86, 88, 90, 92 as a part of the currency sort process. The separator card, likewise is directed to the separator card sort bin 94.

Account data 96 collected by the currency processing machine on each accounting subset 68, 70, 72 can be compared to similar account data that was associated with the accounting subset 68, 70, 72 prior to the consolidation of these accounts into the currency batch 12. As shown in Figure 5, the account data 96 collected during the currency  
5 processing cycle is assimilated from information provided by the various detectors 102, 104, 106, 108, 110.

The preferred embodiment illustrated in Figure 5 can additionally detect sequencing errors between separator cards 80 and currency notes 100. For example, when the accounting subsets 68, 70, 72 are comprised of currency stacks separated by header  
10 cards, the first item processed through the sequence shown in Figure 5 should be a separator card 80. The next item processed should be currency 100. If a separator card 80 is detected immediately following the processing of another separator card 80, this event would be identified as a sequencing error which might be traced to improper stacking of the accounting subsets 68, 70, 72. Sequencing errors could likewise be  
15 detected when the separator card 80 is a trailer card. The most accurate detection of sequencing errors, however, occurs when the preferred embodiment utilizes both header and trailer cards with each accounting subset 68, 70, 72. The use of both header and trailer cards requires, in sequence, that the first separator card 80 processed for an accounting subset 68, 70, 72 is a header card. The next item processed should be  
20 currency 100. The next separator card 80 detected should be a trailer card. A trailer card would then be immediately followed by a header card for the next accounting subset. Any deviations from the above described sequence would, again, indicate a sequencing error that might be attributable to improper stacking of separator cards 80 and currency 100 in the accounting subsets 68, 70, 72.

25 It would be understood that various changes in the details, materials, and arrangements of the processes which have been described and illustrated in order to explain the nature of the invention, may be made by those skilled in the art within the principle and scope of the invention as expressed in the following claims.

**WE CLAIM:**

1. A method of semi-continuous processing of currency, said currency having at least one denomination and authenticating attributes, using a currency processing machine, comprising the steps of:

- 5
- (a) separating at least one currency stack with at least one separator card;
  - (b) identifying said currency stack with information encoded on said separator card; and
  - (c) feeding said currency stack and separator card into said currency processing machine.

2. The method of Claim 1 further comprising the step of:

- (d) organizing said currency by denomination.

3. The method of Claim 1 further comprising the step of :

- (d) verifying the authenticity of each currency note within said currency stack.

4. The method of Claim 3 further comprising:

- (e) separating non-authentic currency.

5. The method of Claim 4 further comprising:

- (f) associating said non-authentic currency with an initial currency stack.

6. The method of Claim 1 further comprising:

- (d) sorting said currency by denomination into a plurality of slots in said machine; and
- (e) storing an accounting of said currency in a memory of said machine.

7. The method of Claim 1 wherein step (a) further comprises separating at least one currency stack with a separator card having a magnetic strip.

8. The method of Claim 1 wherein step (a) further comprises separating at least one currency stack with a separator card imprinted with a bar code series.

9. The method of Claim 1 wherein step (a) further comprises separating at least one currency stack with a separator card having unique dimensions, thickness, and color patterns.
10. The method of Claim 1 wherein step (b) further comprises identifying said currency stacks with accounting information including a source for said currency stack.
11. The method of Claim 1 wherein step (b) further comprises identifying said currency stacks with accounting information including an initial count of the value of said currency stack.
12. The method of Claim 11 further comprising:
  - (d) comparing the initial count with a post-processing count.
13. The method of Claim 1 wherein step (a) further comprises separating at least one currency stack with at least one separator card, said separator card placed on top of said currency stack as a header card.
14. The method of Claim 1 wherein step (a) further comprises separating at least one currency stack with at least one separator card, said separator card placed at the bottom of said currency stack as a trailer card.
15. The method of Claim 1 wherein step (a) further comprises separating at least one currency stack with two separator cards, one of said cards placed on top of said currency stack as a header card and one of said cards placed on the bottom of said currency stack as a trailer card.
16. A method of identifying a separator card used to delineate and track a stack of currency in a currency batch fed into a currency processing machine, said method comprising the steps of:
  - (a) identifying account data for said currency stack to said separator card;
  - (b) passing the separator card through at least one detector which detects at least one card characteristic; and,
  - (c) distinguishing between said separator card and said currency based on the detected characteristics.

17. The method of Claim 16 wherein step (b) further comprises passing the separator card through a detector which detects magnetic card characteristics.
18. The method of Claim 16 wherein step (b) further comprises passing the separator card through a detector which detects optical pattern card characteristics.
19. The method of Claim 16 wherein step (b) further comprises passing the separator card through a detector which detects thickness card characteristics.
20. The method of Claim 16 wherein step (b) further comprises passing the separator card through a detector which detects color card characteristics.
21. The method of Claim 16 wherein step (b) further comprises passing the separator card through a detector which detects width and length card characteristics.
22. A separator card used for currency processing, said card comprising:
  - (a) a first side being imprinted with a bar code feature; and
  - (b) a second side being imprinted with a magnetic strip.






FIG. 1






FIG. 2

*FIG. 3a**FIG. 3b*





FIG. 4



# INTERNATIONAL SEARCH REPORT

International Application No

PCT/US 97/14073

**A. CLASSIFICATION OF SUBJECT MATTER**  
IPC 6 G07D9/00

According to International Patent Classification (IPC) or to both national classification and IPC

**B. FIELDS SEARCHED**

Minimum documentation searched (classification system followed by classification symbols)

IPC 6 G07D

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

**C. DOCUMENTS CONSIDERED TO BE RELEVANT**

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	US 4 025 420 A (HORINO) 24 May 1977	1-7, 9-14, 16, 17
Y	see column 2, line 63 - column 3, line 3 see column 7, line 29 - column 8, line 44 see column 9, line 57 - column 10, line 8; figures 1, 11	8, 15, 22
Y	US 4 264 808 A (OWENS ET AL.) 28 April 1981	8, 22
A	see column 1, line 20 - line 68  see column 9, line 30 - line 38 see column 11, line 42 - line 59 see column 17, line 1 - line 8 see column 17, line 35 - line 56; figures 1-3	1, 9, 10, 13, 15, 16
	--- -/--	

☒ Further documents are listed in the continuation of box C.

☒ Patent family members are listed in annex.

\* Special categories of cited documents:

"A" document defining the general state of the art which is not considered to be of particular relevance

"E" earlier document but published on or after the international filing date

"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)

"O" document referring to an oral disclosure, use, exhibition or other means

"P" document published prior to the international filing date but later than the priority date claimed

"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.

"&" document member of the same patent family

Date of the actual completion of the international search

3 December 1997

Date of mailing of the international search report

11/12/1997

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2  
NL - 2280 HV Rijswijk  
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,  
Fax: (+31-70) 340-3016

Authorized officer

Neville, D

# INTERNATIONAL SEARCH REPORT

International Application No

PCT/US 97/14073

## C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
Y	PATENT ABSTRACTS OF JAPAN vol. 007, no. 070 (P-185), 23 March 1983 & JP 57 212567 A (FUJITSU KK), 27 December 1982, see abstract ---	15
A	US 4 357 528 A (SMITH ET AL.) 2 November 1982 see column 3, line 6 - line 21; figures ---	
A	US 5 247 159 A (YUGE ET AL.) 21 September 1993 see column 8, line 6 - line 20 see column 10, line 23 - line 68; figures 2,6 ---	
A	US 3 759 382 A (WALKLEY ET AL.) 18 September 1973 see column 3, line 8 - line 55; figure 3 ---	
A	EP 0 302 458 A (TOSHIBA) 8 February 1989 see column 14, line 4 - line 22 see column 14, line 51 - column 16, line 9 see column 20, line 16 - line 54; figures 2,2,12,19 -----	

# INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No

PCT/US 97/14073

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
US 4025420 A	24-05-77	JP 1170179 C	17-10-83
		JP 50061162 A	26-05-75
		JP 57060676 B	21-12-82
		DE 2446280 A	10-04-75
		GB 1488133 A	05-10-77
		HK 17483 A	03-06-83
US 4264808 A	28-04-81	CA 1135422 A	09-11-82
		CA 1165446 A	10-04-84
		EP 0020507 A	07-01-81
		JP 2006100 B	07-02-90
		JP 55500798 T	16-10-80
		WO 8000759 A	17-04-80
US 4357528 A	02-11-82	NONE	
US 5247159 A	21-09-93	JP 4195282 A	15-07-92
		JP 4199396 A	20-07-92
US 3759382 A	18-09-73	GB 1385116 A	26-02-75
		JP 48057698 A	13-08-73
EP 302458 A	08-02-89	JP 1038893 A	09-02-89
		JP 2577391 B	29-01-97
		JP 1041087 A	13-02-89
		DE 3889698 D	30-06-94
		DE 3889698 T	06-10-94
		US 5012932 A	07-05-91