

[54] GERANIUM PLANT NAMED PLAISIRE

[76] Inventor: Guenter Duemmen, Dammweg 18-20, 4134 Rheinberg 4, Fed. Rep. of Germany

[21] Appl. No.: 110,773

[22] Filed: Oct. 21, 1987

[30] Foreign Application Priority Data

Apr. 24, 1987 [IT] Italy 100 NV/87

[51] Int. Cl.⁴ A01H 5/00

[52] U.S. Cl. Plt./68

[58] Field of Search Plt./68

[56] References Cited

FOREIGN PATENT DOCUMENTS

- PEL131 6/1985 Fed. Rep. of Germany .
- 6311 10/1986 France .
- 100NV87 4/1987 Italy .
- GRM4 3/1987 Netherlands .

Primary Examiner—Robert E. Bagwill
Attorney, Agent, or Firm—Marks Murase & White

[57] ABSTRACT

A new and distinct geranium plant known by the cultivar name Plaisire is characterized by a large umbel, bright pink flowers, the color of the flower does not fade through high intensity of sunlight, strong peduncles, and slight zonation of the foliage.

1 Drawing Sheet

1

BACKGROUND OF THE NEW PLANT

The present invention comprises a new and distinct cultivar of geranium, botanically known as *Pelargonium zonale*, hereinafter referred to by the cultivar name Plaisire.

Plaisire is a product of a planned breeding program which had the objective of creating new geranium cultivars with a bright pink colored flower and large diameter of the umbel.

Plaisire was originated from a hybridization made in a controlled breeding program in Rheinberg, FRG, in 1982-83. The female parent was an unnamed seedling. The male parent of Plaisire was also an unnamed seedling.

Plaisire was discovered and selected as one flowering plant within the progeny of the stated cross by Guenter Duemmen in 1984 in a controlled environment in Rheinberg.

The first act of asexual reproduction of Plaisire was accomplished when vegetative cuttings were taken from the initial selection in July 1984 in a controlled environment in Rheinberg by a technician working under formulations established and supervised by Guenter Duemmen. Horticultural examination of selected units initiated in July 1984 has demonstrated that the combination of characteristics as herein disclosed for Plaisire are firmly fixed and are retained through successive generations of asexual reproduction.

Plaisire has not been observed under all possible environmental conditions. The phenotype may vary significantly with variations in environment such as temperature, light intensity, and day length. The following observations, measurements, and comparisons describe plants grown in Rheinberg under greenhouse conditions which approximate those generally used in commercial practice.

The following traits have been repeatedly observed and are determined to be basic characteristics of Plaisire which in combination distinguish this geranium as a new and distinct cultivar:

1. Large umbel;

2

2. Bright pink flowers;
3. The color of the flower does not fade through high intensity of sunlight;
4. Strong peduncles; and
5. Slight zonation of the foliage.

Of the many commercial cultivars known to the present inventors, the most similar in comparison to Plaisire is Palais. In comparison to Palais, Plaisire has a larger diameter of the corolla, a slighter zonation of the foliage and a shorter plant height.

The accompanying photographic drawing shows typical flower and foliage characteristics of Plaisire, with colors being as true as possible with illustrations of this type.

In the following description color references are made to The Royal Horticultural Society Colour Chart. The color values were determined between 10:00-11:30 a.m. on Sept. 3, 1986 under natural light at Rheinberg in a room with orientation to the north.

Classification:

- Botanical.—*Pelargonium zonale* cv Plaisire.
- Commercial.—Geranium.

Inflorescence

- A. Umbel:
 - Average diameter.—11 to 13 cm.
 - Average depth.—8 to 9 cm.
 - Peduncle length.—12 to 16 cm.
 - Pedicle length.—3 to 3.5 cm.
- B. Corolla:
 - Average diameter.—4 to 5 cm.
 - Form.—Semi-double.
 - Color (general tonality from a distance of three meters).—Ca. RHS 49 A.
 - Color (abaxial).—Ca. RHS 49 A.
 - Color (adaxial).—Ca. RHS 55 C to 55 D.
- C. Bud:
 - Shape.—Elliptic.
 - Color (abaxial).—Ca. RHS 49 A.
 - Color (adaxial).—Ca. RHS 55 C to 55 D.
- D. Reproductive organs:

Plant 6,708

3

Androecium.—Obdiplostemon, centrifugal dedou-
plement, fertil.

Gynoecium.—5-lobed stigma, pubescent, 5 carpels,
coenocarp hypogyn.

E. Spring flowering response period: 5

FRG.—50% of plants with at least one flower open 16
weeks after stick of unrooted cuttings.

F. Outdoor flower production: Good.

G. Durability: Good.

Plant

A. Foliage:

Form.—Kidney shaped.

Margin.—Bicrenate.

Color (abaxial).—Ca. RHS 139 A to 139 B.

Color (adaxial).—Ca. RHS 138 B to 137 C.

4

Color (zonation).—Ca. RHS 139 A.

Tolerance of botrytis.—Good.

B. General appearance and form:

Internode length.—Normal.

Branching pattern.—Good.

Height.—Medium.

I claim:

1. A new and distinct cultivar of geranium known as
10 *Pelargonium zonale*, to be known by the cultivar name
Plaisire, as described and illustrated, and particularly
characterized by the combination of characteristics of a
large umbel; bright pink flowers; a flower color which
does not fade through high sunlight intensity; strong
15 peduncles; and slight zonation of foliage.

* * * * *

20

25

30

35

40

45

50

55

60

65

U.S. Patent

Mar. 28, 1989

Plant 6,708

