



## INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

<b>(51) International Patent Classification <sup>6</sup> :</b>  <b>C07D 251/00</b>	<b>A2</b>	<b>(11) International Publication Number:</b> <b>WO 99/67223</b>  <b>(43) International Publication Date:</b> 29 December 1999 (29.12.99)
<b>(21) International Application Number:</b> PCT/US99/12758  <b>(22) International Filing Date:</b> 7 June 1999 (07.06.99)  <b>(30) Priority Data:</b> 60/090,259                      22 June 1998 (22.06.98)                      US  <b>(71) Applicant:</b> CYTEC TECHNOLOGY CORP. [US/US]; 1105 Market Street, Wilmington, DE 19801 (US).  <b>(72) Inventors:</b> GUPTA, Ram, B.; Unit 6, 511 West Main Street, Stamford, CT 06902 (US). JAKIELA, Dennis, J.; 486 Grace Trail, Orange, CT 06477 (US).  <b>(74) Agents:</b> SHERWOOD, Michelle, A. et al.; Cytec Industries Inc., 1937 West Main Street, P.O. Box 60, Stamford, CT 06904-0060 (US).		<b>(81) Designated States:</b> AL, AM, AU, AZ, BA, BB, BG, BR, BY, CA, CN, CU, CZ, EE, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, RO, RU, SD, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, UZ, VN, YU, ZA, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SL, SZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).  <b>Published</b> <i>Without international search report and to be republished          upon receipt of that report.</i>
<b>(54) Title:</b> TRISARYL-1,3,5-TRIAZINE ULTRAVIOLET LIGHT ABSORBERS CONTAINING HINDERED PHENOLS		
<b>(57) Abstract</b>  <p>This invention relates generally to hindered phenol-substituted triazines and the use thereof to protect materials such as coatings, polymers, resins, organic compounds and the like against degradation by environmental forces, inclusive of ultraviolet light, actinic radiation, oxidation, moisture, atmospheric pollutants and combinations thereof. The new class of hindered phenol-substituted triazines includes a trisaryl-1,3,5-triazine in which one of the aryl groups is substituted by a group which comprises a hindered phenol or is a hindered phenol and is further substituted by a hydroxyl group, either free or blocked to form a latent stabilizer, ortho- to the point of attachment to the triazine. These materials may, under the appropriate circumstances, form oligomers. A method for stabilizing a material by incorporating such hindered phenol-substituted triazines is also disclosed.</p>		

**FOR THE PURPOSES OF INFORMATION ONLY**

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav Republic of Macedonia	TM	Turkmenistan
BF	Burkina Faso	GR	Greece	ML	Mali	TR	Turkey
BG	Bulgaria	HU	Hungary	MN	Mongolia	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MR	Mauritania	UA	Ukraine
BR	Brazil	IL	Israel	MW	Malawi	UG	Uganda
BY	Belarus	IS	Iceland	MX	Mexico	US	United States of America
CA	Canada	IT	Italy	NE	Niger	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NL	Netherlands	VN	Viet Nam
CG	Congo	KE	Kenya	NO	Norway	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NZ	New Zealand	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's Republic of Korea	PL	Poland		
CM	Cameroon	KR	Republic of Korea	PT	Portugal		
CN	China	KZ	Kazakstan	RO	Romania		
CU	Cuba	LC	Saint Lucia	RU	Russian Federation		
CZ	Czech Republic	LI	Liechtenstein	SD	Sudan		
DE	Germany	LK	Sri Lanka	SE	Sweden		
DK	Denmark	LR	Liberia	SG	Singapore		
EE	Estonia						

**TRISARYL-1,3,5-TRIAZINE ULTRAVIOLET LIGHT ABSORBERS**  
**CONTAINING HINDERED PHENOLS**

5

**BACKGROUND OF THE INVENTION**

Field of the Invention

This invention relates generally to novel hindered phenol substituted trisaryl-1,3,5-triazines and the use thereof to protect against degradation by environmental forces, inclusive of actinic radiation, high temperature, oxidation, moisture, atmospheric pollutants and combinations thereof.

15 Description of Related Art

Exposure to sunlight and other sources of ultraviolet radiation are known to cause degradation of a variety of materials, especially a polymeric materials. For example, polymeric materials such as plastics often discolor and/or become brittle as a result of prolonged exposure to ultraviolet light. Accordingly, a large body of art has been developed directed towards materials such as ultraviolet light absorbers and stabilizers which are capable of inhibiting such degradation.

25 A class of materials known to be ultraviolet light absorbers are trisaryl-1,3,5-triazines, in which at least one of the aryl rings has a hydroxyl group ortho to the point of attachment to the triazine ring. In general this class of materials is well known in the art. Disclosures of a number of such trisaryl-1,3,5-triazines can be found in the the patent literature. For example, United States Patent No. 3,843,371 discloses hydroxyphenyltriazines for use in photographic materials. The triazines in this patent, however, show poor solubilities and poor stabilities.

35 United States Patent No. 3,896,125 discloses hydroxyphenyl triazines, but these, too are poorly soluble and discolor with time.

Hydroxyphenyltriazines in combination with other UV absorbers such as hydroxyphenylbenzotriazoles, benzophenones, oxanilides, cyanoacrylates, salicylates, acrylonitriles and thiozlines, are also well known. For example, United States  
5 Patent Nos. 4,853,471, 4,973,702, 4,921,966 and 4,973,701 disclose such combinations.

Typically, the aforementioned aryl ring with the hydroxyl group ortho to the point of attachment to the triazine ring is based on resorcinol and, consequently, this  
10 aryl ring also contains a second substituent (either a hydroxyl group or a derivative thereof) para- to the point of attachment to the triazine ring. For example, United States Patents No. 3,118,837 and 3,244,708 disclose *p*-alkoxy-*o*-hydroxyphenyl triazines with improved UV protection, but such  
15 triazines also exhibit poor solubility and poor long-term stabilities.


However, there remains a need for triazine UV absorbers having enhanced compatibility with the polymer systems to which they are added, as well as for triazine UV absorbers  
20 which impart improved environmental stability. The novel hindered phenol substituted trisaryl-1,3,5-triazines of the present invention satisfy that need.

#### SUMMARY OF THE INVENTION

25  
The present invention provides a new class of trisaryl-1,3,5-triazines in which an aryl ring attached to the triazine ring (and preferably an aryl ring containing a hydroxyl group ortho- to the point of attachment to the  
30 triazine ring) is further substituted with a group comprising a hindered phenol. More specifically, the new trisaryl-1,3,5-triazines of the present invention have the following general formulas (I), (II) and (III):


35

5



(I)


10



(II)

15

20




(III)

25

wherein - each X is independently selected from hydrogen,  
 allyl,  $-COR^a$ ,  $-SO_2R^b$ ,  $-SiR^cR^dR^e$ ,  $-PR^fR^g$  and  $-POR^fR^g$ ;  
 - each of Y and Z is independently selected from an  
 aryl ring of the general formula (IV)

30

35



(IV)


- each B is independently selected from -R or -OR;
- each R is independently selected from a hydrogen, a hindered phenol, a hydrocarbyl group, a hydrocarbyl group comprising a hindered phenol, a functional hydrocarbyl group and a functional hydrocarbyl group comprising a hindered phenol;
- each R<sup>a</sup> is independently selected from C<sub>1</sub>-C<sub>8</sub> alkyl, halogen-substituted C<sub>1</sub>-C<sub>8</sub> alkyl, C<sub>5</sub>-C<sub>12</sub> cycloalkyl, C<sub>2</sub>-C<sub>8</sub> alkenyl, -CH<sub>2</sub>-CO-CH<sub>3</sub>, C<sub>7</sub>-C<sub>12</sub> aralkyl, C<sub>1</sub>-C<sub>12</sub> alkoxy, or phenyl which is unsubstituted or substituted by C<sub>1</sub>-C<sub>12</sub> alkyl, C<sub>1</sub>-C<sub>4</sub> alkoxy, halogen and benzyl;
- each R<sup>b</sup> is independently selected from C<sub>1</sub>-C<sub>12</sub> alkyl, C<sub>6</sub>-C<sub>10</sub> aryl and C<sub>7</sub>-C<sub>18</sub> alkylaryl;
- each R<sup>c</sup>, R<sup>d</sup> and R<sup>e</sup> is independently selected from C<sub>1</sub>-C<sub>18</sub> alkyl, cyclohexyl, phenyl and C<sub>1</sub>-C<sub>18</sub> alkoxy;
- each R<sup>f</sup> and R<sup>g</sup> is independently selected from C<sub>1</sub>-C<sub>12</sub> alkoxy, phenoxy, C<sub>1</sub>-C<sub>12</sub> alkyl, C<sub>5</sub>-C<sub>12</sub> cycloalkyl, benzyl, tolyl and phenyl;
- each R<sup>1</sup>, R<sup>1'</sup>, R<sup>2</sup>, R<sup>4</sup>, R<sup>4'</sup> and R<sup>4''</sup> is independently selected from hydrogen, hydrocarbyl, functional hydrocarbyl, -O(hydrocarbyl), -O(functional hydrocarbyl), -SR, halogen, -SO<sub>2</sub>R, -SO<sub>3</sub>R, -COOR, -COR, -OCOR, -NRR and cyano; and
- each R<sup>3</sup> is independently selected from R, -OR, -SR, halogen, -SO<sub>2</sub>R, -SO<sub>3</sub>R, -COOR, -COR, -NRR and cyano.

The structures of formulas (I), (II) and (III) are further characterized in that at least one B group is a hindered phenol or comprises a hindered phenol.

Hindered phenols are well known to those in the stabilizer and/or absorber arts. Typically, a hindered phenol comprises phenol which has both positions ortho to the phenol hydroxy group substituted by alkyl groups, at least one of which is sterically bulky. Sterically bulky groups are well known and include but are not limited to tertiary

butyl, benzyl and substituted benzyl, for example. In the following example structure of a hindered phenol:


5




10 the ortho position  $R^i$  and  $R^v$  moieties are, independently, selected to comprise a sterically bulky group, such as those exemplified above, and  $R^{ii}$ ,  $R^{iii}$  and  $R^{iv}$  are independently selected from hydrogen, alkyl or aralkyl. Hindered phenols as antioxidants are described in U.S. Patent Nos. 3,723,427, 15 3,862,053, 3,923,869, 4,226,999, 4,284,790, 4,439,615, 4,613,642, 4,683,982 and 4,721,792 which are incorporated by reference herein in their entirety.

Preferred hindered phenols include but are not limited to:


20




25



30



35



wherein the ortho position  $R^i$  and  $R^v$  moieties are, independently, selected to comprise a sterically bulky group

such as an alkyl of 4 to 12 carbon atoms or aralkyl of 7 to 24 carbon atoms and wherein  $R^{ii}$ ,  $R^{iii}$  and  $R^{iv}$  are independently selected from hydrogen, alkyl of 1 to 12 carbon atoms or aralkyl of 7 to 24 carbon atoms.

5 Hindered phenols are known to be useful for inhibiting thermal oxidation. They are also useful for substantially preventing yellowing of an organic material comprising a hindered phenol which is exposed to elevated temperatures, e.g., thermal yellowing. The trisaryl-1,3,5-triazines of the  
10 invention, comprising a hindered phenol, are particularly effective in protecting against actinic radiation, high temperature, oxidation, moisture, atmospheric pollutants and combinations thereof because the triazine and hindered phenol are bound together in a single compound. Such compounds,  
15 being of much higher molecular weight than either a typical trisaryl-1,3,5-triazine or a typical hindered phenol, do not tend to diffuse readily. Moreover, such compounds are not as easily extracted, for example, by solvents or by fluids, than are trisaryl-1,3,5-triazines or hindered phenols used alone  
20 or in physical combination, but not bound together.

These trisaryl-1,3,5-triazines may in general be prepared via a number of procedures described in the previously incorporated references, but preferably by reacting a trisaryl-1,3,5-triazine precursor, having at least  
25 one aryl ring with a hydroxyl group para- to the point of attachment to the triazine ring (and preferably hydroxyl groups both ortho- and para- to the point of attachment to the triazine ring), with an appropriate compound or compounds to functionalize the para- position hydroxyl with a hindered  
30 phenol group or with a group substituted by a hindered phenol.

In addition to providing UV protection, the triazine UV absorbers of the present invention have anti-oxidant activity. For example, they are effective in reducing  
35 thermal yellowing in coatings, particularly in coatings with high temperature cure schedules, for example coil coatings, powder coatings, or in coatings that are over-baked. These



triazine UV absorbers are also effective in reducing yellowing and thermal degradation in plastics during high-temperature processing, as well as in imparting long-term light stability.

5       The novel hindered phenol substituted trisaryl-1,3,5-triazines of the present invention are particularly useful as ultraviolet light absorber additives with antioxidant properties for stabilizing a wide variety of materials including, for example, glass, organic compounds, oils, fats,  
10 waxes, cosmetics, packaging materials, dyes and biocides, and particularly various organic polymers (both crosslinked and non-crosslinked) used in applications such as photographic materials, plastics, rubbers, paints and other coatings, and adhesives, such as disclosed in a number of the previously  
15 incorporated references. The present invention, consequently, also relates to a method for stabilizing a material by incorporating into such material, e.g., organic material, the inventive hindered phenol substituted trisaryl-1,3,5-triazine in an amount effective to stabilize the  
20 material against the effects of actinic radiation, and the material so stabilized.

The novel hindered phenol substituted trisaryl-1,3,5-triazines of the present invention are also effective as ultraviolet light screening agents in applications such as  
25 sunscreens and other cosmetic preparations, capstock layers for extruded polymers and laminated UV-screening window films, among others. The present invention, consequently, also relates to a method for screening ultraviolet light from a substrate by applying to such substrate a layer of a  
30 composition comprising the novel hindered phenol substituted trisaryl-1,3,5-triazines, and the substrate so screened.

These and other features and advantages of the present invention will be more readily understood by those of ordinary skill in the art from a reading of the following  
35 detailed description.

DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENTSThe Hindered Phenol Substituted Trisaryl-1,3,5-Triazines

As indicated above, the trisaryl-1,3,5-triazines in accordance with the present invention are compounds of the general formulas (I), (II) and (III).

As used herein, the term "hindered phenol substituted trisaryl-1,3,5-triazine" broadly refers to any compound of formulas (I), (II) or (III) wherein at least one B group is a hindered phenol or comprises a hindered phenol group.

The term "hindered phenol" in the context of the present invention, and in the above formulas, broadly refers to a monovalent phenol group in which the valency is derived by abstraction of a hydrogen atom from a substituent group on the hindered phenol aromatic ring, exclusive of the phenol hydroxy group when present. Further, the hindered phenol is substituted in the 2- and 6-positions, relative to the position of the hydroxy (at the 1-position), with alkyl, aralkyl or a mixture of these groups. Optionally, the hindered phenol is further substituted in the 3-, 4- and/or 5-positions with a hydrocarbyl group. The 2- and 6-substituents are typically branched alkyl groups such as tertiary-butyl. Hindered phenols include, for example, alkylated monophenols, alkylthiomethylphenols, hydroxylated thiodiphenyl ethers, alkylidenebisphenols, and mixtures thereof.

Alkylated monophenols include but are not limited to 2,6-di-tert-butyl-4-methylphenol; 2-tert-butyl-4,6-dimethylphenol; 2,6-di-tert-butyl-4-ethylphenol; 2,6-di-tert-butyl-4-n-butylphenol; 2,6-di-tert-butyl-4-isobutylphenol; 2,6-dicyclopentyl-4-methylphenol; 2-( $\alpha$ -methylcyclohexyl)-4,6-dimethylphenol; 2,6-dioctadecyl-4-methylphenol; 2,4,6-tricyclohexylphenol; 2,6-di-tert-butyl-4-methoxymethylphenol; nonylphenols which are linear or branched in the side chains such as 2,6-di-nonyl-4-methylphenol; 2,4-dimethyl-6-(1-methylundec-1-yl)phenol; 2,4-dimethyl-6-(1-methylheptadec-1-

yl)phenol; 2,4-dimethyl-6-(1-methyltridec-1-yl)phenol; and mixtures thereof.



Alkylthiomethylphenols include but are not limited to 2,4-dioctylthiomethyl-6-tert-butylphenol; 2,4-  
 5 dioctylthiomethyl-6-methylphenol; 2,4-dioctylthiomethyl-6-ethylphenol; 2,6-di-dodecylthiomethyl-4-nonylphenol; and mixtures thereof.


Hydroxylated thiodiphenyl ethers include but are not limited to 2,2'-thiobis(6-tert-butyl-4-methylphenol); 2,2'-  
 10 thiobis(4-octylphenol); 4,4'-thiobis(6-tert-butyl-3-methylphenol); 4,4'-thiobis(6-tert-butyl-2-methylphenol); 4,4'-thiobis(3,6-di-sec-amylphenol); 4,4'-bis(2,6-dimethyl-4-hydroxyphenyl)disulfide; and mixtures thereof.

Alkylidenebisphenols include but are not limited to  
 15 2,2'-methylenebis(6-tert-butyl-4-methylphenol); 2,2'-methylenebis(6-tert-butyl-4-ethylphenol); 2,2'-methylenebis[4-methyl-6-( $\alpha$ -methylcyclohexyl)phenol]; 2,2'-methylenebis(4-methyl-6-cyclohexylphenol); 2,2'-methylenebis(6-nonyl-4-methylphenol); 2,2'-methylenebis(4,6-  
 20 di-tert-butylphenol); 2,2'-ethylidenebis(4,6-di-tert-butylphenol); 2,2'-ethylidenebis(6-tert-butyl-4-isobutylphenol); 2,2'-methylenebis[6-( $\alpha$ -methylbenzyl)-4-nonylphenol]; 2,2'-methylenebis[6-( $\alpha,\alpha$ -dimethylbenzyl)-4-nonylphenol]; 4,4'-methylenebis(2,6-di-tert-butylphenol);  
 25 4,4'-methylenebis(6-tert-butyl-2-methylphenol); 1,1-bis(5-tert-butyl-4-hydroxy-2-methylphenyl)butane; 2,6-bis(3-tert-butyl-5-methyl-2-hydroxybenzyl)-4-methylphenol; 1,1,3-tris(5-tert-butyl-4-hydroxy-2-methylphenyl)butane; 1,1-bis(5-tert-butyl-4-hydroxy-2-methylphenyl)-3-n-  
 30 dodecylmercaptobutane; ethylene glycol bis[3,3-bis(3'-tert-butyl-4'-hydroxyphenyl)butyrate], bis(3-tert-butyl-4-hydroxy-5-methylphenyl)dicyclopentadiene; bis[2-(3'-tert-butyl-2'-hydroxy-5'-methylbenzyl)-6-tert-butyl-4-methylphenyl]terephthalate; 1,1-bis(3,5-dimethyl-2-  
 35 hydroxyphenyl)butane; 2,2-bis(3,5-di-tert-butyl-4-hydroxyphenyl)propane; 2,2-bis(5-tert-butyl-4-hydroxy-2-methylphenyl)-4-n-dodecylmercaptobutane; 1,1,5,5-tetra(5-

tert-butyl-4-hydroxy-2-methylphenyl)pentane; and mixtures thereof.

The linking group between the trisaryl-1,3,5-triazine and the hindered phenol can be a hydrocarbyl or a functional hydrocarbyl group. The linkage can be through the 4-position -OR group of the resorcinol ring, as illustrated in structures (XV) through (XXI) below. Alternatively, the linkage can be directly through to the 3- and/or 5-position of the resorcinol ring from a reaction with formaldehyde, like the reaction products of triazine UV absorbers with other classes of UV absorbers as disclosed in US Patent Number 5,585,422 which is hereby incorporated by reference in its entirety. Reaction schemes (XXXXIV) and (XXXXV) for the formation of such direct linkages with the resorcinol ring will be discussed in more detail below. For example, several methylene-bridged linkages between a resorcinol ring of a trisaryl-1,3,5-triazine and at least one hindered phenol are illustrated below:





wherein Z in the structures above represents the remainder of the trisaryl-1,3,5-triazine and  $R^i$ ,  $R^{ii}$ ,  $R^{iii}$ ,  $R^{iv}$  and  $R^v$  are as defined above.

15 The term "hydrocarbyl" in the context of the present invention, and in the above formulas, broadly refers to a monovalent hydrocarbon group in which the valency is derived by abstraction of a hydrogen from a carbon atom. Hydrocarbyl includes, for example, aliphatics (straight and branched

20 chain), cycloaliphatics, aromatics and mixed character groups (e.g., aralkyl, alkylaryl, alkynyl, cycloalkynyl). More specifically, hydrocarbyl includes (but is not limited to) such groups as alkyl, cycloalkyl, aryl, aralkyl, alkylaryl, alkenyl and cycloalkenyl, preferably having up to 24 carbon

25 atoms. A hydrocarbyl may optionally contain a carbonyl group or groups (which is/are included in the carbon count) and/or a heteroatom or heteroatoms (such as at least one oxygen, sulfur, nitrogen or silicon), in the chain or ring.

The term "functional hydrocarbyl" in the context of the

30 present invention, and in the above formulas, broadly refers to a hydrocarbyl possessing in-chain, pendant and/or terminal functionality, as understood by those persons of ordinary skill in the relevant art. As examples of in-chain functionality may be mentioned ethers, esters, amides,

35 urethanes and their thio-derivatives, i.e., where at least one oxygen atom is replaced by a sulfur atom. As examples of pendant and/or terminal functionality may be mentioned

hydrogen-containing groups such as hydroxyl, amino, carboxyl, thio and amido; isocyanato; cyano; epoxy; and ethylenically unsaturated groups such as allyl, acryloyl and methacryloyl, and maleate and maleimido.

5       The term "hydrocarbylene" in the context of the present invention is a divalent hydrocarbon group in which both valencies derive by abstraction of hydrogens from carbon atoms. Included within the definition of hydrocarbylene are the same groups as indicated above for hydrocarbyl and  
10 functional hydrocarbyl with, of course, the extra valency (for example, alkylene, alkenylene, arylene, alkylaryl, etc.)

      The trisaryl-1,3,5-triazines in accordance with the present invention also relate to latent stabilizing compounds against actinic radiation of the general formulas (I), (II)  
15 and (III) wherein at least one X is other than hydrogen. Such latent stabilizing compounds liberate the effective stabilizers by cleavage of the O-X bond, e.g., by heating or by exposure to UV radiation. Latent stabilizing compounds are desirable because they have many favorable properties,  
20 i.e., good substrate compatibility, good color properties, a high cleavage rate of the O-X bond and a long shelf life. The use of latent stabilizing compounds is further described in US 4,775,707, US 5,030,731 and CA A1-2162645.

      Latent stabilizing compounds comprising the hindered  
25 phenol substituted trisaryl-1,3,5-triazines in accordance with the present invention can be prepared from compounds of the general formulas (I), (II) and (III) wherein at least one X is hydrogen by subjecting said compounds to a further reaction to form latent stabilizing compounds, as described  
30 in US 4,775,707 and US 5,030,731. For example, acylation can be carried out according to the process described in US 3,249,608, except that excess acylating reagent is preferably employed, to give compounds in which X is -COR<sup>a</sup>

      The reaction to give the latent stabilizing compounds of  
35 the present invention of the general formulas (I), (II) and (III) in which X is allyl, -COR<sup>a</sup>, -SO<sub>2</sub>R<sup>b</sup>, -SiR<sup>c</sup>R<sup>d</sup>R<sup>e</sup>, -PR<sup>f</sup>R<sup>g</sup>, or -POR<sup>f</sup>R<sup>g</sup> can be carried out, for example, by reaction of the

compounds of the general formulas (I), (II) and (III) wherein at least one X is hydrogen with the corresponding chlorides: allyl chloride, Cl-COR<sup>a</sup>, Cl-SO<sub>2</sub>R<sup>b</sup>, Cl-SiR<sup>c</sup>R<sup>d</sup>R<sup>e</sup>, Cl-PR<sup>f</sup>R<sup>g</sup>, or Cl-POR<sup>f</sup>R<sup>g</sup>. Furthermore, acylated compounds can be obtained by  
5 reaction with anhydrides, ketenes or esters, such as lower alkyl esters, as is well known to one skilled in the art. The above-described reagents may be used in approximately equimolar amounts or in excess, for example, from 2 to 20 mol with respect to the hydroxyl groups desired to be made latent  
10 in the starting compound of the general formula (I), (II) or (III).

Catalysts customarily used for acylation, sulfonylation, phosphonylation or silylation reactions may be used in forming the latent stabilizing hindered phenol substituted  
15 trisaryl-1,3,5-triazines of the present invention. For example, acylation and sulfonylation reaction catalysts such as tertiary or quaternary amines, such as triethylamine, dimethylaminopyridine or tetrabutylammonium salts, may be used for forming these latent stabilizing compounds.

20 The reaction may be carried out in the presence of a solvent, such as relatively inert organics, e.g., hydrocarbons such as toluene and xylene, chlorinated hydrocarbons such as carbon tetrachloride or chloroform, or ethers such as tetrahydrofuran or dibutyl ether, or without a  
25 solvent. Alternatively, the reagent(s) may be employed as the solvent. The reaction temperature is usually between room temperature and about 150°C, for example, up to the boiling point of the solvent when a solvent is used.

In preferred embodiments, each X is hydrogen.

30 In preferred embodiments, those B groups which are not a hindered phenol or a group comprising a hindered phenol are -OR groups where R is independently selected from hydrogen, a hydrocarbyl group of 1 to 24 carbon atoms; and a functional hydrocarbyl group of 1 to 24 carbon atoms. More preferably,  
35 each such B group which is not a hindered phenol or a group comprising a hindered phenol is an -OR group where R is independently selected from hydrogen, an alkyl of 1 to 24

carbon atoms (which may optionally be substituted by one or more hydroxyl, carboxyl, carboalkoxy (ester), epoxy and/or amino groups and/or contain one or more carbonyl groups, oxygen atoms and/or nitrogen atoms in the chain); an alkenyl  
5 of 2 to 24 carbon atoms (which may optionally be substituted by hydroxyl, carboxyl, epoxy and/or amino group(s) and/or contain carbonyl, oxygen and/or nitrogen in the chain), a cycloalkyl of 5 to 24 carbon atoms (which may optionally be substituted by hydroxyl, carboxyl and/or amino group(s)  
10 and/or contain carbonyl, oxygen and/or nitrogen in the ring), and an aralkyl of 7 to 24 carbon atoms (which may optionally be substituted by hydroxyl, carboxyl and/or amino group(s) and/or contain carbonyl, oxygen and/or nitrogen in the ring).

Most preferably, each B group which is not a hindered  
15 phenol or a group comprising a hindered phenol is an -OR group where R is independently selected from hydrogen, an alkyl of 1 to 24 carbon atoms optionally containing an oxygen atom in the chain, a hydroxyalkyl of 1 to 24 carbon atoms group optionally containing an oxygen atom in the chain.

20 In preferred embodiments, each  $R^1$ ,  $R^{1'}$ ,  $R^4$ ,  $R^{4'}$  and  $R^{4''}$  is independently selected from hydrogen, an acyl of 2 to 12 carbon atoms, an acyloxy of 2 to 12 carbon atoms and a hydrocarbyl having from 1 to 12 carbon atoms; more preferably from hydrogen and an alkyl of 1 to 4 carbon atoms; and  
25 especially hydrogen.

In preferred embodiments, each  $R^2$  is independently selected from hydrogen, a hydrocarbyl group of 1 to 24 carbon atoms, a hydrocarbyloxy group of 1 to 24 carbon atoms and an acyloxy group of 1 to 24 carbon atoms. More preferably, each  
30  $R^2$  is independently selected from hydrogen, an alkyl of 1 to 24 carbon atoms optionally containing an oxygen atom in the chain; an alkyloxy of 1 to 24 carbon atoms optionally containing an oxygen atom in the chain; an alkenyl of 2 to 24 carbon atoms optionally containing an oxygen atom in the  
35 chain; an alkenyloxy of 2 to 24 carbon atoms optionally containing an oxygen atom in the chain; and an acyloxy group of 2 to 12 carbon atoms. Still more preferably, each  $R^2$  is



independently selected from hydrogen, an alkyl of 1 to 8 carbon atoms, an alkyloxy of 1 to 8 carbon atoms optionally containing an oxygen atom in the chain, a hydroxyalkyl of 1 to 8 carbon atoms group optionally containing an oxygen atom  
5 in the chain, a hydroxyalkyloxy of 1 to 8 carbon atoms group optionally containing an oxygen atom in the chain and an acyloxy of 2 to 12 carbon atoms. Especially preferred is when each  $R^2$  is independently selected from hydrogen and an alkyl of 1 to 4 carbon atoms and particularly hydrogen and  
10 methyl.




In preferred embodiments, each  $R^3$  is independently selected from hydrogen, a hydrocarbyl group of 1 to 24 carbon atoms, a functional hydrocarbyl group of 1 to 24 carbon atoms and -OR. More preferably, each  $R^3$  is independently selected  
15 from hydrogen, an alkyl of 1 to 24 carbon atoms (which may optionally be substituted by hydroxyl, carboxyl and/or amino group(s) and/or contain carbonyl, oxygen and/or nitrogen in the chain); an alkenyl of 2 to 24 carbon atoms (which may optionally be substituted by hydroxyl, carboxyl and/or amino  
20 group(s) and/or contain carbonyl, oxygen and/or nitrogen in the chain); a cycloalkyl of 5 to 12 carbon atoms (which may optionally be substituted by hydroxyl, carboxyl and/or amino group(s) and/or contain carbonyl, oxygen and/or nitrogen in the ring); and -OR. Still more preferably, each  $R^3$  is  
25 independently selected from hydrogen, an alkyl of 1 to 24 carbon atoms optionally containing an oxygen atom in the chain, a hydroxyalkyl of 1 to 24 carbon atoms group optionally containing an oxygen atom in the chain and -OR. Especially preferred is when each  $R^3$  is independently selected  
30 from hydrogen, an alkyl of 1 to 4 carbon atoms and -OR; and particularly hydrogen, methyl and -OR.

In preferred embodiments,  $R^5$  is selected from: hydrogen and hydrocarbyl of 1 to 24 carbon atoms which may optionally be substituted by hydroxyl or alkoxy of 1 to 4 carbon atoms  
35 and/or contain one or more oxygen and/or nitrogen atoms in the chain. More preferably,  $R^5$  is selected from: hydrogen and hydrocarbyl of 1 to 24 carbon atoms which may optionally

be substituted by hydroxyl or alkoxy of 1 to 4 carbon atoms.

In preferred embodiments,  $R^6$  is selected from: hydrogen and an alkyl of 1 to 4 carbon atoms. More preferably,  $R^6$  is selected from: hydrogen and a methyl group.


5 Particularly preferred embodiments of the trisaryl-1,3,5-triazines of the general formula (I) are exemplified by the following structures (VIII), (IX) and (X):



wherein B is as defined above.

Particularly preferred embodiments of the trisaryl-1,3,5-triazines of the general formula (II) are exemplified by the following structures (XI), (XII) and (XIII):


5



(XI)

10


15



(XII)

20

25



(XIII)


30

wherein B is as defined above.

35

Particularly preferred embodiments of the trisaryl-1,3,5-triazines of the general formula (III) are exemplified by the following structure (XIV):

5



(XIV)


10 wherein B is as defined above.

Particularly preferred embodiments of the group of the general formula (VIII) include the material of formula (XV), which contains an ether linkage between the trisaryl-1,3,5-triazine and the hindered phenol, and the materials of  
 15 formulas (XVI) and (XVII), which contain an ether-ester linkage between the trisaryl-1,3,5-triazine and the hindered phenol.

A preferred embodiment of formula (XV) is the material of formula (XVIII). A preferred embodiment of formula (XVI)  
 20 is the material of formula (XIX). A preferred embodiment of formula (XVII) is the material of formula (XX).

All these materials are represented as follows:

25




30

(XV)

35


wherein Me is methyl,  $C_n$  is a hydrocarbylene of 1 to 12 carbon atoms and  $R^i$ ,  $R^{ii}$ ,  $R^{iii}$ ,  $R^{iv}$  and  $R^v$  are independently selected from hydrogen, hydroxyl, alkyl of 1 to 12 carbon atoms or aralkyl of 7 to 24 carbon atoms provided that at least one of  $R^i$ ,  $R^{ii}$ ,  $R^{iii}$ ,  $R^{iv}$  and  $R^v$  is hydroxyl.



wherein  $C_n$  is a hydrocarbylene group of 1 to 12 carbon atoms and  $R^i$ ,  $R^{ii}$ ,  $R^{iii}$ ,  $R^{iv}$  and  $R^v$  are independently selected from hydrogen, hydroxyl, alkyl of 1 to 12 carbon atoms or aralkyl of 7 to 24 carbon atoms provided that at least one of  $R^i$ ,  $R^{ii}$ ,  $R^{iii}$ ,  $R^{iv}$  and  $R^v$  is hydroxyl.

30

35




20 wherein C<sub>n</sub> and C<sub>n'</sub> are independently selected from hydrocarbylene groups of 1 to 12 carbon atoms and R<sup>i</sup>, R<sup>ii</sup>, R<sup>iii</sup>, R<sup>iv</sup> and R<sup>v</sup> are independently selected from hydrogen, hydroxyl, alkyl of 1 to 12 carbon atoms or aralkyl of 7 to 24 carbon atoms provided that at least one of R<sup>i</sup>, R<sup>ii</sup>, R<sup>iii</sup>, R<sup>iv</sup> and R<sup>v</sup> is

25 hydroxyl.

30

35

5




(XVIII)

10

15

20



(XIX)

25


30

35 wherein C<sub>n</sub> is independently selected from hydrocarbylene groups of 1 to 12 carbon atoms and R<sup>1</sup> is selected from

hydrogen, alkyl of 1 to 12 carbon atoms or aralkyl of 7 to 24 carbon atoms.

In a preferred embodiment of structure (XIX),  $C_n$  is  $(CH_2)_4$  and  $R^i$  is tert-butyl.

5




25 wherein  $C_n$  and  $C_{n'}$  are independently selected from hydrocarbylene groups of 1 to 12 carbon atoms and  $R^i$  is selected from hydrogen, alkyl of 1 to 12 carbon atoms or aralkyl of 7 to 24 carbon atoms.

In another embodiment, the hindered phenol-  
 30 substituted triazines of the present invention further comprise oligomeric species of formulas (XXI) and (XXII):

35



5



10 wherein B, Y, Z, R<sup>1</sup> and X, are as defined above;

r is an integer between 2 and 4;

D, when r is 2, is selected from the group consisting of

C<sub>2</sub>-C<sub>16</sub> alkyl, C<sub>4</sub>-C<sub>12</sub> alkenyl, xylylene, C<sub>3</sub>-C<sub>20</sub> alkyl  
which is interrupted by one or more oxygen atoms,

15

hydroxy-substituted C<sub>3</sub>-C<sub>20</sub> alkyl which is  
interrupted by one or more oxygen atoms,


-CH<sub>2</sub>CH(OH)CH<sub>2</sub>O-R<sup>15</sup>-OCH<sub>2</sub>CH(OH)CH<sub>2</sub>, -CO-R<sup>16</sup>-CO-,  
-CO-NH-R<sup>17</sup>-NH-CO-, -(CH<sub>2</sub>)<sub>s</sub>-COO-R<sup>18</sup>-OCO-(CH<sub>2</sub>)<sub>s</sub>-,

a polyoxyalkylene radical of the formula XXIII:

20

-CH<sub>2</sub>-CH(OH)-CH<sub>2</sub>-O-(CH<sub>2</sub>-(CH<sub>2</sub>)<sub>u</sub>-O-)<sub>mm</sub>-D<sub>1</sub> (XXIII)

wherein D<sub>1</sub> is hydrogen, -CH<sub>2</sub>-CH(OH)-CH<sub>2</sub>-OH,



or R<sup>25</sup>,

25

a polyoxyalkylene radical of the formula XXIV:

-CO-(CH<sub>2</sub>)<sub>u</sub>-O-(CH<sub>2</sub>-(CH<sub>2</sub>)<sub>u</sub>-O-)<sub>mm</sub>-D<sub>2</sub> (XXIV)

wherein D<sub>2</sub> is -(CH<sub>2</sub>)<sub>u</sub>-CO-R<sup>22</sup> or R<sup>25</sup>,

a polyoxyalkylene radical of the formula XXV:

-YY-O-CO-(CH<sub>2</sub>)<sub>u</sub>-O-(CH<sub>2</sub>-(CH<sub>2</sub>)<sub>u</sub>-O-)<sub>mm</sub>-D<sub>3</sub> (XXV)

30

wherein D<sub>3</sub> is -(CH<sub>2</sub>)<sub>u</sub>-CO-R<sup>22</sup> or R<sup>25</sup>,

a polyoxyalkylene radical of the formula XXVI:

-(CH<sub>2</sub>)<sub>kk</sub>-CH(R<sup>21</sup>)-CO-B<sub>1</sub>-(C<sub>nn</sub>H<sub>2nn</sub>-O-)<sub>mm</sub>-  
C<sub>nn</sub>H<sub>2nn</sub>-B<sub>1</sub>-D<sub>4</sub> (XXVI)

wherein D<sub>4</sub> is hydrogen or R<sup>25</sup>,


35

a polyoxyalkylene radical of the formula XXVII:

-CO-CH<sub>2</sub>-CH<sub>2</sub>-NH-(C<sub>nn</sub>H<sub>2nn</sub>-O-)<sub>mm</sub>-C<sub>nn</sub>H<sub>2nn</sub>-D<sub>5</sub> (XXVII)

wherein D<sub>5</sub> is -NH<sub>2</sub>, -NH-(CH<sub>2</sub>)<sub>2</sub>-COO-R<sup>23</sup> or -O-R<sup>25</sup>,

a polyoxyalkylene radical of the formula XXVIII:




wherein D<sub>5</sub> is as defined under formula (XXVII),

5 a polyoxyalkylene radical of the formula XXIX:



wherein D<sub>6</sub> is -NH-CO-R<sup>24</sup>, -OR<sup>25</sup>, OH or H,


a polyoxyalkylene radical of the formula XXX:



wherein D<sub>7</sub> is -OR<sup>25</sup>, -NHCOR<sup>24</sup> or -OCH<sub>2</sub>CH<sub>2</sub>OR<sup>25</sup>,

a polyoxyalkylene bridge member of the formula

15 XXXI:




a polyoxyalkylene bridge member of the formula

XXXII:

20 -CO-(CH<sub>2</sub>)<sub>u</sub>-O-(CH<sub>2</sub>-(CH<sub>2</sub>)<sub>u</sub>-O-)<sub>mm</sub>-(CH<sub>2</sub>)<sub>u</sub>-CO- (XXXII),


a polyoxyalkylene bridge member of the formula

XXXIII:




25 a polyoxyalkylene bridge member of the formula

XXXIV:




a polyoxyalkylene bridge member of the formula

30 XXXV:



35 a polyoxyalkylene bridge member of the formula

XXXVI:






a polyoxyalkylene bridge member of the formula

XXXVII:



5 and a polyoxyalkylene bridge member of the formula

XXXVIII:



10 wherein  $a + c = 2.5$  and  $b = 8.5$  to  $40.5$  or  $a + c = 2$  to  $33$  and  $b = 0$ ;

$R^{15}$  is  $\text{C}_2\text{-C}_{10}$  alkyl,  $\text{C}_2\text{-C}_{10}$  oxaalkyl or  $\text{C}_2\text{-C}_{10}$  dithiaalkyl, phenyl, naphthyl, diphenyl, or  $\text{C}_2\text{-C}_6$  alkenyl, or phenylene-XX-phenylene wherein XX is  $\text{-O-}$ ,  $\text{-S-}$ ,  $\text{-SO}_2\text{-}$ ,  $\text{-CH}_2\text{-}$ , or  $\text{-C(CH}_3\text{)}_2\text{-}$ ;

15  $R^{16}$  is  $\text{C}_2\text{-C}_{10}$  alkyl,  $\text{C}_2\text{-C}_{10}$  oxaalkyl or  $\text{C}_2\text{-C}_{10}$  dithiaalkyl, phenyl, naphthyl, diphenyl, or  $\text{C}_2\text{-C}_6$  alkenyl provided that when  $r$  is 3 the alkenyl has at least 3 carbons;

20  $R^{17}$  is  $\text{C}_2\text{-C}_{10}$  alkyl, phenyl, naphthyl, diphenyl, or  $\text{C}_2\text{-C}_6$  alkenyl, methylenediphenylene, or  $\text{C}_4\text{-C}_{15}$  alkylphenyl;

$R^{18}$  is  $\text{C}_2\text{-C}_{10}$  alkyl, or  $\text{C}_4\text{-C}_{20}$  alkyl interrupted by one or more oxygen atoms;

$R^{19}$  is  $\text{C}_3\text{-C}_{10}$  alkanetriyl;

25  $R^{20}$  is  $\text{C}_4\text{-C}_{10}$  alkanetetryl;

$R^{21}$  is hydrogen or  $\text{C}_1\text{-C}_{16}$  alkyl;

$R^{22}$  is halogen or  $\text{-O-R}^{23}$ ;

$R^{23}$  is hydrogen,  $\text{C}_1\text{-C}_6$  alkyl,  $\text{C}_3\text{-C}_6$  alkenyl, aryl, or aryl- $\text{C}_1\text{-C}_4$ -alkyl;

30  $R^{24}$  is hydrogen,  $\text{C}_1\text{-C}_{12}$  alkyl or aryl;

$R^{25}$  is  $\text{C}_1\text{-C}_{16}$  alkyl,  $\text{C}_5\text{-C}_{12}$  cycloalkyl,  $\text{C}_3\text{-C}_6$  alkenyl,  $\text{C}_1\text{-C}_{12}$  alkylaryl or aryl- $\text{C}_1\text{-C}_4$  alkyl;

B1 is  $\text{-NH-}$  or  $\text{-O-}$ ;

35 YY is unsubstituted or substituted  $\text{C}_2\text{-C}_{20}$  alkyl;


kk is zero or an integer from 1-16;

mm is an integer from 2 to 60;

nn is an integer from 2 to 6;  
 s is an integer from 1 to 3; and  
 u is an integer from 1 to 4.


when r is 3, D is:

5




and when r is 4, D is:

10




15



20


wherein B, Y, Z and R<sup>1</sup> are as defined above; r is 2 or 3; X',  
 when r is 2, is  $\text{---CO---R}^{16}\text{---CO---}$ ,  $\text{---CO}_2\text{---R}^{16}\text{---CO}_2\text{---}$ ,  $\text{---SO}_2\text{---R}^{16}\text{---SO}_2\text{---}$ ,  
 $\text{---CO---NH---R}^{17}\text{---NH---CO---}$ , a polyoxyalkylene bridge member of  
 25 formula  $\text{---CO---(CH}_2)_u\text{---O---(CH}_2\text{---(CH}_2)_u\text{---O---)}_{mm}\text{---(CH}_2)_u\text{---CO---}$ , or



30 wherein R<sup>16</sup> and R<sup>17</sup> are as defined above.


The hindered phenol-substituted triazines of the present invention also comprise oligomeric species of the general formula (XXXX):

35



10 wherein B, Y, Z, R<sup>1</sup> and X, are as defined above;  
 R<sup>7</sup> is selected from the group consisting of straight  
 chain alkyl of 1 to 12 carbon atoms, branched chain  
 chain alkyl of 1 to 12 carbon atoms, cycloalkyl of 5 to  
 12 carbon atoms, alkyl substituted by cyclohexyl,  
 15 alkyl interrupted by cyclohexyl, alkyl substituted  
 by phenylene, alkyl interrupted by phenylene,  
 benzylidene, -S-, -S-S-, -S-E-S-, -SO-, -SO<sub>2</sub>-,  
 -SO-E-SO-, -SO<sub>2</sub>-E-SO<sub>2</sub>-, -CH<sub>2</sub>-NH-E-NH-CH<sub>2</sub>-, and

20



25 wherein E is selected from the group consisting of  
 alkyl of 2 to 12 carbon atoms, cycloalkyl of 5 to  
 12 carbon atoms, alkyl interrupted by cyclohexyl of  
 8 to 12 carbon atoms, alkyl terminated by  
 cyclohexyl of 8 to 12 carbon atoms; and  
 r is an integer between 2 and 4.


30

#### Methods of Preparation


The hindered phenol substituted trisaryl-1,3,5-triazines  
 of the present invention can be prepared, for example, by a  
 process in which a 4-hydroxyl precursor is appropriately  
 35 functionalized, by analogy to the procedures described in a  
 number of the previously incorporated references such as US  
 3,244,708 and EP-A-0434608.

Typically, a compound corresponding to the formulas (I), (II) or (III), except where the R of all -OR groups is hydrogen, is reacted with a functional halogenated compound such as a hydroxyalkyl halide (e.g., hydroxyhexyl chloride) or a haloacetate (e.g., ethyl chloroacetate). Appropriate hindered phenol functionality can be imparted, for example, by any of the following general schemes shown in equations (XXXXI) and (XXXXII) for the preparation of the hindered phenol substituted trisaryl-1,3,5-triazines of the present invention, wherein Q in the structures below represents the remainder of the trisaryl-1,3,5-triazine, X represents a halogen, R<sup>i</sup>, R<sup>ii</sup>, R<sup>iii</sup>, R<sup>iv</sup> represent independently selected hydrocarbyl groups, and C<sub>n</sub> and C<sub>n</sub>' represent independently selected hydrocarbylene groups:

15



20




25


(XXXXI)

30

35




Alternatively, a compound corresponding to the formulas  
 15 (I), (II) or (III) having a 4-position reactive functional group, such as hydroxy, is reacted with a hindered phenol substituted with a group reactive with the terminal 4-position group, e.g., an organic acid, as illustrated in the general scheme shown in equation (XXXXIII).  
 20



In addition, the trisaryl-1,3,5-triazine can be linked to the hindered phenol directly through the resorcinol ring from a  
 35 reaction with formaldehyde, or a formaldehyde source, like the reaction products of triazine UV absorbers with other classes of UV absorbers as disclosed in US Patent Number


5,585,422. The general scheme shown in equation (XXXXIV) illustrates the first step of such a reaction between a trisaryl-1,3,5-triazine, formaldehyde and a primary amine, in which two reaction products are formed.

5



10

(XXXXIV)



15


The general scheme shown in equation (XXXXV) illustrates the second step of such a reaction between a hindered phenol and the two reaction products from the first step to form a triazine comprising a hindered phenol group. The hindered phenol may be attached at either the 3-position or the 5-position of the triazine resorcinol ring.

25

30

35





25 If desired, a reaction of the trisaryl-1,3,5-triazine, formaldehyde and at least one hindered phenol may be carried out directly in a one step process, i.e., without using the amine shown in (XXXXIV) to form the intermediate amino derivative as illustrated in (XXXXIV) and (XXXXV) above.

30

Uses of the Hindered Phenol Substituted Triaryl-1,3,5-Triazines

As indicated earlier, the novel hindered phenol substituted triaryl-1,3,5-triazines of the present invention

35 are particularly useful as ultraviolet light absorber agents for stabilizing a wide variety of materials including, for example, various polymers (both crosslinked and

thermoplastic), photographic materials and dye solutions for textile materials, as well as in ultraviolet light screening agents (such as sunscreens). The novel hindered phenol substituted trisaryl-1,3,5-triazines of the present invention  
5 can be incorporated into such material in any one of a variety of conventional manners, including for example, physical mixing or blending, optionally, with chemical bonding to the material (typically to a polymer), as a component in a light stabilizing composition such as a  
10 coating or solution, or as a component in a UV screening composition such as a sunscreen composition.

In one embodiment of the present invention, the  $\phi\phi$  of the present invention can be employed to stabilize materials which are subject to degradation by ultraviolet  
15 radiation by incorporating the presently claimed compounds into polymeric materials, either chemically or physically. Non-limiting examples of polymeric materials that may be so stabilized are polyolefins, polyesters, polyethers, polyketones, polyamides, natural and synthetic rubbers,  
20 polyurethanes, polystyrenes, high-impact polystyrenes, polyacrylates, polymethacrylates, polyacetals, polyacrylonitriles, polybutadienes, polystyrenes, ABS, SAN (styrene acrylonitrile), ASA (acrylate styrene acrylonitrile), cellulosic acetate butyrate, cellulosic  
25 polymers, polyimides, polyamideimides, polyetherimides, polyphenylsulfides, PPO, polysulfones, polyethersulfones, polyvinylchlorides, polycarbonates, polyketones, aliphatic polyketones, thermoplastic TPU's, aminoresin crosslinked polyacrylates and polyesters, polyisocyanate crosslinked  
30 polyesters and polyacrylates, phenol/formaldehyde, urea/formaldehyde and melamine/formaldehyde resins, drying and non-drying alkyd resins, alkyd resins, polyester resins, acrylate resins cross-linked with melamine resins, urea resins, isocyanates, isocyanurates, carbamates, and epoxy  
35 resins, cross-linked epoxy resins derived from aliphatic, cycloaliphatic, heterocyclic and aromatic glycidyl compounds, which are cross-linked with anhydrides or amines,

polysiloxanes, Michael addition polymers, amines, blocked amines with activated unsaturated and methylene compounds, ketimines with activated unsaturated and methylene compounds, polyketimines in combination with unsaturated acrylic  
5 polyacetoacetate resins, polyketimines in combination with unsaturated acrylic resins, radiation curable compositions, epoxy melamine resins, organic dyes, cosmetic products, cellulose-based paper formulations, photographic film paper, ink, and blends thereof.

10 Further non-limiting examples of specific polymers which may be stabilized include:

1. Homo- and copolymers of monoolefins and diolefins including but not limited to ethylene, propylene, isobutylene, butene, methylpentene, hexene, heptene,  
15 octene, isoprene, butadiene, hexadiene, dicyclopentadiene, ethylidene and cycloolefins such as cyclopentene and norbornene; for example, polyethylenes (which optionally can be crosslinked) such as high density polyethylene (HDPE), high density and high  
20 molecular weight polyethylene (HDPE-HMW), high density and ultrahigh molecular weight polyethylene (HDPE-UHMW), medium density polyethylene (MDPE), low density polyethylene (LDPE), linear low density polyethylene (LLDPE) and branched low density polyethylene (BLDPE).
- 25 2. Copolymers of one or more monoolefins and/or diolefins with carbon monoxide and/or with other vinyl monomers, including limited acrylic and methacrylic acid, acrylates and methacrylates, acrylamides, acrylonitriles, styrenes, vinyl acetate (such as  
30 ethylene/vinyl acetate copolymers), vinyl halides, vinylidene halides, maleic anhydride and allyl monomers such as allyl alcohol, allyl amine allyl glycidyl ether and derivatives thereof.
3. Hydrocarbon resins (such as C<sub>5</sub>-C<sub>9</sub>) including hydrogenated  
35 modifications thereof and mixtures of polyalkylenes and starch.

4. Homo- and copolymers of styrenes such as styrene, p-methylstyrene and  $\alpha$ -methylstyrene.
5. Copolymers of one or more styrenes with other vinyl monomers such as olefins and diolefins (e.g., ethylene, isoprene and/or butadiene), acrylic and methacrylic acid, acrylates and methacrylates, acrylamides, acrylonitriles, vinyl acetate (such as ethylene/vinyl acetate copolymers), vinyl halides, vinylidene halides, maleic anhydride and allyl compounds such as allyl alcohol, allyl amine allyl glycidyl ether and derivatives thereof.
6. Graft copolymers of styrenes on polybutadienes, polybutadiene/styrene copolymers and polybutadiene/acrylonitrile copolymers; styrene (or  $\alpha$ -methylstyrene) and acrylonitrile (or methacrylonitrile) on polybutadiene; styrene and maleic anhydride on polybutadiene; styrene, acrylonitrile and maleic anhydride or maleimide on polybutadiene; styrene and acrylonitrile on ethylene/propylene/diene copolymers; styrene and acrylonitrile on polyalkyl acrylates or methacrylates; and styrene and acrylonitrile on acrylate/butadiene copolymers.
7. Halogen-containing polymers such as polychloroprene; chlorinated rubbers; chlorinated and brominated isobutylene/isoprene copolymers; chlorinated or sulfochlorinated polyethylene; copolymers of ethylene and chlorinated ethylene; epichlorohydrin polymers and copolymers; and polymers and copolymers of halogen-containing vinyl compounds such as vinyl chloride, vinylidene chloride, vinyl fluoride and/or vinylidene fluoride and other vinyl monomers.
8. Homo- and copolymers derived from  $\alpha, \beta$ -unsaturated acids and derivatives thereof such as acrylic acid, methacrylic acid, acrylates, methacrylates, acrylamides and acrylonitriles.
9. Copolymers of the monomers mentioned in (8) with other unsaturated monomers such as olefins and diolefins

(e.g., butadiene), styrenes, vinyl halides, maleic anhydride and allyl monomer such as allyl alcohol, allyl amine, allyl glycidyl ether and derivatives thereof.

10. Homo- and copolymers derived from unsaturated alcohols and amines or the acyl derivatives or acetals thereof, such as vinyl alcohol, vinyl acetate, vinyl stearate, vinyl benzoate, vinyl maleate, vinyl butyral, allyl alcohol, allyl amine, allyl glycidyl ether, allyl phthalate and allyl melamine; as well as copolymers of such monomers with other ethylenically unsaturated monomers mentioned above.

For the preceding groups 1-10 of polymers, the present invention further encompasses these polymers as prepared by metallocene catalysts.

11. Homo- and copolymers of cyclic ethers such as alkylene glycols and alkylene oxides, as well as copolymers with bisglycidyl ethers.
12. Polyacetals such as polyoxymethylene and those polyoxymethylenes which contain ethylene oxide as a comonomer; and polyoxymethylenes modified with thermoplastic polyurethanes, acrylates and/or MBS.
13. Polyphenylene oxides and sulfides.
14. Polyurethanes derived from hydroxy-functional components such as polyhydric alcohols, polyethers, polyesters, polyacrylics and/or polybutadienes on the one hand, and aliphatic and/or aromatic isocyanates on the other, as well as precursors thereof.
15. Polyamides and copolyamides derived from diamines, dicarboxylic acids and/or aminocarboxylic acids or the corresponding lactams, such as polyamide 4, polyamide 6, polyamide 6/6, polyamide 6/10, polyamide 6/9, polyamide 6/12, polyamide 4/6, polyamide 12/12, polyamide 11 and polyamide 12; aromatic polyamides starting from m-xylene diamine and adipic acid; polyamides prepared from hexamethylene diamine and isophthalic and/or terephthalic acid and with or without an elastomer as a modifier, for example, poly-2,4,4-trimethylhexamethylene

- terephthalamide or poly-m-phenylene isophthalamide; block copolymers of the aforementioned polyamides with polyolefins, olefin copolymer, ionomers, chemically bonded or grafted elastomers, or polyethers such as
- 5 polyethylene glycol, polypropylene glycol or polytetramethylene glycol; and polyamides condensed during processing (RIM polyamide systems).
16. Polyureas, polyimides, polyamide-imides, polyetherimides, polyesterimides, polyhydantoins and
- 10 polybenzimidazoles.
17. Polyesters derived from dicarboxylic acids, diols and/or hydroxycarboxylic acids or the corresponding lactones, such as polyethylene terephthalate, polybutylene
- 15 terephthalate and polyhydroxybenzoates, as well as block copolyether esters derived from hydroxyl-terminated ethers; PETG; PEN; PTT; and also polyesters modified with polycarbonate or MBS.
18. Polycarbonates and polyester carbonates.
- 20 19. Polysulfones, polyether sulfones and polyether ketones.
20. Crosslinked polymers derived from aldehydes condensation resins such as phenol/formaldehyde resins, urea/formaldehyde resins and melamine/formaldehyde
- 25 21. Drying and non-drying alkyd resins.
22. Unsaturated polyester resins derived from copolyesters of saturated and unsaturated dicarboxylic acids with polyhydric alcohols and vinyl compounds as crosslinking agents and also halogen-containing modifications
- 30 thereof.
23. Crosslinkable acrylic resins derived from substituted acrylates such as epoxy acrylates, hydroxy acrylates, isocyanato acrylates, urethane acrylates or polyester acrylates.
- 35 24. Alkyd resins, polyester resins and acrylate resins crosslinked with melamine resins, urea resins, isocyanates, isocyanurates, carbamates or epoxy resins.

25. Crosslinked epoxy resins derived from aliphatic, cycloaliphatic, heterocyclic and/or aromatic glycidyl compounds such as bisphenol A and bisphenol F, which are crosslinked with hardeners such as anhydrides or amines.
- 5 26. Natural polymers such as cellulose, rubber, gelatin and chemically modified homologous derivatives thereof, including cellulose acetates, cellulose propionates and cellulose butyrates, or the cellulose ethers such as methyl cellulose, as well as rosins and their  
10 derivatives.
27. Polysiloxanes.
28. Michael addition polymers of amines or blocked amines (e.g., ketimines) with activated unsaturated and/or methylene compounds such as acrylates and methacrylates,  
15 maleates and acetoacetates.
29. Mixtures or blends of any of the above, such as PP/EPDM, polyamide/EPDM or ABS, PVC/EVA, PVC/ABS, PVC/MBS, PC/ABS, PBTP/ABS, PC/ASA, PC/PBT, PVC/CPE, PVC/acrylate, POM/thermoplastic PUR, PC/thermoplastic polyurethane,  
20 POM/acrylate, POM/MBS, PPO/HIPS, PPO/PA6.6 and copolymers, PATENT/HDPE, PP/HDPE, PP/LDPE, LDPE/HDPE, LDPE/EVA, LDPE/EAA, PATENT/PP, PATENT/PPO, PBT/PC/ABS, PBT/PET/PC and the like.
30. Polyketimines in combination with unsaturated acrylic polyacetoacetate resins or with unsaturated acrylic  
25 resins including urethane acrylates, polyether acrylates, vinyl or acryl copolymers with pendant unsaturated groups and acrylated melamines.
31. Radiation curable compositions containing ethylenically  
30 unsaturated monomers or oligomers and a polyunsaturated aliphatic oligomer.
32. Epoxymelamine resins such as light-stable epoxy resins cross-linked by an epoxy functional coetherified high solids melamine resin.
- 35 Other materials which can be stabilized include, for example:
  33. Naturally occurring and synthetic organic materials which may be mixtures of compounds, including mineral


- oils, animal and vegetable fats, oils and waxes, or oils, fats or waxes based on synthetic esters (e.g., phthalates, adipates, phosphates or trimellitates) and also mixtures of synthetic esters with mineral oils in any ratio.
- 5
34. Aqueous emulsions of natural or synthetic rubber such as natural latex or lattices of carboxylated styrene/butadiene copolymers.
35. Organic dyes such as azo dyes (diazo, triazo and polyazo), anthraquinones, benzodifuranones, polycyclic aromatic carbonyl dyes, indigoid dyes, polymethines, styryl dyes, di- and triaryl carbonium dyes, phthalocyanines, quinophthalones, sulfur dyes, nitro and nitroso dyes, stilbene dyes, formazan dyes,
- 10
- quinacridones, carbazoles and perylene tetracarboxylic diimides.
- 15
36. Cosmetic products, such as skin lotions, collagen creams, sunscreen, facial make-up, etc., comprising synthetic materials such as antioxidants, preservatives, lipids, solvents, surfactants, colorants, antiperspirants, skin conditioners, moisturizers etc.; as well as natural products such as collagen, proteins, mink oil, olive oil, coconut oil, carnauba wax, beeswax, lanolin, cocoa butter, xanthan gum, aloe, etc.
- 20
37. Cellulose-based paper formulations for use, e.g., in newsprint, cardboard, posters, packaging, labels, stationery, book and magazine paper, bond typing paper, multi-purpose and office paper, computer paper, xerographic paper, laser and ink-jet printer paper, offset paper, currency paper, etc.
- 25
38. Photographic film paper.
- 30
39. Ink.

#### ALIPHATIC POLYAMIDE

- 35 The novel hindered phenol substituted trisaryl-1,3,5-triazines of the present invention can also be used with aliphatic polyamide polymers. An "Aliphatic polyamide"



is a polyamide characterized by the presence of recurring carbonamide groups as an integral part of the polymer chain which are separated from one another by at least two aliphatic carbon atoms. Illustrative of these polyamides are those having recurring monomeric units represented by the general formula:



- or a combination hereof in which R and R<sup>1</sup> are the same or different and are alkylene groups of at least about two carbon atoms, preferably alkylene having from about 2 to about 12 carbon atoms. Exemplary of such polyamides are polyamides formed by the reaction of diamines and diacids such as poly (tetramethylene adipamide) (nylon 4,6); poly(hexamethylene adipamide) (nylon 6,6); poly (hexamethylene azelamide) (nylon 6,9); poly(hexamethylene sebacamide) (nylon 6,10); poly(heptamethylene pimelamide) (nylon 8,8); poly(nonamethylene azelamide) (nylon 9,9); poly(decamethylene azelamide) (nylon 10,9); and the like. Also illustrative of useful aliphatic polyamides are those formed by polymerization of amino acids and derivatives thereof, as for example lactams. Illustrative of these useful polyamides are poly(4-aminobutyric acid) (nylon 4); poly(6-aminohexanoic acid) (nylon 6); poly(7-aminoheptanoic acid) (nylon 7); poly(8-aminooctanoic acid) (nylon 8); poly(9-aminononanoic acid) (nylon 9); poly(10-aminodecanoic acid) (nylon 10); poly(11-aminoundecanoic acid) (nylon 11); poly(12-aminododecanoic acid) (nylon 12); and the like. Blends of two or more aliphatic polyamides may also be employed.

Copolymers formed from any combination of the recurring units of the above referenced aliphatic polyamides can be used. By way of illustration and not limitation, such aliphatic polyamide copolymers include caprolactam/hexamethylene adipamide copolymer (nylon 6/6,6); hexamethylene adipamide/caprolactam copolymer (nylon 6, 6/6);

hexamethylene adipamide/hexamethylene-azelamide copolymer (nylon 6,6/6,9); and copolymers formed from recurring units of the above referenced aliphatic polyamides with aliphatic/aromatic polyamide recurring units may also be  
5 used. Examples of such copolyamides are nylon 6/6T; nylon 6,6/6, T; nylon 6/10T; nylon 6/12T; nylon 6,10/6,T etc.

Preferred aliphatic polyamides for use in the practice of this invention are poly(caprolactam); poly(7-aminoheptanic acid); poly(tetramethylene adipamide);  
10 poly(hexamethylene adipamide); and mixtures thereof. The particularly preferred aliphatic polyamides are poly(caprolatam); poly(hexamethylene adipamide); poly(tetramethylene adipamide); and mixtures thereof.

Aliphatic polyamides useful in the practice of this  
15 invention may be obtained from commercial sources or prepared in accordance with known preparatory techniques. For example, polycaprolactam may be obtained from Allied Signal Inc. and poly(hexamethylene adipamide) may be obtained from DuPont Co.

The number average molecular weight of the  
20 aliphatic polyamide may vary widely. Usually, the aliphatic polyamide is of film forming molecular weight that is sufficiently high to form a free standing film and sufficiently low to allow melt processing of the blend into a film. Such number average molecular weights are well known  
25 to those of skill in the film art and are usually at least about 5,000 as determined by the formic acid viscosity method. In this method, a solution of 9.2 wt. Concentration of aliphatic polyamide in 90% formic acid at 25°C is used. In the preferred embodiments of the invention, the number  
30 average molecular weight of the aliphatic polyamide is from about 5,000 to about 1,000,000 and in the particularly preferred embodiments is from about 10,000 to about 100,000. Amongst the particularly preferred embodiments, most preferred are those in which the molecular weight of the  
35 aliphatic polyamide is from about 20,000 to about 40,000.


#### POLYCARBONATES

Among polymeric compounds, preference is given to the polycarbonates, polyesters, polyamides, polyacetals, polyphenylene oxides and polyphenylene sulfides, but especially to the polycarbonates. Those compounds are to be understood as being especially those polymers the constitutional repeating unit of which corresponds to the formula:




wherein A is a divalent phenolic radical. Examples of A are given inter alia in U.S. Pat. No. 4,960,863 and DE-A-3 922,496. A can be derived, for example, from hydroquinone, resorcinol, dihydroxybiphenylene or bisphenols in the broadest sense of the term, such as bis(hydroxyphenyl)alkanes, cycloalkanes, sulfides, ethers, ketones, sulfones, sulfoxides,  $\alpha, \alpha'$ -bis(hydroxyphenyl)-diisopropylbenzenes, for example the compounds 2,2-bis(4-hydroxyphenyl)propane, 2,2-bis(3,5-dimethyl-4-hydroxyphenyl)propane, 2,2-bis(3,5-dichloro-4-hydroxyphenyl)propane, 1,1-bis(4-hydroxyphenyl)cyclohexane, or from the compounds of the formulae:

25




30


35



5




10




15

20




25

30




35

5



10

15



20

25

In one embodiment, the preferred resins are  
 30 polycarbonates based on dihydric phenols such as 2,2-bis-(4-  
 hydroxyphenyl)propane (bisphenol A); 2,4-bis (4-  
 hydroxyphenyl)-2-methylbutane; 1,1-bis-(4-hydroxyphenyl)-  
 cyclohexane; 2,2-bis-(3-chloro-4-hydroxyphenyl)propane; 4,4'-  
 sulfonyldiphenol; and 1,1-bis-(4-hydroxyphenyl)-3,3,5-  
 35 trimethylcyclohexane.

Also preferred are polycarbonate copolymers  
 incorporating two or more phenols, branched polycarbonates

wherein a polyfunctional aromatic compounds is reacted with the dihydric phenol(s) and carbonate precursor, and polymer blends of which polycarbonate comprises a significant portion of the blend.

5           The most preferred resins for both layers are polycarbonates based on bisphenol A.

U.S. Patent No. 5,288,788 also describes polycarbonates and polyester carbonates, especially aromatic polycarbonates, for example those based on 2,2-bis(4-  
10 hydroxyphenyl)propane or 1,1-bis(4-hydroxyphenyl)cyclohexane.

British Patent Appn. No. 2,290,745 describes a number of methods have been developed to concentrate UV absorbers near or at the surface of polymeric materials. These include surface impregnation (see U.S. Patent Nos.  
15 3,309,220, 3,043,709, 4,481,664 and 4,937,026) and coating a plastic article with solutions containing thermoplastic resins and UV absorbers (see U.S. Patent Nos. 4,668,588 and 4,353,965). Both techniques suffer from drawbacks including requiring additional processing steps (i.e. applying, drying  
20 or curing), and encounter difficulties associated with the handling of large processed articles. An additional drawback, particularly relevant to polycarbonate sheet production, is the detrimental effect such post addition treatment would have on the surface of the polymeric  
25 substrate.

As described in the U.S. Pat. No. 5,445,872, application of surface layers via coextrusion takes place in a known manner in known coextrusion equipment as taught in U.S. Pat. Nos. 3,487,505 and 3,557,265. Coextrusion is a  
30 well recognized method of producing laminated thermoplastic materials by simultaneously extruding various numbers of layers which form a single composite material. U.S. Patent No. 4,540,623 describes coextruded materials of at least forty layers. Other methods produce as few as two or three  
35 different layers.

In one embodiment, the invention also relates to thermoplastic articles coated with a thermoplastic layer 0.1

to 10 mil (0.00254 mm to 0.254 mm), preferable 0.1 to 5 mil (0.00254 mm to 0.127 mm), thick, in which said layer contains 0.1% to 20% by weight of the  $\phi\phi$

of the present invention. Preferred concentrations of are  
5 2% to 15% by weight; most preferred concentrations of 5% to 10% by weight.

The hindered phenol substituted trisaryl-1,3,5-triazines of the present invention may be incorporated into the thermoplastics of the surfaces layer by standard methods  
10 such as dry mixing the additives with granular resin prior to extruding.

The hindered phenol substituted trisaryl-1,3,5-triazines layer may be applied to one or both sides of the thermoplastic article.

15 Laminated thermoplastic articles which contain additional layers such as a water resistant layer as found in U.S. Pat. No. 4,992,322 are also part of the present invention.

The core layer and the coating layer may be of the  
20 same thermoplastic resin or different thermoplastic polyesters, polyester carbonates, polyphenylene oxide, polyvinyl chloride, polypropylene, polypropylene, polyethylene, polyacrylates, polymethacrylates and copolymers and blends such as styrene and acrylonitrile on polybutadiene  
25 and styrene with maleic anhydride.

Mixtures (polyblends) of such polymers with one another or with other polymers, for example with polyolefins, polyacrylates, polydienes or other elastomers in the form of impact strength modifiers.

30 The hindered phenol substituted trisaryl-1,3,5-triazines of the present invention can also be chemically bonded to substrates, such as polymers, thereby greatly reducing the migration of such UV absorbers, e.g., out of the substrate or away from the substrate surface. The bonding  
35 mechanism of the triazines of the present invention involves the formation of a bond (chemical and/or co-valent) between a functionality attached to the amido or carbamate group, e.g.,

by a pendant vinyl or hydroxyl group, and the "host" substrate, such as a polymer.

Incorporation of the  $\phi\phi$

of the invention can be brought about by copolymerization, 5 copolyaddition, copolycondensation, by reaction with a polymer which carries suitable functional groups, or by grafting, in a manner as disclosed in United States Patent Nos. 3,423,360 and 5,189,084 which are incorporated herein by reference as if fully set forth.

10 Bonding of the hindered phenol substituted trisaryl-1,3,5-triazines of the invention can occur by polymerization or copolymerization. In the case of the novel triazines of the present invention comprising pendant vinyl groups, polymerization or copolymerization with at least one 15 vinyl monomer, e.g., (meth)acrylic acid, esters of (meth)acrylic acid such as methyl acrylate, amides of (meth)acrylic acid, hydroxyethylacrylate, olefins, vinyl chloride, styrene, butadiene, isoprene and acrylonitrile can be carried out to form homopolymers or copolymers in which 20 the vinyl group is incorporated into the backbone of the polymer. Polymerization or copolymerization can be initiated by initiators, such as free radical, anionic and cationic types, or by actinic radiation, such as UV, electron beam, x-rays and gamma irradiation from a  $\text{Co}^{60}$  source, as is well 25 known to those in the polymerization art. Polymerization or copolymerization can be carried out in solution, in an emulsion, in a dispersion, in the melt, or in the solid state as is well known to those in the polymerization art.

Also, bonding of the presently claimed  $\phi\phi$  30 compounds of the present invention can be brought about by copolyaddition or copolycondensation. Such incorporation can be made by addition during the synthesis of an addition polymer or copolymer or by condensation during the synthesis of a condensation polymer or copolymer by methods known to 35 those skilled in the art. For example, compounds of the formulas (I) - (III) containing the appropriate functional groups can be incorporated into polyesters, polyamides,



polyurethanes, epoxy resins, melamine resins, alkyd resins, phenolic resins, polyurethanes, polycarbonates, polysiloxanes, polyacetals and polyanhydrides, to name but a few.

5 In addition, compounds of the formulas (I) - (III) can be bonded to a monomeric component which is then incorporated into a polymer or copolymer, e.g., by the free radical initiated addition or copolycondensation methods described above. Analogous methods are disclosed in, for  
10 example, United States Patent No. 5,459,222 (incorporated by reference herein for all purposes as if fully set forth) for the bonding of benzotriazole and benzophenone stabilizers to diol precursors which are then incorporated by condensation polymerization into polyurethanes and polyesters to impart UV  
15 stabilizing properties to said polymers.

Alternately, the hindered phenol substituted trisaryl-1,3,5-triazines of the invention may also be bonded to polymers by reaction with an oligomer and/or polymer which carries suitable functional groups. For example, at least  
20 one triazine compound comprising a vinyl pendant group can be added, optionally with at least one other vinyl monomer or compound comprising a vinyl group, to unsaturated polyester resins, unsaturated polybutadiene oligomers or unsaturated rubbers and then cured by actinic radiation or by a free  
25 radical catalyst. Or, at least one triazine compound comprising a terminal functional group, such as hydroxyl or amido, may be reacted with a polymer and/or oligomer such as polyesters, polyurethanes and polydiols with reactive end-groups, partially hydrolyzed polyvinylacetate, epoxy resins,  
30 polysiloxanes and polymers comprising maleic anhydride, either in the main chain or as a side-chain, by methods analogous to those well known to those of ordinary skill in the art.

Grafting is yet another way of bonding of the  
35 presently claimed hindered phenol substituted trisaryl-1,3,5-triazines to polymers and/or oligomers. Grafting may be carried out in solution, in the melt, or in the solid state

with the initiators or actinic radiation types discussed above for polymerization when, for example, the novel triazines of the present invention comprising pendant vinyl groups are used. Such hindered phenol substituted trisaryl-  
5 1,3,5-triazines may be grafted to saturated polymers, e.g., polyolefins and their copolymers such as polyethylene, polypropylene and poly(ethylene-vinyl acetate), or to polymers comprising unsaturated moieties, e.g., polybutadiene, polyisoprene, ethylene-propylene-(diene  
10 monomer) terpolymers and polystyrene and its copolymers.

The hindered phenol substituted trisaryl-1,3,5-triazines of the present invention may be used in widely varying amounts in such applications depending upon such things as the material to be stabilized and the particular  
15 application. However, when employed as a stabilizing additive for materials such as organic polymers, the hindered phenol substituted trisaryl-1,3,5-triazines of the present invention are typically employed in amounts from about 0.01 to about 20% by weight, preferably from about 0.1 to about  
20 10% by weight, and most preferably from about 0.1 to about 5% by weight, based on the weight of the material to be stabilized. In screening applications such as sunscreens compositions, the triazines are utilized in the same relative amounts but based on the total weight of the screening agent.

25 The novel stabilizers of the present invention may also be employed in a non-bondable capacity, for example, in the stabilization of thermoplastic polymers as set forth in the many of the previously incorporated references. Examples of preferred thermoplastic polymers are polyolefins and  
30 polymers comprising heteroatoms in the main chain. Preferred polymers are also thermoplastic polymers comprising nitrogen, oxygen and/or sulphur, especially nitrogen or oxygen, in the main chain. Also of interest are compositions in which the polymer is a polyolefin, for example polyethylene or  
35 polypropylene.

Incorporation into the thermoplastic polymers can be carried out by addition of the novel hindered phenol

substituted trisaryl-1,3,5-triazines compound and any further additives by the methods conventional in the art. The incorporation can expediently be made before or during shaping, for example by mixing the pulverulent components or  
5 by adding the stabilizer to the melt or solution of the polymer, or by applying the dissolved or dispersed compounds to the polymer, with or without subsequent evaporation of the solvent. Elastomers can also be stabilized as lattices.

The novel mixtures can also be added to the  
10 polymers to be stabilized in the form of a masterbatch which comprises these compounds, for example, in a concentration of from about 2.5 to about 25%, preferably from about 5 to about 20% by weight of the polymer.

The novel mixtures can expediently be incorporated  
15 into the polymeric material by any number of methods, including those conventionally employed in the art, including by, for example: a) as an emulsion or dispersion (for example to lattices or emulsion polymers); (b) as a dry mix during mixing of additional components or polymer mixtures;  
20 (c) by direct addition to the processing equipment (for example extruders, internal mixers, etc.); or (d) as a solution or melt.

The stabilized polymer compositions obtained in this way can be converted into shaped articles, for example  
25 fibers, films, tapes, sheets, sandwich boards, containers, pipes and other profiles, by any number of conventional methods, for example hot pressing, spinning, extrusion, rotomolding or injection molding. Therefore, the present invention additionally relates to the use of the polymer  
30 composition according to the invention for the production of a shaped article.

Depending upon their ultimate end use, the  $\phi\phi$  of the present invention may be combined with a variety of additives conventionally employed in the UV stabilizing art.  
35 Examples of such additives include but are not limited to:  
a. Antioxidants

- (i) Alkylated monophenols such as 2,6-di-tert-butyl-4-methylphenol; 2-tert-butyl-4,6-dimethylphenol; 2,6-di-tert-butyl-4-ethylphenol; 2,6-di-tert-butyl-4-n-butylphenol; 2,6-di-tert-butyl-4-isobutylphenol; 2,6-dicyclopentyl-4-methylphenol; 2-( $\alpha$ -methylcyclohexyl)-4,6-dimethylphenol; 2,6-dioctadecyl-4-methylphenol; 2,4,6-tricyclohexylphenol; 2,6-di-tert-butyl-4-methoxymethylphenol; nonylphenols which are linear or branched in the side chains such as 2,6-di-nonyl-4-methylphenol; 2,4-dimethyl-6-(1-methylundec-1-yl)phenol; 2,4-dimethyl-6-(1-methylheptadec-1-yl)phenol; 2,4-dimethyl-6-(1-methyltridec-1-yl)phenol; and mixtures thereof.
- (ii) Alkylthiomethylphenols such as 2,4-dioctylthiomethyl-6-tert-butylphenol; 2,4-dioctylthiomethyl-6-methylphenol; 2,4-dioctylthiomethyl-6-ethylphenol; and 2,6-didodecylthiomethyl-4-nonylphenol.
- (iii) Hydroquinones and alkylated hydroquinones such as 2,6-di-tert-butyl-4-methoxyphenol; 2,5-di-tert-butylhydroquinone; 2,5-di-tert-amylhydroquinone; 2,6-diphenyl-4-octadecyloxyphenol; 2,6-di-tert-butylhydroquinone; 2,5-di-tert-butyl-4-hydroxyanisole; 3,5-di-tert-butyl-4-hydroxyanisole; 3,5-di-tert-butyl-4-hydroxyphenyl stearate; and bis(3,5-di-tert-butyl-4-hydroxyphenyl)adipate.
- (iv) Tocopherols such as  $\alpha$ -tocopherol,  $\beta$ -tocopherol,  $\gamma$ -tocopherol,  $\delta$ -tocopherol, and mixtures thereof (vitamin E).
- (v) Hydroxylated thiodiphenyl ethers such as 2,2'-thiobis(6-tert-butyl-4-methylphenol); 2,2'-thiobis(4-octylphenol); 4,4'-thiobis(6-tert-butyl-3-methylphenol); 4,4'-thiobis(6-tert-butyl-2-methylphenol); 4,4'-thiobis(3,6-di-sec-amylphenol); and 4,4'-bis(2,6-dimethyl-4-hydroxyphenyl)disulfide.
- (vi) Alkylidenebisphenols such as 2,2'-methylenebis(6-tert-butyl-4-methylphenol); 2,2'-methylenebis(6-tert-butyl-4-ethylphenol); 2,2'-methylenebis[4-methyl-6-( $\alpha$ -

- methylcyclohexyl)phenol]; 2,2'-methylenebis(4-methyl-6-cyclohexylphenol); 2,2'-methylenebis(6-nonyl-4-methylphenol); 2,2'-methylenebis(4,6-di-tert-butylphenol); 2,2'-ethylidenebis(4,6-di-tert-butylphenol); 2,2'-ethylidenebis(6-tert-butyl-4-isobutylphenol); 2,2'-methylenebis[6-( $\alpha$ -methylbenzyl)-4-nonylphenol]; 2,2'-methylenebis[6-( $\alpha,\alpha$ -dimethylbenzyl)-4-nonylphenol]; 4,4'-methylenebis(2,6-di-tert-butylphenol); 4,4'-methylenebis(6-tert-butyl-2-methylphenol); 1,1-bis(5-tert-butyl-4-hydroxy-2-methylphenyl)butane; 2,6-bis(3-tert-butyl-5-methyl-2-hydroxybenzyl)-4-methylphenol; 1,1,3-tris(5-tert-butyl-4-hydroxy-2-methylphenyl)butane; 1,1-bis(5-tert-butyl-4-hydroxy-2-methylphenyl)-3-n-dodecylmercaptobutane; ethylene glycol bis[3,3-bis(3'-tert-butyl-4'-hydroxyphenyl)butyrate], bis(3-tert-butyl-4-hydroxy-5-methylphenyl)dicyclopentadiene; bis[2-(3'-tert-butyl-2'-hydroxy-5'-methylbenzyl)-6-tert-butyl-4-methylphenyl]terephthalate; 1,1-bis(3,5-dimethyl-2-hydroxyphenyl)butane; 2,2-bis(3,5-di-tert-butyl-4-hydroxyphenyl)propane; 2,2-bis(5-tert-butyl-4-hydroxy-2-methylphenyl)-4-n-dodecylmercaptobutane; and 1,1,5,5-tetra(5-tert-butyl-4-hydroxy-2-methylphenyl)pentane.
- (vii) O-, - and S-benzyl compounds such as 3,5,3',5'-tetra-tert-butyl-4,4'-dihydroxydibenzyl ether; octadecyl-4-hydroxy-3,5-dimethylbenzylmercaptoacetate; tridecyl-4-hydroxy-3,5-di-tert-butylbenzylmercaptoacetate; tris(3,5-di-tert-butyl-4-hydroxybenzyl)amine; bis(4-tert-butyl-3-hydroxy-2,6-dimethylbenzyl)dithioterephthalate; bis(3,5-di-tert-butyl-4-hydroxybenzyl)sulfide; and isooctyl-3,5-di-tert-butyl-4-hydroxybenzylmercaptoacetate.
- (viii) Hydroxybenzylate malonates such as dioctadecyl-2,2-bis(3,5-di-tert-butyl-2-hydroxybenzyl)malonate; dioctadecyl-2-(3-tert-butyl-4-hydroxy-5-methylbenzyl)malonate; didodecylmercaptoethyl-2,2-bis(3,5-di-tert-butyl-4-hydroxybenzyl)malonate; and

- bis[4-(1,1,3,3-tetramethylbutyl)phenyl]-2,2-bis(3,5-di-tert-butyl-4-hydroxybenzyl)malonate.
- (ix) Aromatic hydroxybenzyl compounds such as 1,3,5-tris(3,5-di-tert-butyl-4-hydroxybenzyl)-2,4,6-trimethylbenzene; 5  
1,4-bis(3,5-di-tert-butyl-4-hydroxybenzyl)-2,3,5,6-tetramethylbenzene; and 2,4,6-tris(3,5-di-tert-butyl-4-hydroxybenzyl)phenol.
- (x) Triazine compounds such as 2,4-bis(octylmercapto-6-(3,5-di-tert-butyl-4-hydroxyanilino)-1,3,5-triazine; 2-  
10 octylmercapto-4,6-bis(3,5-di-tert-butyl-4-hydroxyanilino)-1,3,5-triazine; 2-octylmercapto-4,6-bis(3,5-di-tert-butyl-4-hydroxyphenoxy)-1,3,5-triazine; 2,4,6-tris(3,5-di-tert-butyl-4-hydroxyphenoxy)-1,3,5-triazine; 1,3,5-tris(3,5-di-tert-butyl-4-  
15 hydroxybenzyl)isocyanurate; 1,3,5-tris(4-tert-butyl-3-hydroxy-2,6-dimethylbenzyl)isocyanurate; 2,4,6-tris(3,5-di-tert-butyl-4-hydroxyphenylethyl)-1,3,5-triazine; 1,3,5-tris(3,5-di-tert-butyl-4-hydroxyphenylpropionyl)-hexahydro-1,3,5-triazine; and 1,3,5-tris(3,5-  
20 dicyclohexyl-4-hydroxybenzyl)isocyanurate.
- (xi) Benzylphosphonates such as dimethyl-2,5-di-tert-butyl-4-hydroxybenzylphosphonate; diethyl-3,5-di-tert-butyl-4-hydroxybenzylphosphonate; dioctadecyl-3,5-di-tert-butyl-4-hydroxybenzylphosphonate; dioctadecyl-5-tert-butyl-4-  
25 hydroxy-3-methylbenzylphosphonate; and the calcium salt of the monoethyl ester of 3,5-di-tert-butyl-4-hydroxybenzylphosphonic acid.
- (xii) Acylaminophenols such as 4-hydroxylauranilide; 4-hydroxystearanilide; and octyl N-(3,5-di-tert-butyl-4-  
30 hydroxyphenyl)carbamate.
- (xiii) Esters of  $\beta$ -(3,5-di-tert-butyl-4-  
hydroxyphenyl)propionic acid with mono- or polyhydric alcohols such as methanol, ethanol, n-octanol, i-  
octanol, octadecanol, 1,6-hexanediol, 1,9-nonanediol, ethylene glycol, 1,2-propanediol, neopentyl glycol, thiodiethylene glycol, diethylene glycol, triethylene glycol, pentaerythritol, tris(hydroxyethyl)

isocyanurate, N,N'-bis(hydroxyethyl)oxamide, 3-thiaundecanol, 3-thiapentadecanol, trimethylhexanediol, trimethylolpropane and 4-hydroxymethyl-1-phospha-2,6,7-trioxabicyclo[2.2.2]octane.

- 5 (xiv) Esters of  $\beta$ -(5-tert-butyl-4-hydroxy-3-methylphenyl)propionic acid with mono- or polyhydric alcohols such as methanol, ethanol, n-octanol, i-octanol, octadecanol, 1,6-hexanediol, 1,9-nonanediol, ethylene glycol, 1,2-propanediol, neopentyl glycol, 10 thiodiethylene glycol, diethylene glycol, triethylene glycol, pentaerythritol, tris(hydroxyethyl) isocyanurate, N,N'-bis(hydroxyethyl)oxamide, 3-thiaundecanol, 3-thiapentadecanol, trimethylhexanediol, trimethylolpropane and 4-hydroxymethyl-1-phospha-2,6,7- 15 trioxabicyclo[2.2.2]octane.
- (xv) Esters of  $\beta$ -(3,5-dicyclohexyl-4-hydroxyphenyl)propionic acid with mono- or polyhydric alcohols such as methanol, ethanol, octanol, octadecanol, 1,6-hexanediol, 1,9- 20 nonanediol, ethylene glycol, 1,2-propanediol, neopentyl glycol, thiodiethylene glycol, diethylene glycol, triethylene glycol, pentaerythritol, tris(hydroxyethyl) isocyanurate, N,N'-bis(hydroxyethyl)-oxamide, 3-thiaundecanol, 3-thiapentadecanol, trimethylhexanediol, trimethylolpropane and 4-hydroxymethyl-1-phospha-2,6,7- 25 trioxabicyclo[2.2.2]octane.
- (xvi) Esters of 3,5-di-tert-butyl-4-hydroxyphenyl acetic acid with mono- or polyhydric alcohols such as methanol, ethanol, octanol, octadecanol, 1,6-hexanediol, 1,9- 30 nonanediol, ethylene glycol, 1,2-propanediol, neopentyl glycol, thiodiethylene glycol, diethylene glycol, triethylene glycol, pentaerythritol, tris(hydroxyethyl) isocyanurate, N,N'-bis-(hydroxyethyl)oxamide, 3-thiaundecanol, 3-thiapentadecanol, trimethylhexanediol, trimethylolpropane, 4-hydroxymethyl-1-phospha-2,6,7- 35 trioxabicyclo[2.2.2]octane.
- (xvii) Amides of  $\beta$ -(3,5-di-tert-butyl-4-hydroxyphenyl)propionic acid such as N,N'-bis(3,5-di-

- tert-butyl-4-hydroxyphenylpropionyl)hexamethylenediamine; N,N'-bis(3,5-di-tert-butyl-4-hydroxyphenylpropionyl)trimethylenediamine; and N,N'-bis(3,5-di-tert-butyl-4-hydroxyphenylpropionyl)hydrazine.
- (xviii) Ascorbic acid (Vitamin C).
- (xix) Aminic antioxidants such as N,N'-diisopropyl-p-phenylenediamine; N,N'-di-sec-butyl-p-phenylenediamine; N,N'-bis(1,4-dimethylpentyl)-p-phenylenediamine; N,N'-bis(1-ethyl-3-methylpentyl)-p-phenylenediamine; N,N'-bis(1-methylheptyl)-p-phenylenediamine; N,N'-dicyclohexyl-p-phenylenediamine; N,N'-diphenyl-p-phenylenediamine; N,N'-bis(2-naphthyl)-p-phenylenediamine; N-isopropyl-N'-phenyl-p-phenylenediamine; N-(1,3-dimethylbutyl)-N'-phenyl-p-phenylenediamine; N-(1-methylheptyl)-N'-phenyl-p-phenylenediamine; N-cyclohexyl-N'-phenyl-p-phenylenediamine; 4-(p-toluenesulfonamoyl)diphenylamine; N,N'-dimethyl-N,N'-di-sec-butyl-p-phenylenediamine; diphenylamine; allyldiphenylamine; 4-isopropoxydiphenylamine; -phenyl-1-naphthylamine; N-(4-tert-octylphenyl)-1-naphthylamine; N-phenyl-2-naphthylamine; octylated diphenylamine such as p,p'-di-tert-octyldiphenylamine; 4-n-butylaminophenol; 4-butyrylamino-phenol; 4-nonanoylamino-phenol; 4-dodecanoylamino-phenol; 4-octadecanoylamino-phenol; bis(4-methoxyphenyl)amine; 2,6-di-tert-butyl-4-dimethylaminomethylphenol; 2,4'-diaminophenylmethane; 4,4'-diaminodiphenylmethane; N,N,N',N'-tetramethyl-4,4'-diaminodiphenylmethane; 1,2-bis[(2-methylphenyl)amino]ethane; 1,2-bis(phenylamino)propane; (o-tolyl)biguanide; bis[4-(1',3'-dimethylbutyl)phenyl]amine; tert-octylated N-phenyl-1-naphthylamine; a mixture of mono- and dialkylated tert-butyl/tert-octyldiphenylamines, a mixture of mono- and dialkylated nonyldiphenylamines; a mixture of mono- and



- dialkylated dodecyldiphenylamines; a mixture of mono- and dialkylated isopropyl/isohexyldiphenylamines, a mixture of mono- and dialkylated tert-butyl-diphenylamines; 2,3-dihydro-3,3-dimethyl-4H-1,4-benzothiazine; phenothiazine; a mixture of mono- and dialkylated tert-butyl/tert-octyl phenothiazines; a mixture of mono- and dialkylated tert-octylphenothiazines; N-allylphenothiazine; N,N,N',N'-tetraphenyl-1,4-diaminobut-2-ene; N,N-bis(2,2,6,6-tetramethylpiperid-4-yl)hexamethylenediamine; bis(2,2,6,6-tetramethylpiperid-4-yl)sebacate; 2,2,6,6-tetramethylpiperidin-4-one; and 2,2,6,6-tetramethylpiperidin-4-ol.
- b. UV-absorbers and light stabilizers
- 15 (i) 2-(2'-Hydroxyphenyl)benzotriazoles such as 2-(2'-hydroxy-5'-methylphenyl)-benzotriazole; 2-(3',5'-di-tert-butyl-2'-hydroxyphenyl)benzotriazole; 2-(5'-tert-butyl-2'-hydroxyphenyl)benzotriazole; 2-(2'-hydroxy-5'-(1,1,3,3-tetramethylbutyl)phenyl)benzotriazole; 2-(3',5'-di-tert-butyl-2'-hydroxyphenyl)-5-chlorobenzotriazole; 2-(3'-tert-butyl-2'-hydroxy-5'-methylphenyl)-5-chloro-benzotriazole; 2-(3'-sec-butyl-5'-tert-butyl-2'-hydroxyphenyl)-benzotriazole; 2-(2'-hydroxy-4'-octoxyphenyl)benzotriazole; 2-(3',5'-di-tert-amyl-2'-hydroxyphenyl)benzotriazole; 2-(3',5'-bis( $\alpha,\alpha$ -dimethylbenzyl)-2'-hydroxyphenyl)-benzotriazole; a mixture of 2-(3'-tert-butyl-2'-hydroxy-5'-(2-octyloxycarbonyl)ethyl)phenyl)-5-chloro-benzotriazole, 2-(3'-tert-butyl-5'-[2-(2-ethylhexyloxy)-carbonyl]ethyl)-2'-hydroxyphenyl)-5-chloro-benzotriazole, 2-(3'-tert-butyl-2'-hydroxy-5'-(2-methoxycarbonyl)ethyl)phenyl)-5-chloro-benzotriazole, 2-(3'-tert-butyl-2'-hydroxy-5'-(2-octyloxycarbonyl)ethyl)phenyl)benzotriazole, 2-(3'-tert-butyl-5'-[2-(2-ethylhexyloxy) carbonyl]ethyl)-2'-hydroxyphenyl)benzotriazole, 2-(3'-dodecyl-2'-hydroxy-

- 5'-methylphenyl)benzotriazole and 2-(3'-tert-butyl-2'-hydroxy-5'-(2-isooctyloxycarbonylethyl)phenyl)benzotriazole; 2,2-methylenebis[4-(1,1,3,3-tetramethylbutyl)-6-benzotriazol-2-ylphenol]; the transesterification product of 2-[3'-tert-butyl-5'-(2-methoxycarbonylethyl)-2'-hydroxyphenyl]benzotriazole with polyethylene glycol 300; and  $[R-CH_2CH-COO(CH_2)_3]_2$  B where R = 3'-tert-butyl-4'-hydroxy-5'-2H-benzotriazol-2-ylphenyl.
- 5
- 10 (ii) 2-Hydroxybenzophenones, for example the 4-hydroxy, 4-methoxy, 4-octoxy, 4-decyloxy, 4-dodecyloxy, 4-benzyloxy, 4,2',4'-trihydroxy and 2'-hydroxy-4,4'-dimethoxy derivative.
- (iii) Esters of substituted and unsubstituted benzoic acids such as 4-tert-butyl-phenyl salicylate; phenyl salicylate; octylphenyl salicylate; dibenzoyl resorcinol; bis(4-tert-butylbenzoyl) resorcinol; benzoyl resorcinol; 2,4-di-tert-butylphenyl 3,5-di-tert-butyl-4-hydroxybenzoate; hexadecyl 3,5-di-tert-butyl-4-hydroxybenzoate; octadecyl 3,5-di-tert-butyl-4-hydroxybenzoate; and 2-methyl-4,6-di-tert-butylphenyl 3,5-di-tert-butyl-4-hydroxybenzoate.
- 15
- 20
- (iv) Acrylates such as ethyl  $\alpha$ -cyano- $\beta,\beta$ -diphenylacrylate; isooctyl  $\alpha$ -cyano- $\beta,\beta$ -diphenylacrylate; methyl  $\alpha$ -carbomethoxycinnamate; methyl  $\alpha$ -cyano- $\beta$ -methyl-p-methoxycinnamate; butyl  $\alpha$ -cyano- $\beta$ -methyl-p-methoxycinnamate; methyl  $\alpha$ -carbomethoxy-p-methoxycinnamate; and N-( $\beta$ -carbomethoxy- $\beta$ -cyanovinyl)-2-methylindoline.
- 25
- 30 (v) Nickel compounds such as nickel complexes of 2,2'-thio-bis-[4-(1,1,3,3-tetramethylbutyl)phenol], including the 1:1 or 1:2 complex, with or without additional ligands such as n-butylamine, triethanolamine or N-cyclohexyldiethanolamine; nickel dibutyldithiocarbamate; nickel salts of monoalkyl esters including the methyl or ethyl ester of 4-hydroxy-3,5-di-tert-butylbenzylphosphonic acid; nickel complexes of
- 35

ketoximes including 2-hydroxy-4-methylphenyl undecyl ketoxime; and nickel complexes of 1-phenyl-4-lauroyl-5-hydroxypyrazole, with or without additional ligands.

- (vi) Sterically hindered amines as well as the N derivatives thereof (e.g., N-alkyl, N-hydroxy, N-alkoxy and N-acyl), such as bis(2,2,6,6-tetramethylpiperidin-4-yl) sebacate; bis(2,2,6,6-tetramethylpiperidin-4-yl)succinate; bis(1,2,2,6,6-pentamethylpiperidin-4-yl)sebacate; bis(1-octyloxy-2,2,6,6-tetramethylpiperidin-4-yl)sebacate; bis(1,2,2,6,6-pentamethylpiperidin-4-yl) n-butyl 3,5-di-tert-butyl-4-hydroxybenzylmalonate; the condensate of 1-(2-hydroxyethyl)-2,2,6,6-tetramethyl-4-hydroxypiperidine and succinic acid; the condensate of N,N'-bis(2,2,6,6-tetramethylpiperidin-4-yl)hexamethylenediamine and 4-tert-octylamino-2,6-dichloro-1,3,5-triazine; tris(2,2,6,6-tetramethylpiperidin-4-yl) nitrilotriacetate; tetrakis(2,2,6,6-tetramethylpiperidin-4-yl)-1,2,3,4-butanetetracarboxylate; 1,1'-(1,2-ethanediyl)bis(3,3,5,5-tetramethylpiperazinone); 4-benzoyl-2,2,6,6-tetramethylpiperidine; 4-stearoyloxy-2,2,6,6-tetramethylpiperidine; bis(1,2,2,6,6-pentamethylpiperidyl)-2-n-butyl-2-(2-hydroxy-3,5-di-tert-butylbenzyl)malonate; 3-n-octyl-7,7,9,9-tetramethyl-1,3,8-triazaspiro[4.5]decan-2,4-dione; bis(1-octyloxy-2,2,6,6-tetramethylpiperidyl)sebacate; bis(1-octyloxy-2,2,6,6-tetramethylpiperidyl)succinate; the condensate of N,N'-bis(2,2,6,6-tetramethylpiperidin-4-yl)hexamethylenediamine and 4-morpholino-2,6-dichloro-1,3,5-triazine; the condensate of 2-chloro-4,6-bis(4-n-butylamino-2,2,6,6-tetramethylpiperidyl)-1,3,5-triazine and 1,2-bis(3-aminopropylamino)ethane; the condensate of 2-chloro-4,6-bis(4-n-butylamino-1,2,2,6,6-pentamethylpiperidyl)-1,3,5-triazine and 1,2-bis-(3-aminopropylamino)ethane; 8-acetyl-3-dodecyl-7,7,9,9-tetramethyl-1,3,8-triazaspiro[4.5]decane-2,4-dione; 3-dodecyl-1-(2,2,6,6-tetramethylpiperidin-4-yl)pyrrolidin-

- 2,5-dione; 3-dodecyl-1-(1-ethanoyl-2,2,6,6-tetramethylpiperidin-4-yl)pyrrolidin-2,5-dione; 3-dodecyl-1-(1,2,2,6,6-pentamethylpiperidin-4-yl)pyrrolidine-2,5-dione; a mixture of 4-hexadecyloxy- and 4-stearyloxy-2,2,6,6-tetramethylpiperidine; the condensate of N,N'-bis(2,2,6,6-tetramethylpiperidin-4-yl)hexamethylenediamine and 4-cyclohexylamino-2,6-dichloro-1,3,5-triazine; the condensate of 1,2-bis(3-aminopropylamino)ethane, 2,4,6-trichloro-1,3,5-triazine and 4-butylamino-2,2,6,6-tetramethylpiperidine (CAS Reg. No. [136504-96-6]); 2-undecyl-7,7,9,9-tetramethyl-1-oxa-3,8-diaza-4-oxospiro[4.5]decane; oxo-piperanzinyl-triazines or so-called PIP-T HALS, e.g., GOODRITE® 3034, 3150 and 3159 and similar materials disclosed in US5071981; photobondable HALS such as SANDUVOR® PR-31 and PR-32 (Clariant Corp.) and similar materials disclosed in GB-A-2269819; and the reaction product of 7,7,9,9-tetramethyl-2-cycloundecyl-1-oxa-3,8-diaza-4-oxospiro[4.5]decane and epichlorohydrin. See also generally US4619956, US5106891, GB-A-2269819, EP-A-0309400, EP-A-0309401, EP-A-0309402 and EP-A-0434608.
- (vii) Oxamides such as 4,4'-dioctyloxyoxanilide; 2,2'-diethoxyoxanilide; 2,2'-dioctyloxy-5,5'-di-tert-butoxanilide; 2,2'-didodecyloxy-5,5'-di-tert-butylloxanilide; 2-ethoxy-2'-ethyloxanilide; N,N'-bis(3-dimethylaminopropyl)oxamide; 2-ethoxy-5-tert-butyl-2'-ethyloxanilide and its mixture with 2-ethoxy-2'-ethyl-5,4'-di-tert-butoxanilide; and mixtures of o- and p-methoxy disubstituted oxanilides and mixtures of o- and p-ethoxy disubstituted oxanilides.
- (viii) 2-(2-Hydroxyphenyl)-1,3,5-triazines disclosed in the previously incorporated references, such as 2,4,6-tris(2-hydroxy-4-octyloxyphenyl)-1,3,5-triazine; 2-(2-hydroxy-4-n-octyloxyphenyl)-4,6-bis(2,4-dimethylphenyl)-1,3,5-triazine; 2-(2-hydroxy-4-(mixed iso-octyloxyphenyl)-4,6-bis(2,4-dimethylphenyl)-1,3,5-triazine; 2-(2,4-dihydroxyphenyl)-4,6-bis(2,4-

dimethylphenyl)-1,3,5-triazine; 2,4-bis(2-hydroxy-4-propyloxyphenyl)-6-(2,4-dimethylphenyl)-1,3,5-triazine; 2-(2-hydroxy-4-octyloxyphenyl)-4,6-bis(4-methylphenyl)-1,3,5-triazine; 2-(2-hydroxy-4-dodecyloxyphenyl)-4,6-bis(2,4-dimethylphenyl)-1,3,5-triazine; 2-(2-hydroxy-4-tridecyloxyphenyl)-4,6-bis(2,4-dimethylphenyl)-1,3,5-triazine; 2-[2-hydroxy-4-(2-hydroxy-3-butylpropyloxy)phenyl]-4,6-bis(2,4-dimethylphenyl)-1,3,5-triazine; 2-[2-hydroxy-4-(2-hydroxy-3-octyloxypropyloxy)-phenyl]-4,6-bis(2,4-dimethylphenyl)-1,3,5-triazine; 2-[4-dodecyloxy/tridecyloxy-2-hydroxypropoxy)-2-hydroxyphenyl]-4,6-bis(2,4-dimethylphenyl)-1,3,5-triazine; 2-[2-hydroxy-4-(2-hydroxy-3-dodecyloxypropoxy)phenyl]-4,6-bis(2,4-dimethylphenyl)-1,3,5-triazine; 2-(2-hydroxy-4-hexyloxy)phenyl-4,6-diphenyl-1,3,5-triazine; 2-(2-hydroxy-4-methoxyphenyl)-4,6-diphenyl-1,3,5-triazine; 2,4,6-tris[2-hydroxy-4-(3-butoxy-2-hydroxypropoxy)phenyl]-1,3,5-triazine; and 2-(2-hydroxyphenyl)-4-(4-methoxyphenyl)-6-phenyl-1,3,5-triazine.

(c) Metal deactivators such as N,N'-diphenyloxamide; N-salicylal-N'-salicyloyl hydrazine; N,N'-bis(salicyloyl)hydrazine; N,N'-bis(3,5-di-tert-butyl-4-hydroxyphenylpropionyl)hydrazine; 3-salicyloylamino-1,2,4-triazole; bis(benzylidene)oxalyl dihydrazide; oxanilide; isophthaloyl dihydrazide; sebacoyl bisphenylhydrazide; N,N'-diacetyladipeoyl dihydrazide; N,N'-bis(salicyloyl)oxalyl dihydrazide; and N,N'-bis(salicyloyl)thiopropionyl dihydrazide.

(d) Phosphites and phosphonites, such as triphenyl phosphite; diphenyl alkyl phosphites; phenyl dialkyl phosphites; tris(nonylphenyl) phosphite; trilauryl phosphite; trioctadecyl phosphite; distearyl pentaerythritol diphosphite; tris(2,4-di-tert-butylphenyl)phosphite; diisodecyl pentaerythritol diphosphite; bis(2,4-di-tert-butylphenyl)pentaerythritol diphosphite; bis(2,6-di-tert-

- butyl-4-methylphenyl)pentaerythritol diphosphite;  
bis(isodecyloxy)pentaerythritol diphosphite; bis(2,4-di-tert-  
butyl-6-methylphenyl)pentaerythritol diphosphite; bis(2,4,6-  
tris(tert-butyl)phenyl)pentaerythritol diphosphite;
- 5 tristearyl sorbitol triphosphite; tetrakis(2,4-di-tert-  
butylphenyl)-4,4'-biphenylene diphosphonite; 6-isooctyloxy-  
2,4,8,10-tetra-tert-butyl-12H-dibenzo[d,g]-1,3,2-  
dioxaphosphocin; 6-fluoro-2,4,8,10-tetra-tert-butyl-12-  
methyl-dibenzo[d,g]-1,3,2-dioxaphosphocin; bis(2,4-di-tert-  
10 butyl-6-methylphenyl)methylphosphite; and bis(2,4-di-tert-  
butyl-6-methylphenyl)ethylphosphite.
- (e) Hydroxylamines such as N,N-dibenzylhydroxylamine; N,N-  
diethylhydroxylamine; N,N-dioctylhydroxylamine; N,N-  
dilaurylhydroxylamine; N,N-ditetradecylhydroxylamine; N,N-  
15 dihexadecylhydroxylamine; N,N-dioctadecylhydroxylamine; N-  
hexadecyl-N-octadecyl-hydroxylamine; N-heptadecyl-N-  
octadecylhydroxylamine; and N,N-dialkylhydroxylamine derived  
from hydrogenated tallow fatty amines.
- (f) Nitrones such as N-benzyl-alpha-phenyl nitrone; N-ethyl-  
20 alpha-methyl nitrone; N-octyl-alpha-heptyl nitrone; N-lauryl-  
alpha-undecyl nitrone; N-tetradecyl-alpha-tridecyl nitrone;  
N-hexadecyl-alpha-pentadecyl nitrone; N-octadecyl-alpha-  
heptadecyl nitrone; N-hexadecyl-alpha-heptadecyl nitrone; N-  
octadecyl-alpha-pentadecyl nitrone; N-heptadecyl-alpha-  
25 heptadecyl nitrone; N-octadecyl-alpha-hexadecyl nitrone; and  
nitrones derived from N,N-dialkylhydroxylamines prepared from  
hydrogenated tallow fatty amines.
- (g) Thiosynergists such as dilauryl thiodipropionate and  
distearyl thiodipropionate.
- 30 (h) Peroxide scavengers such as esters of  $\beta$ -thiodipropionic  
acid, for example the lauryl, stearyl, myristyl or tridecyl  
esters; mercaptobenzimidazole or the zinc salt of 2-  
mercaptobenzimidazole; zinc dibutyldithiocarbamate;  
dioctadecyl disulfide; and pentaerythritol tetrakis( $\beta$ -  
35 dodecylmercapto)propionate.

- (i) Polyamide stabilizers such as copper salts in combination with iodides and/or phosphorus compounds and salts of divalent manganese.
- (j) Basic co-stabilizers such as melamine;
- 5 polyvinylpyrrolidone; dicyandiamide; triallyl cyanurate; urea derivatives; hydrazine derivatives; amines; polyamides; polyurethanes; alkali metal salts and alkaline earth metal salts of higher fatty acids, for example calcium stearate, zinc stearate, magnesium behenate, magnesium stearate, sodium
- 10 ricinoleate and potassium palmitate; antimony pyrocatecholate; and tin pyrocatecholate.
- (k) Nucleating agents including inorganic substances such as talc and metal oxides (e.g. titanium oxide or magnesium oxide) and phosphates, carbonates and sulfates of,
- 15 preferably, alkaline earth metals; organic compounds such as mono- or polycarboxylic acids and salts thereof, for example 4-tert-butylbenzoic acid, adipic acid, diphenylacetic acid, sodium succinate and sodium benzoate; and polymeric compounds such as ionic copolymers (Aionomers®).
- 20 (l) Fillers and reinforcing agents such as calcium carbonate; silicates; glass fibers; asbestos; talc; kaolin; mica; barium sulfate; metal oxides and hydroxides; carbon black; graphite; wood flour and flours or fibers from other natural products; and synthetic fibers.
- 25 (m) Other additives such as plasticizers, lubricants, emulsifiers, pigments, rheological additives, catalysts, levelling assistants, optical brighteners, flameproofing agents, antistatic agents and blowing agents.
- (n) Benzofuranones and indolinones such as those disclosed
- 30 in US 4,325,863, US 4,338,244, US 5,175,312, US 5,216,052, US 5,252,643, DE-A-4316611, DE-A-4316622, DE-A-4316876, EP-A-0589839 and EP-A-0591102; 3-[4-(2-acetoxy-ethoxy)phenyl]-5,7-di-tert-butyl-benzofuran-2-one; 5,7-di-tert-butyl-3-[4-(2-stearoyloxyethoxy)-phenyl]benzofuran-2-one; 3,3'-bis[5,7-di-
- 35 tert-butyl-3-(4-[2-hydroxyethoxy]phenyl)benzofuran-2-one]; 5,7-di-tert-butyl-3-(4-ethoxyphenyl)benzofuran-2-one; 3-(4-acetoxy-3,5-dimethylphenyl)-5,7-di-tert-butyl-benzofuran-2-

one; 3-(3,5-dimethyl-4-pivaloyloxyphenyl)-5,7-di-tert-butyl-benzofuran-2-one; and 5,7-di-tert-butyl-3-(3,4-dimethylphenyl)-3H-benzofuran-2-one.

The novel  $\phi\phi$

5 of the present invention can also be employed in multilayer systems. In such systems, a polymer composition having from about 0.1 to about 20% by weight and preferably a relatively high content of novel stabilizer, for example, about 5-15% by weight, is applied in a thin film (e.g., about 5 - 500  $\mu\text{m}$   
10 thick and, preferably, about 10 - 100  $\mu\text{m}$  thick) to a shaped article made from a polymer containing little or no ultraviolet stabilizers. Such composition may be applied at the same time as the shaping of the base structure, for example by coextrusion in a manner analogous to that  
15 described in United States Patent No. 4,948,666 (incorporated by reference herein for all purposes as if fully set forth). Alternatively, application can also be made to the ready-formed base structure, for example by lamination with a film or by coating with a solution. The outer layer or layers of  
20 the finished article have the function of a UV filter, which protects the interior of the article from UV light. The outer layer preferably contains about 0.1 to about 20%, preferably about 1 to about 15%, and most preferably about 2 to about 10% by weight of the outer layer composition, of at  
25 least one of the  $\phi\phi$  compounds of the present invention.

The polymers stabilized in this way are notable for high weathering resistance, especially for high resistance to UV light. This enables them to retain their mechanical  
30 properties, and their color surface properties such as gloss and distinctness of image, for a long time even when used outside. Moreover, due to the bondable nature of the presently claimed triazine compounds, migration of these UV absorbers between the layers of the multi-layer coatings can,  
35 under the appropriate circumstances, be minimized.

In another embodiment of the present invention, the novel mixtures comprising compounds of the formulas (I) -



(III) can be used as stabilizers for coatings, for example for paints such as disclosed in numerous references (see, e.g., US 4,619,956, US 4,740,542, US 4,826,978, US 4,962,142, US 5,106,891, US 5,198,498, US 5,298,067, US 5,322,868, US 5,354,794, US 5,369,140, US 5,420,204, US 5,461,151, US 5,476,937, EP-0434608 and EP-A-0444323). Of particular interest are coatings and paints for the automobile industry. The invention therefore also relates to those compositions which are film-forming binders for coatings.

Such novel coating compositions comprise about 0.01 to about 20%, preferably about 0.01 to about 10%, and more preferably about 0.02 to about 5% by weight of the binder of the coating composition of the presently claimed hindered phenol substituted trisaryl-1,3,5-triazines of the present invention.

Multilayer systems are possible here as well (such as electrocoat/basecoat/clearcoat systems), where the concentration of the novel stabilizer in one or more of the layers, and typically the outer layer such as the clearcoat, can be relatively high, for example from about 0.01 to about 20%, preferably about 0.01 to about 10%, and more preferably about 0.02 to about 5% by weight of binder.

The use of the novel stabilizer in coatings is accompanied by the additional advantage that it prevents delamination, i.e. the flaking-off of the coating from the substrate. This advantage is particularly important in the case of metallic substrates, including multilayer systems on metallic substrates, and particularly epoxy e-coated metallic substrates.

The binder can in principle be any binder which is customary in industry, for example those described in Ullmann's Encyclopedia of Industrial Chemistry, 5th Edition, Vol. A18, pp. 368-426, VCH, Weinheim 1991 which is incorporated herein by reference. In general, it is a film-forming binder based on a thermoplastic or curable resin, predominantly on a curable resin. Examples of thermoplastic binders include acrylics, polyesters, polyurethanes and PVC

plastisols. Examples of curable binders include functional alkyd, acrylic, polyester, phenolic, melamine, epoxy and polyurethane resins and mixtures thereof.

Such curable binders can be an ambient curable or a  
5 thermosetting binder. Further, in some systems it may be advantageous to add a curing catalyst to such systems. Suitable catalysts which accelerate curing of the binder are described, for example, in Ullmann's Encyclopedia of Industrial Chemistry, Vol. A18, p. 469, VCH  
10 Verlagsgesellschaft, Weinheim 1991. Preferred binders include those which comprise a functional acrylate resin and a crosslinking agent.

A wide variety of binders may be employed in such coating systems. Examples of suitable coating compositions  
15 containing specific binders include but are not limited to:

1. paints based on ambient curable or thermosetting alkyd, acrylate, polyester, epoxy or melamine resins or mixtures of such resins, if desired with addition of a curing catalyst;
2. two-component polyurethane paints based on hydroxyl-  
20 containing acrylate, polyester or polyether resins and aliphatic or aromatic isocyanates, isocyanurates or polyisocyanates;
3. one-component polyurethane paints based on blocked isocyanates, isocyanurates or polyisocyanates which are  
25 deblocked during baking;
4. two-component paints based on (poly)ketimines and aliphatic or aromatic isocyanates, isocyanurates or polyisocyanates;
5. two-component paints based on (poly)ketimines and an  
30 unsaturated acrylate resin or a polyacetoacetate resin or a methacrylamidoglycolate methyl ester;
6. two-component paints based on carboxyl- or amino-containing polyacrylates and polyepoxides;
7. two-component paints based on acrylate resins containing  
35 anhydride groups and on a polyhydroxy or polyamino component;
8. two-component paints based on (poly)oxazolines and acrylate resins containing anhydride groups, or unsaturated

acrylate resins, or aliphatic or aromatic isocyanates, isocyanurates or polyisocyanates;

9. two-component paints based on unsaturated polyacrylates and polymalonates;


5 10. thermoplastic polyacrylate paints based on thermoplastic acrylate resins or externally crosslinking acrylate resins in combination with etherified melamine resins;

11. paint systems based on siloxane-modified or fluorine-modified acrylate resins.

10 In addition to the binder and novel  $\phi\phi$  of the present invention, the coating composition according to the invention preferably further comprise one or more additional ultraviolet light absorbers, including but not limited to those specifically listed above in section b. The  
15 additional UV absorbers may be, for example, another tris-aryl-1,3,5-triazine, a 2-hydroxyphenyl-2H-benzotriazole, a 2-hydroxybenzophenone, an ester of an unsubstituted benzoic acid, an acrylate, an oxamide (oxanilide), or any combination of the above. Preferably, the additional UV absorber is a 2-  
20 hydroxyphenyl-2H-benzotriazole and the weight ratio of benzotriazole to amido or carbamate triazine is 4:1 to 1:4. More preferably, the weight ratio of benzotriazole to amido or carbamate triazine is 2:1 to 1:2.


To achieve maximum light stability, it is of  
25 particular interest to add sterically hindered amines, examples of which are set out in the above-mentioned section b(vi). The invention therefore also relates to a coating composition which, in addition to the binder, the novel hindered phenol substituted trisaryl-1,3,5-triazines and,  
30 optionally, additional UV absorbers, comprises a light stabilizer of the sterically hindered amine type. The sterically hindered amine is employed in an amount of about 0.01 to 5% by weight based on the weight of the solid binder, preferably about 0.02 to 2% by weight.

35 One specific example of such a sterically hindered amine is a 2,2,6,6-tetramethyl piperazinone containing at least one group of the formula:



in which J is, for example, hydrogen, hydroxyl, alkyl (such as methyl), alkoxy (such as methoxy) or acyl.

More preferably the stabilizer is a 2,2,6,6-  
10 tetraalkylpiperidine derivative containing at least one group of the formula:



in which J is, for example, hydrogen, hydroxyl, alkyl (such as methyl), alkoxy (such as methoxy) or acyl.

Examples of tetraalkylpiperidine derivatives which  
20 can be used in combination with the present trisaryl-1,3,5-triazine compounds are given in United States Patent Nos. 4,314,933, 4,344,876, 4,426,471, 4,426,472, 4,619,956, 5,004,770, 5,006,577, 5,064,883, 5,112,890, 5,124,378, 5,106,891, 5,204,473, and 5,461,151, which are incorporated  
25 by reference herein for all purposes as if fully set forth. It is particularly expedient to employ the following tetraalkylpiperidine derivatives, as well as their N-alkyl, N-acyl, N-hydroxyl and N-alkoxy analogs (where not already included in the following list):

30 bis(2,2,6,6-tetramethylpiperid-4-yl) succinate,  
bis(2,2,6,6-tetramethylpiperid-4-yl) sebacate,  
bis(1,2,2,6,6-pentamethylpiperid-4-yl) sebacate,  
di(1,2,2,6,6-pentamethylpiperid-4-yl) butyl-(3,5-di-tert-butyl-4-hydroxybenzyl)malonate, bis(1-octyloxy-2,2,6,6-  
35 tetramethylpiperid-4-yl) sebacate, tetra(2,2,6,6-tetramethylpiperid-4-yl) butane-1,2,3,4-tetracarboxylate, tetra(1,2,2,6,6-pentamethylpiperid-4-yl) butane-1,2,3,4-

tetracarboxylate, 2,2,4,4-tetramethyl-7-oxa-3,20-diaza-21-oxo-dispiro[5.1.11.2]heneicosane, and 8-acetyl-3-dodecyl-1,3,8-triaza-7,7,9,9-tetramethylspiro[4.5]decane-2,4-dione. Commercially available examples of these and other

5 tetraalkylpiperidine derivatives include SANDUVOR® 3050, 3052, 3055, 3056, 3058, PR-31 and PR-32 (Clariant Corp.); TINUVIN® 079L, 123, 144, 292, 440L and 622LD (Ciba Specialty Chemicals); CHIMASORB® 119 and 944 (Ciba Specialty Chemicals); and CYASORB® UV-3346, UV 3529, UV-3853, UV-500  
10 and UV-516 (Cytex Industries Inc.).

Apart from the binder, the hindered phenol substituted trisaryl-1,3,5-triazines, and, if used, the additional ultraviolet light absorber or stabilizer, the coating composition can also comprise further components,  
15 examples being solvents, pigments, dyes, plasticizers, stabilizers, thixotropic agents, drying catalysts and/or leveling agents. Examples of possible components are those described in many of the previously incorporated references as well as Ullmann's Encyclopedia of Industrial Chemistry,  
20 5th Edition, Vol. A18, pp. 429-471, VCH, Weinheim 1991; and Calbo, Leonard J., ed., Handbook of Coatings Additives, New York:Marcel Dekker (1987).

Possible drying catalysts or curing catalysts are, for example, organometallic compounds, amines, acids, amino-  
25 containing resins and/or phosphines.

Examples of acid catalysts are mineral acids, aliphatic and aromatic sulfonic acids (e.g. p-toluene sulfonic acid, dinonylnaphthalene disulfonic acid, dodecylbenzene sulfonic acid), oxalic acid, maleic acid,  
30 hexamic acid, phosphoric acid, alkyl phosphate esters, phthalic acid and acrylic acid copolymers.

Examples of organometallic compounds are metal carboxylates, especially those of the metals Pb, Mn, Co, Zn, Zr or Cu, or metal chelates, especially those of the metal  
35 Al, It or Zr, or organometallic compounds such as organotin compounds, for example. Examples of metal carboxylates are the stearates of Pb, Mn or Zn, the octoates of Co, Zn or Cu,

the naphthenates of Mn and Co or the corresponding linoleates, resinates or tallates. Examples of metal chelates are the aluminum, titanium or zirconium chelates of acetylacetone, ethyl acetylacetate, salicylaldehyde, 5 salicylaldoxime, o-hydroxyacetophenone or ethyl trifluoroacetylacetate and the alkoxides of these metals. Examples of organotin compounds are dibutyltin oxide, dibutyltin dilaurate or dibutyltin dioctoate.

Examples of amine drying or curing catalysts are, 10 in particular, tertiary amines, for example tributylamine, triethanolamine, N-methyldiethanolamine, N-dimethylethanolamine, N-ethylmorpholine, N-methylmorpholine or diazabicyclooctane (triethylenediamine) and salts thereof. Further examples are quaternary ammonium salts, for example 15 trimethylbenzylammonium chloride. Amino-containing resins are simultaneously binder and curing catalyst. Examples thereof are amino-containing acrylate copolymers.

The curing catalyst used can also be a phosphine, for example triphenylphosphine.

20 Another type of curing catalyst is a peroxide which can be used, for example, to cure a gel coating for a fiberglass article.

The novel coating compositions can also be radiation-curable coating compositions. In this case, the 25 binder essentially comprises monomeric or oligomeric compounds containing ethylenically unsaturated bonds, which after application are cured by actinic radiation, i.e. converted into a crosslinked, high molecular weight form. Where the system is UV-curing, it generally contains a 30 photoinitiator as well. Corresponding systems are described in the above-mentioned publication Ullmann's Encyclopedia of Industrial Chemistry, 5th Edition, Vol. A18, pages 451-453. In radiation-curable coating compositions, the novel stabilizers can also be employed without the addition of 35 sterically hindered amines.

The novel coating compositions according to the invention can be applied to any desired substrates, for

example to metal, wood, plastic, fiberglass or ceramic materials. The coating compositions can be pigmented mono-coats or multi-layer (primer/basecoat/clearcoat) systems typical of automotive finishes. In the latter case, the  
5 novel coating composition can be used for either the base coat, or clear coat, or for both layers. If the topcoat of an automotive finish comprises two layers, of which the lower layer is pigmented and the upper layer is not pigmented, the novel coating composition can be used for either the upper or  
10 the lower layer or for both layers, but preferably for the upper topcoat layer.

The novel coating compositions can be applied to the substrates by the customary methods, for example by brushing, spraying, pouring, dipping or electrophoresis; see  
15 also Ullmann's Encyclopedia of Industrial Chemistry, 5th Edition, Vol. A18, pp. 491-500.

Depending on the binder system, the coatings can be cured at room temperature or by heating. Thermosetting coatings are preferably cured at 50 - 150°C and, in the case  
20 of powder coatings, even at higher temperatures.

The coatings obtained in accordance with the invention have excellent resistance to the damaging effects of light, oxygen and heat; particular mention should be made of the good light stability and weathering resistance of the  
25 coatings thus obtained, for example paints.

The invention therefore also relates to a coating, in particular a paint, which has been stabilized against the damaging effects of light, oxygen and heat by a content of the compound of the formulas (I) - (III), according to the  
30 invention. The paint can be a pigmented mono-coat which comprises a film-forming binder and an organic pigment or dye, an inorganic pigment, a metallic pigment, or a mixture thereof. The paint may also be a composition which comprises a primer in adhesion to a metal or plastic substrate; a  
35 pigmented basecoat that is in adhesion to the primer and which comprises a film-forming binder and an organic pigment or dye, an inorganic pigment, a metallic pigment, or a

mixture thereof; and a clear coat that is in adhesion to the base coat and which comprises a film-forming binder and optionally a transparent pigment. One especially preferred use is a paint which is a clear topcoat for automobile  
5 original equipment manufacture (OEM) and/or refinish applications.

The invention furthermore relates to a process for stabilizing a coating based on polymers against damage by light, oxygen and/or heat, which comprises mixing with the  
10 coating composition a mixture comprising a compound of a hindered phenol substituted trisaryl-1,3,5-triazines and to the use of mixtures comprising hindered phenol substituted trisaryl-1,3,5-triazines compound in coating compositions as stabilizers against damage by light, oxygen and/or heat.

15 The coating compositions can comprise an organic solvent or solvent mixture in which the binder is soluble. The coating composition can otherwise be an aqueous solution or dispersion. The vehicle can also be a mixture of organic solvent and water. The coating composition maybe a high-  
20 solids paint or can be solvent-free (e.g. a powder coating material).

The pigments can be inorganic, organic or metallic pigments. The novel coating compositions preferably contain no pigments and are used as a clearcoat.

25 Likewise preferred is the use of the coating composition as a topcoat for applications in the automobile industry, especially as a pigmented or unpigmented topcoat of the paint finish. Its use for underlying coats, however, is also possible.

30 The hindered phenol substituted trisaryl-1,3,5-triazines of this invention may be applied topically by polishing a surface with a composition comprising the hindered phenol substituted trisaryl-1,3,5-triazines and an inert carrier such as solvent, petroleum jelly, silicone oil  
35 in water emulsions, or automotive paint wax, e.g. Carnauba wax. These topical treatment compositions may be used to



stabilize coating films, fabrics, leather, vinyl and other plastics and wood.

Preference is also given to the use of the novel hindered phenol substituted trisaryl-1,3,5-triazines  
5 compounds in photographic materials as stabilizer against damage by light, especially by UV light. The invention therefore also relates to a photographic material comprising an hindered phenol substituted trisaryl-1,3,5-triazines compound.

10 The compounds according to the invention can be used for photosensitive materials of all kinds. For example, they can be employed for color paper, color reversal paper, direct-positive color material, color negative film, color positive film, color reversal film and other materials. They  
15 are preferably used, inter alia, for photosensitive color material which comprises a reversal substrate or which forms positives.

Furthermore, the novel compounds can be combined with other UV absorbers, especially those which are  
20 dispersible in aqueous gelatin, for example with hydroxyphenylbenzotriazoles (cf. for example United States Patent Nos. 4,853,471, 4,973,702, 4,921,966 and 4,973,701), benzophenones, oxanilides, cyanoacrylates, salicylates, or acrylonitriles or thiazolines. In this context it is  
25 advantageous to employ these further, oil-dissolved UV absorbers in the photographic material in layers other than those comprising the novel UV absorbers.

The present invention also encompasses compositions containing one or more binders. In particular, the binder  
30 may comprise an alkyd, acrylic, polyester, phenolic, melamine, epoxy or polyurethane resin, or blends thereof. Examples of such binders include, but are not limited to:

- (a) cold- or hot-crosslinkable alkyd, acrylate, polyester, epoxy or melamine resins or mixtures of  
35 such resins;
- (b) a two-component polyurethane system comprising hydroxyl-containing acrylate, polyester or

- polyether resins and aliphatic or aromatic isocyanates, isocyanurates or polyisocyanates;
- 5 (c) a one-component polyurethane system comprising blocked isocyanates, isocyanurates or polyisocyanates which are deblocked during baking;
- (d) a two-component system comprising (poly)ketimines and aliphatic or aromatic isocyanates, isocyanurates or polyisocyanates;
- 10 (e) a two-component system comprising (poly)ketimines and an unsaturated acrylate resin or a polyacetoacetate resin or a methacrylamidoglycolate methyl ester;
- (f) a two-component system comprising carboxyl- or amino-containing polyacrylates and polyepoxides;
- 15 (g) a two-component system comprising acrylate resins containing anhydride groups and on a polyhydroxy or polyamino component;
- (h) a two-component system comprising (poly)oxazolines and acrylate resins containing anhydride groups, or
- 20 unsaturated acrylate resins, or aliphatic or aromatic isocyanates, isocyanurates or polyisocyanates;
- (i) a two-component system comprising unsaturated polyacrylates and polymalonates;
- 25 (j) a thermoplastic polyacrylate system comprising thermoplastic acrylate resins or externally crosslinking acrylate resins in combination with etherified melamine resins; and
- (k) a system comprising siloxane-modified or fluorine-
- 30 modified acrylate resins.

Such binder-containing compositions may further comprise a curing catalyst, or an organic solvent, and may be radiation-curable. In particular, such compositions may serve as coating compositions.

- 35 In particular, it is possible successfully to stabilize photographic materials similar to those described in United States Patent No. 4,518,686.

The invention therefore additionally relates to a photographic material comprising, on support, a blue-sensitive, a green-sensitive and/or a red-sensitive silver-halide emulsion layer and, if desired, a protective layer, with a layer comprising a UV absorber being arranged above the uppermost silver-halide emulsion layer, wherein the UV absorber is a hindered phenol substituted trisaryl-1,3,5-triazines compound.

Preference is additionally given to photographic materials which have a layer comprising a compound of the formula (I) - (V) above the uppermost silver-halide emulsion layer and/or between the green- and red-sensitive silver-halide emulsion layers.

Furthermore, it may be advantageous for all or some of the said layers which can comprise a UV absorber to have a UV absorber mixture and/or a further UV absorber which is dispersible in aqueous gelatin, but a compound of the formula (I) - (V) must be present at least in one layer.

The novel material preferably has gelatin interlayers between the silver-halide emulsion layers.

Preference is given to photographic materials in which the silver halide in the blue-sensitive, green-sensitive and/or red-sensitive layer is silver chloride bromide comprising at least 90 mol % of silver chloride.

The compounds of the formula (I) - (V), which are used in accordance with the invention, can be incorporated, alone or together with the color coupler and, if used, further additives, into the color photographic materials by dissolving the compounds beforehand in high-boiling organic solvents. It is preferred to use solvents which boil at higher than 160°C. Typical examples of such solvents are the esters of phthalic acid, phosphoric acid, citric acid, benzoic acid or of fatty acids, or alkylamides and phenols.

Preferred color couplers for use in the compositions of the invention, examples of such compounds, further additives such as color cast inhibitors, DIR couplers and further light stabilizers, such as UV absorbers, phenols,

phosphorus (III) compounds, organometallic complexes, hydroquinones and hydroquinone ethers, and more precise details on the structure of various photographic materials, can be found, for example, in the publications EP-A-0531258  
5 and EP-A-0520938 and in the literature cited therein.

The invention also relates to a process for the stabilization of polyolefin or polyolefin copolymer films for agricultural applications, especially greenhouse applications, this polyolefin or polyolefin copolymer film  
10 having improved light stability and pesticide resistance, comprising incorporation of a sterically hindered amine and a metal oxide or hydroxide selected from oxides of zinc, aluminum, calcium and magnesium, and hydroxides of zinc, aluminum and calcium, into the polyolefin or polyolefin  
15 copolymer. A further subject of the invention is a greenhouse, characterized in that it is covered by a polyolefin or polyolefin copolymer film having improved light stability and pesticide resistance and stabilized with a sterically hindered amine and a metal oxide or hydroxide  
20 selected from oxides of zinc, aluminum, calcium and magnesium, and hydroxides of zinc, aluminum and calcium, and a process for stabilizing a polyolefin or polyolefin copolymer greenhouse film against detrimental effects of pesticides and light, oxygen and/or heat, which process  
25 comprises incorporation of a sterically hindered amine and a metal oxide or hydroxide selected from oxides of zinc, aluminum, calcium and magnesium, and hydroxides of zinc, aluminum and calcium, into said greenhouse film.

Further subjects of the invention are the use of a  
30 polyolefin copolymer film stabilized with a sterically hindered amine and a metal oxide or hydroxide selected from oxides of zinc, aluminum, calcium and magnesium, and hydroxides of zinc, aluminum and calcium for agricultural applications involving pesticides, especially greenhouse  
35 applications, and the use of a sterically hindered amine in combination with a metal oxide or hydroxide selected from oxides of zinc, aluminum, calcium and magnesium, and

hydroxides of zinc, aluminum, calcium and magnesium, and hydroxides of zinc, aluminum and calcium for the stabilization of polyolefin or polyolefin copolymer films in contact with pesticides against photodegradation and damage  
5 by pesticides.

To form a film, forcing a quantity of the said melted composition through a film die, such as a flat film die or a circular blown film die, and forming a film therefrom. In the case where the composition is used to form  
10 a film therefrom, it is contemplated that the films may be unoriented, or may be subjected to a conventional operation to impart a degree of orientation on the film. Such a film may be oriented in one direction, such as in the machine direction, such as in the "machine direction" and/or the  
15 "transverse direction", or may be oriented in both directions, or "biaxially" oriented.

The present invention is also suitable for sheet applications.

The hindered phenol substituted trisaryl-1,3,5-  
20 triazines compounds of the formula (I) - (V) are suitable for the photochemical stabilization of undyed, dyed or printed fiber materials comprising for example, silk, leather, wool, polyamide or polyurethanes and especially cellulose-  
25 containing fiber materials of all kinds. Examples of such fiber materials are the natural cellulose fibers, such as cotton, linen, jute and hemp and also viscose staple fiber and regenerated cellulose. Preferred textile fiber materials are those of cotton. The triazine and pyrimidine compounds of the present invention are also suitable for the  
30 photochemical stabilization of hydroxyl-containing fibers in blend fabrics, for example blends of cotton with polyester fibers or polyamide fibers. A further preferred area of application relates to the blocking or reduction of the UV radiation which passes through the above-mentioned textile  
35 materials (UV cutting) and the heightened sun protection which textile materials finished with a novel compound offer to the human skin.

To this end, one or a number of different compounds of the formula (I) - (V) are applied to the textile fiber material by one of the customary dyeing methods, advantageously in a quantity of 0.01 to 5% by weight, preferably 0.1 to 3% by weight and, in particular, from 0.25 to 2% by weight, based on the weight of the fiber material.

The hindered phenol substituted trisaryl-1,3,5-triazines compounds can be applied to the fiber material in various ways and fixed on the fiber, especially in the form of aqueous dispersions or printing pastes.

The textile fiber materials finished with the novel compounds of the formula (I) - (V) possess improved protection against photochemical breakdown of the fiber and yellowing phenomena and, in the case of dyed fibre material, are of enhanced (hot) light fastness. Particular emphasis should be drawn to the greatly improved photoprotective effect of the treated textile fiber material and, in particular, the good protective effect with respect to short-wave UV-B rays. This is manifested by the fact that the textile fiber material finished with an hindered phenol substituted trisaryl-1,3,5-triazines compound has, relative to untreated fabric, a greatly increased sun protection factor (SPF).

The sun protection factor is defined as the quotient of the dose of UV radiation which damages protected skin to that which damages unprotected skin. Accordingly, a sun protection factor is also a measure of the extent to which untreated fiber materials and fiber materials treated with a novel compound of the formulas (I) - (III) are permeable to UV radiation. The determination of the sun protection factor of textile fiber materials is explained, for example, in WO94/04515 or in J. Soc. Cosmet. Chem. 40, 127-133 (1989) and can be carried out analogously thereto.

Yet another use of the UV absorbers according to the invention is in the stabilization of intra-ocular and contact lenses.

The inventive UV absorbers are suitable as photoprotective agents in cosmetic preparations. The invention additionally relates, therefore, to a cosmetic preparation comprising at least one hindered phenol substituted trisaryl-1,3,5-triazines compound and cosmetically acceptable carriers or auxiliaries.

The novel cosmetic composition contains from 0.1 to 15% by weight, preferably from 0.5 to 10% by weight, based on the overall weight of the composition, of a hindered phenol substituted trisaryl-1,3,5-triazines UV absorber and a cosmetically acceptable auxiliary.

The cosmetic composition can be prepared by physically mixing the novel UV absorber with the auxiliary by means of customary methods, for example by simply stirring together the two materials.

The cosmetic preparation according to the invention can be formulated as a water-in-oil or oil-in-water emulsion, as an oil-in-oil alcohol lotion, as a vesicular dispersion of an ionic or nonionic amphiphilic lipid, as a gel, solid stick or as an aerosol formulation.

As a water-in-oil or oil-in-water emulsion, the cosmetically acceptable auxiliary preferably contains from 5 to 50% of an oily phase, from 5 to 20% of an emulsifier and from 30 to 90% water. The oil phase can comprise any oil which is suitable for cosmetic formulations, e.g., one or more hydrocarbon oils, a wax, a natural oil, a silicone oil, a fatty acid ester or a fatty alcohol. Preferred mono- or polyols are ethanol, isopropanol, propylene glycol, hexylene glycol, glycerol and sorbitol.

For these cosmetic formulations, it is possible to use any conventionally employed emulsifier, e.g., one or more ethoxylated esters of naturally occurring derivatives, i.e., polyethoxylated esters of hydrogenated castor oil; or a silicone oil emulsifier such as silicone polyol; an unmodified or ethoxylated fatty acid soap; an ethoxylated fatty alcohol; an unmodified or ethoxylated sorbitan ester; an ethoxylated fatty acid; or an ethoxylated glyceride.

The cosmetic formulation can also comprise further components, for example emollients, emulsion stabilizers, skin moisturizers, tanning accelerators, thickeners such as xanthan, moisture retention agents such as glycerol,  
5 preservatives, or fragrances and colorants.

The novel cosmetic formulations are notable for good protection of human skin against the damaging effect of sunlight while at the same time providing for reliable tanning of the skin.

10 The invention will now be illustrated by the following examples. The examples are not intended to be limiting of the scope of the present invention. In conjunction with the general and detailed descriptions above, the examples provide further understanding of the present  
15 invention.

20

25


30

35



**EXAMPLES****EXAMPLE 1**

2,4-bis(2,4-dimethylphenyl)-6-(2-hydroxy-4-(4-tert-butyl-2,6-dimethyl-3-hydroxybenzyl)phenyl)-1,3,5-triazine (Compound C) was synthesized using the following reaction scheme:




To a stirred mixture of 2 g of 2,4-bis(2,4-dimethylphenyl)-6-(2,4-dihydroxyphenyl)-1,3,5-triazine (Compound A), 4.15 g of anhydrous  $K_2CO_3$  and 40 mL acetone was added a solution of 1.25 g 3-chloromethyl-2,4-dimethyl-6-tert-butylphenol (Compound B) in 10 mL acetone followed by 50 mg NaI. The reaction mixture was heated to reflux for 4 hours. The thin layer chromatography (hereafter "TLC") analysis at this stage showed the absence of Compound A and the formation of a new major product. The heating was discontinued and the reaction mixture cooled to room temperature. The reaction mixture was diluted with methylene chloride and filtered through Celite. The filtrate was concentrated under reduced pressure and the residue crystallized from hexane/methylene chloride to give 2.5 g of

a pale yellow solid which was characterized to be Compound C on the basis of NMR and mass spectra.

### 5 EXAMPLE 2

The "intermediate" (4-bromobutyl) 3,5-di-tert-butyl-4-hydroxybenzoate was synthesized using the following reaction scheme:

10



15


A mixture of 5.0 g of 3,5-di-tert-butyl-4-hydroxybenzoic acid, 18.0 mL of 1,4-dibromobutane and 8.4 g of sodium bicarbonate in 40 mL dimethyl formamide was stirred at room temperature for 24 h. At this stage an additional 4.2 g of sodium bicarbonate was added to the reaction mixture and the stirring continued for another 24 h, at which time TLC showed the disappearance of the starting acid and the formation of a product which moved faster than the starting acid on a TLC plate. The reaction mixture was diluted with methylene chloride and filtered through Celite. The filtrate was concentrated under reduced pressure to give 7.4 g of a product which was characterized to be (4-bromobutyl) 3,5-di-tert-butyl-4-hydroxybenzoate on the basis of NMR and mass spectra. The crude product was used in the next reaction without further purification.

30

### EXAMPLE 3

Compound D was synthesized using the following reaction scheme:

35



A mixture of 2.0 g of Compound A, 2.0 g of (4-bromobutyl) 3,5-di-tert-4-hydroxybenzoate, 2.76 g of anhydrous potassium carbonate and 100 mg of sodium iodide in 30 mL of acetone was heated to reflux for 8 h. The reaction mixture was allowed to cool to room temperature. It was diluted with methylene chloride and filtered through Celite. The filtrate was concentrated under reduced pressure to give 3.9 g of a crude product which was purified by column chromatography (silica gel) to give 2.1 g of a pure product identified to be Compound D on the basis of NMR and mass spectra.

#### EXAMPLE 4

The effectiveness of the stabilizers of the present invention as inhibitors of thermal yellowing in clear coatings was determined. Phosphated steel test panels (3" x 6"), obtained from ACT Laboratories (Hillsdale, MI), pre-coated with electro-coat primer, ED11, and PPG HBAL9225 white base-coat were used. The stabilizers were pre-dissolved in xylenes and added to the clear coat composition given below at the levels specified in Table 1.

	DORESCO® TA39-14 (acrylic resin, 80% solids)	81.25 g
	CYMEL® 303 (alkylated amino resin)	35.0 g
	CYCAT® 4040 (toluene sulfonic acid catalyst, 40% solids)	1.0 g
5	n-Butanol	20.0 g
	Xylenes	16.0 g

The panels were then coated with the stabilized clear coat compositions using WIRECATORS™ (Leneta Co., Hohokus, N.J.).

10 The coated panels were allowed to flash for 10 min. at ambient temperature and cured at 125°C for 30 min. CIE L, a and b color values were measured. The panels were then subjected to 0.5 hr overbakes at successively higher temperatures, with CIE L, a, and b values measured after each

15 baking cycle. The delta b values given in Table 1 were calculated based on the initial b values obtained at 125°C.

Table 1. Overbake Yellowing Resistance of Stabilizers<sup>a</sup>

20	Stabilizer	Amount <sup>b</sup>	CIE b 125°C Initial Cure	Delta b			
				140°C	155°C	170°C	185°C
	None	--	-0.48	0.15	0.28	1.06	3.34
	UV-2337	3%	0.06	0.11	0.28	0.52	2.70
25	UV-1164	3%	0.12	0.16	0.40	0.94	4.39
	Compound C	2.06% <sup>c</sup>	-0.04	0.13	0.29	0.53	2.43
	Compound D	3.45% <sup>d</sup>	0.04	0.12	0.33	0.60	2.57

- 30 a) All data is the average result obtained from two separate panels.
- b) Weight percent based on total resin solids.
- c) This amount responds to 0.5 molar equivalent relative to 3% UV-1164.
- d) This amount corresponds to one molar equivalent relative to 3% UV-1164.

35

As can be seen from Table 1, Compound C and Compound D both contribute less initial color to the clear coats than

UV-1164, a current commercial triazine UV absorber. During overbake, the coatings containing Compound C and Compound D yellow significantly less than UV-1164, which lacks hindered phenol functionality.

5

#### EXAMPLE 5

The presently claimed hindered phenol containing triazines of structures (I), (II) and (III) were tested for weather performance as follows. Compound C (2% based on total resin solids) and/or SANDUVOR S-3055 (1% based on total resin solids) were predissolved in the solvent mixture (5-10% solids) and added to the clear acrylic urethane formulation given in Table 2. Components I and II were mixed just before use. Cold roll steel panels measuring 4" x 12" and precoated with an electro coat primer ED5050A and a white polyester acrylic melamine base-coat #542AB839, obtained from ACT Laboratories, Inc. were coated with the clear coating formulations of Table 2. The draw-down technique, using WC-60 WIRECATORS™ (Leneta Co.), was used to apply the clear coat to the pre-coated panels. The clear coats were allowed to flash for 10 min at ambient temperature and cured for 30 min at 135°C.

25

30

35

Table 2. Acrylic Urethane Clear Coat Formulation

	Raw Material	Supplier	Amount
	<u>Component I Composition:</u>		
5	Acrylic Resin: JONCRYL® CDX-588 (70% Solids)	S.C. Johnson & Son, Inc., Racine, WI	100 parts
	Catalyst Solution		5 parts
	Solvent Mixture		45 parts
	Compound C		2 parts <sup>a</sup>
10	SANDUVOR S-3055 (HAL type stabilizer)	Clariant Corp., Charlotte, NC	1 part <sup>b</sup>
	<u>Component II Composition:</u>		
	Isocyanate: DESMODUR® N-3390 (90% Solids)	Miles Inc., Pittsburgh, PA	33 parts
15	Solvent Mixture		17 parts
	<u>Catalyst Solution Composition:</u> (2% Solids in Catalyst Solution)		
	Dibutyltin Dilaurate: T-12	Air Products, Allentown, PA	1 part
	Acetic Acid		4 parts
20	Propylene Glycol Methyl Ether Acetate (PM Acetate)		45 parts
	<u>Solvent Mixture:</u>		
	Xylenes		1 part
	PM Acetate		1 part
	Methyl Amyl Ketone (MAK)		1 part
25	<sup>a</sup> Amount for 2% based on total resin solids		
	<sup>b</sup> Amount for 1% based on total resin solids		
30			
35			

Accelerated weathering was carried out on the clear coating formulations described in Table 2 using a QUV device equipped with UVB-313 bulbs and following ASTM G 53-94 (alternating cycles of 8 hours of UV light at 80°C followed  
5 by 4 hours of condensation without UV light at 50°C). Accelerated weathering was also carried out using fluorescent bulbs and using an Atlas Ci65 WeatherOmeter equipped with a xenon arc lamp and following the SAE J1960 automotive exterior test protocol. Specular properties (gloss and  
10 distinctness of image [hereafter "DOI"]) and yellowing (hereafter "Delta b") were measured as a function of weathering time. The effect of new stabilizer Compound C alone, and in combination with S-3055, on yellowing under QUV exposure is given in Table 3. The effect of new stabilizer  
15 Compound C on gloss retention under QUV exposure is given in Table 4. The effect Compound C on DOI retention under QUV exposure is given in Table 5.

A visual evaluation of the degree of cracking was done after 2486 and 2989 hrs of exposure. The coatings were rated  
20 on a scale of 0 to 5, with 0 being the best rating. After 2486 hr, the unstabilized coating was rated 4, while the coating compositions containing 2% Compound C and 2% Compound C plus 1% S-3055 were rated 1 and 0, respectively. After 2989 hr, the unstabilized coating was rated 5, while the  
25 coating compositions containing 2% Compound C and 2% Compound C plus 1% S-3055 were rated 3 and 1, respectively.

The beneficial effects of Compound C alone, and in combination with SANDUVOR 3055, on gloss retention, DOI retention, and yellowing under xenon WeatherOmeter exposure  
30 are given in Tables 6-8.

35

**Table 3. QUV Weathering (UVB-313 Bulbs) of an Acrylic Urethane Clear Coat Stabilized with Compound C: Effect on Yellowing**

Stabilizer	Delta b							
	119 Hrs	314 Hrs	544 Hrs	1047 Hrs	1449 Hrs	1984 Hrs	2486 Hrs	2989 Hrs
None	3.00	4.63	5.93	8.81	10.48	11.01	10.80	9.98
2% Compound C	1.57	2.86	3.61	4.69	5.51	5.94	6.35	6.72
2% Compound C + 1% S-3055	1.28	2.30	2.78	3.55	3.94	4.29	4.62	4.91

**Table 4. QUV Weathering (UVB-313 Bulbs) of an Acrylic Urethane Clear Coat Stabilized with Compound C: Effects on Gloss Retention and Cracking**

Stabilizer	Percent Gloss Retention 1984 Hrs	Percent Gloss Retention 2486 Hrs	Cracking After 2486 Hrs	Percent Gloss Retention 2989 Hrs	Cracking After 2989 Hrs
None	98.4	29.1	4	1.4	5
2% Compound C	99.0	96.3	1	74.8	3
2% Compound C + 1% S-3055	100	97.5	0	95.2	1

**Table 5. QUV Weathering (UVB-313 Bulbs) of an Acrylic Urethane Clear Coat Stabilized with Compound C: Effect on DOI Retention**

Stabilizer	Percent DOI Retention		
	1984 Hours	2486 Hours	2989 Hours
None	100.4	13.1	0
2% Compound C	101.8	100.6	84.1
2% Compound C + 1% S-3055	102.0	102.8	103.2



**Table 6. Xenon Weathering (SAE J1960 Automotive Exterior) of an Acrylic Urethane Clear Coat Stabilized with Compound C: Effect on Gloss Retention**

5	Stabilizer	Percent Gloss Retention					
		3998 Hrs	5000 Hrs	6012 Hrs	6997 Hrs	7998 Hrs	8500 Hrs
	None	79.9	63.1	62.3	41.7	16.3 <sup>a</sup>	-
	2% Compound C	93.6	81.0	79.0	66.3	47.3	52.2
10	2% Compound C + 1% SANDUVOR® S-3055	98.2	94.9	99.1	99.9	99.1	106.2

a) Panel was removed due to delamination.

**Table 7A. Short Term Xenon Weathering (SAE J1960 Automotive Exterior) of an Acrylic Urethane Clear Coat Stabilized with Compound C: Effect on DOI Retention**

15	Stabilizer	Percent DOI Retention				
		505 Hrs	1027 Hrs	1486 Hrs	2000 Hrs	2485 Hrs
	None	97.7	94.7	94.6	94.6	95.1
20	2% Compound C	100.7	101.3	101.1	101.8	102.0
	2% Compound C + 1% S-3055	96.3	97.4	98.3	97.7	97.7

**Table 7B. Long Term Xenon Weathering (SAE J1960 Automotive Exterior) of an Acrylic Urethane Clear Coat Stabilized with Compound C: Effect on DOI Retention**

25	Stabilizer	Percent DOI Retention					
		3998 Hrs	5000 Hrs	6012 Hrs	6997 Hrs	7998 Hrs	8500 Hrs
	None	74.8	69.8	56.0	33.4	17.2 <sup>a</sup>	-
30	2% Compound C	103.5	94.7	89.5	78.2	55.8	54.5
	2% Compound C + 1% SANDUVOR® S-3055	106.2	101.0	96.9	100.2	100.1	101.4

35 a) Panel was removed due to delamination.

**Table 8. Xenon Weathering (SAE J1960 Automotive Exterior) of an Acrylic Urethane Coating Stabilized with Compound C: Effect on Yellowing**

Stabilizer	b	Delta b			
	Initial	6997 Hrs	7497 Hrs	7998 Hrs	8500 Hrs
None	3.70	2.90	3.37	6.50 <sup>a</sup>	-
2% Compound C	3.85	2.17	2.39	2.43	2.35
2% Compound C + 1% SANDUVOR <sup>®</sup> S- 3055	3.91	1.75	1.93	1.93	1.91

5

10

a) panel was removed due to delamination.

15

Although the present invention is described with reference to certain preferred embodiments, it is apparent that modifications and variations thereof may be made by those skilled in the art without departing from the scope of this invention as defined by the appended claims.

20

All patent references set forth herein are hereby incorporated by reference in their entirety.

25




30

35

**THE CLAIMS**


What is claimed is:

- 5           1. A compound selected from the group consisting of the compounds of formula (I), (II) or (III)



wherein (a) each X is independently selected from hydrogen, allyl,  $-\text{COR}^a$ ,  $-\text{SO}_2\text{R}^b$ ,  $-\text{SiR}^c\text{R}^d\text{R}^e$ ,  $-\text{PR}^f\text{R}^g$  and  $-\text{POR}^f\text{R}^g$ ;

(b) each of Y and Z is independently selected from an aryl ring of the general formula (IV)



(IV)

10

15 (c) each B is independently selected from  $-\text{R}$  or  $-\text{OR}$ ;

(d) each R is independently selected from a hydrogen, a hindered phenol, a hydrocarbyl group, a hydrocarbyl group comprising a hindered phenol, a functional hydrocarbyl group and a functional hydrocarbyl group comprising a hindered phenol;

20

(e) each R<sup>a</sup> is independently selected from C<sub>1</sub>-C<sub>8</sub> alkyl, halogen-substituted C<sub>1</sub>-C<sub>8</sub> alkyl, C<sub>5</sub>-C<sub>12</sub> cycloalkyl, C<sub>2</sub>-C<sub>8</sub> alkenyl,  $-\text{CH}_2-\text{CO}-\text{CH}_3$ , C<sub>7</sub>-C<sub>12</sub> aralkyl, C<sub>1</sub>-C<sub>12</sub> alkoxy, or phenyl which is unsubstituted or substituted by C<sub>1</sub>-C<sub>12</sub> alkyl, C<sub>1</sub>-C<sub>4</sub> alkoxy, halogen and benzyl;

25

(f) each R<sup>b</sup> is independently selected from C<sub>1</sub>-C<sub>12</sub> alkyl, C<sub>6</sub>-C<sub>10</sub> aryl and C<sub>7</sub>-C<sub>18</sub> alkylaryl;

30

(g) each R<sup>c</sup>, R<sup>d</sup> and R<sup>e</sup> is independently selected from C<sub>1</sub>-C<sub>18</sub> alkyl, cyclohexyl, phenyl and C<sub>1</sub>-C<sub>18</sub> alkoxy;

(h) each R<sup>f</sup> and R<sup>g</sup> is independently selected from C<sub>1</sub>-C<sub>12</sub> alkoxy, phenoxy, C<sub>1</sub>-C<sub>12</sub> alkyl, C<sub>5</sub>-C<sub>12</sub> cycloalkyl, benzyl, tolyl and phenyl;

35

(i) each  $R^1$ ,  $R^2$ ,  $R^4$ ,  $R^{4'}$  and  $R^{4''}$  is independently selected from hydrogen, hydrocarbyl, functional hydrocarbyl, -O(hydrocarbyl), -O(functional hydrocarbyl), -SR, halogen, -SO<sub>2</sub>R, -SO<sub>3</sub>R, -COOR, -COR, -OCOR, -NRR and cyano; and

5

(j) each  $R^3$  is independently selected from R, -OR, -SR, halogen, -SO<sub>2</sub>R, -SO<sub>3</sub>R, -COOR, -COR, -NRR and cyano; and further wherein at least one 4-position B group comprises a hindered phenol.

10

15

20

25


30

35

2. A compound selected from the group consisting of the compounds of formula (VIII), (IX) or (X)

(VIII)

5




10

15

(IX)


20



25

(X)

30



35

wherein (a) each B is independently selected from -R or -OR;

(b) each R is independently selected from a hydrogen, a hindered phenol, a hydrocarbyl group, a hydrocarbyl group  
5 comprising a hindered phenol, a functional hydrocarbyl group and a functional hydrocarbyl group comprising a hindered phenol;

(c) each R<sup>2</sup> is independently selected from hydrogen,  
10 hydrocarbyl, functional hydrocarbyl, -O(hydrocarbyl), -O(functional hydrocarbyl), -SR, halogen, -SO<sub>2</sub>R, -SO<sub>3</sub>R, -COOR, -COR, -OCOR, -NRR and cyano; and

(d) each R<sup>3</sup> is independently selected from R, -OR, -SR,  
15 halogen, -SO<sub>2</sub>R, -SO<sub>3</sub>R, -COOR, -COR, -NRR and cyano; and further wherein at least one 4-position B group comprises a hindered phenol.

20

25

30


35

3. A compound selected from the group consisting of the compounds of formula (XI), (XII) or (XIII)

5

(XI)

10




15

20

(XII)

25




30

35



(XIII)



wherein (a) each B is independently selected from -R or -OR;

15 (b) each R is independently selected from a hydrogen, a hindered phenol, a hydrocarbyl group, a hydrocarbyl group comprising a hindered phenol, a functional hydrocarbyl group and a functional hydrocarbyl group comprising a hindered phenol;

20 (c) each R<sup>2</sup> is independently selected from hydrogen, hydrocarbyl, functional hydrocarbyl, -O(hydrocarbyl), -O(functional hydrocarbyl), -SR, halogen, -SO<sub>2</sub>R, -SO<sub>3</sub>R, -COOR, -COR, -OCOR, -NRR and cyano; and

25 (d) each R<sup>3</sup> is independently selected from R, -OR, -SR, halogen, -SO<sub>2</sub>R, -SO<sub>3</sub>R, -COOR, -COR, -NRR and cyano; and further wherein at least one 4-position B group comprises a hindered phenol.


30

35

4. A compound of the following formula

(XIV)

5



10

wherein (a) each B is independently selected from -R or -OR;

15

(b) each R is independently selected from a hydrogen, a hindered phenol, a hydrocarbyl group, a hydrocarbyl group comprising a hindered phenol, a functional hydrocarbyl group and a functional hydrocarbyl group comprising a hindered phenol; and further wherein at least one 4-position B group comprises a hindered phenol.

25

30

35

5. The compound of claims 2 or 3, wherein each R<sup>2</sup> is independently selected from hydrogen, an alkyl of 1 to 8 carbon atoms, an alkyloxy of 1 to 8 carbon atoms optionally containing an oxygen atom in the chain, a hydroxyalkyl of 1 to 8 carbon atoms group optionally containing an oxygen atom in the chain, a hydroxyalkyloxy of 1 to 8 carbon atoms group optionally containing an oxygen atom in the chain and an acyloxy of 2 to 12 carbon atoms.
6. The compound of claim 5, wherein each R<sup>2</sup> is independently selected from hydrogen and an alkyl of 1 to 4 carbon atoms.
7. The compound of claim 6, wherein each R<sup>2</sup> is independently selected from hydrogen and methyl.
8. The compound of claims 2 or 3, wherein each R<sup>3</sup> is independently selected from hydrogen, an alkyl of 1 to 24 carbon atoms optionally containing an oxygen atom in the chain, a hydroxyalkyl of 1 to 24 carbon atoms group optionally containing an oxygen atom in the chain and -OR.
9. The compound of claim 8, wherein each R<sup>3</sup> is independently selected from hydrogen, an alkyl of 1 to 4 carbon atoms and -OR.
10. The compound of claim 9, wherein each R<sup>3</sup> is independently selected from hydrogen, methyl and -OR.
11. The compound of claims 2, 3 or 4, wherein at least one group substituted in a phenyl ring position adjacent to the phenol -OH group is tert-butyl.
12. The compound of claims 2, 3 or 4, wherein the group linking the hindered phenol to the resorcinol ring of the triazine is a hydrocarbyl group.

13. The compound of claims 2, 3 or 4, wherein the group linking the hindered phenol to the resorcinol ring of the triazine is selected from the group consisting of  $-(CH_2)_q-$  wherein q is an integer from 1 to 4 inclusive.

5

14. A method of stabilizing a material which is subject to degradation by actinic radiation by incorporating into said material an amount of an actinic radiation stabilizer composition effective to stabilize the material  
10 against the effects of actinic radiation, wherein the actinic radiation stabilizer composition comprises a compound as set forth in claim 1.

15. The method of claim 14, wherein the compound is added in an amount from about 0.01 to about 20% by weight based on the weight of the material to be stabilized.

16. The method of claim 14, wherein said material to be stabilized is a polymer.

20

17. The method of claim 16, which further comprises chemically bonding the compound to the polymer.

18. The method of claim 16, wherein the compound  
25 is bound to said material prior to polymerization of the polymer.

19. The method of claim 16, wherein said polymer is a thermoplastic polymer.

30

20. The method of claim 16, wherein said polymer is selected from the group consisting of polyolefins, polyesters, polyethers, polyketones, polyamides, natural and synthetic rubbers, polyurethanes, polystyrenes, high-impact  
35 polystyrenes, polyacrylates, polymethacrylates, polyacetals, polyacrylonitriles, polybutadienes, polystyrenes, ABS, SAN (styrene acrylonitrile), ASA (acrylate styrene

acrylonitrile), cellulosic acetate butyrate, cellulosic polymers, polyimides, polyamideimides, polyetherimides, polyphenylsulfide, PPO, polysulfones, polyethersulfones, polyvinylchlorides, polycarbonates, polyketones, aliphatic polyketones, thermoplastic TPU's, aminoresin crosslinked polyacrylates and polyesters, polyisocyanate crosslinked polyesters and polyacrylates, phenol/formaldehyde, urea/formaldehyde and melamine/formaldehyde resins, drying and non-drying alkyd resins, alkyd resins, polyester resins, acrylate resins cross-linked with melamine resins, urea resins, isocyanates, isocyanurates, carbamates, and epoxy resins, cross-linked epoxy resins derived from aliphatic, cycloaliphatic, heterocyclic and aromatic glycidyl compounds, which are cross-linked with anhydrides or amines, polysiloxanes, Michael addition polymers, amines, blocked amines with activated unsaturated and methylene compounds, ketimines with activated unsaturated and methylene compounds, polyketimines in combination with unsaturated acrylic polyacetoacetate resins, polyketimines in combination with unsaturated acrylic resins, radiation curable compositions, epoxymelamine resins, organic dyes, cosmetic products, cellulose-based paper formulations, photographic film paper, ink, and blends thereof.

21. The method of claim 14, which further comprises incorporating into said material at least one additional additive, said additive selected from the group consisting of: antioxidants, ultraviolet light absorbers, ultraviolet light stabilizers, metal deactivators, phosphites, phosphonites, hydroxylamines, nitrones, thiosynergists, peroxide scavengers, polyamide stabilizers, nucleating agents, fillers, reinforcing agents, plasticizers, lubricants, emulsifiers, pigments, rheological additives, flameproofing agents, antistatic agents, blowing agents, benzofuranones and indolinones.