



US00D686261S

(12) **United States Design Patent**  
**Sunter et al.**

(10) **Patent No.:** **US D686,261 S**

(45) **Date of Patent:** **\*\* Jul. 16, 2013**

(54) **TRAY SEALING DEVICE**

(75) Inventors: **Adrian Sunter**, West Midlands (GB);  
**David William Payne**, Leicestershire  
(GB); **Lee Michael Vine**, Dorset (GB);  
**Gary David Tufnell**, Dorset (GB)

(73) Assignee: **Ishida Europe Limited**, Birmingham  
(GB)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/417,157**

(22) Filed: **Mar. 30, 2012**

(51) **LOC (9) Cl.** ..... **15-99**

(52) **U.S. Cl.**  
USPC ..... **D15/145**

(58) **Field of Classification Search**  
USPC ..... D15/122, 145, 146; 53/51, 64, 167,  
53/202, 203, 266.1, 279, 282, 284.5, 285,  
53/329.4, 370.7, 370.9, 381.1, 426, 471,  
53/558, 563, 565

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

3,805,478	A	*	4/1974	Stohlquist et al.	.....	53/55
4,068,448	A	*	1/1978	Modeen	.....	53/131.3
D264,723	S	*	6/1982	Tsujimoto	.....	D15/145
D275,860	S	*	10/1984	Brown et al.	.....	D15/130
D301,890	S	*	6/1989	Silbersky	.....	D15/145
D332,615	S	*	1/1993	Fang et al.	.....	D15/122
D342,530	S	*	12/1993	Lissoni et al.	.....	D15/145
D377,496	S	*	1/1997	Poole	.....	D15/145
5,591,361	A	*	1/1997	Hostler et al.	.....	219/121.82

6,021,629	A	*	2/2000	Sterner, Sr.	.....	53/471
D445,807	S	*	7/2001	Baulk	.....	D15/127
D489,077	S	*	4/2004	Bloch	.....	D15/127
D543,222	S	*	5/2007	Pester et al.	.....	D15/145
D567,271	S	*	4/2008	Vine	.....	D15/145
D614,211	S	*	4/2010	De Vries et al.	.....	D15/122
D651,620	S	*	1/2012	Schindler et al.	.....	D15/122
D654,518	S	*	2/2012	Miyake et al.	.....	D15/122
2006/0218881	A1	*	10/2006	Sperry et al.	.....	53/411

\* cited by examiner

*Primary Examiner* — Patricia Palasik


(57) **CLAIM**

The ornamental design for a tray sealing device, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view from above, front and one end of a first embodiment of the tray sealing device;  
 FIG. 2 is a front elevation view of the tray sealing device of FIG. 1;  
 FIG. 3 is a rear elevation view of the tray sealing device of FIG. 1;  
 FIG. 4 is a view from one end of the tray sealing device of FIG. 1;  
 FIG. 5 is view from the other end of the tray sealing device of FIG. 1;  
 FIG. 6 is a top plan view of the tray sealing device of FIG. 1; and,  
 FIG. 7 is a bottom plan view of the tray sealing device of FIG. 1.  
 The broken lines in the drawings depict unclaimed environmental subject matter.

**1 Claim, 6 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7