

[54] CARPET TILE

[75] Inventor: Harold Reuben, Akron, Ohio

[73] Assignee: The Akro Corporation, Canton, Ohio

[**] Term: 14 Years

[21] Appl. No.: 431,139

[22] Filed: Sep. 30, 1982

[52] U.S. Cl. D92/25

[58] Field of Search D92/25, 33, 4 R;
D6/209, 216; 428/85, 88; 139/391

[56] References Cited

U.S. PATENT DOCUMENTS

D. 67,245	5/1925	Ulmer	D92/4
D. 97,640	11/1935	Fago	D6/209
D. 174,428	4/1955	Hayes	D92/4
3,591,401	6/1971	Snyder et al.	428/88

OTHER PUBLICATIONS

1977 Sweet's Architectural Catalog File, Section 9.28/Arm, p. 12, 715-230 Adobe.

Sears Insert in the Washington Evening Star, May 6, 1970, p. 8.

Primary Examiner—Bernard Ansher

Assistant Examiner—Theodore M. Shooman

Attorney, Agent, or Firm—Yount & Tarolli

[57] CLAIM

The ornamental design for a carpet tile, as shown and described.

DESCRIPTION

FIG. 1 is a top plan view of a carpet tile showing my new design;

FIG. 2 is a fragmentary enlarged top plan view of a portion of the carpet tile of FIG. 1;

FIG. 3 is a view of a fragmentary portion of the end of the carpet tile, viewing the carpet tile of FIG. 1 along the line 3—3, the end of the carpet tile being uniform across its width;

FIG. 4 is a fragmentary side elevational view of the carpet tile of FIG. 1, viewing the carpet tile of FIG. 1 in the direction of line 4—4, the side of the carpet tile being uniform across its length;

FIG. 5 is a fragmentary sectional view of the carpet tile of FIG. 1, taken along section line 5—5 of FIG. 2;

FIG. 6 is a top plan view of a second modified embodiment of a carpet tile having my new design;

FIG. 7 is a fragmentary enlarged top plan view of a portion of the carpet tile of FIG. 6;

FIG. 8 is a view of a fragmentary portion of the end of the carpet tile, viewing the carpet tile of FIG. 6 along the line 8—8, the end of the carpet tile being uniform across its width;

FIG. 9 is a fragmentary side elevational view of the carpet tile of FIG. 6, viewing the carpet tile of FIG. 6 in the direction of line 9—9, the side of the carpet tile being uniform across its length;

FIG. 10 is a fragmentary sectional view of the carpet tile of FIG. 6, taken along section line 10—10 of FIG. 7;

FIG. 11 is a top plan view of a third modified embodiment of the carpet tile;

FIG. 12 is a fragmentary enlarged top plan view of a portion of the carpet tile of FIG. 11;

FIG. 13 is a view of a fragmentary portion of the end of the carpet tile, viewing the carpet tile of FIG. 11 along the line 13—13, the end of the carpet tile being uniform across its width;

FIG. 14 is a fragmentary side elevational view of the carpet tile of FIG. 11, viewing the carpet tile of FIG. 11 in the direction of line 14—14, the side of the carpet tile being uniform across its width;

FIG. 15 is a fragmentary sectional view of the carpet tile of FIG. 11, taken along section line 15—15 of FIG. 12;


FIG. 16 is a top plan view of a fourth modified embodiment of the carpet tile;

FIG. 17 is a fragmentary enlarged top plan view of a portion of the carpet tile of FIG. 16;

FIG. 18 is a view of a fragmentary portion of the end of the carpet tile, viewing the carpet tile of FIG. 16 along the line 18—18, the end of the carpet tile being uniform across its width;

FIG. 19 is a fragmentary side elevational view of the carpet tile of FIG. 16, viewing the carpet tile of FIG. 16 in the direction of line 19—19, the side of the carpet tile being uniform across its width; and,

FIG. 20 is a fragmentary sectional view of the carpet tile of FIG. 16, taken along section line 20—20 of FIG. 17.






FIG. 1




FIG. 2



FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7



FIG. 8




FIG. 9




FIG. 10





FIG. 13



FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18




FIG. 19




FIG. 20