



US00D972751S

(12) **United States Design Patent**  
**Ruley et al.**

(10) **Patent No.:** **US D972,751 S**

(45) **Date of Patent:** **\*\* Dec. 13, 2022**

(54) **LED LIGHT BULB**

D538,950 S \* 3/2007 Maxik ..... D26/2  
D538,953 S \* 3/2007 Mama ..... D26/2  
D725,802 S \* 3/2015 Kuo ..... D26/2

(71) Applicants: **Brian A Ruley**, Parkville, MD (US);  
**Angel M Ruley**, Parkville, MD (US)

\* cited by examiner

(72) Inventors: **Brian A Ruley**, Parkville, MD (US);  
**Angel M Ruley**, Parkville, MD (US)

*Primary Examiner* — Marcus A Jackson

(\*\*) Term: **15 Years**

(21) Appl. No.: **29/736,441**

(57) **CLAIM**

(22) Filed: **May 29, 2020**

The ornamental design for a LED light bulb, as shown and described.

(51) **LOC (13) Cl.** ..... **26-04**

(52) **U.S. Cl.**

USPC ..... **D26/2**

(58) **Field of Classification Search**

USPC ..... D26/1-10  
CPC ..... H01R 5/00; H01R 13/46; H01R 13/514;  
H01R 31/02; H01R 31/048; H01J 5/00;  
H01J 5/16; H01J 1/02; H01J 15/00; H01J  
5/48; H01J 5/50; H01J 19/54; F21V 5/00;  
F21K 9/00; F21K 13/00

See application file for complete search history.

**DESCRIPTION**

FIG. 1 is a perspective view of a LED light bulb showing my new design;  
FIG. 2 is a side view thereof;  
FIG. 3 is an overhead top view thereof;  
FIG. 4 is a bottom top view thereof;  
FIG. 5 is a perspective view of a second embodiment thereof;  
FIG. 6 is a side elevational view, with the opposite side being a mirror image thereof;  
FIG. 7 is a top plan view thereof; and,  
FIG. 8 is a bottom plan view thereof.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D531,741 S \* 11/2006 Takahashi ..... D26/2  
D534,665 S \* 1/2007 Egawa ..... D26/2

**1 Claim, 2 Drawing Sheets**




Fig 1.




Fig 2.




Fig 3.







Fig 4.




**Fig 5.**



**Fig 6.**



**Fig 7.**



**Fig 8.**

