

(19) World Intellectual Property
Organization
International Bureau




(43) International Publication Date
2 June 2005 (02.06.2005)

PCT

(10) International Publication Number
WO 2005/048869 A1

- (51) International Patent Classification⁷: **A61C 19/00**
- (21) International Application Number:
PCT/IB2004/003661
- (22) International Filing Date:
8 November 2004 (08.11.2004)
- (25) Filing Language: English
- (26) Publication Language: English
- (30) Priority Data:
10/719,278 21 November 2003 (21.11.2003) US
- (71) Applicant (for all designated States except US):
WARNER-LAMBERT COMPANY LLC [US/US];
201 Tabor Road, Morris Plains, NJ 07950 (US).
- (72) Inventors; and
- (75) Inventors/Applicants (for US only): **CHARLES, Christine, Ann** [US/US]; Pfizer Inc., 201 Tabor Road, Morris Plains, NJ 07950 (US). **WU, Mei-Miau** [US/US]; Pfizer Inc., 201 Tabor Road, Morris Plains, NJ 07950 (US). **COELHO, John, Francis** [PK/US]; Pfizer Inc., 201 Tabor Road, Morris Plains, NJ 07950 (US).
- (74) Agents: **FULLER, Grover, F., Jr.** et al.; Pfizer Inc., 201 Tabor Road, Morris Plains, NJ 07950 (US).
- (81) Designated States (unless otherwise indicated, for every kind of national protection available): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW.
- (84) Designated States (unless otherwise indicated, for every kind of regional protection available): ARIPO (BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).
- Published:
— with international search report
- For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(54) Title: METHOD AND SYSTEM FOR PERIODONTAL CHARTING



(57) Abstract: Methods and systems for graphically depicting gum tissue and teeth for illustrating gingival health and plaque reduction. The relative risk as one type of statistical methods for comparing two treatments of different therapeutic agents for gingivitis and plaque are displayed. The upper and lower sets of teeth are represented in rows or groups of teeth separated by rows of boxes which depict the result of various treatments by various therapeutic agents.

5 **METHOD AND SYSTEM FOR PERIODONTAL CHARTING**

TECHNICAL FIELD

10 The present invention relates to methods and systems for presenting dental data to professionals for educational purposes as well as for dental professionals to use in recommending treatment and preventative measures.

BACKGROUND OF THE INVENTION

15 There are many ways known today for evaluating various dental conditions, such as gingivitis and plaque. The information is taken from a patient or group of patients, evaluated and displayed in some manner for either educational, performance, or treatment use.

20 Some of these approaches use graphical displays that include representations of actual teeth or schematic diagrams that represent patient's teeth. Some approaches use measurement parameters as assigned scores for various dental conditions at various identified sites in the mouth.

25 Traditional approaches such as means-based analysis, however, are often difficult and complex to read and understand. Some of these approaches also may not have a practical impact on treatment of the patients.

30 There is a need for an improved approach for creating and presenting site wise or site by site dental clinical data in graphical presentations for use in the dental field.

SUMMARY OF THE INVENTION

It is an object of the present invention to provide a simple and improved system and method for presenting dental data. It is also an object of the present invention to provide a process for presenting dental data that demonstrates the differences between various types of treatment and can be used to assist in recommending treatment for patients with various dental conditions.

The present invention meets these objectives and provides a graphical depiction of a mouth displaying the buccal aspect of the teeth as well as the lingual aspect of the teeth. The teeth may be in single row or presented in groups, preferably with the upper teeth above and the lower teeth below on the display. The teeth may also be curvilinear with the same parameters or may be in the natural curvature of the mouth and rotated to display a certain aspect.

The present invention has particular use relative to showing improvements in gingival health and representing plaque reduction. For gingival conditions, two rows or boxes are provided between the two sets of teeth displays, the boxes representing either the marginal or papillary aspects of the gum tissue above or below each tooth. The boxes that correspond to the marginal tissue have a width equal to the distance from line angle to line angle of the tooth directly above or below. The boxes that correspond to the papillary tissue are fit to the width of the papillae above or below. A second iteration used curved bands directly on top of the marginal gum tissue and on top of the papillary gum tissue.

For plaque reduction, two rows or boxes are also provided between the upper and lower sets of teeth. The rows or boxes are positioned one above the other, with the boxes representing the mid surface of the tooth, the distal surface, and the mesial surface. The boxes that correspond to the mid-surface are fit to the width equal to the distance from line angle to line angle of the tooth directly above or below. The boxes that correspond to the distal and mesial surfaces are fit to the width of the papillae above or below the box.

Each box can represent the actual score of the dental index of interest in the first case or in the second case, the relative likelihood of improvement in gingival health based on a treatment for plaque and/or gingivitis as compared to another treatment for plaque and/or gingivitis.

- 5 Preferably, the box or bands are shaded in various colors to show various stages of disease or degrees of difference between treatments. The shades of colors correspond to actual scores of the dental index or degrees of relative likelihood of improvement. In the second case, three color schemes can be used: shades of green display results statistically
10 significant in favor of the first treatment; shades of red show results in favor of the second treatment, and black or a neutral color represents any non-significant statistical difference between the two treatments for the likelihood of improvement for plaque and/or gingivitis. The intensity of the shades in one color corresponds to the strength of relative
15 likelihood between the two treatments.

With the present invention, it is possible to display data in an easily understood manner that represents various dental indices and statistics to demonstrate degrees of improvement or worsening produced by treatments for various dental conditions, such as gingivitis and plaque.

- 20 The invention shows every tooth in a patient's mouth, as well as the location in the mouth. The data and graphical displays also show where treatment has been effective. The treatments may include, for example, the use of mouthwash, brushing with various toothpastes, flossing, and the like. The application of local delivery antimicrobials could be
25 explored in this model as well.

- Preferably, the results presented stem from a group study where the members are exposed to, or utilize, various methods of treatment. In this manner, persons reviewing the data and graphical displays can visualize the effect of various treatments on an individual patient who
30 has a periodontal condition and plaque accumulation, and will know which specific locations that certain treatments would be effective.

BRIEF DESCRIPTION OF THE DRAWINGS

FIGURES 1A and 1B illustrate a preferred embodiment of the present invention with respect to displaying gingival health data.

FIGURES 2A and 2B illustrate a preferred embodiment of the present invention for use with displaying plaque reduction data.

FIGURES 3A and 3B illustrate an alternative method for depicting gingival health or plaque reduction data.

FIGURES 4A and 4B illustrate an alternate method for presentation of dental data in accordance with the present invention.

FIGURES 5A and 5B illustrate a known method for periodontal charting.

FIGURES 6A and 6B illustrate a known method of displaying gingival health analysis.

DESCRIPTION OF PREFERRED EMBODIMENTS

Figures 1A and 1B illustrate a preferred graphic depiction of gingival health data in accordance with the present invention. The graphical depiction is referred to generally by the reference numeral 10. Figure 1A displays the buccal or outside face of the teeth, while Figure 1B illustrates the lingual or inside face of the teeth. In Figure 1A, the upper row or teeth are indicated by the reference numeral 12, while the lower row of teeth are indicated by the reference numeral 14. In Figure 1B, the upper row of teeth are indicated by the reference numeral 12', while the lower row of teeth are indicated by the reference numeral 14'.

As shown in Figures 1A and 1B, the rows of teeth 12, 12', 14 and 14' are set out in three groups of teeth. It is possible, of course, in accordance with the present invention, to have all of the teeth be positioned in a single row or line.

Also, as indicated in Figures 1A and 1B, the groups of teeth are indicated in a straight linear fashion. However, it is also possible to display the teeth in a curved or arched manner. This is shown in Figures 4A and 4B. In Figures 4A and 4B, the groups of teeth and rows of boxes are indicated by the same reference numerals as the corresponding

items in Figures 1A and 1B, with the exception of the number "1" being added in front of the reference numerals.

Referring back to Figures 1A and 1B, the three groups of teeth in each of the four rows are indicated by the letters A, B, and C. For example,
5 the three groups of teeth forming the upper buccal row of teeth 12 are indicated by the reference numerals 12A, 12B, and 12C. The letters "R" and "L" are also shown in Figures 1A and 1B and represent the "right" and "left" sides of a person's mouth and teeth.

Inbetween each set of the upper and lower arches or rows of teeth are
10 positioned two rows of boxes, one above the other, which represent either the marginal or papillary aspects of the gum tissue above or below each tooth. In Figure 1A, the row of boxes 20 corresponds to the row of teeth 12, while the row of boxes 22 corresponds to the row of teeth 14. Similarly, in Figure 1B, the row of boxes 20' corresponds to the row of
15 teeth 12', while the row of boxes 22' correspond to the row of teeth 14'. The marginal area of the gum tissue 13 is the area of the gum immediately above each of the teeth. The papillary aspect of the gum tissue is the area of the gum between the teeth. In rows of boxes 20, 20', 22 and 22', the boxes which correspond to the marginal gum tissue
20 are fit to a width equal to the distance from line angle to line angle of the tooth directly above or below, and are the length approximately the length of the tooth above or below divided by two. For example, box 30A in row of boxes 20 corresponds to tooth 30B in row of teeth 12. The term "line angle" refers to the point on the tooth while the slot starts to
25 curve in on the surface of the tooth.

Boxes which correspond to the papillary tissue are fit to the width of the papillae above or below the teeth and are the length approximately the length of the marginal box to the right divided by two. For example, box 32A in row of boxes 20 corresponds to the papillary tissue area 32C in
30 the gum tissue 13.

The same description applies to the remainder of the boxes in the rows of boxes 20, 22, 20' and 22', as well as the rows of teeth 12, 14, 12' and

14' and the gum tissue areas 13, 15, 13' and 15'. It is not believed necessary to describe each one in detail here. As indicated, the graphical depictions of the teeth and gums as shown in Figures 1A and 1B are used to represent data relative to gingival health, that is, the health of the gum tissue 13, 15, 13' and 15'. More particularly, the present invention has particular use in recording and describing the effect of various therapeutic agents for the control of gingivitis. These therapeutic agents can be, for example, mouthwashes (such as Listerine) (a product of Pfizer Consumer Healthcare), tooth brushing, or flossing.

More particularly, the present invention is used to graphically display the result of the comparison between two treatments by site on the gum tissue and teeth surfaces. In this application, the relative risk, expressed as the ratio of the rate of improvement in one therapeutic agent, say Listerine, to the rate of improvement in another treatment, say control, is used.

For each patient enrolled in the study, measurements are taken of the various marginal and papillary sites of the gum tissue to reflect the health of the gum tissues at those sites. The relative condition of the gum tissue could be recorded in various ways, such as on a scale of 1-4 as in the case of the cited index. A baseline recording of data is taken for each site in the mouth of each patient, along with various examinations periodically thereafter, and after treatment with one of the therapeutic agents, such as at three months and six months.

The improvement of the gum tissue at each site is then noted and a graphical depiction in accordance with the present invention is then prepared. The rows of boxes in-between the teeth are then marked in some manner, such as being colored with various colors or shades of colors, to represent the improvement (or lack thereof), or the relative risk of improvement caused by the various therapeutic agents and oral care treatments.

For each site in the mouth, the rate of occurrence for transitions of interest is determined for the various therapeutic agents. The rates for two therapeutic agents are then compared by means of an applicable statistical method, such as relative risk, and the graphical display is then developed. The graphical display can depict each of the therapeutic agents individually comparing within treatment differences, as well as between treatment results and analysis performed for the all of the sites in the mouth.

In one preferred embodiment of the invention, the comparison between two therapeutic agents, represented by relative risk of improvement in this application, at each of the sites is categorized by multiple shades of colors, such as green, red and black. In this application, three shades of green are used to indicate relative risks where Listerine exhibited statistically significantly higher rate of improvement than the other treatment, with lighter green meaning small treatment advantage due to Listerine, and the darkest green meaning strong advantage due to Listerine. On the contrary, three shades of a red color can be utilized to indicate relative risks where Listerine exhibited statistically significantly lower rate of improvement compared to the other treatment, with the lightest red showing slight treatment disadvantage due to Listerine (or slight treatment advantage due to the other treatment) while darkest red being severe disadvantage due to Listerine (or strong advantage due to the other treatment). In addition, another color or a neutral color (e.g., black in this application) can be used to represent non-significant statistical differences between the two treatments for the rate of improvement.

For illustrative purposes, various geometrical symbols are shown in some of the boxes in sections 12B and 14B to depict relative types and ranges of colors. For example, the cross hatching 34A and 35A illustrates that Listerine exhibited greater rate of improvement than the other treatment while the two stars 36A and 37A show that the other treatment had higher improvement rate than Listerine. The blank box

38A indicates that there is no statistical difference due to the relative treatments. Of course, it is to be understood, that any type of colors, letters, numbers, graphic, symbols, or the like can be used to depict various stages of improvement or lack of improvement in accordance with the present invention. Thus, the present invention is not limited to the use of any particular statistics, colors or the use of colors at all.

Blank boxes, such as box 38A indicate that there is no statistically significant difference due to the two treatments.

As indicated, the present invention is a prospective analysis of the exposure of gum tissue to various therapeutic agents and treatments. With the present invention, dentists and other dental professionals can quickly be apprised of the relative risk of treatment of various marginal and papillary gum tissue sites with various therapeutic agents, such as Listerine, various toothpastes, flossing, and the like.

An alternate method for graphically depicting gingival health analyses and data is shown in Figures 3A and 3B and represented generally by the reference numeral 40. Figure 3A illustrates the buccal aspect of the upper teeth 42 and lower teeth 44. Figure 3B illustrates the lingual aspect of the upper teeth 42' and the lower teeth 44'. The gum tissue itself is referred to by the reference numerals 43 and 45 in Figure 3A and 43' and 45' in Figure 3B.

In this alternate embodiment, markings such as marginal bands 50 and papillary "diamonds" 52 are used to present the relative risk data of the marginal and papillary aspects of the gum tissue, rather than the rows of boxes as utilized in the embodiment of Figures 1A and 1B. The marginal bands 50 are positioned immediately on top of the corresponding teeth, which are indicated as 50A in the example shown in Figure 3A. The papillary diamond-shaped areas 52 are positioned between corresponding teeth and indicate the relative risk of improvement of the papillary tissue at that particular site. Again, it is believed that the reference to sites 50 and 52 are sufficient for the reader to understand that similar marginal bands and papillary diamond-

shaped indicia can be presented for all of the marginal and papillary sites in the rows of teeth 42, 42', 44 and 44' and relative gum areas 43, 43', 45 and 45', in Figures 3A and 3B and thus it is not necessary to describe each one in detail here.

- 5 Similar to the indicia presented in the rows of boxes 20, 20', 22 and 22' which are presented in the embodiment shown in Figures 1A and 1B, the marginal and papillary bands in the embodiment shown in Figures 3A and 3B are also depicted with a color, letter, number or other graphical symbol in order to show and depict the relative risk and
10 treatment analyses as described above.

As is obvious with a comparison of Figures 3A and 3B with the graphical display as indicated in Figures 1A and 1B, the same relative risk indicia can be presented in both graphical charts or displays, but simply in different forms.

- 15 Again, similar to the embodiment shown in Figures 1A and 1B, the rows of teeth and gum tissue as shown in Figures 3A and 3B can be presented in groups A, B, and C or a single line of teeth and gum tissue (not shown). Moreover, the line or groups of teeth and gum tissue can be presented in a straight line as shown in Figures 3A and 3B or
20 presented in a more natural curved arch similar to the manner of presentation as shown in Figures 4A and 4B.

- As indicated above, the present invention can also be used to depict and predict the relative risk or other statistics of the use of various dental therapeutic agents on the reduction of tooth plaque. The effect of
25 therapeutic agents on the reduction of plaque can be graphically depicted as shown in Figures 2A and 2B. This graphical depiction is referred to generally by the reference numeral 60.

- In Figure 2A, the buccal aspect of the upper teeth is shown in row 62, while the buccal aspect of the lower teeth is shown in row 64. Similarly,
30 the lingual aspect of the teeth are shown by rows 62' and 64' in Figure 2B. Two rows of boxes 70 and 72 in Figure 2A and 70' and 72' in Figure 2B are positioned in-between the upper and lower rows of teeth. The

boxes represent either the mid-surface of the tooth, the distal surface, or the mesial surface. Boxes such as 80A correspond to the mid-surface of the buccal aspect of the teeth and are fit to the width equal to the distance from line angle to line angle of the tooth directly above or below, and are of a length approximately the length of the tooth above or below divided by two. The distal and mesial surfaces of the buccal aspect of the teeth are depicted by boxes 80B and 80C respectively. These boxes are also fit to the width of the papillae above or below the box divided by two and are the length approximately the length of the marginal box to the right divided by two.

The corresponding mid-surfaces, distal surfaces, and mesial surfaces of the lingual aspect of the teeth are referred to, for example, by boxes 80'A, 80'B and 80'C respectively in Figure 2B.

Similar to the gingivitis analysis described above with reference to Figures 1A, 1B, and 3A, 3B, the boxes in rows 70, 70', 72 and 72' can be shaded in different colors, provided in distinctly different colors, labeled by appropriate alphabetic, numerical, or graphic indicia, to represent the rate of improvement in plaque reduction based on various treatments with different therapeutic agents. The colors also could be used to represent the ratio of the rate of improvement in plaque reduction based on a first treatment as compared to a second treatment. A neutral or different color, number, or the like could be used in the display in the various blocks to represent non-significant statistical differences between the two treatments for the rate of improvement for plaque reduction.

With the present invention, every tooth and location in a person's mouth is illustrated, as well as every site at which therapeutic treatment can have any effect. The invention has particular use for advising dental professionals as to the effect of various treatments of plaque and gingivitis by various agents at each site in the mouth.

Figures 5A and 5B and 6A and 6B illustrate known methods for graphically displaying various dental conditions and/or plaque and

gingivitis treatment. For example, Figures 5A and 5B illustrate the buccal and lingual aspects of the upper and lower rows of teeth, with each of the teeth being graphically displayed as actual teeth. This graphical display, which is generally referred to by reference numeral 5 120, illustrates the upper row of teeth 122, and the lower row of teeth 124, separated by a row of circular members 126. The circular members 126 schematically illustrate a view of each of the teeth looking at its occlusal surface and having various areas divided off so that the dentist or dental professional can indicate treatments, such as fillings, at 10 each location of the teeth.

In Figures 6A and 6B, a method of assessing various treatment effects in gingivitis is displayed. In this system or method, which is referred to generally by the reference numeral 130, the upper teeth are depicted in Figure 6A and the lower teeth are depicted in Figure 6B. The front or 15 facial sides of the upper teeth are shown in row 132, while the lingual aspect of the upper teeth are shown in row 134. Similarly, the front of the lower teeth are shown in row 132', while the lingual side of the lower teeth are shown in row 134'. As indicated, the teeth are merely referred to by numbers (2-15 and 18-31) and the boxes, such as 132A, 134A, 20 134'A and 132'A, are all shown of the same size and shape.

In the system 130 shown in Figures 6A and 6B, the graphic depiction also represents the odds ratio as compared to relative risk ratios in accordance with the present invention.

Although the description of the invention as set forth above describes 25 the invention in terms of the relative risk of treatment comparisons, the invention is not to be limited to that subject.

While the invention has been described in connection with one or more embodiments, it is to be understood that the specific mechanisms, processes and procedures which have been described are merely 30 illustrative of the principles of the invention, numerous modifications may be made to the methods and apparatus described without departing

from the spirit and scope of the invention as defined by the appended claims.

What is claimed is:

1. A method for presenting dental data comprising the steps of:

taking first measurements of tooth and gum tissue health relative to various tooth and gum tissue sites before treatment;

5 taking second measurements of tooth and gum tissue health relative to said tooth and gum tissue sites after treatment of said sites with a dental therapeutic agent;

determining the differences between the first and second measurements at each of said sites;

10 graphically displaying said differences on a chart containing rows of teeth, gum tissue, and boxes, said boxes positioned between said teeth and said differences being displayed by predetermined markings in said boxes.

2. The method as described in claim 1 wherein said
15 graphical display includes a row of the buccal aspect of the upper teeth, a row of the buccal aspect of the lower teeth, a row of the lingual aspect of the lower teeth.

3. The method as described in claim 2 wherein at least
20 one row of boxes is positioned between said rows of the buccal aspect of the upper and lower teeth and at least a second row of boxes is positioned between said rows of the lingual aspect of the upper and lower teeth.

4. The method as described in claim 2 wherein two
25 rows of boxes are positioned between said rows of the buccal aspect of the upper and lower teeth and at least two rows of boxes are positioned between said rows of the lingual aspect of the upper and lower teeth.

5. The method as described in claim 1 wherein said
30 dental therapeutic agent is selected from the group comprising a mouthwash, a toothpaste, and dental floss, local delivery agent, or oral care treatment.

6. The method as described in claim 1 wherein said dental data that is presented comprises treatment comparison statistics including the relative risk of gum tissue health at said sites.

5 7. The method as described in claim 6 wherein said gum tissue health includes gingivitis.

8. The method as described in claim 1 wherein said predetermined markings are selected from the group comprising colors, shades of colors, numbers, letters and graphic indicia.

10

9. A method for presenting dental data comprising the steps of:

taking first measurements of plaque indications at tooth sites on each of the teeth before treatment;

15

taking second measurements of plaque indications at tooth sites after treatments of said sites with a dental therapeutic agent;

determining the differences between the first and second measurements at each of said sites;

graphically displaying said differences on a chart
20 containing rows of teeth, gum tissue, and boxes, said boxes positioned between said teeth and said differences being displayed by predetermined markings in said boxes.

10. The method as described in claim 9 wherein said graphical display includes a row of the buccal aspect of the upper teeth,
25 a row of the buccal aspect of the lower teeth, a row of the lingual aspect of the lower teeth.

11. The method as described in claim 9 wherein at least one row of boxes is positioned between said rows of the buccal aspect of the upper and lower teeth and at least a second row of boxes is
30 positioned between said rows of the lingual aspect of the upper and lower teeth.

12. The method as described in claim 9 wherein two rows of boxes are positioned between said rows of the buccal aspect of the upper and lower teeth and at least two rows of boxes are positioned between said rows of the lingual aspect of the upper and lower teeth.

5 13. The method as described in claim 9 wherein said dental therapeutic agent is selected from the group comprising a mouthwash, a toothpaste and dental floss.

14. The method as described in claim 9 wherein said dental data which is presented comprises treatment comparison
10 statistics including the relative risk of plaque reduction at said sites.

15. The method as described in claim 9 wherein said dental data which is presented comprises the improvement or lack of improvement of plaque reduction at each of said sites.

FIG. 1A







FIG. 1B









FIG. 4A









FIG. 4B







INTERNATIONAL SEARCH REPORT

Int. Application No
PCT/JP2004/003661

A. CLASSIFICATION OF SUBJECT MATTER
IPC 7 A61C19/00

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)
IPC 7 A61C A61B G06F

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

EPO-Internal, PAJ

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	PATENT ABSTRACTS OF JAPAN vol. 1996, no. 08, 30 August 1996 (1996-08-30) -& JP 08 103455 A (NIPPON SHIKA IRYO HOKEN JOHO KAIHATSU KENKYUSHO:KK), 23 April 1996 (1996-04-23) abstract; figure 45	1-15
X	PATENT ABSTRACTS OF JAPAN vol. 2002, no. 07, 3 July 2002 (2002-07-03) -& JP 2002 092161 A (KAINO HIROSHI; SATO HIDEAKI), 29 March 2002 (2002-03-29) abstract	1-15
	----- -/--	

☒ Further documents are listed in the continuation of box C.

☒ Patent family members are listed in annex.

* Special categories of cited documents :

- *A* document defining the general state of the art which is not considered to be of particular relevance
- *E* earlier document but published on or after the international filing date
- *L* document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
- *O* document referring to an oral disclosure, use, exhibition or other means
- *P* document published prior to the international filing date but later than the priority date claimed

- *T* later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
- *X* document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
- *Y* document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.
- * & * document member of the same patent family

Date of the actual completion of the international search

10 February 2005

Date of mailing of the international search report

17/02/2005

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2
NL - 2280 HV Rijswijk
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,
Fax: (+31-70) 340-3016

Authorized officer

Chabus, H

INTERNATIONAL SEARCH REPORT

International Application No
PCT/JP2004/003661

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	WO 99/59462 A (HELMUT HUND GMBH; MUELLER, WERNER; SCHOEPPLEIN, MICHAEL) 25 November 1999 (1999-11-25) page 14, lines 19-31 page 19, lines 26-30 page 22, line 3 - page 29, line 32 figures 9-13 -----	1-15
X	DE 197 24 421 A1 (DREUSCHE, DETLEV VON, DR., 55270 SOERGENLOCH, DE; MEDINOVA GMBH) 17 December 1998 (1998-12-17) claims 1-3 -----	1-15

INTERNATIONAL SEARCH REPORT

In nal Application No
 F B2004/003661

Patent document cited in search report		Publication date	Patent family member(s)	Publication date
JP 08103455	A	23-04-1996	NONE	
JP 2002092161	A	29-03-2002	NONE	
WO 9959462	A	25-11-1999	AT 270522 T AU 750410 B2 AU 4260699 A BR 9910509 A CA 2333226 A1 CN 1309545 T CZ 20004296 A3 DE 69918549 D1 EA 2899 B1 WO 9959462 A1 EP 1079731 A1 HU 0102865 A2 JP 2002515276 T PL 344439 A1 TW 412405 B US 6485300 B1 ZA 200006676 A	15-07-2004 18-07-2002 06-12-1999 02-01-2001 25-11-1999 22-08-2001 16-01-2002 12-08-2004 31-10-2002 25-11-1999 07-03-2001 28-12-2001 28-05-2002 05-11-2001 21-11-2000 26-11-2002 21-08-2001
DE 19724421	A1	17-12-1998	NONE	