



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification⁵ : B08B 7/00	A1	(11) International Publication Number: WO 93/05893 (43) International Publication Date: 1 April 1993 (01.04.93)
(21) International Application Number: PCT/US92/07695 (22) International Filing Date: 11 September 1992 (11.09.92) (30) Priority data: 762,692 19 September 1991 (19.09.91) US (60) Parent Application or Grant (63) Related by Continuation US 762,692 (CON) Filed on 19 September 1991 (19.09.91) (71) Applicant (for all designated States except US): SMITH-KLINE BEECHAM CORPORATION [US/US]; One Franklin Plaza, P.O. Box 7929, Philadelphia, PA 19101 (US).		(72) Inventors; and (75) Inventors/Applicants (for US only) : GANGADHARAN, Balgopal [IN/US]; 87 Westville Avenue, Caldwell, NJ 07006 (US). HAYWARD, Marshall, A. [US/US]; 655 Charlene Drive, Bridgewater, NJ 07054 (US). (74) Agents: KANAGY, James, M. et al.; SmithKline Beecham Corporation, Corporate Patents - U.S., UW2220, 709 Swedeland Road, P.O. Box 1538, King of Prussia, PA 19406-0939 (US). (81) Designated States: CA, JP, US, European patent (AT, BE, CH, DE, DK, ES, FR, GB, GR, IE, IT, LU, MC, NL, SE). Published <i>With international search report.</i>
(54) Title: SKIN CLEANSER (57) Abstract <p>This invention covers a composition for forming an applique for cleaning or treating skin comprising a lower alcohol or alcohol/water solvent in which is dissolved between 0.1 to 20 % by weight/volume of a polymer consisting essentially of a non-acylate pre-polymerized high molecular weight, dermatologically acceptable, adhesive polymer. The cleansing is accomplished by applying the formulation to skin as an applique, drying the applique, contacting the dried applique with an adhesive tape type material which bonds with the applique, and then pulling the applique/tape away from the skin. These skin cleansers are based on certain naturally occurring and synthetic polymers which are soluble in simple alcohols, or simple alcohol and water mixtures. It has been found that the selected polymers remove surface and follicular debris when formulated and applied without additives which modify their native configuration. Adding polymerizing agents or cross-linkers to the selected polymers reduces the capacity of these appliques to effectively remove soil. Thus polymers are pre-formed, that is they are not presented as monomers and cross-linked when applied to the skin.</p>		

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AT	Austria	FI	Finland	MN	Mongolia
AU	Australia	FR	France	MR	Mauritania
BB	Barbados	GA	Gabon	MW	Malawi
BE	Belgium	GB	United Kingdom	NL	Netherlands
BF	Burkina Faso	GN	Guinea	NO	Norway
BG	Bulgaria	GR	Greece	NZ	New Zealand
BJ	Benin	HU	Hungary	PL	Poland
BR	Brazil	IE	Ireland	PT	Portugal
CA	Canada	IT	Italy	RO	Romania
CF	Central African Republic	JP	Japan	RU	Russian Federation
CG	Congo	KP	Democratic People's Republic of Korea	SD	Sudan
CH	Switzerland	KR	Republic of Korea	SE	Sweden
CI	Côte d'Ivoire	LI	Liechtenstein	SK	Slovak Republic
CM	Cameroon	LK	Sri Lanka	SN	Senegal
CS	Czechoslovakia	LU	Luxembourg	SU	Soviet Union
CZ	Czech Republic	MC	Monaco	TD	Chad
DE	Germany	MG	Madagascar	TG	Togo
DK	Denmark	ML	Mali	UA	Ukraine
ES	Spain			US	United States of America

SKIN CLEANSER

This invention relates to a polymer-based cleanser for superficial and deep cleansing of skin.

Area of the Invention

5 Skin cleaning and treating materials in the form of pastes, viscous suspensions, creams, gels and even plasticized polymeric have long been used, no doubt starting in pre-historic times. Early historical records and anecdotes describe the use of plant and animal derived pastes, gels and appliques which were applied to the skin for medicinal and cosmetic purposes. More recent history reveals a continued interest in topically
10 applied suspensions, gels, pastes and the like which are left on the skin for a discrete period, then peeled or scrubbed off, thereby removing surface and embedded grime and debris.

Hair follicles secrete a horny material throughout out the life of the individual. Normally this material is extruded and removed by washing, shaving or other cleansing
15 processes. Age-related skin changes may interfere with this extrusion process. Follicles may dilate and fill up with horny material which can trap small velus hairs. This accumulated debris distends the follicle resulting in what are commonly called clogged pores, comedones and blackheads. Bacteria such as *P. acnes*, fungi (*P. ovale*) and a mite (*Demodex folliculorum*) contribute to follicular debris build-up. Diseases
20 such as acne, keratosis pilaris, ichthyosis and fungal infections involve abnormal and excessive keratinazation.

It would be desirable to provide an applique which would remove surface and embedded debris without sacrificing skin comfort and which avoids redness, especially that often associated with removing plasticized appliques. This invention provides
25 such an applique. When applied to the skin, these cleansers will adsorb surface sebum, deposited grime and soils and will attach to follicular deposits. Removing the applique removes these topical and embedded soils, grime and debris.

Summary of the Invention

This invention covers a composition for forming an applique for cleaning or
30 treating skin comprising a lower alcohol or alcohol/water solvent in which is dissolved between 0.1 to 20% by weight/volume of a polymer consisting essentially of a non-acrylate, pre-polymerized high molecular weight, dermatologically acceptable, adhesive polymer. The cleansing is accomplished by applying the formulation to skin as an applique, drying the applique, contacting the dried applique with an adhesive tape
35 type material which bonds with the applique, and then pulling the applique/tape away from the skin.

Specific Embodiments

These skin cleansers are based on certain naturally occurring and synthetic polymers which are soluble in simple alcohols, or simple alcohol and water mixtures.
40 It has been found that the selected polymers remove surface and follicular debris when formulated and applied without additives which modify their native configuration. Adding polymerizing agents or cross-linkers to the selected polymers reduces the capacity of these appliques to effectively remove soil. Thus polymers are pre-formed, that is they are not presented as monomers and cross-linked when applied to the skin.

They may be polymerized just prior to use by mixing monomers and cross-linking agents from separate containers, then after polymerization has occurred, applying the resulting polymeric solution to the skin. But polymers are not formed *in situ*, that is when applied to the skin. These polymers will be dermatologically acceptable within
5 the ambit of their use as skin cleansers.

Polymers include those which have intrinsic adhesive properties and are soluble in simple alcohols or water/simple alcohol mixtures. Useful polymers include PVP, VP/vinyl acetate, alkylvinyl ethers, alkylvinyl ether/maleic acids and acid salts, or
10 carboxymethyl celluloses. The most preferred polymers are PVPs and methylvinyl ether/maleic acid and acid salts sold by International Speciality Polymers of Wayne, New Jersey, USA. A single polymer, or mixtures, can be used in these formulations.

Forming appliques is a matter of providing a liquid or gel which can be conveniently spread on the skin, which will then quickly dry to an elastic, pliable solid, and which can then be peeled from the skin by some means. The elastic, pliable
15 characteristics are achieved by selecting polymers and polymer mixtures which provide these characteristics. In addition, they should be soluble in solvent with a low vapor pressure so the solvent quickly evaporates when the solution is applied to the skin. Simple alcohols and alcohol/water mixtures are best for this purpose. A simple alcohol is methanol, ethanol or isopropanol. Ethanol is preferred. Methanol may not be useful
20 in certain applications because of its toxicity potential. Pure alcohol may be used as the solvent, though combining water with alcohols is also useful. The solvent may contain up to about 20% water. A preferred alcohol/water mix is one in the range of 90% alcohol/10% water. Another preferred solvent is 95% ethanol/5% water.

Formulations of polymer and solvent will have some degree of viscosity so that
25 when one goes to apply them to the skin they will not flow excessively. It is most desirable to provide an out-of-the-bottle formulation which forms up in the manner of a gel or paste which can be readily spread with the fingers or a pliable device. While it is expected that the polymers at the concentrations used to make these cleansers will impart such qualities, an agent to thicken may be added to a formulation which
30 inherently does not have this property.

Polymer concentrations will range from about 0.1 to 20 percent by weight (weight/volume). Within this range the concentration can be infinitively varied. A more preferred range is between about 2 - 10%, and most formulations will contain about 5% polymer.

35 Solutions are readily prepared by adding a selected amount of polymer to solvent with stirring or mixing means. This can be done at room temperature, or at slightly elevated temperatures if desired.

To clean skin, a dollop of liquid or gel is placed on the skin and spread into an
40 applique by hand or a soft pliable device. For example, a small amount of material is dispensed onto the fingers and spread over the cheek of the face. Body heat, air flow and ambient heat will evaporate the solvent leaving behind an elastic, pliable essentially dry applique. This should take several minutes, e.g., 3 - 10, after which the applique can be removed. This is accomplished by pulling it off; simply grasp the edge of the applique with the fingers and steadily pull it from the face. An alternative, and

preferred method is to take a piece of adhesive tape, or similar material, and touch it to the dried applique. Both are then pulled from the skin with steady, gentle pressure.

Adhesive tape refers to any cloth or plastic patch or strip which has an adhesive coating which sticks to the applique well enough to pull it from the skin. Preferred materials are the Scotch™ tapes sold by 3M Company of Minneapolis, Minnesota, USA, medical adhesive tapes and patches like Blenderm™ also manufactured by 3M Company and Dermiclear™ manufactured by Johnson & Johnson. Preferred adhesives are hypoallergenic acrylics.

The following examples are given to illustrate the invention, not to limit its scope. Reference is made to the claims for what is reserved to the inventors hereunder.

EXAMPLE 1

Applique Formulation

A high molecular weight PVP (Plasdone K 120, MW ~2 million) was dissolved in USP ethanol (typically containing 4 to 5 percent water by weight) at the five percent level (weight/volume). This was accomplished by dispensing 5.0 grams of polymer into 100 grams of USP ethanol under high speed stirring (2000 RPM) at room temperature. Polymer was slowly added into the vortex of the ethanol to prevent clumping. Stirring was terminated when dissolution of the polymer was complete.

A portion of this ethanolic solution was applied to the nose with the fingers and allowed to dry completely (5 - 7 minutes). Then a length of Scotch tape was applied to the surface of the dried applique. Tape and adhered polymer were peeled away from the skin. When the tape was examined under a microscope (Power x 100) several layers of stratum corneum and hair follicles encased by horn were observed.

What is claimed is:

1. A composition for forming an applique for cleaning or treating skin comprising a lower alcohol or alcohol/water solvent in which is dissolved between 0.1 to 20% by weight/volume of a polymer consisting essentially of a non-acrylate, pre-polymerized high molecular weight, dermatologically acceptable, adhesive polymer.
2. A composition according to claim 1 where the polymer is polyvinyl pyrrolidone (PVP), PVP/vinyl acetate, alkylvinyl ethers, alkylvinyl ether/maleic acids and acid salts, or carboxymethyl celluloses.
3. A composition according to claim 2 where the solvent is an alcohol/water mixture where the alcohol is methanol, ethanol or isopropanol.
4. A composition according to claim 3 where the polymer is PVP having a molecular weight of about 2 million
5. A composition according to claim 3 where the polymer is methylvinyl ether/maleic anhydride having a molecular weight between 18,000 and 80,000.
6. A composition according to claim 3 where the polymer is polyethylene oxide.
7. A composition according to claim 3 where the polymer is PVP/vinyl acetate.
8. A composition according to claim 4 where the PVP is Plasdane K 120 at a 5% concentration in ethanol.
9. A method for cleansing skin which comprises:
 - a. applying to the skin a formulation comprising a lower alcohol or alcohol/water solvent in which is dissolved between 0.1 to 20% by weight/volume of a polymer consisting essentially of a non-acrylate, pre-polymerized high molecular weight, dermatologically acceptable, adhesive polymer;
 - b. allowing the formulation to dry to form an applique; and
 - c. removing the applique.
10. The method of claim 9 where the the dried applique is removed by contacting it with adhesive tape and pulling the applique and tape from the skin.
11. The method of claim 10 where the polymer is polyvinyl pyrrolidone (PVP), PVP/vinyl acetate, alkylvinyl ethers, alkylvinyl ether/maleic acids and acid salts, or carboxymethyl celluloses.
12. The method of claim 11 where the solvent is an alcohol/water mixture where the alcohol is methanol, ethanol or isopropanol.
13. The method of claim 12 where the polymer is PVP having a molecular weight of about 2 million
14. The method of claim 12 where the polymer is methylvinyl ether/maleic anhydride having a molecular weight between 18,000 and 80,000.
15. The method of claim 12 where the polymer is polyethylene oxide.
16. The method of claim 12 where the polymer is PVP/vinyl acetate.
17. The method of claim 9 which results in removing comedones.

INTERNATIONAL SEARCH REPORT

International application No.
PCT/US92/07695

A. CLASSIFICATION OF SUBJECT MATTER

IPC(5) :B08B 7/00
US CL :134/4

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

U.S. : 134/4; 252/DIG. 5, 315.1; 424/70, 59

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)

APS: Search terms - skin clean or face mask, alcohol, solvent, PVP, carboxymethyl, ether, Polyvinyl, vinyl, cellulose, pyrrolidone -

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
Y	US, A, 4,126,142 (SAUTE) 21 November 1978, see Abstract and column 2.	1-17
Y	US, A, 4,586,962 (BARABAS) 06 May 1986, See the entire document.	1-17
A	US, A, 3,645,904 (BEACH) 29 February 1972, See columns 1, 2, 6 and 7.	1-17
A	US, A, 3,708,435 (STARKMAN) 02 January 1973, See columns 11 and 12.	1-17
A	US, A, 4,743,442 (RAAF ET AL.) 10 May 1988, See columns 1, 2 and 6-8.	1-8
A	US, A, 4,508,634 (ELEPANO ET AL.) 02 April 1985, See columns 1, 2, 7 and 8.	1-8
A,P	US, A, 5,139,770 (SHIH ET AL.) 18 August 1992, See Abstract, columns 9 and 10.	1-8
A	US, A, 5,019,174 (WALLACH) 28 May 1991, See columns 1, 2 and 6-8.	1-8
A,P	US, A, 5,143,071 (KEUSCH ET AL.) 01 September 1992, See columns 36-40.	1-8

Further documents are listed in the continuation of Box C. See patent family annex.

* Special categories of cited documents:	*T	later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
A document defining the general state of the art which is not considered to be part of particular relevance	*X*	document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
E earlier document published on or after the international filing date	*Y*	document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art
L document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)	*Z*	document member of the same patent family
O document referring to an oral disclosure, use, exhibition or other means		
P document published prior to the international filing date but later than the priority date claimed		

Date of the actual completion of the international search 14 OCTOBER 1992	Date of mailing of the international search report 03 DEC 1992
--	---

Name and mailing address of the ISA/ Commissioner of Patents and Trademarks Box PCT Washington, D.C. 20231	Authorized officer <i>Edward Squillante</i> EDWARD SQUILLANTE VSH
Facsimile No. NOT APPLICABLE	Telephone No. (703) 308-3318