



US00D831739S

(12) **United States Design Patent** (10) **Patent No.:** **US D831,739 S**
Iinuma et al. (45) **Date of Patent:** **** Oct. 23, 2018**

(54) **INK CARTRIDGE FOR PRINTER**
(71) Applicant: **Canon Kabushiki Kaisha**, Ohta-ku, Tokyo (JP)
(72) Inventors: **Keisuke Iinuma**, Yokohama (JP); **Tatsuo Nanjo**, Kawasaki (JP); **Keiichiro Tsukuda**, Yokohama (JP); **Yasuo Kotaki**, Yokohama (JP)
(73) Assignee: **Canon Kabushiki Kaisha**, Tokyo (JP)
(**) Term: **15 Years**
(21) Appl. No.: **29/599,876**
(22) Filed: **Apr. 7, 2017**

D597,595 S * 8/2009 Nip D18/56
D602,076 S * 10/2009 Saikawa D18/56
D603,895 S * 11/2009 Hattori D18/56
D627,818 S * 11/2010 Ishizawa 347/86
D648,779 S * 11/2011 Saito D18/43
D677,721 S * 3/2013 Kawate D18/56
D681,728 S * 5/2013 Takagi 347/86
D682,929 S * 5/2013 Aoki D18/56
D692,052 S * 10/2013 Ishizawa D18/56
D741,403 S * 10/2015 O'Reilly D18/56
D759,154 S * 6/2016 Williamson D18/43
D761,353 S * 7/2016 Oya D18/56
D762,260 S * 7/2016 Oya D18/56
D762,261 S * 7/2016 Takagiwa D18/56
D767,672 S * 9/2016 Nanjo D18/56
D767,673 S * 9/2016 Nanjo D18/56
D767,674 S * 9/2016 Nanjo D18/56

(Continued)

Primary Examiner — Susan Bennett Hattan
Assistant Examiner — Suzanne E Tisdell
(74) *Attorney, Agent, or Firm* — Fitzpatrick, Cella, Harper & Scinto

Related U.S. Application Data

(62) Division of application No. 29/562,583, filed on Apr. 27, 2016, now Pat. No. Des. 794,708.

(51) **LOC (11) Cl.** **18-02**
(52) **U.S. Cl.**
USPC **D18/56**

(58) **Field of Classification Search**
USPC D18/12, 18, 40, 43, 44, 56, 99
CPC . B41J 15/044; B41J 32/00; B41J 17/32; B41J 33/52; B41J 33/56; B41J 35/36; G11B 23/08757
See application file for complete search history.

References Cited

U.S. PATENT DOCUMENTS



5,619,237 A 4/1997 Inoue et al.
D501,504 S * 2/2005 Yamada 347/86
D509,531 S * 9/2005 Geserich D18/12
D530,365 S * 10/2006 Wakayama D18/56
D538,335 S * 3/2007 Chang D18/56
D549,280 S * 8/2007 Morino 347/86
D570,905 S * 6/2008 Yuen 347/86

(57) **CLAIM**
The ornamental design for an ink cartridge for printer, as shown and described.

DESCRIPTION

FIG. 1 is a front view of an ink cartridge for printer showing our new design;
FIG. 2 is a rear view thereof;
FIG. 3 is a top plan view thereof;
FIG. 4 is a bottom plan view thereof;
FIG. 5 is a left side view thereof;
FIG. 6 is a right side view thereof;
FIG. 7 is a top perspective view thereof; and,
FIG. 8 is a bottom perspective view thereof.
The contrast in shading present in the drawings depicts a contrast in shading in the design.

1 Claim, 4 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

2007/0212151 A1* 9/2007 Innocenti B41J 3/4075
400/244
2008/0151425 A1* 6/2008 Vanderheyden
G11B 23/08728
360/132
2008/0213023 A1* 9/2008 Koizumi B41J 17/32
400/208
2015/0375514 A1 12/2015 Koshikawa et al.

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6



FIG. 7




FIG. 8