




US 20120047562A1

(19) **United States**(12) **Patent Application Publication**
Clement(10) **Pub. No.: US 2012/0047562 A1**(43) **Pub. Date: Feb. 23, 2012**(54) **SOFTWARE APPLICATIONS DISTRIBUTION
METHOD AND APPARATUS****Publication Classification**(51) **Int. Cl.**
G06F 21/22 (2006.01)(52) **U.S. Cl.** **726/4**(57) **ABSTRACT**

The present invention provides for a method and apparatus for distributing digital information, such as software applications, to application users. By providing the digital information on unused memory space of a computer system, and providing a process for authorizing access to the information, the information can be efficiently and cost effectively transferred to users. Traditional inventory and distribution channel difficulties are avoided.

(76) **Inventor:** **Kurt Clement**, Sioux City, IA (US)(21) **Appl. No.:** **13/288,755**(22) **Filed:** **Nov. 3, 2011****Related U.S. Application Data**

(63) Continuation of application No. 11/501,213, filed on Aug. 7, 2006, which is a continuation of application No. 09/518,787, filed on Mar. 3, 2000, now Pat. No. 7,103,598.






Fig. 1




Fig. 2




Fig. 3

SOFTWARE APPLICATIONS DISTRIBUTION METHOD AND APPARATUS

TECHNICAL FIELD

[0001] The present invention is directed toward a method and apparatus for providing digital data, such as software applications, to users. More specifically, the method and apparatus eliminate conventional inventory and distribution inefficiencies by transmitting digital data, along with means for activating that data, as part of originally manufactured computer systems.

BACKGROUND OF THE INVENTION

[0002] Maintenance of inventory has long been a costly and unfortunate reality of providing products to downstream users such as resellers or customers. In order to have products on hand for use, a supplier must either maintain a large enough inventory of products to meet any use requirements, or be able to very accurately predict use requirements and control supplies at the predicted use rate. A key variable, and one often disputed among buyers and sellers in a supply chain, is who will maintain ownership of a product at different points along the supply chain. The owner of a product bears the obvious cost of the time value of money of the product for as long as the product is owned.

[0003] A product supplier sometimes uses offers to maintain ownership of a product until actual time of purchase by an end user as an incentive to convince end sellers to carry the products of the product supplier. Traditionally, this is well known as consignment sales. Consignment sales and highly accurate inventory management, e.g. just-in-time inventory management, are illustrated in the prior art with regard to product distribution in U.S. Pat. Nos. 5,912,818, 5,712,989, and 5,671,362. As the economy has moved from a physical product distribution system to a system that includes distribution of information and information products, inventory issues have also changed.

[0004] Many products of the modern economy are in fact information or digital data products. Examples include computer applications software, computer data files, analog and digital artistic and informational recordings, and the like. A distinct advantage enjoyed by information products over physical products is that information products can be stored with a minimal physical presence. For instance, the product may be stored on a recording media. However, under traditional models of distribution, information products are copied onto multiple physical media and to subsequently distributed just like any other physical product. Another option for information products is to transfer or download an electronic copy of the information over a network such as a local or wide area network, or the Internet. Such transfers, especially with regard to transfer over the Internet, are typically slower than is convenient because of the relatively low bandwidth of the network. Long transfer time is a negative factor that potentially discourages an end user from using an information product.

[0005] One recent product that was introduced on a pay-as-you-use basis was Digital Video Express (DIVX). However, with DIVX a customer had to both buy digital media and pay a license fee each time the content of the media was accessed. This model did not prove commercially viable and new DIVX disks are no longer being sold. A significant problem with DIVX was the need to both buy the media and pay for its use.

[0006] ADOBE SYSTEMS, INC. has sold a product entitled "Type on Call." Type on Call stores many fonts on a CD-ROM. The CD-ROM is distributed to users who then must contact and pay ADOBE in order to receive an access code needed to activate one or more of the fonts. This art is disadvantageous because traditional distribution channels must still be used, and because a user must intervene and request an access code rather than having the computer system automatically control access.

[0007] The email, network, and Internet service provider AMERICA ONLINE, INC. (AOL) has used various methods to distribute its access software. AOL sometimes directly distributes free media containing its access software, and subsequently charges consumers for access to its connections and network. However, the software itself is not the value provided to the customer. The associated service is the value. The software is provided free of charge and "as is." A downside of the AOL model is that it still requires traditional distribution of media or a relatively slow download. Additionally, because there is no value assigned to the software itself, access to the software is not controlled. The access control is with regard to the associated service.

[0008] An improved system would conveniently provide digital data to an end user quickly and with little effort so that the user would be encouraged to use the data. Supply of the data in an improved system would avoid traditional distribution channels as well as physical inventory, thereby reducing costs to all parties. An improved system would also activate automatically in response to access to the digital data and would verify access rights of a user or provide the user with options to activate access rights. Improved systems could also take advantage of unused space in a computer system's non-volatile memory space to cost effectively record data for subsequent transfer.

SUMMARY OF THE INVENTION

[0009] An embodiment of the invention is a method of distributing software with a computer system to a user. An act of the embodiment is to record data on a fixed medium in the computer system. Another act is to provide for transfer of the computer system to the user. Additionally, access to the data is controlled through computer executable code that requires authorization for continued access to the data.

[0010] Another embodiment of the invention is a software module used in a computer system operable to provide controlled access to a software application being stored on a fixed medium in the computer system and being distributed with the computer system. The software module of the embodiment detects use of the software application on the computer system, and verifies authority to access the software application.

[0011] Still another embodiment of the invention is a computer system operable to provide controlled access to a software application stored on a fixed medium in the computer system and distributed with the computer system. The embodiment may include a processor, a memory coupled to the processor, and a software module executable on the processor and the memory. The software module is responsive to the activation of the software application. The software module verifies authority to access the software application. If authority is verified, then uninterrupted access to the software

application is allowed. If authority is not verified, then access to the software application is interrupted.

BRIEF DESCRIPTION OF THE DRAWINGS

[0012] FIG. 1 is a functional block diagram of a computer system of an embodiment of the invention.

[0013] FIG. 2 is a flowchart illustrating acts of an embodiment of the invention.

[0014] FIG. 3 is a flowchart illustrating more specific acts of embodiments illustrated in FIG. 2.

DETAILED DESCRIPTION OF THE INVENTION

[0015] Embodiments of the present invention are directed toward a computer system 1 as illustrated in FIG. 1. The computer system 1 can be any of a number of computer systems capable of carrying out computer executable code. The computer system may be, for example, an INTERNATIONAL BUSINESS MACHINES, INC. type personal computer, or IBM clone, an APPLE COMPUTER, INC. machine, a mainframe or network host computer, a personal digital assistant (PDA) or handheld, or any other computing device having the capacity to process computer executable code.

[0016] The computer system 1 illustrated also includes a processor 2. The processor 2 may be an INTEL CORPORATION or equivalent personal computer processor, SPARC processor, ALPHA processor, MIPS processor, or a processor specialized to execute instructions in any of the computer systems as exemplified above. Similarly, the memory 3 may be system or subsystem memory of any variety that couples to the processor 2 to store programs and/or data in the computer system 1. Example types of useable memory include dynamic random access Memory and programmable read only memory, as well as other types of memory as are commonly used in computer systems.

[0017] The computer system 1 illustrated in FIG. 1 also includes a hard disk drive 4 that provides nonvolatile storage for the system. The hard disk drive 4 would be classified as a "fixed medium" in a computer system. A fixed medium is generally distinguishable from a removable media storage device in that the media, or physical part of the device on which information is stored, typically remains in the drive of the device. Examples of removable media are CD-ROM disks, floppy disks, DVD disks, and magnetic tapes. Among other information, the hard disk drive 4 may store a software module 5 and at least one software application 6. Embodiments of the computer system 1 are operable to provide controlled access to the software application 6 stored on the hard disk drive 4. As will be discussed in further detail below, the software application 6 may be placed on and distributed with the hard disk drive 4 during the manufacturing process. Access control may be provided by the software module 5.

[0018] The software module 5 may be executable on the processor 2 and the memory 3. The software module 5 is responsive to activation of the software application 6 on the computer system 1. That is, some embodiments of the invention are capable of detecting use of the software application 6 and acting on that detection. Upon detection, the software module 5 acts to verify authority to access the software application 6.

[0019] FIG. 2 illustrates a method of distributing software in accordance with an embodiment of the invention. As shown in the first action, block 10, data is recorded on a fixed medium such as a hard disk drive at the manufacturer. In

addition to a hard disk drive, the fixed medium could be another type of nonvolatile storage device as is known in the art of computer system manufacture. For instance, the fixed medium could be a fixed optical disk, a programmable read-only memory, or some other such device capable of storing information in a nonvolatile way. The data that is recorded on the fixed medium may include both software application program instructions and the instructions of the software module. In some embodiments, the software application program instructions enable a software application that does not depend on continued access to a network for fully functional operation. In other words, the software application of these embodiments is a traditional software application such as a word processing application, spreadsheet application, a gaming application, or some other application that does not require continued access to a network. Examples of software applications requiring continued access to a network for full functionality are: Internet or network access applications, multi-player interactive Web based games, and hosted application software. Without a continuing connection to a network, the second set of applications are not enabled to perform their full range of functions. For instance, a Web browser could open and read a JPEG file from a computer system's hard disk drive without a connection to a network, but could not read a JPEG file from an external Web page. Embodiments of the present invention, on the other hand, are capable of continuing fully functional use after only a brief authorizing act via a network.

[0020] In a second act, block 20, a computer system is transferred to a user. The user may be an end-user, such as a consumer, or the user could be a reseller. Transfer of the computer system to a user could be by any delivery means, including conventional means as are well known in the art.

[0021] By the act of block 30, access to the data is controlled through the execution of computer code that implements authorization procedures. The executable computer code may be the code of the software module 5 of FIG. 1 as discussed above. As illustrated in FIG. 3, controlling or verifying rights to access the data, a software application in this case, may be accomplished by first detecting use of the software application, block 31. The software module may be configured to verify authority to access a software application either by verifying the access, permissions of a particular user or by verifying access permissions of a particular accessing computer system. The right to access a software application may be automatically checked when an attempt is made to access the software application. As illustrated in block 32 of FIG. 3, the means by which access is checked is the Internet. Therefore, when the software application is accessed, the code of the software module automatically makes a connection to the Internet and presents a query to a party authorized to grant access to the software application. In some systems, a network link other than a link to the Internet is made in the process of granting access to data such as the software application.

[0022] Once a link is established with a party authorized to grant access to the data, the software module must interact with the authorizing party to determine a user's access authority. See block 33 of FIG. 3. In some cases, the software module will interact with the authorizing party to determine if a particular computer system, rather than a particular user, is authorized to access the data. The authorization process would include the basic steps of identifying the accessed data, identifying the accessing user or computer system, and com-

paring the user or computer system with those authorized to access the data. The response to this query would be recorded in the software module, or in a location the software module could query. Therefore, if a user or system has authority to access the data, the user or system is allowed to continue access to the data, as illustrated in block 34. However, if the user or system is not authorized, access to the data may be interrupted, or the function of the data may be disabled. Alternatively, the user may be presented with an opportunity to set up an account so that future access to the data will be granted. In the circumstance where a user or computer system already has an account, the act of block 33 would be determined by checking whether the user or system had sufficient account credit continue access to the data. Also, rather than inactivating access to data for insufficient account credit, users or systems with adequate qualifications could simply be billed for accessing the data regardless of the account balance.

[0023] As illustrated in block 35 of FIG. 3, a user that does not have authority to access the data may be given the opportunity to set up an account and thereby gain access to the data. If the user does not wish to set up an account, the users ability to access the data may be disabled, block 36. Alternatively, if the user does want to set up an account for continued access to the data, the user will be asked to input personal data and make payment arrangements, block 37. Successful entry of adequate personal data and payment arrangements leads to continued access to the data, block 34. Unsuccessful entry may lead to the disabling of access to the data, as was noted in block 36.

ADVANTAGES OF THE INVENTION

[0024] Embodiments of the invention provide digital data, such as computer application software, to an end user quickly and with little required effort by the user. The user is therefore encouraged to “impulse buy” access to a software application that the user might otherwise forego. Specifically, if a user developed a data processing need during the period of ownership of a computer system, it would be a significant convenience for the user to merely activate a software application that met that need. Once activated the user would merely allow the system to automatically establish or assist in establishing the user’s access permissions. Compared with the traditional process of traveling to a retail outlet to buy a software application, mail ordering a software application that must be both inventoried and delivered, or going through the relatively long process of downloading the software application, embodiments of the invention provide significant advances to the state of the art.

[0025] Additionally, because embodiments of the present invention provide for delivery of digital data on a fixed medium in an originally manufactured computer system, there is absolutely no additional shipping or inventory cost associated with the delivery of the data.

[0026] Most computer systems ship with significant amounts of free digital storage space that typically is not employed by a user until a significant amount of time has passed. Therefore, inclusion of data such as software applications on the free digital storage space is an efficient and valuable contribution to the state of the art. When the balance of free digital storage space is consumed, a user can simply delete the digital data provided with the computer system.

[0027] From the foregoing it will be appreciated that, although specific embodiments of the invention have been

described herein for purposes of illustration, various modifications may be made without deviating from the spirit and scope of the invention. Accordingly, the invention is not limited except as by the claims.

1-29. (canceled)

30. A method of controlling access to a proprietary software application resident on a new handheld computerized apparatus sold to a purchaser, the method comprising:

- receiving an initial request from the purchaser via an input device of the apparatus to access the application;
- substantially automatically accessing a remote third party authorization entity via a network interface of the computerized apparatus in order to obtain an authorization to access the application;
- recording information relating to the authorization on the handheld computerized apparatus for subsequent use;
- accessing the application pursuant to the initial request using at least the authorization; and
- receiving a subsequent request for access to the application from the purchaser; and
- granting access to the application pursuant to the subsequent request based at least in part on the recorded information.

31. A method of distributing application software with a personal computerized apparatus having digital data recorded thereon, the method comprising:

- recording computer readable instructions in the personal computerized apparatus, the instructions configured to, when executed by the personal computerized apparatus, substantially automatically control access to the digital data by at least:
- executing, based at least in part on a first request for access to the digital data, the computer readable instructions, the executing causing the personal computerized apparatus to contact a party authorized to grant access to the digital data, the contact comprising transmission of at least a portion of the digital data; and
- executing, after the party provides authorization to grant access to the digital data, the computer readable instructions, the executing causing the computerized apparatus to record at least a portion of the authorization in the personal computerized apparatus, and to grant a first access to the digital data based on the authorization;

- wherein the recording of the at least portion of the authorization in the computerized apparatus enables subsequent execution of the computer readable instructions, said subsequent execution causing the computerized apparatus to grant a second access to the digital data, substantially automatically, based at least in part on receiving at least a second request for access to the digital data.

32. The method of claim 31, wherein:

- the recordation of the digital data and the recording computer readable instructions are both performed by a first party; and

- the second request is received from a second party, the second party being different from the first party.

33. The method of claim 31, wherein:

- the second access does not require contact with the party authorized to grant access to the digital data; and
- said contact of the party authorized to grant access to the digital data comprises accessing a network connection.

34. The method of claim **33**, wherein recordation of the software application and recording computer readable instructions are each performed during manufacture of the computerized apparatus.

35. The method of claim **33**, wherein recordation of the software application and recording computer readable instructions are each performed prior to sale of the computerized apparatus to a purchaser.

36. The method of claim **33**, wherein recordation of the software application and recording computer readable instructions are each performed based at least on a sale of the software application.

37. The method of claim **33**, wherein the authorization to grant access to the digital data is based at least in part on verifying a permission of the computerized apparatus to access the software application.

38. The method of claim **33**, wherein the software application is selected from a group consisting of: (i) a word processing application, (ii) a spreadsheet application, (iii) a gaming application, and (iv) an Internet access application.

39. The method of claim **31** wherein recordation of the digital data and the computer readable instructions are each performed based at least in part on a purchase request for the personal computerized apparatus.

40. A method of activating digitally rendered information in a portable computerized apparatus, the method comprising:

recording the digitally rendered information on at least one non-volatile storage medium of the portable computerized apparatus by a first entity;

recording computer readable instructions in the portable computerized apparatus; and

controlling access to the digitally rendered information by at least:

based at least in part on receiving a first request from a second entity to access the digitally rendered information, causing automatic execution of the computer readable instructions, the instructions causing (i) access a network link, and (ii) contact of a party authorized to grant access to the digitally rendered information;

when the party provides an authorization to grant access to the digitally rendered information, causing recording of the authorization in the portable computerized apparatus, and causing granting of a first access to the digitally rendered information based at least in part on the recorded authorization; and

based at least in part on receiving a second request from the second entity to access the digitally rendered information, granting at least a second access to the digitally rendered information based at least in part on the authorization recorded in the computerized apparatus.

41. The method of claim **40**, wherein the digitally rendered information comprises a software application, and recording the application is performed based at least in part on a purchase the software application by the second entity.

42. The method of claim **40**, wherein recording the digitally rendered information is performed by the first entity substantially at a time of manufacture or sale of the portable computerized apparatus.

43. The method of claim **42**, wherein said providing an authorization to grant access to the digitally rendered information comprises authenticating the second entity for access the software application.

44. The method of claim **42**, wherein:

the digitally rendered information comprises a software application; and

providing an authorization to grant access to the software application comprises authenticating the portable computerized apparatus for access to the software application.

45. The method of claim **40**, wherein said second entity is different than the first entity; and said second entity is a user of said portable computerized apparatus.

46. The method of claim **45**, wherein providing an authorization to grant access to the digitally rendered information comprises authenticating said user of the portable computerized apparatus for access to the digitally rendered information.

47. The method of claim **45**, further comprising causing presentation at the portable computerized apparatus of an opportunity for said user to qualify for access to the digitally rendered information if the party does not provide authorization to grant access to the digitally rendered information.

48. The method of claim **47**, wherein said opportunity to qualify for access to the digitally rendered information comprises establishment of an account associated with said user, the establishment of the account configured at least in part to effect granting of access to the digitally rendered information.

49. The method of claim **48**, wherein said opportunity to qualify for access to the digitally rendered information comprises billing the user for granting of access to the digitally rendered information.

50. Portable computer readable apparatus having a storage medium, the storage medium comprising at least one software application and at least a plurality of instructions configured to control access to the software application, the plurality of instructions being configured to, when executed, enable substantially automated control of access to the software application by at least:

based at least in part on receiving a first request for access to software application from a user, causing contact via a network link with a party authorized to grant access to the software application;

receiving an authorization to grant access to the software application;

causing recordation of at least a portion of the authorization so as to be accessible for future access to grant access to the software application; and

in response to receiving at least a second subsequent request from a user for access to the software application, granting another access to the software application based at least in part on said recorded at least portion of the authorization.

51. The apparatus of claim **50**, wherein said another access can be granted without requiring further contact with the party.

52. The apparatus of claim **50**, wherein the computer readable apparatus is distributed with a portable computerized device at time of sale thereof.

53. The apparatus of claim **52**, wherein the computer readable apparatus comprises a removable storage apparatus configured to interface with the portable computerized device.

54. The apparatus of claim **52**, wherein the computer readable apparatus comprises a programmable memory device of the portable computerized device.

55. The apparatus of claim **54**, wherein said:
first request for access is provided by a first user of the portable computerized device; and
providing an authorization to grant access to the software application comprises authenticating said user for access the software application.

56. The apparatus of claim **54**, wherein providing an authorization to grant access to the software application comprises authenticating the portable computerized device for access to the software application.

57. The apparatus of claim **56**, wherein said control of access to the software application further comprises causing presentation at the portable computerized apparatus of an opportunity to qualify for access to the software application if the party does not provide authorization to grant access to the software application.

58. Computer readable apparatus for use in a mobile computerized apparatus, the computer readable apparatus comprising a storage medium having a proprietary software application resident therein, the software application configured to:

receive an initial request from a user of the computerized apparatus to access the application;
substantially automatically cause access to a remote third party authorization entity via a network interface of the computerized apparatus in order to obtain an authorization to access the application;
record information relating to the authorization on the computerized apparatus for subsequent use;
access the application pursuant to the initial request using at least the authorization; and
receiving a subsequent request for access to the application from the user; and
grant access to the application pursuant to the subsequent request based at least in part on the recorded information.

59. A method of controlling access to a proprietary software application resident on a new handheld computerized apparatus sold to a purchaser, the method comprising:

configuring the software application so that, in response to receiving an initial request from the purchaser via an input device of the apparatus to access the application, the application:
causes, substantially automatically, an access of a remote third party authorization entity via a network

interface of the computerized apparatus in order to obtain an authorization to access the application;
records information relating to the authorization on the handheld computerized apparatus for subsequent use;
and

accesses the application pursuant to the initial request using at least the authorization; and
configuring the software application so that, in response to receiving a subsequent request for access to the application from the purchaser, the application grants access thereto pursuant to the subsequent request based at least in part on the recorded information.

60. A method of controlling access to a proprietary software application resident on a new handheld computerized apparatus sold to a purchaser, the method comprising:

providing from a first party the software application, the software application configured so that:

(i) in response to receiving an initial request from the purchaser via an input device of the apparatus to access the application, the application:

causes, substantially automatically, an access of a remote authorization entity via a network interface of the computerized apparatus in order to obtain an authorization to access the application;

records information relating to the authorization on the handheld computerized apparatus for subsequent use;
and

accesses the application pursuant to the initial request using at least the authorization; and

(ii) in response to receiving a subsequent request for access to the application from the purchaser, the application grants access thereto pursuant to the subsequent request based at least in part on the recorded information;

receiving a communication from said computerized apparatus pursuant to said substantially automated access of said remote authorization entity requesting said authorization; and

providing at least a portion of said information to said computerized apparatus.

61. The method of claim **60**, wherein said remote authorization entity is controller or operated by said first party.

62. The method of claim **60**, wherein said remote authorization entity is operated by a third party, said third party being authorized to perform said providing of said at least portion of said information to said computerized apparatus.

* * * * *