



US00D346340S

United States Patent [19]

[11] Patent Number: **Des. 346,340**

Cayton et al.

[45] Date of Patent: **** Apr. 26, 1994**

[54] **COMBINED SURVEILLANCE SYSTEM AND FINGER PRINT UNIT FOR AIDING IN THE IDENTIFICATION OF SUSPECTS IN VEHICLES**

4,063,229	12/1977	Welsh et al.	340/571
4,573,042	2/1986	Boyd et al.	340/571
5,148,150	9/1992	White et al.	340/571

[76] Inventors: **John K. Cayton**, 1124 Briarwood Rd., Garland, Tex. 75041; **Patti K. Watson**, 300 N. Cottonwood St., Richardson, Tex. 75080

Primary Examiner—Wallace R. Burke
Assistant Examiner—Marcus Jackson
Attorney, Agent, or Firm—S. Michael Bender

[**] Term: **14 Years**

[57] **CLAIM**

[21] Appl. No.: **804,178**

The ornamental design for a combined surveillance system and finger print unit for aiding in the identification of suspects in vehicles, as shown and described.

[22] Filed: **Dec. 9, 1991**

DESCRIPTION

[52] U.S. Cl. **D10/106**
[58] **Field of Search** 340/565, 567, 568, 571, 340/572, 573, 500, 502, 503, 504, 505, 506; D10/104, 106, 121

FIG. 1 is a front elevational view of the combined surveillance system and finger print unit for aiding in the identification of suspects in vehicles showing my new design;

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 236,443	8/1975	Schroeder	D10/106
D. 305,211	12/1989	Horn	D10/106
D. 318,247	12/1991	Shandelman	D10/106
D. 319,195	8/1991	Belletire et al.	D10/106

FIG. 2 is a rear elevational view thereof;

FIG. 3 is a left side elevational view thereof;

FIG. 4 is a right side elevational view thereof;

FIG. 5 is a top plan view thereof;

FIG. 6 is a bottom plan view thereof; and,

FIG. 7 is a front, top and left side perspective view thereof.




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7

