



(72) KANEKO, KIYOSHI, JP


(71) HUDSON SOFT CO. LTD., JP

(51) Int.Cl.<sup>7</sup> G06F 9/44

(30) 1999/02/26 (11-95301) JP

(54) **SYSTEME DE SELECTION DE PROGRAMME EXECUTABLE**

(54) **EXECUTABLE PROGRAM SELECTING SYSTEM**



(57) An executable program selecting system that can obtain finite periods in the execution of program based on input information like a password. The selection and execution of programs differs with the time of input information. The system has a storage means 1 for storing specified programs, a calendar timer 2 that generates the timing data like the date, the time of day, or their combination, an input means 3 for inputting an external data like the date, the time of day, or their combination, passwords, a judging means 4 for collating timing data generated by the calendar timer 2 with the external data input through the input means 3 and for outputting the result of the calculation, and CPU 5 that outputs control command to control the execution of programs stored in the storage means 1 in accordance with the result of the calculation.

ABSTRACT

An executable program selecting system that can obtain finite periods in the execution of program based on input information like a password. The selection and execution of programs differs with the time of input information. The system has a storage means 1 for storing specified programs, a calendar timer 2 that generates the timing data like the date, the time of day, or their combination, an input means 3 for inputting an external data like the date, the time of day, or their combination, passwords, a judging means 4 for collating timing data generated by the calendar timer 2 with the external data input through the input means 3 and for outputting the result of the calculation, and CPU 5 that outputs control command to control the execution of programs stored in the storage means 1 in accordance with the result of the calculation.

(Fig. 1)

- 1 -

EXECUTABLE PROGRAM SELECTING SYSTEMBackground of the InventionField of the Invention

5           This invention relates to an executable program selecting system capable of obtaining a finite period of time for execution of programs or processing of data based on input information such as a password or the like.

Description of the Background Art

10           With the rapid expansion of information communication network such as personal computer communications or internet, there has been more and more programs such as game software, communication software, editor software, etc. that are created by network users themselves and distributed over the network.

15           These programs are distributed in a form where network users may, upon downloading, use such programs free of charge (what is called freeware), or where network users pay the program creator in due consideration and then continue using those programs after the lapse of a specified trial period (what is  
20 called shareware). In the case of shareware, in particular, it is increasingly becoming a popular practice that the whole program becomes usable only upon inputting a password issued directly by the program creator or indirectly by his or her agent on their confirmation of the money paid in.

25           For most shareware, it is common that once a collating password is input to start up a program, the program becomes usable on a continued basis, unless or until the personal computer used has its models changed or its OS changed, etc.

On the other hand, it has been known that in order to guard

- 2 -

against unauthorized duplication, etc., a provision is made of software protecting technique by which the main program is selected, executed and rendered operable only when a necessary password is input. Also known conventionally has been a  
5 technique used in some type of game software, wherein a password composed of desired characters is input to select and execute one out of a plurality of programs.

According to the conventional techniques for the selection and execution of a computer program by password, no time  
10 limitation has been set for the inputting of the password, and because of this, once a valid password is input, it becomes possible to use the program semi-permanently. For certain types of software, however, it would be the case that its creator might prefer intentionally setting a finite period of time on the use  
15 of a specific program, or requiring the users to select and execute programs or process data that differ or vary depending on the time of their password input.

#### Summary of the Invention

20

Accordingly, one object of this invention is to provide an executable program selecting system whereby a finite period of time is obtained for the execution of programs or processing of data based on input information like a password, etc. Also,  
25 another object of this invention is to provide an executable program selecting system that can select and execute programs or process data that differ or vary depending on the time of the input information.

According to one aspect of this invention, an executable

- 3 -

program selecting system comprises a storage means for storing at least one program; a timing means for generating specified time-related information; an external input means; a calculation means for performing specified calculation based on the  
5 information obtained from both the timing means and the input means; and an execution means for executing the program stored in the storage means on the basis of the output from the calculation means.

According to another aspect of the invention, a system for  
10 selectively processing data comprises a storage means for storing at least one item of data; a timing means for generating specified time-related information; an external input means; a calculation means for performing specified calculation based on the information obtained from both the timing means and the input  
15 means; and a processing means for processing the data stored in the storage means on the basis of the output from the calculation means.

For the storage means, it is possible to use a storage medium such as cartridge, floppy disk, magneto optical disc or  
20 the like that can be attached to or removed from electronic equipment. The storage means may alternatively be an external storage means like an external memory server that is connected through a communication means.

For the external input means, an input means through which  
25 input information like information of handwritten input characters or symbols, or information of electric or optical signals is taken in externally.

On the other hand, it is desirable that the timing means times duration like years, months, days, hours, minutes, or

- 4 -

seconds (hereinafter referred to "time data"). The time data may be at least one of these examples, however, it is needless to say that the time data may be given in an arbitrary combination of years and months, days and hours, hours and minutes, or minutes  
5 and seconds, etc.

For the calculation means, it is possible to put in practical use a synthesizing means which synthetically combines information from the input means and that from the timing means. Here, as one example of the synthesizing process, synthesis on  
10 the basis of calculation by random numbers or mathematical logic can be effected.

Also, information from the timing means can be time data itself, but it may well be the information converted from the time data through calculation by random numbers or mathematical  
15 logic.

The data or programs selectively processed or executed in this invention is not limited to use within the unitary electronic system such as a computer, a game unit or the like storing the data or programs. The data or programs selectively processed  
20 or executed may be transferred to other electronic equipment, for instance, a second storage means provided in a portable game unit.

The processing means or the execution means may be a means selectively processing or executing the data or programs stored  
25 in the storage means, based on information from the timing means, even in the absence of the information from the input means.

The processing means or the execution means may includes a process through which specified collating data associated with the information from the timing means is collated with the

- 5 -

information from the calculation means. In this case, it is desirable that the collating data is generated based on the time data from the timing means and is in a data format capable of comparison with the information from the timing means.

5       The system of this invention is applicable to not only computers but also a large variety of other electronic equipment that stores and executes programs such as communication equipment, home video game units, portable game units cooperating with home video game units or the like.

10

#### Brief Description of the Drawings

The invention will be explained in more detail in conjunction with appended drawings, wherein:

15       Fig. 1 is a block diagram showing an executable program selecting system in a first preferred embodiment according to this invention; and

Fig. 2 is a block diagram showing a second preferred embodiment according to this invention.

20

#### Detailed Description of the Preferred Embodiments

Fig. 1 shows the executable program selecting system in the first preferred embodiment according to this invention. The system is provided with a storage means 1 with specified programs stored in; a calendar timer 2 that generates timing data comprising the date, the time of day, or their combinations; an input means 3 for inputting external data such as the date, the time of day, or their combinations, passwords or the like; a

25

- 6 -

judging means 4 that collates the timing data generated by the calendar timer 2 with the external data input by the input means 3 and then outputs results of the calculation; and CPU 5 that, responding to the results of the calculation, outputs control command for controlling the execution of the program stored in storage means 1. Further, a reference numeral 6 denotes a display unit of the system.

In this first preferred embodiment of the invention, CPU 5 receives the results of calculation performed by judging means 4 and, on the basis of the results, outputs a control command (OK) to execute the program designated from among a plurality of programs stored in storage means 1 or other control commands (NG) to quit the system or the like.

Next, the operation of the first preferred embodiment of the invention will be explained below.

When the external data (the date, the time of day, or their combination, passwords, etc.) input through the input means 3 is input into the judging means 4, the judging means 4 collates the external data with the timing data generated by the calendar timer 2, then outputs the results (for example, it generates positive result if the collating finds agreement between the data, and negative result if the collating finds disagreement) to CPU 5. And then CPU 5 outputs a control command (OK) to execute the program when the collating finds agreement between the data, and if the collating finds disagreement between the data, CPU 5 outputs other control commands (NG) to quit the system or the like. Thus, the program can be selectively executed only when an external data such as a password or the like, in response to the input thereof, agree with the timing data.

- 7 -

Here the external data may be input directly in a time data format capable of direct collating with timing data (normally composed of the date, the time of day, or their combination), or may also be converted into a time data format by the input means 3 or the judging means 4, after the external data is input in a password or any other data format and before the external data is collated with the timing data.

Further, the judging means 4 may be designed such that it first collates the external data with other data associated with a certain period (hereinafter called a designated period) which is separately designated by the calendar timer 2, and then judges whether they agree or otherwise.

In the first preferred embodiment of the invention, the program to be stored in storage means 1 and executed selectively may not necessarily be limited to one in its number, but may be such that a plurality of programs are stored and either one or more of them are executed selectively. In the latter case, by associating a plurality of different designated periods with a plurality of different programs, respectively, it is possible to selectively execute one or more specified programs that are associated with a designated period only when the external data and the specified designated period agree with one another. Thus, for instance in a home video game unit, a function can be realized wherein application program A is run when a password, etc. is input during a designated period and another application program B is run when a password, etc. is input during another designated period after the former designated period.

Furthermore, for another method for designating a designated period by calendar timer 2, it is also possible to

- 8 -

utilize the results of judgement by the judging means 4. That is, depending on the results of judgement by the judging means 4, a configuration may be applicable wherein the designated period to be referred to in response to the next input of the external data is set differently. Needless to say, in this case also, by associating a plurality of different designated periods with a plurality of different programs, it is possible to selectively execute one or more specified programs that are associated with a designated period only when the external data and the specified designated period agree with one another.

At the same time, as an additional function of CPU 5, it may be set wherein the specified program is selectively executed, in response to the results of the collation between the external data output from the judging means 4 and the timing data, and a part or the whole of the parameters (hereinafter called "specified parameter") that acts on the specified program is selectively run. Thus, an advanced selectable execution of programs using specified parameters can be achieved.

Next, a system of the second preferred embodiment according to this invention will be explained below, with reference to Fig. 2.

In the second preferred embodiment, the executable program selecting system shown in Fig. 2 is provided with a storage means 11; a calendar timer 12; an input means 13 that receives external data and outputs time data; a synthesizing means 14 that synthesizes information from the calendar timer 12 with the time data from the input means 13; a program execution means (CPU) 15 that selectively executes programs in response to outputs from the synthesizing means; and a converting device 16 that converts

- 9 -

timing data generated by the calendar timer 12 into converted information through calculation by specified random numbers or mathematical logic. In addition, stored in the storage means 11 are: a data synthesizing program 111 for having the  
5 synthesizing means 14 execute the specified synthesizing processing on the basis of the outputs from the calendar timer 12 (time data I) and/or on the basis of the outputs from the converting device 16 and the outputs from the input means 13 (time data II); a collation program 112 that is executed on the basis  
10 of collating data generated by a collating data generating means 113 in response to the outputs from the calendar timer 12; and executing programs 114 comprising executing programs A and B.

Then, the operation of the system in the second preferred embodiment of this invention will be explained below.

15 When external data such as a password or the like is input in the input means 13, the input means 13 outputs specified time data 2 to synthesizing means 14. On the other hand, an output from the calendar timer 12 (time data 1) is output directly to synthesizing means 14, and at the same time output to synthesizing  
20 means 14 after the time data is converted through the converting device 16 by calculation using random numbers or mathematical logic. The synthesizing means 14, based on the time data I and/or on the information derived from the conversion at converting device 16 and the time data II, carries out specified  
25 data synthesis by the data synthesizing program 111 stored in the storage means 11. The data generated by the synthesizing means are hereinafter referred to as "data to be collated".

Next, other output from the calendar timer 12 is input to the collating data generating means 113, where collating data

- 10 -

are generated associated with the time data of the calendar timer 12. The collating program 112 stored in the storage means 11 is run on the basis of the collating data.

5 The program execution means 15 collates the output from synthesizing means 14 (data to be collated) with the output from the synthesizing data generating means 113 (collating data), then executes selectively executing programs A or B stored in the storage means 11 in accordance with the collation results.

10 In this second preferred embodiment of the invention, the data to be collated is information associated with the time data I which is the output from the calendar timer 12 and/or the time data II which is the output from the input means 13. Accordingly, by constituting appropriately the data synthesizing program 111 and/or the collating program 112 stored in storage means 11, it  
15 is possible to execute selectively and exclusively the desired executing program from among executing programs 114 with a finite period in response to the external input.

Particularly, when converting the time data of the calendar timer 12 through converting device 16, the time data can be  
20 converted at random based on calculation by specified random numbers and mathematical logic. Therefore, a random selection/execution of programs can be achieved because the data to be collated is generated at random in the synthesizing means 14 even if a plurality of selected executing programs associated  
25 with each other in time series are set at the time of programming. Thus, unpredictableness of selection/execution of executing programs can be amplified and the game software for such as home video games, computer games, and portable games can be more entertaining.

- 11 -

In the second preferred embodiment of this invention, the executing program to be selected was explained to be either executing program A or B, but the system can be set so that it performs to select both. Moreover, in place of executing  
5 programs, data that are referred to by the programs being performed can be set to be selected. In addition, the generation of collating data by the collating data generating means 113 is not an absolute necessity. The collating program can be set so that it directly uses the information from the calendar timer.

10 The system in the second preferred embodiment of this invention is specifically suited to use wherein a portable game unit is connected to a home video game unit and in which data or programs stored in a first storage means (a storage medium) that is mounted on or attached to the home video game unit are  
15 then selected and transferred to a second storage means of a portable game unit. More specifically, the storage means 11 may be the first storage means such as a memory device housed in a cartridge capable of being attached to or being removed from a home video game unit, a CD-ROM mounted on said game unit or the  
20 like. The program executing means 15 can transfer the programs to be selected and executed to the second storage means of the portable game unit (not shown), by way of a transfer means (also not shown). Additionally, the data or programs which have been transferred to the portable game unit can have their available  
25 time or available period limited if desired. In this case, as for the means for transferring to be taken, signal forms can be either of electric signals, light signals, radio signals, etc., and the transfer media to be used may be of any type.

In both first and second preferred embodiments of this

- 12 -

invention, the judging means 4 and the synthesizing means 14 are designed so that they may judge or synthesize in response to outputs from the input means 3 and 13, respectively, however, even in the absence of inputs through the input means, the judging  
5 means 4 and the synthesizing means 14 can be set so as to selectively execute programs based only on information from the calendar timers 2 and 12, respectively.

As explained above, according to the executable program selecting system of this invention, the system comprises a  
10 storage means for storing at least one program; a timing means for generating specified time-related information; an external input means; a calculation means for performing specified calculation based on the information obtained from both the timing means and the input means; and an execution means for  
15 executing the program stored in the storage means on the basis of the output from the calculation means. In addition, the system for processing data comprises a storage means for storing at least one item of data; a timing means for generating specified time-related information; an external input means; a calculation  
20 means for performing specified calculation based on the information obtained from both the timing means and the input means; and a processing means for processing the data stored in the storage means on the basis of the output from the calculation means. Thus, it is possible for the system to obtain finite  
25 periods in the execution or processing of programs or data on the basis of other input information like a password. Moreover, since the system is capable of selecting and executing programs or processing data that differ with the timing of password input, it can be suitably applied to home video game units, computer

- 13 -

game units or portable game units and can have game software more entertaining. Hence this invention has enormous value in industrial application.

5 The preferred embodiment of the present invention has been disclosed by way of example and it will be understood that other modifications may occur to those skilled in the art without departing from the scope and the spirit of the appended claims.

- 14 -

claims:

1. An executable program selecting system comprising: a storage means for storing at least one program; a timing means for generating specified time-related information; an external  
5 input means; a calculation means for performing specified calculation based on the information obtained from both said timing means and said input means; and an execution means for executing said program stored in said storage means on the basis of the output from said calculation means.
- 10 2. An executable program selecting system as in claim 1, wherein said storage means is a storage medium such as cartridge, floppy disk, magneto optical disc or the like that can be attached to or removed from electronic equipment.
- 15 3. An executable program selecting system as in claim 1, wherein said storage means an external storage means like an external memory server that is connected through a communication means.
- 20 4. An executable program selecting system as in claim 1, wherein said external input means is an input means through which input information like information of handwritten input characters or symbols, information of electric or optical signals is took in externally.
- 25 5. An executable program selecting system as in claim 1, wherein said timing means times duration like years, months, days, hours, minutes, or seconds as time data.
6. An executable program selecting system as in claim 1, wherein said calculation means is a synthesizing means which synthetically combines the information from said input means and the information from said timing means.

- 15 -

7. An executable program selecting system as in claim 6, wherein said synthesizing means effects synthesis through calculation by random numbers or mathematical logic.

8. An executable program selecting system as in claim 6,  
5 wherein the information from said timing means is the information converted from said time data through calculation by random numbers or mathematical logic.

9. An executable program selecting system as in claim 1,  
10 further comprising a transfer means for transferring the program which has been selectively executed by said execution means to a second storage means.

10. An executable program selecting system as in claim 1, wherein said execution means selectively executes the program stored in said storage means based on the information from said  
15 timing means, even in the absence of information from said input means.

11. An executable program selecting system as in claim 1, wherein said execution means includes a process through which specified collating data associated with the information from  
20 said timing means is collated with the information from said calculation means.

12. An executable program selecting system as in claim 11, wherein said collating data is generated based on said time data from said timing means and is in a data format capable of  
25 comparison with the information from said timing means.

13. A system for selectively processing data comprising: a storage means for storing at least one item of data; a timing means for generating specified time-related information; an external input means; a calculation means for performing

- 16 -

specified calculation based on the information obtained from both said timing means and said input means; and a processing means for processing said data stored in said storage means on the basis of the output from said calculation means.

5        14. A system for selecting processing data as in claim 13, wherein said storage means is a storage medium such as cartridge, floppy disk, magneto optical disc or the like that can be attached to or removed from electronic equipment.

10        15. A system for selecting processing data as in claim 13, wherein said storage means an external storage means like an external memory server that is connected through a communication means.

15        16. A system for selecting processing data as in claim 13, wherein said external input means is an input means through which input information like information of handwritten input characters or symbols, information of electric or optical signals is took in externally.

20        17. A system for selecting processing data as in claim 13, wherein said timing means times duration like years, months, days, hours, minutes, or seconds as time data.

      18. A system for selecting processing data as in claim 13, wherein said calculation means is a synthesizing means which synthetically combines the information from said input means and the information from said timing means.

25        19. A system for selecting processing data as in claim 13, wherein said synthesizing means effects synthesis through calculation by random numbers or mathematical logic.

      20. A system for selecting processing data as in claim 13, wherein the information from said timing means is the

- 17 -

information converted from said time data through calculation by random numbers or mathematical logic.

21. A system for selecting processing data as in claim 13, further comprising a transfer means for transferring said data which has been selectively processed by said processing means to a second storage means.

22. A system for selecting processing data as in claim 13, wherein said processing means selectively processes said data stored in said storage means based on the information from said timing means, even in the absence of information from said input means.

23. A system for selecting processing data as in claim 13, wherein said processing means includes a process through which specified collating data associated with the information from said timing means is collated with the information from said calculation means.

24. A system for selecting processing data as in claim 13, wherein said collating data is generated based on said time data from said timing means and is in a data format capable of comparison with the information from said timing means.

(1/1)

Fig.1





Fig.2

*Collating, Synthesis & Execution*

