

PCTWORLD INTELLECTUAL PROPERTY ORGANIZATION
International Bureau

INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification ⁶ : A61K 47/26	A2	(11) International Publication Number: WO 96/33744 (43) International Publication Date: 31 October 1996 (31.10.96)
(21) International Application Number: PCT/GB96/01014 (22) International Filing Date: 26 April 1996 (26.04.96) (30) Priority Data: 9508691.4 28 April 1995 (28.04.95) GB (71) Applicant: PAFRA LIMITED [GB/GB]; Bentalls, Basildon, Essex SS14 3BU (GB). (72) Inventors: FRANKS, Felix; 7 Wootton Way, Cambridge CB3 9X (GB). AUFFRET, Anthony, David; 4 Froment Way, Milton, Cambridge CB4 6DT (GB). ALDOUS, Barry, John; 89 Hawkins Road, Cambridge CB4 2RB (GB). (74) Agents: FORD, Michael, F. et al.; Mewburn Ellis, York House, 23 Kingsway, London WC2B 6HP (GB).		(81) Designated States: AU, CA, JP, European patent (AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE). Published <i>Without international search report and to be republished upon receipt of that report.</i>
(54) Title: COMPOSITIONS IN GLASSY PHASE, STABILISED BY A SUGAR (57) Abstract In a composition which has an amorphous, undercooled, glassy phase containing a water-soluble or water-swellaable substance in an amorphous form, a sugar, which is capable of existing as a crystalline hydrate, is used as an agent to dehydrate the amorphous phase by crystallisation therefrom, and thereby enhance the glass transition temperature of the residual amorphous phase.		

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AM	Armenia	GB	United Kingdom	MW	Malawi
AT	Austria	GE	Georgia	MX	Mexico
AU	Australia	GN	Guinea	NE	Niger
BB	Barbados	GR	Greece	NL	Netherlands
BE	Belgium	HU	Hungary	NO	Norway
BF	Burkina Faso	IE	Ireland	NZ	New Zealand
BG	Bulgaria	IT	Italy	PL	Poland
BJ	Benin	JP	Japan	PT	Portugal
BR	Brazil	KE	Kenya	RO	Romania
BY	Belarus	KG	Kyrgyzstan	RU	Russian Federation
CA	Canada	KP	Democratic People's Republic of Korea	SD	Sudan
CF	Central African Republic	KR	Republic of Korea	SE	Sweden
CG	Congo	KZ	Kazakhstan	SG	Singapore
CH	Switzerland	LI	Liechtenstein	SI	Slovenia
CI	Côte d'Ivoire	LK	Sri Lanka	SK	Slovakia
CM	Cameroon	LR	Liberia	SN	Senegal
CN	China	LT	Lithuania	SZ	Swaziland
CS	Czechoslovakia	LU	Luxembourg	TD	Chad
CZ	Czech Republic	LV	Latvia	TG	Togo
DE	Germany	MC	Monaco	TJ	Tajikistan
DK	Denmark	MD	Republic of Moldova	TT	Trinidad and Tobago
EE	Estonia	MG	Madagascar	UA	Ukraine
ES	Spain	ML	Mali	UG	Uganda
FI	Finland	MN	Mongolia	US	United States of America
FR	France	MR	Mauritania	UZ	Uzbekistan
GA	Gabon			VN	Viet Nam

COMPOSITIONS IN GLASSY PHASE, STABILISED BY A SUGAR

5 This invention is concerned with compositions containing an amorphous phase which comprises a water-soluble or water-swella-
ble material, in an undercooled amorphous form.

10 A glass is defined as an undercooled liquid with a very high viscosity, that is to say at least 10^{12} Pa.s. Normally a glass presents the appearance of a homogeneous, transparent, brittle solid which can be ground or milled to a powder. In a glass, diffusive processes take place at extremely low rates, such as microns per year. Diffusion-limited chemical or biochemical changes including more than one reacting moiety are severely inhibited.

15 Above a temperature known as the glass transition temperature T_g , the viscosity drops rapidly and the glass turns into a rubber (which is also an undercooled liquid), then into a deformable plastic which at even higher temperatures turns into a mobile fluid. This invention is
20 concerned with glass forming substances which are hydrophilic and water-soluble or water-swella-
ble so that the water will act as a plasticiser. Many hydrophilic materials, both of a monomeric and a polymeric nature either exist as, or can be converted into, amorphous states
25 which exhibit the glass/rubber transitions characteristic of amorphous macromolecules. They have well defined glass transition temperatures T_g which depend on the molecular weight and a molecular complexity of the glass forming substance. T_g is depressed by the addition of diluents.
30 Water is the universal plasticiser for all such hydrophilic materials. Therefore, the glass/rubber transition temperature is adjustable by the addition of water or an aqueous solution.

It is well known to incorporate some form of sugar into a pharmaceutical composition as an excipient. It is also well known to incorporate sugars into compositions containing unstable biological materials which are
5 converted from dilute aqueous solution into dry products by removal of upwards of 99% of water by freeze-drying or evaporative drying from a liquid state.

EP-A-383569 (Pafra: Franks and Hatley) teaches that a variety of carbohydrates are able to stabilise bioproducts
10 against deterioration during drying and thereafter, provided that the preparations are dried to a low residual moisture content, typically 2% by weight, so as to render them into amorphous glasses, with glass transition
15 temperatures lying well above the maximum temperature to which the dried product will be exposed during distribution and storage. It is demonstrated that the glass state ensures long-term stability of so-called labile products, such as isolated enzymes.

When a crystallizable water-soluble material such as a
20 carbohydrate forms an amorphous glass (below the glass transition temperature) or rubber (somewhat above the glass transition temperature) which in either case includes some moisture, the composition is both an undercooled liquid and a supersaturated solution. That is to say it is cooled
25 below the temperature at which crystallization could begin and contains a higher concentration of crystallizable material than a saturated solution. In terms of thermodynamics, such as amorphous composition is a non-equilibrium state with respect to the equilibrium solid,
30 i.e. the crystalline solid state.

An amorphous glassy material, e.g. a glassy carbohydrate therefore relies for its apparent long-term existence on the low probability of crystallization and low rate of crystallization. The actual glass temperature of a

5 mixture depends, among other factors, on the details of its chemical composition and any residual moisture content, with water acting as a plasticiser, depressing the glass temperature. If at any time the glass temperature is exceeded, either by exposure to heat or in consequence of the inadvertent migration of moisture into the product, a carbohydrate excipient may become liable to irreversible phase separation by crystallization. If crystallization occurs, any residual amorphous phase will then be composed of the other components and the moisture, resulting in a major depression of the glass temperature.

15 Thus, a freeze-dried wholly amorphous preparation, containing 2% of a calcitonin gene-related protein, 95% lactose excipient and 3% residual moisture was found to have a glass temperature of 40°C. When the preparation was heated above this temperature, the lactose crystallised irruptively, leaving a solution phase composed of 40% protein and 60% water. The resulting preparation now exhibited a glass temperature (of the solution phase) lying below -40°C and had lost its chemical stability at ambient temperature, and its biological activity.

25 This invention employs the crystallization of certain sugars from an amorphous solid preparation to raise the glass temperature of the preparation and, hence, to enhance the useful storage stability of the preparation.

30 The present invention requires a sugar that is able to crystallise in a hydrated form, with water molecules included in the crystalline lattice as so-called water of crystallization. In general such crystalline forms will contain a stoichiometric amount of water, so that the ratio of water molecules to sugar molecules in such crystals will have constant values.

We have appreciated that such crystallization can be

utilised to abstract water from an amorphous phase, which is the remainder of the composition and moreover do so to an extent which will raise the glass transition temperature of that phase.

5 Accordingly, this invention provides the use of a sugar, which is capable of existing as a crystalline hydrate, in a composition having an amorphous undercooled phase containing a water-soluble or water-swella-
10 ble substance in an amorphous form and also containing moisture, as an agent to dehydrate the amorphous phase by crystallization therefrom, and thereby enhance the glass transition temperature of the residual amorphous phase.

 This sugar, capable of crystallizing as a hydrate will be referred to as a "hydratable sugar". It may serve to
15 raise the glass transition temperature by 5°C or more, possibly 10°C or more.

 When crystallization occurs, any moisture which is not taken up into the crystals becomes part of the residual amorphous phase. Consequently the amount of hydratable
20 sugar in the composition should be large enough to abstract a high proportion of the water, and thereby achieve a residual amorphous phase with a raised glass temperature compared to that of the composition before crystallization.

 The amount of hydratable sugar may be adequate to take
25 all the water into crystals of the hydrate. Alternatively a small amount of water may remain in the residual amorphous phase, but it will generally be required that the amount of this sugar in relation to the total water content of the composition is such that the water content (if any)
30 of the amorphous phase expressed as a percentage by weight of that phase is a smaller percentage than the total water content of the whole composition expressed as a percentage by weight of that whole composition.

Expressed algebraically, such a composition has a total mass m and a total water content w . After crystallization of the sugar, the residual amorphous phase has a mass m' and this phase has a water content w' which, as a percentage of the amorphous phase is

$$\frac{w'}{m'} \times 100\%$$

This percentage is less than

$$\frac{w}{m} \times 100\%$$

which is the total water content as a percentage of the total composition.

A suitable minimum quantity of hydratable sugar to incorporate in a formulation can be found by calculation from an estimate of the water content before crystallization and the ratio of sugar to water in the crystalline hydrate. If the water content of the composition before crystallization is too high it may be necessary to reduce this by more effective drying of the composition.

Preferably the amount of hydratable sugar exceeds the amount which would theoretically be required to take up all the moisture from the composition. For this to be the case, the amount of hydratable sugar relative to moisture should exceed the stoichiometric ratio of sugar molecules to water molecules in the crystals.

Although the required minimum amount of hydratable sugar depends on the nature of this sugar and the moisture content before drying, it will often be the case that the amount of hydratable sugar (calculated as its anhydrous

form) is at least 30%, possibly at least 50% by weight of the total composition.

A composition in which the glass transition temperature of an amorphous phase has been raised by crystallization of hydratable sugar represents a further aspect of this invention. This aspect of the invention can be defined as a composition containing an amorphous undercooled phase which comprises a water-soluble or water-swellaable substance in an amorphous form, said amorphous phase having a glass transition temperature of at least 20°C, much better at least 30°C, said amorphous phase being present together with a crystalline sugar hydrate, the amount of this sugar in relation to the total water content of the composition being such that the water content (if any) of the amorphous phase expressed as a percentage by weight of that phase is a smaller percentage than the total water content of the whole composition expressed as a percentage of the whole composition.

Crystallization of a hydratable sugar in accordance with this invention could be utilised in a composition which would otherwise (i.e. before crystallization) have a glass transition temperature which is lower than desired, e.g. below 20°C. The crystallization would preferably be utilised to raise the glass transition temperature to above 25°C, more preferably above 30°C or even above 40°C. Glass transition temperatures of 60°C and above can be achieved with this invention.

This application of the invention may be employed when drying is carried out by a spray drying procedure, in which a solution to be dried is sprayed into a hot gas stream, as disclosed in European Published Application 520748. It may also be employed with other methods of drying, such as vacuum drying.

Accordingly, in one aspect, this invention provides a method of preparing a composition containing an amorphous glassy undercooled phase which comprises a water-soluble or water-swellable substance in an amorphous form, said
5 amorphous phase having a glass transition temperature of at least 20°C, better at least 30°C or 40°C, comprising the steps of

providing an aqueous solution containing a sugar which is capable of existing as a crystalline hydrate, drying
10 said solution to form a supersaturated amorphous composition with a residual moisture content, and allowing said sugar to crystallize, as the crystalline hydrate, from the supersaturated composition, so as to leave a residual amorphous phase,

15 the amount of said sugar in the composition being sufficient, in relation to the total water content of the composition after drying, that crystallisation of said sugar hydrate removes water from said amorphous phase and reduces the percentage content of water therein.

20 Of course, the invention could be utilised to raise the glass transition temperature in this way even when initial drying achieves a glass transition temperature above 20°C. Abstraction of water from the amorphous phase by crystallisation of the sugar as a hydrate would then
25 cause a further rise in the glass transition temperature.

Achieving a glass transition temperature is desirable because a composition in a glassy amorphous state can then tolerate exposure to higher ambient temperatures, e.g. hot climates, during distribution and storage.

30 It is possible that the extent of crystallisation in a composition would increase when exposed to an increase in ambient temperature, because the higher temperature would increase the rate of crystallisation.

The invention can also be employed to provide protection against migration of moisture into a composition, when it is foreseen that the dried composition with an amorphous glassy phase will or may be exposed to moisture.

The composition would be formulated and dried so as to contain some crystallizable sugar in the amorphous state. In the event that moisture did enter the composition, lowering (or tending to lower) the glass transition temperature to below the storage temperature, this moisture would be taken up by (further) crystallization of hydratable sugar, thereby maintaining (or limiting any deterioration of) the glass transition temperature. This could similarly be useful in a composition required to undergo exposure to water or steam during subsequent processing, e.g. incorporation into another product with the aid of pelleting or tableting.

So, in another aspect, this invention provides a method of preparing a composition containing an amorphous glassy undercooled phase which comprises a water-soluble or water-swellable substance in an amorphous form, said amorphous phase having a glass transition temperature of at least 20°C better at least 30°C, comprising the steps of providing an aqueous solution containing a sugar which is capable of existing as a crystalline hydrate, drying said solution to form a supersaturated amorphous composition with a residual moisture content, and possibly allowing part of said sugar to crystallise, as the crystalline hydrate, from the supersaturated composition, then

handling or storing said composition with exposure to moisture, wherein crystallisation of said sugar hydrate from the amorphous composition removes therefrom at least some moisture absorbed during said handling or storing.

In a development of this invention, it has been found that crystallisation of the sugar hydrate (or partial crystallisation limited by the amount of moisture present) can be induced by contacting the dried composition with means to initiate crystal growth, especially a seed crystal of the sugar hydrate.

A seed crystal which is added to the dried composition, so as to contact its surface, appears to induce crystal growth more effectively than tiny crystal nuclei which may have formed, already embedded within the amorphous glass.

Essential to this invention is a sugar, capable of crystallizing as a hydrate. The crystalline sugar hydrate should in general be stable, i.e. should retain its water of crystallisation at 20°C and preferably should be stable at temperatures up to at least 30°C or 40°C Di- and poly-hydrates are preferred over monohydrates, which take up a smaller proportion of water. However, monohydrates can be useful, notably when the residual water content after drying is low.

Sugars which form crystalline hydrates include, but are not limited to:

α, α -trehalose.2H₂O,
 β, β -trehalose.4H₂O,
melibiose.2H₂O,
melezitose.2H₂O,
raffinose.5H₂O,
mannotriose.3H₂O and
stachyose.4H₂O

In a composition according to this invention, there must be a water-soluble or water-swellaable material which forms a substantial part of the (residual) amorphous phase after crystallization has taken place. It may be provided

in whole or in part by the same sugar that forms a crystalline hydrate, but in an amorphous state.

5 The amorphous phase of the composition may, however, contain a glass forming material which does not exist in any hydrated crystalline state - at least does not do so at temperatures from 10°C to 50°C. Such material may be a carbohydrate, e.g. maltotriose. It may be a polyhydroxy compound which is a carbohydrate derivative such as sorbitol or a chemically modified carbohydrate.

10 When the crystalline sugar hydrate is in a di- or poly-hydrate, the amorphous phase of the composition may possibly contain a glass forming material, e.g. a sugar, which exists as a monohydrate.

15 Another important class of glass forming substances are water-soluble or water-swellable synthetic or natural polymers, such as polyvinyl pyrrolidone, polyacrylamide polyethyleneimine and albumin. Here T_g is a function of the molecular weight. Both of these classes of glass forming substances are suitable for the present invention.

20 A group of glass forming substances which may in particular be employed are sugar copolymers described in US Patent 3,300,474 and sold by Pharmacia under the Registered Trade Mark "Ficoll". This US patent describes the materials as having molecular weight 5,000 to 1,000,000 and
25 containing sucrose residues linked through ether bridges to bifunctional groups which are not themselves carbohydrates. Such groups may be alkylene of 2, 3 or more carbon atoms but not normally more than 10 carbon atoms. The bifunctional groups serve to connect sugar residues
30 together. These polymers may for example be made by reaction of the sugar with a halohydrin or a bis-epoxy compound.

A possibility, therefore, is that a composition will contain a substantial proportion of a glass forming material which cannot exist in a hydrated crystalline state, for instance at least 25% of the composition by weight, together with hydratable sugar. It is possible, but not necessarily the case, that some of this hydratable sugar remains in amorphous form after crystallization.

If a composition contains water-soluble material in the amorphous phase which remains after crystallization, it can be expected that the crystals of the sugar hydrate will be embedded in the glassy amorphous phase, and will be very small.

If a composition has an amorphous phase consisting of a water-swellable but water-insoluble material, it can be expected that the crystals of the sugar hydrate will form at the surface of this material and may be detachable from it.

Compositions with the features of this invention can be utilised to put into a stable form materials which are normally unstable at ambient temperature. The amorphous phase may therefore contain one or more materials which are unstable, so as to improve the storage stability of the materials.

Such material(s) stabilised for storage may potentially be any of wide range of materials which are ordinarily liable to undergo a chemical reaction which is dependent on diffusion of reacting species.

One category of materials to which the invention is applicable is proteins and peptides, including derivatives thereof such as glycoproteins. Such proteins and peptides may be any of: enzymes, transport proteins, e.g. haemoglobin, immunoglobulins, hormones, blood clotting

factors and pharmacologically active proteins or peptides.

Another category of materials to which the invention is applicable comprises nucleosides, nucleotides, dinucleotides, oligonucleotides (say containing up to four
5 nucleotides) and also enzyme cofactors, whether or not these are nucleotides. Enzyme substrates in general are materials to which the invention may be applied.

The invention may also be applied to the storage of synthetic organic compounds which exist in an amorphous
10 form. A number of synthetic compounds, useful as pharmaceuticals, e.g. some antibiotics and which are not proteins, peptides, nucleosides or nucleotides, have only been produced in amorphous forms which may benefit from stabilization during storage.

15 The material for stabilisation and storage may be isolated from a natural source, animal, plant, fungal or bacterial, or may be produced by and isolated from cells grown by fermentation in artificial culture. Such cells may or may not be genetically transformed cells.

20 The material will need to be soluble in aqueous solution, at least to the extent of forming a dilute solution which can be used for incorporation into the glass forming substance, or alternatively the material may be dispersible in aqueous solution.

25 This invention may be employed to store more than one component of a reacting system in a glass. This can be useful for materials which will be required to be used together in, for example, an assay or a diagnostic kit.

30 Storing the materials as a single glassy preparation provides them in a convenient form for eventual use. For instance, if an assay requires a combination of a

substrate, or cofactor and an enzyme, two or all three could be stored in a glass in the required concentration ratio and be ready for use in the assay.

5 If multiple materials are stored, they may be mixed together in an aqueous solution and then incorporated together into a glass. Alternatively they may be incorporated individually into separate glasses which are then mixed together.

10 When multiple materials are stored as a single composition - which may be two glasses physically mixed together as an (apparent) mixture of solids - one or more of the materials may be a protein, peptide, nucleoside, nucleotide or enzyme cofactor. It is also possible that the materials may be simpler species. For instance a
15 standard assay procedure may require pyruvate and NADH to be present together. Both can be stored alone with acceptable stability. However, when brought together in aqueous solution they begin to react. If put together in required proportions in the glassy state they do not react
20 and the glass can be stored.

Another possibility is that the material which is stored may comprise viable biological cells. The composition obtained can then contain the cells in a state of suspended animation, and viable cells can be recovered
25 from storage. Cells which may be placed in a storable condition will preferably be existing as single cells, being either a single cell organism or being cells which are in culture as individual, undifferentiated cells. In particular the cells may be a bacterial culture, which may
30 be isolated from nature or may be a laboratory or industrial bacterial strain including genetically transformed bacteria. The cells may be eukaryotic cells, notably including yeasts but also other fungal cultures. Again the cell culture may be a natural isolate or a

laboratory or industrial culture produced by fermentation including genetically transformed strains.

5 WO 87/187 proposes that materials can be stabilised using trehalose, although the formation of a crystalline hydrate of trehalose is not indicated. It is a feature of this invention that it can be implemented without reliance on α,α -trehalose (or either form of trehalose) as the only material which is present in the composition and capable of forming a glass. For instance a composition might contain
10 some trehalose jointly with another glass-forming material which could be a second sugar. On crystallization of the trehalose as hydrate, the residual amorphous phase would contain the other glass-forming material, possibly mixed with some trehalose, in the glass state.

15 A hydratable sugar will generally be put to use, in accordance with this invention, by drying an aqueous solution of the sugar to an undercooled, supersaturated amorphous state, and then allowing crystallization to occur.

20 As a further aspect, this invention therefore provides a method of preparing a composition containing an amorphous undercooled phase which comprises a water-soluble or water-swellaable substance in an amorphous form, said amorphous phase having a glass transition temperature of at least
25 20°C, much better at least 30°C or 40°C, comprising the steps of

drying an aqueous solution of a sugar which is capable of existing as a crystalline hydrate, to form a supersaturated amorphous composition with a residual
30 moisture content, and allowing this sugar to crystallize, as the crystalline hydrate, from the supersaturated composition, so as to leave a residual amorphous phase,

the amount of the said sugar in relation to the total water content of the composition after drying being such

that the water content (if any) of the residual amorphous phase as a percentage by weight of that phase is a smaller percentage than the total water content of the composition expressed as a percentage of that composition.

5 The undercooled composition containing a hydratable sugar may be formed by drying an aqueous solution or suspension in vacuum or partial vacuum at ambient temperature of about 20°C or at a slightly raised temperature, such as up to 40°C.

10 The composition could possibly be formed by freeze drying to yield an amorphous composition with some residual moisture content.

15 Yet another possibility is spray drying as disclosed in EP-A-520748. In that process, an aqueous solution containing the material to be dried is sprayed into a hot gas stream. The droplets of spray are dried to particles in a glassy or rubbery amorphous state as they travel in the hot gas stream, and are then collected from the gas stream.

20 The gas will generally be air but could be some other gas such as nitrogen.

25 Apparatus to carry out spray drying on a fairly small scale is available from various manufacturers. One is Drytec Ltd, Tonbridge, Kent who manufacture a pilot plant scale dryer. Another manufacturer is Lab-Plant Ltd of Longwood, Huddersfield, England who manufacture a laboratory scale dryer. Process plant to carry out spray drying on a larger scale is also well known.

30 Typically, in spray-drying apparatus, air from the atmosphere is drawn in by a blower and passes over an electric heater after which the air passes down a main

drying chamber. The aqueous mixture to be sprayed is drawn from a supply vessel by means of a peristaltic metering pump and delivered to a spray nozzle. Compressed air is also delivered to the spray nozzle and discharges the aqueous mixture as a fine spray into the stream of hot air.

The droplets of spray are dried to solid powder form in the hot air flow within the main chamber of the apparatus. The air then goes to a cyclone separator which serves to remove entrained solid particles from the air stream. The solid particles which are separated from the air stream in this way are collected as the product.

A significant parameter in the operation of any spray drying apparatus is the temperature of the gas air (or other) stream into which the spray is delivered. For the present invention this inlet temperature of the gas stream will generally exceed 80°C, will usually exceed 90°C and may well lie in the range from 100 or 105°C up to 250 or 300°C. Temperatures will often exceed 125°C.

The aqueous mixture which is delivered into the gas stream may typically contain from 10 up to 50 or even 250 grams per litre of material which will be dried to particles.

After drying to form a supersaturated amorphous composition, crystallization of the hydratable sugar can occur spontaneously if, before crystallization, the composition is above its glass transition temperature. If the glass transition temperature, before crystallization, is above ambient temperature or is close to it, it may be desirable to store the composition at a raised temperature for a time while crystallization occurs.

For this invention, crystallization should take place within a practical time scale. An appropriate temperature

can promote the rate of crystallization. Such a temperature should desirably be chosen such that the amorphous composition is undercooled to a significant extent below the temperature at which the amorphous phase would exist as a saturated solution, yet at the same time is significantly above the glass transition temperature.

The rate at which sugars crystallize from a supersaturated solution varies. The speed at which a particular hydratable sugar crystallizes can be tested by keeping an amorphous composition under conditions where crystallization is expected, and periodically examining samples of the composition in a differential scanning calorimeter.

Additional moisture might then be absorbed by the amorphous phase during further processing. Another possibility is that during storage in a closed container, some moisture will leak into the container through an imperfect closure or seal. Moisture may also be admitted if the container is opened and reclosed.

Whichever way it enters, such moisture will tend to be absorbed by the amorphous phase, lowering its glass transition temperature. However, if the composition already contains some crystalline sugar hydrate and more of the same sugar in an amorphous state, this absorbed moisture will be removed by further crystallisation, so tending to maintain the glass transition temperature of the amorphous phase.

Crystallisation can be induced by adding a crystallisation seed. Typically this is a small crystal of the sugar hydrate.

If a composition contains sufficient of the hydratable sugar, crystallisation may well be arrested when the water

in the amorphous phase has all, or almost all, been removed. The composition will then contain some crystalline sugar hydrate and some of the same sugar in an amorphous state.

5 EXAMPLES

Example 1

A 10% w/w solution of trehalose was dried to constant weight in ambient air (37°C, relative humidity 55%), at atmospheric pressure. After reaching constant weight, the
10 residual moisture content of the dried mixture was measured by a coulometric Karl Fischer titration and found to be 18%. The dried composition (10 mg) was sealed in a stainless steel pan of a differential scanning calorimeter and cooled to -50°C in the calorimeter (Perkin-Elmer DSC-
15 2). The sample was then warmed at 5 deg/min and was found to undergo a glass transition at -20°C. The sample was further warmed and stored at room temperature overnight. It was then reexamined by DSC; the glass temperature had not changed. After storage at room temperature for one
20 week, the sample was cooled once again to -50°C in the calorimeter and subsequently heated at 5 deg/min to 140°C. A single thermal transition was observed, at 97°C, corresponding to the melting of the crystalline trehalose dihydrate. This demonstrates that crystallization can
25 occur spontaneously during storage above the glass transition temperature. In this experiment there was an excess of moisture and so the conversion of trehalose to its crystalline dihydrate proceeded to the maximum extent possible, reaching an equilibrium state with the remaining
30 water presumably existing as a very small amount of saturated solution of trehalose, in contact with the trehalose dihydrate crystals.

Example 2

80.362 mg of a 27.91% by weight aqueous solution of trehalose was placed in a stainless steel pan (Perkin-Elmer DSC) and air dried overnight at 25°C under reduced pressure (800 mb) in a vacuum oven, provided with a cold trap condenser. The pan was reweighed; its weight after drying was 24.386g. The remaining product was composed of 22.429 mg trehalose and 1.957 mg water, i.e. 8% residual moisture. The pan was sealed and placed in a Perkin-Elmer DSC-2 differential scanning calorimeter. The pan was cooled to -44°C at a rate of 10 deg/min. It was then heated at the same rate to 140°C and the heat flow curve was recorded. The only thermal feature observed was a step discontinuity in the heat flow, characteristic of a glass transition, centred on 31°C. This is consistent with the trehalose being present as an amorphous phase plasticised by the water.

Another calorimeter pan containing 22.208 mg of the identical trehalose solution, dried and sealed in a similar manner, was subsequently heated to 80-100°C and kept at this temperature overnight. It was then cooled, placed in the differential scanning calorimeter, cooled to -50°C and rewarmed to 130°C, the heating scan being recorded. Two thermal transitions were observed: a low-amplitude glass transition at 79.8°C and a major melting process (endotherm) at 97°C, characteristic of the melting temperature of trehalose dihydrate. The sample was then once again cooled to -50°C and rewarmed immediately, the heat flow curve being recorded. The only thermal feature observed was a high-amplitude glass transition at 32°C, as previously.

According to Green and Angell in "Phase Relations and Vitrification in saccharide-water solutions and the trehalose anomaly", J Phys Chem 93, 2880-2882 (1989), the glass transition of anhydrous trehalose occurs at 79°C

while that of trehalose with 8% residual moisture occurs at 32°C. Each gram of water requires 9.5 gram trehalose for complete conversion to crystalline dihydrate. The sample used in this example contained 1.98 mg water which would
5 require 18.8 mg trehalose for complete conversion. Actually the sample contained 22.4 mg trehalose. Hence 3.6 mg anhydrous amorphous trehalose remained after crystallization of the dihydrate, consistent with the measured glass temperature of 79.8°C.

10 Example 3

The experimental procedure in Example 1 was repeated with raffinose which is known to form a pentahydrate, melting at 87°C (which is below the glass transition temperature of anhydrous raffinose, at 103°C). The sample
15 used contained 85.924 mg of a 8.5% solution of raffinose. After drying at 25°C (as above) the weight had decreased to 7.772 mg, of which 7.321 mg was raffinose and 0.451 mg water, i.e. 5.8% residual water.

The glass transition was observed at 40°C, showing the
20 material to be completely amorphous. After heating the sealed pan at 80°C overnight and rescanning over the temperature range 27-167°C, the only thermal transition detected was an endotherm at 84°C, consistent with the melting temperature of raffinose pentahydrate. Amorphous
25 sugar in the sample could not be detected because the glass temperature of the amorphous phase lay above the melting temperature of the pentahydrate. The glass transition of the remaining anhydrous sugar (103°C) could not be observed in the presence of the pentahydrate because of the
30 pentahydrate's lower melting point, and the release of water from it into the amorphous phase as it melts.

Example 4

The procedure described in the previous Example was repeated with a sample which, after drying at 25°C, contained 6.406 mg of raffinose and 0.248 mg of water, i.e. 3.7% residual moisture, a large excess of sugar over that required to remove the water. A DSC scan revealed a glass transition at 63°C. After overnight heating at 80°C, the DSC scan showed the melting endotherm of the pentahydrate at 85°C. As in the previous example, the glass temperature of the remaining amorphous sugar could not be observed in the presence of the pentahydrate. After cooling the melt a further DSC scan showed that the original glass temperature of 63°C had been re-established, i.e. the melt had not recrystallised during cooling.

Example 5

A dried composition containing λ -DNA and trehalose was observed to have a glass transition at -12°C, while at 20°C it had a viscoelastic consistency, consistent with an amorphous state above its glass transition temperature. After storage for some time, the preparation was observed to have a low-amplitude glass transition at 20°C, followed by a melting process at 82°C (pure trehalose.2H₂O melts at 97°C).

Example 6

In this and some subsequent Examples, glassy compositions were prepared containing lactate dehydrogenase (LDH) commercially available as Sigma type XI. Its suppliers recommend storage at temperatures below 0°C. European patent 383569 demonstrates that this enzyme can be stored at higher temperatures in a stable state, in an amorphous glass.

1.49 g of raffinose pentahydrate and 1.9 mg LDH were dissolved in 15 ml 0.01M phosphate buffer at pH7. 0.5 ml portions of this solution were dispensed into 20 glass

vials of internal diameter 2.0 cm. The vials were loaded into a vacuum oven equilibrated at 60°C and connected to a vacuum pump through a cold trap at -60°C. Drying began at 200 mbar pressure for one hour, followed by 18 hours drying at 2-4 mbar pressure. After drying, 12 vials were seen to contain amorphous material only, but 8 vials were seen to contain some crystalline material.

The glass transition temperature of material in vials with and without crystallisation was determined by DSC. Enzyme activity was determined by the procedure of Hatley, Franks and Mathias, Process Biochemistry, December 1987 page 170, which is also set out in EP-A-383569.

In vials which contained amorphous material only, the material was found to have a glass transition temperature of 38.2°C and an LDH activity of 7.1 units. In vials where there was partial crystallisation, the LDH activity was higher and DSC showed an endotherm at 93°C which was attributed to a glass transition.

This temperature is above the melting temperature of raffinose pentahydrate. We believe that the glassy amorphous material around the crystalline pentahydrate prevented it from melting at its normal melting temperature and effectively raised its melting point.

In this example only some of the vials displayed crystal formation because the initial formation of a crystal nucleus is a random process. In the vials where crystallisation occurred, it provided two beneficial effects. One of these was the removal of additional water from the remaining amorphous phase, thereby considerably increasing the glass transition temperature. This in turn increased the temperature at which the vials could be stored without degradation of the enzyme. Secondly, the removal of water into the crystalline pentahydrate had

effectively shortened the time during which the enzyme-containing composition was exposed to a temperature higher than its glass transition temperature.

Example 7

5 LDH was dissolved in phosphate buffer solution containing raffinose and dried at 60°C as in the previous example. After drying the vials were not sealed but were exposed either to ambient air or to a constant humidity environment (33% relative humidity over saturated magnesium
10 chloride solution) at a temperature in the range 21-24°C. If there had been no crystallisation it would be expected that moisture would be absorbed from the atmosphere, leading to progressive reduction in the glass transition temperature of the amorphous phase and an eventual decline
15 of enzyme activity.

Vials were assayed for enzyme activity after varying periods of storage. The measured activities were:

Storage at ambient air (temperature range 21-24°C)

	<u>Days of storage</u>	<u>Activity per vial</u>
20	1	7.5
	4	8.0
	7	9.3
	9	7.2
	13	6.9

Storage with exposure to 33% RH (temperature range 21-24°C)

	<u>Days of storage</u>	<u>Activity per vial</u>
	1	8.8
	4	9.6
5	7	8.6
	9	7.6
	13	8.9

In neither case was there any significant loss of enzyme activity. It appears that crystallisation of raffinose pentahydrate began in all vials, either during drying or very early in the storage period. This raised the glass transition temperature and also removed, by continuing crystallisation of raffinose pentahydrate, the atmospheric moisture absorbed by the composition thus maintaining the compositions in a glassy state so that the enzyme remains stable.

The LDH enzyme used in this Example could readily be replaced with other materials such as synthetic hormones or other synthetic organic chemicals.

20 Example 8

Four samples of raffinose pentahydrate were heated in small stainless steel pans until the crystals melted. On cooling, none of the samples recrystallised but all formed an amorphous raffinose solid (calculated moisture content 15% w/v). The pans were then exposed to water vapour by storage in a closed petri dish which contained a reservoir of water. Samples were periodically weighed to monitor moisture uptake, and inspected to see if crystallisation had occurred.

30 The following table sets out the weights of the

samples after varying periods of time. Weights are expressed as a percentage of the initial weight of the sample.

Summary Table

Exposure time (days)	Weight as % of initial			
	A	B	C	D
1	175	178	166	179
2	203	207	193	206
5	224	229	138	222
6	225	220	119	224
7	229	215	100	226
8	237	236	100	218
9	235	238	100	182
12	243	215	100	109

After one day, all of the samples had absorbed a substantial amount of moisture from the atmosphere. For samples A and B this absorption of moisture continued and no crystallisation was observed. Sample C crystallised spontaneously after about five days. As crystallisation of the pentahydrate progressed, excess moisture was liberated to the atmosphere and the sample reverted to its initial weight. For sample D, crystallisation was deliberately induced after six days by the addition of a small crystal of raffinose pentahydrate. The weight was then observed to decline towards the initial weight as crystallisation of raffinose pentahydrate progressed. This demonstrates that crystallisation can be induced deliberately by means of an added seed crystal.

Example 9

50 ml of 10% w/v aqueous raffinose solution was spray-dried using an SD-05 spray drier from Lab-Plant Limited, Huddersfield, England. The hot air stream had an inlet
5 temperature of 200°C and the flow rate was the maximum available from the apparatus, approximately 50 m³/hour. The raffinose solution was delivered into this airstream from a nozzle of 0.5 mm diameter at a flow rate of
10 approximately 150 ml/hour and blown out of the nozzle using the minimum amount of compressed air, approximately 1.4 m³/hour at a pressure of approximately 1 atmosphere above atmospheric.

2.06 gm of dried powder were collected. It was found to have a moisture content of 1.62% by weight. Most of
15 this powder was stored in a 100 ml screwcap bottle while small samples (20-40 mg) were placed in calorimeter pans. A few very small seed crystals of raffinose pentahydrate were added to each pan. The glass transition temperature T_g was measured immediately after spray drying, and after
20 six days storage in the bottle. T_g was also measured for the seeded samples after these were stored in the calorimeter pans for varying periods of time.

After measuring each glass transition temperature by DSC, the sample was progressively heated to a temperature
25 which was sufficient to melt the raffinose. After this the sample was allowed to cool, forming an amorphous glass which contained all the moisture, T_g was measured again. The results are set out in the following Table.

	Sample	Time	T_g	T_g (second measurement
				after melting and cooling)
	Raffinose	immediately after drying	92°C	89°C
	Raffinose seeded	1 day after seeding	91°C	89°C
	Raffinose seeded	2 days after seeding	91°C	89°C
5	Raffinose seeded	3 days after seeding	84°C	81°C
	Raffinose seeded	6 days after seeding	96°C	82°C
	Raffinose (bulk)	6 days after drying	82°C	79°C

10 The declining values of T_g in the second column show that the samples absorbed moisture during the six day period. However, the values in the first measurement of T_g stayed approximately constant, showing that the absorbed moisture was taken out of the amorphous phase by further crystallisation of raffinose pentahydrate from that phase.

Example 10

15 An aqueous solution contained 8% w/v polyvinylpyrrolidone (PVP) and 2% w/v raffinose. It was spray dried under the conditions used in Example 9. T_g of the collected powder was measured immediately and after four days. The results were:

20	Sample	Time	T_g	T_g (second measurement after
				melting and cooling)
	Raffinose + PVP alone	immediately after drying	103°C	99°C
	Raffinose + PVP alone	4 days after drying	104°C	99°C

CLAIMS:

1. Use of a sugar, which is capable of existing as a crystalline hydrate, in a composition having an amorphous undercooled phase containing a water-soluble or water-swellable substance in an amorphous form and also containing moisture, as an agent to dehydrate the amorphous phase by crystallization therefrom, and thereby enhance the glass transition temperature of the residual amorphous phase.
10. 2. Use according to claim 1 wherein the composition is obtained by drying an aqueous solution of the sugar to a supersaturated state.
15. 3. Use according to claim 1 or claim 2 wherein the ratio of the said sugar to water in the composition is greater than the ratio of the said sugar to water in the crystalline hydrate.
4. Use according to claim 1, claim 2 or claim 3 wherein the residual amorphous phase has a glass transition temperature of at least 30°C.
20. 5. Use according to any one of the preceding claims, wherein the amorphous phase of the composition contains a material selected from enzymes, other proteins, nucleosides, nucleotides, di- and oligo-nucleotides, enzyme cofactors, amorphous synthetic organic chemicals and
25 biological cells.
6. A composition containing an amorphous undercooled phase which comprises a water-soluble or water-swellable substance in an amorphous form, said amorphous phase having a glass transition temperature of at least 30°C, said
30 amorphous phase being present together with a crystalline sugar hydrate, the amount of this sugar in relation to the

total water content of the composition being such that the water content (if any) of the amorphous phase expressed as a percentage by weight of that phase is a smaller percentage than the total water content of the composition expressed as a percentage by weight of that composition.

7. A composition according to claim 6 wherein the amorphous phase contains water-soluble material in an amorphous form, and the crystals of the sugar hydrate are embedded in the amorphous phase.
8. A composition according to claim 6 or claim 7 wherein the amorphous phase comprises amorphous sugar which is the same sugar as in the crystalline sugar hydrate.
9. A composition according to any one of claims 6 to 8 wherein the amorphous phase of the composition contains a water-soluble or water-swellable material which is selected from carbohydrates, polyhydroxy compounds and synthetic polymers, and which does not form a stable crystalline hydrate at temperatures in a range from 10°C to 50°C.
10. A composition according to any one of claims 6 to 9 wherein the amorphous phase of the composition contains a material selected from enzymes, other proteins, nucleosides, nucleotides, di- and oligo-nucleotides, enzyme cofactors, biological cells and amorphous synthetic organic chemicals.
11. A method of preparing a composition containing an amorphous undercooled phase which comprises a water-soluble or water-swellable substance in an amorphous form, said amorphous phase having a glass transition temperature of at least 30°C, comprising the steps of
- drying an aqueous solution of a sugar which is capable of existing as a crystalline hydrate, to form a supersaturated amorphous composition, and allowing this

sugar to crystallize, as the crystalline hydrate, from the supersaturated composition, so as to leave a residual amorphous phase,

5 the amount of the said sugar in relation to the total water content of the composition after drying being such that the water content (if any) of the residual amorphous phase expressed as a percentage by weight of that phase is a smaller percentage than the total water content of the composition expressed as a percentage by weight of that
10 composition.

12. A method according to claim 12 which includes a step of storing or handling the composition with exposure to moisture, and crystallisation of the sugar hydrate takes up water absorbed during said storage or handling.

15 13. A method according to claim 12 or claim 13 wherein drying of said aqueous solution is carried out by spraying said solution into a hot gas stream which is at a temperature in the range from 80°C to 300°C, drying the solution to particles while they are travelling in the gas
20 stream, separating the particles from the gas stream and collecting said particles.

14. A method according to any one of claims 12 to 14 wherein drying of said solution forms a said supersaturated amorphous composition with a glass transition temperature
25 below 30°C, after which crystallization of said sugar hydrate therefrom raises the glass transition temperature of said amorphous phase to above 30°C.

15. A method according to any one of claims 12 to 15 including a step of contacting said supersaturated
30 amorphous composition with means to induce crystallization of said sugar hydrate.

16. A method according to any one of claims 12 to 16

wherein said residual amorphous phase comprises amorphous sugar which is the same sugar as in the crystalline sugar hydrate.

17. A method according to any one of claims 12 to 17
5 wherein said solution and said amorphous phase formed by drying of said solution contains a material selected from the group consisting of enzymes, other proteins, nucleosides, nucleotides, di- and oligo-nucleotides, biological cells and amorphous synthetic organic chemicals.