



US00D580974S

(12) **United States Design Patent**
Hammad

(10) **Patent No.:** **US D580,974 S**

(45) **Date of Patent:** **** Nov. 18, 2008**

(54) **COMMUNICATION DEVICE WITH
DIFFERENT GEOMETRICAL ENDS WITH
SHIELD**

(75) Inventor: **Ayman Hammad**, Pleasanton, CA (US)

(73) Assignee: **Visa U.S.A. Inc.**, San Francisco, CA (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/279,370**

(22) Filed: **Apr. 27, 2007**

(51) **LOC (8) Cl.** **19-08**

(52) **U.S. Cl.** **D19/10; D14/436**

(58) **Field of Classification Search** D19/1-25,
D19/34.1-34.5, 35-42, 52; D3/207, 208,
D3/212, 215; D20/22, 24, 27, 28, 40-43;
40/1.5, 6, 27, 107, 119, 120, 124, 299, 358,
40/617, 634, 636, 60, 662; 281/15.1, 33,
281/38; 108/60.61; 248/44.1, 316.5, 460;
229/74; 206/39.6; D11/79; D8/347; D14/356,
D14/434-438

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D18,025 S * 1/1888 Kelsey D19/1

(Continued)

OTHER PUBLICATIONS

U.S. Appl. No. 29/263,221, Hammad.

(Continued)

Primary Examiner—Robert M. Spear

Assistant Examiner—Susan E Krakower

(74) *Attorney, Agent, or Firm*—Townsend and Townsend and Crew LLP

(57) **CLAIM**

The ornamental design for a communication device with different geometrical ends with shield, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a first embodiment of the communication device with different geometrical ends with shield showing our new design;

FIG. 2 is a top plan view thereof;

FIG. 3 is a left side elevational view thereof;

FIG. 4 is a right side elevational view thereof;

FIG. 5 is a bottom plan view thereof;

FIG. 6 is a front elevational view thereof;

FIG. 7 is a rear elevational view thereof;

FIG. 8 is a perspective view of a second embodiment of the design;

FIG. 9 is a top plan view thereof;

FIG. 10 is a left side elevational view thereof;

FIG. 11 is a right side elevational view thereof;

FIG. 12 is a bottom plan view thereof;

FIG. 13 is a front elevational view thereof;

FIG. 14 is a rear elevational view thereof;

FIG. 15 is a perspective view of a third embodiment of the design;

FIG. 16 is a top plan view thereof;

FIG. 17 is a left side elevational view thereof;

FIG. 18 is a right side elevational view thereof;

FIG. 19 is a bottom plan view thereof;

FIG. 20 is a front elevational view thereof; and

FIG. 21 is a rear elevational view thereof.

FIG. 22 is a perspective view of a fourth embodiment of the design;

FIG. 23 is a top plan view thereof;

FIG. 24 is a left side elevational view thereof;


FIG. 25 is a right side elevation view thereof;

FIG. 26 is a bottom plan view thereof;

FIG. 27 is a front elevational view thereof; and,

FIG. 28 is a rear elevational view thereof.

1 Claim, 8 Drawing Sheets



US D580,974 S

Page 2

U.S. PATENT DOCUMENTS

2,176,253 A * 10/1939 Fogarty 40/661.06
2,297,285 A * 9/1942 Bledsoe 40/634
2,540,718 A * 2/1951 Duskin 40/651
2,659,523 A * 11/1953 Comber 141/390
D217,318 S * 4/1970 Walldorf D20/43
D262,895 S * 2/1982 Szabo D20/27
D291,897 S * 9/1987 Flies D20/22
4,738,817 A * 4/1988 Wittwer et al. 264/328.14
D298,777 S * 11/1988 Gorman D24/194
D310,600 S * 9/1990 Holterscheidt D3/207
D315,705 S * 3/1991 Smith D12/400
5,180,192 A * 1/1993 Herbert 283/101
D369,902 S * 5/1996 Petruzzi D3/208
D387,812 S * 12/1997 Liu D20/27
D419,196 S * 1/2000 Lewis et al. D20/35
6,027,597 A * 2/2000 Main 156/253
D430,505 S * 9/2000 Perry D11/133
D441,185 S * 5/2001 Shimizu et al. D3/207
D457,914 S * 5/2002 Royes D19/26
D468,441 S * 1/2003 Pham D24/225
D476,693 S * 7/2003 Yuran D20/22
6,772,804 B1 * 8/2004 Ryan 141/86
D528,248 S * 9/2006 Kalichman D28/10

D533,005 S * 12/2006 Lesniak D6/597
D542,024 S * 5/2007 Bulgari D3/207
D546,676 S * 7/2007 Wagenknecht et al. D9/434
D553,675 S * 10/2007 Hogg D19/9
D554,363 S * 11/2007 Bates et al. D3/207

OTHER PUBLICATIONS

U.S. Appl. No. 29/263,226, Hammad.
U.S. Appl. No. 29/263,220, Hammad.
U.S. Appl. No. 29/269,954, Law et al.
U.S. Appl. No. 29/269,966, Law et al.
U.S. Appl. No. 29/269,950, Law et al.
U.S. Appl. No. 29/266,546, Hammad.
U.S. Appl. No. 29/269,951, Law et al.
U.S. Appl. No. 29/279,367, Hammad et al.
U.S. Appl. No. 29/279,368, Hammad et al.
U.S. Appl. No. 29/279,369, Hammad et al.
U.S. Appl. No. 29/279,371, Hammad.
U.S. Appl. No. 29/277,150, Law et al.
U.S. Appl. No. 29/281,167, Hammad et al.
Color photograph of key fob design, 1 page.

* cited by examiner




FIG. 1




FIG. 3

FIG. 2

FIG. 4



FIG. 6




FIG. 5



FIG. 7




FIG. 8



FIG. 10




FIG. 9



FIG. 11



FIG. 13




FIG. 12



FIG. 14




FIG. 15



FIG. 17




FIG. 16



FIG. 18



FIG. 20




FIG. 19



FIG. 21




FIG. 22



FIG. 24




FIG. 23



FIG. 25



FIG. 27




FIG. 26



FIG. 28