



AU9335997

(12) PATENT ABRIDGMENT (11) Document No. AU-B-35997/93
(19) AUSTRALIAN PATENT OFFICE (10) Acceptance No. 674301

(54) Title
AIDS PROPHYLACTIC LUBRICATING COMPOSITION AND DEVICES FOR ITS USE
International Patent Classification(s)
(51)⁵ A61K 031/155 A61K 045/08
(21) Application No. : 35997/93 (22) Application Date : 05.02.93
(87) PCT Publication Number : WO93/15728
(30) Priority Data
(31) Number (32) Date (33) Country
100881 06.02.92 IL ISRAEL
(43) Publication Date : 03.09.93
(44) Publication Date of Accepted Application : 19.12.96
(71) Applicant(s)
MEDGREEN, INC.
(72) Inventor(s)
MICHAEL PORAT
(74) Attorney or Agent
SHELSTON WATERS , Level 21, 60 Margaret Street, SYDNEY NSW 2000
(57) Claim

1. A prophylactic lubricant composition for use during sexual relations, comprising:

- a) a cosmetically acceptable lubricant effective to reduce friction, thereby reducing the rupture of blood vessels during sexual relations;
 - b) an effective amount of spermicidal antiseptic active against HIV and other viruses, said antiseptic immobilizing the sperm and reacting with vaginal mucosa to form a barrier to the penetration of sperm cells into the uterus; and
 - c) an effective amount of a cosmetically acceptable fungicide to prevent the growth of fungi in the vagina which grow in the absence of natural bacterial flora destroyed by the antiseptic;
- said composition having no substantial side effects.

13. A packet containing a prophylactic lubricant composition for use in sexual relations as in Claim 1, comprising two peel-apart sheets sealed around three edges, the fourth edge having a chevron seal, whereby opening said packet by peeling apart the sheets at the chevron seal will create an opening of one side, leaving the other sealed edges intact.

20. A method for providing protection during sexual relations from infection by HIV and other lethal viruses comprising applying to the sexual organs a prophylactic composition comprising:

a) a cosmetically acceptable lubricant effective to reduce friction thereby reducing the rupture of blood vessels during sexual relations;

b) an effective amount of spermicidal antiseptic active against HIV and other viruses, said antiseptic immobilizing the sperm and reacting with vaginal mucosa to form a barrier to the penetration of sperm cells into the uterus; and

c) an effective amount of cosmetically acceptable fungicide to prevent the growth of fungi in the vagina which grow in the absence of natural bacterial flora destroyed by the antiseptic; said composition having no substantial side effects.



(51) International Patent Classification ⁵ : A61K 31/155	A1	(11) International Publication Number: WO 93/15728 (43) International Publication Date: 19 August 1993 (19.08.93)
(21) International Application Number: PCT/US93/00826 (22) International Filing Date: 5 February 1993 (05.02.93) (30) Priority data: 100881 6 February 1992 (06.02.92) IL (71) Applicant (for all designated States except US): MED-GREEN, INC. [US/US]; 23 Commerce Road, P.O. Box 658, Fairfield, NJ 07006 (US). (72) Inventor; and (75) Inventor/Applicant (for US only) : PORAT, Michael [IL/IL]; 52 Hamitnadev Street, Afeka, 69 690 Tel Aviv (IL). (74) Agents: DENNISON, Donald, L. et al.; Dennison, Meserole, Pollack & Scheiner, 1745 Jefferson Davis Highway, Suite 612, Arlington, VA 22202 (US).		(81) Designated States: AT, AU, BB, BG, BR, CA, CH, CZ, DE, DK, ES, FI, GB, HU, JP, KP, KR, LK, LU, MG, MN, MW, NL, NO, NZ, PL, PT, RO, RU, SD, SE, SK, UA, US, European patent (AT, BE, CH, DE, DK, ES, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, SN, TD, TG). Published <i>With international search report.</i> 674301
(54) Title: AIDS PROPHYLACTIC LUBRICATING COMPOSITION AND DEVICES FOR ITS USE (57) Abstract A prophylactic lubricant composition and devices and method for using same during sexual relations, comprising an effective lubricant and an antiseptic compound effective in destroying the human immunodeficiency virus and other viruses, said antiseptic compound being a spermicide, which also reacts with the vaginal mucosa to form a barrier to the penetration of sperm cells into the uterus, said composition having no substantial detrimental side effects.		

AIDS PROPHYLACTIC LUBRICATING COMPOSITION
AND DEVICES FOR ITS USE

FIELD OF THE INVENTION

The present invention relates to an antiseptic lubricant composition for use in sexual relations. The lubricant composition of this invention reduces the risk of infection by lethal viruses such as herpes simplex (HSC), cytomegalovirus (CMB), influenza A, parainfluenza, hepatitis B (HBV) and particularly human immunodeficiency virus (HIV). The lubricant composition of this invention, in addition to destroying bacteria and viruses, prevents pregnancy by destroying sperm cells and furthermore prevents any surviving sperm cells from entering the uterus. The present invention also relates to a method for reducing the risk of infection by lethal viruses during sexual relations and reducing the risk of pregnancy, and to devices containing antiseptic lubricant.

BACKGROUND OF THE INVENTION

In the last decade, the rapid spread of the HIV and the accompanying concern of its terrifying consequences for mankind, have created a sense of urgency to find both short and long term solutions for this modern plague. There are many ways in which the HIV and some other viruses are transmitted by people. One of the most common forms of transmission is by sexual contact. During intercourse, there are basically three ways in which the HIV can be transmitted from one person to another. One

way is by the friction caused by a penis penetrating into the vagina, which is capable of tearing small and sometimes invisible blood vessels (capillary vessels) of both sexual partners. The blood from these vessels is consequently commingled and the HIV present in one partner is transferred via the blood to the other partner. As far as is known, the HIV develops mainly in the blood cells, although it is transferred and transmitted by body fluids. A second way for transmitting the HIV is through the body fluids which the body secretes during sexual relations. A third way is via the semen. It has been found that the HIV can reside in the spermatophore (sperm-liquid) or even on or in the spermatocide (sperm cell). Thus, the HIV which resides in the sperm may infect the other sexual partner.

HIV, herpes and similar viruses are surrounded by three envelopes. These envelopes are composed of the same material as that of the human cell walls. When the outside envelope of the virus comes into contact with the outer cell wall of humans, the human cell recognizes the virus as part of itself and absorbs it, and proceeds to produce more viruses until they overflow. The excess viruses are then expelled from the human cell and search for other host cells which will continue to produce more viruses.

The most common and so far most effective way of avoiding infection by HIV and other related viruses during sexual relations is by the use of a condom put on prior to copulation. The condom prevents direct contact between

sexual organs and body fluids of the partners and also retains the sperm and prevents it from entering the vagina and eventually the uterus. As far as is known, the HIV cannot penetrate the rubber material from which condoms are
5 made. Only if the condom is defective, for example perforated or otherwise damaged, can transmission of the virus occur. Many people, however, do not like using a condom, mainly because of the odd sensation of indirect contact with the sex partner, which in many cases
10 interferes with and/or diminishes sexual satisfaction.

It is also known that to increase sexual satisfaction during intercourse, people avail themselves of lubricants which may be soluble, like K-Y (a Trademark product of Johnson & Johnson) or a non-soluble fatty lubricant, like
15 soft paraffin. This is particularly the case with atrophy and in elderly people, who use lubricants to complement the diminished quantities of natural lubricants produced as compared with the situation in younger people.

Gels and foams for application before or during
20 sexual intercourse are known, some of which contain spermicides, such as Nonoxynol-9. Many disinfectants are also known to be effective against viruses and are used as antiseptics in topical applications in concentrations that are not harmful to body tissues. Some compositions
25 containing disinfectants are also known for use in disinfecting the sexual organs. These disinfectants, however, have never been used in concentrations sufficient to effectively kill viruses, specifically the HIV virus,



in lubricant compositions for use in sexual relations. The disinfectant compositions are generally used as antiseptics and applied topically for destroying bacteria and/or viruses that already exist in the area to which they are applied and to maintain these areas free of such organisms, to prevent possible future infections such as in the treatment of wounds and burns. Among the known disinfectants are the previously mentioned Nonoxynol-9, Benzalkonium Chloride, Povidone Iodine, Nitrofurazone and chlorhexidine salt. These disinfectants, and others not mentioned but found in medical pharmacopoeias, have similar disinfecting characteristics, although they differ chemically and react differently to body tissues. Many of these disinfectants destroy bacteria as well as viruses. Most of them, however, do not destroy fungi. This presents a problem, since the flora of bacteria prevent the growth of fungi and with the destruction of the bacteria, there is a tendency for the fungi to develop.

One of the problems of using a disinfecting agent in the area of the female genitals is that the tissues in the vagina are normally regenerated frequently and antiseptic agents in general inhibit the vaginal tissues from regenerating.

It is therefore an object of the present invention to ameliorate at least some of the above disadvantages.

DETAILED DESCRIPTION OF THE THE INVENTION

According to one aspect the present invention consists in a prophylactic lubricant composition for use during sexual relations, comprising:

- a) a cosmetically acceptable lubricant effective to reduce friction, thereby reducing the rupture of blood vessels during sexual relations;
- b) an effective amount of spermicidal antiseptic active against HIV and other viruses, said antiseptic immobilizing the sperm and reacting with



vaginal mucosa to form a barrier to the penetration of sperm cells into the uterus; and

c) an effective amount of a cosmetically acceptable fungicide to prevent the growth of fungi in the vagina which grow in the absence of natural bacterial flora destroyed by the antiseptic;

5 said composition having no substantial side effects.

According to a second aspect the present invention consists in a method for providing protection during sexual relations from infection by HIV and other lethal viruses comprising applying to the sexual organs a prophylactic composition comprising:

10 a) a cosmetically acceptable lubricant effective to reduce friction thereby reducing the rupture of blood vessels during sexual relations;

b) an effective amount of spermicidal antiseptic active against HIV and other viruses, said antiseptic immobilizing the sperm and reacting with vaginal mucosa to form a barrier to the penetration of sperm cells into the uterus; and

15 c) an effective amount of cosmetically acceptable fungicide to prevent the growth of fungi in the vagina which grow in the absence of natural bacterial flora destroyed by the antiseptic;

said composition having no substantial side effects.



20 According to a third aspect the present invention consists in a method for preventing transmission of HIV virus as a result of sexual relations comprising applying to the sexual organs a prophylactic lubricant composition comprising:

a) a cosmetically acceptable lubricant effective to reduce friction, thereby reducing the rupture of blood vessels during sexual relations;

25 b) an effective amount of spermicidal antiseptic active against HIV and other viruses, said antiseptic immobilizing the sperm and reacting with vaginal mucosa to form a barrier to the penetration of sperm cells into the uterus; and

c) an effective amount of a cosmetically acceptable fungicide to prevent the growth of fungi in the vagina which grow in the absence of natural bacterial flora destroyed by the antiseptic;

30 said composition having no substantial side effects.




In a preferred embodiment, the cosmetically acceptable fungicide is methylparaben.

The lubricant may be any effective lubricant or combination of lubricants acceptable for cosmetic applications.


- 5 The antiseptic compounds in accordance with this invention are preferably chlorhexidine and its salts, particularly the gluconate or digluconate salts.

Chlorhexidine and its salts are well described in the medical literature as effective against a wide range of viruses and bacteria and have been used in the form of antiseptic solutions, creams and gels for topically -----



disinfecting wounds, skin, mouth, urethra and other parts of the body. Chlorhexidine is known not to accumulate in the blood and does not enter the mammalian cells. When applied to the human genitals in
5 concentrations even up to 4%, it did not produce any undesirable side effects.

During ovulation, the female body produces a mucous in the cervix which selectively allows sperm cells to penetrate to the uterus. At all other times,
10 the cervix does not allow penetration of sperm cells or semen into the uterus. Chlorhexidine, on the other hand, diffuses into the cervical mucous, creating a suspension. This suspension restricts the penetration of sperm cells during ovulation and causes them to
15 rapidly lose their mobility. This occurs at concentrations of chlorhexidine in excess of 0.1%. Thus, by using chlorhexidine as the active



antiseptic compound in accordance with the present invention, the chlorhexidine diffuses into the cervical mucous prior to the ejection of semen and in effect creates the "sealed bag" of the vagina, which will retain all the body secretions including the semen. Any viruses present will be destroyed by the chlorhexidine.

Chlorhexidine, in concentrations above 0.1%, effectively destroys the envelope of the virus and in so doing prevents the virus from penetrating the human cell.

The present invention is premised on the discovery that when selected antiseptically active materials are incorporated in lubricants for use in sexual relations, a number of advantages are obtained which make the sexual relations safe and worry-free, both from the fear of contracting a serious viral disease such as the HIV, and the fear of becoming pregnant. The antiseptic material for use in this invention must be effective in concentrations that are safe and acceptable for use in contact with sexual organs. It must have the ability to kill bacteria and viruses at such concentration levels. It must have spermicidal properties and furthermore must have the additional feature of reaction with vaginal mucosa to seal the cervical passage against penetration of any residual or surviving sperm cells.

Medical and pharmaceutical studies have shown that the HIV develops mainly in the blood cells and is carried by various body fluids to other cells. When the antiseptic lubricant of this invention is applied to the sex organs, a number of advantages are obtained. The

lubricant reduces the friction between the penis and the vaginal wall, thus reducing the rupture of blood cells which might otherwise occur and therefore reducing the amount of blood that is commingled. Any blood that does appear is immediately disinfected by the active antiseptic ingredient. Furthermore, the antiseptic compound also kills any bacteria and viruses in the body fluids which are present or are generated during intercourse. The selected antiseptic compound, being a spermicide as well, destroys the sperm and any virus it may carry inside the vagina, and last but not least, the antiseptic compound reacts with the mucosa to create a barrier in the cervix, preventing any surviving sperm from entering the uterus. Thus, in accordance with the present invention, the vagina is converted into a "sealed bag" by creating a barrier which prevents sperm from passing through the cervix and any viruses present in the sealed vagina will subsequently be destroyed.

The tissues in the vagina are normally regenerated frequently and antiseptic agents are known to often inhibit the vaginal tissues from regenerating. Therefore lubricating compositions for use in the area of the vagina should have the same pH as the vagina itself, in order to eliminate this problem. The antiseptic lubricant composition of this invention should also preferably contain an alcohol or mixtures of alcohols, to enhance the activity of the disinfectant. Preferably water soluble lubricants are used, since any stains that they may form on clothing or sheets are readily washed out with water

and their use is particularly recommended when rubber or latex prophylactics are used, such as condoms or diaphragms. The preferred lubricant is propylene glycol, but other water soluble lubricating materials, as known in the art, such as glycerine, may also be used, alone or in combination. Although water soluble lubricants are preferred, fatty lubricants like soft paraffin may also be used if desired. The antiseptic lubricant composition preferably contains a fungicide such as methylparaben. This particular fungicide is body friendly, does not harm tissues and destroys fungi which develop in the absence of bacterial flora. However, other known and approved fungicides may also be used. In the case where the active antiseptic compound also is a fungicide, it is not required to include a separate fungicide in the lubricant composition.

Compositions for use by people having oral sex can also be prepared by adding a flavour, such as menthol, lemon, cherry or other desired flavour.

A preferred antiseptic lubricant composition in accordance with this invention comprises a mixture of propylene glycol or glycerine, or both, with water, mixed with carbomethyl cellulose (CMC) or hydroxyethyl cellulose (HEC) or both. These are formulated with chlorhexidine gluconate or digluconate and methylparaben. Such a composition can have the following concentrations:

Chlorhexidine salt	0.1% to 5%
Methylparaben	0.1% to 1.0%
Propylene glycol	2.0% to 6%
Glycerine	5.0% to 15%
CMC or HEC	0.5% to 2.0%
Purified water	To complete to 100%

A preferred lubricant composition has the following concentration of ingredients:

Chlorhexidine digluconate	0.2% to 0.6%
Methylparaben	0.15%
Propylene glycol	4.0%
Glycerin	11.0%
HEC	1.25%
Purified water	To complete to 100%

The lubricant composition should be easy to apply and should not disturb the sexual act, without diminishing the antiseptic potency. (Most disinfectants are sensitive to light and should be packaged in sealed containers protected from light and air). It is therefore suggested to package the lubricant in a single use disposable sterile sealed packet. Sterilization can take place by heating the sealed packet for ten hours at 70°C to give a S.A.L. of 10^{-10} .

BRIEF DESCRIPTION OF THE DRAWINGS

The present invention will be further understood and appreciated from the following detailed description taken in conjunction with the drawings, in which:

Figure 1 illustrates a disposable sealed packet for holding sterilized disinfecting gel;

Figure 2 illustrates a diaphragm with a disinfecting lubricant impregnated foam;

Figure 3 illustrates a diaphragm with a disinfecting lubricant capsule; and

Figure 4 shows a squeeze bottle container for holding a lubricating composition in accordance with the invention.

Referring now to Figure 1, there is shown a packet 1 for holding the lubricant composition of this invention. The packet 1 comprises two approximately square sheets 2 sealed together by hot stamping around the edges of the packet. Edges 4, 6 and 8 are sealed at the end of the sheets, whereas the top of the packet is sealed with a chevron seal 10, with an apex 12. The seal on edges 4 and 8 extend to the top of the packet 14 and 16 beyond the upper chevron seal 10, thus leaving the upper edge of the packet 18 unsealed, so that the two sheets forming the packet can be separated with the fingers. The sheets comprising the packet are preferably made of aluminum foil or polyester and have a peelable lacquer on their inner surface to facilitate sealing and separation of the non-sealed areas when the packet is opened. The packet is

of course light and air-impermeable and materials for preparing such similar packets are known in the art.

The packet is used in the following manner. The upper edges 18 of the packet are peeled apart, opening the seal first at the apex 12 and then the entire seal 10, completely opening the packet while the leaving the side and bottom edges completely sealed. The upper sealing edges 14 and 16 prevent the peeling of the packet sheets along the side edges 4 and 8, thus creating a sachet. A penis can now be inserted into the open packet and immersed in the lubricant composition. Alternatively, the lubricating composition contained in the open packet can be spread with the fingers on to the sexual organs.

Devices for use by the female for applying lubricant compositions are illustrated in Figures 2 - 4. Figures 2 and 3 illustrate a diaphragm 20 which has foam sponge 22 adhering to the centre of the diaphragm and which is impregnated with the antiseptic lubricant composition of this invention (Figure 2). Alternatively, a capsule 24, containing lubricant composition, can be adhered to the centre of the diaphragm 20 (Figure 3). When the diaphragm is inserted into the vagina, its outer edges 26 and 28 surround the outer edges of the cervix, blocking the entrance to the uterus. A penis pushing against the diaphragm will first press against the sponge 22 or burst open capsule 24 to release the disinfecting lubricant composition, which will then destroy any bacteria and viruses coming in contact therewith.

Referring now to Figure 4, there is shown a squeezable accordion type cylinder 30 having a length of approximately 5 cm and a diameter of approximately 2.5 cm, generally made of an opaque plastic having a nozzle 31 with a fitted removable cap 33. Prior to copulation, the female removes the cap 33 from the nozzle 31 and inserts the nozzle into the vagina, squeezing the accordion type cylinder 30 to release the antiseptic lubricant composition into the vagina. The composition being in a gel form, it remains in the vagina during intercourse, enabling the antiseptic compound to destroy any bacteria and viruses present or introduced by the male partner.

Other means for dispensing the lubricant composition are available, such as towelettes preimpregnated with lubricant, which can be used to spread or coat the penis or wipe the vagina, or capsules or pessaries containing the lubricant composition.

For maximum safety, it is suggested that the lubricant composition of the present invention be used together with other prophylactic means, such as condoms or diaphragms, to provide an additional safety margin, in case the conventional devices are defective. Furthermore, the increased lubrication provided by the composition of this invention is an additional benefit from its use. The antiseptic lubricant can also be used by doctors and in hospitals to lubricate gloves or instruments before examining the vagina, rectum or mouth.

THE CLAIMS DEFINING THE INVENTION ARE AS FOLLOWS:-

1. A prophylactic lubricant composition for use during sexual relations, comprising:

- 5 a) a cosmetically acceptable lubricant effective to reduce friction, thereby reducing the rupture of blood vessels during sexual relations;
- 10 b) an effective amount of spermicidal antiseptic active against HIV and other viruses, said antiseptic immobilizing the sperm and reacting with vaginal mucosa to form a barrier to the penetration of sperm cells into the uterus; and
- 15 c) an effective amount of a cosmetically acceptable fungicide to prevent the growth of fungi in the vagina which grow in the absence of natural bacterial flora destroyed by the antiseptic;
- said composition having no substantial side effects.

2. A composition as in Claim 1, wherein the antiseptic is chlorhexidine or a salt thereof.

20 3. A composition as in Claim 2, wherein the chlorhexidine salt is the gluconate or digluconate salt.

4. A composition as in Claim 1, wherein the lubricant is selected from the propylene glycol, glycerin and mixtures thereof.

25 5. A composition as in Claim 1, wherein the fungicide is methylparaben.



6. A composition as in Claim 1, having a natural pH corresponding to that of the vagina.

7. A composition as in Claim 1, further comprising an alcohol.

5 8. A composition as in Claim 1, which is water soluble.

9. A prophylactic lubricant composition as in Claim 1, comprising:

	Chlorhexidine salt	0.1% to 5%
	Methylparaben	0.1% to 1.0%
10	Propylene glycol	2.0% to 6%
	Glycerine	5.0% to 15%
	CMC or HEC	0.5% to 2.0%
	Purified water	to 100%.

10. A prophylactic lubricant composition as in Claim 1,
15 containing:

	Chlorhexidine digluconate	0.2% to 0.6%
	Methylparaben	0.15%
	Propylene glycol	4.0%
	Glycerin	11.0%
20	HEC	1.25%
	Purified water	to 100%.

11. A composition as in Claim 1, further comprising a food grade flavoring material.

12. A composition as in Claim 11, wherein the flavoring
25 material is selected from menthol, lemon and cherry.



13. A packet containing a prophylactic lubricant composition for use in sexual relations as in Claim 1, comprising two peel-apart sheets sealed around three edges, the fourth edge having a chevron seal, whereby opening said
5 packet by peeling apart the sheets at the chevron seal will create an opening of one side, leaving the other sealed edges intact.

14. A squeezable accordion type bottle with nozzle containing a prophylactic lubricant composition as in
10 Claim 1.

15. A prophylactic lubricant composition as in Claim 1, impregnated in a towelette, sponge or capsule.

16. A prophylactic lubricant composition as in Claim 1, in the form of a pessary.

15 17. A condom prelubricated with an antiseptic lubricant composition in accordance with Claim 1.

18. A diaphragm comprising means for holding a prophylactic composition of Claim 1 and releasing said composition under pressure.

20 19. A diaphragm as in Claim 18, wherein said means comprises sponge means or capsule means.

20. A method for providing protection during sexual relations from infection by HIV and other lethal viruses comprising applying to the sexual organs a prophylactic
25 composition comprising:



a) a cosmetically acceptable lubricant effective to reduce friction thereby reducing the rupture of blood vessels during sexual relations;

b) an effective amount of spermicidal antiseptic active against HIV and other viruses, said antiseptic immobilizing the sperm and reacting with vaginal mucosa to form a barrier to the penetration of sperm cells into the uterus; and

c) an effective amount of cosmetically acceptable fungicide to prevent the growth of fungi in the vagina which grow in the absence of natural bacterial flora destroyed by the antiseptic;

said composition having no substantial side effects.

21. A method for preventing transmission of HIV virus as a result of sexual relations comprising applying to the sexual organs a prophylactic lubricant composition comprising:

a) a cosmetically acceptable lubricant effective to reduce friction, thereby reducing the rupture of blood vessels during sexual relations;

b) an effective amount of spermicidal antiseptic active against HIV and other viruses, said antiseptic immobilizing the sperm and reacting with vaginal mucosa to form a barrier to the penetration of sperm cells into the uterus; and

c) an effective amount of a cosmetically acceptable fungicide to prevent the growth of fungi in the vagina which grow in the absence of natural bacterial flora destroyed by the antiseptic;

said composition having no substantial side effects.

22. A method as in claim 20 or claim 21, wherein the disinfectant is chlorhexidine or a salt thereof.

23. A prophylactic lubricant composition for use during sexual relations, substantially as herein described.





24. A packet containing a prophylactic lubricant composition for use in sexual relations as in claim 1, substantially as herein described with reference to Figure 1.

25. A method for providing protection during sexual relations from infection by HIV and other lethal viruses which method is substantially as herein described.

DATED this 25th day of October, 1996
MEDGREEN, INC

Attorney: IAN T. ERNST
Fellow Institute of Patent Attorneys of Australia
of SHELSTON WATERS





INTERNATIONAL SEARCH REPORT

International Application No

PCT/US 93/00826

I. CLASSIFICATION OF SUBJECT MATTER (if several classification symbols apply, indicate all) ⁶		
According to International Patent Classification (IPC) or to both National Classification and IPC Int.Cl. 5 A61K31/155		
II. FIELDS SEARCHED		
Minimum Documentation Searched ⁷		
Classification System	Classification Symbols	
Int.Cl. 5	A61K	
Documentation Searched other than Minimum Documentation to the Extent that such Documents are Included in the Fields Searched ⁸		
III. DOCUMENTS CONSIDERED TO BE RELEVANT⁹		
Category ¹⁰	Citation of Document, ¹¹ with indication, where appropriate, of the relevant passages ¹²	Relevant to Claim No. ¹³
Y	J. AM. BOARD FAM. PFACT. vol. 4, no. 1, 1991, pages 33 - 46 R.J. WOOLLEY 'Contraception- a look forward, pt.I: new spermicides and natural family planning.' see the whole document ---	1-21
Y	J. ACQUIR. IMMUN. DEFIC. SYNDR. vol. 2, no. 1, 1989, pages 16 - 20 M.A. HARBISON ET AL 'Inactivation of human immunodeficiency virus by betadine products and chlorhexidine.' see the whole document ---	1-21
Y	GB,A,1 355 636 (W. HURKA) 5 June 1974 see the whole document ---	1-21
	-/--	
¹⁰ Special categories of cited documents: "A" document defining the general state of the art which is not considered to be of particular relevance "E" earlier document but published on or after the international filing date "L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified) "O" document referring to an oral disclosure, use, exhibition or other means "P" document published prior to the international filing date but later than the priority date claimed "T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention "X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step "Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art. "A" document member of the same patent family		
IV. CERTIFICATION		
Date of the Actual Completion of the International Search 29 APRIL 1993		Date of Mailing of this International Search Report 21 5 93
International Searching Authority EUROPEAN PATENT OFFICE		Signature of Authorized Officer KLAVER T.

III. DOCUMENTS CONSIDERED TO BE RELEVANT (CONTINUED FROM THE SECOND SHEET)		
Category *	Citation of Document, with indication, where appropriate, of the relevant passages	Relevant to Claim No.
Y	GB,A,2 004 462 (M. DANON) 4 April 1979 see the whole document ---	1-21
Y	WO,A,9 007 876 (NEW YORK UNIVERSITY) 26 July 1990 see claims 22-31; example 4 -----	1-21

**ANNEX TO THE INTERNATIONAL SEARCH REPORT
ON INTERNATIONAL PATENT APPLICATION NO.**

US 9300826
SA 69864

This annex lists the patent family members relating to the patent documents cited in the above-mentioned international search report.
The members are as contained in the European Patent Office EDP file on
The European Patent Office is in no way liable for these particulars which are merely given for the purpose of information.

29/04/93

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
GB-A-1355636	05-06-74	AT-A- 318152	25-09-74
		AU-B- 468341	08-01-76
		AU-A- 5869973	30-01-75
		BE-A- 802957	16-11-73
		CA-A- 1026232	14-02-78
		DE-A, B 2310989	14-02-74
		FR-A, B 2194448	01-03-74
		NL-A- 7306479	04-02-74
		SE-B- 397268	31-10-77

GB-A-2004462	04-04-79	JP-A- 54064629	24-05-79

WO-A-9007876	26-07-90	US-A- 5149718	22-09-92
		AU-A- 5085190	13-08-90
		CA-A- 2025662	20-07-90
		EP-A- 0409957	30-01-91
		JP-T- 3504815	24-10-91
