



(86) Date de dépôt PCT/PCT Filing Date: 2013/10/13  
(87) Date publication PCT/PCT Publication Date: 2014/05/01  
(45) Date de délivrance/Issue Date: 2022/07/26  
(85) Entrée phase nationale/National Entry: 2015/03/26  
(86) N° demande PCT/PCT Application No.: US 2013/064747  
(87) N° publication PCT/PCT Publication No.: 2014/066073  
(30) Priorité/Priority: 2012/10/26 (US13/661,145)

(51) Cl.Int./Int.Cl. *C11D 1/10* (2006.01),  
*B08B 3/08* (2006.01)  
(72) Inventeurs/Inventors:  
DAHLQUIST, ERIN JANE, US;  
SILVERNAIL, CARTER MARTIN, US;  
LENTSCH, STEVEN EUGENE, US;  
EVERSON, TERRENCE P., US  
(73) Propriétaire/Owner:  
ECOLAB USA INC., US  
(74) Agent: BORDEN LADNER GERVAIS LLP

(54) Titre : DETERGENT DE LAVAGE DE VAISSELLE A BASE TEMPERATURE SANS PHOSPHORE POUR REDUIRE L'ACCUMULATION DE TARTRE  
(54) Title: PHOSPHORUS FREE LOW TEMPERATURE WARE WASH DETERGENT FOR REDUCING SCALE BUILD-UP

(57) Abrégé/Abstract:

Phosphorus-free detergent compositions are provided. Detergent compositions including an aminocarboxylate, water conditioning agent, source of alkalinity and water beneficially do not require the use of additional surfactants and/or polymers to provide suitable detergency and prevent scale build-up on treated surfaces. The detergent compositions are used with a sanitizer to employ the phosphorus-free detergent compositions for use as low temperature ware wash detergents that beneficially reduce scale build-up. Methods of employing the phosphorus-free detergent compositions are also provided.

## (12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property  
Organization  
International Bureau



(43) International Publication Date  
1 May 2014 (01.05.2014)

(10) International Publication Number  
**WO 2014/066073 A1**

- (51) **International Patent Classification:**  
*C11D 1/10* (2006.01) *B08B 3/08* (2006.01)
- (21) **International Application Number:**  
PCT/US2013/064747
- (22) **International Filing Date:**  
13 October 2013 (13.10.2013)
- (25) **Filing Language:** English
- (26) **Publication Language:** English
- (30) **Priority Data:**  
13/661,145 26 October 2012 (26.10.2012) US
- (71) **Applicant:** ECOLAB USA INC. [US/US]; 370 N. Wabasha Street, St. Paul, Minnesota 55102 (US).
- (72) **Inventors:** DAHLQUIST, Erin Jane; 5 Crusader Avenue E, Unit D, West St. Paul, Minnesota 55118 (US). SILVERNAIL, Carter Martin; 705 Chicago Drive, Burnsville, Minnesota 55306 (US). LENTSCH, Steven Eugene; 21 Orme Ct., St. Paul, Minnesota 55116 (US). EVERSON, Terrence P.; 560 Country Court, Eagan, Minnesota 55123 (US).
- (74) **Agent:** SORENSEN, Andrew D.; Ecolab USA Inc., 655 Lone Oak Drive, Eagan, Minnesota 55121 (US).

(81) **Designated States** (*unless otherwise indicated, for every kind of national protection available*): AE, AG, AL, AM, AO, AT, AU, AZ, BA, BB, BG, BH, BN, BR, BW, BY, BZ, CA, CH, CL, CN, CO, CR, CU, CZ, DE, DK, DM, DO, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, GT, HN, HR, HU, ID, IL, IN, IR, IS, JP, KE, KG, KN, KP, KR, KZ, LA, LC, LK, LR, LS, LT, LU, LY, MA, MD, ME, MG, MK, MN, MW, MX, MY, MZ, NA, NG, NI, NO, NZ, OM, PA, PE, PG, PH, PL, PT, QA, RO, RS, RU, RW, SA, SC, SD, SE, SG, SK, SL, SM, ST, SV, SY, TH, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, ZA, ZM, ZW.

(84) **Designated States** (*unless otherwise indicated, for every kind of regional protection available*): ARIPO (BW, GH, GM, KE, LR, LS, MW, MZ, NA, RW, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian (AM, AZ, BY, KG, KZ, RU, TJ, TM), European (AL, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HR, HU, IE, IS, IT, LT, LU, LV, MC, MK, MT, NL, NO, PL, PT, RO, RS, SE, SI, SK, SM, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, KM, ML, MR, NE, SN, TD, TG).

**Published:**

— with international search report (Art. 21(3))

(54) **Title:** PHOSPHORUS FREE LOW TEMPERATURE WARE WASH DETERGENT FOR REDUCING SCALE BUILD-UP

(57) **Abstract:** Phosphorus-free detergent compositions are provided. Detergent compositions including an aminocarboxylate, water conditioning agent, source of alkalinity and water beneficially do not require the use of additional surfactants and/or polymers to provide suitable detergency and prevent scale build-up on treated surfaces. The detergent compositions are used with a sanitizer to employ the phosphorus-free detergent compositions for use as low temperature ware wash detergents that beneficially reduce scale build-up. Methods of employing the phosphorus-free detergent compositions are also provided.



WO 2014/066073 A1

**TITLE: PHOSPHORUS FREE LOW TEMPERATURE WARE WASH  
DETERGENT FOR REDUCING SCALE BUILD-UP**

**FIELD OF THE INVENTION**

5           The present invention relates generally to the field of ware wash detergents and methods of employing the same. The invention more specifically relates to phosphorus-free detergent compositions which replace phosphate and/or other phosphorus containing detergent materials. In particular, the phosphorus-free detergent compositions are low temperature ware wash detergents that beneficially  
10       reduce scale build-up. Methods of employing the detergent compositions are also disclosed.

**BACKGROUND OF THE INVENTION**

          Alkaline detergents, particularly those intended for institutional and  
15       commercial use, in combination with the presence of hard water commonly result in heavy scale formation that is difficult to control. The level of hardness in water can have a deleterious effect in many systems. For example, calcium carbonate precipitation on the surface of ware can negatively impact the aesthetic appearance of the ware, giving an unclean look. In general, hard water refers to water having a  
20       level of calcium and magnesium ions in excess of about 100 ppm expressed in units of ppm calcium carbonate. Often, the molar ratio of calcium to magnesium in hard water is about 2:1 or about 3:1. Although most locations have hard water, water hardness tends to vary from one location to another.

          The control of such water hardness presents additional difficulty in ware  
25       wash applications employing high alkalinity and/or use at elevated temperatures. Therefore, there is a need for use of chelating agents and/or threshold agents for use with high alkaline detergent compositions because of their ability to solubilize metal salts and/or prevent water hardness from scaling and/or precipitating. Traditionally, phosphates have been formulated in products as sequestrants for water hardness.  
30       However, in recent years, attention has been directed to producing highly effective detergent compositions having reduced amounts of phosphorus, including phosphates. Phosphates typically serve multiple purposes in detergent

compositions, for example, to remove and suspend soils, and act as an effective hardness sequestrant. Due to various ecological concerns, further work has recently been directed to replacing phosphorous-containing compounds in detergents. In addition, nitrilotriacetic acid (NTA)-containing aminocarboxylate components used  
5 in place of phosphorous-containing compounds in some instances as a binding agents and/or sequestrants are believed to be carcinogenic. As such, their use has also been curtailed in detergent compositions.

There is also a need for continued development of low temperature dish washing machines and detergent compositions suitable for use therein. Beneficially,  
10 reducing temperatures employed in dish washing or ware wash machines results in energy savings and other benefits for consumers.

Accordingly, it is an objective of the present invention to develop detergent compositions to address at least one of these problems and/or to offer detergent compositions with usage, environmental and/or safety benefits.

15 Accordingly, it is an objective of the claimed invention to develop detergent compositions having phosphorus eliminated from the formulations.

A further object of the invention is a low temperature detergent compositions being phosphorus-free and reducing and/or eliminating scale build-up of treated surfaces.

20 A further object of the invention is to develop methods of employing phosphorus-free detergent compositions under low temperature ware washing conditions that further eliminate scale build-up on treated surfaces.

#### **BRIEF SUMMARY OF THE INVENTION**

25 An advantage of the invention is the use of phosphorus-free detergent compositions at low temperatures, such as from about 120°F to about 140°F, without significant scale build-up on treated surfaces. It is an advantage of the present invention that the phosphorus-free detergent compositions provide beneficial scale removal and/or prevention at low temperatures. According to the invention, it  
30 is entirely unexpected that the removal of phosphates from detergent compositions would provide both an improved safety profile for a detergent composition along

with having an additional beneficial effect on reducing hard water scale on treated surfaces at low temperatures.

In an embodiment, the present invention provides a phosphorus-free detergent composition including from about 0.1-15 wt-% of an aminocarboxylate, from about 0.1-15 wt-% of a water conditioning polymer, from about 20-80 wt-% of an alkalinity source, and from about 20-80 wt-% of water, wherein the composition is phosphorus-free, does not contain surfactants and reduces or eliminates scale build-up on treated surfaces.

In a further embodiment, the present invention provides a phosphorus-free detergent composition including from about 1-15 wt-% of methylglycinediacetic acid, from about 0.1-15 wt-% of a water conditioning polymer, from about 40-80 wt-% of sodium hydroxide, and from about 30-80 wt-% of water. In an aspect, the composition is phosphorus-free, does not contain surfactants and reduces or eliminates scale build-up on treated surfaces. In a further aspect, the ratio of the methylglycinediacetic acid to the water conditioning polymer is from about 1:1 to about 5:1. In a still further aspect, the composition does not include phosphorus-containing builders, chelants and/or sequestrants.

In a still further embodiment, the present invention is a method of removing scale during a wash cycle. The method may include diluting a phosphorus-free detergent concentrate to form a detergent use solution. The detergent use solution includes an aminocarboxylate constituting between about 1 ppm to about 250 ppm of the detergent concentrate; a water conditioning agent constituting between about 1 ppm to about 250 ppm of the detergent concentrate; an alkalinity source constituting between about 10 ppm to about 500 ppm of the detergent concentrate; and water. In certain aspects the detergent wash solution has a pH of at least about 8, or preferably at least about 10. The detergent wash solution formed by diluting the detergent concentrate thereafter contacts a surface or substrate to wash the surface or substrate. In an aspect, the temperature of the detergent wash solution in the washing step is not heated above about 140° F, and provides sufficient use levels of the aminocarboxylate to prevent the formation of precipitates in hard water sources.

While multiple embodiments are disclosed, still other embodiments of the present invention will become apparent to those skilled in the art from the following detailed description, which shows and describes illustrative embodiments of the invention. Accordingly, the drawings and detailed description are to be regarded as  
5 illustrative in nature and not restrictive.

### **DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENT**

The embodiments of this invention are not limited to particular ware wash detergent compositions, which can vary and are understood by skilled artisans. It is  
10 further to be understood that all terminology used herein is for the purpose of describing particular embodiments only, and is not intended to be limiting in any manner or scope. For example, as used in this specification and the appended claims, the singular forms "a," "an" and "the" can include plural referents unless the content clearly indicates otherwise. Further, all units, prefixes, and symbols may be  
15 denoted in its SI accepted form. Numeric ranges recited within the specification are inclusive of the numbers defining the range and include each integer within the defined range.

So that the present invention may be more readily understood, certain terms are first defined. Unless defined otherwise, all technical and scientific terms used  
20 herein have the same meaning as commonly understood by one of ordinary skill in the art to which embodiments of the invention pertain. Many methods and materials similar, modified, or equivalent to those described herein can be used in the practice of the embodiments of the present invention without undue experimentation, the preferred materials and methods are described herein. In describing and claiming  
25 the embodiments of the present invention, the following terminology will be used in accordance with the definitions set out below.

The term "about," as used herein, refers to variation in the numerical quantity that can occur, for example, through typical measuring and liquid handling procedures used for making concentrates or use solutions in the real world; through  
30 inadvertent error in these procedures; through differences in the manufacture, source, or purity of the ingredients used to make the compositions or carry out the methods; and the like. The term "about" also encompasses amounts that differ due

to different equilibrium conditions for a composition resulting from a particular initial mixture. Whether or not modified by the term "about", the claims include equivalents to the quantities.

5 The term "actives" or "percent actives" or "percent by weight actives" or "actives concentration" are used interchangeably herein and refers to the concentration of those ingredients involved in cleaning expressed as a percentage minus inert ingredients such as water or salts.

10 An "antiredeposition agent" refers to a compound that helps keep suspended in water instead of redepositing onto the object being cleaned. Antiredeposition agents are useful in the present invention to assist in reducing redepositing of the removed soil onto the surface being cleaned.

As used herein, the phrase "cleaning" refers to performing or aiding in soil removal, bleaching, de-scaling, de-staining, microbial population reduction, rinsing, or  
15 combination thereof.

The phrase "detergent composition" refers to the detergent composition provided as a concentrate or as a use composition according to the invention. The term "concentrate" refers to a relatively concentrated form of the detergent composition that can be diluted with a diluent to form a use composition. An  
20 exemplary diluent that can be used to dilute the concentrate to form the use composition is water. In general, the use composition refers to the composition that contacts an article to provide a desired action. For example, a warewashing detergent composition that is provided as a use composition can contact ware for cleaning the ware. In addition, the concentrate or the diluted concentrate can be  
25 provided as the use composition. For example, the concentrate can be referred to as the use composition when it is applied to an article without dilution. In many situations, it is expected that the concentrate will be diluted to provide a use composition that is then applied to an article.

As used herein, the term "microbe" or "microorganism" refers to any  
30 noncellular or unicellular (including colonial) organism. Microorganisms include all prokaryotes. Microorganisms include bacteria (including cyanobacteria), spores, lichens, fungi, protozoa, virinos, viroids, viruses, phages, and some algae. As used

herein, the term “microbe” is synonymous with microorganism. Differentiation of antimicrobial “-cidal” or “-static” activity, the definitions which describe the degree of efficacy, and the official laboratory protocols for measuring this efficacy are considerations for understanding the relevance of antimicrobial agents and compositions. Antimicrobial compositions can affect two kinds of microbial cell damage. The first is a lethal, irreversible action resulting in complete microbial cell destruction or incapacitation. The second type of cell damage is reversible, such that if the organism is rendered free of the agent, it can again multiply. The former is termed microbiocidal and the later, microbistatic. A sanitizer and a disinfectant are, by definition, agents which provide antimicrobial or microbiocidal activity. In contrast, a preservative is generally described as an inhibitor or microbistatic composition. For the purpose of this patent application, successful microbial reduction is achieved when the microbial populations are reduced by at least about 50%, or by significantly more than is achieved by a wash with water. Larger reductions in microbial population provide greater levels of protection.

As used herein, the term “phosphorus-free” refers to a composition, mixture, or ingredient that does not contain phosphorus or a phosphorus-containing compound (*e.g.* phosphates, phosphonates, etc.) or to which phosphorus or a phosphorus-containing compound has not been added. Should phosphorus or a phosphorus-containing compound be present through contamination of a phosphorus-free composition, mixture, or ingredients, the amount of phosphorus shall be less than 0.1 wt %. More preferably, the amount of phosphorus is less than 0.05 wt-%, and most preferably the amount of phosphorus is less than 0.01 wt %. In most preferred embodiments the amount of phosphorus is 0 wt-% and the composition is phosphorus-free.

As used herein, the term “sanitizer” refers to an agent that reduces the number of bacterial contaminants to safe levels as judged by public health requirements. In an embodiment, sanitizers for use in this invention will provide at least a 99.999% reduction (5-log order reduction). These reductions can be evaluated using a procedure set out in *Germicidal and Detergent Sanitizing Action of Disinfectants*, Official Methods of Analysis of the Association of Official Analytical Chemists, paragraph 960.09 and applicable sections, 15th Edition, 1990

(EPA Guideline 91-2). According to this reference a sanitizer should provide a 99.999% reduction (5-log order reduction) within 30 seconds at room temperature, 25±2°C, against several test organisms.

As used herein, the term "substantially free" refers to compositions  
5 completely lacking the component or having such a small amount of the component that the component does not affect the performance of the composition. The component may be present as an impurity or as a contaminant and shall be less than 0.5 wt-%. In another embodiment, the amount of the component is less than 0.1 wt-% and in yet another embodiment, the amount of component is less than 0.01 wt-%.

10 The term "threshold agent" refers to a compound that inhibits crystallization of water hardness ions from solution, but that need not form a specific complex with the water hardness ion. Threshold agents suitable for various cleaning applications include but are not limited to a polyacrylate, a polymethacrylate, an olefin/maleic copolymer, and the like. Further description of particularly suitable threshold agents  
15 according to the invention is disclosed herein.

As used herein, the term "ware" refers to items such as eating and cooking utensils, dishes, and other hard surfaces such as showers, sinks, toilets, bathtubs, countertops, windows, mirrors, transportation vehicles, and floors. As used herein, the term ware preferentially refers to items such as eating and cooking utensils.  
20 Ware also refers to items made of various substrates, including glass, metal, plastic, etc. Types of plastics that can be cleaned with the compositions according to the invention include but are not limited to, those that include polycarbonate polymers (PC), acrylonitrile-butadiene-styrene polymers (ABS), and polysulfone polymers (PS). Another exemplary plastic that can be cleaned using the compounds and  
25 compositions of the invention include polyethylene terephthalate (PET). As used herein, the term "warewashing" refers to washing, cleaning, or rinsing ware.

The term "weight percent," "wt-%," "percent by weight," "% by weight," and variations thereof, as used herein, refer to the concentration of a substance as the weight of that substance divided by the total weight of the composition and  
30 multiplied by 100. It is understood that, as used here, "percent," "%," and the like are intended to be synonymous with "weight percent," "wt-%," etc.

The methods and compositions of the present invention may comprise, consist essentially of, or consist of the components and ingredients of the present invention as well as other ingredients described herein. As used herein, "consisting essentially of" means that the methods and compositions may include additional  
 5 steps, components or ingredients, but only if the additional steps, components or ingredients do not materially alter the basic and novel characteristics of the claimed methods and compositions.

While an understanding of the mechanism is not necessary to practice the present invention and while the present invention is not limited to any particular  
 10 mechanism of action, it is contemplated that, in some embodiments, the phosphorus-free compositions employ a chelant and/or threshold agent as a substitute for conventional phosphorus-containing chelants and sequestrants. While not wishing to be bound by any theory, it is believed that the particular combination of components selected for the detergent compositions of the invention, as opposed to one specific  
 15 component, work synergistically to provide both efficacious detergency without the need for surfactants, along with effective scale hardness control. As a result, there is no need for a separate product for detergency, including de-staining purposes, as may conventionally be provided by surfactants, additional polymers, enzymes or the like.

20 Examples of conventional phosphorus-containing materials include building agents, which may also be referred to as chelating or sequestering agents (*e.g.*, builders) are excluded from the compositions according to the invention. Exemplary agents include, but not limited to condensed phosphates, phosphonates, organic phosphonates and the like. Examples of condensed phosphates include, but are not  
 25 limited to: sodium and potassium orthophosphate, sodium and potassium pyrophosphate, sodium tripolyphosphate, and sodium hexametaphosphate. Examples of phosphonates include, but are not limited to: 2-phosphonobutane-1,2,4-tricarboxylic acid (PBTC), 1-hydroxyethane-1, 1-diphosphonic acid,  $\text{CH}_2\text{C}(\text{OH})[\text{PO}(\text{OH})_2]_2$ ; aminotri(methylenephosphonic acid),  $\text{N}[\text{CH}_2\text{PO}(\text{OH})_2]_3$ ;  
 30 aminotri(methylenephosphonate), sodium salt (ATMP),  $\text{N}[\text{CH}_2\text{PO}(\text{ONa})_2]_3$ ; 2-hydroxyethyliminobis(methylenephosphonic acid),  $\text{HOCH}_2\text{CH}_2\text{N}[\text{CH}_2\text{PO}(\text{OH})_2]_2$ ; diethylenetriaminepenta(methylenephosphonic acid),  $(\text{HO})_2\text{POCH}_2\text{N}[\text{CH}_2\text{CH}_2$

N[CH<sub>2</sub> PO(OH)<sub>2</sub>]<sub>2</sub>]<sub>2</sub>; diethylenetriaminepenta(methylenephosphonate), sodium salt (DTPMP), C<sub>9</sub> H<sub>(28-x)</sub> N<sub>3</sub> Na<sub>x</sub> O<sub>15</sub> P<sub>5</sub> (x=7); hexamethylenediamine(tetramethylenephosphonate), potassium salt, C<sub>10</sub> H<sub>(28-x)</sub> N<sub>2</sub> K<sub>x</sub> O<sub>12</sub> P<sub>4</sub> (x=6); bis(hexamethylene)triamine(pentamethylenephosphonic acid),  
5 (HO<sub>2</sub>)POCH<sub>2</sub> N[(CH<sub>2</sub>)<sub>2</sub> N[CH<sub>2</sub> PO(OH)<sub>2</sub>]<sub>2</sub>]<sub>2</sub>; and phosphorus acid, H<sub>3</sub>PO<sub>3</sub>.

According to the invention, the detergent compositions are phosphorous-free and do not employ such conventional phosphorus-containing materials.

#### *Detergent Compositions*

According to an embodiment of the invention the detergent compositions are  
10 phosphorus-free. In an additional embodiment of the invention the phosphorus-free detergent compositions reduce scale build-up. In preferred embodiment of the invention the phosphorus-free detergent compositions substantially eliminate or completely eliminate scale build-up on treated surfaces (e.g. glasses or other ware). In some embodiments the detergent compositions comprise, consist of and/or consist  
15 essentially of an aminocarboxylate (acid or salt), a water conditioning polymer, a source of alkalinity and water. In additional embodiments the detergent compositions comprise, consist of and/or consist essentially of an aminocarboxylate (acid or salt), a water conditioning polymer, a source of alkalinity, water and additional functional ingredient(s).

20 Organic chelating agents have been used in various detergent compositions and cleaning compositions as phosphate-free builders. See Trilon® M Liquid, Technical Information, August 1998 (BASF Corp.) .

However, according to the present invention, an aminocarboxylate is employed as a chelating agent as well as threshold agent in  
25 phosphorus-free detergent compositions. The beneficial cleaning efficacy of the detergent compositions results, without being limited to a particular theory of the invention, from the combined use of the aminocarboxylate, water conditioning polymer, and source of alkalinity.

#### *Aminocarboxylates*

30 In an embodiment the detergent compositions include a chelant and/or threshold agent. In general, a chelating agent is a molecule capable of coordinating

(i.e., binding) the metal ions commonly found in natural water to prevent the metal ions from interfering with the action of the other deterative ingredients of a cleaning composition. In an aspect, the chelant is an aminocarboxylic acid and/or salt, also referred to herein as an aminocarboxylate. Beneficially, aminocarboxylates may include aminocarboxylic acids and/or salts of the aminocarboxylic acids. Such materials used according to the invention do not contain phosphorus and/or contain little to no nitrilotriacetic acid (NTA) while providing effective scale inhibition in the detergent composition. In an aspect, such materials used according to the invention are biodegradable aminocarboxylates. The chelant inhibits scale build-up by chemically binding to calcium or magnesium cations, usually in a one-to-one molar ratio, to form a complex, i.e., a chelate.

In one embodiment, the aminocarboxylate used in the phosphorus-free detergent composition has the following structure:




wherein  $R_1$  is selected from any one of H,  $CH_3$ ,  $CH_2COOH$ ,  $CH(COOH)CH_2COOH$ ,  $CH(CH_3)COOH$ ,  $CH(COOH)CH_2CH_2COOH$ ,  $CH_2CH(OH)CH_3$ ,  $CH_2COOH$ ,  $CH_2CH_2COOH$ , and  $CH_2OH$ ; and wherein  $R_2$  is selected from any one of H,  $COOH$ ,  $CH_2COOH$ ,  $CH_2OH$ ,  $CH_2CH_2OH$ ,  $CH_2CH_2CH_2OH$ ,  $CH_2CH(OH)CH_3$ ,  $CH_2CH_2N(CH_2COOH)_2$ ,  $CH_2CH_2NHCH_2CH_2N(CH_2COOH)_2$ ,  $CH_2CH_2NHCH(COOH)CH_2COOH$ ,  $CH(CH_3)COOH$ ,  $CH(COOH)CH_2CH_2COOH$ ,  $CH(COOH)CH_2OH$ , and  $CH(COOH)CH_2CH_2OH$ . Inasmuch as the compound is an aminocarboxylate, it will be understood that  $R_1$  can be selected from H,  $CH_3$ , or  $CH_2OH$  only when  $R_2$  is not selected from H or  $CH_2OH$ , and similarly  $R_2$  can be selected from H or  $CH_2OH$  only when  $R_1$  is not selected from H,  $CH_3$ , or  $CH_2OH$ .

Useful aminocarboxylic acids according to the invention include, but are not limited to: methylglycinediacetic acid (MGDA), glutamic acid-N,N-diacetic acid (GLDA), N-hydroxyethylaminodiacetic acid, ethylenediaminetetraacetic acid (EDTA), hydroxyethylenediaminetetraacetic acid, diethylenetriaminepentaacetic acid, N-hydroxyethyl-ethylenediaminetriacetic acid (HEDTA), diethylenetriaminepentaacetic acid (DTPA), ethylenediaminesuccinic acid (EDDS), 2-hydroxyethyliminodiacetic acid (HEIDA), iminodisuccinic acid (IDS), 3-

hydroxy-2-2'-iminodisuccinic acid (HIDS) and other similar acids or salts thereof having an amino group with a carboxylic acid substituent. Additional description of suitable aminocarboxylates suitable for use as chelating agents and/or sequestrants is set forth in Kirk-Othmer, Encyclopedia of Chemical Technology, Third Edition,  
5 volume 5, pages 339-366 and volume 23, pages 319-320 .

In an embodiment, MGDA or its acid salts and/or derivatives are employed as the aminocarboxylic acid chelant and/or threshold agent. MGDA trisodium (*i.e.* tetrasodium) salt is commercially-available as a 40% solution of the trisodium salt  
10 under the tradename Trilon M® (BASF Corporation). In addition, aminocarboxylates may be produced through various reactions, including those disclosed by BASF Corporation in U.S. Application Serial No. 13/050,495, filed March 17, 2011.

MGDA has the general structure shown below:  
15



In additional embodiments of the invention, the structure of MGDA may have a number of acidic protons replaced to neutralize or partially neutralize the structure. For example, 1, 2 or 3 of the acid groups may be neutralized or partially neutralized.  
20 In addition, the aminocarboxylate (*e.g.* MGDA) may be present as either enantiomer or a racemic mixture thereof.

In an aspect, the detergent compositions include from about 0.1 wt-% - 15 wt-% aminocarboxylate, from about 1 wt-% - 10 wt-% aminocarboxylate, from about 1 wt-% - 5 wt-% aminocarboxylate, preferably from about 2 wt-% - 5 wt-%  
25 aminocarboxylate. In addition, without being limited according to the invention, all ranges recited are inclusive of the numbers defining the range and include each integer within the defined range. In a further aspect, the aminocarboxylate is present

at a level such that a use solution of the detergent in hard water (e.g. 17 or 20 grain water hardness) does not lead to the formation of precipitate.

In an aspect, the aminocarboxylate (chelant and threshold agent) can achieve scale control independent of the water conditioning agent (scale inhibitor) of the invention. However, it has been found that there is a beneficial synergistic effect between the chemistries in a phosphorus-free composition that allows scale control in concentrated alkaline, phosphorus-free detergent compositions according to the invention. Beneficially, in some aspects, the combination of chemistries eliminates the need for sequestrants, surfactants, enzymes, additional polymers and/or the like.

#### *Water Conditioning Polymer*

In an embodiment the detergent compositions includes a water conditioning polymer. In some aspects a water conditioning polymer is a secondary builder or scale inhibitor for the liquid detergent compositions according to the invention. Without being limited to a particular theory of the invention, the combined use of the aminocarboxylate and water conditioning polymer provide a synergistic inhibition of scale build-up on treated surfaces employing the phosphorus-free detergent composition.

In an aspect, the water conditioning polymer is a polyacrylate, polycarboxylate or polycarboxylic acid. Exemplary polycarboxylates that can be used as builders and/or water conditioning polymers include, but are not limited to: those having pendant carboxylate ( $-\text{CO}_2^-$ ) groups such as acrylic homopolymers, polyacrylic acid, maleic acid, maleic/olefin copolymer, sulfonated copolymer or terpolymer, acrylic/maleic copolymer, polymethacrylic acid, acrylic acid-methacrylic acid copolymers, hydrolyzed polyacrylamide, hydrolyzed polymethacrylamide, hydrolyzed polyamide-methacrylamide copolymers, hydrolyzed polyacrylonitrile, hydrolyzed polymethacrylonitrile, and hydrolyzed acrylonitrile-methacrylonitrile copolymers. For a further discussion of water conditioning polymers, see Kirk-Othmer, Encyclopedia of Chemical Technology, Third Edition, volume 5, pages 339-366 and volume 23, pages 319-320.

According to the invention, the water conditioning polymer is a non-phosphorus polymer. In a further embodiment, a neutralized polycarboxylic acid

polymer is employed as the water conditioning polymer. An exemplary neutralized polycarboxylic acid is commercially-available as Acumer® 1000 (Rohm & Haas Company).

In an aspect, the detergent compositions include from about 0.1 wt-% - 15 wt-% water conditioning polymer, from about 0.1 wt-% - 10 wt-% water conditioning polymer, from about 1 wt-% - 10 wt-% water conditioning polymer, preferably from about 1 wt-% - 5 wt-% water conditioning polymer. In addition, without being limited according to the invention, all ranges recited are inclusive of the numbers defining the range and include each integer within the defined range.

10 In a further aspect, the water conditioning polymer is present at a level such that a use solution of the detergent in hard water (*e.g.* 17 or 20 grain water hardness) does not lead to the formation of precipitate.

#### *Alkalinity Source*

In an embodiment the detergent compositions includes an alkalinity source.

15 The source of alkalinity can be any source of alkalinity that is compatible with the other components of the detergent composition and that will provide a use solution with the desired pH. One or more alkaline sources can be used to enhance cleaning of a substrate and improve soil removal performance of the detergent composition. It should be understood that the alkalinity source may be provided as part of the aminocarboxylate; that is, the aminocarboxylate provides a source of alkalinity

20 accompanying the alkalinity source.

Examples of suitable alkalinity sources for the detergent compositions according to the invention include, but are not limited to alkali metal carbonates, alkali metal hydroxides, alkali metal salts, and mixtures thereof. Exemplary alkali

25 metal hydroxides that can be used include, but are not limited to sodium hydroxide, lithium hydroxide, or potassium hydroxide. Exemplary alkali metal carbonates that can be used include, but are not limited to: sodium or potassium carbonate, bicarbonate, sesquicarbonate, and/or mixtures thereof. Exemplary alkali metal salts include for example sodium carbonate, potassium carbonate, and mixtures thereof.

30 In an aspect of the invention, an alkali metal hydroxide, alkali metal carbonate and/or alkali metal salt may be added to the composition in any form

known in the art, including as solid beads, dissolved in an aqueous solution, or a combination thereof. In a preferred aspect, the alkalinity source is an alkali metal hydroxide, such as sodium hydroxide.

In addition to a first alkalinity source, such as the preferred sodium hydroxide, the detergent composition may comprise a secondary alkalinity source. Examples of useful secondary alkaline sources include, but are not limited to: metal silicates such as sodium or potassium silicate or metasilicate; additional metal salts, such as carbonates such as sodium or potassium carbonate, bicarbonate, sesquicarbonate; metal borates such as sodium or potassium borate; and ethanolamines and amines.

In an aspect, the detergent compositions include from about 20 wt-% - 80 wt-% alkalinity, from about 30 wt-% - 80 wt-% alkalinity, from about 40 wt-% - 70 wt-% alkalinity, preferably from about 40 wt-% - 60 wt-% alkalinity. Without being limited according to the invention, all ranges recited are inclusive of the numbers defining the range and include each integer within the defined range.

The alkalinity source is provided in a sufficient amount to maintain an alkaline pH in a use solution in order to provide sufficient detergency properties. An effective amount of one or more alkalinity sources should be considered as an amount that provides a concentrate composition having a pH of about 12. In a further aspect an effective amount of one or more alkalinity sources should be considered as an amount that provides a use composition having a pH of at least about 8. When the use composition has a pH of between about 8 and about 10, it can be considered mildly alkaline, and when the pH is greater than about 12, the use composition can be considered caustic. Particularly, the pH of the use solution of the detergent composition is between about 8 and about 11.5, preferably between about 8 and about 11. In addition, without being limited according to the invention, all ranges recited are inclusive of the numbers defining the range and include each integer within the defined range. If the pH of the use solution is too low, for example, below approximately 8, the use solution may not provide adequate detergency properties. If the pH of the use solution is too high, for example, above approximately 12-13, the use solution may be too alkaline and attack or damage the

surface to be cleaned as well as require additional safety considerations for transport and/or handling of the highly alkaline detergent.

#### *Water*

In an embodiment the detergent compositions includes water. Preferably, the  
5 detergent compositions are formulated into liquid compositions. The water  
employed in the compositions can be from a variety of sources and may include hard  
and/or softened or treated water.

In an aspect, the detergent compositions include from about 20 wt-% - 80 wt-  
% water, from about 30 wt-% - 80 wt-% water, from about 30 wt-% - 60 wt-%  
10 water, preferably from about 45 wt-% - 55 wt-% water. In addition, without being  
limited according to the invention, all ranges recited are inclusive of the numbers  
defining the range and include each integer within the defined range.

#### *Additional Functional Ingredients*

15 The components of the detergent composition can further be combined with  
various functional components suitable for use in ware wash applications. In some  
embodiments, the detergent composition including the aminocarboxylate, water,  
alkalinity source and water conditioning polymer make up a large amount, or even  
substantially all of the total weight of the detergent composition. For example, in  
20 some embodiments few or no additional functional ingredients are disposed therein.

In other embodiments, additional functional ingredients may be included in  
the detergent compositions. The functional ingredients provide desired properties  
and functionalities to the phosphorus-free detergent compositions. For the purpose  
of this application, the term "functional ingredient" includes a material that when  
25 dispersed or dissolved in a use and/or concentrate solution, such as an aqueous  
solution, provides a beneficial property in a particular use. Some particular  
examples of functional materials are discussed in more detail below, although the  
particular materials discussed are given by way of example only, and that a broad  
variety of other functional ingredients may be used. For example, many of the  
30 functional materials discussed below relate to materials used in cleaning,  
specifically ware wash applications. However, other embodiments may include  
functional ingredients for use in other applications.

In preferred embodiments, the phosphorus-free detergent compositions do not include enzymes. In preferred embodiments, the phosphorus-free detergent compositions do not include chlorine or a chlorine source, such as various bleaching agents. In further preferred embodiments, the phosphorus-free detergent  
5 compositions do not include surfactants. In still further preferred embodiments, the phosphorus-free detergent compositions do not include additional polymers. In a further embodiment, the phosphorus-free detergent composition is free of silicates. In preferred aspects of the invention, the phosphorus-free detergent composition is a liquid composition that does not include enzymes, chlorine or a chlorine source,  
10 surfactants and/or optionally additional polymers.

In a preferred aspect, the phosphorus-free detergent compositions include a sanitizer and/or are used with a sanitizer for use of the compositions at low temperatures (*e.g.* wash temperatures below about 140°F). In other embodiments, the phosphorus-free detergent compositions may include polymers that are  
15 defoaming agents, anti-redeposition agents, bleaching agents, solubility modifiers, dispersants, rinse aids, metal protecting agents, stabilizing agents, sequestrants, corrosion inhibitors, sanitizing agents or antimicrobial agents, fragrances and/or dyes, rheology modifiers or thickeners, hydrotropes or couplers, buffers, solvents and the like. In an aspect, the phosphorus-free detergent compositions include a  
20 food grade rinse aid, including for example a GRAS product. The term “generally recognized as safe” or “GRAS,” as used herein refers to components classified by the Food and Drug Administration as safe for direct human food consumption or as an ingredient based upon current good manufacturing practice conditions of use, as defined for example in 21 C.F.R. Chapter 1, §170.38 and/or 570.38.

#### 25 *Defoaming Agents*

A defoaming agent for reducing the stability of foam may also be included in the warewashing detergent composition. Examples of defoaming agents include, but are not limited to: ethylene oxide/propylene block copolymers such as those available under the name Pluronic N-3; silicone compounds such as silica dispersed  
30 in polydimethylsiloxane, polydimethylsiloxane, and functionalized polydimethylsiloxane; fatty amides, hydrocarbon waxes, fatty acids, fatty esters,

fatty alcohols, fatty acid soaps, ethoxylates, mineral oils, and polyethylene glycol esters. A discussion of defoaming agents may be found, for example, in U.S. Patent Nos. 3,048,548, 3,334,147, and 3,442,242.

When the concentrate includes a defoaming agent, the  
5 defoaming agent can be provided in an amount of between approximately 0.0001% and approximately 10% by weight, between approximately 0.001% and approximately 5% by weight, or between approximately 0.01% and approximately 1.0% by weight. All ranges recited are inclusive of the numbers defining the range and include each integer within the defined range.

10 *Anti-Redeposition Agents*

The detergent composition can include an anti-redeposition agent for facilitating sustained suspension of soils in a cleaning solution and preventing the removed soils from being redeposited onto the substrate being cleaned. Examples of suitable anti-redeposition agents include, but are not limited to: polyacrylates,  
15 styrene maleic anhydride copolymers, cellulosic derivatives such as hydroxyethyl cellulose, hydroxypropyl cellulose and carboxymethyl cellulose. When the concentrate includes an anti-redeposition agent, the anti-redeposition agent can be included in an amount of between approximately 0.5% and approximately 10% by weight, and between approximately 1% and approximately 5% by weight. All  
20 ranges recited are inclusive of the numbers defining the range and include each integer within the defined range.

*Stabilizing Agents*

The detergent composition may also include stabilizing agents. Examples of suitable stabilizing agents include, but are not limited to: borate, calcium/magnesium  
25 ions, propylene glycol, and mixtures thereof. The concentrate need not include a stabilizing agent, but when the concentrate includes a stabilizing agent, it can be included in an amount that provides the desired level of stability of the concentrate. Exemplary ranges of the stabilizing agent include up to approximately 20% by weight, between approximately 0.05% and approximately 15% by weight, and  
30 between approximately 0.1% and approximately 10% by weight. All ranges recited are inclusive of the numbers defining the range and include each integer within the defined range.

*Glass and Metal Corrosion Inhibitors*

The detergent composition can include a metal corrosion inhibitor in an amount up to approximately 50% by weight, between approximately 0.01% and approximately 40% by weight, or between approximately 0.1% and approximately 30% by weight. All ranges recited are inclusive of the numbers defining the range and include each integer within the defined range.

The corrosion inhibitor is included in the detergent composition in an amount sufficient to provide a use solution that exhibits a rate of corrosion and/or etching of glass that is less than the rate of corrosion and/or etching of glass for an otherwise identical use solution except for the absence of the corrosion inhibitor. It is expected that the use solution will include at least approximately 6 parts per million (ppm) of the corrosion inhibitor to provide desired corrosion inhibition properties. It is expected that larger amounts of corrosion inhibitor can be used in the use solution without deleterious effects. The use solution can include between approximately 6 ppm and approximately 300 ppm of the corrosion inhibitor, and between approximately 20 ppm and approximately 200 ppm of the corrosion inhibitor. Examples of suitable corrosion inhibitors include, but are not limited to: a combination of a source of aluminum ion and a source of zinc ion, as well as an alkaline metal silicate or hydrate thereof.

The corrosion inhibitor can refer to the combination of a source of aluminum ion and a source of zinc ion. The source of aluminum ion and the source of zinc ion provide aluminum ion and zinc ion, respectively, when the solid detergent composition is provided in the form of a use solution. The amount of the corrosion inhibitor is calculated based upon the combined amount of the source of aluminum ion and the source of zinc ion. Anything that provides an aluminum ion in a use solution can be referred to as a source of aluminum ion, and anything that provides a zinc ion when provided in a use solution can be referred to as a source of zinc ion. It is not necessary for the source of aluminum ion and/or the source of zinc ion to react to form the aluminum ion and/or the zinc ion. Aluminum ions can be considered a source of aluminum ion, and zinc ions can be considered a source of zinc ion. The source of aluminum ion and the source of zinc ion can be provided as organic salts, inorganic salts, and mixtures thereof.

Exemplary sources of aluminum ion include, but are not limited to: aluminum salts such as sodium aluminate, aluminum bromide, aluminum chlorate, aluminum chloride, aluminum iodide, aluminum nitrate, aluminum sulfate, aluminum acetate, aluminum formate, aluminum tartrate, aluminum lactate, aluminum oleate, aluminum bromate, aluminum borate, aluminum potassium sulfate, and aluminum zinc sulfate. Exemplary sources of zinc ion include, but are not limited to: zinc salts such as zinc chloride, zinc sulfate, zinc nitrate, zinc iodide, zinc thiocyanate, zinc fluorosilicate, zinc dichromate, zinc chlorate, sodium zincate, zinc gluconate, zinc acetate, zinc benzoate, zinc citrate, zinc lactate, zinc formate, zinc bromate, zinc bromide, zinc fluoride, zinc fluorosilicate, and zinc salicylate.

#### *Thickeners*

The detergent compositions can include a rheology modifier or a thickener in amounts suitable for adjusting the thickness of a particular composition to particular viscosity, such amounts which shall vary. A rheology modifier or a thickener can be provided in an amount of between approximately 0.0001% and approximately 10% by weight, between approximately 0.001% and approximately 10% by weight, or between approximately 0.01% and approximately 10% by weight. All ranges recited are inclusive of the numbers defining the range and include each integer within the defined range.

The rheology modifier may provide the following functions: increasing the viscosity of the compositions; increasing the particle size of liquid use solutions when dispensed through a spray nozzle; providing the use solutions with vertical cling to surfaces; providing particle suspension within the use solutions; or reducing the evaporation rate of the use solutions. Examples of suitable thickeners or rheology modifiers are polymeric thickeners including, but not limited to: polymers or natural polymers or gums derived from plant or animal sources. Such materials may be polysaccharides such as large polysaccharide molecules having substantial thickening capacity. Thickeners or rheology modifiers also include clays.

A substantially soluble polymeric thickener can be used to provide increased viscosity or increased conductivity to the use compositions. Examples of polymeric thickeners for the aqueous compositions of the invention include, but are not limited to: carboxylated vinyl polymers such as polyacrylic acids and sodium salts thereof,

ethoxylated cellulose, polyacrylamide thickeners, cross-linked, xanthan compositions, sodium alginate and algin products, hydroxypropyl cellulose, hydroxyethyl cellulose, and other similar aqueous thickeners that have some substantial proportion of water solubility. Examples of suitable commercially available thickeners include, but are not limited to: Acusol®, available from Rohm & Haas Company, Philadelphia, PA; and Carbopol®, available from B.F. Goodrich, Charlotte, NC. Additional examples of suitable polymeric thickeners include, but not limited to: polysaccharides.

An example of a particularly suitable polysaccharide includes, but is not limited to, xanthans. Such xanthan polymers are preferred due to their high water solubility, and great thickening power. Low concentrations of the gum have relatively high viscosities which permit it to be used economically. Xanthan gum solutions exhibit high pseudo plasticity, *i.e.* over a wide range of concentrations, rapid shear thinning occurs that is generally understood to be instantaneously reversible. Non-sheared materials have viscosities that appear to be independent of the pH and independent of temperature over wide ranges. Preferred xanthan materials include cross-linked xanthan materials. Xanthan polymers can be cross-linked with a variety of known covalent reacting crosslinking agents reactive with the hydroxyl functionality of large polysaccharide molecules and can also be cross-linked using divalent, trivalent or polyvalent metal ions. Such cross-linked xanthan gels are disclosed in U.S. Patent No. 4,782,901.

Suitable crosslinking agents for xanthan materials include, but are not limited to: metal cations such as Al<sup>3+</sup>, Fe<sup>3+</sup>, Sb<sup>3+</sup>, Zr<sup>4+</sup> and other transition metals.

#### *Rinse Aids*

The detergent composition can optionally include a rinse aid composition, for example a rinse aid formulation containing a wetting or sheeting agent combined with other optional ingredients in a solid composition made using the binding agent. The rinse aid components are capable of reducing the surface tension of the rinse water to promote sheeting action and/or to prevent spotting or streaking caused by beaded water after rinsing is complete, for example in warewashing processes.

Examples of sheeting agents include, but are not limited to: poly ether compounds prepared from ethylene oxide, propylene oxide, or a mixture in a homopolymer or block or heteric copolymer structure. Such polyether compounds are known as polyalkylene oxide polymers, polyoxyalkylene polymers or polyalkylene glycol polymers. Such sheeting agents require a region of relative hydrophobicity and a region of relative hydrophilicity to provide surfactant properties to the molecule. Additional disclosure of suitable rinse aids is provided in U.S. Patent Application Serial No. 13/209,719.

Exemplary ranges of rinse aids include up to approximately 20% by weight, between approximately 0.01% and approximately 15% by weight, and between approximately 0.1% and approximately 10% by weight. All ranges recited are inclusive of the numbers defining the range and include each integer within the defined range.

#### *Sanitizers/Anti-Microbial Agents*

The detergent composition can optionally include and/or be used in a ware wash application with a sanitizing composition (or antimicrobial agent). Sanitizing agents, also known as antimicrobial agents, are chemical compositions that can be used to prevent microbial contamination and deterioration of material systems, surfaces, etc. Generally, these materials fall in specific classes including phenolics, halogen compounds, quaternary ammonium compounds, metal derivatives, amines, alkanol amines, nitro derivatives, anilides, organosulfur and sulfur-nitrogen compounds and miscellaneous compounds.

The given antimicrobial agent, depending on chemical composition and concentration, may simply limit further proliferation of numbers of the microbe or may destroy all or a portion of the microbial population. The terms "microbes" and "microorganisms" typically refer primarily to bacteria, virus, yeast, spores, and fungus microorganisms. In use, the antimicrobial agents are typically formed into a solid functional material that when diluted and dispensed, optionally, for example, using an aqueous stream forms an aqueous disinfectant or sanitizer composition that can be contacted with a variety of surfaces resulting in prevention of growth or the killing of a portion of the microbial population. A three log reduction of the

microbial population results in a sanitizer composition. The antimicrobial agent can be encapsulated, for example, to improve its stability.

Sanitizing compounds capable of liberating an active halogen species, such as  $\text{Cl}_2$ ,  $\text{Br}_2$ ,  $-\text{OCl}-$  and/or  $-\text{OBr}-$ , or the like, under conditions typically encountered during the cleansing process may be used. Examples of suitable halogen-releasing compounds include, but are not limited to: chlorine-containing compounds such as chlorine, a hypochlorite or chloramines, and alkali metal dichloroisocyanurates, alkali metal hypochlorites, monochloramine, and dichloroamine. Encapsulated chlorine sources may also be used to enhance the stability of the chlorine source in the composition (see, for example, U.S. Patent Nos. 4,618,914 and 4,830,773).

Examples of suitable antimicrobial agents include, but are not limited to, phenolic antimicrobials such as pentachlorophenol; orthophenylphenol; chloro-p-benzylphenols; p-chloro-m-xenol; quaternary ammonium compounds such as alkyl dimethylbenzyl ammonium chloride; alkyl dimethylethylbenzyl ammonium chloride; octyl decyldimethyl ammonium chloride; dioctyl dimethyl ammonium chloride; and didecyl dimethyl ammonium chloride. Examples of suitable halogen containing antibacterial agents include, but are not limited to: sodium trichloroisocyanurate, sodium dichloro isocyanate (anhydrous or dihydrate), iodine-poly(vinylpyrrolidinone) complexes, bromine compounds such as 2-bromo-2-nitropropane-1,3-diol, and quaternary antimicrobial agents such as benzalkonium chloride, didecyldimethyl ammonium chloride, choline diiodochloride, and tetramethyl phosphonium tribromide. Other antimicrobial compositions such as hexahydro-1,3,5-tris(2-hydroxyethyl)-s-triazine, dithiocarbamates such as sodium dimethyldithiocarbamate, percarbonate, iodine solutions, and a variety of other materials are known in the art for their antimicrobial properties.

Exemplary ranges of antimicrobial agents include up to approximately 30% by weight, between approximately 0.01% and approximately 20% by weight, and between approximately 0.1% and approximately 15% by weight. All ranges recited are inclusive of the numbers defining the range and include each integer within the defined range.

*Dyes and Fragrances*

Various dyes, odorants including perfumes, and other aesthetic enhancing agents may also be included in the cleaning composition. Dyes may be included to alter the appearance of the composition, as for example, any of a variety of FD&C  
5 dyes, D&C dyes, and the like. Additional suitable dyes include Direct Blue 86 (Miles), Fastusol Blue (Mobay Chemical Corp.), Acid Orange 7 (American Cyanamid), Basic Violet 10 (Sandoz), Acid Yellow 23 (GAF), Acid Yellow 17 (Sigma Chemical), Sap Green (Keystone Aniline and Chemical), Metanil Yellow (Keystone Aniline and Chemical), Acid Blue 9 (Hilton Davis), Sandolan Blue/Acid  
10 Blue 182 (Sandoz), Hisol Fast Red (Capitol Color and Chemical), Fluorescein (Capitol Color and Chemical), Acid Green 25 (BASF), Pylakor Acid Bright Red (Pylam), and the like.

Fragrances or perfumes that may be included in the compositions include, for example, terpenoids such as citronellol, aldehydes such as amyl cinnamaldehyde, a  
15 jasmine such as C1S-jasmine or jasmal, vanillin, and the like.

Exemplary ranges of dyes and/or fragrances include up to approximately 20% by weight, between approximately 0.01% and approximately 15% by weight, and between approximately 0.1% and approximately 10% by weight. All ranges recited are inclusive of the numbers defining the range and include each integer  
20 within the defined range.

*Embodiments*

Exemplary ranges of the concentrated phosphorus-free detergent compositions according to the invention are shown in Table 1 in weight percentage of the liquid detergent compositions. Sanitizers that are employed with the  
25 concentrated phosphorus-free detergent compositions according to the invention for use at low temperatures may be formulated into the composition or provided separately from the detergent compositions. In a further aspect, rinse aids may be further employed with the concentrated phosphorus-free detergent compositions, which may be formulated into the composition or provided separately from the  
30 detergent compositions. In a preferred aspect, the use of rinse aids and/or sanitizers are provided separately from the detergent compositions.

TABLE 1

| <b>Material</b>                   | <b>First Exemplary Range wt-%</b> | <b>Second Exemplary Range wt-%</b> | <b>Third Exemplary Range wt-%</b> | <b>Fourth Exemplary Range wt-%</b> |
|-----------------------------------|-----------------------------------|------------------------------------|-----------------------------------|------------------------------------|
| Water                             | 20-80                             | 30-80                              | 30-60                             | 45-55                              |
| Aminocarboxylate                  | 0.1-15                            | 1-10                               | 1-5                               | 2-5                                |
| Alkalinity Source                 | 20-80                             | 30-80                              | 40-70                             | 40-60                              |
| Water Conditioning Polymer        | 0.1-15                            | 0.1-10                             | 1-10                              | 1-5                                |
| Additional Functional Ingredients | 0-25                              | 0-20                               | 0-10                              | 0-5                                |

In some aspects the ratio of the aminocarboxylate to the water conditioning polymer to the alkalinity source is in a ratio of from about 1:1:50 to about 5:1:100, preferably from about 2:1:50 to about 5:1:50. In some aspects the ratio of the aminocarboxylate to the water conditioning polymer is from about 1:5 to about 5:1, preferably from about 1:3 to about 3:1, preferably from about 1:2.5 to about 2.5:1, preferably from about 1:2 to about 2:1, or about 1:1. In a preferred aspect, the ratio of the aminocarboxylate to the water conditioning polymer is about 2:1. In addition, without being limited according to the invention, all ranges for the ratios recited are inclusive of the numbers defining the range and include each integer within the defined range of ratios.

The detergent compositions may include concentrate compositions or may be diluted to form use compositions. In general, a concentrate refers to a composition that is intended to be diluted with water to provide a use solution that contacts an object to provide the desired cleaning, rinsing, or the like. The detergent composition that contacts the articles to be washed can be referred to as a concentrate or a use composition (or use solution) dependent upon the formulation employed in methods according to the invention. It should be understood that the

concentration of the aminocarboxylate, water conditioning agent, alkalinity, water and other optional functional ingredients in the detergent composition will vary depending on whether the detergent composition is provided as a concentrate or as a use solution.

5           A use solution may be prepared from the concentrate by diluting the concentrate with water at a dilution ratio that provides a use solution having desired deterative properties. The water that is used to dilute the concentrate to form the use composition can be referred to as water of dilution or a diluent, and can vary from one location to another. The typical dilution factor is between approximately 1 and  
10 approximately 10,000 but will depend on factors including water hardness, the amount of soil to be removed and the like. In an embodiment, the concentrate is diluted at a ratio of between about 1:5 or about 1:10 and about 1:10,000 concentrate to water. Particularly, the concentrate is diluted at a ratio of between about 1:10 and about 1:5,000 concentrate to water. More particularly, the concentrate is diluted at a  
15 ratio of between about 1:100 and about 1:2,500 or between about 1:250 and about 1:2,000 concentrate to water.

          In an aspect of the invention, a use solution of the phosphorus-free detergent composition has between about 1 ppm to about 250 ppm aminocarboxylate, between about 1 ppm to about 250 ppm water conditioning polymer, and between 10 ppm to  
20 about 1,000 ppm alkalinity source. In a preferred aspect of the invention, a use solution of the phosphorus-free detergent composition has between about 1 ppm to about 100 ppm aminocarboxylate, between about 1 ppm to about 100 ppm water conditioning polymer, and between 10 ppm to about 500 ppm alkalinity source. In a still further preferred aspect of the invention, a use solution of the phosphorus-free  
25 detergent composition has between about 1 ppm to about 25 ppm aminocarboxylate, between about 1 ppm to about 25 ppm water conditioning polymer, and between 10 ppm to about 100 ppm alkalinity source. In addition, without being limited according to the invention, all ranges recited are inclusive of the numbers defining the range and include each integer within the defined range.

30           In an aspect of the invention, the detergent composition preferably provides efficacious cleaning at low use dilutions, *i.e.*, require less volume to clean effectively. In an aspect, a concentrated liquid detergent composition may be diluted

in water prior to use at dilutions ranging from about 1/16 oz./gal. to about 2 oz./gal. or more. A detergent concentrate that requires less volume to achieve the same or better cleaning efficacy and provides hardness scale control and/or other benefits at low use dilutions is desirable.

5           *Methods Employing the Present Compositions*

The methods of employing the phosphorus-free detergent compositions are particularly suited for use in closed systems, *e.g.* dish or ware washing systems for cleaning, sanitizing and/or disinfecting articles and surfaces. According to an embodiment of the invention a method of low temperature ware washing is provided  
10 to clean treated surfaces. In an embodiment the method can result in reduced hard water scaling on an article or surface exposed to water hardness. The methods of the invention are particularly suited for commercial applications to enable the use of lower temperature wash applications, beneficially reducing energy expenditures for heating wash waters.

15           The method includes contacting an article or surface with a detergent composition or a detergent use composition according to the invention to wash the surface. The method can contact the liquid to any of a variety of surfaces or objects including surfaces or articles including those made of glass, ceramic, plastic, porcelain, aluminum, or the like.

20           The phrase "washing a surface with a detergent wash solution (or a use solution or a detergent composition)" refers to the circulation of a detergent composition solution to remove substantially all soil from the treated surfaces (*e.g.* ware) and to keep that soil suspended or dissolved. In an embodiment, this step may be conducted where the temperature of the rinse water is up to about 140° F,  
25 preferably in the range of 100° F to 140° F, preferably in the range of 110° F to 140° F, and most preferably in the range of 120° F to 140° F. As referred to herein, "low temperature" refers to those rinse water temperatures below about 140°F. For example, conventional rinse temperature for ware washing occurs above 140°F, such as from about 140°F to about 190°F, particularly between about 145°F to about  
30 180°F. In an aspect, the methods of the invention employing a low temperature further employ a sanitizer.

In an embodiment, the present invention includes a method of cleaning an article or surface while also reducing scale hardness build-up on the article or surface. This method can include: providing the phosphorus-free detergent composition including an aminocarboxylate, water conditioning agent, source of alkalinity, water and optionally additional functional ingredients; forming an aqueous composition of the phosphorus-free detergent composition to dilute a liquid concentrate; and contacting the aqueous composition to an article to clean the article and reduce scale hardness build-up on the article.

Contacting can include any of numerous methods for applying a composition, such as spraying the composition, immersing the object in the composition, or a combination thereof. A concentrate or use concentration of a composition of the present invention can be applied to or brought into contact with an article by any conventional method or apparatus for applying a cleaning composition to an object. For example, the object can be wiped with, sprayed with, and/or immersed in the composition, or a use solution made from the composition. The composition can be sprayed, or wiped onto a surface; the composition can be caused to flow over the surface, or the surface can be dipped into the composition. Contacting can be manual or by machine.

Before contacting an article or surface, a concentrate detergent composition may be first diluted with water at the location of use to provide the use solution. When the composition is used in an automatic warewashing or dishwashing machine, it is expected that that the location of use will be inside the automatic warewashing machine. Depending on the machine, the composition may be provided in a unit dose form or in a multi-use form. In larger warewashing machines, a large quantity of composition may be provided in a compartment that allows for the release of a single dose amount of the composition for each wash cycle. Such a compartment may be provided as part of the warewashing machine or as a separate structure connected to the warewashing machine.

The detergent composition may also be dispensed from a spray-type dispenser, such as that disclosed in U.S. Patent Nos. 4,826,661, 4,690,305, 4,687,121, 4,426,362 and in U.S. Patent Nos. Reissue 32,763 and 32,818.

Briefly, a spray-type

dispenser functions by impinging a water spray upon an exposed surface of the composition, and then immediately directing the use solution out of the dispenser to a storage reservoir or directly to a point of use. If necessary in some embodiments, when used, the product may be removed from the packaging and inserted into the  
5 dispenser.

The methods of the invention may further employ one or more rinse steps for the treated articles or surfaces. In an aspect, the commercial use of the phosphorus-free detergent compositions at low temperatures preferably include a rinse step employing a rinse aid, including for example, the disclosure of using rinse aids set  
10 forth in U.S. Patent Application Serial No. 13/480,031.

In the alternative, consumer use of the phosphorus-free detergent compositions would not require the use of a rinse aid as this step is employed using a clean water source. In a further aspect, in consumer use of the phosphorus-free detergent composition at normal or elevated temperatures (*e.g.*  
15 above about 140°F) does not require the use of a sanitizer.

All publications and patent applications in this specification are indicative of the level of ordinary skill in the art to which this invention pertains.

20

## EXAMPLES

Embodiments of the present invention are further defined in the following non-limiting Examples. It should be understood that these Examples, while  
25 indicating certain embodiments of the invention, are given by way of illustration only. From the above discussion and these Examples, one skilled in the art can ascertain the essential characteristics of this invention, and without departing from the spirit and scope thereof, can make various changes and modifications of the embodiments of the invention to adapt it to various usages and conditions. Thus,  
30 various modifications of the embodiments of the invention, in addition to those shown and described herein, will be apparent to those skilled in the art from the

foregoing description. Such modifications are also intended to fall within the scope of the appended claims.

The materials used in the following Examples are provided herein:

Trilon M®: methyl glycine diacetic acid / MGDA, trisodium salt /  
 5 Na<sub>3</sub>MGDA (solution in water) (aminocarboxylic acid chelant and threshold agent), commercially-available from BASF Corporation.

Bayhibit® AM: 2-phosphono-1, 2, 4-butanetricarboxylic acid  
 (phosphonbutane tricarboxylic acid (PBTC) chelant / scale inhibitor / corrosion  
 inhibitor), commercially-available from Lanxess Corporation.

10 Acumer® 1000: a neutralized polycarboxylic acid, commercially-available from Rohm & Haas.

Additional materials commercially-available from multiple sources include:  
 sodium hydroxide (50%) and softened water.

## 15 EXAMPLE 1

A liquid detergent composition according to the invention was compared to a control composition containing phosphorus as shown below in Table 2. The experimental formula (EXP1) according to the invention was calculated to have the  
 20 same percent actives water conditioning polymer (Acumer 1000) as the Control formula at the time of the experiment.

TABLE 2

| Description            | Control | EXP1  |
|------------------------|---------|-------|
| Softened Water         | 20-80   | 20-80 |
| Trilon M (40%)         | 0       | 2.5-5 |
| Bayhibit AM (50%)      | 1-5     | 0     |
| Sodium Hydroxide (50%) | 25-60   | 25-60 |
| Acumer 1000 (48%)      | 0.1-5   | 0.1-5 |

Beneficially, the replacement of the Bayhibit AM from the Control with the Trilon M in the EXP1 formulation results in a phosphorus-free, liquid detergent composition.

5

EXAMPLE 2

The experimental formula (EXP1) and Control according to Example 1 were further evaluated to determine the impact of removal of phosphorus from the formulation on the cleaning efficacy and threshold effect with regard to scale build-up. A 100 cycle glass cleaning experiment was performed using six 10 oz. Libby glasses and a Cambro Newport plastic tumbler on a ES-2000 ware wash machine employing 17 grain water (hard water source). Initially the glasses were prepared using a cleaning cycle to completely remove all film and foreign material from the glass surface.

The ware wash machine controller was set to automatically dispense the indicated amount of detergent into the wash tank. Six clean glasses (G = glass tumblers) and a clean plastic tumbler (P = plastic tumbler) were placed in a Raburn rack (see figure below for arrangement) and the rack was placed inside the dishmachine.

20

|   |   |   |   |   |   |
|---|---|---|---|---|---|
|   |   |   |   |   | G |
|   |   |   |   | G |   |
|   |   |   | G |   |   |
|   |   | G |   |   |   |
|   | G |   |   | P |   |
| G |   |   |   |   |   |

The ware wash machine automatically dispensed into the ware wash machine the detergent compositions to achieve the desired concentration and maintain the initial concentration. After 100 wash cycles, the glasses were dried overnight and then the film accumulation using a strong light source was evaluated. The film ratings are based upon the following measurement scale: (1) no film; (2) trace

25

amount of film that is barely visible under intense spot light conditions, but is not noticeable if the glass is held up to a fluorescent light source; (3) light film when held up to a fluorescent light source; (4) medium film, glass appears hazy when held up to a fluorescent light source; and (5) heavy film, glass appears cloudy when held up to a fluorescent light source.

The light box test standardizes the evaluation of the glasses run in the 100 cycle test. The light box test is based on the use of an optical system including a photographic camera, a light box, a light source and a light meter. The system is controlled by a computer program (Spot Advance and Image Pro Plus). To evaluate the glasses after the 100 cycle test, each glass was placed on the light box resting on its side and the intensity of the light source was adjusted to a predetermined value using a light meter. The conditions of the 100 cycle test were entered into the computer. A picture of the glass was taken with the camera and saved on the computer for analysis by the program. The picture was analyzed using the upper half of the glass in order to avoid the gradient of darkness on the film from the top of the glass to the bottom of the glass, based on the shape of the glass.

Generally, a lower light box rating indicates that more light was able to pass through the glass. Thus, the lower the light box rating, the more effective the composition was at preventing scaling on the surface of the glass. Light box evaluation of a clean, unused glass has a light box score of approximately 12,000 which corresponds to a score of 72,000 for the sum of 6 glasses.

The approximate temperature range of the 100 cycle test was <120°F, providing a stable low temperature range for warewashing, according to the methods of the invention. The use concentration of the liquid detergent was 1000 ppm. The sum of the light box score for the control was 70,809, with a light box score for the plastic tumbler of 32,712. This gives a sum of 103,521 for the glasses and the plastic tumbler combined. For EXP1, the light box score was 57,317, with a light box score for the plastic tumbler of 33,371. This gives a sum of 90,688 for the glasses and the plastic tumbler combined.

The results demonstrate that EXP1 according to the invention providing a phosphorus-free liquid detergent additionally provides the benefits of having

reducing film on the treated surfaces and also having significantly better light box scores than the Control, phosphorus-containing formulation.

### EXAMPLE 3

5

Additional experimental formulas to provide phosphorous-free detergent compositions were evaluated using the methods of Example 2. The compositions are shown in Table 3.

10 TABLE 3

| <b>Description</b>         | <b>EXP1</b> | <b>EXP2</b> | <b>EXP3</b> |
|----------------------------|-------------|-------------|-------------|
| Softened Water             | 20-80       | 20-80       | 20-80       |
| Trilon M (40%)             | 2.5-5       | 2.5-5       | 1-2.5       |
| Bayhibit AM<br>(50%)       | 0           | 0           | 0           |
| Sodium<br>Hydroxide (50%)  | 25-60       | 25-60       | 25-60       |
| Acumer 1000<br>(48%)       | 0.1-5       | 0           | 0.1-5       |
|                            |             |             |             |
| Average Film<br>Score      | 1           | 5           | 5           |
| Average Light<br>Box Score | 14161       | Maxed       | Maxed       |

The elimination of Acumer 1000 (EXP2) and the reduction of the aminocarboxylate (EXP3) demonstrated film and light box ratings that were unsuccessful at 17 grain hardness water. In particular, the removal of the Acumer  
15 1000 (EXP2) from the phosphorous-free alkalinity detergent composition resulted in white glasses, having a light box score greater than 65,335, demonstrating the need for the combination of both the aminocarboxylate (Trilon M) and the water

conditioning agent (Acumer 1000). Similarly, the reduction of the Trilon M also demonstrated unsuccessful results. Notably, the reduction (not even the complete removal) of the Trilon M from the phosphorous-free alkalinity detergent composition also resulted in the maxed out scoring of the light box. The complete removal of the Trilon M (to test the efficacy of the Acumer 1000) alone would further result in a maxed out scoring of the light box. This shows the synergy of the combination of the two agents in the compositions according to the invention. The activity of either the aminocarboxylate (Trilon M) or the water conditioning agent (Acumer 1000) results in completely maxed out light box scores (as further evidenced by white glasses, whereas the combination of the two agents provides beneficial results and clear glasses.

As can be seen in Table 3, the compositions of the invention provide phosphorous-free alkalinity detergent compositions. The phosphorous-free compositions were most effective at removing scale when the Trilon M chelating and threshold agent is combined with a water conditioning agent according to the invention (shown with an average light box score of 14,161 and providing clear glasses). As set forth according to the invention the combination of the aminocarboxylate (Trilon M) and the water conditioning agent (Acumer 1000) provides a synergistic and unexpected improvement in the light box score, demonstrating the prevention in scale build-up on treated surfaces.

The following represent non-limiting embodiments of the subject matter disclosed herein.

Embodiment 1. A phosphorus-free detergent composition comprising: 2-15 wt-% of an aminocarboxylate; 0.1-15 wt-% of a water conditioning polymer; 20-77 wt-% of an alkalinity source; and 20-77 wt-% of water, wherein the composition is phosphorus-free, does not contain surfactants and reduces or eliminates scale build-up on treated surfaces; wherein the weight:weight ratio of the aminocarboxylate to the water conditioning polymer is from 1:1 to 5:1; wherein the water conditioning polymer is a polyacrylate, polycarboxylate or polycarboxylic acid; and wherein the detergent composition provides sanitizing effect at wash temperatures that are not heated above 140° F when employed with a sanitizer.

Embodiment 2. The composition of Embodiment 1, wherein the aminocarboxylate is an aminocarboxylic acid or a salt of an aminocarboxylic acid.

Embodiment 3. The composition of Embodiment 2, wherein the aminocarboxylate is methylglycinediacetic acid.

Embodiment 4. The composition of Embodiment 1, wherein the alkalinity source is sodium hydroxide.

Embodiment 5. The composition of Embodiment 1, wherein the weight:weight ratio of the aminocarboxylate to the water conditioning polymer is from 1:1 to 2.5:1.

Embodiment 6. The composition of Embodiment 1, wherein the composition comprises between 2 wt-% and 10 wt-% of the aminocarboxylate, between 0.1 wt-% and 10 wt-% of the water conditioning polymer, between 30 wt-% and 70 wt-% of the alkalinity source, and between 27 wt-% and 67 wt-% of water.

Embodiment 7. A detergent composition comprising: 2-15 wt-% of methylglycinediacetic acid; 0.1-15 wt-% of a water conditioning polymer; 40-67 wt-% of sodium hydroxide; 30-57 wt-% of water, wherein the composition is phosphorus-free, does not contain surfactants and reduces or eliminates scale build-up on treated surfaces, wherein the weight:weight ratio of the methylglycinediacetic acid to the water conditioning polymer is from 1:1 to 5:1, wherein the water conditioning polymer is a polyacrylate, polycarboxylate or polycarboxylic acid and wherein the detergent composition provides sanitizing effect at wash temperatures that are not heated above 140° F when employed with a sanitizer.

Embodiment 8. The composition of Embodiment 7, wherein methylglycinediacetic acid is a trisodium salt.

Embodiment 9. The composition of Embodiment 7, wherein the composition has a pH of at least 8.

Embodiment 10. The composition of Embodiment 7, wherein the composition has a pH of at least 10.

Embodiment 11. The composition of Embodiment 7, wherein the weight:weight ratio of the methylglycinediacetic acid material to the water conditioning polymer is from 1:1 to 2.5:1.

Embodiment 12. The composition of Embodiment 7, wherein the composition comprises between 2 wt-% and 10 wt-% of methylglycinediacetic acid, between 0.1 wt-% and 10 wt-% of the water conditioning polymer, between 40 wt-% and 60 wt-% of the sodium hydroxide, and between 30 wt-% and 55 wt-% of water.

Embodiment 13. A method of cleaning using a phosphorus-free ware wash detergent comprising: washing a surface with a detergent wash solution comprising a phosphorus-free alkaline detergent comprising from 1 ppm to 250 ppm of an aminocarboxylate, from 1 ppm to 250 ppm of a water conditioning polymer, from 10 ppm to 500 ppm of an alkalinity source, and water, wherein the composition is phosphorus-free, does not contain surfactants and reduces or eliminates scale build-up on said surfaces; employing a sanitizer with the detergent wash solution or a sanitizer formulated in the phosphorus-free alkaline detergent; employing a rinse aid; wherein the weight:weight ratio of the aminocarboxylate to the water conditioning polymer is from 1:1 to 5:1, and wherein the temperature of the detergent wash solution in the washing step is not heated above 140° F, and wherein the detergent wash solution prevents the formation of precipitates in hard water sources.

Embodiment 14. The method of Embodiment 13, wherein the method further comprises rinsing said surface with an initial rinse solution prior to washing with said detergent wash solution.

Embodiment 15. The method of Embodiment 13, wherein the aminocarboxylate is methylglycinediacetic acid or a sodium salt of methylglycinediacetic acid.

Embodiment 16. The method of Embodiment 13, wherein the temperature of the detergent wash solution in the washing step is not heated above 130° F.

Embodiment 17. The method of Embodiment 13, further comprising rinsing said surface with a rinse solution.

Embodiment 18. The method of Embodiment 13, further comprising first diluting a concentrated phosphorus-free alkaline detergent comprising from 2-15 wt-% of the aminocarboxylate, from 0.1-15 wt-% of the water conditioning polymer, from 20-77 wt-% of an alkalinity source, and from 20-77 wt-% of water, to form the detergent wash solution,

wherein the concentrated detergent is diluted in water at a volume:volume dilution ratio of between 1:10 to 1:10,000.

Embodiment 19. A phosphorus-free detergent composition comprising: 0.1-15 wt-% of an aminocarboxylate; 0.1-15 wt-% of a water conditioning polymer; an alkalinity source; and 20-80 wt-% of water, wherein the composition is phosphorus-free, does not contain surfactants and reduces or eliminates scale build-up on treated surfaces; wherein the weight:weight ratio of the aminocarboxylate to the water conditioning polymer is from 1:1 to 5:1; wherein the water conditioning polymer is a polyacrylate, polycarboxylate or polycarboxylic acid; and wherein the detergent composition provides sanitizing effect at wash temperatures that are not heated above 140° F when employed with a sanitizer.

Embodiment 20. The composition of Embodiment 19, wherein the aminocarboxylate is an aminocarboxylic acid or a salt of an aminocarboxylic acid.

Embodiment 21. The composition of Embodiment 20, wherein the aminocarboxylate is methylglycinediacetic acid.

Embodiment 22. The composition of Embodiment 19, wherein the alkalinity source is sodium hydroxide.

Embodiment 23. The composition of Embodiment 19, wherein the weight:weight ratio of the aminocarboxylate to the water conditioning polymer is from 1:1 to 2.5:1.

Embodiment 24. The composition of Embodiment 19, wherein the composition comprises between 0.1 wt-% and 10 wt-% of the aminocarboxylate, between 0.1 wt-% and 10 wt-% of the water conditioning polymer, and between 27 wt-% and 67 wt-% of water.

Embodiment 25. The composition of Embodiment 19, wherein the alkalinity source is present in an amount that provides a use solution pH of at least 8.

Embodiment 26. A method of cleaning using a phosphorus-free ware wash detergent comprising: washing a surface with a detergent wash solution comprising a phosphorus-free alkaline detergent comprising from 1 ppm to 250 ppm of an aminocarboxylate, from 1 ppm to 250 ppm of a water conditioning polymer, an alkalinity source, and water, wherein the composition is phosphorus-free, does not contain surfactants and reduces or eliminates scale build-up on said surfaces; employing a sanitizer with the detergent wash solution or a

sanitizer formulated in the phosphorus-free alkaline detergent; employing a rinse aid; wherein the weight:weight ratio of the aminocarboxylate to the water conditioning polymer is from 1:1 to 5:1, and wherein the temperature of the detergent wash solution in the washing step is not heated above 140° F, and wherein the detergent wash solution prevents the formation of precipitates in hard water sources.

Embodiment 27. The method of Embodiment 26, wherein the method further comprises rinsing said surface with an initial rinse solution prior to washing with said detergent wash solution.

Embodiment 28. The method of Embodiment 26, wherein the aminocarboxylate is methylglycinediacetic acid or a sodium salt of methylglycinediacetic acid.

Embodiment 29. The method of Embodiment 26, wherein the temperature of the detergent wash solution in the washing step is not heated above 130° F.

Embodiment 30. The method of Embodiment 26, further comprising rinsing said surface with a rinse solution.

Embodiment 31. The method of Embodiment 26, further comprising first diluting a concentrated phosphorus-free alkaline detergent comprising from 0.1-15 wt-% of the aminocarboxylate, from 0.1-15 wt-% of the water conditioning polymer, an alkalinity source, and from 20-77 wt-% of water, to form the detergent wash solution, wherein the concentrated detergent is diluted in water at a volume:volume dilution ratio of between 1:10 to 1:10,000.

Embodiment 32. The method of Embodiment 31, wherein the alkalinity source is present in an amount that provides a wash solution pH of at least 8.

The inventions being thus described, it will be obvious that the same may be varied in many ways. Such variations are not to be regarded as a departure from the spirit and scope of the inventions and all such modifications are intended to be included within the scope of the following claims. The above specification provides a description of the manufacture and use of the disclosed compositions and methods. Since many embodiments can be made without departing from the spirit and scope of the invention, the invention resides in the claims.

## CLAIMS:

1. A phosphorus-free detergent composition comprising:  
2-15 wt-% of an aminocarboxylate;  
0.1-15 wt-% of a water conditioning polymer;  
20-77 wt-% of an alkalinity source; and  
20-77 wt-% of water,  
wherein the composition is phosphorus-free, does not contain surfactants and reduces or eliminates scale build-up on treated surfaces;  
wherein the weight:weight ratio of the aminocarboxylate to the water conditioning polymer is from 1:1 to 5:1;  
wherein the water conditioning polymer is a polyacrylate, polycarboxylate or polycarboxylic acid; and  
wherein the detergent composition provides sanitizing effect at wash temperatures that are not heated above 140° F when employed with a sanitizer.
2. The composition of claim 1, wherein the aminocarboxylate is an aminocarboxylic acid or a salt of an aminocarboxylic acid.
3. The composition of claim 2, wherein the aminocarboxylate is methylglycinediacetic acid.
4. The composition of claim 1, wherein the alkalinity source is sodium hydroxide.
5. The composition of claim 1, wherein the weight:weight ratio of the aminocarboxylate to the water conditioning polymer is from 1:1 to 2.5:1.
6. The composition of claim 1, wherein the composition comprises between 2 wt-% and 10 wt-% of the aminocarboxylate, between 0.1 wt-% and 10 wt-% of the water conditioning

polymer, between 30 wt-% and 70 wt-% of the alkalinity source, and between 27 wt-% and 67 wt-% of water.

7. A detergent composition comprising:

2-15 wt-% of methylglycinediacetic acid;

0.1-15 wt-% of a water conditioning polymer;

40-67 wt-% of sodium hydroxide;

30-57 wt-% of water,

wherein the composition is phosphorus-free, does not contain surfactants and reduces or eliminates scale build-up on treated surfaces,

wherein the weight:weight ratio of the methylglycinediacetic acid to the water conditioning polymer is from 1:1 to 5:1,

wherein the water conditioning polymer is a polyacrylate, polycarboxylate or polycarboxylic acid and

wherein the detergent composition provides sanitizing effect at wash temperatures that are not heated above 140° F when employed with a sanitizer.

8. The composition of claim 7, wherein methylglycinediacetic acid is a trisodium salt.

9. The composition of claim 7, wherein the composition has a pH of at least 8.

10. The composition of claim 7, wherein the composition has a pH of at least 10.

11. The composition of claim 7, wherein the weight:weight ratio of the methylglycinediacetic acid material to the water conditioning polymer is from 1:1 to 2.5:1.

12. The composition of claim 7, wherein the composition comprises between 2 wt-% and 10 wt-% of methylglycinediacetic acid, between 0.1 wt-% and 10 wt-% of the water

conditioning polymer, between 40 wt-% and 60 wt-% of the sodium hydroxide, and between 30 wt-% and 55 wt-% of water.

13. A method of cleaning using a phosphorus-free ware wash detergent comprising:  
washing a surface with a detergent wash solution comprising a phosphorus-free alkaline detergent comprising from 1 ppm to 250 ppm of an aminocarboxylate, from 1 ppm to 250 ppm of a water conditioning polymer, from 10 ppm to 500 ppm of an alkalinity source, and water, wherein the composition is phosphorus-free, does not contain surfactants and reduces or eliminates scale build-up on said surfaces;

employing a sanitizer with the detergent wash solution or a sanitizer formulated in the phosphorus-free alkaline detergent;

employing a rinse aid;

wherein the weight:weight ratio of the aminocarboxylate to the water conditioning polymer is from 1:1 to 5:1, and

wherein the temperature of the detergent wash solution in the washing step is not heated above 140° F, and

wherein the detergent wash solution prevents the formation of precipitates in hard water sources.

14. The method of claim 13, wherein the method further comprises rinsing said surface with an initial rinse solution prior to washing with said detergent wash solution.

15. The method of claim 13, wherein the aminocarboxylate is methylglycinediacetic acid or a sodium salt of methylglycinediacetic acid.

16. The method of claim 13, wherein the temperature of the detergent wash solution in the washing step is not heated above 130° F.

17. The method of claim 13, further comprising rinsing said surface with a rinse solution.

18. The method of claim 13, further comprising first diluting a concentrated phosphorus-free alkaline detergent comprising from 2-15 wt-% of the aminocarboxylate, from 0.1-15 wt-% of the water conditioning polymer, from 20-77 wt-% of an alkalinity source, and from 20-77 wt-% of water, to form the detergent wash solution, wherein the concentrated detergent is diluted in water at a volume:volume dilution ratio of between 1:10 to 1:10,000.

19. A phosphorus-free detergent composition comprising:

0.1-15 wt-% of an aminocarboxylate;

0.1-15 wt-% of a water conditioning polymer;

an alkalinity source; and

20-80 wt-% of water,

wherein the composition is phosphorus-free, does not contain surfactants and reduces or eliminates scale build-up on treated surfaces;

wherein the weight:weight ratio of the aminocarboxylate to the water conditioning polymer is from 1:1 to 5:1;

wherein the water conditioning polymer is a polyacrylate, polycarboxylate or polycarboxylic acid; and

wherein the detergent composition provides sanitizing effect at wash temperatures that are not heated above 140° F when employed with a sanitizer.

20. The composition of claim 19, wherein the aminocarboxylate is an aminocarboxylic acid or a salt of an aminocarboxylic acid.

21. The composition of claim 20, wherein the aminocarboxylate is methylglycinediacetic acid.

22. The composition of claim 19, wherein the alkalinity source is sodium hydroxide.

23. The composition of claim 19, wherein the weight:weight ratio of the aminocarboxylate to the water conditioning polymer is from 1:1 to 2.5:1.
24. The composition of claim 19, wherein the composition comprises between 0.1 wt-% and 10 wt-% of the aminocarboxylate, between 0.1 wt-% and 10 wt-% of the water conditioning polymer, and between 27 wt-% and 67 wt-% of water.
25. The composition of claim 19, wherein the alkalinity source is present in an amount that provides a use solution pH of at least 8.
26. A method of cleaning using a phosphorus-free ware wash detergent comprising:  
washing a surface with a detergent wash solution comprising a phosphorus-free alkaline detergent comprising from 1 ppm to 250 ppm of an aminocarboxylate, from 1 ppm to 250 ppm of a water conditioning polymer, an alkalinity source, and water, wherein the composition is phosphorus-free, does not contain surfactants and reduces or eliminates scale build-up on said surfaces;  
employing a sanitizer with the detergent wash solution or a sanitizer formulated in the phosphorus-free alkaline detergent;  
employing a rinse aid;  
wherein the weight:weight ratio of the aminocarboxylate to the water conditioning polymer is from 1:1 to 5:1, and  
wherein the temperature of the detergent wash solution in the washing step is not heated above 140° F, and  
wherein the detergent wash solution prevents the formation of precipitates in hard water sources.
27. The method of claim 26, wherein the method further comprises rinsing said surface with an initial rinse solution prior to washing with said detergent wash solution.

28. The method of claim 26, wherein the aminocarboxylate is methylglycinediacetic acid or a sodium salt of methylglycinediacetic acid.
29. The method of claim 26, wherein the temperature of the detergent wash solution in the washing step is not heated above 130° F.
30. The method of claim 26, further comprising rinsing said surface with a rinse solution.
31. The method of claim 26, further comprising first diluting a concentrated phosphorus-free alkaline detergent comprising from 0.1-15 wt-% of the aminocarboxylate, from 0.1-15 wt-% of the water conditioning polymer, an alkalinity source, and from 20-77 wt-% of water, to form the detergent wash solution, wherein the concentrated detergent is diluted in water at a volume:volume dilution ratio of between 1:10 to 1:10,000.
32. The method of claim 31, wherein the alkalinity source is present in an amount that provides a wash solution pH of at least 8.