



(51) International Patent Classification:

G06Q 20/20 (2012.01) G06K 19/077 (2006.01)
G06Q 30/02 (2012.01) G06K 17/00 (2006.01)
G06K 7/10 (2006.01) G06F 3/147 (2006.01)

(21) International Application Number:

PCT/FI2017/050315

(22) International Filing Date:

26 April 2017 (26.04.2017)

(25) Filing Language:

English

(26) Publication Language:

English

(30) Priority Data:

15/146,322 04 May 2016 (04.05.2016) US

(71) Applicant: MARIELLA LABELS OY [FI/FI]; Pohjan-
tähdentie 17, 01450 Vantaa (FI).

(72) Inventor: SUNDHOLM, Göran; Ilmari Kiannon kuja 3,
04310 Tuusula (FI).

(74) Agent: HEINÄNEN OY; Äyritie 8 D, FI-01510 Vantaa
(FI).

(81) Designated States (unless otherwise indicated, for every
kind of national protection available): AE, AG, AL, AM,
AO, AT, AU, AZ, BA, BB, BG, BH, BN, BR, BW, BY, BZ,
CA, CH, CL, CN, CO, CR, CU, CZ, DE, DJ, DK, DM, DO,
DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, GT, HN,
HR, HU, ID, IL, IN, IR, IS, JP, KE, KG, KH, KN, KP, KR,
KW, KZ, LA, LC, LK, LR, LS, LU, LY, MA, MD, ME, MG,
MK, MN, MW, MX, MY, MZ, NA, NG, NI, NO, NZ, OM,
PA, PE, PG, PH, PL, PT, QA, RO, RS, RU, RW, SA, SC,
SD, SE, SG, SK, SL, SM, ST, SV, SY, TH, TJ, TM, TN, TR,
TT, TZ, UA, UG, US, UZ, VC, VN, ZA, ZM, ZW.

(84) Designated States (unless otherwise indicated, for every
kind of regional protection available): ARIPO (BW, GH,
GM, KE, LR, LS, MW, MZ, NA, RW, SD, SL, ST, SZ, TZ,
UG, ZM, ZW), Eurasian (AM, AZ, BY, KG, KZ, RU, TJ,
TM), European (AL, AT, BE, BG, CH, CY, CZ, DE, DK,
EE, ES, FI, FR, GB, GR, HR, HU, IE, IS, IT, LT, LU, LV,

(54) Title: ELECTRONIC PRICE LABEL SYSTEM




Fig. 1

(57) Abstract: An electronic price label system and a method for an electronic price label system, the electronic price label system comprising a product database in which products are listed. In the method a new price for a product is determined, wherein the new price is based at least in part on a current price of the product, a ratio of the currently used sales time to the total duration of the sales season, and a ratio of the sales of the products in the previous observation time frame, e.g. a week, to the planned sales of the products in the observation time frame. The determined new price for the product is sent to the electronic price label linked to the product.

MC, MK, MT, NL, NO, PL, PT, RO, RS, SE, SI, SK, SM,
TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW,
KM, ML, MR, NE, SN, TD, TG).

Declarations under Rule 4.17:

— *of inventorship (Rule 4.17(iv))*

Published:

— *with international search report (Art. 21(3))*

ELECTRONIC PRICE LABEL SYSTEM

Field of the invention

5

The invention relates to electronic price label systems.

Background of the invention

10

Conventionally, the price information on price tags in shops is always changed manually when the price of the product is changed. The new prices are printed out on paper or a corresponding material, and these tags with their new price markings are placed manually to the products in the sales premises. Thus, an employee must first find the correct product and the price tag to be updated, after which the new price tag is inserted in its position. A disadvantage in this arrangement is, among other things, the fact that the arrangement is very laborious and there is a high risk of mistakes. In case of a mistake, a situation may, for example, occur, in which the price information on the price tags on the products conflicts with the price information in the cash register system.

To avoid the above mentioned drawbacks, electronic systems have been developed, in which electronic labels and their electronic displays are attached to the products, in which the price information of the products can be changed in a centralized manner from the control centre of the system, or the like. This will facilitate and accelerate the updating of the price information to a significant extent.

Also Point-of-Sale (POS) systems are used in the retail environment. The POS-systems of the prior art are used in various retail situations and they are implemented with hardware and software tailored to their particular requirements. Retailers may utilize weighing scales, scanners, electronic and manual cash registers, EFTPOS terminals, touch screens and a variety of other hardware and software available. POS software may also include additional features to cater for different functionality, such as inventory management, CRM, financials, warehousing, etc.

It's also known to use inventory or stock control systems in retail environment. Typical features of stock control systems include e.g. ensuring that the products are on the shelf in shops in just the right quantity, recognizing when a customer has bought a product, signaling when
5 more products need to be put on the shelf from the stockroom, reordering stock at the appropriate time from the main warehouse, producing management information reports that could be used both by the store and also at head office.

10 With above described prior art systems when the pricing is wanted to change it has to be done manually for every product e.g. via the POS-system. This is very time-consuming because the number of different types of products in the store is large.

15

Summary of the invention

It is an aim of the present invention to reduce the above-mentioned problems and simultaneously provide an arrangement for an electronic
20 price label system.

The method according to the invention is presented in claim 1 and the label system according to the invention is presented in claim 12. Other embodiments of the invention are characterized in what will be present-
25 ed in the other claims.

With the electronic price label system of the present invention, the system can automatically calculate a new price for the product. The new price is based at least in part on a current price of the product, a ratio
30 of the currently used sales time to the total length of the sales season, and a ratio of the number of sold products in the previous observation time frame, e.g. a week, to the planned number of sold products in the observation time frame. The determined new price for the product is sent to the electronic price label linked to the product. The observation
35 time frame in the system can be e.g. a day, certain number of days, a week, certain number of weeks, a month or certain number of months. The observation time frame can be different for different products and/or customers.

In one embodiment of the invention the new price for a product is determined on the basis of the following equation:

$$B2 = B1 * (1 + (Pf * w/Tw) * (((Cw+Fw) / 2) - Cw) / Cw),$$

- 5 wherein B2 is a new sales price, B1 is a previous sales price, Pf is a progress factor, w is a currently used sales time, e.g. number of sales weeks from the start of the sales, Tw is a planned sales time, e.g. in weeks, Cw is a planned average sales (pcs) per observation timeframe, e.g. a week, and Fw is a number of sold products during previous ob-
10 servation timeframe, e.g. previous week.

- In one embodiment of the invention the new price is based at least in part on a current price of the product, a ratio of the currently used sales time to the total length of the sales season, and a ratio of the revenue
15 of sold products in the previous observation time frame, e.g. a week, to the planned revenue of sold products in the observation time frame.

In one embodiment of the invention the new price for a product is determined on the basis of the following equation:

20
$$B2 = B1 * (1 + (Pf * w/Tw) * (((Cw+Fw) / 2) - Cw) / Cw),$$

- wherein B2 is a new sales price, B1 is a previous sales price, Pf is a progress factor, w is a currently used sales time, e.g. number of sales weeks from the start of the sales, Tw is a planned sales time, e.g. in weeks, Cw is a planned average sales revenue (e.g. €) per observation
25 timeframe, e.g. a week, and Fw is realized sales revenue (e.g. €) during previous observation timeframe, e.g. previous week.

- In one embodiment of the invention the electronic price label system comprises a minimum price and/or maximum price for a product and if
30 the determined new price would be less than the set minimum price, the set minimum price is used as a new price for a product and/or if the determined new price would be more than the set maximum price, the set maximum price is used as a new price for a product.

- 35 In one embodiment of the invention the electronic label is an electronic label which is configured to be attached to a product.

In one embodiment of the invention the determined new price for the product is sent to the electronic price label during an inventory check.

The solution of the present invention is able to automatically calculate
5 and change the prices of the products based on predefined rules and
thus the system reduces manual pricing work which is needed with the
prior art systems. When price of a certain product is changed the price
information will be changed in the electronic price label system and this
information will be delivered through the base stations to individual
10 electronic labels.

Description of the Drawings

15 In the following, the invention will be described in more detail by means
of example embodiments with reference to the appended drawings, in
which

20 Fig. 1 presents an example implementation of an elec-
tronic price label system,

Fig. 2 presents an example chart according to one em-
bodiment of the invention where different values
of the automatic price calculation are presented,

25 Fig. 3 presents an example chart according to the em-
bodiment of the invention of Fig.2 where the au-
tomatically calculated price is illustrated, and

30 Fig. 4 presents a schematic and simplified view of an ex-
ample arrangement of the electronic price label
system in a store or in corresponding sales prem-
ises.

35

Detailed description of the invention

Figure 1 presents an example implementation of the electronic price label system. The system comprises an electronic price label system and a product database in which products are listed (product database not shown in the Figure 1). The electronic price label system can also comprise a point of sale system or be connected to a point of sale system.

Point of sale system is used to manage prices, stock, scales data, cash register data or other similar sale or product related data of a store. A user device can communicate with the point of sale system of a store through an interface. The point of sale system can be connected through an interface also to cash registers, scales and an electronic price label system. Through the interface the point of sale system can e.g. update information on cash registers and scales or gather information on activities such as sales on the cash registers or scales.

The electronic price label system, connected to the point of sale system, can be used to change and present prices to the customers. The electronic price label system can comprise electronic price label system base station controller, one or more base stations and one or more electronic price labels. Base stations of the electronic price label system are installed in stores and are typically connected in a wired manner, for example, via Ethernet connection to the base station controller. The base station controller is further connected to a store level server containing the price and other product information. A specific product can be linked to a specific electronic price label in the product database of the system.

The electronic price label system is able to calculate prices of the products automatically based on user changeable parameters and information collected with the electronic price label system and/or point-of-sale system. The system is able to change prices so that the revenue and profit can be optimized, e.g. in such a way that essentially all the products are sold in the normal store during the normal sales period and sales out period. If this can be achieved, none of the products have to be sold at an outlet store and the revenue and profit can be kept higher.

The changeable parameters can be set e.g. in the following manner. The target number of sold products for sales season and the length of the sales season (e.g. in days, weeks or months) can be set to the system. After that the system is able to calculate a target value of an average number of sold products for a certain observation timeframe of the sales season, e.g. sold items per day, week or month. Also a starting price for a product should be set to the system. Based on this information and information collected with the electronic price label system and/or point-of-sale system the system can automatically calculate and change the prices.

The system calculates a new price for the product based at least in part on a current price of the product, a ratio of the currently used sales time to the total length of the sales season, and a ratio of the number of sold products in the previous observation time frame, e.g. a week, to the planned number of sold products in the observation time frame. The determined new price for the product is sent to the electronic price label linked to the product.

In one embodiment of the system a new price is calculated on the basis of the following equation:

$$B2 = B1 * (1 + (Pf * w/Tw) * (((Cw+Fw) / 2) - Cw) / Cw)$$

wherein in the equation:

	B2 =	new sales price,
	B1 =	previous sales price,
	Pf =	progress factor,
30	w =	currently used sales time, e.g. number of sales weeks from the start of the sales,
	Tw =	planned sales time, e.g. in weeks,
	Cw =	planned average sales (pcs) per observation timeframe, e.g. a week,
35	Fw =	number of sold products during previous observation timeframe, e.g. previous week.

The progress factor can be used to determine the steepness of the price change. If the value of the progress factor is 0, prices are not changed. Value 1 can be used as a basic value for the progress factor which can be adjusted if needed. With progress factor values over 1 the price change is bigger (i.e. steeper) than with the value 1. With progress factor value less than 1 the price change is smaller than with the value 1.

In one embodiment of the invention a minimum price and/or a maximum price for a product can be set to the system, e.g. for the current sales season. If the calculated price would be below the set minimum price, the set minimum price is used. If the calculated price would be above the set maximum price, the set maximum price is used.

Fig. 2 presents an example chart according to one embodiment of the invention where different values of the automatic price calculation are presented on the left side of the chart. The prior art pricing method is presented as a comparison on the right side of the chart.

The target number of sold products for sales season (sales target (pcs)) and the length of the sales season T_w (e.g. in days, weeks or months) can be set to the system. After that the system is able to calculate planned average number of sold products C_w for a certain observation timeframe of the sales season, e.g. sold items per day, week or month. Also in the charts are presented, for one embodiment of the invention, the sales target as revenue and calculated planned sales C_w as revenue for a certain observation timeframe.

Also a starting price for a product should be set to the system. Based on this information and information collected with the electronic price label system and/or point-of-sale system the system can automatically calculate and change the prices based. Also the optional maximum sales price during season and minimum sales price during season can be set.

Progress factor P_f can be changed to determine the steepness of the automatic price change.

Original cost price for a product (cost for the store for buying the product from the manufacturer) is also shown in the chart so that the profit and price can be compared to the cost of the product.

- 5 Price Booster (during special days) setting can be used to change the price higher to a predefined value, e.g. for a day or time of the day when the sales are presumed to be high. Also a special offer for the day or certain hours of the day can be used to set the price lower.
- 10 The new price can be calculated with the same parameters to a group of products, wherein a group of products consists of different variants of same product, e.g. different size and/or color of same product. The new price can be calculated individually for every product, e.g. different sizes of the same product type.
- 15 The system can have different sales related periods and the price can be calculated with different parameters during these sales periods. Some parameters can be used unchanged in these different sales related periods. An example of two different sales related periods, presented
20 e.g. in Fig. 2, is normal sales season and sales out season. For example starting price, minimum price and/or maximum price for a product can be different in the sales out season when compared to the normal sales season. Also the length of the sales period can be different in normal sales season and sales out season.
- 25 Fig. 3 presents an example chart according to the embodiment of the invention presented in Fig.2. In the chart of Figure 3 the automatically calculated price is illustrated for every week. The prior art pricing method is presented as a comparison.
- 30 In one embodiment of the invention instead using planned average sales number of products sold per observation timeframe (Cw) and number of sold products during previous observation timeframe (Fw) as described above, the system can use realized sales (revenue) during
35 previous observation timeframe and planned average sales (revenue) in observation timeframe. In this case the system functions and calculates the new price in similar fashion as presented above but the new price is based at least in part on the current price of the product, a ratio of the

currently used sales time to the total duration of the sales season, and the ratio of the revenue created from the sold products in the previous observation time frame, e.g. a week, to the planned revenue of sold products in the observation time frame. The preceding equation $B2 = B1 * (1 + (Pf * w/Tw) * (((Cw+FW) / 2) - Cw) / Cw)$ can also be used with this embodiment and in this case the Cw is planned revenue of sold products in the observation time frame and Fw is the revenue created from the sold products in the previous observation time frame. All the other variables are same as described above.

10

When a user device or an external system wants to receive information about a certain product or plurality of products, the user device or external system requests information about the status of the electronic price labels and/or the products linked to the electronic price labels. The electronic price label system receives the query request about status of the electronic price labels and/or the products linked to the electronic price labels and sends information as a response about the products which are in the first state and information about the products which are in the second state as a response to the received query request. The electronic price label system can also send other information such as statistics related to a product, an electronic label related to a product and/or any other information such as other statistic information.

15

20

The electronic price label system can be scheduled to automatically make an inventory check or query of all the products in the store e.g. periodically for example every night, daily and/or weekly. This way daily reliable inventory information of all products in the store and/or warehouse is available. This information is much more reliable than with the prior art systems where the inventory is usually manually checked once or twice the year.

25

30

In one embodiment of the invention the new price can be sent in one embodiment of the invention during an inventory check. In one embodiment of the invention the new price is submitted to the electronic price label as a data file which contains the new price. The data file can be sent in one embodiment of the invention during an inventory check. Inventory check and/or sending prices can in one embodiment of the invention be carried out continuously and e.g. so that when all the prod-

35

ucts are inventoried and/or all the price changes have been transmitted to the electronic price labels, a new inventory check and/or sending of prices to the electronic price labels is carried out again.

- 5 The electronic price label system can be also used to recognize certain events or patterns, e.g. related to loss of products by comparing detected inventory information to the sales information. Because the inventory can be checked easily, e.g. every day and/or night, certain days can be recognized when there are more losses of products than on the average. Based on this information the reasons for the losses can be found out.

The regular and optionally periodical inventory query can be used check and report the sales of certain products. The model, size and/or color of the product can be recognized in the electronic price label system and based on this the system can create report of model, size and/or color of the products which are sold well and fast and model, size and/or color of the products which are not selling well.

- 20 Figure 4 shows schematically, as an example, a typical arrangement of the electronic price label system in a store or similar sale environment.

Products 1 are equipped with electronic labels 3 which comprise a display 2. The electronic labels 3 are typically attached to the products with different kind of fixing means. The display 2 is arranged to display the price of the product, and the product information contains, among other things, the name of the product and possibly some other information relating to the product. The electronic price label 3 can also have a separate indication marking, e.g. color-marking, which can indicate product related information such as a sale promotion for the product, sale promotion to regular customers for the product and/or a new product.

Each electronic display 2 can constitute a thin price tag equipped with display segments and/or pixels and resembling a paper price tag, in which the required product prices and other necessary symbols are formed by changing the color of the substantially two-colored or multi-colored display segments.

One layer of the display is, for example, an active ink layer. The ink layer contains a number of microcapsules filled with liquid and containing, for example, substantially black particles with a positive surface charge and substantially white particles with a negative surface charge, whose location in the microcapsules is controlled by an electric field so that at the desired display segments, the black particles are on top, wherein said display segments look black when viewed from above, and at the other display segments, the white particles are on top, wherein these display segments look white when viewed from above. The background of the display consists of the same microcapsules, wherein, for example, the price information can be displayed as dark numbers against a light background, or vice versa, if desired. Such a display used can be, for example, the electrophoretic microcapsule display laminate disclosed in Finnish patent application No. FI 20050192.

Furthermore, the electronic price label system comprises at least a central processing unit 5 connected to a base station 4 or other communication means, via which it is possible to transmit, for example, updated price information and other control information to the display 2. Furthermore, the system may comprise scanners 6 located at cash registers and connected to the cash register system, for scanning the price, wherein the cash register system and the electronic labels always have the same up-to-date information on the prices of the products. Furthermore, the central processing unit 5 may be coupled to other controlling and supporting systems, e.g. to a point of sale system of a store. The wireless connection between the central processing unit 5 and the electronic labels 3 is illustrated with arrows.

The electronic labels 3 can have multiple memory locations for the information, for example for price information. The electronic labels 3 can also comprise multiple different views stored in the memory locations i.e. different pages that include different information to be displayed.

The electronic labels 3 communicate in a wireless manner with the base station 4 shown in Fig. 2. This wireless communication method may be based on any known wireless communication technology, but in order to save battery life of the electronic labels 3, passive backscatter radio

communication is preferred. In this approach the base stations 4 actively send radio signals and instead of answering with active radio transmission, the electronic labels 3 do not use a radio transmitter; instead, they answer by modulating the reflected power of the base station signal. The modulation is achieved, typically, by changing the load state of the antenna in the electronic labels 3, for example, by connecting and disconnecting the antenna between the ground and non-ground potential. This modulation of the backscattered signal allows for the electronic labels 3 to answer to the base stations and further to the store level server.

Each electronic label 3 can be identified by its own identification code that the electronic label 3 in question knows to listen for in the transmission from the base station 4. After receiving new information, instructions or commands from the store server via base station 4, the electronic label 3 can acknowledge the reception of these instructions by using the reflected backscattering modulated properly and timely for the store level server to identify that the response is coming from the electronic label 3 in question. To facilitate that the store server may have a certain listening period after a transmission directed to a certain electronic label 3 for giving the module possibility to answer during that time.

When receiving a new price, the electronic price labels don't have to change the displayed price immediately but they can wait for a new price activation signal from the electronic price label system, e.g. from base station of the electronic price label system. The activation message can be transferred from the electronic price label system, e.g. from base station of the electronic price label system, to the price labels of the system by broadcasting the activation message. This way all the electronic price labels can change the displayed price from old price to new price essentially simultaneously. Without broadcasting price activation signal and in the situation where the electronic price labels would show the new price immediately upon receiving the new price, the prices would not be changed at the same time in all electronic price labels. This is because of the fact that the sending and confirming prices to all price labels can take a long time, e.g. many hours in some cases.

The database of the electronic label system can have many different kind of information relating to the products and electronic labels linked to products. E.g. the following information can be stored to the database and/or electronic price labels:

5

- File/Entity 1: Contains the prices and quantities of the latest inventory. A new inventory will be made based on this information. Prices can be shown on the display of electronic price label in the shop.

10

- File/Entity 2: Contains information about new prices which are transmitted to the electronic price label, e.g. during inventory check. The prices can be determined and sent for example from the price optimization program, POS and/or electronic price label system.

15

- File/Entity 3: Contains information about the new, acknowledged prices from the electronic price labels, received e.g. during the inventory check. New prices transferred to the electronic price labels are stored to the price labels. Inventory check and/or transfer of process can be carried out also during the time when the shop is open. The electronic price label can show the old price on its display even if it has received the new price and change the displayed price to the new price when it receives a command from the electronic label system to change the displayed price. The command can be broadcasted to all electronic labels of the system and then all the electronic labels can change the displayed price essentially at the same time.

20

25

30

- File/Entity 4: Contains information about all products sold during the day.

35

- File/Entity 5: Contains information about all products removed from the shop.

- File/Entity 6: Contains all products brought to the shop as replenishment products (e.g. complementary products) during

the day. If the same price label has been attached to a different product during the same day, the time can be registered to the electronic label system, e.g. its database, because that electronic label may have been included in an inventory check already.

- File/Entity 7: Contains information about all products added to the shop.

- File/Entity 8: Contains information about the number of a product (any time during a day). File/Entity 8 can be calculated by subtracting the count of products in File/Entity 4 from the count in File/Entity 1, and adding the counts from File/Entity 6 and File/Entity 7 to the count of File/Entity 1.

The starting point for the next day's new inventory can be the following: 1) the price for inventory has been inserted and acknowledged in File/Entity 3, 2) the products contained in File/Entity 4 and File/Entity 6 will be subtracted from the File/Entity 3 and 3) the products contained in File/Entity 6 and 7 will be added to the File/Entity 3.

Eventually, the change of the inventory is the difference of counts in File/Entity 1 and in File/Entity 3.

- File/Entity 9: Contains information about not found or stolen labels as compared with the original inventory. This can also show the difference between the past inventory and if products, which were not found in the previous inventory, are found.

The next day the File/Entity 1 and 3 can be swapped and the inventory check will be done as described above.

- File/Entity 10: Contains special offers which can be used e.g. for a certain day and/or for certain hours during a day.

It is clear for a person skilled in the art that the software applications, communicational functions and other functions of the system described schematically in Fig. 1 and 3 can be arranged in a wide variety of different ways depending on the details of the application in question. Fig. 1
5 and 3 only aim to provide a high level illustration as an example to aid for understanding the benefits of the invention described here.

Although exemplary embodiments of the present invention have been described with reference to the attached drawings, the present inven-
10 tion is not limited to these embodiments, and it should be appreciated to those skilled in the art that a variety of modifications and changes can be made without departing from the spirit and scope of the present invention.

Claims

1. A method for an electronic price label system, the electronic price label system comprising a product database in which products are
 5 listed, **characterized** in that in the method following steps are performed:

determining a new price for a product, wherein the new price is based at least in part on:

- a current price of the product,
- 10 - a ratio of the currently used sales time to the total duration of the sales season, and
- a ratio of the sales (number of products or revenue) of the products in a previous observation time frame, e.g. a week, to the planned sales (number of products or revenue) of products in the ob-
 15 servation time frame, and

sending the determined new price for the product to an electronic price label linked to the product.

2. A method according to claim 1, **characterized** in that the
 20 new price for a product is determined on the basis of the following equation:

$$B2 = B1 * (1 + (Pf * w/Tw) * (((Cw+Fw) / 2) - Cw) / Cw),$$

wherein

B2 is a new sales price,

25 B1 is a previous sales price,

Pf is a progress factor,

w is a currently used sales time, e.g. number of sales weeks from the start of the sales,

Tw is a planned sales time, e.g. in weeks,

30 Cw is planned sales (number of products or revenue) of products per observation timeframe, e.g. a week, and

Fw is sales (number of products or revenue) of products during previous observation timeframe, e.g. previous week.

35 3. A method according to claim 1 or 2, **characterized** in that the electronic price label system comprises a minimum price and/or maximum price for a product and if the determined new price would be less than the set minimum price, the set minimum price is used as a new

price for a product and/or if the determined new price would be more than the set maximum price, the set maximum price is used as a new price for a product.

5 4. A method according to any previous claims, **characterized** in that the electronic label is an electronic label which is attached to a product.

10 5. A method according to any previous claims, **characterized** in that the determined new price for the product is sent to the electronic price label during an inventory check.

15 6. A method according to any previous claims, **characterized** in that the determined new price for the product is sent to the electronic price label at predefined times, e.g. once a week or once a day.

20 7. A method according to any previous claims, **characterized** in that the determined new price for the product is sent to the electronic price label via wireless communication.

 8. A method according to any previous claims, **characterized** in that the determined new price for the product is sent to the electronic price label as a data file.

25 9. A method according to any previous claims, **characterized** in that the received new price for the product is stored to the electronic price label.

30 10. A method according to any previous claims, **characterized** in that the electronic price labels change the displayed price to the received new price after receiving the new price.

35 11. A method according to any previous claims, **characterized** in that the electronic price labels change the displayed price to the received new price after receiving a price activation signal from the electronic price label system, e.g. from base station of the electronic price label system.

12. A method according to claim 10, **characterized** in that the price activation signal is sent as a broadcast message from the electronic price label system, e.g. the base station of the electronic price label system.

5

13. An electronic price label system comprising a product database in which products are listed, **characterized** in that

the electronic price label system is configured to determine a new price for a product, wherein the new price is based at least in part
10 on:

- a current price of the product,
- a ratio of the currently used sales time to the total duration of the sales season, and
- a ratio of the sales (number of products or revenue) of the
15 products in a previous observation time frame, e.g. a week, to the planned sales (number of products or revenue) of products in the observation time frame, and

the electronic price label system is configured to send the determined new price for the product to an electronic price label linked to
20 the product.

14. An electronic price label system according to claim 13, **characterized** in that the electronic price label system is configured to determine the new price for a product on the basis of the following equation:
25

$$B2 = B1 * (1 + (Pf * w/Tw) * (((Cw+Fw) / 2) - Cw) / Cw),$$

wherein

B2 is a new sales price,

B1 is a previous sales price,

30 Pf is a progress factor,

w is a currently used sales time, e.g. number of sales weeks from the start of the sales,

Tw is a planned sales time, e.g. in weeks,

Cw is a planned sales (number of products or revenue) of products
35 per observation timeframe, e.g. a week, and

Fw is sales (number of products or revenue) of products during previous observation timeframe, e.g. previous week.

15. An electronic price label system according to claim 13 or 14, **characterized** in that the electronic price label system comprises a minimum price and/or maximum price for a product and if the determined new price would be less than the set minimum price, the electronic price label system is configured to use the set minimum price as a new price for a product and/or if the determined new price would be more than the set maximum price, the electronic price label system is configured to use the set maximum price as a new price for a product.

16. An electronic price label system according to any claim 13 – 15, **characterized** in that the electronic label is configured to be attached to a product.

17. An electronic price label system according to any claim 13 – 16, **characterized** in that the electronic price label system is configured to send the determined new price for the product to the electronic price label during an inventory check.

18. An electronic price label system according to any claim 13 – 17, **characterized** in that the electronic price label system is configured to send the determined new price for the product to the electronic price label at predefined times, e.g. once a week or once a day.

19. An electronic price label system according to any claim 13 – 18, **characterized** in that the electronic price label system is configured to send the determined new price for the product to the electronic price label via wireless communication.

20. An electronic price label system according to any claim 13 – 19, characterized in that the electronic price label system is configured to send the determined new price for the product to the electronic price label as a data file.

21. An electronic price label system according to any claim 13 – 20, **characterized** in that the electronic price label is configured to store the received new price for the product.

22. An electronic price label system according to any claim 13 – 21, **characterized** in that the electronic price labels are configured to change the displayed price to the received new price after receiving the new price.

5

23. An electronic price label system according to any claim 13 – 22, **characterized** in that the electronic price labels are configured to change the displayed price to the received new price after receiving a price activation signal from the electronic price label system, e.g. from
10 base station of the electronic price label system.

24. An electronic price label system according to claim 23, **characterized** in that the electronic price label system is configured to send the price activation signal, e.g. from the base station of the electronic
15 price label system, as a broadcast message.

25. An electronic price label system according to any claims 13 – 24, **characterized** in that the electronic price label system comprises base station controller, at least one base station and plurality of elec-
20 tronic labels (3).




Fig. 1

Model: Jeans type 110X, Size 36									
Sales target	48	pcs	4 800,00 €	Start sales price during Season	100,00 €	4	GM	75,00 %	Feed per item or group of items
Season length (Tw)	12	weeks		Max. sales price during Season	150,00 €	6	83,33 %		
Sales (Cw)	4	pcs/weeks	400,00 €	Min. sales price during Season	75,00 €	3	66,67 %		Pre feed per group of items
Sales out length	4	weeks		Start price durin Sales out	58,00 €	2	50,00 %		Info from electronic price label or POS system
Total Sales time	16	weeks		Min. price during Sales out	25,00 €	1	0,00 %		
				Cost price	25,00 €				
				Progress factor (Pf)	1,00				
				Price Booster (during special days)	150,00 €	6	83,33 %		
				Special offer for the day or hours	75,00 €	3	66,67 %		
EliaPricing	Sales price	Disc. % from highest price	Price prog. (D)	Change % E	pcs/w (Fw)	Cost	GM	Sales	Total GM
Week (w)									
1	100,00 €	0 %	0 %	0 %	4	25,00 €	75,00 €	400,00 €	300,00 €
2	100,00 €	16,7 %	0 %	0 %	5	25,00 €	75,00 €	500,00 €	375,00 €
3	103,13 €	25,0 %	13 %	13 %	5	25,00 €	78,13 €	618,75 €	468,75 €
4	111,72 €	33,3 %	33,3 %	25 %	8	25,00 €	86,72 €	670,31 €	520,31 €
5	123,36 €	41,7 %	41,7 %	25 %	4	25,00 €	98,36 €	493,42 €	393,42 €
6	123,36 €	50,0 %	50,0 %	0 %	3	25,00 €	98,36 €	370,07 €	295,07 €
7	114,36 €	7 %	58,3 %	-13 %	2	25,00 €	89,36 €	228,72 €	178,72 €
8	95,30 €	23 %	66,7 %	-25 %	1	25,00 €	70,30 €	95,30 €	70,30 €
9	75,00 €	39 %	75,0 %	-38 %	3	25,00 €	50,00 €	225,00 €	150,00 €
10	75,00 €	39 %	83,3 %	-13 %	3	25,00 €	50,00 €	225,00 €	150,00 €
11	75,00 €	39 %	91,7 %	-13 %	2	25,00 €	50,00 €	150,00 €	100,00 €
12	75,00 €	39 %	100,0 %	-25 %	2	25,00 €	50,00 €	150,00 €	100,00 €
1	50,00 €	59 %	25,0 %	-25 %	3	25,00 €	25,00 €	150,00 €	75,00 €
2	46,88 €	62 %	50,0 %	-13 %	2	25,00 €	21,88 €	93,75 €	43,75 €
3	38,09 €	69 %	75,0 %	-25 %	1	25,00 €	13,09 €	38,09 €	13,09 €
4	25,00 €	80 %	100,0 %	-38 %	1	25,00 €	0,00 €	25,00 €	0,00 €
	92,36 €				48			4 433,42 €	3 233,42 €
									72,9 %
B2 = B1*(1+(Pf*w/Tw))*((Cw+Fw)/(2-Cw))/Cw)									
B2 = New sales price									
B1 = Previous sales price									
Pf = Progress factor									
w = Sales week from start									
Tw = Planned sales time in weeks									
Cw = Planned average sales per week									
Fw = Previous week sales									
Formula in phases:									
</									




Fig. 3




Fig. 4

INTERNATIONAL SEARCH REPORT

International application No.

PCT/FI2017/050315

A. CLASSIFICATION OF SUBJECT MATTER

See extra sheet

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC: G06Q, G06K, G06F

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched
FI, SE, NO, DK

Electronic data base consulted during the international search (name of data base, and, where practicable, search terms used)

EPODOC, EPO-Internal full-text databases, WPIAP, Full-text translation databases from Asian languages

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	US 6269342 B1 (BRICK FRANK E [US] et al.) 31 July 2001 (31.07.2001) columns 13-16; figures 9-10, 13	1-25
X	US 2009225000 A1 (ROSANDER PAR [SE] et al.) 10 September 2009 (10.09.2009) paragraphs [0021], [0030]; figures 1-3	1-25
X	WO 2010137883 A2 (LG INNOTEK CO LTD [KR]) 02 December 2010 (02.12.2010) paragraphs [28]-[29], [45], [49], [53], [65], [67], [69], [132]; figures 2-3	1-25
X	WO 2009094033 A1 (OPTOELECTRONICS CO LTD [JP]) 30 July 2009 (30.07.2009) figures 1, 3; claims 1-2	1-25

☒ Further documents are listed in the continuation of Box C.
☒ See patent family annex.

* Special categories of cited documents:	"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
"A" document defining the general state of the art which is not considered to be of particular relevance	"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
"E" earlier application or patent but published on or after the international filing date	"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art
"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)	"&" document member of the same patent family
"O" document referring to an oral disclosure, use, exhibition or other means	
"P" document published prior to the international filing date but later than the priority date claimed	

Date of the actual completion of the international search

09 August 2017 (09.08.2017)

Date of mailing of the international search report

23 August 2017 (23.08.2017)

Name and mailing address of the ISA/FI
Finnish Patent and Registration Office
P.O. Box 1160, FI-00101 HELSINKI, Finland
Facsimile No. +358 29 509 5328

Authorized officer
Heidi Kuismanen
Telephone No. +358 29 509 5000

INTERNATIONAL SEARCH REPORT

International application No.

PCT/FI2017/050315

C (Continuation). DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	JP 2000250497 A (ISHIDA SEISAKUSHO) 14 September 2000 (14.09.2000) paragraphs [0030], [0034], [0036]; figure 1 & abstract machine translation into English by Thomson Scientific [online] EPOQUENET TXPJPOEA & machine translation into English by Thomson Scientific [online] EPOQUENET TXPJPOEA	1-25
X	EP 2985725 A1 (SAMSUNG ELECTRO MECH [KR]) 17 February 2016 (17.02.2016) paragraphs [0016]-[0020], [0025]; figure 1	1-25
X	EP 2950259 A1 (SAMSUNG ELECTRO MECH [KR]) 02 December 2015 (02.12.2015) paragraphs [0015]-[0016], [0037]-[0041], [0052]-[0061]; figures 1, 3, 5	1-25
X	US 7152040 B1 (HAWTHORNE ERIC SCOTT [US] et al.) 19 December 2006 (19.12.2006) columns 6-7; figure 5	1-25
A	EP 1566755 A1 (TOSHIBA TEC KK [JP]) 24 August 2005 (24.08.2005) paragraphs [0020]-[0021], [0031]-[0033]; figures 3, 5-6	1, 13

INTERNATIONAL SEARCH REPORT
Information on Patent Family Members

International application No.
PCT/FI2017/050315

Patent document cited in search report	Publication date	Patent family members(s)	Publication date
US 6269342 B1	31/07/2001	US 5699074 A US 5751257 A US 6253190 B1 US 2001054005 A1	16/12/1997 12/05/1998 26/06/2001 20/12/2001
US 2009225000 A1	10/09/2009	US 8174463 B2 AT 467865 T AU 2003210088 A1 BR 0308059 A CA 2477696 A1 CN 1647022 A CN 100592252 C CN 101763236 A CN 101788897 A CN 101788897 B DE 60332527 D1 EP 1485789 A1 EP 1485789 B1 EP 2184677 A2 ES 2345881 T3 JP 2005519369 A JP 5137290 B2 JP 2010042242 A RU 2004128936 A US 2005151701 A1 US 7551149 B2 US 2009219223 A1 US 8174462 B2 WO 03073261 A1	08/05/2012 15/05/2010 09/09/2003 28/12/2004 04/09/2003 27/07/2005 24/02/2010 30/06/2010 28/07/2010 17/04/2013 24/06/2010 15/12/2004 12/05/2010 12/05/2010 05/10/2010 30/06/2005 06/02/2013 25/02/2010 10/05/2005 14/07/2005 23/06/2009 03/09/2009 08/05/2012 04/09/2003
WO 2010137883 A2	02/12/2010	KR 20100128906 A KR 101022958 B1	08/12/2010 16/03/2011
WO 2009094033 A1	30/07/2009	JP 2011510596 A JP 5191549 B2	31/03/2011 08/05/2013
JP 2000250497 A	14/09/2000	None	
EP 2985725 A1	17/02/2016	KR 20160020265 A	23/02/2016

INTERNATIONAL SEARCH REPORT
Information on Patent Family Members

International application No.
PCT/FI2017/050315

Patent document cited in search report	Publication date	Patent family members(s)	Publication date
		US 2016049102 A1	18/02/2016
.....			
EP 2950259 A1	02/12/2015	CN 105279663 A	27/01/2016
		KR 20150137977 A	09/12/2015
		US 2015348449 A1	03/12/2015
.....			
US 7152040 B1	19/12/2006	None	
.....			
EP 1566755 A1	24/08/2005	EP 1566755 B1	06/01/2010
		CN 1658209 A	24/08/2005
		DE 602005018698 D1	25/02/2010
		JP 2005267606 A	29/09/2005
		JP 4589094 B2	01/12/2010
		US 2005197973 A1	08/09/2005
.....			

INTERNATIONAL SEARCH REPORT

International application No.

PCT/FI2017/050315

CLASSIFICATION OF SUBJECT MATTER

IPC

G06Q 20/20 (2012.01)

G06Q 30/02 (2012.01)

G06K 7/10 (2006.01)

G06K 19/077 (2006.01)

G06K 17/00 (2006.01)

G06F 3/147 (2006.01)