



US00D337178S

United States Patent [19]

[11] Patent Number: Des. 337,178

Cassai

[45] Date of Patent: ** Jul. 6, 1993

- [54] COMBINED CONTAINER/BOTTLE AND APPLICATORS FOR COSMETICS
- [76] Inventor: Henry J. Cassai, 163-47 85th St., Howard Beach, N.Y. 11414
- [**] Term: 14 Years
- [21] Appl. No.: 612,189
- [22] Filed: Nov. 13, 1990
- [52] U.S. Cl. D28/77
- [58] Field of Search D28/7, 76, 77; D9/338; D19/35, 36, 41; 132/317, 318, 320, 216, 218

[56] References Cited

U.S. PATENT DOCUMENTS

D. 167,690	9/1952	Hopgood	D28/86
D. 222,827	1/1972	Newman	D9/300
D. 247,158	2/1978	Evangelista et al.	D9/523
D. 278,208	4/1985	Cassai et al.	D9/352
D. 305,811	1/1990	Cassai et al.	D28/77
D. 306,218	2/1990	Cassai et al.	D28/77
D. 311,787	10/1990	Cassai et al.	D28/77
D. 312,659	12/1990	Oka	D19/41
D. 321,905	11/1991	Tu	D19/36
4,428,388	1/1984	Cassai et al.	132/88.7
4,886,080	12/1989	Cole	132/320

Primary Examiner—Bernard Ansher
Assistant Examiner—C. Tuttle


[57] CLAIM

The ornamental design for a combined container/bottle and applicators for cosmetics, as shown and described.

DESCRIPTION

FIG. 1 is a side elevational view of a combined container/bottle and applicators for cosmetics showing my new design, its opposite side being a mirror image;
 FIG. 2 is a partially exploded side elevational view thereof;
 FIG. 3 is a partially exploded top plan view of a second embodiment, said embodiment being identical to the

embodiment in FIG. 1 except for the appearance of the modified caps;
 FIG. 4 is a partially exploded bottom plan view of a third embodiment, said embodiment being identical to FIG. 1, except for the appearance of the modified caps;
 FIG. 5 is a front elevational view of FIG. 1 with the closure removed;
 FIG. 6 is a rear elevational view of FIG. 1 with the closure removed;
 FIG. 7 is a side elevational view of a fourth modified embodiment, its opposite side being a mirror image;
 FIG. 8 is a partially exploded side elevational view thereof;
 FIG. 9 is a partially exploded top plan view of a fifth embodiment, said embodiment being identical to the embodiment in FIG. 7 except for the appearance of the modified caps;
 FIG. 10 is a partially exploded bottom plan view of a sixth embodiment, said embodiment being identical to the embodiment in FIG. 7 except for the appearance of the modified caps;
 FIG. 11 is a front elevational view of FIG. 7 with the closure removed;
 FIG. 12 is a rear elevational view of FIG. 7 with the closure removed;
 FIG. 13 is a side elevational view of a seventh modified embodiment, its opposite side being a mirror image;
 FIG. 14 is a partially exploded side elevational view thereof;
 FIG. 15 is a partially exploded top plan view of an eighth embodiment, said embodiment being identical to the embodiment in FIG. 13 except for the appearance of the modified caps;
 FIG. 16 is a partially exploded bottom plan view of a ninth embodiment, said embodiment being identical to the embodiment in FIG. 13 except for the appearance of the modified caps;
 FIG. 17 is a front elevational view of FIG. 13 with the closure removed; and,
 FIG. 18 is a rear elevational view of FIG. 13 with the closure removed.






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5



FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10



FIG. 11



FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16



FIG. 17



FIG. 18